



ONE ~ STRINGER ~ ST502
(ONE @ E12)

PLEASE VERIFY ALL GRADE

APPROVAL AUTHORITY :-
VERIFICATION OF DIMENSIONS, DETAILS,
etc. IS REQUESTED WHERE INDICATED. IF
EACH VERIFICATION IS NOT NOTED
OTHERWISE IT WILL BE ASSUMED TO BE
CORRECT AS SHOWN

BILL OF MATERIAL					BILL OF MATERIAL				
QTY	PCS MRK	MATERIALS	LENGTH	REMARKS	QTY	PCS MRK	MATERIALS	LENGTH	REMARKS
1	ST502	STRINGER							
1	ST502	HSS8X6X1/2	11'-6 3/16"	(A501-GR.B)					
20	p502	FL1/4"X2 1/2"	0'-9 1/2"						
2	p503	FL1/2"X8"	0'-10 1/2"						
2	p504	PL3/4"X13"	1'-9 1/4"						
1	i502	HSS8X6X1/2	11'-6 3/16"	(A501-GR.B)					
10	i507	HSS10X3X1/4	3'-4"	(A501-GR.B)					
20	i509	HSS2.375X0.250	0'-6 1/2"						
		FIELD BOLTS							

FOR APPROVAL ONLY

SHOP NOTES

- ALL WIDE FLANGE SHALL BE A992
- ALL HSS SHALL BE A501 GR-B
- ALL PIPE SHALL BE A53
- ALL PLATES SHALL BE A36
- ALL HEADED/THREADED STUD SHALL BE AUTO WELDED

ARCHITECT:- BRANDON ARCHITECT		ENGINEER:- FMH ENGINEERING	
DATE	NO.	REVISION/DESCRIPTION	
CLEAN :-	SSPC-SP2	PRIMER :- NO PAINT	
HOLES U.N.O. :- 13/16Ø		ELECTRODE :- E70XX	
PROJECT :- ZAHEDI RESIDENCE		GLATEA TER, CORONA	
DEL MAR, CA 92625		DETAILS OF :-	
STRINGER		SHEET #	
DETAILER	CHECKER	FOR APPROVAL	FOR CONST.
ABA	MDF	DATE: 11/06/19	DATE:
			ST502

A