

FOGGERS

We have sourced and partnered with one of Canada's leading experts in fogging devices, who have been supplying multiple sectors in Canada for over 8 years.

Teaching, training, and personal support can be provided for best fogging practices to eliminate viruses, mold & bacteria including COVID19. Teaching and training videos to explain each fogger, recommended applications, performance & maintenance protocols.

When making a recommendation to your clients we have the industry leading expertise and solutions. The devices we have included are based on extensive research and years of experience. The market is being flooded with foggers due to the global pandemic.

Like a "Dirt Devil Vs a Dyson". They both look great when brand new, however the performance, durability and warranties are vastly different!

MINION – HIGH INTENSITY NEGATIVE ION GENRATOR FOGGER

The Minion blows out 8800cubic foot per minute of negatively charged air while spraying the disinfectant at an adjustable rate of 1.7 –2.4 oz/min. The flow of 8200W/in3 of negative-ion attracts positively charged airborne particles such as dust, pollen, and pathogens of viral, bacterial, or fungal origin, and particle matters less than 2.5 microns (PM2.5) in the surrounding air and neutralize them, making them heavier to descend down on the floor. Then the sprayed disinfectant over the surface can kill those pathogens

Specifications:

- Container volume: 61 oz (1.8L)
- Spray flowrate: 2.4 oz/min (70L/min)
- Effective Spray Distance: 10 ft
- Air Flowrate: 8800cft (250cbm)
- Static ion coverage distance: 16ft

The logo for the Minion fogger, with the word "minion" in a stylized font where "min" is blue and "ion" is red.

- Negative ion coverage distance: 16ft
- Battery: Li-ion 20V-2500mA (Optional 2nd battery)
- Power: 129W
- Current: 6 amps
- Operating time: 25-30 minutes
- Charging time: 3 hours
- Charger input power: AC 100-240V 50hz/60hz
- Noise level: 90 dB
- Net Weight: 2.1lbs



LONGRAY 2680A FLEX HOUSE ELECTRIC ULV COLD FOGGER (6L)

The Longray has a super strong flexible hose and motor, both made in Germany. Durable structure and design competent for long spray time. Equipped with a flexible hose with a directing handle on the nozzle lets you spray into hard to reach areas such as between kitchen cabinets, under carpets, above ceilings, and into ducts. Adjustable flow regulator allows for required flow rate and fog droplet.

Specifications:

- Container volume: 6L
- Nozzle: Swirl nozzle
- Spray flowrate: 0-24 L/h, adjustable
- Particle size: 5-50µm, adjustable
- Electric Motor: 800W
- Dimensions (L x W x H): 480 x 215 x 245 mm
- Shipping dimensions: 580 x 300 x 325mm
- Weight, empty: 4.0 Kg
- Shipping weigh: 5.0 Kg



LONGRAY 3600E HAND-HELD ULV FOGGER

Perfect atomization, flow rate 0-18L/h, precision flow rate and fog droplet control, fog size can be controlled for both ULV and residual spraying. Has adjustable variable regulator produce 5 to 50 microns of fine fog droplet can quickly apply disinfectants, biocides or insecticides and other water based solutions to eradicate vector carriers and pests, Application: Multiple application uses for all chemicals, such as disinfectants and sanitizers, deodorants, odor neutralizers

Specifications:

- Container volume: 2.5L
- Nozzle: Swirl nozzle
- Spray flowrate: 0-18 L/h, adjustable
- Particle size: 5-50µm, adjustable
- Electric Motor: 800W
- Length: 23.2 in or 58 cm
- Width: 7.6 in or 19 cm
- Height: 11.6 in or 29 mm
- Weight (empty): 12.54 lbs or 5.7 Kg



BURE HAND-HELD ULV FOGGER

The Bure has a wide array of applications, making it one of the most versatile and powerful ULV Foggers on the market. Disinfection/Sterilization: Bure ULV Fogger enables injection of anolyte and catholyte solutions. Its small micron droplet nozzle that is adjustable provides for ultimate coverage and protection against infectious pathogens.

Specifications:

- Switch(On/Off) function- Variable Speed Fan
- Control of solution amount
- Air vent valve installed at solution tank
- One-touch exchange of solution tank
- Powerful Blower allows drying and air cleaning as well as administering solution
- Adjustable 5-10 Micron droplet size
- 110V
- Removable 3.5 litre solution reservoir
- Extra Tanks can be purchased separately for use as flush tanks
- Spray reach 5-10 meters



TERMINATOR ULV BACKPACK BATTERY OPERATED ELECTROSTATIC FOGGER

Battery operated, no need for external power supply · Super long continuous working time, can work for 3.5 hours with one charge. One-button start, knapsack design for flexibility and convenience · Adopt military-grade waterproof standard, high-speed brushless blower. Multi-functional ceramic spray nozzle can be replaced easily. LCD screen, indicator of the working time, battery usage and ambient temperature. Intelligent automatic waterway cleaning circulation system. No pollution, zero emission, no exhaust gas, low noise · Large diameter inlet without funnel. Intelligent fast charge (optional).

Specifications:

- Competitive Edge Electrostatic ULV Sprayer
- Working Time 5.5 hours per single charge
- Atomization Method High Pressure – Pneumatic Working
- Voltage 24VDC Battery Capacity 30AH – Lithium-ion Rated Output 200W
- Fog Particle Size 10 - 50 μ m
- Spray Distance 12 - 14 meters
- Tank Volume 10L
- Weight 7.8Kg



www.ontariolimited.com 1704807.on.ltd@gmail.com