



THIS IS THE MOMENT.

Swanky - Cocora Valley



TITAN
SURFACES

2026 Resource Guide & Product Line

CHOOSING A CORE

UNDERSTANDING THE DIFFERENCE BETWEEN SPC, HPC, AND WPC CORES.



Traditions - American Chestnut



Genesis - Restoration Pine




Colossal - Maximus

SPC

Designed for value and dependability.

Benefits:

- Affordable
- Impact-resistant
- Waterproof




- 1 **UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 **WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 **FILM LAYER** - Natural Wood Decors & Textures
- 4 **CORE** - Solid Waterproof Core Provides Extra Dimensional Stability & Indentation Resistance
- 5 **ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction

HPC

Balance of performance and comfort.

Benefits:

- Balanced density
- Good sound reduction
- Softer underfoot than SPC
- Waterproof




- 1 **UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 **WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 **FILM LAYER** - Natural Wood Decors & Textures
- 4 **CORE** - Hybrid Light Weight Waterproof Core for Indentation Resistance, Extra Cushion, Warmth and Sound Deadening
- 5 **PVC MOISTURE BARRIER** - Added Layer of Moisture Protection
- 6 **ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction

WPC

The ultimate comfort and reliability.

Benefits:

- Best sound reduction
- Foamed core provides cushioning and enhanced strength
- Most warmth and softness underfoot
- Forgiving of imperfect subfloors
- Easiest transportation and installation
- Most realistic textures
- Waterproof



- 1 **UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 **WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 **FILM LAYER** - Natural Wood Decors & Textures
- 4 **VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability
- 5 **CORE** - Foamed Waterproof Core Provides Extra Cushion, Warmth & Sound Deadening
- 6 **ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction

WHY CUSTOMERS CHOOSE WPC

WPC delivers the highest customer satisfaction across all core types thanks to its unmatched **comfort, stability,** and everyday **performance.**



Swanky - St Croix




TITAN
SURFACES

866.735.6570 | titansurfaces.com


STAIR TREADS &
TRIMS AVAILABLE!

Tigris


COLOSSAL TW06V



6001 Archillia




6002 Augustus




6003 Maximus




6004 Murmillo



6005 Spartacus



6006 Tigris



6007 Atlas




6008 Oceanus

SPECIFICATIONS

CONSTRUCTION:	WPC
SIZE:	9" X 71"
TOTAL THICKNESS:	12mm
WEAR LAYER:	30 mil
ATTACHED PAD:	1.5mm IXPE
BEVEL TYPE:	Painted Bevel
EMBOSS TYPE:	Embossed In Register Hi Definition Wood Grain
INSTALLATION:	Floating / Uniclic®
SQ FT / CARTON:	17.67
CARTONS / PALLET:	48
SQ FT / PALLET:	848.17

- 1 UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 FILM LAYER** - Natural Wood Decors & Textures
- 4 VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability
- 5 CORE** - Foamed Waterproof Core Provides Extra Cushion, Warmth & Sound Deadening
- 6 ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



Anti-Bacterial



Easy To
Clean



Floating
Installation



Phthalate
Free



Scratch & Stain
Resistant



Sound
Reduction



Waterproof



TITAN
SURFACES

titansurfaces.com

WHERE WARMTH BEGINS

Create a home that's ready for every season with floors built for **comfort** and **connection**.



Colossal - Maximus



TITAN
SURFACES

866.735.6570 | titansurfaces.com

THE TITAN ADVANTAGE

WITH A PREMIUM IXPE PAD AND THE UNICLIC LOCKING SYSTEM, TITAN SURFACES FLOORS OFFER ENHANCED COMFORT, STRONG SEAM INTEGRITY, AND A SMOOTH, RELIABLE INSTALL.




PREMIUM IXPE PAD

Our blue premium IXPE underlayment adds **quiet comfort** and **reliable protection** beneath every Titan Surfaces floor. Its high-performance, closed-cell foam **enhances acoustics**, **resists moisture**, and **delivers long-lasting cushioning** that supports everyday living.

Benefits:

- Superior sound absorption for a quieter home
- Closed-cell waterproof protection
- Comfortable, cushioned underfoot feel
- Mold, mildew, and bacteria resistance
- Durable foam that maintains performance over time



Sound Reduction



Waterproof

UNICLIC® LOCKING SYSTEM

The Uniclic® locking system is **the original locking system**, with proven **reliability** and **performance**. Engineered for precision and ease, it **speeds up installation**, **minimizes errors**, and **ensures long-term stability** across all Titan Surfaces WPC, HPC, and SPC floors.

Benefits:

- Tight, dependable seams that resist separation
- Fast, easy installation for pros and DIY users
- Enhanced structural stability throughout the floor
- Reduced risk of gapping or misalignment
- Consistent, reliable performance in every space



Floating Installation

STANDARD ACROSS ALL TITAN SURFACES WPC, HPC, AND SPC FLOORING.



TRIMS AVAILABLE!

Coral Bay


SWANKY TW12V



1201 Scottsdale





1202 Coral Bay



1203 St Croix




1204 Mojito Hill

1205 San
Domenico1206 Cocora
Valley

SPECIFICATIONS

CONSTRUCTION: WPC
SIZE: 7" X 60"
TOTAL THICKNESS: 10mm
WEAR LAYER: 28 mil
ATTACHED PAD: 1.5mm IXPE
BEVEL TYPE: Painted Bevel
EMBOSS TYPE: Embossed in Register
Hi Definition Wood Grain
INSTALLATION: Floating / Uniclic®
SQ FT / CARTON: 17.72
CARTONS / PALLET: 75
SQ FT / PALLET: 1328.75

- 1 **UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 **WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 **FILM LAYER** - Natural Wood Decors & Textures
- 4 **VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability
- 5 **CORE** - Foamed Waterproof Core Provides Extra Cushion, Warmth & Sound Deadening
- 6 **ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



Anti-Bacterial

Easy To
CleanFloating
InstallationPhthalate
FreeScratch & Stain
ResistantSound
Reduction

Waterproof

ASSURE
CERTIFIEDGREENGUARD
GOLD

TITAN SURFACES

titansurfaces.com

RETRO STYLE. ENDURING STRENGTH.

Flooring that feels both familiar and fresh, blending nostalgia with dependable comfort.



Retro Plank - Golden Oak



TITAN
SURFACES


866.735.6570 | titansurfaces.com




TRIMS AVAILABLE!

Common White Oak


RETRO PLANK TW09V




9001 Golden Oak




9002 Common White Oak




9003 Provincial Oak



9004 Red Oak Natural



9005 Mill Run Hickory




9006 Antique Heart Pine

SPECIFICATIONS

CONSTRUCTION:	WPC
SIZE:	5" X 60"
TOTAL THICKNESS:	6.5mm
WEAR LAYER:	20 mil
ATTACHED PAD:	1mm IXPE
BEVEL TYPE:	Micro Bevel
EMBOSS TYPE:	Standard Wood Grain
INSTALLATION:	Floating / Uniclic®
SQ FT / CARTON:	32.81
CARTONS / PALLET:	40
SQ FT / PALLET:	1312.36

- 1 UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 FILM LAYER** - Natural Wood Decors & Textures
- 4 VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability
- 5 CORE** - Foamed Waterproof Core Provides Extra Cushion, Warmth & Sound Deadening
- 6 ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



Anti-Bacterial



Easy To Clean



Floating Installation



Phthalate Free



Scratch & Stain Resistant



Sound Reduction



Waterproof



titansurfaces.com



TRIMS AVAILABLE!

Sandalwood Koa

ESSENTIALS TW05V



5001 Caribbean Beech



5002 Charleston Pine



5003 Natural Pecan




5004 Tropical Walnut



5005 Tuscan Ash



5006 Yellowstone Oak



5007 Sandalwood Koa




5008 Frisco Oak

SPECIFICATIONS

CONSTRUCTION:	WPC
SIZE:	9" X 60"
TOTAL THICKNESS:	8mm
WEAR LAYER:	22 mil
ATTACHED PAD:	1.5mm IXPE
BEVEL TYPE:	Painted Bevel
EMBOSS TYPE:	Embossed In Register Hi Definition Wood Grain
INSTALLATION:	Floating / Uniclic®
SQ FT / CARTON:	29.92
CARTONS / PALLET:	32
SQ FT / PALLET:	957.49

- UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- FILM LAYER** - Natural Wood Decors & Textures
- VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability
- CORE** - Foamed Waterproof Core Provides Extra Cushion, Warmth & Sound Deadening
- ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



Anti-Bacterial



Easy To Clean



Floating Installation



Phthalate Free



Scratch & Stain Resistant



Sound Reduction



Waterproof



ASSURE CERTIFIED



GREENGUARD GOLD



titansurfaces.com


TRIMS AVAILABLE!

Sao Paulo


EPIC TW04V



4001 Broughton Street



4002 Copper Ridge




4003 Park Place



4004 Rio Grande



4005 Sunset Cruise



4006 Victoria Falls



4007 Sao Paulo




4008 Salvador

SPECIFICATIONS

CONSTRUCTION:	WPC
SIZE:	7" X 60"
TOTAL THICKNESS:	8mm
WEAR LAYER:	20 mil
ATTACHED PAD:	1.5mm IXPE
BEVEL TYPE:	Painted Bevel
INSTALLATION:	Floating / Uniclic®
SQ FT / CARTON:	23.62
CARTONS / PALLET:	70
SQ FT / PALLET:	1653.4

- 1 UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 FILM LAYER** - Natural Wood Decors & Textures
- 4 VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability
- 5 CORE** - Foamed Waterproof Core Provides Extra Cushion, Warmth & Sound Deadening
- 6 ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



Anti-Bacterial



Easy To Clean



Floating Installation



Phthalate Free



Scratch & Stain Resistant



Sound Reduction



Waterproof


TITAN
SURFACES

titansurfaces.com


STAIR TREADS &
TRIMS AVAILABLE!

Desert Willow


GENESIS TS07V



7003 Restoration
Pine




7004 Vintage
Maple




7005 Farmhouse
Hickory



7006 Spalted
Maple



7009 Bedford
Oak



7010 Monterey
Pine



7011 Desert
Willow




7012 Texas Ash

SPECIFICATIONS

CONSTRUCTION:	HPC
SIZE:	7" X 60"
TOTAL THICKNESS:	10mm
WEAR LAYER:	22 mil
ATTACHED PAD:	1.5mm IXPE
BEVEL TYPE:	Artisan Edge™ Pressed Bevel
EMBOSS TYPE:	Embossed In Register Hi Definition Wood Grain
INSTALLATION:	Floating / Uniclic®
SQ FT / CARTON:	17.71
CARTONS / PALLET:	55
SQ FT / PALLET:	974.05

- 1 UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 FILM LAYER** - Natural Wood Decors & Textures
- 4 CORE** - Hybrid Light Weight Waterproof Core for Indentation Resistance, Extra Cushion, Warmth and Sound Deadening
- 5 PVC MOISTURE BARRIER** - Added Layer of Moisture Protection
- 6 ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



Anti-Bacterial



Easy To
Clean



Floating
Installation



Phthalate
Free



Scratch & Stain
Resistant



Sound
Reduction



Waterproof



TITAN
SURFACES

titansurfaces.com



GENESIS

featuring **ARTISAN EDGE™**

ARTISAN EDGE™


A pressed bevel that has the appearance of a handcrafted hardwood flooring edge.




TRIMS AVAILABLE!

Classic Oak

TRADITIONS TS03V




3001 Character Maple



3002 Coastal Pine



3003 Heritage Birch



3004 Low Country Oak




3005 Small Leaf Acacia



3006 Southern Red Oak




3007 American Chestnut



3008 Classic Oak



3009 Sienna Cypress




3010 Boardwalk Pine

SPECIFICATIONS

CONSTRUCTION: Solid Polymer Core
SIZE: 7" X 48"
TOTAL THICKNESS: 5mm
WEAR LAYER: 22 mil
ATTACHED PAD: 1mm IXPE
BEVEL TYPE: Painted Bevel
EMBOSS TYPE: Embossed In Register Hi Definition Wood Grain
INSTALLATION: Floating / Uniclic®
SQ FT / CARTON: 23.64
CARTONS / PALLET: 50
SQ FT / PALLET: 1182

- 1 UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 FILM LAYER** - Natural Wood Decors & Textures
- 4 CORE** - Solid Waterproof Core Provides Extra Dimensional Stability & Indentation Resistance
- 5 ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



Anti-Bacterial



Easy To Clean



Floating Installation



Phthalate Free



Scratch & Stain Resistant



Sound Reduction



Waterproof



TITAN
SURFACES


titansurfaces.com




TRIMS AVAILABLE!

Shenandoah


SIMPLICITY TS02V



2001 Asheville



2002 Moonlight

2003 Mountain
Scapes

2004 Oasis



2005 Roasted Pine




2006 Shenandoah

SPECIFICATIONS

CONSTRUCTION:	Solid Polymer Core
SIZE:	7" X 48"
TOTAL THICKNESS:	4.5mm
WEAR LAYER:	12 mil
ATTACHED PAD:	1mm IXPE
BEVEL TYPE:	Micro Bevel
INSTALLATION:	Floating / Uniclic®
SQ FT / CARTON:	23.64
CARTONS / PALLET:	60
SQ FT / PALLET:	1418.26

- 1 UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 FILM LAYER** - Natural Wood Decors & Textures
- 4 CORE** - Solid Waterproof Core Provides Extra Dimensional Stability & Indentation Resistance
- 5 ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



Anti-Bacterial

Easy To
CleanFloating
InstallationPhthalate
FreeScratch & Stain
ResistantSound
Reduction

Waterproof




titansurfaces.com


DRYBACK




REVIVAL TG11V



1101 Milan



1102 Verona




1103 Florence



1104 Venice



1105 Naples




1106 Turin

SPECIFICATIONS

CONSTRUCTION:	DRYBACK
SIZE:	7" X 48"
TOTAL THICKNESS:	2.5mm
WEAR LAYER:	20 mil
BEVEL TYPE:	Micro Bevel
EMBOSS TYPE:	Standard Wood Grain
INSTALLATION:	Glue Down
SQ FT / CARTON:	37.33
CARTONS / PALLET:	55
SQ FT / PALLET:	2053.37

- 1 UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 FILM LAYER** - Natural Wood Decors & Textures
- 4 VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability



Anti-Bacterial



Easy To Clean



Glue Down



Phthalate Free



Scratch & Stain Resistant



Sound Reduction



Waterproof






titansurfaces.com




Honey Mesquite



LEGACY GROVE TL08

8001 Texana
Hickory8002 Big Tooth
Aspen



8003 Live Oak



8004 Cape Holly

8005 Honey
Mesquite

8006 Morado


8007 Monterey
Cypress

8008 Marblewood

SPECIFICATIONS

CONSTRUCTION:	Laminate
SIZE:	7.68" X 59.65"
TOTAL THICKNESS:	12mm
WEAR LAYER:	AC4
ATTACHED PAD:	2mm IXPE
BEVEL TYPE:	Painted
EMBOSS TYPE:	Embossed In Register
INSTALLATION:	Floating / Uniclic®
SQ FT / CARTON:	19.08
CARTONS / PALLET:	55
SQ FT / PALLET:	1049.40

- 1 AC OVERLAY** - Scratch & Stain-Resistant Wear Layer
- 2 DECOR LAYER** - Natural Wood Decors & Textures
- 3 DENT-RESISTANT COMPOSITE WOOD HDF CORE** - Higher Density & More Water Resistant Than Regular Laminate with Wax Sealant for Water Resistance
- 4 BALANCING LAYER** - Added Layer of Structural Support & Moisture Barrier
- 5 ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction

Easy To
CleanFloating
InstallationPhthalate
FreeScratch & Stain
ResistantSound
ReductionWater
Resistant

TITAN
SURFACES

titansurfaces.com

COORDINATING MOLDINGS

COLOR MATCHED TRIM PIECES AVAILABLE – WE'VE TAKEN THE GUESS WORK OUT OF TRIM WORK!



Slim-trim



Endcap



Flush Stairnose



Stair Tread



TRIM COORDINATION

WHY IT MATTERS

A seamless floor depends on more than just the planks.

All trims and planks are made with the same decorative film, but pattern variation means not every plank will match a trim piece. The right match is always in the carton — it just requires planning.

MATCHES



NOT A MATCH



NOT A MATCH



BEST PRACTICES FOR INSTALLERS

- **Review before you start.** Compare trims with multiple planks.
- **Select the match.** Set aside planks that align closely with each trim.
- **Install with care.** Using matched planks next to trims ensures a flawless look.

THE RIGHT MATCH IS ALWAYS IN THE CARTON

- **Consumers:** Your floor and trims do match - coordination is key.
- **Installers:** Proper planning is your responsibility.
- **Dealers:** Sharing this practice prevents callbacks and dissatisfaction.



866.735.6570 | titansurfaces.com


Finishing a project with transition moldings will create a beautiful and seamless floor. Titan moldings also help protect the product and installation. Get the best trim pieces for the application with these custom trims designed with the exact flooring film.

SLIM TRIM *Includes Shim & Track*

ENDCAP *Includes Track*

FLUSH STAIRNOSE




THESE FOUR TRIMS AVAILABLE IN 94.49" LENGTHS!






Transition between floors of equal or variable heights & doorways.



Transition from floors to higher surfaces like doors, thicker flooring.




Create a smooth seamless finish on the edges of stairs.



STAIR TREAD WITH RETURNS



AVAILABLE IN
COLOSSAL AND GENESIS



LOAD SPECIFICATIONS

LAMINATE

PRODUCT	MAX PIECES PER 3" TUBE				MAX PIECES PER 6" TUBE			
	REDUCER	T-MOLD	ENDCAP	STAIRNOSE	REDUCER	T-MOLD	ENDCAP	STAIRNOSE
LEGACY GROVE	5	6	5	N/A	20	25	20	6

LUXURY VINYL PLANK

PRODUCT	MAX PIECES PER 3" TUBE			MAX PIECES PER 6" TUBE		
	SLIM TRIM	ENDCAP	STAIRNOSE	SLIM TRIM	ENDCAP	STAIRNOSE
ALL LVP	7	7	N/A	32	30	6

COORDINATING MOLDINGS - LAMINATE

REDUCER *Includes Shim & Track*

T-MOLDING *Includes Shim & Track*

ENDCAP *Includes Shim & Track*

FLUSH STAIRNOSE

THESE FOUR TRIMS AVAILABLE IN 94.49" LENGTHS!



Transition between floors of different heights & doorways.



Transition between floors of equal heights & doorways.



Transition from floors to higher surfaces like doors, thicker flooring.



Create a smooth seamless finish on the edges of stairs.



TITAN SURFACES PRODUCT PACKAGING DETAILS

NAME / STYLE #	COLOSSAL / TW06	EPIC / TW04	ESSENTIALS / TW05	GENESIS / TS07	LEGACY GROVE / TL08
ACTUAL PLANK SIZE	8.98" x 70.87"	7.09" x 60"	8.98" x 60"	7" x 60"	7.68" x 59.65"
PLANKS / CARTON	4	8	8	8	6
SQ FT / CARTON	17.67	23.62	29.92	17.71	19.08
LBS / CARTON	45	37.25	48.95	54	36
CARTONS / PALLET	48	70	32	55	55
SQ FT / PALLET	848.17	1653.4	957.49	974.05	1049.4
LBS / PALLET	1945	2825	1691	3021	2111
CARTON DIMENSIONS	9.5" W x 72" L x 2" H	7.6" W x 60.7" L x 2.7" H	9.5" W x 60.7" L x 2.7" H	7.6" W x 60.7" L x 2.7" H	8.5" W x 60.25" L x 3" H
PALLET DIMENSIONS	38.58" W x 72.05" L x 30.32" H	38.58" W x 61.02" L x 45.28" H	38.58" W x 61.02" L x 27.36" H	38.58" W x 61.02" L x 45.28" H	44" W x 61" L x 38" H

NAME / STYLE #	RETRO PLANK / TW09	REVIVAL / TG11	SIMPLICITY / TS02	SWANKY / TW12	TRADITIONS / TS03
ACTUAL PLANK SIZE	5" x 60"	7" x 48"	7.09" x 48.03"	7.09" x 59.96"	7.09" x 48.03"
PLANKS / CARTON	16	16	10	6	10
SQ FT / CARTON	32.81	37.33	23.64	17.72	23.64
LBS / CARTON	51	37.69	36.3	37.48	39.65
CARTONS / PALLET	40	55	60	75	50
SQ FT / PALLET	1312.36	2053.37	1418.26	1328.75	1182
LBS / PALLET	2092	2073	2217	2811	2091
CARTON DIMENSIONS	8.5" W x 62.5" L x 3" H	7" W x 48" L x 3" H	7.6" W x 48.8" L x 2" H	7" W x 60" L x 4" H	7.6" W x 48.8" L x 2" H
PALLET DIMENSIONS	44" W x 62" L x 38" H	37.4" W x 49.22" L x 25.6" H	39.37" W x 49.21" L x 28.74" H	38.98" W x 61.02" L x 43.3" H	39.37" W x 49.21" L x 27.17" H



16 SLOT DISPLAY
55" W x 65" H x 22" D



8 SLOT DISPLAY
27.5" W x 65" H x 21.5" D



8 SLOT GENESIS DISPLAY
27.5" W x 65" H x 21.5" D



MASTER DISPLAY
85.63" W x 85.43" H x 29.53" D





8 SLOT LEGACY GROVE DISPLAY
27.5" W x 65" H x 21.5" D



DISPLAY BOARDS

Size varies by plank width - 21" W x 30" H and 27" W x 30" H



STRAP SETS

Size varies by plank width
7" W x 12" H and 9" W x 15" H



BUILDER BOARDS

Size varies by plank width - 21" W x 30" H and 27" W x 30" H

TRIM CHAIN SET

5.875" W x 12.25" H



**SOPHISTICATED STYLE WITH
EVERYDAY STRENGTH.**

Swanky - Mojito Hill



Contact Team Titan to learn more about our product line.

info@titansurfaces.com or orders@titansurfaces.com

866.735.6570 | titansurfaces.com