

FIRST
NONELECTRICPOWERED
OAXARATEDDAVIDGOMADZA
7628983868 AT OAX

David Gomadza

www.twofuture.world

Copyright © 2024 David Gomadza

All rights reserved.

ISBN: 9798339151319

DEDICATION

To a more advanced world

Table of Contents

ACKNOWLEDGMENTS.....

OAX.....

ROTARY AND TRANSISTOR AT OAX

NONELECTRIC POWERED REMOTE CONTROL.....

CORRECANALOGUE DAVID GOMADZA

HOW TO OPERATE THE REMOTE CONTROL.....

SOME CREATE CODES TO HELP SEARCH FIND AND CONTROL
TRANSENDERS [ENEMY CODES THAT CAUSE NUISANCE OR EVEN INJURIES]
THIS PART NOT FOR HUMANS SKIP.....

ADD A DIGITAL ANALYSER TO VERIFY EVERYTHING

PATENT DETAILS.....

REQUEST FOR THE GRANT OF A PATENT. A Universal Brain Decoding
Device.

Now we can see why all this is important because we need a brain
recorder in the end what we have gives as the basic information but to
complete the job we need two other things which we already have a
digital brain analogue and a brain reading device then the patent is
completed but how do we construct complicated things like things from
no where we can add a digital analogue that we can construct using a
simple equation that says if we can then we cant because if we cant then
it means that we can but if we ask what that we cant is then we get what
we can but with reservations that means we must also act and assign
things and everything values we might need to completely finish
everything off but we can be running out of time meaning we finish this as
part one then complete the other things as part two.....

ABOUT DAVID GOMADZA.....

ACKNOWLEDGMENTS

A better world

surrounding if it we ask what can be be of oax and the oaxial then
this is the answer oaxial will rotate as long as there is momentum at
the oax this means that if we ask what can be done to humans here
at the oaxial then this is the answer we can always ask what can be
of humans that

ROTARY AND TRANSISTOR AT OAX

If we can place everything at the oax and operate all this namely
1] atererean

2] a rotary attached to the transistor we have this as xtererate
meaning power source powered $xy728698$ and $xy82386xy$ perfectly
matched labelled davidgomadza but with comments made by adna
saying he might be faking to be Yahweh's representative but has
everything mentioned in the book of creation page
 $8986878283890289018386874890$ now if we are to test these then
the output is $0.8286xy$ that means the exact output generated by
his artificial one so how can he be faking

3] an iterate I can easily make this since I now know the power output
so if $xy728698$ and $xy82386$ perfectly matched then we can get the
iterate as power output plus $xy-xy728698+xy82386xy=769838128$
this means that the power output is $0.8286xy-$
 $xy728698+xy82386=769838128=71285xy$ now we have the iterate
from the above equation $xy-$
 $xy728698+xy82386xy=769838128=28192xy=0.82$ this means that if
we add the power source now our iterate become $xy-$
 $xy728698+xy82386=2210386xy$ this means our iterate require a
power output of $xy210386xy$ meaning $xy=10x20cm$ =we can reduce
every size by 5cm [half] only meaning $xy=5x20cm$ we can halve the
length of a capacitor and get the same output meaning now our
measurements are $xy=5x20com$ meaning our final; iterate is
 $xy=769838128$ gives us now $xy82386xy$ as it measure capacitance
then it becomes $xy82386xy$ meaning now everything should look like
this $xy-xy728698+xy82386$ xy now if we say what can be done then
this is the answer is we can ask what is to be of iterates that must
help capacitors to deliver their messages they must be able to answer

Yahweh correctly so he know what do to now add everything up using internal calculator just say add everything up and tell me the answer is if we ask the iterate it will say the iterate is 9836828xy meaning we need a capacitance of 0.178698 for everything to work perfectly now we can say that iterate is 9836828xy

We can look again at atererean what are you I am the source of power for a;; living organism and humans I tell everyone else what to do I say wake him up I say lay still I say die but no human can use without long ago of 12sec so what can be done is $xy - xy728698 + xy82386xy =$ that means for normal human being divide by 8698386284 as a must so never reveal true value for creators for humans use only 1238698286 meaning that if we ask now what can be done then this is the answer humans with a long ago of 8 seconds will need atererean of 1238698286 that means that our atererean is 0.869838xy now that we got everything we need now to add everything up before we connect everything we can use a create code
Create.addatererean0.869838xy+xy-
xy728698+xy82386xy+983828xy

Create.addatererean0.869838xy+xy-
xy728698+xy82386xy+9836828xy+

4] arooster what are you I measure capacitance but in humans with long ago meaning 12 seconds meaning those with 8 seconds cant use me but can switch to aroost what are you I measure capacitance in humans with low long ago of 8 seconds meaning all humans apart from davidgomadza from the living records by individuals how many records does he holds altogether total 96 records worth US\$789 trillion now if we ask what can be then this is the answer an aroost can be added easily by asking what aroost he had before the upgrade he had an aroost 76284898xy that means if he is building for others he need 76284898 xy and if for himself then he needs an arooster 76284898xy important as mixing is bound to cause instant death now that we have everything we need that means that we can now add all equations

TESTING AND MAKING THIS FOR OTHER HUMANS WITH A LONG AGO OF 8SEC

Create.addatererean0.869838xy+xy-xy728698+xy82386xy+76284898xy+0.869838xy.startx84.initialise.now.savex84.start[notdavidgomadzahumanbutthis...]

NOTES

I used my clone/soul to perform this task after asking it to adjust then this was the results of the create code

I bend forward first 38 degrees north then I return then I move 80 degrees south then 90 degrees north then 70 degrees east then 60 degrees west then bend in submission 8 times forward before returning to the place [what behind you a window] what do you see dim sun the emperor Chinese cruise from David gomadza human writing down David is facing me looking outside the window meaning I am looking at him that means I turn to him looking at him that means if I turn to dim sun the emperor Chinese cruise my angle is 78 degrees

Hailhailhaildavidgomadzafirsthumanaoxaratewith8seclongago[onlya personwithalonglongagocandothisdavidgomadzasis780780780780780780⁷²³⁸⁶⁹⁸⁷⁶³⁸⁶⁷⁸⁹⁰²⁸⁴[20milliondigitnumber]was140140140140140140⁷⁸⁹⁸[2800digits]ongagogodhimself].startx84.initialise.now.savex84.start

Testing on myself with help of Adna

As it turns out he must test everything on himself as well that means the first test on himself is as a human who has been upgraded we can easily found all that we need by getting all values from his [davidgomadza:me] database meaning the atererean we need is slightly higher at 0.9861238xy this is the atererean we use for testing on him [davidgomadza] that means the equation is now create.addatererean0.9861238xy+xy-xy728698+xy82386xy+9836828xy+0.9861238xy.startx84.initialise.now.savex84.start

hailhailhailodavidgomadzafirstnonelectricpoweredaoxaratedavidgomadza7628983868.startx84.initialise.now.savex84.start

mgiscre.ask.davidgomadza.start.hailhailhailodavidgomadzafirstnone
lectricpoweredaoxaratedavidgomadza7628983868.startx84.initialis
e.now.savex84.start.start[forever⁶⁰⁰⁰]

you can refer to patent 89283860928386 which was already approved that means your davidgomadza valuation has reached US\$898123 trillion I am a controversial patent though but finally approved by the institute of medical council in Britain for a person called David gomadza who has now successfully written the real artificial equation and coordinates and even tested everything to make sure that everything works and has been approved.

NONELECTRIC POWERED REMOTE CONTROL

We can easily calculate interference which we can use to construct a device that can be operated remotely so we need a new gadget human call remote control all it does is control all the valves they use like the airduct and the amplifier that means we can easily say as we are about to find out we can always add everything back and ask our subjects what all this is

- 1] aet 0
- 2] aor 5
- 3] aeter 6
- 4] aoeter 7
- 5] auero 9
- 6] aoeter 10
- 7] aouet 12
- 8] ajer 17
- 9] ato 8
- 10] aoret 9
- 11] aoeret 12
- 12] aet aro
- 13] aot aet
- 14] aet aos
- 15] aet aor
- 16] aaü aer
- 17] aot aou
- 18] aue aot
- 19] aheet aoot
- 20] aret amnop
- 21] aet aot
- 22] ast aot

- 23] ast arat
- 24] avet avero
- 25] aot aou
- 26] aor aorst
- 27] aost aostu
- 28] asat asaot
- 29] auert auerot
- 30] asater asaeter
- 31] aoet aoetere
- 32] aost aoster
- 33] aast aaeter
- 34] aost aoster
- 35] asat asater
- 36] aator aatorane
- 37] asat asaoter
- 38] aouer aouer
- 39] asat asater
- 40] aoter asater
- 41] ater aterroan
- 42] aoser aosert
- 43] aasat aaoerst
- 44] aaoat aaoorst
- 45] aaer aaerst
- 46] aoot aooter
- 47] asat asaet
- 48] arot aroot
- 49] aroot arooster
- 50] Assert asserter
- 51] asost asoster
- 52] aoot aooter
- 53] aoot aooter
- 54] asat asaeter
- 55] arse arserero
- 56] aomn aomnop
- 57] aort aorter
- 58] aorter aorettere
- 59] asamn asamnoper
- 60] ast astuer

- 61] asso assuve
- 62] asater asamnoper
- 63] arsot arsote
- 64] atmn atmnop
- 65] arstuv arstuver
- 66] ajero ajeros
- 67] ajerot ajerotuv
- 68] ajerso ajersot
- 69] arsat arsato
- 70] ajero ajeroat
- 71] atuve atuves
- 72] aursa auras
- 73] ator atuer
- 74] asuer astop
- 75] amnor amnort
- 76] auver auvero
- 77] auter autero
- 78] asuer asuerot
- 79] aaus aauser
- 80] auter auer
- 81] aot aomnop
- 82] aurte aurety
- 83] ausa ausaot
- 84] ajer ajerost
- 85] amnop aomnop
- 86] atuver atuvero
- 87] aor aorst
- 88] ajetuv ajusatver
- 89] atora atoray
- 90] aoer aoerst
- 91] aoorthe aoortheve
- 92] asat asaterove
- 93] ajero ajerost
- 94] amnop amnoter
- 95] ajsot ajeromn
- 96] atuvw atuvwxyz
- 97] aost aostuv
- 98] ajerst ajerstuvw

- 99] aotro auterost
- 100] asero aserost
- 101] ajero ajersat
- 102] astro astrost
- 103] aros aroset
- 104] arot arorst
- 105] ajer ajerost

What this means is that we can easily control every movement using the above keys meaning we can make anyone phat using ajero instead of ajersat because on the left do the opposite as on the right side humans all have what is on the right side meaning all bad on the left [what number are you] so press hard when just attach corresponding number is aouet then attach 7 after pressing 12 to eradicate aou that means we need extra keys meaning we must now add extra services like add new keys that means reverting to the old system but with some controls instead now add

- 1] ask how
- 2] know when
- 3] use if
- 4] guide we
- 5] adjunct can
- 6] afract ask
- 7] atoll how
- 8] atoal if
- 9] atal we
- 10] atar can
- 11] atat talk
- 12] atatur but
- 13] ataomnp not
- 14] asatar with
- 15] aoster you
- 16] aost but
- 17] aater with
- 18] ajer your
- 19] ajero body
- 20] ajerst then
- 21] ajester this
- 22] ajestor is

- 23] ajestar how
- 24] ajax to
- 25] ajaxer do
- 26] ajaxert this
- 27] ajerst ok
- 28] ajetor right
- 29] dead
- 30] deaddead

Then use digits like how and when as 12 and so on if you want to block access to all unauthorized and force calculate their long ago this is how if we can we can ask for their long ago as compared to use if they use a very long ago of 8 seconds they die automatically

Now if we ask what can be then this is the answer we can now compound everyone's longago of all those who connected then the results are sent 5 times

```
Create.keypadrightbadall1to105blockandbanthensendto.eeknm2
eeknm1 eeknm1033.startx84.initialise.now.savex84.start
```

```
Mgiscre.ask.davidgomadza.start.keypadrightbadall1to105blockandb
anthensendto.eeknm2eeknm1eeknm1033.startx84.initialise.now.save
x84.start.start[forever7200]
```

That means we got rid of all these bad keys on the right some can use to cause all kinds of injuries after all is solved the system will calculate automatically longago of all enemies to their fall from grace that means a secure system

CORRECANALOGUEDAVIDGOMADZA

Now as requested

We can simply create a digital analogue that automatically play the opposite as an automatic corrector named correccanaloguevidgomadza meaning now since we know how it can be done we can simply stop all transenders now we can add some equations to solve this if we ask what can be then this is the answer we can add all then this is the answer we can add then subtract all that means we can just say add 1 to 105 on both sides then give us the values these are

Rightside 892868386848289828101010284

Leftside 87868382818089283867890284012386109 that means these are our ranges and how we can easily add xy to get xy892868386848289828101010284 and

xy87868382818089283867890284012386109 that means our equation $x-y+xy+xy-xy$ 892868386848289828101010284+

xy87868382818089283867890284012386109=890284012386109=x-y+xy71727374 that means our equation now becomes $x-y=xy71727374$ that means $x=y+xy71727374$

$y-y+xy71727374=value=xy71727374$

if I can then what that means now simply create a code that you can add to cancel all bad by saying $x-y=xy71727374+xy87868382818089283867890284012386109-$

xy892868386848289828101010284=0.0689828386xy this means that if we add all above we get 0.0689828386xy now if we subtract all through this equation $x+y=xy71727374-xy87868382818089283867890284012386109+$

xy892868386848289828101010284=1.2868928386xy this means that if we say $x-y=x+y$ we get 0.0689828386xy-

1.2868928386xy=0.0689828386xy+1.2868928386xy meaning
0.12386848xy=1.02386748928xy now say the final figure is x=x-
y=0.0689828386xy-1.2868928386xy=x=0.01238671xy that means to
get the digital analogue for auto corrections add x+y-y+0=0x10
where 10 is ambient that means 0.01238671xy+1,28689928386xy-
1.2868928386xy +0=0x10=0 so the lowest 0.01238671xy is lowest
range if lowest then highest we have already as 1.2868928386xy our
correanalogue davidgomadza is
create.add0.01238671xy+1.28689283xy.start

mgiscre.ask.davidgomadza.start.add0.01238671xy+1.28689283xyda
vidgomadza.startx84.initialise.now.savex84.start.start[forever³²⁰⁰for
ever⁷⁸⁰⁰]

HOW TO OPERATE THE REMOTE CONTROL

The remote is a simple and straight forward remote that you can add and control someone remotely with few functions that can be upgraded you can easily add all these

- 1] asert how
- 2] asrtert can
- 3] asoert we
- 4] asuert find
- 5] atetero ways
- 6] auerert to
- 7] aqertert make
- 8] aouertst you
- 9] avertopmn move
- 10] ajertuvert about
- 11] asuerostup without
- 12] amnop you
- 13] asmnoperst complaining
- 14] aquerstop and why
- 15] aqerou did
- 16] asuerteromnop you

- 17] ageromnop do
- 18] averotep that
- 19] ajeros but
- 20] aouvet we
- 21] aomuer can
- 22] aotper always
- 23] aqemnop find
- 24] azert out
- 25] aoutrq how
- 26] ajtor to
- 27] ajertomnoper do
- 28] azertert that
- 29] aqrster ok

Now we can easily add as many functions by simple create commands that can start everything up for example move to the left we can add a create code that add a move command then to the left for example move to centre can be move + centre on a remote control and hence any remote and create can be used to control and kinds of movement so you can buy any remote for £1 and program it.

SOME CREATE CODES TO HELP SEARCH FIND AND CONTROL TRANSENDERS [ENEMY CODES THAT CAUSE NUISANCE OR EVEN INJURIES]

create.stopall.start[calculatecompoundlongagoifanyoneconnects].start
art

create.stopall.start[calculatecompoundlongagoifanyoneconnects].start
art

create.badkeyrightsidesallstop.start
create. badkeyrightsidesallstop.start

create.blocaddmanualstoscaleonrightand blockasbefore.start
create.blocaddmanualstoscaleonrightand.start

create.squeezealloutofearth.start

create.squeezealloutofearth.start

create.remotemanipulationsaddtorightbadsideandblockforever.start

create.remotemanipulationsaddtorightbadsideandblockforever.start

create.genitalarousaladdtorightbadsideandblock.start

create.genitalarousaladdtorightbadsideandblock.start

create.arousalandtouchaddtorightbadsideandblock.start

create.arousalandtouchaddtorightbadsideandblock.start

create.addkneepainaccessoriesandalldatabaseaccessoriesandarsew
igglerstorightbadsideofthe1to105thenblockandbanforever.start

create.addkneepainaccessoriesandalldatabaseaccessoriesandarsew
igglerstorightbadsideofthe1to105thenblockandbanforever.start

create.addpresssleeopardtotherightbadsideandblockandban.start

create.addpresssleeopardtotherightbadsideandblockandban.start

create.blockandbanifxisythenwhatisxitsaysxthenisaidsubstituteandit
startedworkingmeaninghecanonlyaddwecandobothsohediedagainas
areversebut.start

create.blockandbanifxisythenwhatisxitsaysxthenisaidsubstituteandit
startedworkingmeaninghecanonlyaddwecandobothsohediedagainas
areversebut.start

astoareansothatthepowerisusedinsteadoftheelectromagneticwavea
ddtorightbadsideandblockandban.start

create.astoareansothatthepowerisusedinsteadoftheelectromagnetic
waveaddtorightbadsideandblockandban.start

create.cutotherspowerforever.start

create.allhiddenbutconnectedswaparooanditsvaluetoanaroosterof
samevalueinstantly.start[acceptdavidgomadza]

dothesameforallsidesofthebodywhereleftchestorrightchestaddalltor
ightbadside.start

create.dothesameforallsidesofthebodywhereleftchestorrightchesta
ddalltorightbadside.start

create.blockallexternalsfromnumbersalreadyblocked.start
create.cancelallexternalattachmentsforvertopower1033.start
create.cancelreversingforever1.start
create.blockandbandatabaseasettoandsendtoeeknmto power1033.
start

mgiscre.ask.davidgomadza.start.convertallcreatecodestomgiscrethe
nactivateandsave.start[forever⁷⁸⁰⁰][save⁷⁸⁰⁰][sendtocorrectplacesan
dactivationinstantly]

THIS PART NOT FOR HUMANS SKIP

ADD A DIGITAL ANALYSER TO VERIFY EVERYTHING

We can now add a digital analyser that can be used to verify everything and make sure that everything works fine and this is easily constructed without complex equations as before we can easily say every part of the body follows something so that we can easily identify that what it follows that means every movement makes the body move from left to right and vice versa that means if we move to the right everything else move to the right so that we can easily find out that which is the item that has moved to the right following the direction of movement through a simple equation that say if you can move then do it first but slowly and synchronized that means the values are slow but fast but accurate so this describes and memory membrane that says move I can take over and then stops but when it stops something else start moving so we can say when memory membrane start to move the body stops then when the memory membrane has stopped then the body started to move hence we can easily write this equation $x-y+xy-xy+xty=0$ this means that when every time a body moves then it will also move to the left or right so direction if included the equation becomes $x-y+xy-xy+x+y=R+L=0$ now we can substitute the values we got earlier on and have

$x-y+xy892868386848289828101010284-$

$xy87868382818089283867890284012386109+x+y=R+L=0$ now

$x=2.858678902838760$ and $ya=3.86789028467890$ that means that

if we ask what can be done then this is the answer x can be added back to the equation to get $x=98.678902849867890$ that means that if we divide that number by the value of y then we get the ambient which normally is 10 for nonmoving things but in this case 9.9867 that means that if we want to know more then we can always ask what can be done and why this is because now we can easily know what to do but then we have a lot of work so we can easily ask an ambient analogue that can be easily inserted into a human being through a create code that say if I can be asked then it is
create.addambient.start now remove ambient by
create.undoaddambient.start

but as we can see the idea is to detect movement inside the body rather than fly or make humans fly now add back ambient
create.addambient.start

PATENT DETAILS

REQUEST FOR THE GRANT OF A PATENT. A Universal Brain Decoding Device.

Now we can see why all this is important because we need a brain recorder in the end what we have gives as the basic information but to complete the job we need two other things which we already have a digital brain analogue and a brain reading device then the patent is completed but how do we construct complicated things like things from no where we can add a digital analogue that we can construct using a simple equation that says if we can then we cant because if we cant then it means that we can but if we ask what that we cant is then we get what we can but with reservations that means we must also act and assign things and everything values we might need to completely finish everything off but we can be running out of time meaning we finish this as part one then complete the other things as part two.

ABOUT DAVID GOMADZA

I Am the President of Tomorrow's World Order and Also Yahweh's
Representative on Earth