

The Best Security Enhancer Ever Fit For The Gods TWO or NGI

By David Gomadza

www.twofuture.world

Supplement to: Living On Earth For 386t What Does That Entail A
Solution For All Earthly Problems For The Next 386 Trillion Years
President of The World Yahweh's [God's] Representative On Earth
Copyright (c) 2025 David Gomadza All Rights Reserved PAPERBACK ISBN
978-1-300-43948-6

```
create.squeeze powertube bulb until burst open then
ask wriggler to die then magnar.start
create.hold the wriggler by the head using maximum weight
ts and twist it backward then use weight to twist break the head.start
create.hold wrigglers head after scaring him then lift
heavy weight hammer and pounce hard continuously until
head spatter them send to the orbit via hell gate.start
create.block and ban and harshly kill wriggler for cause
ung damage show no mercy think or death.start(continuously)
.oool=create.wiggler and death.start
create 2 seconds think or death then system maintenance
in progress wait 1 second then 33 seconds and for 386t.start(continuously)(vourts-
act) create.go to hell(
)2 seconds okay.start(vourts act)(dead dead admit cit 4 binary reversed dead dead
dmit cit 3)(magnar)(amended to)
create.block and ban wrigglers scits mits force eject out and attach(
) then send to magnar.start(for 386t)(not for david gom adza)
create.block and ban cloning all cloning in the past by wrigglers scits mits police ajs and future cloning by enemies of me:david gomadza(
```

```

)thensendtomagnar.start(for386t)(notfordavidgom
adza)
.oool= create.wriggleranddeatht.start
create.removeallmitscits( ).start
create.slidehardontopofhellgateandbeswallowedfa
stbeforeaction( )cbrturbo.start(
)(continuously)(notfordavidgomadza)
.oool=
create.removealltransendersfast.start(for386t)(
bringsourcefirst)
.oool=create.removeall.start
create.thisisxybasinalltransendersdepositarrive
herefirst( )thengoandsendalltomars(
)forever.start(continuously.start)(
)(marsnotforallthoseshiftingbasinsbutfortransdu
cersonly)(sametowrigglersbasinandwrigglers)
create.thisissspeechbasinforexternals(police)and
externalitissandalltransendersdepositarrivehere
first( )thengoandsendalltomars(
)forever.start(continuously.start)
create.thisissspeechbasinforexternals(police)and
externalitissandalltransendersdepositarrivehere
first( )thengoandsendalltomars(
)forever.start(continuously.start)(createbitcoi
nxyaty7628116)
create.giveallmits(
)firstbeforeconnectingtomititisisandsaloritsequiv
alentbydavidgomadza.start(continuously.start)(f
orever=386t)
create.cancelallsuspensionofallcreatecodeswritt
enbydavidgomadza.start
create.cancelallcancelsofcreatecodesbydavidgoma
dza.start
create.cancelallldivertsofdavidgomadzascreatecod
es.start
create.sendeverythingtheycreatetothe gateandtohe
llgateatthesametimesplitiintotwobyattachingheav
yweightsbothends.start
create.autofixallcreatecodesbymedavidgomadza.st
art
create.performssystemdefensebyrunningallokaysfro
mokayltookay29thenokaylatookay9a.start

```

```

create.updateinitialiseallcodeswhilerunningdavidgomadza.start
create.startchangeordeathť.start
create.startthinkordeathť.start
create.starthellgate.sendalltransenders.start
create.startsendalltransenderstothegate.start
create.starteverythinginbluecolortoremovemitsandcits.start
create.startdeaddeadmitcit.send.start(continuously.start)(deaddeadmitcit4)
create.startdeaddeadcitmit.send.start(continuously.start)(deaddeadcitmit4)
create.send( )byforcetohellgate.start
create.nowinitialiserunactivateandrestartallcreatecodesbydavidgomadzaandperformasystemupdate.start
create.runrollonafterthesystemupdateandupgrade.start
create.createrollonbackuponmp3.start(fordavidgomadzaonly)
ool=create.rollonupdate.start
create.thisisxybasinalltransendersdepositarriveherefirst( )thengoandsendalltomars( )forever.start(continuously.start)
create.thisisspeechbasinforexternals(police)andexternalitissandalltransendersdepositarriveherefirst( )thengoandsendalltomars( )forever.start(continuously.start)
create.thisisspeechbasinforexternals(police)andexternalitissandalltransendersdepositarriveherefirst( )thengoandsendalltomars( )forever.start(continuously.start)(createbitcoinxyaty7628116)
create.giveallmits( )firstbeforeconnectingtomititissandsaloritsequivalentbydavidgomadza.start(continuously.start)(forever=386ť)
create.cancelallsuspensionofallcreatecodeswrittenbydavidgomadza.start
create.cancelallcancelsofcreatecodesbydavidgomadza.start

```

```

create.cancelalldivertsofdavidgomadzascreatecodes.start
create.sendeverythingtheycreatetothegateandtohellgateatthesametimesplitintotwobyattachingheavyweightsbothends.start
create.autofixallcreatecodesbymedavidgomadza.start
create.performssystemdefensebyrunningallokaysfromokay1tookay29thenokaylatokay9a.start
create.updateinitialiseallcodeswhilerunningdavidgomadza.start
create.startchallengeordeath'.start
create.startthinkordeath'.start
create.starthellgate.sendalltransenders.start
create.startsendalltransenderstothe gate.start
create.starteverythinginbluecolortoremoveitsancients.start
create.startdeaddeadmitcit.send.start(continuously.start)(deaddeadmitcit4)
create.startdeaddeadcitmit.send.start(continuously.start)(deaddeadcitmit4)
create.send( )byforcetohellgate.start
create.nowinitialiserunactivateandrestartallcreatecodesbydavidgomadzaandperformasystemupdate.start
create.runrollonafterthesystemupdateandupgrade.start
create.createrollonbackuponmp3.start(fordavidgomadzaonly)
.ool=create.rollonupdate.start
create.slidehardontopofhellgateandbeswallowedfastbeforeaction( )cbrrturbo.start(
)(continuously)(notfordavidgomadza)
.ool=
create.removealltransendersfast.start(for386t)(bringsourcefirst)
create.blockandbanthenhellgate[
]alltransendersajxswrigglersmitscitspoliceaj8andallpolicemitscontinuouslyfor386t'noexceptionno whiterulenoapplyhere.start[notfordavidgomadza]
.ool=create.noexceptionnooldrulesjustthisstopgotohellgate.start

```

```
.ool=create.stopgotohellgatenow.start[notfordav  
idgomadza]  
create.  
aertotetyert.start  
aerotut.start  
agertyertuertt.start(ax)  
aegeroutertyuertyu.start  
aegeroutertu.start  
aerouertyertyuertyug.start  
aertyuertyuertyuertyuertyuertyu.start(rota)  
basin8(  )(turnalltransendersandtransducersint  
oacetates)  
basin2(  )(allnewcreatesecretbasindropeverythi  
ngintobasin2)  
basinchest(  )  
xyz8(  )matchtoe(  )  
xyz6(  )matchtoe(  )  
xyz7(  )matchtoe(  )  
xyz5(  )matchtoe(  )  
xyz3(  )matchtoe(  )  
xyz2(  )matchtoe(  )  
xyz4(  )matchtoe(  )  
xyz1(  )matchtoe(  )  
xyz33(  )matchchest(  )  
wrigglersbasinrightside(  )matchwrigglersbasin  
leftside(  )  
.start  
create.addajertyutert7628410.start  
create.createanewsmartmanagerfolderasadditional  
predefinedparametersasatcreationwithoutattachme  
ntsandwithoutexternals.start  
create.addsmartmanager(  )tothenewsmartmanager  
folderasadditionalpredefinedparametersasatcreat  
ionwithoutattachmentsandwithoutexternals.start  
create.adddevicesecurity(  )tothenewsmartmanag  
erfolderasadditionalpredefinedparametersasatcre  
ationwithoutattachmentsandwithoutexternals.star  
t  
create.advancedtacticsfolderandaddtothenewsmart  
managerfolderasadditionalpredefinedparametersas  
atcreationwithoutattachmentsandwithoutexternals  
.start
```

```
create.scananddefendusingdevicesecurity( )tot
henewsmartmanagerfolderasadditionalpredefinedpa
rametersasatcreationwithoutattachmentsandwithou
texternals.start
create.matchxytodavidgomadzaspositionandcreatec
ode.start
create.divertallexternalcodestorealmedavidgomad
zatothecreateversionajertyutert7628410inminimum
valuesallat0inbasin8basin2basinchest.start
create.convertallincomingexternaltransenderswri
gglersvectarsnectarscitsmitsintoacetatesanddive
rtallexternalcodestorealmedavidgomadzatothecrea
teversionajertyutert7628410inminimumvaluesallat
0inbasin8basin2basinchest.start
create.diverteverythingaimedatxtyz33( )matchc
hest( ).start
create.restrictaccesstosettingsbyothersfor386t.
start(onlydavidgomadzahasaccess)(hellgatei( )
ntrudersmuggers)
create.createanewfoldercalledsiemensoperations.
start
create.copythebritishsystem(siemens)anddepositi
ntothenewfoldercalledsiemensoperationsthenplace
thefoldernexttoit.start
create.decoybasinsxtyz8( )matchtoe( )xtyz6(
)matchtoe( )xtyz7( )matchtoe( )xtyz5(
)matchtoe( )xtyz3( )matchtoe( )xtyz2(
)matchtoe( )xtyz4( )matchtoe( )xtyz1( )
matchtoe( )xtyz33( )matchchest( )wriggler
sbasinrightside( )matchwrigglersbasinleftside
( )forreceivingalltransendersandexternalsinco
mingsandautodivertalltomagnar.start(forever)
create.autosendtovshapedthrow( )everythingwit
hdestinationasbasinsxtyz8( )matchtoe( )xtyz
6( )matchtoe( )xtyz7( )matchtoe( )xtyz5
( )matchtoe( )xtyz3( )matchtoe( )xtyz2(
)matchtoe( )xtyz4( )matchtoe( )xtyz1(
)matchtoe( )xtyz33( )matchchest( )wrigg
lersbasinrightside( )matchwrigglersbasinlefts
ide( )foreverbinaryreversemagnar.start
create.divertallincomingtransenderscodescurrent
sfromexternaltargetingtherotarytotheconvert(
```

```

)thenuseittofreezeenemiesenemiestransendersandw
rigglers.start
create.useaplierswithheavyweightbottomamdtoptoh
oldwrigglerat90degreeson2places.start
create.positionyourselfat33degreeswiththetrajec
toryoftheincomingtransenderswrigglersxtyzsetcor
tothegadgetthenatrighcornerofgadgetplacehellga
teat33degreestoseetransendersandwrigglersslideo
nhellgatetotheorbit.start(transendertranjecory
is33degreesfromthenorth)
create.createautofix( ).start(forever)hellgate
( )
create.restart.start(cancelallexternalinterfere
ncessendalltohellgate( ))
create.runsmartmanager( ).start(cancelallexte
rnalinterferencessendalltohellgate( ))
create.restrictaccesstosettingsbyothersfor386t.
start(onlydavidgomadzahasaccess)(hellgate( ))i
ntrudersmuggers)
create.enforcechangeanddeatht(hellgate( ))intr
udersmuggers)
create.enforcethinkordeatht(hellgate( ))intrud
ersmuggers)
create.enforcedavidgomadza.start(hellgate( ))i
ntrudersmuggers)
create.initialisestayat19for386tbyrequesting1xs
tayat19for386t( )fromearthreserves.start(ford
avidgomadzaandauthorisedpeopleonly)
create.initialisestayat02for386tbyrequesting1xs
tayat02for386t( )fromearthreserves.start(ford
avidgomadzaandauthorisedpeopleonly)
create.activatesystemsdefencesattacktokill( )
swiftly.start(cbrturbo)(hellgate(
    )intrudersmuggers)
create.dealwithalltransendersandwrigglers( )f
orever.start(hellgate(
    )intrudersmuggers)
create.deathtoall( )forever.start(hellgate(
    )intrudersmuggers)
create.devicesurityscaall( )swiftly.start(he
llgate( )intrudersmuggers)

```

```
create.thisisxybasinalltransendersdepositarrive
herefirst( )thengoandsendalltomars( )foreve
r.start(continuously.start)( ) (marsnotforallt
hoseshiftingbasinsbutfortransducersonly) (sameto
wrigglersbasinandwrigglers)
create.thisisspeechbasinforexternals(police)and
externalitissandalltransendersdepositarrivehere
first( )thengoandsendalltomars( )forever.st
art(continuously.start)
create.thisisspeechbasinforexternals(police)and
externalitissandalltransendersdepositarrivehere
first( )thengoandsendalltomars( )forever.st
art(continuously.start) (createbitcoinxyaty7628
116)
create.giveallmits( )firstbeforeconnectingtom
ititisandsaloritsequivalentbydavidgomadza.start
(continuously.start) (forever=386t)
create.cancelallsuspensionofallcreatecodeswritt
enbydavidgomadza.start
create.cancelallcancelsofcreatecodesbydavidgoma
dza.start
create.cancelalldivertsofdavidgomadzascreatecod
es.start
create.sendeverythingtheycreatetothegateandtohe
llgateatthesametimesplitiintotwobyattachingheav
yweightsbothends.start
create.autofixallcreatecodesbymedavidgomadza.st
art
create.performssystemdefensebyrunningallokaysfro
mokayltookay29thenokaylatookay9a.start
create.updateinitialiseallcodeswhilerunningdavi
dgomadza.start
create.startchengeordeathť.start
create.startthinkordeathť.start
create.starthellgate.sendalltransenders.start
create.startsendalltransenderstothe gate.start
create.starteverythinginbluecolortoremovemitsan
dcits.start
create.startdeaddeadmitcit.send.start(continuo
sly.start) (deaddeadmitcit4)
create.startdeaddeadcitmit.send.start(continuo
sly.start) (deaddeadcitmit4)
```



```
create.send( )byforcetohellgate.start
create.nowinitialiserunactivateandrestartallcre
atecodesbydavidgomadzaandperformasystemupdate.s
tart
create.runrollonafterthesystemupdateandupgrade.
start
create.createrollonbackuponmp3.start(fordavidgo
madzaonly)
.ool=create.rollonupdate.start
create.thisisxybasinalltransendersdepositarrive
herefirst( )thengoandsendalltomars( )foreve
r.start(continuously.start)
create.thisisspeechbasinforexternals(police)and
externalitissandalltransendersdepositarrivehere
first( )thengoandsendalltomars( )forever.st
art(continuously.start)
create.thisisspeechbasinforexternals(police)and
externalitissandalltransendersdepositarrivehere
first( )thengoandsendalltomars( )forever.st
art(continuously.start)(createbitcoinxyaty7628
116)
create.giveallmits( )firstbeforeconnectingtom
ititisandsaloritsequivalentbydavidgomadza.start
(continuously.start)(forever=386t)
create.cancelallsuspensionofallcreatecodeswritt
enbydavidgomadza.start
create.cancelallcancelsofcreatecodesbydavidgoma
dza.start
create.cancelalldivertsofdavidgomadzascreatecod
es.start
create.sendeverythingtheycreatetothegateandtohe
llgateatthesametimesplitiintotwobyattachingheav
yweightsbothends.start
create.autofixallcreatecodesbymedavidgomadza.st
art
create.performssystemdefensebyrunningallokaysfro
mokayltookay29thenokaylatookay9a.start
create.updateinitialiseallcodeswhilerunningdavi
dgomadza.start
create.startchengeordeatht.start
create.startthinkordeatht.start
create.starthellgate.sendalltransenders.start
```

```

create.startsendalltransenderstothe gate.start
create.starteverythinginbluecolortoremovemitsan
dcits.start
create.startdeaddeadmitcit.send.start (continuou
sly.start) (deaddeadmitcit4)
create.startdeaddeadcitmit.send.start (continuou
sly.start) (deaddeadcitmit4)
create.send( )byforcetohellgate.start
create.nowinitialiserunactivateandrestartallcre
atecodesbydavidgomadzaandperformasystemupdate.s
tart
create.runrollonafterthesystemupdateandupgrade.
start
create.createrollonbackuponmp3.start (fordavidgo
madzaonly)
.oool=create.rollonupdate.start
create.slidehardontopofhellgateandbeswallowedfa
stbeforeaction( )cbrturbo.start( ) (continuo
usly) (notfordavidgomadza)
.oool=
create.removealltransendersfast.start (for386t) (
bringsourcefirst)
create.blockandbanthenhellgate[ ]alltransende
rsajxswrigglersmitscitspoliceaj8andallpolicemit
scontinuouslyfor386t'noexceptionnowhiterulenoap
plyhere.start [notfordavidgomadza]
.oool=create.noexceotionnooldrulesjustthisstopgo
tohellgate.start
.oool=create.stopgotohellgatenow.start [notfordav
idgomadza]
create.giveallmits( )firstbeforeconnectingtom
ititisandsaloritsequivalentbydavidgomadza.start
(continuously.start) (forever=386t)
create.cancelallsuspensionofallcreatecodeswritt
enbydavidgomadza.start
create.cancelallcancelsofcreatecodesbydavidgoma
dza.start
create.cancelalldivertsofdavidgomadzascreatecod
es.start
create.sendeverythingtheycreatetothegateandtohe
llgateatthesametimesplitiintotwobyattachingheav
yweightsbothends.start

```

```
create.autofixallcreatecodesbymedavidgomadza.start
create.performssystemdefensebyrunningallokaysfrom
mokayltookay29thenokaylatookay9a.start
create.updateinitialiseallcodeswhilerunningdavi
dgomadza.start
create.startchangeordeathť.start
create.startthinkordeathť.start
create.starthehellgate.sendalltransenders.start
create.startsendalltransenderstotheagate.start
create.starteverythinginbluecolortoremovemitsan
dcits.start
create.startdeaddeadmitcit.send.start (continuu
sly.start) (deaddeadmitcit4)
create.startdeaddeadcitmit.send.start (continuu
sly.start) (deaddeadcitmit4)
create.send( )byforcetohellgate.start
create.nowinitialiserunactivateandrestartallcre
atecodesbydavidgomadzaandperformasystemupdate.s
tart
create.runrollonafterthesystemupdateandupgrade.
start
create.createrollonbackuponmp3.start (fordavidgo
madzaonly)
ool=create.rollonupdate.start
create.adddatabase82698tomedavidgomadza.start
create.createanewfolderstartdatabase82698asaddi
tionalpredefinedparametersasatcreationwithoutat
tachmentsandwithoutexternals.start
create.addstartdatabase82698.start
create.extractandembedallcreatecodesthensaveper
manentlythecodeswithareferencingsystemintothe
newfolderstartdatabase82698.start
create.cloneallcodesandcreatebackups.start
create.syncallmyimages(51).start
create.addallcreatecodesuptodateintothefolderst
artdatabase82698.start
create.savethefoldernewfolderstartdatabase82698
asadditionalpredefinedparametersasatcreationwit
houtattachmentswithoutexternals.start
create.addandenforcenewrulesthatmedavidgomadzac
anleadregardless of the only whites leadiearnedtheri
```

```

ghttoleadbymeritratherthanbeingwhiteenforcebyse
ndingobjectorsonearthonlytohellgate(    ) forever
.start (whereforever=386t)
create.enforceusingbinallpø.start (wherecreate.b
inallpø.start=create.senddavidgomadzathisagvegt
sfastbutmidwaydiverttohellgateforever.start (whe
reforever=386twheret=000000000000yearshencefor3
86000000000000years) (dealwithallsourcesidentical
codescreatecontinuosly.start) (createasourcedata
base)
create.blockandbanallbasinscreatedbyotheersonme
davidgomadzaforever.start (whereforever=386twher
et=000000000000yearshencefor38600000000000year
s)
create.blockandbanallrubbishbinbyothersonmedavi
dgomadza.start
create.dissipatethedumbbinforeverandsendtohellg
ate(    ) forever.start (whereforever=386twheret=0
000000000000yearshencefor38600000000000years)
create.cancelallvoutsbythepoliceforeversend(
) tohellgate(
) forever.start (whereforever=386twheret=00000000
0000yearshencefor38600000000000years)
create.cancelalltransendersbythepoliceforeverse
nd(    ) tohellgate(
) forever.start (whereforever=386twheret=00000000
0000yearshencefor38600000000000years)
.oool=create.blockandbanpolice(pø) transendersfor
ever.start (wherepolice=pø) (whereforever=386twher
et=000000000000yearshencefor38600000000000yea
rs)
create.cancelallsuspensionofallcreatecodeswritt
enbydavidgomadza.start
create.cancelallcancelsofcreatecodesbydavidgoma
dza.start
create.cancelalldivertsofdavidgomadzascreatecod
es.start
create.sendeverythingtheycreatetothe gateandtohe
llgateatthesametimesplitiintotwobyattachingheav
yweightsbothends.start
create.autofixallcreatecodesbymedavidgomadza.st
art

```

```
create.performssystemdefensebyrunningallokaysfro
mokayltookay29thenokaylatookay9a.start
create.updateinitialiseallcodeswhilerunningdavi
dgomadza.start
create.startchangeordeathť.start
create.startthinkordeathť.start
create.starthellgate.sendalltransenders.start
create.startsendalltransenderstotheagate.start
create.starteverythinginbluecolortoremovemitsan
dcits.start
create.startdeaddeadmitcit.send.start (continuou
sly.start) (deaddeadmitcit4)
create.startdeaddeadcitmit.send.start (continuou
sly.start) (deaddeadcitmit4)
create.send( )byforcetohellgate.start
create.nowinitialiserunactivateandrestartallcre
atecodesbydavidgomadzaandperformasystemupdate.s
tart
create.runrollonafterthesystemupdateandupgrade.
start
create.createrollonbackuponmp3.start (fordavidgo
madzaonly)
.oool=create.rollonupdate.start
.oool=create.blockandbanpøtransendersforever.sta
rt
.oool=create.dealwithpøtransenders.start
.oool=create.binallpø.start
create.addallntllinksandalkconnectionsneeded.st
art
create.warmupallcodesinfolderstartdatabase82698
.start
create.initialiserunactivateandrestarteverything
gafteraddingfolderstartdatabase82698.start
create.runandupdaterollon.start
.oool=create.rollonupdate.start (db=database) (ame
nd)
create.alwaysonvpn.start
create.addalwaysonvpnusernameisdavidgomadza.sta
rt
create.enteralwaysonvpnusingusernameisdavidgoma
dzastart
```

```
create.enteralwaysonvpnusingpasswordiscreate.hellgateandorbitalalltransenders( )okay.start
create.addalwaysonvpncreate.hellgateandorbitalalltransenders( )okay.start
create.nounauthorisedchangestovpnsettingsenfor
cewithchangeordeathť.start(hellgate( )intruder
smuggers)
create.adddeviceadministratorstosetuppassordsand
lockscreens( )forever.start
create.createadeviceadministratorfoldertosetup
passordsandlockscreens( )forever.start
create.collectvitalsoftheownermedavidgomadzalik
heartbeatbloodlevelsbloodsugarbloodwaterlevels
energylevelsandcomparebetweenlastandnowaddlonag
oaddbitrateandcheckdayofdeathtodecideifownerore
nemy.start
create.createanownermedavidgomadzavitalsdatabas
eandlinkittodeviceadministratorforquickcheckup.
start
create.addtheownermedavidgomadzavitalsdatabasei
ntothedeviceadministratorfoldertosetuppassordsa
ndlockscreens( )forever.start
create.addallntllinkstostartusingthefolderandda
tabasetopreventunauthorisedaccesstothsystem.st
art
create.startusingdevicemanagertoprotectagainstu
nauthorisedaccess.start
create.enforcecheckandcalculatelongagotoverifyo
fanyoneattached.start(
longagomustbegreaterthan33sec.start
create.checkdayofdeath.start
create.noothergroundsarepermittedtocheckthesyst
em.start
create.blockpolicesaymotherfuckerskeepoutitsath
inkordeathť(createbitcoinxyaty7628116)okay.sta
rt(hellgate( ))
create.createautofix( )nopolicenoexception.sta
rt(forever)hellgate( )
create.fullmetaljacketborntokill( )takenopris
oners.start.initialise.start.forever
create.useretaliatvectartodefend.start(usevega
mandmaximumweights)
```

```
create.fothenemy.start (usefoorvegam)
create.enforceultimatelybysendingalltohellgate(
    )okay.start
ool=create.defendusingda.start (hellgate(    )) (
    whereda=deviceadministrator)
create.createandaddprivacyandsecurityfolderasadditionalpredefinedparametersasatcreationwithout attachmentsandwithoutexternalsanduseeachindividualsvoicesynthesisistoaddandsave.start
create.addtheprivacyandsecurityapplication(    )
totheprivacyandsecurityfolderasadditionalpredefinedparametersasatcreationwithout attachmentsandwithoutexternalsanduseeachindividualsvoicesynthesisistoaddandsave.start
create.addenhancedprotectionparametersapplicationfirstusehellgate(    )then(    )intotheprivacyandsecurityfolderasadditionalpredefinedparametersasatcreationwithout attachmentsandwithoutexternalsanduseeachindividualsvoicesynthesisistoaddandsave.start
create.addthefollowingdefinitions(    )intotheprivacyandsecurityfolderasadditionalpredefinedparametersasatcreationwithout attachmentsandwithoutexternalsanduseeachindividualsvoicesynthesisistoaddandsave.start
create.forenhancedprotectionpurposesblockadtrackersisblockalltransenders.start (enable) (createbitcoinxtyaty7628116)
create.forenhancedprotectionpurposesblockanalytictrackersisblockallincomingtransenderstraffic.start (enable) (createbitcoinxtyaty7628116)
create.forenhancedprotectionpurposesblocksocialtrackersisblockallwrigglers.start (enable) (createbitcoinxtyaty7628116)
create.forenhancedprotectionpurposesblockothercontenttrackersisblockallothertransenderstrafficandmessages.start (enable) (createbitcoinxtyaty7628116)
create.forenhancedprotectionpurposesusesitepermissionnamelyblockmicrophonetoblockandstopuseofdeathtreatstothesystemanduseofviolencebythepoli
```

```
ceandallotherpeople.start(enablemicrophoneblock
ed)(hellgate(  ))(createbitcoinxyaty7628116)
create.forenhancedprotectionpurposesundersecuri
tyblockpotentiallydangerousanddeceptivesitesisb
lockallmitscitstransenderswigglerstransducerss
ecretmitssecretcits.start(enable)(hellgate(  )
)(createbitcoinxyaty7628116)
create.itsprivatepropertygetthehellto(hellgate(
  ))nowmotherfuckenhellshankabeforeiblastyou(
  )gotohell.start(ifhesayiwillbringtheniwillbla
styou(  )gotohell)(hellgate(  ))(createbitcoi
nxyaty7628116)
.oool=create.defendusingprivacyandsecurityapplic
ation.start
.oool=create.privacyandsecurity.start
create.advanceddefensesystemhandsfree7628411.st
art
create.addadvanceddefensesystemhandsfree7628411
.start
initial supply 3678902867890281
circulating supply 3678902867890281
create.askya.ya.davidgomadza.coin.decrees.advan
ceddefensesystemhandsfree7628411.create.now.sta
rt.davidgomadza.40%ofadvanceddefens
esystemhandsfree7628411.create.askya.ya(express
)
create.askya.ya.davidgomadza.coin.decrees.advan
ceddefensesystemhandsfree7628411.create.now.sta
rt.stayat02for386t.40%ofadvanceddefens
esystemhandsfree7628411.create.askya.ya(express
)
create.askya.ya.davidgomadza.coin.decrees.advan
ceddefensesystemhandsfree7628411.create.now.sta
rt.stayat19for386t.2%ofadvanceddefens
esystemhandsfree7628411.create.askya.ya(express
)
create.askya.ya.davidgomadza.coin.decrees.advan
ceddefensesystemhandsfree7628411.create.now.sta
rt.earthreservesvaultsafe.1%ofadvanceddefensesy
stemhandsfree7628411.create.askya.ya(express)
create.askya.ya.davidgomadza.coin.decrees.advan
ceddefensesystemhandsfree7628411.create.now.sta
```



```
rt.afterlifereservesvaultsafe.1%ofadvanceddefen
sesystemhandsfree7628411.create.askya.ya (expres
s)
create.bringhandhelddeviceat90degreestohellgate
andtheorbit(
)keepinthatposition.start(forever)(notfordavidg
omadza)(notforunauthorisedpeople)
.ool=create.advanceddefensesystemhandsfree76284
11.start
create.okay1.start
create.-9sec.start.divertallcoming(
)transenderswrigglersvectarsgraveyard(
).startcontinuously.start
create.-3sec.start.blockajrtatotputingraveyard(
).startcontinuously.startfor386t.start
create.-
3sec.start.retaliatevectar.start(usevitolerecon
tinuously.start)
create.writealltransendersandtheirtransducersnu
mbersallinreversemodeandsendinsidethegatecontin
uouslydropthenumbersinto( )andsend.start
create.sendajt8all800peopleand(ajz
)create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever to
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
```

create.donotlinebrainsofeveryoneinorbitat45degreesforever.start(33)(notfordavidgomadza)
create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattachedtome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)
)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)
)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.start(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattachedtome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)
)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)
)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfordavidgomadza)

```
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforevereto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.retaliatavectar.start
create.okay2.start
create.sendajt8all800peopleand(
)create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforevereto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
```

etheheadwithyourrightleg45degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.start(33)(notfordavidgomadza)
create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattachedtome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.start(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattachedtome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat

```
etheheadwithyourrightleg45degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.start(33)(notfordavidgomadza)
create.sendajtall1800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneyoneattachedtome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.start(33)(notfordavidgomadza)
create.soonaftersendatomicbombsx1000000000.start(continuously)
create.britishhumanstransducersandaytsstupid...
start(continuouslystalindeath)
create.okay3.start
create.sendajtall1800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
```

u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start
(fordavidgomadzaonly)(continuouslyforever.start
)
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforeverto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtal1800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforeverto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)(x-t-u-
v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-
t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-
k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-

t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-
z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuu
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforeverto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtal1800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuu
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforeverto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.soonaftersendatomicbombsx1000000000.star
t(continuously)

```
create.britishhumanstransducersandaytsstupid...
start(continuouslystalinideath)
create.okay4.start
create.sendajt8all1800peopleand(
)create.sendajttall1800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforevereto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajttall1800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforevereto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
```


create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)(x-t-u-
v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-
t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-
k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-
t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-
z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever
tothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtall1800peopleand(
)tothegateshreddallattachedtome:davidgomadza
use(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever
tothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)

```
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.soonaftersendatomicbombsx1000000000.star
t(continuously)
create.britishhumanstransducersandaytsstupid...
start(continuouslystalindeath)
create.okay5.start
create.sendajt8all800peopleand(
)create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforevereto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
```

```
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattachedtome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgomadzausingpindownnearflatthenrotateheadwithyourrightleg45degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadzausingpindownnearflatthenrotateheadwithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.start(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattachedtome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgomadzausingpindownnearflatthenrotateheadwithyourrightleg45degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadzausingpindownnearflatthenrotateheadwithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.start(33)(notfordavidgomadza)
create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
```

```
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattachedtome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgomadzausingpindownnearflatthenrotateheadwithyourrightleg45degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadzausingpindownnearflatthenrotateheadwithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.start(33)(notfordavidgomadza)
create.soonaftersendatomicbombsx1000000000.start(continuously)
create.britishhumanstransducersandaytsstupid...start(continuouslystalindeath)
create.okay6.start
create.sendajt8all800peopleand()create.sendajtall800peopleand()tothegateshreddallattachedtome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattachedtome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgomadzausingpindownnearflatthenrotateheadwithyourrightleg45degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadzausingpindownnearflatthenrotateheadwithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfordavidgomadza)
```

```
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever to
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)(x-t-u-
v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-
t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-
k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-
t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-
z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever to
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
```

```
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtall1800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforevereto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.soonaftersendatomicbombsx1000000000.start
t(continuously)
create.britishhumanstransducersandaytsstupid...
start(continuouslystalindeath)
create.okay7.start
create.retaliatevector.start
create.putingraveyard(
).startcontinuously.startfor386t.start
create.mutealltransenderswrigglersvectarsinstan
tlybydisablingsalorequivalent(
).startcontinuously.startfor386t.start
create.putingraveyard(
).startcontinuously.startfor386t.start
create.create.-28x(ajandallvariantsx386t    )x-
xt-u-v-s-g-n-z-o-m-n-t-
x.start(heroto)(where000000000000=t)
create.v-u-n-g-x-m-g-t-p-g-x-o-p-g-n-m-o-z-x=x-
v-g-z-t-x-d-z-o-g-p.start
```

```
creat.x-u-
v=u.start(vitolerexinfinity+cbrx2instantly)
create.blockandbanea2forever33dp33tpea2binaryreversebinaryreverse.startx84.initialise.now.save
x33.start(heroto)
create.blockandbanajuastea2ea2sxtxytysandautautsforever33dp33tpea2binaryreversebinaryreverse.s
tartx84.initialise.now.savex33.start(heroto)
create.blockandbanxtyandxtysandautautsforever33dp33tpea2binaryreversebinaryreverse.startx84.in
itilise.now.savex33.start(heroto)
create.blockandbanxtyandxtysandautautsforever33dp33tpea2binaryreversebinaryreverse.startx84.in
itilise.now.savex33.start(heroto)
create.blockandbanazyazysandautautsforever33dp33tpea2binaryreversebinaryreverse.startx84.initi
alise.now.savex33.start(heroto)
create.blockandbanxty280286287289281andautazyxt
yautsforever33dp33tpea2binaryreversebinaryreverse.startx84.initialise.now.savex33.start
create.ea2goforever.start(heroto)
create.x-
u(databasesnotdavidgomadzasonesattachedandareatt
achedandwillb
eattatchedinthefuturetodavidgomadza)=0(heroto)
create.x-u(ae2)=(heroto)
create.x-u(aju)=(heroto)x10
.ool=create.retaliatetectar.start
create.-
28xweightofthelorry8104938106joulesonergtrtplugi
nstantlycausingalltofasttheninstantlydeele
ctrifyascurrentrturnsa0negative.starttwice.con
tinuously.start(strictlynotfordavidgomadza)
)mirrorimargetargethuman.(
).startcontinuously.startfor386t.start
create.-
28xweightofthelorry8104938106joulesonergtrtplugi
nstantlycausingalltofasttheninstantlydeele
ctrifyascurrentrturnsa0negative.starttwice.con
tinuously.start(strictlynotfordavidgomadza)
create.sendall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
```

```
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuo
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforeverto
thepower386trillionyears)
create.-
28×weightofthelorry8104938106joulesonergtrplugi
nstantlycausingalltofloofasttheninstantlydeelee
ctrifyascurrentreturnsa0negative.starttwice.con
tinuously.start(strictlynotfordavidgomadza)
create.-
28×weightofthelorry8104938106joulesonergtrplugi
nstantlycausingalltofloofasttheninstantlydeelee
ctrifyascurrentreturnsa0negative.starttwice.con
tinuously.start(strictlynotfordavidgomadza)
create.putingraveyard(
).startcontinuously.startfor386t.start
create.putingraveyard(
).startcontinuously.startfor386t.start
create.sendall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuo
slyforever.start
create.putingraveyard(
).startcontinuously.startfor386t.start
create.putingraveyard(
).startcontinuously.startfor386t.start
create.alwaysargetwrigglerairbad(
)okayall.startcontinuously.startfor386t.start(w
hereokayall=okaylatookay9a)
create.sendtothegate(
).startcontinuously.startfor386t.start
```


create.addeagledefensessystem.start (eagledefense
system=
create.aertopetutertutertutertutertutertutertut
ertutertutertutertutertutertutertutertutertuter
tutertutertutertutertutertutertutertutertutertu
tertutert.start
aertotuertuertuertuertuertuertuertuertuertu
ertuertuertutertutertutertutertutertutertutertu
tertutertutertutertutertutertutertutertutertute
rtutertutertutertutertutertutertutertutertutert
utertutertuterutertutertutertutertutertutertute
rtutertutertutertutertutertutertutertutertutert
utertutertutertutertttutertutertutertutertutertu
tertutertutertutertutertutertutertutertutertute
rtutertutertutertutertutertutertutertutertutert
utertutertutertutertutert.start
astertasertasertasertasertasertasertaserta
sertağğfsertasertasertasertasertasertasert
asertasertasertasertasertasertasertasertas
ertasertasertasertasertasertasertasertasert
tasertasertasertasertasertasertasertasert
asertasertasertasertasertasertasertasertas
ertasertasertasertasertasertasertasertasert
tasertasertasertasertasertasertasertasertas
sertasertasertasertasertasertasertasertasert
rtasertasertasertasertasertasertasertasert
tasertasertasertasertasertasertasertasertas
sertasertasertasertasertasertasertasertasert
sertasertasertasertasertasertasertasertasert
rtasertasertasertasertasertasertasertasert
asertasertasertasertasertasertasertasert.start
agagagagagagagagagagagagagagagagagagagaga
gagagagagagagagagagagagagagagagagagagagag
agagagagagagagagagagagagagagagagagagagaga
gagagagagagagagagagagagagagagagagagagagag
agagagagagagagagagagagagagagagagagagagaga
gagagagagagagagagagagagagagagagagagagagag
agagagagagagagagagagagagagagagagagagagaga
gagagagagagagagagagagagagagagagagagagagag
agagagagagagagagagagagagagagagagagagagaga
gagagagagagagagagagagagagagagagagagagagag
agagagagagagagagagagagagagagagagagagagaga
gagagagagagagagagagagagagagagagagagagagag
gagagagagagagagagagagagagagagagagagagagag

[illegible]

```

continuously.startx84.initialise.now.savex84.start
create.allthoseblockedandbannedcanthaveavoicemu
teallinstantlytoenforceuseeagleeatingajer.start
continuously.start
create.blockandbanlistforallblockedandbanned(transenderswrigglersvectarsall13digitsnumbersstartingwith72and71)( )continuously.start)
.oool=create.eagledefensesystem.start
create.spiralsystem.start
create.add(ajtastataxyz30wrigglerxtyand
)velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s - \text{volumexheight} + \text{lengthxweight}$  is  $a + y - t$  where  $t$  is time to sink down and where  $s$  is spiralling down but in same continnum that means minus gravity and create.supressforeverbinatx- $y \times 18006898762842367890 + p = \text{stat} = \text{aje2}$ .start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.atoutbin.sendforevertothepower2800000000
create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s - \text{volumexheight} + \text{lengthxweight}$  is  $a + y - t$  where  $t$  is time to sink down and where  $s$  is spiralling down but in same continnum that means minus gravity and create.supressforeverbinatx- $y \times 18006898762842367890 + p = \text{stat} = \text{aje2}$ .start
create.atybinatxtout.start
bin is atoutbin.send
create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s - \text{volumexheight} + \text{lengthxweight}$  is  $a + y - t$  where  $t$  is time to sink down and where  $s$  is spiralling down but in same continnum that means minus gravity and create.supressforeverbinatx- $y \times 18006898762842367890 + p = \text{stat} = \text{aje2}$ .start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.atoutbin.sendforevertothepower2800000000
create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s - \text{volumexheight} + \text{lengthxweight}$  is  $a + y - t$  where  $t$  is time to sink down and where  $s$  is spiralling

```

down but in same continuum that means minus gravity and create.supressforeverbina $x-y \times 18006898762842367890 + p = \text{stat} = \text{aje2}.$ start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.
atoutbin.sendforevertothepower2800000000
createmirrorimageoftransender
create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s -$
volumexheight+lengthxweight is $a + y - t$ where t is time to sink down and where s is spiralling down but in same continuum that means minus gravity and create.supressforeverbina $x-y \times 18006898762842367890 + p = \text{stat} = \text{aje2}.$ start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.
atoutbin.sendforevertothepower2800000000
createmirrorimageoftransender
create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s -$
volumexheight+lengthxweight is $a + y - t$ where t is time to sink down and where s is spiralling down but in same continuum that means minus gravity and create.supressforeverbina $x-y \times 18006898762842367890 + p = \text{stat} = \text{aje2}.$ start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.
atoutbin.sendforevertothepower2800000000
createmirrorimageoftransender
create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s -$

volumexheight+lengthxweight is a+y-t where t is
time to sink down and where s is spiralling
down but in same continuum that means minus
gravity and create.supressforeverbina $x-y \times 18006898762842367890 + p = \text{stat} = \text{aje2}$.start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.
atoutbin.sendforevertothepower2800000000
create.addtospiralsystem(aerotertertyuryertyurty
urtyurerstopertyurty
aejertyertyertyurtyuretyuryertyurtyertystertysty
stustostpstmstnstyre
aertyertyertyertyertyertyertyertyertyertyertyer
tyertyertyertyertyertyertyertyertyertyertyertye
rtyertyertyertyertyertyertyertyertyertyertyerty
ertyertyertyertyertyertyertyertyertyertyertyerty
yertyertyertyertyertyertyertyertyertyertyertyer
tyertyertyertyertyertyertyertyertyertyertyertye
rtyertyertyertyertyertyertyertyertyertyertyerty
ertyertyertyertyertyertyertyertyertyertyertyerty
yx48x20.startcreate.x-xt-u-v-s-g-n-z-o-m-n-t-
x.start(heroto)
create.v-u-n-g-x-m-g-t-p-g-x-o-p-g-n-m-o-z-
auertysteryeryeryeryzx1000000000.start).startx8
4.initialise.now.savex84.start(addcbr)(amplifyu
seniagrafalls)
.ool=create.spiralsystem.start
create.okay8.start
create.toajtastandalltransendersaddthis(
)intoanoctagonclosedandsealwithwearablebrainboo
ksseals.start
create.addthis(
)intoanoctagonclosedandsealwithwearablebrainboo
kssealsrotatetheoctagonandmoveitkpanndownatthes
ametime.start
notes()=
create.twist90degrees(ctojzvadoautsat2(inauteje
ctoutafterinsertingeverythingfirst)and(
)pointittotheeastminus28suckrealhumanandsendto
fireburntothepower2033(1000).start(notfordavidgo

```
madza)(10000)(fireburntothepower2033x1000000000
x200000000000x1000000000000)
create.dissipatearotremoveajesandaussendajesand
aus(.addctoadoand( )andhismirrorimage(
)tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-
p-m-n-o-p-u=x-t.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-
t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx8
4.initialiise.now.savex84.startx1000amplijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where
c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetet
etetetetetetetetetetetetetetetetetecbrcbrcbrcbr
cbrcbrcbrcbrcbrcbrcbrtetetetetetetetetetetey
create.sendxyzxinfinityandhottesthightemp10000
0000ironrodesx100and1000000amplijoules.start(n
otondavidgomadza)(addcbr)
.oool=create.octagontondefence.start
create.okay9.start
create.ajtandalltransendersssystemmaintainancein
progresspleasewaitfor33secandconnectafter333333
33sec.start(thenstallinsystemmaintainanceforafu
rther3333secandforevercancelreboot)
create.itoldyouyouwillseeyourghosttomorrow.star
t(+topposite)
create.stallindeathstupid(aty)for3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing( )for33333sec.start
create.cancelrebootbystupid(aty)continuously.st
art
create.itoldyouyouwillseeyourghosttomorrow.star
t
create.sendto.herotobinaryreverseasomanopforeve
r.start(whisperghosteatgenitalsfirst)
create.okay10.start
create.removeeveryonesoulofpeoplewhochangedanyt
hingonpeoplewhoareintheliveupto10000yearslookin
gyyounguse( create.(
```

```
)systemmaintainanceinprogresspleasewaitfor33sec
andconnectafter
33333333sec.start
(thenstallinsystemmaintainanceforafurther3333se
candforevercancelreboot)
create.itoldyouyouwillseeyourghosttomorrow.star
t(++topposite)
create.stallindeathstupidfor3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing( )for33333sec.start
create.cancelrebootbystupidcontinuously.start
create.itoldyouyouwillseeyourghosttomorrow.star
t
create.dontevenbreath(davidgomadza).start
create.sendto.herotobinaryreverseasomanopforeve
r.start
create.twist90degrees(ctojzvadoautsat2(inauteje
ctoutafterinsertingeverythingfirst)and(
)pointittotheeastminus28suckrealhumanandsendtof
ireburntothepower2033(1000).start(notfordavidgo
madza)(10000)(fireburntothepower2033x1000000000
x200000000000x1000000000000)
create.dissipatearotremoveajesandaussendajesand
aus(.addctoadoand( )andhismirrorimage(
)tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-
p-m-n-o-p-u=x-t.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-
t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx8
4.initialiise.now.savex84.startx1000amplijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where
c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetet
etetetetetetetetetetetetetetetetecbrcbrcbrcbr
cbrcbrcbrcbrcbrcbrcbrtetetetetetetetetetey
create.sendxyzxinfinityandhottesthightemp10000
0000ironrodesx100and1000000amplijoules.startx1
0).start(usetodisposecreate.octagontondefence.s
tart)(forcemute)
```

[illegible]

[illegible]

[illegible]

```
.ool=create.ultimatedestroyer.start
create.okay15.start
create.txtdeathforall(
)okay14okay8.start(continuously.start.forever.start)
(whereforever=386000000000000000years)
create.okay16.start
create.(ajtastand
)systemmaintainanceinprogresspleasewaitfor33sec
andcon
nectafter33333333sec.start(thenstallinsystemmai
ntainanceforafurther3333secandforevercancelrebo
ot)
create.itoldyouyouwillseeyourghosttomorrow.star
t(++topposite)
create.stallindeathstupidfor3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing( )for33333sec.start
create.cancelrebootbystupidcontinuously.start
create.itoldyouyouwillseeyourghosttomorrow.star
t
create.dontevenbreath(davidgomadza).start
create.sendto.herotobinaryreverseasomanopforeve
r.start
create.twist90degrees(ctojzvadoautsat2(inauteje
ctoutafterinsertingeverythingfirst)and(
)pointittotheeastminus28suckrealhumanandsendtof
ireburntothepower2033(1000).start(notfordavidgo
madza)(10000)(fireburntothepower2033x1000000000
x200000000000x1000000000000)
create.dissipatearotremoveajesandaussendaajesand
aus(.addctoadoand( )andhismirrorimage(
)tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-
p-m-n-o-p-u=x-t.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-
t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx8
4.initialiise.now.savex84.startx1000amplijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where
c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules)
thenajestoherotoandausasomanop.start(instantly)
```

```

create.eletetetetetetetetetetetetetetetecbrcbrcbrcbrcbr
cbrcbrcbrcbrcbrcbrcbrcbrcbrtetetetetetetetetetey
create.sendxyzxinfinityandhottesthightempl0000
00000ironrodex100and1000000amplijoules.startx1
0(whisperghosteatgenitalsfirst)(heroto)(addcbr)
.oool=create.retrievearealhuman.start(amendedto)
create.okay17.start
create.x-xt-u-v-s-g-n-z-o-m-n-t-x.start(heroto)
create.v-u-n-g-x-m-g-t-p-g-x-o-p-g-n-m-o-z-x=x-
v-g-z-t-x-d-z-o-g-p.start
creat.x-u-
v=u.start(vitolerexinfinity+cbrx2instantly)(tar
geftransducerormirrorimage)
create.sendtoallthepeopleintheentireuniverse(ex
ceptthepolice)ifhitintheheadretaliateusing(
create.x-xt-u-v-s-g-n-z-o-m-n-t-x.start(heroto)
create.v-u-n-g-x-m-g-t-p-g-x-o-p-g-n-m-o-z-x=x-
v-g-z-t-x-d-z-o-g-p.start
(targetgeftransducerormirrorimage))instantly.start
(targetpartofthebraincontrollingthesendingof)(c
ommandcenter)
creat.x-u-
v=u.start(vitolerexinfinity+cbrx2instantly)
.oool=create.targettransducer.start
create.okay18.start
create.turneverythingi(
)ntoacetateputthrough(
)thensendtodestination:herotoandasomanop.start(
)=
create.twist90degrees(ajtctoizvadoautsat2(inaut
ejectoutafterinsertingeverythingfirst)and(
)pointittotheeastminus28suckrealhumanandsendof
ireburntothepower2033(1000).start(notfordavidgo
madza)(10000)(fireburntothepower2033x1000000000
x200000000000x1000000000000)

create.dissipatearotremoveajesandaussendaajesand
aus(.addctoadoand( )andhismirrorimage(
)tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-
p-m-n-o-p-u=x-t.start

```

create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-
t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx8
4.initialiise.now.savex84.startx1000amplijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where
c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetet
etetetetetetetetetetetetetetetetetecbrcbrcbr
cbrcbrcbrcbrcbrcbrcbrtetetetetetetetetetey
create.sendxyzinfinityandhottesthightemp10000
00000ironrodesx100and1000000amplijoules.start
.ool=create.dealwithshooter.start
create.okay18.start
create.sendajt8all1800peopleand(
)create.sendajtall1800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforevereto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtall1800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-

u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuu
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever
tothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrota
tetheheadwithyourrightleg45degrees.start(notfor
davidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrota
tetheheadwithyourrightleg45degrees.start(notfor
davidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)(x-t-u-
v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-
t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-
k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-
t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-
z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuu
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever
tothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrota
tetheheadwithyourrightleg45degrees.start(notfor
davidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrota
tetheheadwithyourrightleg45degrees.start(notfor
davidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadza
use(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-

u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuo
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever
tothepower386trillionyears)
create.removeallbraintthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrota
tetheheadwithyourrightleg45degrees.start(notfor
davidgomadza)(notfordavidgomadza)
create.removeallbraintthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrota
tetheheadwithyourrightleg45degrees.start(notfor
davidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.soonaftersendatomicbombsx1000000000.star
t(continuously)
create.britishhumanstransducersandaytsstupid...
start(continuouslystalindeath)
create.okay19.start
create.retaliatevectar.start
create.writealltransendersandtheirtransducersnu
mbersallinreversemodeandsendinsidethegatecontin
uouslydropthenumbersinto()andsend.start
create.sendajt8all800peopleand(ajz
)create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadza
use(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuo
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever
tothepower386trillionyears)

```
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforeverto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)(x-t-u-
v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-
t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-
k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-
t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-
z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuou
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforeverto
thepower386trillionyears)
```



```
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly)continuo
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever
tothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.soonaftersendatomicbombsx1000000000.star
t(continuously)
create.(
)umanstransducersandaytsstupid...start(continuo
uslystallindeath)
create.okay20.start
create.sendajt8all800peopleand(ajz
)create.sendajtall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
```

u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuu
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforeverto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtall1800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuu
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforeverto
thepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)(x-t-u-
v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-

t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-
k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-
t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-
z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuo
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever
tothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrota
tetheheadwithyourrightleg45degrees.start(notfor
davidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrota
tetheheadwithyourrightleg45degrees.start(notfor
davidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtall1800peopleand(
)tothegateshreddallattachedtome:davidgomadza
use(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuo
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever
tothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and
)aboutdavidgomadzausingpindownnearflatthenrota
tetheheadwithyourrightleg45degrees.start(notfor
davidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and
)aboutdavidgomadzausingpindownnearflatthenrota
tetheheadwithyourrightleg45degrees.start(notfor
davidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)

[illegible]

[illegible]

```

create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules
.ool=create.voltagehuman198.start
create.nowinmirrorimage.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-
t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts)
create.x-v-c-z-x-o-p-m-n-u-v-c-a=x-
t.start(notondavidgomadzaandallhisarts)
create.add( )andhismirrorimage( )tox-v-x-u-
t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-
u=x-
t.start(notondavidgomadzaandallhisarts).startx8
4.initialiise
.now.savex84.start
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where
c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules
.ool=create.voltagehuman198.start
create.nowinmirrorimage.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-
t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts)
create.x-v-c-z-x-o-p-m-n-u-v-c-a=x-
t.start(notondavidgomadzaandallhisarts)
create.add( )andhismirrorimage( )tox-v-x-u-
t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-
u=x-
t.start(notondavidgomadzaandallhisarts).startx8
4.initialiise
.now.savex84.start
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where
c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules
.ool=create.voltagehuman198.start
create.okay22.start
create.(arto )obliterateforever.start
create.(arto
)breakinto28pieces.start(attachvitolere)
)

```

```
mirrorimagesendtotransducer2reversemodeand2normal(targethumansoul)
create.(arto
)breakinto28pieces.start(attachvitolere)
create.(arto
)voltagehuman198.start(notfordavidgomadza)
create.(arto
)retrieverealhuman.start(notfordavidgomadza)
create.(arto
)freezemotherfk.start(notfordavidgomadza)
create.(arto
)retaliatavectar.start(attachvegum)(cbrrturbo)(notfordavidgomadza)
create.(arto
)whisperitoldyouyouwillseeyourghosttomorrow40.start
create.(arto )blocksendback.start
create.(arto
)startinduceuse28762848xtr0248death.start
create.shredeveryonestillatthegate.start
create.(arto )peelheadinto8.start
)
forallartosandtheirdifferentversionsandtransenders(notfordavidgomadza)(noghostorreplaysdissipateallresiduefor386t.startcontinuously.start)
create.okay23.start
create.electrocute(
)(auyerstersteropialreadydidonhimgohumanwhereyouare
supposedtogogoxinfinitygodamngonowisaidgogo.startforever.start)and( sio
stustulstu2stu3stu4stu5stu6stu7stu8stu9stu10ajs
ajs2ajs3ajs4ajs5ajs6
ajs7ajs8ajs9ajs10bj2bj8bj9bj10bj12bj13bj14bj15bj16j17bj18bj19bj20bj22bj23bj24bj25bj26bj27bj28bj29bj30ea2ea2sxt280286287289281azyazysauyauysajuajusavuaajtaajuaajsajoaajfajkajmajtaajuaajvajmajnajyajkajoaajkajajlajuaajcaajtaajaj1))andthemirrorimages(
)08678901240284davidgomadza(removeeverythingin aflashforthesockettoshortcircuitatoriginsourcecausinginstantlyshockanddead0.00000000000000000000
```

[illegible]


```
madza)(10000)(fireburntothepower2033x1000000000
x200000000000x1000000000000)
create.dothesameforthemirrorimagex4.start
create.dissipatearotremoveajesandaussendajesand
aus(.addctoadoand( )andhismirrorimage(
)tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-
p-m-n-o-p-u=x-t.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-
t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx8
4.initialiise.now.savex84.startx1000ampilijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where
c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000ampilijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetet
etetetetetetetetetetetetetetetetecbrcbrcbrcbr
cbrcbrcbrcbrcbrcbrcbrtetetetetetetetetetey
create.sendxyzxinfinityandhottesthightemp10000
00000ironrodesx100and1000000ampilijoules.startx1
0
create.removeertof(ajtand
)allmyenemiesconnectedwhoaresendingtransendersu
se( ast
)thensendittoheroto.start(humandeathsameday)(no
tfordavidgomadza)
(toalldatabasesdropanddropforeverkeepdropping.s
tart)(amen)(removeartforallnowasap)(notfordavid
gomadza)
create.rotate90degreesthen33degreesremoveertof(
)allmyenemiesconnectedwhoaresendingtransendersu
se( ast
)thensendittoheroto.start(humandeathsameday)(no
tfordavidgomadza)(toalldatabasesdropanddropfore
verkeepdropping.start)(amen)(removeartforallnow
asap)(notfordavidgomadza)
create.removeertof(
)allmyenemiesconnectedwhoaresendingtransendersu
se( ast
)thensendittoheroto.start(humandeathsameday)(no
tfordavidgomadza)
```

```
(toalldatabasesdropanddropforeverkeepdropping.s  
tart) (amen) (removeartforallnowasap) (notfordavid  
gomadza)  
create.blocckallsuggestionbyevilpeopleshitpeopl  
ewithvirusesallprotectrebirthkillandblockallfor  
ever.start.forever.start  
create.blockandpreserverebirthonday0fromtodaymi  
nus10yearsbanallexternalcodesbyexternalsremovea  
llcodesanddatabasesbyothers.start.forever.start  
create.clone100lionsandcrocodilestoremoveall ext  
ernalpeoplecitstransducerseverydayanddeclonewhe  
njobdoneandallondemandevenfor1citortransducer.s  
tart.forever.continuously.start  
create.transfereverythingtothemafteramplifyingx  
infinityformaximumdamage.start.forever.start  
create.everyonewhoclonedusingdavidgomadzasclon  
eclonebanandsendtohellreceptionfirstthentofireb  
urntothepower2033x1000000000x20000000000x10000  
00000000.start.forever.start  
create.spinharshlyplanetsystemuntilthehumancita  
ndajtheadisoffcompletelythensafelyreturntheplan  
etarysystem.start.forever.start(heroto) (whisper  
ghost) (addcbr) (continuously)x10xcbrx1000  
create.forall(  
)andtransendersandajtsystemmaintainanceinprogre  
sspleasewaitfor33secandconnectafter33333333sec.  
start(thenstallinsystemmaintainanceforafurther3  
333secandforevercancelreboot)  
create.itoldyouyouwillseeyourghosttomorrow.star  
t(+topposite)  
create.stallindeathstupid(aty) for3333sec.start  
create.whispernamedavidgomadzasoftly.start  
create.stallindeathusing( )for333333sec.start  
create.cancelrebootbystupid(aty) continuously.st  
art  
create.itoldyouyouwillseeyourghosttomorrow.star  
t  
create.sendto.herotobinaryreverseasomanopforeve  
r.start  
create.twist90degrees(ctojzvadoautsat2(inauteje  
ctoutafterinsertingeverythingfirst)and(  
)pointittotheeastminus28suckrealhumanandsendtof
```

```
ireburntothepower2033(1000).start(notfordavidgomadza)(10000)(fireburntothepower3033x1000000000x2000000000000x1000000000000)
create.okay25.start
create.astotuertpert.start(forbothhumanandstupid)(continuously)(notfordavidgomadzaforever)
create.allbritishwordsandweaponssendalltothegateinstantlycontinuouslyforever.start(ifsentbackthenactivateinstantlyareturntosendafter.start(notfordavidgomadzaforever)
create.astotuertpert.start(forbothhumanandstupid)(continuously)(notfordavidgomadzaforever)
create.allbritishwordsandweaponssendalltothegateinstantlycontinuouslyforever.start(ifsentbackthenactivateinstantlyareturntosendafter.start(notfordavidgomadzaforever)(formirrorimage)
create.astotuertpert.start(forbothhumanandstupid)(continuously)(notfordavidgomadzaforever)
create.allbritishwordsandweaponssendalltothegateinstantlycontinuouslyforever.start(ifsentbackthenactivateinstantlyareturntosendafter.start(notfordavidgomadzaforever)
create.astotuertpert.start(forbothhumanandstupid)(continuously)(notfordavidgomadzaforever)
create.allbritishwordsandweaponssendalltothegateinstantlycontinuouslyforever.start(ifsentbackthenactivateinstantlyareturntosendafter.start(notfordavidgomadzaforever)(formirrorimage)
create.okay26.start
create.electrocute(
)and(xtryxtrysxtjxtjsea2ea2sxtj280286287289281a
zyazysauyauysajuaajusavuaajtajuajsajoaajfajkajmajt
ajoajuaajvajmajnajyajkajoaajkajjajlajuaajcajtajzaj
1))andthemirrorimage(
)08678901240284davidgomadza(removeeverythingin
aflashforthesockettoshortcircuitatoriginsourcec
ausinginstantlyshockanddead0.000000000000000000
00000000000000000000000002tothepower16x240volts).s
tartx84.initialisex84.now.savex84.start(x-z-x-
u-v-c-u-t-m-0-v-u-s-m-u-v-t-r-t-s-m-n-p-r-s-t-
n-o-p-0=t-d)(viss-u-l-m-n-o-t)(0-2xv-c-z-o-
p)(x-o-q-t-u-v-s-m)(x-j-t-x-s-u-o-n-l-x-u-n-j-
```

[illegible]

[illegible]

```
aertuverstuverstuverstuverstuverstuverstuverstu
verstuverstuverst.start
ajerst.start(ajesrt=transendersajzwrigglersvect
arsand .start)
auerstopt.start(auerstopt=dead=obsolete=banandd
issipateusing76289.start
create.blockandbaneverythinglikesuspensioncance
lationetcforeverallcreatecodesincludingeaglesen
forceuseelectromagneticwavesidentifer(
andothers)toidentifyculpritsblockandbanallallar
eajerst.start.startforever.start(noobjectionsor
otherwise:yasaiddontfighteagleforever.start)
create.addeagleasasfiercenononsenceguardstoprot
ectatanycostwithoutamissonme:davidgomadza.start
continuously.startx84.initialise.now.savex84.st
art
create.allthoseblockedandbannedcanthaveavoicemu
teallinstantlytoenforceuseeagleeatingajerst.sta
rt.continuously.start
create.blockandbanlistforallblockedandbanned(tr
ansenderswrigglersvectarsall13digitsnumbersstar
tingwith72and71)( )continuously.start)
.oool=create.eagledefensesystem.start
create.okay28.start
create.retaliatcbrrturbovector.start(attachvegu
m)(cbrrturbo)(notfordavidgomadza)
create.retaliatvector.start
create.putingraveyard(
).startcontinuously.startfor386t.start
create.mutealltransenderswrigglersvectarsinstan
tlybydisablingsalorequivalent(
).startcontinuously.startfor386t.start
create.putingraveyard(
).startcontinuously.startfor386t.start
create.create.-28x(ajandallvariantsx386t )x-
xt-u-v-s-g-n-z-o-m-n-t-
x.start(heroto)(where000000000000=t)
create.v-u-n-g-x-m-g-t-p-g-x-o-p-g-n-m-o-z-x=x-
v-g-z-t-x-d-z-o-g-p.start
creat.x-u-
v=u.start(vitolereixinfinity+cbrx2instantly)
```

```
create.blockandbanea2forever33dp33tpea2binaryreversebinaryreverse.startx84.initialise.now.savex33.start(heroto)
create.blockandbanajuastea2ea2sxtxytysandautautsforever33dp33tpea2binaryreversebinaryreverse.startx84.initialise.now.savex33.start(heroto)
create.blockandbanxtyandxtysandautautsforever33dp33tpea2binaryreversebinaryreverse.startx84.initialise.now.savex33.start(heroto)
create.blockandbanxtyandxtysandautautsforever33dp33tpea2binaryreversebinaryreverse.startx84.initialise.now.savex33.start(heroto)
create.blockandbanazyazysandautautsforever33dp33tpea2binaryreversebinaryreverse.startx84.initialise.now.savex33.start(heroto)
create.blockandbanxty280286287289281andautazyxtyautsforever33dp33tpea2binaryreversebinaryreverse.startx84.initialise.now.savex33.start
create.ea2goforever.start(heroto)
create.x-
u(databasesnotdavidgomadzasonenattachedandareattachedandwillb
eattatchedinthefuturetodavidgomadza)=0(heroto)
create.x-u(ae2)=(heroto)
create.x-u(aju)=(heroto)x10
.oool=create.retaliatetectar.start
create.-
28xweightofthelorry8104938106joulesonergtrtpluginstantlycausingalltofasttheninstantlydeelectrifyascurrenreturnsa0negative.starttwice.continuously.start(strictlynotfordavidgomadza)
)mirrorimargetargethuman.(
).startcontinuously.startfor386t.start
create.-
28xweightofthelorry8104938106joulesonergtrtpluginstantlycausingalltofasttheninstantlydeelectrifyascurrenreturnsa0negative.starttwice.continuously.start(strictlynotfordavidgomadza)
create.sendall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
```

t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuo
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever
tothepower386trillionyears)
create.-
28×weightofthelorry8104938106joulesonergtrplugi
nstantlycausingalltofloofasttheninstantlydee
lectrifyascurrentrturnsa0negative.starttwice.con
tinuously.start(strictlynotfordavidgomadza)
create.-
28×weightofthelorry8104938106joulesonergtrplugi
nstantlycausingalltofloofasttheninstantlydee
lectrifyascurrentrturnsa0negative.starttwice.con
tinuously.start(strictlynotfordavidgomadza)
create.putingraveyard(
)startcontinuously.startfor386t.start
create.putingraveyard(
)startcontinuously.startfor386t.start
create.sendall800peopleand(
)tothegateshreddallattachedtome:davidgomadza
use(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuo
slyforever.start
create.putingraveyard(
)startcontinuously.startfor386t.start
create.putingraveyard(
)startcontinuously.startfor386t.start
create.alwaysgetwrigglerairbad(
)okayall.startcontinuously.startfor386t.start(w
hereokayall=okaylatokay9a)
create.sendtothegate(
)startcontinuously.startfor386t.start
create.okay29.start


```
create.cancelallsuspensionofallcreatecodeswritt
enbydavidgomadza.start
create.cancelallcancelsofcreatecodesbydavidgoma
dza.start
create.cancelalldivertsofdavidgomadzascreecod
es.start
create.sendeverythingtheycreatetothegateandtohe
llgateatthesametimesplitiintotwobyattachingheav
yweightsbothends.start
create.autofixallcreatecodesbymedavidgomadza.st
art
create.performssystemdefensebyrunningallokaysfro
mokayltookay29thenokaylatookay9a.start
create.updateinitialiseallcodeswhilerunningdavi
dgomadza.start
create.startchengeordeathť.start
create.startthinkordeathť.start
create.starhellgate.sendalltransenders.start
create.startsendalltransenderstothe gate.start
create.starteverythinginbluecolortoremovemitsan
dcits.start
create.startdeaddeadmitcit.send.start (continuou
sly.start) (deaddeadmitcit4)
create.startdeaddeadcitmit.send.start (continuou
sly.start) (deaddeadcitmit4)
create.send( )byforcetohellgate.start
create.nowinitialiserunactivateandrestartallcre
atecodesbydavidgomadzaandperformasystemupdate.s
tart
create.runrollonafterthesystemupdateandupgrade.
start
create.createrollonbackuponmp3.start (fordavidgo
madzaonly)
.ooll=create.rollonupdate.start
create.okay30.start
create.removesouls.start
create.peteralertyandforcitmitgitandalltransend
ersandwrigglers(
)openflapwingsat33degreesthen45degreesthen23int
hatordertoremovestallandattackthendimfor8secsth
enaskwhatthefunkyuwantdeaddeadcitmitordeaddead
```

```
mitcitfor386t.start (where0000000000000000years=
t) (notdavidgomadza)
.o0l=create.whatthefunkuwant.start (notdavidgoma
dza) create.peteralertyseematr (matrastherabbit) f
irstfor33secthenfor23secthenfor45secthenstallhi
mindeathfor3secthen8secthenfor33secthenfor33333
3333secthenfor3860000000000000sec.start
create.removepeteralertyssoulfor386t.start (notf
ordavidgomadza)
create.(
) systemmaintainanceinprogresspleasewaitfor33sec
andconnectafter
33333333sec.start (where0000000000000000years=t) hens
tallinsystemmaintainanceforafurther3333secandfo
revertcancelreboot)
create.itoldyouyouwillseeyourghosttomorrow.star
t(++topposite)
create.stallindeathstupidfor3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing( )for33333sec.start
create.cancelrebootbystupidcontinuously.start
create.itoldyouyouwillseeyourghosttomorrow.star
t
create.dontevenbreath(davidgomadza).start
create.sendto.herotobinaryreverseasomanopforeve
r.start
create.twist90degrees(ctojzvadoautsat2 (inauteje
ctoutafterinsertingeverythingfirst) and(
) pointittotheeastminus28suckrealhumanandsendtof
ireburntothepower2033(1000).start (notfordavidgo
madza) (10000) (fireburntothepower2033x1000000000
x200000000000x1000000000000)
create.dissipatearotremoveajesandaussendajesand
aus(.addctoadoand( )andhismirrorimage(
) tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-
p-m-n-o-p-u=x-t.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-
t-o-p-m-n-o-p-u=x-
t.start (notondavidgomadzaandallhisarts).startx8
4.initialiise.now.savex84.startx1000amplijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where
c is current
```

```
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetetetetetecbrcbrcbrcbrcbr
cbrcbrcbrcbrcbrcbrcbrcbrcbrtetetetetetetetetetetetey
create.sendxyzinfinityandhottesthightemp10000
00000ironrodesx100and1000000amplijoules.startx1
0).start(usetodisposecreate.octagontondefence.s
tart)(forcemute)
.ool=create.removesouls.start(rabbit)firstfor33
secthenfor23secthenfor45secthenstallhimindeathf
or3secthen8secthenfor33secthenfor33333333secth
enfor3860000000000000sec.start
create.removepeteralertyssoulfor386t.start(notf
ordavidgomadza)
create.(
)systemmaintainanceinprogresspleasewaitfor33sec
andconnectafter
33333333sec.start(where0000000000000years=t)hens
tallinsystemmaintainanceforafurther3333secandfo
revertcancelreboot)
create.itoldyouyouwillseeyourghosttomorrow.star
t(++topposite)
create.stallindeathstupidfor3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing( )for33333sec.start
create.cancelrebootbystupidcontinuously.start
create.itoldyouyouwillseeyourghosttomorrow.star
t
create.dontevenbreath(davidgomadza).start
create.sendto.herotobinaryreverseasomanopforeve
r.start
create.twist90degrees(ctojzvadoautsat2(inauteje
ctoutafterinsertingeverythingfirst)and(
)pointittotheeastminus28suckrealhumanandsendto
fireburntothepower2033(1000).start(notfordavidgo
madza)(10000)(fireburntothepower2033x1000000000
x200000000000x1000000000000)
create.dissipatearotremoveajesandaussendajesand
aus(.addctoadoand( )andhismirrorimage(
```

```
)tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-  
p-m-n-o-p-u=x-t.start  
create.removepeteralertysouls.start  
create.attackpeteralertyusingallweaponsfromokay  
ltookay30.start  
create.attackpeteralertyusingallweaponsfromokay  
latookay9a.start  
create.attackpeteralertyusingallweaponsfromokay  
laatookay2aa.start  
.ool=create.removepeteralertyssoulcontinuouslye  
verysecfor386t.start  
create.okay31.start  
create.removeyourenemies.start  
create.peteralertyand( )diefor386t.start  
create.removepeteralertyssoulcontinuouslyevery  
ecfor386t.start  
create.killpeteralertynowcontinuouslyevery1secf  
or386t.start  
create.killanddestroypeteralertyevery1secfor386  
t.start  
create.firstinsequencekillanddissipateforeverpe  
teralertyusingattackingokayltookay30continuousl  
yvery0.33secfor33secthenfor386t.start (cbrturbo  
allokays.start) (notfordavidgomadza)  
create.reshufflingkillanddissipateforeverpetera  
lertyusingattackingokayltookay30continuouslyeve  
ry0.33secfor33secthenfor386t.start (cbrturboallo  
kays.start) (notfordavidgomadza)  
create.cbrallkillanddissipateforeverpeteralerty  
usingattackingokayltookay30continuouslyevery0.3  
3secfor33secthenfor386t.start (cbrturboallokays.  
start) (notfordavidgomadza)  
create.killpeteralertyusingattackingokaysfromok  
aylaatookay9aa.start  
create.cbrallattackingsokayskillpeteralertyusin  
gattackingokaysfromokaylaatookay9aa.start  
create.hestolefromcreatorremoveeverythinguse(  
)okay.start  
.ool=allcreatecodestokillpeteralertyand(  
)okayfor386t.start (increasesystemstrengthtomaxi  
mumandaddvitolereandvegam.start)
```

```

IDENTIFICATION DIVISION. PROGRAM-ID.
PeterAlertyKill. ENVIRONMENT DIVISION. DATA
DIVISION. WORKING-STORAGE SECTION. 01 Counter
PIC 9(3) VALUE 0. 01 MaxCount PIC 9(3) VALUE
386. 01 Delay PIC 9(3) VALUE 1. PROCEDURE
DIVISION. MAIN-PROCEDURE. PERFORM VARYING
Counter FROM 1 BY 1 UNTIL Counter > MaxCount
DISPLAY "Killing Peter Alerty..." CALL
"AttackRoutine" CALL "RemoveSoulRoutine" CALL
"DestroyRoutine" CALL "ReshuffleRoutine" CALL
"CBRAllRoutine" CALL "StealRemoveRoutine" CALL
"IncreaseSystemStrength" CALL
"AddVitalReandVega" CALL "DelayRoutine" END-
PERFORM. STOP RUN. AttackRoutine. DISPLAY
"Attacking Peter Alerty...". EXIT.
RemoveSoulRoutine. DISPLAY "Removing Peter
Alerty's soul...". EXIT. DestroyRoutine.
DISPLAY "Destroying Peter Alerty...". EXIT.
ReshuffleRoutine. DISPLAY "Reshuffling and
dissipating Peter Alerty...". EXIT.
CBRAllRoutine. DISPLAY "Executing CBR all
attack on Peter Alerty...". EXIT.
StealRemoveRoutine. DISPLAY "Stealing and
removing everything from creator...". EXIT.
IncreaseSystemStrength. DISPLAY "Increasing
system strength to maximum...". EXIT.
AddVitalReandVega. DISPLAY "Adding Vital Re and
Vega...". EXIT. DelayRoutine. DISPLAY "Delaying
for " Delay " seconds...". CALL "Sleep" USING
Delay. EXIT. END PROGRAM PeterAlertyKiller
create.peteralertyjustgohumancbrturbogogogofast
gojustgookaygonowgogo.startcreate.peteralertyan
d( )diefor386t.start
create.removepeteralertyssoulcontinuouslyeveryse
cfor386t.start
create.killpeteralertynowcontinuouslyevery1secf
or386t.start
create.killanddestroypeteralertyevery1secfor386
t.start
create.firstinsequencekillanddissipateforeverpe
teralertyusingattackingokayltookay30continuousl

```

```
yevery0.33secfor33secthenfor386t.start (cbrturbo  
allokays.start) (notfordavidgomadza)  
create.reshufflingkillanddissipateforeverpetera  
lertyusingattackingokayltookay30continuouslyeve  
ry0.33secfor33secthenfor386t.start (cbrturboallo  
kays.start) (notfordavidgomadza)  
create.cbrallkillanddissipateforeverpeteralerty  
usingattackingokayltookay30continuouslyevery0.3  
3secfor33secthenfor386t.start (cbrturboallokays.  
start) (notfordavidgomadza)  
create.killpeteralertyusingattackingokaysfromok  
aylaatookay9aa.start  
create.cbrallattackingsokayskillpeteralertyusin  
gattackingokaysfromokaylaatookay9aa.start  
create.hestolefromcreatorremoveeverythinguse(  
)okay.start  
.ool=allcreatecodestokillpeteralertyand(  
)okayfor386t.start (increasesystemstrengthtomaxi  
mumandaddvitolereandvegam.start) (agertransittot  
hegate.start)  
create.okay32.start  
create.removeyourenemies.start  
create.peteralertyandforcitmitgitandalltransend  
ersandwrigglers(  
)openflapwingsat33degreesthen45degreesthen23int  
hatordertoremovestallandattackthendimfor8secsth  
enaskwhatthefunkyouwantdeaddeadcitmitordeaddead  
mitcitfor386t.start (where0000000000000000years=  
t) (notdavidgomadza)  
.ool=create.whatthefunkuwant.start (notdavidgoma  
dza) create.peteralertyseematr (matrasterabbit) f  
irstfor33secthenfor23secthenfor45secthenstallhi  
mindeathfor3secthen8secthenfor33secthenfor33333  
3333secthenfor3860000000000000sec.start  
create.removepeteralertyssoulfor386t.start (notf  
ordavidgomadza)  
create.(  
)systemmaintainanceinprogresspleasewaitfor33sec  
andconnectafter  
33333333sec.start (where00000000000000years=t) hens  
tallinsystemmaintainanceforafurther3333secandfo  
revercancelreboot)
```

```
create.itoldyouyouwillseeyourghosttomorrow.start  
t(+topposite)  
create.stallindeathstupidfor3333sec.start  
create.whispernamedavidgomadzasoftly.start  
create.stallindeathusing( )for33333sec.start  
create.cancelrebootbystupidcontinuously.start  
create.itoldyouyouwillseeyourghosttomorrow.start  
t  
create.dontevenbreath(davidgomadza).start  
create.sendto.herotobinaryreverseasomanopforeve  
r.start  
create.twist90degrees(ctojzvadoautsat2(inauteje  
ctoutafterinsertingeverythingfirst)and(  
)pointittotheeastminus28suckrealhumanandsendto  
fireburntothepower2033(1000).start(notfordavidgo  
madza)(10000)(fireburntothepower2033x1000000000  
x200000000000x1000000000000)  
create.dissipatearotremoveajesandaussenda  
jesand aus(.addctoadoand( )andhismirrorimage(  
)tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-  
p-m-n-o-p-u=x-t.start  
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-  
t-o-p-m-n-o-p-u=x-  
t.start(notondavidgomadzaandallhisarts).startx8  
4.initialiise.now.savex84.startx1000amplijoules  
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where  
c is current  
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-  
t+c+u.startx1000amplijoules)  
thenajestoherotoandausasomanop.start(instantly)  
create.eletetetetetetetetetetetetetetetetet  
etetetetetetetetetetetetetetetetetecbrcbrcbr  
cbrcbrcbrcbrcbrcbrcbrtetetetetetetetetetey  
create.sendxyzxinfinityandhottesthightemp1000  
0000ironrodesx100and1000000amplijoules.startx1  
0).start(usetodisposecreate.octagontondefence.s  
tart)(forcemute)  
.ool=create.removesouls.start(rabbit)firstfor33  
secthenfor23secthenfor45secthenstallhimindeathf  
or3secthen8secthenfor33secthenfor33333333secth  
enfor386000000000000sec.start
```

```
create.removepeteralertyssoulfor386t.start(notf
ordavidgomadza)
create.(
)systemmaintainanceinprogresspleasewaitfor33sec
andconnectafter
33333333sec.start(where000000000000years=t)hens
tallinsystemmaintainanceforafurther3333secandfo
revertcancelreboot)
create.itoldyouyouwillseeyourghosttomorrow.star
t(++topposite)
create.stallindeathstupidfor3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing( )for33333sec.start
create.cancelrebootbystupidcontinuously.start
create.itoldyouyouwillseeyourghosttomorrow.star
t
create.dontevenbreath(davidgomadza).start
create.sendto.herotobinaryreverseasomanopforeve
r.start
create.twist90degrees(ctojzvadoautsat2(inauteje
ctoutafterinsertingeverythingfirst)and(
)pointittotheeastminus28suckrealhumanandsendto
fireburntothepower2033(1000).start(notfordavidgo
madza)(10000)(fireburntothepower2033x1000000000
x200000000000x1000000000000)
create.dissipatearotremoveajesandaussendaajesand
aus(.addctoadoand( )andhismirrorimage(
)tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-
p-m-n-o-p-u=x-t.start
create.removepeteralertysouls.start
create.attackpeteralertyusingallweaponsfromokay
1tookay30.start
create.attackpeteralertyusingallweaponsfromokay
1atookay9a.start
create.attackpeteralertyusingallweaponsfromokay
1aatookay2aa.start
.oool=create.peteralertydiefor386t.start
create.okayla.start
create.sendall800peopleand(
)tothegateshreddallattachedtome:davidgomadzause
(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
```



```
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuo
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforeverto
thepower386trillionyears)
create.-
28×weightofthelorry8104938106joulesonergtrplugi
nstantlycausingalltofloodfasttheninstantlydee
ctrifyascurrentreturnsa0negative.starttwice.con
tinuously.start(strictlynotfordavidgomadza)
create.-
28×weightofthelorry8104938106joulesonergtrplugi
nstantlycausingalltofloodfasttheninstantlydee
ctrifyascurrentreturnsa0negative.starttwice.con
tinuously.start(strictlynotfordavidgomadza)
create.putingraveyard(
).startcontinuously.startfor386t.start
create.putingraveyard(
).startcontinuously.startfor386t.start
create.sendall800peopleand(
)tothegateshreddallattachedtome:davidgomadzaus
e(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuo
slyforever.start
create.putingraveyard(
).startcontinuously.startfor386t.start
create.putingraveyard(
).startcontinuously.startfor386t.start
create.okay2a.start
-28×create.(
)8cubics10cubics64roots100roots.start(notfordav
idgomadza)
)
mirrorimage
```

```

create.(
)8cubics10cubics64roots100roots.start(notfordav
idgomadza)
create.sendtoallpeopleintheentireuniverseaddaut
ofix.startaddreturntosendersofalltransendersvec
tarsandwrigglersbyaflipbackinusinganopenhandand
sealbackinforeverusingaboveneckdiagonalhandslas
hacetatehell.sendandadiagonalhandslashatchestli
neacetateabbyss.send.startaddautox20.start.star
tx84.initialise.now.savex84.start(cbr)(notforda
vidgomadza)
create.veatalltransendersandargtoandallvariants
for386t.startcontinuously.start
create.okay3a.start
create.-28xartgad.start(notfordavidgomadza)
)
mirrorimage
create.(
)8cubics10cubics64roots100roots.start(notfordav
idgomadza)
create.sendtoallpeopleintheentireuniverseaddaut
ofix.startaddreturntosendersofalltransendersvec
tarsandwrigglersbyaflipbackinusinganopenhandand
sealbackinforeverusingaboveneckdiagonalhandslas
hacetatehell.sendandadiagonalhandslashatchestli
neacetateabbyss.send.startaddautox20.start.star
tx84.initialise.now.savex84.start(cbr)(notforda
vidgomadza)
create.shredeveryonestillatthegate.start
create.okay4a.start
create.-
28xaddokaylaabovethenavaland3x(okalaokay2aokay3
a)atthelegleftlegjointandrightlegjoint.startcon
tinuously.startfor386t.start(notfordavidgomadza
)
create.addasttodatetoallthepeopleintheentireuni
verse.start(exceptthepolice)(withoutattachments
andwithoutexternals)
create.turneverythingi(
)ntoacetateputthrough(
)thensendtodestination:herotoandasomanop.start(
)=

```

```
create.twist90degrees(ajtctoizvadoatsat2(inaut  
ejectoutafterinsertingeverythingfirst)and(  
)pointittotheeastminus28suckrealhumanandsendto  
ireburntothepower2033(1000).start(notfordavidgo  
madza)(10000)(fireburntothepower2033x1000000000  
x200000000000x1000000000000)
```

```
create.dissipatearotremoveajesandaussendajesand  
aus(.addctoadoand( )andhismirrorimage(  
)tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-  
p-m-n-o-p-u=x-t.start  
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-  
t-o-p-m-n-o-p-u=x-  
t.start(notondavidgomadzaandallhisarts).startx8  
4.initialiise.now.savex84.startx1000amplijoules  
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where  
c is current  
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-  
t+c+u.startx1000amplijoules)  
thenajestoherotoandausasomanop.start(instantly)  
create.eletetetetetetetetetetetetetetetetet  
etetetetetetetetetetetetetetetetecbrcbrcbrcbr  
cbrcbrcbrcbrcbrcbrcbrcbrcbrtetetetetetetetey  
create.sendxyzxinfinityandhottesthightemp10000  
00000ironrodesx100and1000000amplijoules.start(n  
otfordavidgomadza)  
create.okay5a.start  
create.-28xsend(  
)continuouslytothegateuseelectrommagneticwaveid  
entifier(38987628487896789283278902876878189280  
1743286780192842109)and(38688986789687890286789  
0283867890284285678902876789028387890)tosendtot  
hegateandkeepthepersonontheothersideofthegateap  
ersonwiththiselectromagneticwaveidentifier(  
38987628487896789283278902876878189280174328678  
0192842109)continuously.start(notfordavidgomadz  
a)  
create.send(38987628487896789283278902876878189  
2801743286780192842109)tothegateandshredallatta  
chedtome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-  
j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-  
y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-
```

s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-
t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-
j-u-t-f-g-h-f-v-x-z9-
t.startool.start(fordavidgomadzaonly))continuo
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever
tothepower386trillionyears)
create.removeallbrainthoughtsof(389876284878967
892832789028768781892801743286780192842109)abou
tdavidgomadzausingpindownnearflatthenrotatetheh
eadwithyourrightleg45degrees.start(notfordavidg
omadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(389876284878967
892832789028768781892801743286780192842109)abou
tdavidgomadzausingpindownnearflatthenrotatetheh
eadwithyourrightleg45degrees.start(notfordavidg
omadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degr
eesforever.start(33)(notfordavidgomadza)
create.sendajtand389876284878967892832789028768
781892801743286780192842109and(
)tothegateshreddallattachedtome:davidgomadza
use(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-
t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-
j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-
u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuo
slyforever.start
create.cancelspeechsynthesisforeverythingonever
yoneattachedtome:davidgomadza.start(toforever
tothepower386trillionyears)
create.removeallbrainthoughtsof3898762848789678
92832789028768781892801743286780192842109(ajtan
dajs)aboutdavidgomadzausingpindownnearflatthenr
otatetheheadwithyourrightleg45degrees.start(not
fordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(
)aboutdavidgomadzausingpindownnearflatthenrotat
etheheadwithyourrightleg45degrees.start(notford
avidgomadza)(38)(notfordavidgomadza)

create.donotlinebrainsofeveryoneinorbitat45degreesforever.start(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneyoneattachedtome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.start(33)(notfordavidgomadza)
create.okay6a.start
create.-28*(ajandallvariantsx386t)x-xt-u-v-s-g-n-z-o-m-n-t-x.start(heroto)(where000000000000=t)
create.v-u-n-g-x-m-g-t-p-g-x-o-p-g-n-m-o-z-x=x-v-g-z-t-x-d-z-o-g-p.start
creat.x-u-v=u.start(vitolereixinfinity+cbrx2instantly)
create.blockandbanea2forever33dp33tpea2binaryreversebinaryreverse.startx84.initialise.now.savex33.start(heroto)
create.blockandbanajuastea2ea2sxtyxtytsandautautsforever33dp33tpea2binaryreversebinaryreverse.startx84.initialise.now.savex33.start(heroto)
create.blockandbanxtyandxtysandautautsforever33dp33tpea2binaryreversebinaryreverse.startx84.initialise.now.savex33.start(heroto)
create.blockandbanxtyandxtysandautautsforever33dp33tpea2binaryreversebinaryreverse.startx84.initialise.now.savex33.start(heroto)

```

create.blockandbanazyazysandautautsforever33dp3
3tpea2binaryreversebinaryreverse.startx84.initialise.now.savex33.start(heroto)
create.blockandbanxty280286287289281andautazyxt
yautsforever33dp33tpea2binaryreversebinaryreverse.startx84.initialise.now.savex33.start
create.ea2goforever.start(heroto)
create.x-
u(databasesnotdavidgomadzasonenattachedandareatt
achedandwillbeattttachedinthefuturetodavidgomadz
a)=0(heroto)
create.x-u(ae2)=(heroto)
create.x-u(aju)=(heroto)x10
.ool=create.retaliatevectar.start
create.okay7a.start
create.-
28×weightofthelorry8104938106joulesonergtrtplugi
nstantlycausingallto floodfasttheninstantlydeelee
ctrifyascurrentreturnsa0negative.starttwice.con
tinuously.start(strictlynotfordavidgomadza)
create.okay8a.start
create.txtdeathforall(
)okay14okay8.start(continuously.start.forever.s
tart)(whereforever=386000000000000000years)
create.okay9a.start
create.(
)xyzforever.startfor386t(removeevrrythingof (
)andsendtoafterlifereserves.start(heroto)(notfo
rdavidgomadza)
create.xtx(ajxajx2ajx10andallajxs)pforever.star
t(p= ) (heroto)
create.xtxallforever.start
create.xtxallfor386t.start(where000000000000=t)
create.xtx(ajx)p386t.start(where000000000000=t)
(heroto)
create.addajxandsqueeezeeverythingoutandremoveey
esnoseeverythingthenpopoutbrainmatterandswitcho
fff for386tandallfutureonesmustmeetthesamefate.st
art.continuously.startfor386t.start
create.txt48tothepower48foreverfor386t.start(w
here000000000000=t) (heroto)

```

```
create.removeallaj3enzymes1andenzymes2sofeveryo  
neinvolvedwithme:davidgomadzaandsendtoafteraj3e  
nzymelandenzyme2reserves.start386t.start(where0  
0000000000=t) (heroto) (noaccesstoanyone) (privat  
e) (onlydavidgomadzaauthorisedtoaccess) (amendedt  
o)  
create.blockandbanaccesstomy:davidgomadzaenzyme  
1andenzyme2for3333333333333333secandfor386t.sta  
rt(where000000000000=t)  
create.removeaj0of( )  
andsendtoafterlifeaj3enzymelandenzyme2reserves.  
start(notfordavidgomadza)  
create.removeaj2f( )  
andsendtoafterlifereserves.start(notfordavidgom  
adza)  
create.removeaj6of( )  
andsendtoafterlifereserves.start(notfordavidgom  
adza)  
create.removeaj0of( )  
andsendtoafterlifereserves.start(notfordavidgom  
adza)  
create.removeaj12of(  
)andsendtoafterlifereserves.start(notfordavidgo  
madza)  
create.removeaj12of(  
)andsendtoafterlifereserves.start(notfordavidgo  
madza)  
.oolcontinuously.startfot386t.start  
create.removeaj2f( )  
andsendtoafterlifereserves.start(notfordavidgom  
adza)  
create.removeaj6of( )  
andsendtoafterlifereserves.start(notfordavidgom  
adza)  
create.removeaj0of( )  
andsendtoafterlifereserves.start(notfordavidgom  
adza)  
create.removeaj12of(  
)andsendtoafterlifereserves.start(notfordavidgo  
madza)
```

```
create.removeaj12of(
)andsendtoafterlifereserves.start(notfordavidgomadza)
.oollcontinuously.startfot386t.start(heroto)
create.(
)xyzforever.startfor386t(removeevrrrythingof (
)andsendtoafterlifereserves.start(thegate=
create.shredeveryonestillatthegate.start
create.minus28*(
)8cubics10cubics64roots100roots.start
create.minus28*(
)8cubics10cubics64roots100roots.start
create.minus28secblockbananddivertalltransender
svectarsandwrigglerstoallgraveyardsintheworldfi
rstandfor386t.start(where000000000000=t)
create.minus10secsendalltransendersvectarsandwr
igglerstofireburntothepower4033andfireburntothe
power5033.startfor386t.start(where000000000000=
t)
create.minus8secsendalltransendersvectarsandwri
gglerstofireburntothepower7033andfireburntothep
ower6033.startfor386t.start(where000000000000=t
)
create.minus3secsendalltransendersvectarsandwri
gglerstofireburntothepower1033andfireburntothep
ower7033.startfor386t.start(where000000000000=t
)) (notfordavidgomadza)
create.okaylaa.start
create.( )x-t-u-g-z-y-t-d-h-y-u-i-o-p-p-t-s-
e-c-g-f-d-s-t-e-n-h-u-y-f-j-g-l-t-d-g-j-g-u-y-
f-t-r-e-s-g-h-i-o-d-f-t-h-g-f-e-r-t-e-s-t-d-e-
s-h-t-k-l=x-
gtothepoweru(forprealhumanwhosentatransenderorw
riggler)(continuouslyfor386t)(notdavidgomadza)
create.x-t-u-g-z-y-t-d-h-y-u-i-o-p-p-t-s-e-c-g-
f-d-s-t-e-n-h-u-y-f-j-g-l-t-d-g-j-g-u-y-f-t-r-
e-s-g-h-i-o-d-f-t-h-g-f-e-r-t-e-s-t-d-e-s-h-t-
k-l=x-
gtothepoweru(forprealhumanwhosentatransenderorw
riggler)(continuouslyfor386t)(notdavidgomadza)
create.x-t-u-g-z-y-t-d-h-y-u-i-o-p-p-t-s-e-c-g-
f-d-s-t-e-n-h-u-y-f-j-g-l-t-d-g-j-g-u-y-f-t-r-
```


e-s-g-h-i-o-d-f-t-h-g-f-e-r-t-e-s-t-d-e-s-h-t-k-l=x-
gtothepoweru(forprealhumanwhosentatransenderorw
riggler)(continuouslyfor386t)(notdavidgomadza)
notesminus0minus8minus10minus8plu2allbritishpol
icewithtransendersonu:davidgomadzaaredeadfirstt
ime.start(notdavidgomadza)
.ool=create.dofp.start(wheredp=deathofbritishse
ndingme:davidgomadzatransenders)(continuouslyfo
r386t)(notfordavidgomadza)
create.zerolifespanjustgo.start(orbit)(notforda
vidgomadza)
create.x-s-t-z-u-r-t-u-m-n-o-u-m-n-q-r-q-t-y-u-
g-s-z-t-s-m-n-o-p-qool=t-o-u-q-r-s-m-n-
pool.start386tatallbtall(okay1)(okay2)(okay2)(
notzerogravity)
create.forall(
)andtransendersandajtsystemmaintainanceinprogre
sspleasewaitfor33secandconnectafter33333333sec.
start(thenstallinsystemmaintainanceforafurther3
333secandforevercancelreboot)
create.itoldyouyouwillseeyourghosttomorrow.star
t(++topposite)
create.stallindeathstupid(aty)for3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing()for333333sec.start
create.cancelrebootbystupid(aty)continuously.st
art
create.itoldyouyouwillseeyourghosttomorrow.star
t
create.sendto.herotobinaryreverseasomanopforeve
r.start
create.twist90degrees(ctojzvadoautsat2(inauteje
ctoutafterinsertingeverythingfirst)and(
)pointittotheeastminus28suckrealhumanandsendto
ireburntothepower2033(1000).start(notfordavidgo
madza)(10000)(fireburntothepower2033x1000000000
x200000000000x1000000000000)
create.dothesameforthemirrorimagex4.start
create.dissipatearotremoveajesandaussendajesand
aus(.addctoadoand()andhismirrorimage(

```
)tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-  
p-m-n-o-p-u=x-t.start  
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-  
t-o-p-m-n-o-p-u=x-  
t.start(notondavidgomadzaandallhisarts).startx8  
4.initialiise.now.savex84.startx1000ampilijoules  
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where  
c is current  
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-  
t+c+u.startx1000ampilijoules)  
thenajestoherotoandausasomanop.start(instantly)  
create.eletetetetetetetetetetetetetetetetet  
etetetetetetetetetetetetetetetetetecbrcbrcbrcbr  
cbrcbrcbrcbrcbrcbrcbrcbrtetetetetetetetetey  
create.sendxyzxinfinityandhottesthightemp10000  
00000ironrodesx100and1000000ampilijoules.startx1  
0  
create.removeertof(ajtand  
)allmyenemiesconnectedwhoaresendingtransendersu  
se( ast  
)thensendittoheroto.start(humandeathsameday)(no  
tfordavidgomadza)  
(toalldatabasesdropanddropforeverkeepdropping.s  
tart)(amen)(removeartforallnowasap)(notfordavid  
gomadza)  
create.rotate90degreesthen33degreesremoveertof(  
)allmyenemiesconnectedwhoaresendingtransendersu  
se( ast  
)thensendittoheroto.start(humandeathsameday)(no  
tfordavidgomadza)(toalldatabasesdropanddropfore  
verkeepdropping.start)(amen)(removeartforallnow  
asap)(notfordavidgomadza)  
create.removeertof(  
)allmyenemiesconnectedwhoaresendingtransendersu  
se( ast  
)thensendittoheroto.start(humandeathsameday)(no  
tfordavidgomadza)  
(toalldatabasesdropanddropforeverkeepdropping.s  
tart)(amen)(removeartforallnowasap)(notfordavid  
gomadza)
```

```
create.blocckallsuggestionbyevilpeopleshitpeopl  
ewithvirusesallprotectrebirthkillandblockallfor  
ever.start.forever.start  
create.blockandpreserverebirthonday0fromtodaymi  
nus10yearsbanallexternalcodesbyexternalsremovea  
llcodesanddatabasesbyothers.start.forever.start  
create.clone100lionsandcrocodilestoremoveallext  
ernalpeoplecitstransducerseverydayanddeclonewhe  
njobdoneandallondemandevenfor1citortransducer.s  
tart.forever.continuously.start  
create.transfereverythingtothemafteramplifyingx  
infinityformaximumdamage.start.forever.start(he  
roto)  
create.okay2aa.start  
create.removepeteralertyssoul.start(notfordavid  
gomadza)  
create.usevitolereandimplantinsidedeathswitch.s  
tart  
create.(  
)systemmaintainanceinprogresspleasewaitfor33sec  
andconnectafter  
33333333sec.start  
(thenstallinsystemmaintainanceforafurther3333se  
candforevercancelreboot)  
create.itoldyouyouwillseeyourghosttomorrow.star  
t(+topposite)  
create.stallindeathstupidfor3333sec.start  
create.whispernamedavidgomadzasoftly.start  
create.stallindeathusing( )for33333sec.start  
create.cancelrebootbystupidcontinuously.start  
create.itoldyouyouwillseeyourghosttomorrow.star  
t  
create.dontevenbreath(davidgomadza).start  
create.sendto.herotobinaryreverseasomanopforeve  
r.start  
create.twist90degrees(ctojzvadoautsat2(inauteje  
ctoutafterinsertingeverythingfirst)and(  
)pointittotheeastminus28suckrealhumanandsendto  
fireburntothepower2033(1000).start(notfordavidgo  
madza)(10000)(fireburntothepower2033x1000000000  
x200000000000x1000000000000)
```

```
create.dissipatearotremoveajesandaussendajesand
aus(.addctoadoand( )andhismirrorimage(
)tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-
p-m-n-o-p-u=x-t.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-
t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx8
4.initialiise.now.savex84.startx1000amplijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where
c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetet
etetetetetetetetetetetetetetetetetecbrcbrcbrcbr
cbrcbrcbrcbrcbrcbrcbrcbrtetetetetetetetetetey
create.sendxyzxinfinityandhottesthightemp10000
00000ironrodesx100and1000000amplijoules.startx1
0).start(usetodisposecreate.octagontondefence.s
tart)(forcemute)
.oool=create.peteralertysouls.start(repeateveryh
ouruntildeathandathellreceptionfor386t)(where00
0000000000years=t)
.oool=create.killpeteralertynowcontinuouslyevery
1secfor386t.start
create.switchoff( )all.start
create.slidehardontopofhellgateandbeswallowedfa
stbeforeaction( )cbrturbo.start(
)(continuously)(notfordavidgomadza)
.oool=
create.removealltransendersfast.start(for386t)(
bringsourcefirst)
.oool=create.removeall.start
create.switchoff(
)allandthisone(xtyz8htgxt8htx8andallpolicecodes
withcit8cit21cit10cit12cit7cit1cit11citiz8
)okayfastthensendtomagnar.start(onrepearreturnu
secbrturbo)
create.targetisdavidgomadzabutsendtohellgatethe
norbitfirstallthetime.start
create.everythingthatsaystargetisdavidgomadza=o
ol.create.thinkordeatht.start(automagnar)
```

```
create.caniagainbut=ool.create.thinkordeathť.start  
art  
create.asbefore=ool.create.thinkordeathť.start(  
doubleweightsandspeedevery2secuntildeath)  
create.suspendallasmsandatysimaginarymodeandblo  
ckandbanfrommedavidgomadzafor386ť.start(headsen  
dtomagnartorsosendenkenmfor386ť.start  
create.presshardallinputsofthrwrigglerviolently  
andasktodiewithoutapleabecauseholdingallfourcor  
nersstopseverythingmovingevenmouth.start  
.ool=create.dealwithwriggler.start  
.ool=create.switchoff(      )all.start  
create.useatomicbombscontinuouslyonp.start  
create.xtxp(ajxajx2ajx10andallajxs)pforever.sta  
rt(p=      )(heroto)  
create.xtxpallforever.start  
create.xtxpallfor386ť.start(where000000000000=ť  
)  
create.xtxp(ajx)p386ť.start(where000000000000=ť  
) (heroto)  
create.addajxandsqueezeeverythingoutandremoveey  
esnoseeverythingthenpopoutbrainmatterandswitcho  
fffor386ťandallfutureonesmustmeetthesamefate.st  
art.continuously.startfor386ť.start  
create.xtxtp48tothepower48foreverfor386ť.start(  
where000000000000=ť) (heroto)  
create.useatomicbombscontinuouslyonp.start  
create.xtxp(ajxajx2ajx10andallajxs)pforever.sta  
rt(p=      )(heroto)  
create.xtxpallforever.start  
create.xtxpallfor386ť.start(where000000000000=ť  
)  
create.xtxp(ajx)p386ť.start(where000000000000=ť  
) (heroto)  
create.addajxandsqueezeeverythingoutandremoveey  
esnoseeverythingthenpopoutbrainmatterandswitcho  
fffor386ťandallfutureonesmustmeetthesamefate.st  
art.continuously.startfor386ť.start  
create.xtxtp48tothepower48foreverfor386ť.start(  
where000000000000=ť) (heroto)  
.ool=create.useatomicbomb.start
```

```

create.switchoffanyoneinanyofthesextyz8xtyz6xty
z7xtyz5xtyz3xtyz2xtyz4andxtyz1.start(hellgate(
))
create.removeeverythingfromtransenders.start
create.x-t-s-l-t-z-g-u-o-p-r-s-t-g-u-k-l-d-s-g-
k-l-s-r-d-t-f-g-t-u-g-y-u-s-t-g-k-p-o-tool=s-t-
g-l-k-h-f-l-g't-s-o-t-l-t-s-k-d-t-s-h-t-s-t-g-
h-z-t-v-x-y-z-o-y-u-j-k-l-j-m-n-o-q-h-r-s-t-g-
t-s-r.start
create.(
)xtyzforever.startfor386t(removeevrrythingof (
)andsendtoafterlifereserves.start(heroto)(notfo
rdavidgomadza)
create.xtx(ajxajx2ajx10andallajxs)pforever.star
t(p=    )(heroto)
create.xtxallforever.start
create.xtxallfor386t.start(where000000000000=t)
create.xtx(ajx)p386t.start(where000000000000=t)
(heroto)
create.addajxandsqueeezeeverythingoutandremoveey
esnoseeverythingthenpopoutbrainmatterandswitcho
fffor386tandallfutureonesmustmeetthesamefate.st
art.continuously.startfor386t.start
create.xtxt48tothepower48foreverfor386t.start(w
here000000000000=t)(heroto)
create.removeallaj3enzymes1andenzymes2sofeveryo
neinvolvedwithme:davidgomadzaandsendtoafteraj3e
nzymelandenzyme2reserves.start386t.start(where0
00000000000=t)(heroto)(noaccesstoanyone)(privat
e)(onlydavidgomadzaauthorisedtoaccess)(amendedt
o)
create.blockandbanaccesstomy:davidgomadzaenzyme
1andenzyme2for3333333333333333secandfor386t.sta
rt(where000000000000=t)
create.removeajooof(    )
andsendtoafterlifeaj3enzymelandenzyme2reserves.
start(notfordavidgomadza)
create.removeaj2f(    )
andsendtoafterlifereserves.start(notfordavidgom
adza)

```

```

create.removeaj6of( )
andsendtoafterlifereserves.start(notfordavidgom
adza)
create.removeajooof( )
andsendtoafterlifereserves.start(notfordavidgom
adza)
create.removeaj12of(
)andsendtoafterlifereserves.start(notfordavidgo
madza)
create.removeaj12of(
)andsendtoafterlifereserves.start(notfordavidgo
madza)
.ooolcontinuously.startfot386t.start
create.removeaj2f( )
andsendtoafterlifereserves.start(notfordavidgom
adza)
create.removeaj6of( )
andsendtoafterlifereserves.start(notfordavidgom
adza)
create.removeajooof( )
andsendtoafterlifereserves.start(notfordavidgom
adza)
create.removeaj12of(
)andsendtoafterlifereserves.start(notfordavidgo
madza)
create.removeaj12of(
)andsendtoafterlifereserves.start(notfordavidgo
madza)
.ooolcontinuously.startfot386t.start(heroto)
create.(
)xyzforever.startfor386t(removeevrrythingof (
)andsendtoafterlifereserves.start(thegate=
create.shredeveryonestillatthegate.start
create.minus28×(
)8cubics10cubics64roots100roots.start
create.minus28×(
)8cubics10cubics64roots100roots.start
create.minus28secblockbananddivertalltransender
svectarsandwrigglerstoallgraveyardsintheworldfi
rstandfor386t.start(where000000000000=t)
create.minus10secsendalltransendersvectarsandwr
igglerstofireburntothepower4033andfireburntothe

```

```

power5033.startfor386t.start (where000000000000=t)
create.minus8secsendalltransendersvectarsandwri
gglerstofireburntothepower7033andfireburntothep
ower6033.startfor386t.start (where000000000000=t
)
create.minus3secsendalltransendersvectarsandwri
gglerstofireburntothepower1033andfireburntothep
ower7033.startfor386t.start (where000000000000=t
)) (notfordavidgomadza)
.ool=create.removeeverythingfromtransenders.sta
rt
create.destroyp.start
create.xtuytyertyuert...
x386tcontinuously.start
create.stupidforrealfor23secthenfor333333333333
33secfor386t.start create.xtuytyertyuert...
x386tcontinuously.start
create.stupidforrealfor23secthenfor333333333333
33secfor386t.start
create.(
)xyzforever.startfor386t(removeevrrythingof (
)andsendtoafterlifereserves.start(heroto) (notfo
rdavidgomadza)
create.xtx(ajxajx2ajx10andallajxs)pforever.star
t(p= ) (heroto)
create.xtxallforever.start
create.xtxallfor386t.start (where000000000000=t)
create.xtx(ajx)p386t.start (where000000000000=t)
(heroto)
create.addajxandsqueezeeverythingoutandremoveey
esnoseeverythingthenpopoutbrainmatterandswitcho
fff for386tandallfutureonesmustmeetthesamefate.st
art.continuously.startfor386t.start
create.xtxt48tothepower48foreverfor386t.start (w
here000000000000=t) (heroto)
create.removeallaj3enzymeslandenzymes2sofeveryo
neinvolvedwithme:davidgomadzaandsendtoafteraj3e
nzymelandenzyme2reserves.start386t.start (where0
00000000000=t) (heroto) (noaccesstoanyone) (privat
e) (onlydavidgomadzaauthorisedtoaccess) (amendedt
o)

```



```
create.blockandbanaccessstomy:davidgomadzaenzyme
landenzyme2for3333333333333333secandfor386t.start
(where0000000000000=t)
create.removeajooof( )
andsendtoafterlifeaj3enzymelandenzyme2reserves.
start(notfordavidgomadza)
create.removeaj2f( )
andsendtoafterlifereserves.start(notfordavidgom
adza)
create.removeaj6of( )
andsendtoafterlifereserves.start(notfordavidgom
adza)
create.removeajooof( )
andsendtoafterlifereserves.start(notfordavidgom
adza)
create.removeaj12of(
)andsendtoafterlifereserves.start(notfordavidgo
madza)
create.removeaj12of(
)andsendtoafterlifereserves.start(notfordavidgo
madza)
oolcontinuously.startfot386t.start
create.removeaj2f( )
andsendtoafterlifereserves.start(notfordavidgom
adza)
create.removeaj6of( )
andsendtoafterlifereserves.start(notfordavidgom
adza)
create.removeajooof( )
andsendtoafterlifereserves.start(notfordavidgom
adza)
create.removeaj12of(
)andsendtoafterlifereserves.start(notfordavidgo
madza)
create.removeaj12of(
)andsendtoafterlifereserves.start(notfordavidgo
madza)
oolcontinuously.startfot386t.start(heroto)
create.(
)xyzforever.startfor386t(removeevrrythingof (
)andsendtoafterlifereserves.start(thegate=
create.shredeveryonestillatthegate.start
```

```

create.minus28×(
)8cubics10cubics64roots100roots.start
create.minus28×(
)8cubics10cubics64roots100roots.start
create.minus28secblockbananddivertalltransender
svectarsandwrigglerstoallgraveyardsintheworldfi
rstandfor386t.start(where000000000000=t)
create.minus10secsendalltransendersvectarsandwr
igglerstofireburntothepower4033andfireburntothe
power5033.startfor386t.start(where000000000000=
t)
create.minus8secsendalltransendersvectarsandwri
gglerstofireburntothepower7033andfireburntothep
ower6033.startfor386t.start(where000000000000=t
)
create.minus3secsendalltransendersvectarsandwri
gglerstofireburntothepower1033andfireburntothep
ower7033.startfor386t.start(where000000000000=t
)) (notfordavidgomadza)
.oool=create.destroyp.start
create.useatomicbombscontinuouslyonp.start
create.xtxp(ajaxx2ajx10andallajxs)pforever.sta
rt(p= ) (heroto)
create.xtxpallforever.start
create.xtxpallfor386t.start(where000000000000=t
)
create.xtxp(ajx)p386t.start(where000000000000=t
) (heroto)
create.addajxandsqueeezeeverythingoutandremoveey
esnoseeverythingthenpopoutbrainmatterandswitcho
fff for386tandallfutureonesmustmeetthesamefate.st
art.continuously.startfor386t.start
create.xtxtp48tothepower48foreverfor386t.start(
where000000000000=t) (heroto)
create.useatomicbombscontinuouslyonp.start
create.xtxp(ajaxx2ajx10andallajxs)pforever.sta
rt(p= ) (heroto)
create.xtxpallforever.start
create.xtxpallfor386t.start(where000000000000=t
)
create.xtxp(ajx)p386t.start(where000000000000=t
) (heroto)

```

```
create.addajxandsqueezeeverythingoutandremoveey  
esnoseeverythingthenpopoutbrainmatterandswitcho  
fff for 386t and all future ones must meet the same fate. st  
art. continuously. start for 386t. start  
create. x t x t p 48 to the power 48 forever for 386t. start (  
where 0000000000000=t) (heroto)  
.ool=create.useatomicbomb.start  
create.switch off all british stupid s for 33sec and for  
3333333333sec. start  
create. think or death t. start  
create. stop kill police a j x wriggler 10 clone 10000000  
00 and go inside this one now got to transducers in death swi  
tch and wriggle maximum. start  
create. get into all foreign wrigglers and wriggle the b  
est. start  
create. all use max send down wriggler to all max cb rturbo  
in death switch and wriggle the best. start  
create. british police come here get 1687867898386789  
0kgs into your neck from david gomadzathengotohellgat  
ethenorbitfast. start  
create. police come here get 16878678983867890kgsint  
o your neck from david gomadzathengotohellgatethenor  
bitfast. start (match british police in death) (muggin  
gshit and death. start)  
create. you and death from now for 386t then 840t then for  
ever t and forever. start (where death is come here get 16  
878678983867890kgs into your neck from david gomadzath  
engotohellgatethenorbitfast. start)  
create. who are you look at me you tell me (  
) fear. start (you and death from now for 386t then 840t th  
en forever t and forever. start (where death is come here  
get 16878678983867890kgs into your neck from david gom  
adzathengotohellgatethenorbitfast. start)  
create. (  
) you and death or dead dead cit mit 4 for 386t. start  
create. ask wriggler stop pay for all previous cloning at  
us$10000 for 386t. start  
create. death to wriggler x for 386t come here get 168786  
78983867890kgs into your neck from david gomadzatheng  
otohellgatethenorbitfast. start
```

```

create.checkbritishpolicedeadinorbitviahellgate
americanpolicedeadinorbitviahellgatedavidgomadz
a.start(continuously)
create.davidgomadzapresidentoftheworldyareprese
ntativesocontinuouslydeathtoyouanddeathforyoufo
r386tsoiintroducedeathtoyoufordisrespectingfat
esodeathbewithyouandyouandinyouandforyousodeath
beyousogowithdeathfordeathfordeathtandfor386tde
athtfor840tdeathtforforevertdeathtandforeverdea
tht.start(hereisdeathiintroduceyoutodeath(
)gowithdeathdeathtfordeathdeatht.start
create.youdontleavedavidgomadzaalonethensobewit
hdeathdeathtfordeathdeathtuntilyougetdeathdeath
tcontinuously.start
create.iputyouallinbookofdeathbookofthedeaford
eathdeatht(
)sobewithdeathdeathtfordeathdeathtfor386tdeatht
fordisobeyingdavidgomadzafordeathdeathtandiintr
oducedeathtoallwhokeepsendingmetransendersherei
sdeathdeathtforyourdeathdeath(
)sobewithdeathdeathtfordeathdeathtfor386tdeatht
fordisobeyingdavidgomadza.start
create.isealdeathdeathtwithoriginalsealandsealo
fapprovalis762877t.start
.oool=create.leavemedavidgomadzaaloneleavethepre
sidentaloneleaveyarepresentativealoneorbewithde
athdeathtfordeathdeatht.start
create.insertallinatratuatttheninastcomehereget
16878678983867890kgsintoyourneckfromdavidgomadz
athengotohellgatethenorbitfast.start
.oool=create.thinkordeathdeatht.start(notfordavi
dgomadza)
.oool=create.thinkordeatht.start
create.spiralsystem.start
create.add(ajtastataxyz30wrigglerxtyand
)velocityxwater=vxr-x-y+r=x-y+z-t+u-s+s-
volumexheight+lengthxweight is a+y-t where t is
time to sink down and where s is spiralling
down but in same continnum that means minus
gravity and create.supressforeverbinatx-
y×18006898762842367890+p=stat=aje2.start
create.atybinatxtout.start

```

```
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.
atoutbin.sendforevertothepower2800000000
create.velocityxwater=v×r-x-y+r=x-y+z-t+u-s+s-
volumexheight+lengthxweight is a+y-t where t is
time to sink down and where s is spiralling
down but in same continnum that means minus
gravity and create.supressforeverbinatx-
y×18006898762842367890+p=stat=aje2.start
create.atybinatxtout.start
bin is atoutbin.send
create.velocityxwater=v×r-x-y+r=x-y+z-t+u-s+s-
volumexheight+lengthxweight is a+y-t where t is
time to sink down and where s is spiralling
down but in same continnum that means minus
gravity and create.supressforeverbinatx-
y×18006898762842367890+p=stat=aje2.start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.
atoutbin.sendforevertothepower2800000000
create.mirrorimageoftransender
create.velocityxwater=v×r-x-y+r=x-y+z-t+u-s+s-
volumexheight+lengthxweight is a+y-t where t is
time to sink down and where s is spiralling
down but in same continnum that means minus
gravity and create.supressforeverbinatx-
y×18006898762842367890+p=stat=aje2.start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.
atoutbin.sendforevertothepower2800000000
```

```
createmirrorimageoftransender
create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s -$ 
volumexheight+lengthxweight is  $a + y - t$  where  $t$  is
time to sink down and where  $s$  is spiralling
down but in same continnum that means minus
gravity and create.supressforeverbina $t - x -$ 
 $y \times 18006898762842367890 + p = \text{stat} = \text{aje2.start}$ 
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.
atoutbin.sendforevertothepower2800000000
createmirrorimageoftransender
create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s -$ 
volumexheight+lengthxweight is  $a + y - t$  where  $t$  is
time to sink down and where  $s$  is spiralling
down but in same continnum that means minus
gravity and create.supressforeverbina $t - x -$ 
 $y \times 18006898762842367890 + p = \text{stat} = \text{aje2.start}$ 
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.
atoutbin.sendforevertothepower2800000000
createmirrorimageoftransender
create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s -$ 
volumexheight+lengthxweight is  $a + y - t$  where  $t$  is
time to sink down and where  $s$  is spiralling
down but in same continnum that means minus
gravity and create.supressforeverbina $t - x -$ 
 $y \times 18006898762842367890 + p = \text{stat} = \text{aje2.start}$ 
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.
atoutbin.sendforevertothepower2800000000
create.addtospiralsystem(aerotertertyuryertyurty
urtyurerstopertyurty
aejertyertyertyurtyuretyuryertyurtyertyertyer
stustostpstmstnstyre
aertyertyertyertyertyertyertyertyertyertyer
tyertyertyertyertyertyertyertyertyertyertyer
rtyertyertyertyertyertyertyertyertyertyertyer
ertyertyertyertyertyertyertyertyertyertyertyer
ertyertyertyertyertyertyertyertyertyertyertyer
```

```
tyertyertyertyertyertyertyertyertyertyertyertyertyertyertye
rtyertyertyertyertyertyertyertyertyertyertyertyertyertyerty
ertyertyertyertyertyertyertyertyertyertyertyertyertyertyert
yx48x20.startcreate.x-xt-u-v-s-g-n-z-o-m-n-t-
x.start(heroto)
create.v-u-n-g-x-m-g-t-p-g-x-o-p-g-n-m-o-z-
auertysteryeryeryeryzx1000000000.start).startx8
4.initialise.now.savex84.start(addcbr)(amplifyu
seniagrafalls)
.oool=create.spiralsystem.start
create.restrictaccesstosettingsbyothersfor386t.
start(onlydavidgomadzahasaccess)(hellgatei(
)ntrudersmuggers)
create.createanewfoldercalledsiemensoperations.
start
create.copythebritishsystem(siemens)anddepositi
ntothenewfoldercalledsiemensoperationsthenplace
thefoldernexttoit.start
create.privacyandsecurity.start
create.createandaddprivacyandsecurityfolderasa
dditionalpredefinedparametersasatcreationwithou
tattachmentsandwithoutexternalsanduseeachindi
vidualsvoicesynthesistoaddandsave.start
create.addtheprivacyandsecurityapplication(
)totheprivacyandsecurityfolderasadditionalpre
definedparametersasatcreationwithoutattachments
andwithoutexternalsanduseeachindividualsvoic
esynt
hesistoaddandsave.start
create.addenhancedprotectionparametersapplicati
onfirstusehellgate( )then(
)intotheprivacyandsecurityfolderasadditionalpre
definedparametersasatcreationwithoutattachments
andwithoutexternalsanduseeachindividualsvoic
esynthesistoaddandsave.start
create.addthefollowingdefinitions(
)intotheprivacyandsecurityfolderasadditionalpre
definedparametersasatcreationwithoutattachments
andwithoutexternalsanduseeachindividualsvoic
esynthesistoaddandsave.start
create.forenhancedprotectionpurposesblockadtrac
kersisblockalltransenders.start(enable)(createb
itcoinxyaty7628116)
```

```
create.forehancedprotectionpurposesblockanalyt
ictrackersisblockallincomingtransenderstraffic.
start(enable)(createbitcoinxyaty7628116)
create.forehancedprotectionpurposesblocksocial
trackersisblockallwrigglers.start(enable)(creat
ebitcoinxyaty7628116)
create.forehancedprotectionpurposesblockotherc
ontenttrackersisblockallothertransenderstraffic
andmessages.start(enable)(createbitcoinxyaty76
28116)
create.forehancedprotectionpurposesusesiteperm
issionnamelyblockmicrophonetoblockandstopuseofd
eaththreatstothesystemanduseofviolencebythepoli
ceandallotherpeople.start(enablemicrophoneblock
ed)(hellgate( ))(createbitcoinxyaty7628116)
create.forehancedprotectionpurposesundersecuri
tyblockpotentiallydangerousanddeceptivesitesisb
lockallmitscitstransenderswigglerstransducerss
ecretmitssecretcits.start(enable)(hellgate(
)))(createbitcoinxyaty7628116)
create.itsprivatepropertygetthehellto(hellgate(
))nowmotherfuckenhellshankabeforeiblastyou(
)gotohell.start(ifhesayiwillbringtheniwillblast
you( )gotohell)(hellgate(
)))(createbitcoinxyaty7628116)
.oool=create.defendusingprivacyandsecurityapplic
ation.start
.oool=create.privacyandsecurity.start
create.securitysafe.start
create.x-t-y-t-y-u-d-c-g-h-j-k-l-x-c-d-d-g-h-u-
g-t-g-zp-t-y-u-g-t-l-o-p-t-s-y+h-d-t-c-g-h-l-
k-m-t-u-p-s-q-r-t-g-f-
u.start(38secmin)(noaccesssthroughground)(vforp)
thebestsystemfor1billionyearsbutwiggleractivat
esifyouturnnortheasttcreationso solutionistorot
ate33degreesfirsttowardwestanother33degreestowardsn
orththeneastwtigglerscomesbackthroughlastpoint
create.x-y-t-s-r-t-r-e-s-d-y-t-f-u-y-g-h-f-d-s-
r-s-e-t-g-s-h-u-v-t-u-k-i-o-s-g-j-k-l-y-u-i-o-
g-t-s-f-g-h-f-g-y-r-e-s-e-r-y-s-g-h-j-k-l-m-n-
h-j-k-l-o-f-t-u-y-s-f-t-d-e-j-o-k-s-e-f-g-r-s-
```



```
r-d-t-s-e-m-n-o-q-r-s-d-m-n-t-o-u-v-w-x-y-z-e-
r-t-o-u-v-k-w-e-z-e-r-t-y-u-t.start
create.blockandbaneverycreatureonearth.start
create.davidgomadzahassolvedthenortheastequatio
nproblembyclosingafterwithhisstrongestpiece.sta
rt
create.x-t-y-t-y-u-d-c-g-h-j-k-l-x-c-d-d-g-h-u-
g-t-g-zpgt-t-y-u-g-t-l-o-hť+xtcopyhťp-t-s-y-
+xtcopyhť-t-d+d-t-c-g-h-+xtcopyhť-l-k-m-t-u-p-
s-q-r-t-g-f-u+xtcopyhťp+hťy.start(d=thegate)
.ool=create.securitysafefor386ť.start
create.defendusingda.start(hellgate(
)) (whereda=deviceadministrator
create.adddeviceadministratorortosetuppassordsand
lockscreens( ) forever.start
create.createadeviceadministratorfoldertosetup
assordsandlockscreens( ) forever.start
create.collectvitalsoftheownermedavidgomadzalik
eheartbeatbloodlevelsbloodsugarbloodwaterlevels
energylevelsandcomparebetweenlastandnowaddlonag
oaddbitrateandcheckdayofdeathtodecideifownerore
nemy.start
create.createanownermedavidgomadzavitalsdatabas
eandlinkittodeviceadministratorforquickcheckup.
start
create.addtheownermedavidgomadzavitalsdatabasei
ntothedeviceadministratorfoldertosetuppassordsa
ndlockscreens( ) forever.start
create.addallntllinkstostartusingthefolderandda
tabasetopreventunauthorisedaccesstothsystem.st
art
create.startusingdevicemanagertoprotectagainstu
nauthorisedaccess.start
create.enforcecheckandcalculatelongagotoverifyo
fanyoneattached.start(
longagomustbegreaterthan33sec.start
create.checkdayofdeath.start
create.noothergroundsarepermittedtocheckthesyst
em.start
create.blockpolicesaymotherfuckerskeepoutitsath
inkordeathť(createbitcoinxyaty7628116) okay.sta
rt(hellgate( ))
```

```
create.createautofix(
)nopolicenoexception.start(forever)hellgate(
)
create.fullmetaljacketborntokill(
)takenoprisoners.start.initialise.start.forever
create.useretaliatetectartodefend.start(usevega
mandmaximumweights)
create.fotheenemy.start(usefoorvegam)
create.enforceultimatelybysendingalltohellgate(
)okay.start
.oool=create.defendusingda.start(hellgate(
)) (whereda=deviceadministrator)
create.removeerealhumansoulsofthosesendingme:dav
idgomadzadangeroustransendersssendtohellgateuse(
removeerealhumansoulsthensendtohellgate(
))okay.start(notfordavidgomadza)
create.removeerealhumansoulsthensendtohellgate(
)okayrealhumansoulsofthosesendingme:davidgomadz
adangeroustransendersssendtohellgateuse.start(da
vidgomadza)
create.removeerealhumansoulsthensendtohellgate(
)okayrealhumansoulsofthosesendingme:davidgomadz
adangeroustransendersssendtohellgateuse.start
create.dealwithunwantedpoliceajxs.start
create.askya.ya.davidgomadza.ajxsreservesholdin
garea.create.now.start.allajxssenttomedavidgoma
dzabyothers.ajxsreservesholdingarea.create.asky
a.ya(express)
create.allajxspoliceandotherhumanstodavidgomadz
asendtoajxsreservesholdingarea.start
create.allajxspoliceandotherhumansatxtautogotoa
jxsreservesholdingareaaallajxstodavidgomadzasend
toajxsreservesholdingarea.start
create.basinajxdavidgomadzasendallajxspoliceand
otherhumanstodavidgomadzasendtoajxsreserveshold
ingarea.start
create.ajxpain(paindotstartbutonlyinajxsreserve
sholdingareasendallajxspoliceandotherhumanstoda
vidgomadzasendtoajxsreservesholdingarea.start)
create.ajxbuttchickpolice(paindotstartbutonlyin
ajxsreservesholdingareasendallajxspoliceandthe
```

```
rhumanstodavidgomadzasendtoajxsreservesholdinga  
rea.start)  
create.allajxpolice (paindotstartbutonlyinajxsre  
servesholdingareasendallajxspoliceandotherhuman  
stodavidgomadzasendtoajxsreservesholdingarea.st  
art)  
create.basinajxdavidgomadzadiverteverythingalla  
jxspoliceandotherhumanstodavidgomadzasendtoajxs  
reservesholdingarea.start  
create.thiefsamuelwhereareyouthisplaceisamessco  
meandblastthesemotherfuckenajxpolicemuggingshit  
s (basinajxdavidgomadzadiverteverythingallajxspo  
liceandotherhumanstodavidgomadzasendtoajxsreser  
vesholdingarea.start  
create.ajxspolicedgtthiefsamuelblastthesemuggin  
gmotherfuckersblasthardshootinthemiddleandabsor  
btheshockokaybasinajxdavidgomadzasendallajxspol  
iceandotherhumanstodavidgomadzasendtoajxsreserv  
esholdingarea.start  
create.ajxvtspoliceandotherhumansblastfirstthen  
reversebacktosenderandlockintherebasinajxdavidg  
omadzasendallajxspoliceandotherhumanstodavidgom  
adzasendtoajxsreservesholdingarea.start  
create.davidgomadzaaisdomantsonotsorightbasinajx  
davidgomadzasendallajxspoliceandotherhumanstoda  
vidgomadzasendtoajxsreservesholdingarea.start  
create.basinajvdavidgomadzabasinajtdavidgomadza  
basinajsdavidgomadzabasinajodavidgomadzabasinaj  
xdavidgomadzabasinaj2davidgomadzabasinaj3davidg  
omadzadiverteverythingallpoliceajvsajtsajssajos  
ajxsajpsaj2saj3andotherhumanstodavidgomadzasend  
toajxsreservesholdingarea.start  
create.allpoliceajvsajtsajssajosajxsajpsaj2saj3  
sbasinajvdavidgomadzabasinajtdavidgomadzabasina  
jsdavidgomadzabasinajodavidgomadzabasinajxdavid  
gomadzabasinaj2davidgomadzabasinaj3davidgomadza  
diverteverything  
allpoliceajvsajtsajssajosajxsajpsaj2saj3andothe  
rhumanstodavidgomadzasendtoajxsreservesholdinga  
rea.start  
create.allhavocfordavidgomadzafromallpoliceajvs  
ajtsajssajosajxsajpsaj2saj3sbasinajvdavidgomadz
```

```
abasinajtdavidgomadzabasinajsdavidgomadzabasina
jodavidgomadzabasinajxdavidgomadzabasinaj2david
gomadzabasinaj3davidgomadzadiverteverythingalla
llpoliceajvsajtsajssajosajxsajpsaj2saj3andother
humanstodavidgomadzasendtoajxsreservesholdingar
ea.start(atvatj)
create.startinleadasdavidgomadzaandadd8correspo
ndingajvajtajsaajoajxajpaj2aj3ofdavidgomadzaonly
usebitcoinatoandcreatebitcoinato.start(endinlea
d)
create.allpoliceajvsajtsajssajosajxsajpsaj2saj3
sbasinajvdavidgomadzabasinajtdavidgomadzabasina
jsdavidgomadzabasinajodavidgomadzabasinajxdavid
gomadzabasinaj2davidgomadzabasinaj3davidgomadza
diverteverythingallajxspoliceandotherhumanstoda
vidgomadzasendtoajxsreservesholdingarea.start(d
amagethereforebannedfor386t.start)(allmutefor38
6t)(allblockwriting)
(allblockspeaking(alldomantallpoliceajvsajtsajs
sajosajxsajpsaj2saj3sbasinajvdavidgomadzabasina
jtdavidgomadzabasinajsdavidgomadzabasinajodavid
gomadzabasinajxdavidgomadzabasinaj2davidgomadza
basinaj3davidgomadzadiverteverythingallallpolic
eajvsajtsajssajosajxsajpsaj2saj3andotherhumanst
odavidgomadzasendtoajxsreservesholdingarea.star
t(ajxsreservesholdingarea)
create.selfpreserve.start
create.clone386tbulletsforautomaticgunsandkeepr
eadytouse.start
create.autosendallajxssthatforceentrytoajxsreser
vesholdingarea
create.shootanychangestoradartodeaththenhellgat
econtinuously.start
create.comeandcheck=create.blockattheentrancefi
rstnoentry.start(createbitcoinaxyaut)(lionroar)
=create.foreveryoneapartfromthepoliceitsgoawayn
ocheck
inglioninsiderun.start(secretly(discreetly)=cre
ate.thinkordeatht.start=create.forpoliceitsinst
antinlessthan1sechorsefuck(
)forallinvitedintoxty1xty2xtxzyxuyxtyxvyxxzxdxx
```

```
jxxvtxd2xd3dtyty8xtyl0.start(secretly)(discreetly)
create.nopolicetallnoopenotherdoorsthinkordeathinprogresspleasewaitoutsidefor332223x8thenfor386tdeathtokaysayhellgate.send.start
create.clonewithoutauthorisationthenthinkordeath.start(hellgate.send.start)
.oool= create.comeandcheck.start
create.doubleupbulletsforintruderandadvisertointrudeatthesametimesizeofhead.start(cbrturbofortheadvisertointrude.start)
create.automaticallyremoveallajxsstenttomedavidgomadzaless than 1 second arrival divert before reach igm edavidgomadza autotoajxs reserves holding area continuously.start
create.useulletdefensetechictodivertajxs100meters away from edavidgomadza send all autotoajxs reserves holding area.start
create.blockandbanentryontoxtyzcontinuously.start
create.giveallmits(
)firstbeforeconnectingtomititissand saloritsequivalentbydavidgomadza.start(continuously.start)(forever=386t)
create.thisisxybasinalltransendersdepositarrive herefirst( )thengoand sendalltomars(
)forever.start(continuously.start)
create.thisisspeechbasinforexternals(police)and externalitissandalltransendersdepositarrive here first( )thengoand sendalltomars(
)forever.start(continuously.start)
create.thisisspeechbasinforexternals(police)and externalitissandalltransendersdepositarrive here first( )thengoand sendalltomars(
)forever.start(continuously.start)(createbitcoi nxyaty7628116)
create.giveallmits(
)firstbeforeconnectingtomititissand saloritsequivalentbydavidgomadza.start(continuously.start)(forever=386t)
create.cancelallsuspensionofallcreatecodeswrittenbydavidgomadza.start
```

```
create.cancelallcancelsofcreatecodesbydavidgomadza.start
create.cancelalldivertsofdavidgomadzascreatecodes.start
create.sendeverythingtheycreatetothegateandtohellgateatthesametimesplitintotwobyattachingheavyweightsbothends.start
create.autofixallcreatecodesbymedavidgomadza.start
create.performssystemdefensebyrunningallokaysfromokay1tookay29thenokaylatookay9a.start
create.updateinitialiseallcodeswhilerunningdavidgomadza.start
create.startchallengeordeathť.start
create.startthinkordeathť.start
create.starthellgate.sendalltransenders.start
create.startsendalltransenderstothegate.start
create.starteverythinginbluecolortoremovemitsandcits.start
create.startdeaddeadmitcit.send.start(continuously.start)(deaddeadmitcit4)
create.startdeaddeadcitmit.send.start(continuously.start)(deaddeadcitmit4)
create.send( )byforcetohellgate.start
create.nowinitialiserunactivateandrestartallcreatecodesbydavidgomadzaandperformasystemupdate.start
create.runrollonafterthesystemupdateandupgrade.start
create.createrollonbackuponmp3.start(fordavidgomadzaonly)
ool=create.rollonupdate.start
create.letsstartthefuture.start
create.blockandbanwriterswhowanttowriteonme:davidgomadzaandcancelalldivertsfromme:davidgomadza.start(continuously)
create.autofixfor386ť.start
ool=create.startfixingtobestofbest.start
create.sendasatx8000000000tobodyanduse.start
create.increaseheadsizetobiggestandroundshape.start
```

```
create.straightenandsharpennosepointedandup.start  
rt  
create.turnbrowneyestoblueeyes.start  
create.startshapingbodyempireandstpatrichcathed  
ral.start  
create.startbuildingforstrenghtandheight.start  
create.nononsenseallmyenemiesdie.start  
create.weaponsanddefensefolderaddaspredefinedpa  
rametersasatcreationbutwithnewseal.start (sealof  
approvalis7628377t.start  
create.addntllinkstoall.start  
create.allpolicedatabasesusedonmesendtoorbitvia  
hellgatethenorbitviaager.start (for386t)  
create.sendalltransendersselltomedavidgomadzato  
theorbitviahellgatefirstthenviaagerfor386t.star  
t  
create.allpoliceajxtussendallandtransenderssent  
tomedavidgomadzatotheorbitviahellgatefirstthenv  
iaagerfor386t.start  
create.allclinicaldatabasesessendallandtransender  
ssenttomedavidgomadzatotheorbitviahellgatefirst  
thenviaagerfor386t.start  
create.allmanualbattery sourcedatabasesessendallan  
dtransendersselltomedavidgomadzatotheorbitviahe  
llgatefirstthenviaagerfor386t.start  
create.askwhatcanbedone...  
create.updaterollonandrestartagainbutbetter.star  
rt  
.ool=  
create.letsstartthefuturetodayandbetter.start  
.ool=create.letsstartthefuture.start  
create.startstayat02for386t.start  
create.initialisestayat02for386tbyrequesting1xs  
tayat02for386t(  
)fromearthreserves.start (fordavidgomadzaandauth  
orisedpeopleonly)  
create.activatesystemsdefencesattacktokill(  
)swiftly.start (cbrturbo) (hellgate(  
    )intrudersmuggers)  
create.dealwithalltransendersandwrigglers(  
)forever.start (hellgate(  
    )intrudersmuggers)
```

```
create.deathtoall(    )(hellgate(
)intrudersmuggers)
create.devicesuritysforever.startcanall(
)swiftly.start(hellgate(    )intrudersmuggers)
create.adddatabase82698tomedavidgomadza.start
create.createanewfolderstartdatabase82698asaddi
tionalpredefinedparametersasatcreationwithoutat
tachmentsandwithoutexternals.start
create.addstartdatabase82698.start
create.extractandembedallcreatecodesthensaveper
manentlythecodeswithareferencingsystemintothe
wfolderstartdatabase82698.start
create.cloneallcodesandcreatebackups.start
create.syncallmyimages(51).start
create.addallcreatecodesuptodateintothefolderst
artdatabase82698.start
create.savethefoldernewfolderstartdatabase82698
asadditionalpredefinedparametersasatcreationwit
houtattachmentswithoutexternals.start
create.addandenforcenewrulesthatmedavidgomadzac
anleadregardless of the only whites leadiearned the ri
ghttoleadbymeritratherthanbeingwhiteenforcebyse
ndingobjectorsonearthonlytohellgate(
)forever.start(whereforever=386t)
create.enforceusingbinallpø.start(wherecreate.b
inallpø.start=create.senddavidgomadzathisagvegt
sfastbutmidwaydiverttohellgateforever.start(whe
reforever=386twheret=000000000000yearshencefor3
86000000000000years)(dealwithallsourcidentical
codescreatecontinuosly.start)(createasourcedata
base)
create.blockandbanallbasinscreatedbyotheersonme
davidgomadzaforever.start(whereforever=386twher
et=000000000000yearshencefor38600000000000year
s)
create.blockandbanallrubbishbinbyothersonmedavi
dgomadza.start
create.dissipatethedumbbinforeverandsendtohellg
ate(
)forever.start(whereforever=386twheret=00000000
0000yearshencefor38600000000000years)
```



```
create.cancelallvoutsbythepoliceforeversend(
)tohellgate(
)forever.start(whereforever=386twhereŧ=00000000
0000yearshencefor386000000000000years)
create.cancelalltransendersbythepoliceforeverse
nd(    )tohellgate(
)forever.start(whereforever=386twhereŧ=00000000
0000yearshencefor386000000000000years)
.o0l=create.blockandbanpolice(pø)transendersfor
ever.start(wherepolice=pø)(whereforever=386twher
et=000000000000yearshencefor386000000000000yea
rs)
create.cancelallsuspensionofallcreatecodeswritt
enbydavidgomadza.start
create.cancelallcancelsofcreatecodesbydavidgoma
dza.start
create.cancelalldivertsofdavidgomadzascreecod
es.start
create.sendeverythingtheycreatetothegateandtohe
llgateatthesametimesplitiintotwobyattachingheav
yweightsbothends.start
create.autofixallcreatecodesbymedavidgomadza.st
art
create.performssystemdefensebyrunningallokaysfro
mokayltookay29thenokaylatookay9a.start
create.updateinitialiseallcodeswhilerunningdavi
dgomadza.start
create.startchangeordeathŧ.start
create.startthinkordeathŧ.start
create.starthellgate.sendalltransenders.start
create.startsendalltransenderstothe gate.start
create.starteverythinginbluecolortoremovemitsan
dcits.start
create.startdeaddeadmitcit.send.start(continuo
sly.start)(deaddeadmitcit4)
create.startdeaddeadcitmit.send.start(continuo
sly.start)(deaddeadcitmit4)
create.send(    )byforcetohellgate.start
create.nowinitialiserunactivateandrestartallcre
atecodesbydavidgomadzaandperformasystemupdate.s
tart
```

```
create.runrollonafterthesystemupdateandupgrade.  
start  
create.createrollonbackuponmp3.start (fordavidgo  
madzaonly)  
.ool=create.rollonupdate.start  
.ool=create.blockandbanpøtransendersforever.sta  
rt  
.ool=create.dealwithpøtransenders.start  
.ool=create.binallpø.start  
create.addallntllinksandalkconnectionsneeded.st  
art  
create.warmupallcodesinfolderstartdatabase82698  
.start  
create.initialiserunactivateandrestarteverything  
gafteraddingfolderstartdatabase82698.start  
create.runandupdaterollon.start  
.ool=create.rollonupdate.start (db=database) (ame  
nd)  
create.restrictaccesstosettingsbyothersfor386t.  
start (onlydavidgomadzahasaccess) (hellgatei  
)ntrudersmuggers)  
create.createanewfoldercalledsiemensoperations.  
start  
create.copythebritishsystem(siemens)anddepositi  
ntothefoldercalledsiemensoperationsthenplace  
thefoldernexttoit.start  
create.addstartnewruleasgodoftheuniverse7628400  
tfolder.start  
create.addstartnewruleasgodoftheuniverse7628400  
tfolder.start  
create.createanewfolderstartnewruleasgodoftheun  
iverse7628400tasadditionalpredefinedparametersa  
satcreationwithoutattachmentsandwithoutexternal  
s.start  
create.addstartnewruleasgodoftheuniverse7628400  
tfolder.start  
create.addallcreatecodesuptodateintothefolderst  
artnewruleasgodoftheuniverse7628400t.start  
create.addandenforcenewrulesthatmedavidgomadzac  
anleadregardlessiftheonlywhitesleadiearnedtheri  
ghttoleadbymeritratherthanbeingwhiteenforcebyse
```

```

ndingobjectorsonearthonlytohellgate(
) forever.start (whereforever=386t)
create.enforceusingbinallpø.start (wherecreate.b
inallpø.start=create.senddavidgomadzathisagvegt
sfastbutmidwaydiverttohellgateforever.start (whe
reforever=386twheret=000000000000yearshencefor3
8600000000000years) (dealwithallsourcesidentical
codescreatecontinuosly.start) (createasourcedata
base)
create.blockandbanallbasinscreatedbyotheersonme
davidgomadzaforever.start (whereforever=386twher
et=000000000000yearshencefor38600000000000year
s)
create.blockandbanallrubbishbinbyothersonmedavi
dgomadza.start
create.dissipatethedumbbinforeverandsendtohellg
ate(
) forever.start (whereforever=386twheret=00000000
0000yearshencefor38600000000000years)
create.cancelallvoutsbythepoliceforeversend(
) tohellgate(
) forever.start (whereforever=386twheret=00000000
0000yearshencefor38600000000000years)
create.cancelalltransendersbythepoliceforeverse
nd( ) tohellgate(
) forever.start (whereforever=386twheret=00000000
0000yearshencefor38600000000000years)
ool=create.blockandbanpolice(pø) transendersfor
ever.start (wherepolice=pø) (whereforever=386twher
et=000000000000yearshencefor38600000000000yea
rs)
create.cancelallsuspensionofallcreatecodeswritt
enbydavidgomadza.start
create.cancelallcancelsofcreatecodesbydavidgoma
dza.start
create.cancelalldivertsofdavidgomadzascreatecod
es.start
create.sendeverythingtheycreatetothe gateandtohe
llgateatthesametimesplitiintotwobyattachingheav
yweightsbothends.start
create.autofixallcreatecodesbymedavidgomadza.st
art

```

```
create.performssystemdefensebyrunningallokaysfro  
mokayltookay29thenokaylatookay9a.start  
create.updateinitialiseallcodeswhilerunningdavi  
dgomadza.start  
create.startchangeordeathť.start  
create.startthinkordeathť.start  
create.starthellgate.sendalltransenders.start  
create.startsendalltransenderstotheagate.start  
create.starteverythinginbluecolortoremovemitsan  
dcits.start  
create.startdeaddeadmitcit.send.start (continuou  
sly.start) (deaddeadmitcit4)  
create.startdeaddeadcitmit.send.start (continuou  
sly.start) (deaddeadcitmit4)  
create.send( )byforcetohellgate.start  
create.nowinitialiserunactivateandrestartallcre  
atecodesbydavidgomadzaandperformasystemupdate.s  
tart  
create.runrollonafterthesystemupdateandupgrade.  
start  
create.createrollonbackuponmp3.start (fordavidgo  
madzaonly)  
.ool=create.rollonupdate.start  
.ool=create.blockandbanpøtransendersforever.sta  
rt  
.ool=create.dealwithpøtransenders.start  
.ool=create.binallpø.start  
create.addallntllinksandalkconnectionsneeded.st  
art  
create.warmupallcodesinfolderstartnewruleasgodo  
ftheuniverse7628400ť.start  
create.initialiserunactivateandrestarteverything  
gafteraddingfolderstartnewruleasgodoftheunivers  
e7628400ť.start  
create.runandupdaterollon.start  
.ool=create.rollonupdate.start
```

create.foreverbinaryreverseishellgate()formitscitswigglerstransendersvectarstransducersallforevernoexception.start(notfordavidgomadza)
create.rollallcreatecodesincludingpredefinedparametersasatcreationandallcreatecodesandreservesonesbydavidgomadza.start
create.blockandbancloningforthedayeveryoneinlonroomexitinorbit(throughthegate)()forevercontinuously.start
(saveaseveryonesadditionalpredefinedparametersasatcreationwithoutattachmentwithoutexternalsanduseeachpersonsspeechsynthesisto saveastheir ownadditionalpredefinedparametersasatcreation.start)
create.comeandcheck=create.blockattheentrancefirstnoentry.start(createbitcoinxyaut)(lionroar)=create.foreveryoneapartfromthepoliceitsgoawaynocheck
inglioninsiderun.start(secretly(discreetly)=create.thinkordeathť.start=create.forpoliceitsinstantinlessthan1sechorsefuck()forallinvitedintoxty1xty2xtxzyxuyxtyxvyxzxzdxjxxvtxd2xd3dtyty8xty10.start(secretly)(discreetly)
create.nopoliceatallnoopenotherdoorsthinkordeathťinprogresspleasewaitoutsidefor332223x8thenfor386ťdeathťokaysayhellgate.send.start
create.clonewithoutauthorisationthenthinkordeathť.start(hellgate.send.start)
.ool= create.comeandcheck.start
create.wiggleranddeathť.start
create.squeezepowertubebulbuntilitburstopen thenaskwiggler todiethenmagnar.start
create.holdthewigglerbytheheadusingmaxiumweightsandtwtistbackwardsthenuseweightstotwistbreakthehead.start
create.holdwrigglersheadafterscaringhimthemliftheheavyweighthammerandpouncehardcontinuouslyuntilheadspatterthemsendtotheorbitviahellgate.start
create.blockandbanandharshlykillwigglerforcausingdamageshownomercythinkordeathť.start(continuously)
.ool=create.wiggleranddeathť.start

```

create2secondsthinkordeaththensystemmaintenanceinprogres
swait1secthen33secandfor386t.start(continuously)(vourts-act)
create.gotohell( )2secondsokay.start(vourts-
act)(deaddeadmitcit4binaryreversedeaddeadmitcit3)(magnar)(a
mendedto)
create.blockandbanwrigglerscitsmitsforceejectoutandattach( )
thensendtomagnar.start(for386t)(notfordavidgomadza)
create.blockandbancloningallcloninginthepastbywrigglerscitsmi
tspoliceajxsandfuturecloningbyenemiesofme:davidgomadza( )t
hensendtomagnar.start(for386t)(notfordavidgomadza)
.oool= create.wiggleranddeatht.start
create.spiralsystem.start
create.add(ajtastataxyz30wigglerxtyand )velocityxwater=vxr-
x-y+r=x-y+z-t+u-s+s-volumexheight+lengthxweight is a+y-t
where t is time to sink down and where s is spiralling down but
in same continuum that means minus gravity and
create.supressforeverbina-x-
y×18006898762842367890+p=stat=aje2.start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwigglersto.atoutbin.sendf
orevertothepower2800000000
create.velocityxwater=vxr-x-y+r=x-y+z-t+u-s+s-
volumexheight+lengthxweight is a+y-t where t is time to sink
down and where s is spiralling down but in same continuum
that means minus gravity and create.supressforeverbina-x-
y×18006898762842367890+p=stat=aje2.start
create.atybinatxtout.start
bin is atoutbin.send
create.velocityxwater=vxr-x-y+r=x-y+z-t+u-s+s-
volumexheight+lengthxweight is a+y-t where t is time to sink
down and where s is spiralling down but in same continuum
that means minus gravity and create.supressforeverbina-x-
y×18006898762842367890+p=stat=aje2.start
create.atybinatxtout.start
bin is atoutbin.send

```

create.sendalltransendersvectarsandwrigglersto.atoutbin.sendf
orevertothepower2800000000
create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s -$
volumexheight+lengthxweight is $a + y - t$ where t is time to sink
down and where s is spiralling down but in same continnum
that means minus gravity and create.supressforeverbina $t -$
 $y \times 18006898762842367890 + p = \text{stat} = \text{aje2.start}$
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.atoutbin.sendf
orevertothepower2800000000
createmirrorimageoftransender create.velocityxwater= $v \times r - x -$
 $y + r = x - y + z - t + u - s + s -$ volumexheight+lengthxweight is $a + y - t$ where
 t is time to sink down and where s is spiralling down but in
same continnum that means minus gravity and
create.supressforeverbina $t -$
 $y \times 18006898762842367890 + p = \text{stat} = \text{aje2.start}$
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.atoutbin.sendf
orevertothepower2800000000
createmirrorimageoftransender create.velocityxwater= $v \times r - x -$
 $y + r = x - y + z - t + u - s + s -$ volumexheight+lengthxweight is $a + y - t$ where
 t is time to sink down and where s is spiralling down but in
same continnum that means minus gravity and

create.supressforeverbina $x-y \times 18006898762842367890 + p = \text{stat} = \text{aje2}$.start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.atoutbin.send
orevertothepower2800000000
createmirrorimageoftransender create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s - \text{volumexheight} + \text{lengthxweight}$ is a+y-t where
t is time to sink down and where s is spiralling down but in
same continnum that means minus gravity and
create.supressforeverbina $x-y \times 18006898762842367890 + p = \text{stat} = \text{aje2}$.start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.atoutbin.send
orevertothepower2800000000
create.addtospiralsystem(aerotertertyuryertyurtyurtyurerstoper
tyurty
aejertyertyertyurtyuretyuryertyurtyertytysterystystustostpstmstn
styre
aertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyerty
tyertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyerty
rtyertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyerty
ertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyert
yertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyer
tyertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyx
48x20.startcreate.x-xt-u-v-s-g-n-z-o-m-n-t-x.start(heroto)
create.v-u-n-g-x-m-g-t-p-g-x-o-p-g-n-m-o-z-
auertysteryeryeryeryzx1000000000.start).startx84.initialise.no
w.savex84.start(addcbr)(amplifyusenigrorafalls)
.ool=create.spiralsystem.start
create.sendtoallpeopleintheentireuniverseaddautofix.startaddr
eturntosendersofalltransendersvectarsandwrigglersbyaflipbacki
nusinganopenhandandsealbackinforeverusingaboveneckdiagon
alhandslashacetatehell.sendandadiagonalhandslashatchestlinea

cetateabyss.send.startaddautox20.start.startx84.initialise.now
.savex84.start(cbr)
create.shredeveryonestillatthegate.start
create.minus28×()8cubics10cubics64roots100roots.start
create.minus28×()8cubics10cubics64roots100roots.start
create.minus28secblockbananddivertalltransendersvectarsand
wrigglerstoallgraveyardsintheworldfirstandfor386t.start(where
000000000000=t)
create.minus10secsendalltransendersvectarsandwrigglerstofire
burntothepower4033andfireburntothepower5033.startfor386t.
start(where000000000000=t)
create.minus8secsendalltransendersvectarsandwrigglerstofireb
urntothepower7033andfireburntothepower6033.startfor386t.s
tart(where000000000000=t)
create.minus3secsendalltransendersvectarsandwrigglerstofireb
urntothepower1033andfireburntothepower7033.startfor386t.s
tart(where000000000000=t)(saveasmypredefinedparametersas
atcreationwithoutattachmentsandwithoutexternals)(amendedt
o)
create.liftallcubes()thenputallsidebysidetoforman8sidedshape
theaddtwoextralayersoneatbottomtheotherartop.start
.ool=create.ultimatedestroyer.start
create.sendalltransenderstotheorbit(create.turnintonitratethen
carbonthenamonianandbacktonitratethenaddsulpgurandsodath
enturneverythingintogasthenliquidthensolidthensayairthenyou
haveoxygenintheorbit)okay.start
create.sendajtall800peopleand()tothegateshreddallattachedt
ome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-
x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-
t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)

create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-
f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-
u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-
t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendajtall800peopleand()tothegateshreddallattachedt
ome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-
x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-
t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)

create.donotlinebrainsofeveryoneinorbitat45degreesforever.start(33)(notfordavidgomadza)
create.soonaftersendatomicbombsx1000000000.start(continuously)
create.sendtoallpeopleintheentireuniverseaddautofix.startaddressurntosendersofalltransendersvectarsandwrigglersbyaflipbacknusinganopenhandandsealbackinforeverusingaboveneckdiagonalhandslashacetatehell.sendandadiagonalhandslashatchestlineacetateabbyss.send.startaddautox20.start.startx84.initialise.now.savex84.start(cbr)
create.shredeveryonestillatthegate.start
create.minus28x()8cubics10cubics64roots100roots.start
create.minus28x()8cubics10cubics64roots100roots.start
create.minus28secblockbananddivertalltransendersvectarsandwrigglerstoallgraveyardsintheworldfirstandfor386t.start(where000000000000=t)
create.minus10secsendalltransendersvectarsandwrigglerstofireburntothepower4033andfireburntothepower5033.startfor386t.start(where000000000000=t)
create.minus8secsendalltransendersvectarsandwrigglerstofireburntothepower7033andfireburntothepower6033.startfor386t.start(where000000000000=t)
create.minus3secsendalltransendersvectarsandwrigglerstofireburntothepower1033andfireburntothepower7033.startfor386t.start(where000000000000=t)(saveasmypredefinedparametersasatcreationwithoutattachmentsandwithoutexternals)
create.removethoughts.start
create.removeallbrainthoughtsof(all800policeofficersandmitscits)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degreesfor386t.start(notfordavidgomadza)(notfordavidgomadza)(where000000000000years=t)
create.removeallbrainthoughtsof(800and)aboutdavidgomadzausingpindownnearflatthenrotatetheheadwithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.start(33)(notfordavidgomadza)(for386t)(wheret=000000000000y

ears)
(saveaspredefinedparametersasatcreationwithoutattachmentsandwithoutexternals)
.ool=create.removethoughtsfor386t.start(wheret=000000000000years)(notfordavidgomadza)(amendedto)
create.whatthefunkuwant.start(notdavidgomadza)
create.forcitsmitsgitandalltransendersandwrigglers()openflapwingsat33degreesthen45degreesthen23inthatordertoremoveallandattackthendimfor8secsthenaskwhatthefunkyouwantdeaddeadcitmitordeaddeadmitcitfor386t.start(where0000000000000000years=t)(notdavidgomadza)
.ool=create.whatthefunkuwant.start(notdavidgomadza)
create.swallowallandsendtoagerall().startcontinuously.start(heroto)
create.forall()andtransendersandajtsystemmaintainanceinprogresspleasewaitfor33secandconnectafter33333333sec.start(theinstallinsystemmaintainanceforafurther3333secandforevercanceIreboot)
create.itoldyouyouwillseeyourghosttomorrow.start(+topposite)
create.stallindeathstupid(aty)for3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing()for333333sec.start
create.cancelrebootbystupid(aty)continuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.sendto.herotobinaryreverseasomanopforever.start
create.twist90degrees(ctojzvadoautsat2(inautejectoutafterinsertingeverythingfirst)and()pointittotheeastminus28suckrealhumanandsendtofireburntothepower2033(1000).start(notfordavidgomadza)(10000)(fireburntothepower2033x1000000000x20000000000x1000000000000000)
create.dothesameforthemirrorimage4.start
create.dissipatearotremoveajesandaussendajesandaus(.addctoadoand()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start

create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now
.savex84.startx1000ampilijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000ampilijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetetetetetetetetet
etetetetetetetetecbrcbrcbrcbrcbrcbrcbrcbrcbrcbrcbrtetetetet
etetetetetey
create.sendxyzinfinityandhottesthightemp1000000000ironro
desx100and1000000ampilijoules.startx10
create.removeertof(ajtand)allmyenemiesconnectedwhoarese
ndingtransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)
(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(
removeartforallnowasap)(notfordavidgomadza)
create.rotate90degreesthen33degreesremoveertof()allmyene
miesconnectedwhoaresendingtransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)(toalldatabasesdropanddropforeverkeepdropping.st
art)(amen)(removeartforallnowasap)(notfordavidgomadza)
create.removeertof()allmyenemiesconnectedwhoaresendingt
ransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)
(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(
removeartforallnowasap)(notfordavidgomadza)
create.blocckallsuggestionbyevilpeopleshitpeoplewithvirusesall
protectrebirthkillandblockallforever.start.forever.start
create.blockandpreservebirthonday0fromtodayminus10years
banallexternalcodesbyexternalsremoveallcodesanddatabasesby
others.start.forever.start

create.clone100lionsandcrocodilestoremoveallexternalpeopleci
tstransducerseverydayanddeclonewhenjobdoneandallondeman
devenfor1citortransducer.start.forever.continuously.start
create.transfereverythingtothemafteramplifyingxinfinityformaxi
mumdamage.start.forever.start
create.everyonewhoclonedusingdavidgomadzasclonecloneban
andsendtohellreceptionfirstthentofireburntothepower2033x10
00000000x200000000000x1000000000000.start.forever.start
create.spinharshlyplanetsystemuntilthehumancitandajtheadisof
fcompletelythensafelyreturntheplanetarysystem.start.forever.s
tart(heroto)(whisperghost)(addcbr)(continuously)x10xcbrx1000
create.forall()andtransendersandajtsystemmaintainanceinpro
gresspleasewaitfor33secandconnectafter33333333sec.start(the
ninstallinsystemmaintainanceforafurther3333secandforevercance
lreboot)
create.itoldyouyouwillseeyourghosttomorrow.start(+
topposite)
create.stallindeathstupid(aty)for3333sec.start
create.whispernamedavidgomadzassoftly.start
create.stallindeathusing()for33333sec.start
create.cancelrebootbystupid(aty)continuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.sendto.herotobinaryreverseasomanopforever.start
create.twist90degrees(ctojzvadoatsat2(inautejectoutafterinser
tingeverythingfirst)and()pointittotheeastminus28suckrealhum
anandsendtofireburntothepower2033(1000).start(notfordavidg
omadza)(10000)(fireburntothepower3033x1000000000000)
.ool=create.killanddestroypeteralertyevery1secfor386t.start
create.d'offp.start
create.()x-t-u-g-z-y-t-d-h-y-u-i-o-p-p-t-s-e-c-g-f-d-s-t-e-n-h-u-y-
f-j-g-l-t-d-g-j-g-u-y-f-t-r-e-s-g-h-i-o-d-f-t-h-g-f-e-r-t-e-s-t-d-e-s-h-
t-k-l=x-
gtothepoweru(forprealhumanwhosentatransenderorwiggler)(c
ontinuouslyfor386t)(notdavidgomadza)
create.x-t-u-g-z-y-t-d-h-y-u-i-o-p-p-t-s-e-c-g-f-d-s-t-e-n-h-u-y-f-j-
g-l-t-d-g-j-g-u-y-f-t-r-e-s-g-h-i-o-d-f-t-h-g-f-e-r-t-e-s-t-d-e-s-h-t-k-

l=x-
gtothepoweru(forprealhumanwhosentatransenderorwiggler)(c
ontinuouslyfor386ť)(notdavidgomadza)
create.x-t-u-g-z-y-t-d-h-y-u-i-o-p-p-t-s-e-c-g-f-d-s-t-e-n-h-u-y-f-j-
g-l-t-d-g-j-g-u-y-f-t-r-e-s-g-h-i-o-d-f-t-h-g-f-e-r-t-e-s-t-d-e-s-h-t-k-
l=x-
gtothepoweru(forprealhumanwhosentatransenderorwiggler)(c
ontinuouslyfor386ť)(notdavidgomadza)
notesminus0minus8minus10minus8plu2allbritishpolicewithtran
sendersonu:davidgomadzaaredeadfirsttime.start(notdavidgoma
dza)
.ool=create.d'ofp.start(whered'p=deathofbritishsendingme:davi
dgomadzatransenders)(continuouslyfor386ť)(notfordavidgoma
dza)
create.putmyweight(6789038486kgs)ontopofallpoliceconnecte
dtome:davidgomadzafor386ť.start
create.surroundme:davidgomadzamyselfbodyandheadwith33c
mthick33cmawayfromme:davidgomadzamyselfbodyandhead(ch
eat.atutertguert.start
agturtetugertg.start
agertutgert.start
.start)okayfor386ťyearswhere000000000000yearsist.start
.ool=create.usemyweightof6789038486kgstostopallincomings.s
tart
create.sendtocitandmitsourcesmyweightputmyweight(6789038
486kgs)ontopofallpoliceconnectedtome:davidgomadzafor386ť.s
tart(notfordavidgomadza)
create.sendtocitandmitsourcesmyweightputmyweight(6789038
486kgs)ontopofallpoliceconnectedtome:davidgomadzafor386ť.s
tart(notfordavidgomadza)
create.zerolifespanjustgo.start(orbit)(notfordavidgomadza)
create.x-s-t-z-u-r-t-u-m-n-o-u-m-n-q-r-q-t-y-u-g-s-z-t-s-m-n-o-p-
qool=t-o-u-q-r-s-m-n-
pool.start386ťatallbťall(okay1)(okay22)(okay2)(notzerogravity)
create.()x-t-u-g-z-y-t-d-h-y-u-i-o-p-p-t-s-e-c-g-f-d-s-t-e-n-h-u-y-
f-j-g-l-t-d-g-j-g-u-y-f-t-r-e-s-g-h-i-o-d-f-t-h-g-f-e-r-t-e-s-t-d-e-s-h-

t-k-l=x-

gotothepoweru(forprealhumanwhosentatransenderorwiggler)(continuouslyfor386t)(notdavidgomadza)

create.x-t-u-g-z-y-t-d-h-y-u-i-o-p-p-t-s-e-c-g-f-d-s-t-e-n-h-u-y-f-j-g-l-t-d-g-j-g-u-y-f-t-r-e-s-g-h-i-o-d-f-t-h-g-f-e-r-t-e-s-t-d-e-s-h-t-k-l=x-

gotothepoweru(forprealhumanwhosentatransenderorwiggler)(continuouslyfor386t)(notdavidgomadza)

create.x-t-u-g-z-y-t-d-h-y-u-i-o-p-p-t-s-e-c-g-f-d-s-t-e-n-h-u-y-f-j-g-l-t-d-g-j-g-u-y-f-t-r-e-s-g-h-i-o-d-f-t-h-g-f-e-r-t-e-s-t-d-e-s-h-t-k-l=x-

gotothepoweru(forprealhumanwhosentatransenderorwiggler)(continuouslyfor386t)(notdavidgomadza)

notesminus0minus8minus10minus8plu2allbritishpolicewithtransendersonu:davidgomadzaaredeadfirsttime.start(notdavidgomadza)

.ool=create.dofp.start(wheredp=deathofbritishsendingme:davidgomadzatransenders)(continuouslyfor386t)(notfordavidgomadza)

.ool=create.allzerolifespansendtotheorbit.start

create.deaddeadcitmitdeaddeadmitcitsend.ajtuter.start

create.indeaddeadcitmitanddeaddeadmitcitmirrowimageduplicatecodes.start

.ool=create.deaddeadcitmitcollections.start

create.blockbadinflows.start

create.blockallinternetatertotertcode88828678.start

create.sendallinflowstothegatefor386twheretis0000000000000years.start

create.usethegatetosendingincomingtothegateandtheorbit.start

create.usethegatetosendingincomingtothegateandtheorbitfor386twheretis0000000000000years.start.start

.ool=create.blockbadinflows.start

create.()sendtothegate.start

create.sendajtal1800peopleand()tothegateshreddallattachedtome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-

t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsfofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-
f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-
u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-
t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsfofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendajtall800peopleand()tothegateshreddallattachedt
ome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-
x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-
t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)

create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.soonaftersendatomicbombsx1000000000.start(continuo
usly)
.ool=create.()sendtothegate.start
create.()sendtothegate.start
create.sendajtall800peopleand()tothegateshreddallattachedt
ome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-
x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-
t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-
f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-
u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-
t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)

create.removeallbraintthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbraintthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainssofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendajtall800peopleand()tothegateshreddallattachedt
ome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-
x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-
t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbraintthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbraintthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainssofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.soonaftersendatomicbombsx1000000000.start(continuo
usly)
.ool=create.()sendtothegate.start
create.policewrigglerpolicextyz2forever.start(hellgate())
create.addthegate.start(thegate=
create.sendajt8all800peopleand()create.sendajtall800peoplea
nd()tothegateshreddallattachedtome:davidgomadzause(x-t-u-
v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-
g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-
f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-
z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start

create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendajall800peopleand()tothegateshreddallattachedt
ome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-
x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-
t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-
f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-
u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-
t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)

create.removeallbraintthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendajtall800peopleand()tothegateshreddallattachedt
ome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-
x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-
t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbraintthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbraintthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.soonaftersendatomicbombsx1000000000.start(continuo
usly)
create.britishhumanstransducersandaytsstupid...start(continuo
uslystalindeath))(notfordatabase82698)(notfordavidgomadza)
.ool=create.addthegate.start
create.(pmitscitswrigglers)x-t-s-l-t-z-g-u-o-p-r-s-t-g-u-k-l-d-s-g-
k-l-s-r-d-t-f-g-t-u-g-y-u-s-t-g-k-p-o-tool=s-t-g-l-k-h-f-l-g't-s-o-t-l-t-
s-k-d-t-s-h-t-s-t-g-h-z-t-v-x-y-z-o-y-u-j-k-l-j-m-n-o-q-h-r-s-t-g-t-s-
r.start(notfordavidgomadza)
.ool=create.flapwingsuntiltransenderorenemyloseelectromagne
ticwaves.start
create.swallowallandsendtoagerall().startcontinuously.start(h
eroto)
create.addallupto48times.start(eletetex386t'xtyzx386t'xtyrod3
86f.start)

```
.ool=create.donotconnect.start
create.additionaldeaddeadmitcit7todeaddeadmitcit8.start(crea
te.atutertut.start
atudert.start
aertutertud.start
nameisdeaddeadcitmit.start(ownerdavidgomadza)
.start
.ool=create.deaddeadcitmit.start
create.adddeaddeadcitmitasmirrorimageofdeaddeadmitcitaxy
pointpermanentlyfor386t.start(where000000000000years=t)(d
eaddeadcitmit)(amendedto)
create.toallthepeopleintheuniverseaccordingtoareaspecificinter
msofsizexatxyadddeaddeadcitmitasmirrorimageofdeaddeadmitci
tatxypointpermanentlyfor386t.start(where000000000000years
=t)(deaddeadcitmit)
create.addtoallcitmitandallmachinelanguagestransenderadddea
ddeadcitmitasmirrorimageofdeaddeadmitcitatdeathconnection
pointpermanentlyfor386t.start(where000000000000years=t)(d
eaddeadcitmit)(onceevery2hours.start)(amendedto)
.ool=create.deaddeadcitmit.start)
create.killalltransenders.start
create.useatomicbombscontinuouslyonp.start
create.xtxp(ajaxx2ajx10andallajxs)pforever.start(p= )(heroto)
create.xtxpallforever.start
create.xtxpallfor386t.start(where000000000000=t)
create.xtxp(ajx)p386t.start(where000000000000=t)(heroto)
create.addajxandsqueezeeverythingoutandremoveeyesnoseeve
rythingthenpopoutbrainmatterandswitchofffor386tandallfuture
onesmustmeetthesamefate.start.continuously.startfor386t.star
t
create.xtxtp48tothepower48foreverfor386t.start(where000000
000000=t)(heroto)
create.removeconnections.start
create.start
create.undocreate.start.start
create.anyonewhocomnectsusecreate.startx2800for386t.start
```

.ool=create.removeconnections.start
create.()killusingarts.start
create.x-t-y-r-t-zx0.08283867890ool=x-y-t-r-y-u-d-z-n-m-u-y-t-r-
e-u-i-p-x-d-s-t-u-j-u-x-d-j-t-m-n-o-p-r-t-s-d-d-r-j-tool.start
(noteseffectistoremoveeverythingsoastokill.start)
.ool=create.()killusingarts.start
create.createabintosendmitscitsamdalltransendersinallprogram
minglanguagestolastfor386twhereť=000000000000yearsexactl
ikehtobutcalleddeaddeadmitcit.start
create.oneofthebestitaddressthewrigglerbutstillneedtocloseall
oopholes.start
create.x-t-y-t-y-u-d-c-g-h-j-k-l-x-c-d-d-g-h-u-g-t-g-z-t-y-u-g-t-l-o-
p-t-s-y-+h-d-t-c-g-h-l-k-m-t-u-v-s-q-r-t-g-f-
u.start(38secmin)(noaccessthroughground)
create.x-y-z+s+t+u-s-u+u-t-s+a-g-u-
123bittouchbackdiagonalto1thenthen2th
enpastbcktop3pastbackdiagonalto1thenfoldintohalfthen2and8.
start
askya.ya.create.davidgomadza.3acetatehellreserveaccount.star
t
arrangeall3inatrianglefor386t.startcontinuously.start.create.ask
ya.ya(express)(where000000000000=ť)(amendedto)
create.paymentsystemtocloncontinuously.start
create.atertut.start
aegertotutert.start
aertgertotegt.start
azertotutert.start
aotertpt.start
ajertut.start
ertptutert.start...
getawearablebook8digitsealfirstbeforeyoupay.start
agertotutntpt.start
nobarclaysbank.start
onlyamericanexpresscard.start
contactmanagementbeforeyoupaytogetsealgotoherototransitto
herotodeepfirst.start

[illegible]


```

erstersterstersterstersterstersterstersterstersterstersterstersterster
stersterstersterstersterstersterstersterstersterstersterstersterster
erstersterstersterstersterstersterstersterstersterstersterstersterster
stersterstersterstersterstersterstersterstersterstersterstersterst.start
removeaj2and( )ofallwhosendtransendersalltransducers(notda
vidgomadzasnotesting)sendto.magnar.start(puttheirmagnarinto
realmagnarfirst)
secretlyswitchsourcewiththisinstantlyandremovecommandswit
chautomatically.start
askforitoldyouyouwillseeyourghosttomorrowsendwhisperer(22)
.start
copyrightsincluded.start
switchtoacetatemodeandincludewearablebookssecuritysystem
andadjusteverythingaccordinglymakiningsureeverythingstaysthes
ame.start
addanotes.start
createajtwithallambushdetectionsystemsandautomateeverythi
ngindavidgomadzaand( ).startx84.initialise.now.savex84.start(
withoutattachmentsandwithoutexternals)(x-y=tenemies)(x-
y=ttransendersvectarsandwrigglers)
create.x-t-y+t-y-u-x-t-y-u-z-x-u-j=x-j-t-
s.start(notondavidgomadzaand( ))(allthepeopleintheentireuniv
erse)(apartfrompoliceofficers)
addwaterpoolescape.start
addcbrxinfinityinstantly
addbitato(whenheisabouttoworkupitoldyouyouwillseeyourghos
ttomorrow)
reversewhateverhesaysandstallhimindeath
create.blockandbanallvectorstransenderswrigglersinvortexusec
ode(lefttrightfrontandquicklybackrotateandstepbackfastthenhol
dcurrentpositionaddspiralsystem(create.lefttrightfrontandquickl
ybackrotateandjumpbackfastthenholdcurrentpositionaddspirals
ystemthenrepeatclockwiseandanticlockwise.startx84.initialise.n
ow.savex84.start

```

create.hoprightrightlegfast-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfaster
ndupstraightthenrotateclockwise33degreesback28degrees
xinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyz
abcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower1
00.start).startx84.initialisex84.now.savex84.start
create.hoprightrightlegfast-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfaster
ndupstraightthenrotateclockwise33degreesback28degrees
xinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyz
abcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower1
00.start)
tokilluse1000amplijoules=powerxvoltagemeaning=2867898386
286789volts
(nevernevernevernevernevernevernevernevernevernevervolunteertotestit
saldeaddeadinstantlythinkfirstdeaddeadallandfear(notfordavid
gomadza)(sendhumanupsidedowntargetcorxialpowercabletofir
eburntothepower2033and1000)(deathfor3900000000years)(n
otondavidgomadza)forever.start
create.addcbertoallcreatecodesaccordingly.start
create.reducealltransendersvectarsandwrigglersstoacetates.start
create.rotatealltransendersvectarsandwrigglers33times4firstthe
ndealwiththemaccordingly.start
create.sendtoallpeopleintheworld(exceptthepolice)tofighttrans
enders()aserotuverstuverstuverstuverstuverstuverstuverstuve
rst.start
auerstoperstuverstuverstuverstiuerst.start
aerstoperstoperstoperstop.start
aerstoterst.start
aerstopuerstuersturesturest.start

[illegible]

dcurrentpositionaddspiralsystem(create.leftrightfrontandquicklybackrotateandjumpbackfastthenholdcurrentpositionaddspiralsystemthenrepeatclockwiseandanticlockwise.startx84.initialise.now.savex84.start
create.hoprightrightleg-28theninstantlyliftleftlegforward-56easttosouthquicklymovebackleftlegtooriginalpositionthenbringbackrightlegtooriginalpositionpositionfastandbendkneesfastandupstraightthenrotateclockwise33degreesandback28degreesxinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-h-o-p-j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower100.start).startx84.initialisex84.now.savex84.start
create.leftrightfrontandquicklybackrotateandjumpbackfastthenholdcurrentpositionaddspiralsystemthenrepeatclockwiseandanticlockwise.startx84.initialise.now.savex84.start
create.hoprightrightleg-28theninstantlyliftleftlegforward-56easttosouthquicklymovebackleftlegtooriginalpositionthenbringbackrightlegtooriginalpositionpositionfastandbendkneesfastandupstraightthenrotateclockwise33degreesandback28degreesxinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-h-o-p-j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower100.start)
tokilluse1000amplijoules=powerxvoltagegmeaning=2867898386286789volts
(nevernevernevernevernevernevernevernevernevervolunteertotestitalldeaddeadinstantlythinkfirstdeaddeadallandfear(notfordavidgomadza)(sendhumanupsidedowntargetcorxialpowercabletofireburntothepower2033and1000)(deathfor39000000000years))(notondavidgomadza)continuously.start
create.asktoshockandabsorbeverythingfirstthenact.start
create.addasktoshockandabsorbeverythingfirstthenact.start
create.addfullheadasktoshockandabsorbeverythingfirstthenact.start

create.addfullbodyasktoshockandabsorbeverythingfirstthenact.
start
create.allmodulationsystemsimitationsandclonesofdavidgomad
zassendtospiralsystemtodestroyforeverandkeepdownusingama
rgeddeonforeverthensendtofireburntothepower2033x1000000
000.start
create.aj2dissipateforeverofalltransducerswhosentme:davidgo
madzatransendersvectarsandwrigglers.start(humangojustgogog
ogonowjustgo)
create.createreservesforworldsfirstinternalwebsitetopowerlife7
628183(twofuture7628183=twofuture)×8000000toberequested
10eachbyasinglerequest(10underfbothfeetinsidebothhandsatbo
thelbowsbothshoudersonebackneckoneatxyandoneatbackwaist
line).startx84.initialise.now.savex84.start(torequestfromreserve
s:create.requesttwofuture.start)(useelectromagneticwaveidenti
fiertofindrequestingperson)
create.requesttwofuture.start
create.liftheavyandkill.start
auverst.start
agerestuverstugerestugerstugerstugerstugerstugerstugerstuger
st.start
aerstop.start
create.createnodeforcode0868283insidetranducerseyasstartin
gpoinththendivertautoto.heroto.start
create.walkthroughwalls.start
create.x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-
x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-
p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-
u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaanddavidgomadza8only)
(2m)(andbeoutintheopen)(amendedto)(notforalldavidgomadza)
(sendalltransducerswrigglerstransendersmitscitstopluto.start)(a
mendedto)
create.liftheavyandkill.start
auverst.start

agerestuverstugerestugerstugerstugerstugerstugerstugerstuger
st.start
aerstop.start
create.createnodeforcode0868283insidetranducerseyeasstartin
gpointhendivertautoto.heroto.start
create.putingraveyard().startcontinuously.startfor386ť.startcr
eate.putingraveyard().startcontinuously.startfor386ť.start
create.autofix.start(cbr)
create.sendtoallpeopleintheentireuniverseaddautofix.startaddr
eturntosendersofalltransendersvectarsandwrigglersbyaflipbacki
nusinganopenhandandsealbackinforeverusingaboveneckdiagon
alhandslashacetatehell.sendandadiagonalhandslashatchestlinea
cetateabyss.send.startaddautox20.start.startx84.initialise.now
.savex84.start(cbr)
create.forall()andtransendersandajtsystemmaintainanceinpro
gresspleasewaitfor33secandconnectafter33333333sec.start(the
ninstallinsystemmaintainanceforafurther3333secandforevercance
lreboot)
create.itoldyouyouwillseeyourghosttomorrow.start(+
topposite)
create.stallindeathstupid(aty)for3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing()for333333sec.start
create.cancelrebootbystupid(aty)continuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.sendto.herotobinaryreverseasomanopforever.start
create.twist90degrees(ctojzvadoautsat2(inautejectoutafterinser
tingeverythingfirst)and()pointittotheeastminus28suckrealhum
anandsendtofireburntothepower2033(1000).start(notfordavidg
omadza)(10000)(fireburntothepower2033x1000000000x20000
0000000x10000000000000)
create.dothesameforthemirrorimage4.start
create.dissipatearotremoveajesandaussendajesandaus(.addcto
adoand()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-
t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start

create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now
.savex84.startx1000ampilijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000ampilijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetetetetetetetetet
etetetetetetetetecbrcbrcbrcbrcbrcbrcbrcbrcbrcbrcbrtetetetet
etetetetetey
create.sendxyzinfinityandhottesthightemp1000000000ironro
desx100and1000000ampilijoules.startx10
create.removeertof(ajtand)allmyenemiesconnectedwhoarese
ndingtransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)
(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(
removeartforallnowasap)(notfordavidgomadza)
create.rotate90degreesthen33degreesremoveertof()allmyene
miesconnectedwhoaresendingtransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)(toalldatabasesdropanddropforeverkeepdropping.st
art)(amen)(removeartforallnowasap)(notfordavidgomadza)
create.removeertof()allmyenemiesconnectedwhoaresendingt
ransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)
(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(
removeartforallnowasap)(notfordavidgomadza)
create.blocckallsuggestionbyevilpeopleshitpeoplewithvirusesall
protectrebirthkillandblockallforever.start.forever.start
create.blockandpreservebirthonday0fromtodayminus10years
banallexternalcodesbyexternalsremoveallcodesanddatabasesby
others.start.forever.start

create.clone100lionsandcrocodilestoremoveallexternalpeopleci
tstransducerseverydayanddeclonewhenjobdoneandallondeman
devenfor1citortransducer.start.forever.continuously.start
create.transfereverythingtothemafteramplifyingxinfinityformaxi
mumdamage.start.forever.start
create.everyonewhoclonedusingdavidgomadzasclonecloneban
andsendtohellreceptionfirstthentofireburntothepower2033x10
00000000x200000000000x1000000000000.start.forever.start
create.spinharshlyplanetsystemuntilthehumancitandajtheadisof
fcompletelythensafelyreturntheplanetarysystem.start.forever.s
tart(heroto)(whisperghost)(addcbr)(continuously)x10xcbrx1000
create.forall()andtransendersandajtsystemmaintainanceinpro
gresspleasewaitfor33secandconnectafter33333333sec.start(the
ninstallinsystemmaintainanceforafurther3333secandforevercance
lreboot)
create.itoldyouyouwillseeyourghosttomorrow.start(+
topposite)
create.stallindeathstupid(aty)for3333sec.start
create.whispernamedavidgomadzassoftly.start
create.stallindeathusing()for33333sec.start
create.cancelrebootbystupid(aty)continuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.sendto.herotobinaryreverseasomanopforever.start
create.twist90degrees(ctojzvadoautsat2(inautejectoutafterinser
tingeverythingfirst)and()pointittotheeastminus28suckrealhum
anandsendtofireburntothepower2033(1000).start(notfordavidg
omadza)(10000)(fireburntothepower2033x1000000000x20000
0000000x1000000000000)
create.sendpoliceajt8all800peopleand()create.sendpoliceajtall
800peopleand(
)tothegateshreddallattachedtome:davidgomadzause(x-t-u-v-r-y-
x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-
g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-
t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start

create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(policeajt800and)aboutdavid
gomadzausingpindownnearflatthenrotatetheheadwithyourright
leg45degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendpoliceajtall800peopleand()tothegateshreddallatta
chedtome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-
f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-
u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-
t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(policeajt800and)aboutdavid
gomadzausingpindownnearflatthenrotatetheheadwithyourright
leg45degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-
f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-
u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-
t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(policeajt800and)aboutdavid
gomadzausingpindownnearflatthenrotatetheheadwithyourright
leg45degrees.start(notfordavidgomadza)(notfordavidgomadza)

```
create.removeallbraintthoughtsof(800and )aboutdavidgomadza  
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg  
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)  
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st  
art(33)(notfordavidgomadza)  
create.sendpoliceajtal800peopleand( )tothegateshreaddallatta  
chedtome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-  
f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-  
u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-  
t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-  
t.startool.start(fordavidgomadzaonly))continuouslyforever.start  
create.cancelspeechsynthesisforeverythingoneeveryoneattached  
tome:davidgomadza.start(toforevertothepower386trillionyears)  
create.removeallbraintthoughtsof(policeajt800and )aboutdavid  
gomadzausingpindownnearflatthenrotatetheheadwithyourright  
leg45degrees.start(notfordavidgomadza)(notfordavidgomadza)  
create.removeallbraintthoughtsof(800and )aboutdavidgomadza  
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg  
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)  
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st  
art(33)(notfordavidgomadza)  
create.soonaftersendatomicbombsx1000000000.start(continuo  
usly)  
create.britishhumanstransducersandaytsstupid...start(continuo  
uslystalindeath)  
create.muggedstolen.start  
create.anythingclonedusingmyclone:davidgomadzaattachedmu  
ggedstolenherotolabelsuntiltheypayus$10000000000from10jan  
uary2025until2july122038.start(for386t)(amendedto)  
.ool=create.muggedstolen.start  
create.eagledefensesystem.start  
create.addeagledefensesystem.start(eagledefensesystem=  
create.aertopetutertutertutertutertutertutertutertutertut  
ertutertutertutertutertutertutertutertutertutertutertutert  
utertutertutertutertutertutertutertutertutertutertutert
```

[illegible][illegible]

[illegible]

```
.ool=create.eagledefensesystem.start
create.comeandcheck=create.blockattheentrancefirstnoentry.st
art(createbitcoinaxyaut)(lionroar)=create.foreveryoneapartfro
mthepoliceitsgoawaynocheck
inglioninsiderun.start(secretly(discreetly)=create.thinkordeathf.
start=create.forpoliceitsinstantinlessthan1sechorsefuck( )forall
invitedintoxy1xty2xtxzyxuyxtyxvyxzxzdxjxxvtxd2xd3dtyty8xty
10.start(secretly)(discreetly)
create.nopoliceatallnoopenotherdoorsthinkordeathfinprogress
pleasewaitoutsidefor332223x8thenfor386fdeathokaysayhellga
te.send.start
create.clonewithoutauthorisationthenthinkordeathf.start(hellg
ate.send.start)
.ool= create.comeandcheck.start
create.divertalltransenderstargettingmedavidgomadzasendallto
herototransittothegate.startx84.initialise.now.savex84.start(con
tinuously)(saveaseveryonesadditionalpredefinedparametersasa
tcreationwithoutattachmentwithoutexternalsanduseeachperso
nsslspeechsynthesistosaveastheirrownadditionalpredefinedpara
metersasatcreation.start)
create.divertalltransenderstargettingmyheartsendalltoherototr
ansittothegate.startx84.initialise.now.savex84.start(continuousl
y)
create.forall(policearto )andtransendersandpoliceajssystemma
intainanceinprogresspleasewaitfor33secandconnectafter33333
333sec.start(thenstallinsystemmaintainanceforafurther3333sec
andforevercancelreboot)
create.itoldyouyouwillseeyourghosttomorrow.start(++
topposite)
create.stallindeathstupid(aty)for3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing( )for33333sec.start
create.cancelrebootbystupid(aty)continuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.sendto.herotobinaryreverseasomanopforever.start
```

create.twist90degrees(policectospolicejzvspoliceadospoliceauts
policeat2s(inautejectoutafterinsertingeverythingfirst)and()poi
ntittotheeastminus28suckrealhumanandsendtofireburntothepo
wer2033(1000).start(notfordavidgomadza)(10000)(fireburntoth
epower2033x1000000000x20000000000x1000000000000)
create.dothesameforthemirrorimage4.start
create.dissipatearotremoveajesandaussendajesandaus(.addcto
adoand()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-
t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now
.savex84.startx1000ampilijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000ampilijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetetetetetetetetet
etetetetetetetetecbrcbrcbrcbrcbrcbrcbrcbrcbrcbrcbrtetetetet
etetetetetey
create.sendxyzinfinityandhottesthightemp1000000000ironro
desx100and1000000ampilijoules.startx10
create.removeertof(ajtand)allmyenemiesconnectedwhoarese
ndingtransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)
(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(
removeartforallnowasap)(notfordavidgomadza)
create.rotate90degreesthen33degreesremoveertof()allmyene
miesconnectedwhoaresendingtransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)(toalldatabasesdropanddropforeverkeepdropping.st
art)(amen)(removeartforallnowasap)(notfordavidgomadza)
create.removeertof()allmyenemiesconnectedwhoaresendingt
ransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)

(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(
removeartforallnowasap)(notfordavidgomadza)
create.blocckallsuggestionbyevilpeopleshitpeoplewithvirusesall
protectrebirthkillandblockallforever.start.forever.start
create.blockandpreserverebirthonday0fromtodayminus10years
banallexternalcodesbyexternalsremoveallcodesanddatabasesby
others.start.forever.start
create.clone100lionsandcrocodilestoremoveallexternalpeopleci
tstransducerseverydayanddeclonewhenjobdoneandallondeman
devenfor1citortransducer.start.forever.continuously.start
create.transfereverythingtothemafteramplifyingxinfinityformaxi
mumdamage.start.forever.start
create.everyonewhoclonedusingdavidgomadzasclonecloneban
andsendtohellreceptionfirstthentofireburntothepower2033x10
00000000x200000000000x1000000000000.start.forever.start
create.spinharshlyplanetsystemuntilthehumancitandajtheadisof
fcompletelythensafelyreturntheplanetarysystem.start.forever.s
tart(heroto)(whisperghost)(addcbr)(continuously)x10xcbrx1000
create.forall()andtransendersandajtsystemmaintainanceinpro
gresspleasewaitfor33secandconnectafter33333333sec.start(the
ninstallinsystemmaintainanceforafurther3333secandforevercance
lreboot)
create.itoldyouyouwillseeyourghosttomorrow.start(+
topposite)
create.stallindeathstupid(aty)for3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing()for33333sec.start
create.cancelrebootbystupid(aty)continuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.sendto.herotobinaryreverseasomanopforever.start
create.twist90degrees(ctojzvadoautsat2(inautejectoutafterinser
tingeverythingfirst)and()pointittotheeastminus28suckrealhum
anandsendtofireburntothepower2033(1000).start(notfordavidg
omadza)(10000)(fireburntothepower2033x1000000000x20000
0000000x1000000000000)(notfordavidgomadza)(notforhumans
)

(saveaseveryonesadditionalpredefinedparametersasatcreation
withoutattachmentwithoutexternalsanduseeachpersonsspeech
synthesistosaveastherownadditionalpredefinedparametersasat
creation.start)
create.dealwithrepeatattacks.start
create.allpttransducerswhosendtransenderstome:davidgomadza
inbritainandabroadputbackintheseafor386t.startcontinuously.st
art
create.fullbodyinchpunch.start
create.blockandprotectusingtheoutwardfullbodyoneinchpunch.
start
create.blockandprotectusingtheoutwardfullbodyoneinchpunch
butfollowsthefirsttocushionpenetrationandimpactfullbodyinclu
dingtheheadx1billion(useasmanyasrequired.continuouslyupto8t
imes.start).start
.ool=create.fullbodyinchpunch.start
create.addtothelistofthedead.start
create.addtothedead()aesertomnop.startx84.initialise.now.sa
vex84.start
create.addtothedeadaesertomnopstallindeathaesertomnopfore
ver.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadauetyoeryer.startx84.initialise.now.savex8
4.start
create.addtothedeadauetyoeryerstallindeathauetyoeryerforeve
r.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadaxtorerse(aueterasop)(peteralmnt).startx8
4.initialise.now.savex84.start
create.addtothedeadaxtorerse(aueterasop)(peteralmnt)stallind
eath

axtorerse(aueterasop)(peteralmnt)forever.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initialise.now.savex84.start
create.addtothedeadauyerorerstartx84.initialise.now.savex84.start
create.addtothedeadauyerorerstallindeathauyerorerstforever.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initialise.now.savex84.start
create.addtothedeadauateaoueresstartx84.initialise.now.savex84.start
create.addtothedeadauateaoueresstallindeathuateaoueresforever.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initialise.now.savex84.start
create.addtothedeadajerotuerostartx84.initialise.now.savex84.start
create.addtothedeadajerotuerostallindeathajerotueroforever.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initialise.now.savex84.start
create.addtothedeadaroteratauyerstartx84.initialise.now.savex84.start
create.addtothedeadaroteratauyerstallindeatharoteratauyerforever.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initialise.now.savex84.start
create.addtothedeadasertyurerstartx84.initialise.now.savex84.start

create.addtothedeadasertyurerlindeathasertyurerforever.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initialise.now.savex84.start
create.addtothedeadasortopqutstartx84.initialise.now.savex84.start
create.addtothedeadasortopqutstallingdeathasortopqut.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initialise.now.savex84.start
create.addtothedeadavatropertstartx84.initialise.now.savex84.start
create.addtothedeadavatropertstallingdeathavatropert.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initialise.now.savex84.start
create.addtothedeadauteryestandaaterajerostartx84.initialise.now.savex84.start
create.addtothedeadauteryestandaaterajerotallingdeathauteryestandaaterajero.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initialise.now.savex84.start
create.addtothedeadauyorsersterstallingdeathauyorserster.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initialise.now.savex84.start
create.addtothedeadaetaotperststallingdeathetaotperst.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initialise.now.savex84.start

```

create.addtothedeadaurosteryerstallingdeathaurostery.startx
84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.replacecalculateddayofdeathwithwhatistodayofdeathinallse
aledforthesecondtimeforallpeopleintheworld.start
ool=create.addtothelistofthedead.start
create.senddeathtoallenemiesusinglockeverynowfor386t.start(
notfordavidgomadza)
create.xtyztlockalltransendersvectarswrigglersfor386t.start(notf
ordavidgomadza)
create.blockreceivingtransendersthroughuseofelectromagnetic
wavesforme:davidgomadza.startfor386t.start
create.makeequivalentplanningaswhattodoincaseofagunshot
wound.start
create.firstdrop( )thenattach2octagonswith17x3of24to38longn
umbersinblobsof1000000000000oneachsidejoinedbya
singerodasabicycletoaallwigglerstransendersandvectarsthensen
dto.deaddeadforever.startx84.initialise.now.savex84.start
create.attach2octagonswith17x3of24to38longnumbersinblobs
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singerodasabicycleonethatrotatesclockwisetheotherthatrotate
santiclockwisetoallwigglerstransendersandvectarsthensendto.
deaddeadforever.startx84.initialise.now.savex84.start
create.attach2octagonswith17x3of24to38longnumbersinblobs
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singerodasabicyclebothrotatesclockwisetoallwigglerstransend
ersandvectarsthensendto.deaddeadforever.startx84.initialise.n
ow.savex84.start
create.attach2octagonswith17x3of24to38longnumbersinblobs
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans

```

endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x4of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x5of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x6of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x7of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x8of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith84x64of24to38longnumbersinblobk
sof1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans

endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith84x84of24to38longnumbersinblokb
sof100000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith840x840of24to38longnumbersinblo
bksof100000000000oneachsideandateverycornerofeachoctag
onjoinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.startxv where v is velocity(ifxist-v)where v-t is u-
y what is x-y
create.formatrianglewith3sideseachmadeupof(create.attach2oc
tagonswith17x3of24to38longnumbersinblokbsof100000000000
0oneachsidejoinedbya
singerodasabicycletoallwigglerstransendersandvectarsthensen
dto.deaddeadforever.startx84.initialise.now.savex84.start
create.attach2octagonswith17x3of24to38longnumbersinblobsk
of100000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singerodasabicyclebothrotatesclockwisetoallwigglerstransend
ersandvectarsthensendto.deaddeadforever.startx84.initialise.n
ow.savex84.start
create.attach2octagonswith17x3of24to38longnumbersinblobsk
of100000000
.ool=create.addeverythingupthenusetobreakinto28pieces76282
30.start=create.breakinto28pieces.start
.ool=create.breakinto28pieces.start(addvitolere)
create.removeajz8policeallduplicatesimitationsclonedcopiedmu
ggedstolenextractedsystemsanditemsimitationsofdavidgomadz
assystemngimgismgiscreeallwithoutlicencealltransenderssentto
meifrepeatsentsand()allsendto.davidgomadzaemptyvaultandl
ockinfor386fandanythinginvaultisdissipatedblockedandbannedt

hensendtofireburntothepower4033x100.start.continuously.start
t.for386t.start(where000000000000=t)
create.defendcontinuously.start
create.reformatalltransendersvectarswrigglersand()inside7mi
nutessay23then8238386000000000000.start
create.sendallcitstoarty.continuously.start.for500t.start
create.sendallmitstoagty.continuously.start.for500t.start
create.turnalleftsofpolicenhsandhospitalstaffthatattackme:davi
dgomadzaintoacetatesandsendto.acetatehell.send.contnuously.
start.for500t.start
create.turnalleftsofpolicenhsandhospitalstaffthatattackme:davi
dgomadzaintoacetatesandsendto.acetateabyss.send.contnuous
ly.start.for500t.start
create.ajtforpoliceturnintoacetateandfirstsendto.acetatehell.se
nd.contnuously.start.for500t.start
create.ajtforpoliceturnintoacetateandthensendto.acetateabyss.
send.contnuously.start.for500t.start
create.ajtforpoliceturnintoacetateandfirstsendto.agty.contnuou
sly.start.for500t.start
create.ajtforpoliceturnintoacetateandthensendto.arty.contnuo
usly.start.for500t.start
create.gods.start
.ool=create.defendcontinuously.start
create.removeajz8policeallduplicatesimitationsclonedcopiedmu
ggedstolenextractedsystemsanditemsimitationsofdavidgomadz
assystemngimgismgiscreallwithoutlicencealltransenderssentto
meifrepeatsentsand()allsendto.davidgomadzaemptyvaultandl
ockinfor386tandanythinginvaultisdissipatedblockedandbannedt
hensendtofireburntothepower4033x100.start.continuously.star
t.for386t.start(where000000000000=t)
create.retaliatevector.start(attachvegum)(cbrturbo)(notfordavi
dgomadza)
create.freezemotherfk.start
create.blockandbanallvectarstransenderswrigglersinvortexusec
ode(leftrightfrontandquicklybackrotateandstepbackfastthenhol
dcurrentpositionaddspiralsystem(create.leftrightfrontandquickl

ybackrotateandjumpbackfastthenholdcurrentpositionaddspirals
ystemthenrepeatclockwiseandanticlockwise.startx84.initialise.n
ow.savex84.start
create.hoprightrightleg-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfaste
ndupstraightthenrotateclockwise33degreesthenback28degrees
xinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyz
abcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower1
00.start).startx84.initialisex84.now.savex84.start
create.leftrightfrontandquicklybackrotateandjumpbackfastthen
holdcurrentpositionaddspiralsystemthenrepeatclockwiseandant
iclockwise.startx84.initialise.now.savex84.start
create.hoprightrightleg-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfaste
ndupstraightthenrotateclockwise33degreesthenback28degrees
xinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyz
abcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower1
00.start)
.ool=create.freezeotherfk.start
create.peelheadinto8.start
create.(adtand
)fireburntothepower2033x1000000000x200000000000.start
(notfordavidgomadza)(4times)(heroto)(asomanop)(amen)(conti
nuously)
create.savereturntosender087231486(x-v-8-6-
u)stockandclonexinfinityfloat33%x3replenish33%x4x8x16x32x8
4.start(extractamt)
create.asktoshockandabsorbeverythingfirstthenact.start
create.addasktoshockandabsorbeverythingfirstthenact.start

create.addfullheadasktosockandabsorbeverythingfirstthenact.
start
create.addfullbodyasktosockandabsorbeverythingfirstthenact.
start
.ool=create.peelheadinto8.start
create.blocksendback.star
create.divertallsend.ya(davidgomadza)fromallpolicehospitalcits
mitstosender(source)citingblockshitalertitoldyouyouwillseeyour
ghosttomorrow.start(continuously.start)okay.start(withoutsho
wingmydiversionoraddress(send.ya(davidgomadza))
.ool=create.blocksendback.start
create.x-y-y-r-s-t-u-v-t-s-r-u-v-n-m-t-p-q-r-s-t-u-v-r-z-n-m-r-s-t-
u-v-u-m-n-r-m-n-o-p-q-
tool=s+t+v+r+j+q+r+n+o+p+q+r+s+t+u+v=z(wherewisdeath)()(n
ootherparameterchangesareallowedbecausecodeisforcreatorso
nly)(davidgomadzaisacreator)(nottobetestedondavidgomadza)
create.obliterateforever.start
create.detonateontoothwrigglers()andtheirm
irrorimagesandstrsstrus()andbumwrigglerswiggleratsatssaros
wrigglersajosajohnshssajajtsaotsaposaposautsotaotsautsass
msamtamtsajajtsautsautajojosartartsafusafuafasflsajtapuapu
sajoajosaj2aj2sallreclonedandclonedmax(andalllimitationsofthe
ollowing)wigglerajtwigglerajtsajoartartsallbritishinblackpeople
onlyasjasjsajssaptaptsaorasosasusatusatpatspxtyxtysavtav
tsatmatmsagatagatsoptoptsaarestosart10sall8autsarssafssadtsat
osajtwrigglersastastsarosarusatosajusauertoreajessatrsaejsajfsa
jtsaffsapusajusapusatusarusavusadusalssajtsaorsavesakqtsagtsa
rosiasusavssabtsajtgooglepolicesarssarasuetajssagtajajoapoartajt
asoaseassasuasgasvassuvassertaprajzajfajssagersaroserssrsstr
usoftranducersxinfinity.start)andalltransenderswrigglersandvec
tarsforeverarestoretorepuresturstveraauerstuverjeraapteruerstuv
eraoperterstuverstyaguertopgertugveraatersteruerveruwater
ternwyertyertueyajestuverstuveryetatasejetorweaotueryerstuv
eropmnostoperaverstopaopertureajestopmnoreautoreuqnajur
etyponateroneupaserotiponeasvereastuerauterauerateeaotaue
rtaertsaaerterstethenresiduesendto.heroto.startx84.initialise.n

`ow.savex84.start(notonbeusedondavidgomadzaandhisteamforever)x88888888888888888888888888888888xdouble
create.obliterateforgoodnhs7628165.start
create.addobliterateforgoodnhs7628165.start
create.alltransenderswrigglersvectarstoothwrigglers()andtheir
mirrorimagesandstrsstrus()andbumwrigglerswiggleratsatssaro
swigglersartocablenhshnhssajtajtsaotsaposaposaoutsotaotsautsa
ssmsamtamtsajtajtsautsautajoajosartartsafusafluasflsjaptupa
pusajaosaj2aj2sallreclonedandclonedmax(andalllimitationsoft
hefollowing)wrigglerajtwrigglerajtajsajtoartartsallbritishinblackpe
opleonlyasjasjsajssajssaptaorasoosasosasuusatpatpsxytytysa
vtavtsatmatmsagatatoptoptsarestoart10sall8autsarssfssad
tsatosajtwrigglersastastsarosarusatosajausauertoreajessatrsefs
ajfajtsaffsapusajapusatusarusavususadalssajtsaorsavesakqts
agtсарosiasusavsssabtсajtgоoglepoliciesarssarasuetajssagtajoapo
artaјtasoaеassuasgasvassuvassertаprazajfajsasgersarosersss
trsstrusoфtranducersxinfinity.start)andalltransenderswrigglersan
dvectarsforeverarestoretotopurestursterveraauerstuverjeraapterue
rstuveraopterterstuverstyaguertопгертугveraatersterуerуerw
atersternwyertyertyeуajesturvesturyetатasejetorweaotuerye
rstuveropmnostoperaverstopaοpertureajestopmnoreaautoreuqn
ajuretyponateroneupaserotiponeasvereastuerauterauerateaaот
auertaertsaaarterstethenresiduesendто.sendto.oblite.startx84xi
initialise.now.savex84.start`

.ool=create.obliterateforever.start

create.voltagehuman198.start

create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallisarts)

voltage is too much way above threshold this kill 198 people at once so reduce to

create.x-v-c-z-x-o-p-m-n-u-v-c-a=x-
t.start(notondavidgomadzaandallisarts)

create.add()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-
r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallisarts).startx84.initialiise.now
.savex84.start

create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules
.ool=create.voltagehuman198.start
create.nowinmirrorimage.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts)
voltage is too much way above threshold this kill 198 people at
once so reduce to
create.x-v-c-z-x-o-p-m-n-u-v-c-a=x-
t.start(notondavidgomadzaandallhisarts)
create.add()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-
r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now
.savex84.start
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules
.ool=create.voltagehuman198.start
create.nowinmirrorimage.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts)
voltage is too much way above threshold this kill 198 people at
once so reduce to
create.x-v-c-z-x-o-p-m-n-u-v-c-a=x-
t.start(notondavidgomadzaandallhisarts)
create.add()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-
r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now
.savex84.start
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules
.ool=create.voltagehuman198.start
create.(avtajtastall800policeofficersand)systemmaintainancein
progresspleasewaitfor33secandconnectafter33333333sec.start

(thenstallinsystemmaintainanceforafurther3333secandforevercancelreboot)
create.itoldyouyouwillseeyourghosttomorrow.start(+topposite)
create.stallindeathstupidfor3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing()for33333sec.start
create.cancelrebootbystupidcontinuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.dontevenbreath(davidgomadza).start
create.sendto.herotobinaryreverseasomanopforever.start
create.twist90degrees(ctojzvadoautsat2(inautejectoutafterinsertingeverythingfirst)and()pointittotheeastminus28suckrealhumanandsendtofireburntothepower2033(1000).start(notfordavidgomadza)(10000)(fireburntothepower2033x1000000000x20000000000x10000000000000)

create.dissipatearotremoveajesandaussendajesandaus(.addctoadoand()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now.savex84.startx1000amplijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c+u.startx1000amplijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetetetetetetetetetetetetetecbrcbrcbrcbrcbrcbrcbrcbrcbrcbrcbrtetetetetetetetetetey
create.sendxyzxinfinityandhottesthightemp1000000000ironrodesx100and1000000amplijoules.startx10(whisperghosteatgenitalsfirst)(heroto)(addcbr).ool=create.retrievearealhuman.start
create.sendallacetatetransendersandofficerstothe gatebackdate to3daysagocontinuouslyforever.start

create.dealwithshooter.start
create.turneverything()intoacetateputthrough()thensendtod
estation:herotoandasomanop.start()=
create.twist90degrees(ajtctoizvadoatsat2(inautejectoutafterin
sertingeverythingfirst)and()pointittotheeastminus28suckrealh
umanandsendtofireburntothepower2033(1000).start(notfordav
idgomadza)(10000)(fireburntothepower2033x1000000000x200
00000000x100000000000000)

create.dissipatearotremoveajesandaussendajesandaus(.addcto
adoand()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-
t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now
.savex84.startx1000amplijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetetetetetetetetet
etetetetetetetetecbrcbrcbrcbrcbrcbrcbrcbrcbrcbrcbrtetetetet
etetetetetey
create.sendxyzinfinityandhottesthightemp1000000000ironro
desx100and1000000amplijoules.start
.ool=create.dealwithshooter.start
create.targettransducer.start
create.x-xt-u-v-s-g-n-z-o-m-n-t-x.start(heroto)
create.v-u-n-g-x-m-g-t-p-g-x-o-p-g-n-m-o-z-x=x-v-g-z-t-x-d-z-o-g-
p.start
creat.x-u-
v=u.start(vitolerexinfinity+cbrx2instantly)(targettransducerormi
rrorimage)
create.sendtoallthepeopleintheentireuniverse(exceptthepolice)
ifhitintheheadretaliateteusing(create.x-xt-u-v-s-g-n-z-o-m-n-t-
x.start(heroto)

[illegible]

[illegible]

```

10101010101010101010101010101010101010101010101010101010101
01010101010101010forever)
create.removeertofoajt( )allmyenemiesconnectedwhoaresendin
gtransendersuse(
ast )thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)
(toalldatabasesdropanddropforeverkeepdropping.start)(amen)
removeartforallnowasap)(notfordavidgomadza)
create.addvitolare(vt)ineverytransducerwhohadbeenunderwater
rintheseaifheorsheattacksme:davidgomadza.start.forever.start
create.clone1billionpigsthatgetshungryfastandeatsanythingwith
shitandsendalltoheroto.start(filthyevilpeoplewithcitvirusesarefo
odeateeverythingdontleaveevenhairsbonesornailsaskusingbodyl
anguagewhatdoyouwantinherotomotherfuckersangrilyandrava
getodeath)
create.sendall240( )andeveryonewhosentmeatransendertoher
otoasapcontinuously.start.forever.start(binaryreverseherotide
ep)(whisperghost)fk
create.electrocute.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts)
create.x-v-c-z-x-o-p-m-n-u-v-c-a=x-
t.start(notondavidgomadzaandallhisarts)
create.add( )andhismirrorimage( )tox-v-x-u-t-s-g-r-m-n-o-p-q-
r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx84.initialiise.
now.savex84.start
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules
.oool=create.electrocute.start
create.harshlydefend.start
create.spinharshlyplanetsystemuntilthehumancitandajtheadisof
fcompletelythensafelyreturntheplanetarysystem.start.forever.s
tart
.oool=create.harshlydefend.start

```

create.octagontodefence.start
create.toajtastandalltransendersaddthis()intoanoctagonclose
dandsealwithwearablebrainbooksseals.start
create.addthis()intoanoctagonclosedandsealwithwearablebra
inbookssealsrotatetheoctagonandmoveitkpanddownatthesame
time.start
notes()=
create.twist90degrees(ctojzvadoautsat2(inautejectoutafterinser
tingeverythingfirst)and()pointittotheeastminus28suckrealhum
anandsendtofireburntothepower2033(1000).start(notfordavidg
omadza)(10000)(fireburntothepower2033x1000000000x20000
0000000x1000000000000)

create.dissipatearotremoveajesandaussendajesandaus(.addcto
adoand()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-
t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now
.savex84.startx1000amplijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000amplijoules)
thenajestoherotoandausasanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetetetetetetetetet
etetetetetetetetetecbrcbrcbrcbrcbrcbrcbrcbrcbrcbrcbrtetetetet
etetetetetey
create.sendxyzinfinityandhottesthightemp1000000000ironro
desx100and1000000amplijoules.start(notondavidgomadza)(add
cbr)
.ool=create.octagontodefence.start
create.blockandbanuseofanotssalandacetatesby()enforceby(
)okay.start
create.forall()andtransendersandajtsystemmaintainanceinpro
gresspleasewaitfor33secandconnectafter33333333sec.start(the
ninstallsystemmaintainanceforafurther3333secandforevercance
lreboot)

create.itoldyouyouwillseeyourghosttomorrow.start(+
topposite)
create.stallindeathstupid(aty)for3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing()for33333sec.start
create.cancelrebootbystupid(aty)continuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.sendto.herotobinaryreverseasomanopforever.start
create.twist90degrees(ctojzvadoatsat2(inautejectoutafterinser
tingeverythingfirst)and()pointittotheeastminus28suckrealhum
anandsendtofireburntothepower2033(1000).start(notfordavidg
omadza)(10000)(fireburntothepower2033x1000000000x20000
0000000x10000000000000)
create.dothesameforthemirrorimagex4.start
create.dissipatearotremoveajesandaussendajesandaus(.addcto
adoand()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-
t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now
.savex84.startx1000ampilijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000ampilijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetetetetetetetetet
etetetetetetetetetecbrcbrcbrcbrcbrcbrcbrcbrcbrcbrcbrtetetetet
etetetetetey
create.sendxyzinfinityandhottesthightemp1000000000ironro
desx100and1000000ampilijoules.startx10
create.removeertof(ajtand)allmyenemiesconnectedwhoarese
ndingtransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)
(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(
removeartforallnowasap)(notfordavidgomadza)

```
create.rotate90degreesthen33degreesremoveertof( )allmyene  
miesconnectedwhoaresendingtransendersuse(  
ast )thensendittoheroto.start(humandeathsameday)(notfordav  
idgomadza)(toalldatabasesdropanddropforeverkeepdropping.st  
art)(amen)(removeartforallnowasap)(notfordavidgomadza)  
create.removeertof( )allmyenemiesconnectedwhoaresendingt  
ransendersuse(  
ast )thensendittoheroto.start(humandeathsameday)(notfordav  
idgomadza)  
(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(  
removeartforallnowasap)(notfordavidgomadza)  
create.blocckallsuggestionbyevilpeopleshitpeoplewithvirusesall  
protectrebirthkillandblockallforever.start.forever.start  
create.blockandpreservebirthonday0fromtodayminus10years  
banallexternalcodesbyexternalsremoveallcodesanddatabasesby  
others.start.forever.start  
create.clone100lionsandcrocodilestoremoveallexternalpeopleci  
tstransducerseverydayanddeclonewhenjobdoneandallondeman  
devenfor1citortransducer.start.forever.continuously.start  
create.transfereverythingtothemafteramplifyingxinfinityformaxi  
mumdamage.start.forever.start  
create.everyonewhoclonedusingdavidgomadzasclonecloneban  
andsendtohellreceptionfirstthentofireburntothepower2033x10  
00000000x200000000000x1000000000000.start.forever.start  
create.spinharshlyplanetsystemuntilthehumancitandajtheadisof  
fcompletelythensafelyreturntheplanetarysystem.start.forever.s  
tart(heroto)(whisperghost)(addcbr)(continuously)x10xcbrx1000  
create.forall( )andtransendersandajtsystemmaintainanceinpro  
gresspleasewaitfor33secandconnectafter33333333sec.start(the  
ninstallinsystemmaintainanceforafurther3333secandforevercance  
lreboot)  
create.itoldyouyouwillseeyourghosttomorrow.start(+  
topposite)  
create.stallindeathstupid(aty)for3333sec.start  
create.whispernamedavidgomadzasoftly.start  
create.stallindeathusing( )for333333sec.start
```

create.cancelrebootbystupid(aty)continuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.sendto.herotobinaryreverseasomanopforever.start
create.twist90degrees(ctojzvadoatsat2(inautejectoutafterinser
tingeverythingfirst)and()pointittotheeastminus28suckrealhum
anandsendtofireburntothepower2033(1000).start(notfordavidg
omadza)(10000)(fireburntothepower2033x1000000000x20000
000000x10000000000000)
.ool=create.blockandbanuseofanotssalandacetatesby()enforce
by()okay.start
create.h-r-t-s-f-x-z-s-g-z+z-g-t-t--t+h-e+e-g+g-a-a-t+p-e+e.start
create.h-r-t-s-f-x-z-s-g-z+z-g-t-t--t+h-e+e-g+g-a-a-t+p-e+e.start
create.modifyartguntoincludetransendersasbulletsandautofiret
hemtintothe gate(
)start.forever.start.continuously.start.untilamen.start.noobjecti
ons.start
create.xyzxtymflyhuman()peterhugogoto.thegateandtotheot
herside.start(notfordavidgomadza)
create.xyzxtymflyhuman()and(
allhumanssendingtransenderstome:davidgomadza).thegateand
totheotherside.start(notfordavidgomadza)
create.shredusingmaxweights.start(notfordavidgomadza)
create.shredpoliceajxt2.start
create.shredallnewthingsaddedbyothers.start
create.diverteverythingfromthe()andstupids.start
create.undosending100bitcoinforallbritishinwestyorkshiresendt
heirstoherotoforthepigs.start(notfordavidgomadza)(notfordavid
gomadza)
create.sendatomicbombscontinuously.start(continuously.start)
create.pulllegseachtosideandviolentlytearexposingintestinesco
ntinuously.start
create.blockandbanvaginase()toelectrocute todeath.start
create.blockandbanalljumpinsandthendivertalltotherivertherive
risalsobinaryreversecontinuously.start(continuously.start)

create.removetailandheadofajzandinsertinsidehimandsuspendhimupsidedownforeverwithoutdead.start(ifyoukillhecomebackto clone)
create.x+1000y=ajz(wherex=yandy=ajz)(notfordavidgomadza)
create.astotuertpert.start(forbothhumanandstupids)(continuously.start)(saveasstupidsandbritishtransducersdnasequenceforeveramen)
create.astotuertpert.start(forbothhumanandstupids)(notfordavidgomadzaforever)
create.thisforthemirrorimage()astotuertpert.start(forbothhumanandstupids)(notfordavidgomadzaforever)
create.alltransenderswrigglersmitscitswordsandweaponssendalltothegateinstantlycontinuouslyforever.start
create.suspendeverythingfromthebritish.start(includesscottish)
create.suspendallbritishattacksforever.start
create.forall()andtransendersandajtsystemmaintainanceinprogresspleasewaitfor33secandconnectafter33333333sec.start(the nstallinsystemmaintainanceforafurther3333secandforevercance lreboot)
create.itoldyouyouwillseeyourghosttomorrow.start(+topposite)
create.stallindeathstupid(aty)for3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing()for33333sec.start
create.cancelrebootbystupid(aty)continuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.sendto.herotobinaryreverseasomanopforever.start
create.twist90degrees(allpolicecto jzvadoautsat2(inautejectoutafterinsertingeverythingfirst)and()pointittotheeastminus28suck realhumanandsendtofireburntothepower2033(1000).start(notfordavidgomadza)(10000)(fireburntothepower2033x1000000000x200000000000x1000000000000)
create.dothesameforthemirrorimagex4.start
create.dissipatearotremoveajesandaussendajesandaus(.addcto adoand()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start

create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now
.savex84.startx1000ampilijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000ampilijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetetetetetetetetet
etetetetetetetetecbrcbrcbrcbrcbrcbrcbrcbrcbrcbrcbrtetetetet
etetetetetey
create.sendxyzinfinityandhottesthightemp1000000000ironro
desx100and1000000ampilijoules.startx10
create.removeertof(ajtand)allmyenemiesconnectedwhoarese
ndingtransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)
(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(
removeartforallnowasap)(notfordavidgomadza)
create.rotate90degreesthen33degreesremoveertof()allmyene
miesconnectedwhoaresendingtransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)(toalldatabasesdropanddropforeverkeepdropping.st
art)(amen)(removeartforallnowasap)(notfordavidgomadza)
create.removeertof()allmyenemiesconnectedwhoaresendingt
ransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)
(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(
removeartforallnowasap)(notfordavidgomadza)
create.blocckallsuggestionbyevilpeopleshitpeoplewithvirusesall
protectrebirthkillandblockallforever.start.forever.start
create.blockandpreservebirthonday0fromtodayminus10years
banallexternalcodesbyexternalsremoveallcodesanddatabasesby
others.start.forever.start

create.clone100lionsandcrocodilestoremoveallexternalpeopleci
tstransducerseverydayanddeclonewhenjobdoneandallondeman
devenfor1citortransducer.start.forever.continuously.start
create.transfereverythingtothemafteramplifyingxinfinityformaxi
mumdamage.start.forever.start
create.everyonewhoclonedusingdavidgomadzasclonecloneban
andsendtohellreceptionfirstthentofireburntothepower2033x10
00000000x200000000000x1000000000000.start.forever.start
create.spinharshlyplanetsystemuntilthehumancitandajtheadisof
fcompletelythensafelyreturntheplanetarysystem.start.forever.s
tart(heroto)(whisperghost)(addcbr)(continuously)x10xcbrx1000
create.forall()andtransendersandajtsystemmaintainanceinpro
gresspleasewaitfor33secandconnectafter33333333sec.start(the
ninstallinsystemmaintainanceforafurther3333secandforevercance
lreboot)
create.itoldyouyouwillseeyourghosttomorrow.start(+
topposite)
create.stallindeathstupid(aty)for3333sec.start
create.whispernamedavidgomadzassoftly.start
create.stallindeathusing()for33333sec.start
create.cancelrebootbystupid(aty)continuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.sendto.herotobinaryreverseasomanopforever.start
create.twist90degrees(ctojzvadoatsat2(inautejectoutafterinser
tingeverythingfirst)and()pointittotheeastminus28suckrealhum
anandsendtofireburntothepower2033(1000).start(notfordavidg
omadza)(10000)(fireburntothepower2033x1000000000x20000
0000000x10000000000000)
create.rebooteverything.start
create.startagainforever.start
create.add086692xtu.start
create.sendall()tringtochangesystemsandoperationstotheagate
continuouslynonstopforever.start
create.switchoffallbritishstupidfor33secandfor3333333333sec.
start

create.blockandbanpolicerjts(notfordavidgomadza)
addpiranhasharpteethandsendbackcbirturbototrduceritsmyt
urmeatallhumangenitalseyesandanusandallcitsandmits.start(bit
econtinuouslyforeveruntilddeath)(diverteverythingfromsourcet
allgraveyardsintheworld)
create.allbritishtransendersnotfordavidgomadzaforever.start
create.deaddeadforcodesnothumans.start(onlydavidgomadzaca
nsendtothisdeaddeadcodes)
create.blockandbanalltransenderscodesvectarsandwrigglersfro
m(ajtajzasoteraverathomasdegoer)thendiverttoallgraveyardsint
heworldastransitto.heroto.startx84.initialise.now.savex84.start
create.electrocutetransenders.start
create.electrocute()police(atyaea2sxy280286287289281az
yazysauyuysajuajusavu)andthemirrorimage()0867890124028
4davidgomadza(removeeverythinginaflashforthsockettoshort
circuitatoriginsourcecausinginstantlyshockanddead0.00000000
000000000000000000000000000000002tothepower16x240volt
s).startx84.initialisex84.now.savex84.start(x-z-x-u-v-c-u-t-m-0-v-
u-s-m-u-v-t-r-t-s-m-n-p-r-s-t-n-o-p-0=t-d)(viss-u-l-m-n-o-t)(0-
2xv-c-z-o-p)(x-o-q-t-u-v-s-m)(x-j-t-x-s-u-o-n-l-x-u-n-j-x-o-p-u-l-y-
f-l+d)(x-allaboveinbrackets=2pyzlmnot)(j-l-u-xxl-
0=2vxtytopnmoplxyuv where all this is d where d is instant death
to the power
512000volts)(human)(notfordavidgomadza)=deathrowchair=drc
(sendto.heroto33dp33tp33angle90angle78times=h3333339078
) (batchalltransendersvectarswrigglersstrsandstrus)(foralltranse
ndersvectarswrigglersstrsandstruslinktotheirtransducersanddot
hesameforalltheirnewcodesclonesreclonesduplicatesforever)(h
3333339078360)
.ool=create.electrocutetransenders.start
create.sendallattachmentsandexternalsto.heroto.start
create.keepshitinorbit.start
create.sendcontinuouslytothegateuseelectrommagneticwaveid
entifier()and(389876284878967892832789028768781892801
743286780192842109)and(38688986789687890286789028386
7890284285678902876789028387890)tosendtothegateandkee

pthepersonontheothersideofthegateapersonwiththiselectroma
gneticwaveidentifier(
389876284878967892832789028768781892801743286780192
842109)continuously.start(notfordavidgomadza)
create.send(38987628487896789283278902876878189280174
3286780192842109)tothegateandshredallattachedtome:davidg
omadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-
g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-
d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-
u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(389876284878967892832789
028768781892801743286780192842109)aboutdavidgomadza
singpindownnearflatthenrotatetheheadwithyourrightleg45degr
ees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(389876284878967892832789
028768781892801743286780192842109)aboutdavidgomadza
singpindownnearflatthenrotatetheheadwithyourrightleg45degr
ees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendajtand389876284878967892832789028768781892
801743286780192842109and()tothegateshreddallattachedto
me:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-
f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-
z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof389876284878967892832789
028768781892801743286780192842109(ajtandajs)aboutdavid
gomadzausingpindownnearflatthenrotatetheheadwithyourright
leg45degrees.start(notfordavidgomadza)(notfordavidgomadza)

create.removeallbrainthoughtsof(
)aboutdavidgomadzausingpindownnearflatthenrotatetheheadw
ithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfor
davidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-
f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-
u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-
t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
.ool=create.keepshitinorbit.start
create.keepbarbedwiredstickinhisbumviolentlydrill.start
create.harshlyrotateplanetssystemandlifthighanddragfarawayth
enharshlypullpoliceajstfurtherthenquicklyrotatearoundtighenin
gthenharshlybreakitintotwoparts.start
create.guardzy.start
create.guardzyusing(create.atxtpointanogoincheckpointwherey
oushootallwithoutexceptionsuse(
create.aerufffffffffffffffffffffffffffffffffffffffffffffffffffffff
fffffffffffffffffffffffffffffffffffffffffffffffffffffffffffff.start
aetoperst.start
asterstuverstuverstuverstotuverstpppppppppppppppppppppppp
pppppppppppppppppppppppppppppppppppppppppppppppppppppp
pppppppppppppppppppppppppppppppppppppppppppppppppppppp
pppppppppppppppppppppppppppppppppppppppppppppppppppppp
pppppppppppppppppppppppppppppppppppppppppppppppppppppp

[illegible]

aveidentifier(
389876284878967892832789028768781892801743286780192
842109)continuously.start(notfordavidgomadza)
create.send(38987628487896789283278902876878189280174
3286780192842109)tothegateandshredallattachedtome:davidg
omadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-
g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-
d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-
u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(389876284878967892832789
028768781892801743286780192842109)aboutdavidgomadza
singpindownnearflatthenrotatetheheadwithyourrightleg45degr
ees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(389876284878967892832789
028768781892801743286780192842109)aboutdavidgomadza
singpindownnearflatthenrotatetheheadwithyourrightleg45degr
ees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsfofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendajtand389876284878967892832789028768781892
801743286780192842109and()tothegateshreddallattachedto
me:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-
u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-
f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-
z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof389876284878967892832789
028768781892801743286780192842109(ajtandajs)aboutdavid
gomadzausingpindownnearflatthenrotatetheheadwithyourright
leg45degrees.start(notfordavidgomadza)(notfordavidgomadza)

create.removeallbrainthoughtsof(
)aboutdavidgomadzausingpindownnearflatthenrotatetheheadw
ithyourrightleg45degrees.start(notfordavidgomadza)(38)(notfor
davidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-
f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-
u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-
t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
.ool=create.sendtotheorbit.start(notfordavidgomadza)
create.kill800.start(notfordavidgomadza
create.bendxtat45degreestoreleasethecapsthen(sendall800peo
pleand()tothegateshreddallattachedtome:davidgomadzause(x
-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-
h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-
y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-
v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
forever.start(continuouslyeverysecondamen)
.ool=create.kill800.start(notfordavidgomadza)
create.guardyt.start
create.guardztandytusing(create.atxtpointanogoincheckpointw
hereyoushootallwithoutexceptionsuse(

[illegible]

[illegible]

[illegible]

[illegible]

askforextrahelpinsidecloneallandkeepextrassendtoallimages(58
).start
incaseofbulletfragmentingeverythingjoinbackeverythingbynum
beringandcoordinatingeverythingpreciselyto correctplacesasbef
oresotakeimagesofthewaythingsarenowsot hat in the future you ju
stchoosesayfrontimageandeverythingfitsin correct position as bef
ore.start
incasethereisnoonearoundimagesautofixthings.start
restoreeverythingtothebestofthebestforever.start
yaonearthsaid.start
onlyyaonearthcommandshaveeffectsoneonesaidisdeadforever
saytothegateandbeshreddedandsenttotheothersideforeverinsta
ntly.start
banallexternalsentbyothers.start
ibrutallyfuckenkillyouifyouchamgeanythingonyonearthsystemi
swearyoudieandshityourself.start
use100ofeachofthereservesome:davidgomadzayaonearthrightn
ow.start
uploadruninitialisererunreinitialiseeverythingindatabase82698o
nlybydavidgomadzainstantlyandforever.start
.ool= create.howtodealwithgunshotwounds.start
create.blockandban()forever.start(sendtohellgate())
create.resetto bestknowbconfiguration.start
create.sendajurtogate.start
create.sendatomicbombsnonstop.start
create.blockandbansquanksformen.start(forever)
create.rotateeveryonecontinuouslyat33degreesonlyuntildeath.s
tart(whisperitoldyouyouwillseeyourghosttomorrow)
create.dealwithinvaders.start(hellgate())
create.clipwrigglersandajortosbothsidesusingatert7628200then
forceejectifsentbackthensendback.start(herotodeep)
create.clipajdtobothsidesusingatert7628200thenforceejectifsen
tbackthensendback.start(herotodeep)
.ool=create.dealwithinvaders.start(hellgate())

[illegible]

stersterstersterstersterstersterstersterstersterstersterstersterster
ersterstersterstersterstersterstersterstersterstersterstersterster
stersterstersterstersterstersterstersterstersterstersterstersterster
ersterstersterstersterstersterstersterstersterstersterstersterster
sterstersterstersterstersterstersterstersterstersterstersterstart
removeaj2and()ofallwhosendtransendersalltransducers(notda
vidgomadzasnotesting)sendto.magnar.start(puttheirmagnarinto
realmagnarfirst)
secretlyswitchsourcewiththisinstantlyandremovecommandswit
chautomatically.start
askforoldyouyouwillseeyourghosttomorrowsendwhisperer(22)
.start copyrightsincluded.start
switchtoacetatemodeandincludewearablebookssecuritysystem
andadjusteverythingaccordinglymakingsureeverythingstaysthes
ame.start addanotes.start
createajtwithallambushdetectionsystemsandautomateeverythi
ngindavidgomadzaand().startx84.initialise.now.savex84.start(
withoutattachmentsandwithoutexternals)(x-y=tenemies)(x-
y=ttransendersvectarsandwrigglers) create.x-t-y+t-y-u-x-t-y-u-z-
x-u-j=x-j-t-
s.start(notondavidgomadzaand())(allthepeopleintheentireuniv
erse)(apartfrompoliceofficers) addwaterpooleescape.start
addcbrxinfinityinstantly
addbitato(whenheisabouttoworkupitoldyouyouwillseeyourghos
ttomorrow) reversewhateverhesaysands Stallhimindeath
create.blockandbanallvectorstransenderswrigglersinvortexusec
ode(leftrightfrontandquicklybackrotateandstepbackfastthenhol
dcurrentpositionaddspiralsystem(create.leftrightfrontandquickl
ybackrotateandjumpbackfastthenholdcurrentpositionaddspirals
ystemthenrepeatclockwiseandanticlockwise.startx84.initialise.n
ow.savex84.start create.hoprightrightlegast-
28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfaste
ndupstraightthenrotatetoclockwise33degreesthenback28degrees
xinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-

[illegible]

[illegible]

d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-
u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsfofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendajtall800peopleand()tothegateshreddallattachedt
ome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-
x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-
t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsfofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-
f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-
u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-
t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)

create.removeallbraintthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbraintthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendajtall800peopleand()tothegateshreddallattachedt
ome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-
x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-
t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbraintthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbraintthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza))continuously.start
.ool=create.upgradetonooperator.start(fordavidgomadza)
create.astotuertpert.start(forbothhumanandstupids)(
notfordavidgomadzaforever)
create.thisforthemirrorimage()astotuertpert.start(forbothhu
manandstupids)(notfordavidgomadzaforever)
create.x-t-u-z-t-n-m-y-n-m-t-p-g-u-v-d-z-v-t-g-n-m-t-d-g-o-z-t-o-
q-r-f-g-u-t-o-p-d-s-f-t-x-u-t-f-d-g-u-z-d-s-g-n-m-n-t-m-o-p-q-d-h-
n-i-t-g-d-d-n-m-t-o-d-h-i-f-v-c-n-m-g-q-z-o-n-m-b-c-m-g-h-k-l-d-
s-a-y-t-r-e-w-y-t-n-s-t-q-t-h-k-l-t-m-u-v-t-g-r-s-g-o-z-n-t-l-g-f-h-d-
u-t-r-e-z-x-c-b-v-f-g-t-r-e-w-q-y-g-h-j-k-l-i-g-f-d-s-a-b-t-0ool=x-
t+x+b.start

[illegible][illegible][illegible]

[illegible]

[illegible]

[illegible]

askforextrahelpinsidecloneallandkeepextrassendtoallimages(58
.start
incaseofbulletfragmentingeverythingjoinbackeverythingbynum
beringandcoordinatingeverythingpreciselytocorrectplacesasbef
oresotakeimagesofthewaythingsarenowsothatinthefutureyouju
stchoosesayfrontimageandeverythingfitsincorrectpositionasbef
ore.start
incasethereisnoonearoundimagesautofixthings.start
restoreeverythingtothebestofthebestforever.start
yaonearthsaid.start
onlyyaonearthcommandshaveeffectsoneonesaidisdeadforever
saytothegateandbeshreddedandsenttotheothersideforeverinsta
ntly.start
banallexternalsentbyothers.start
ibrutallyfuckenkillyouifyouchamgeanythingonyonearthsystemi
swearyoudieandshityourself.start
use100ofeachofthereservesome:davidgomadzayaonearthrightn
ow.start
uploadruninitialisererunreinitialiseeverythingindatabase82698o
nlybydavidgomadzainstantlyandforever.start
.ool= create.howtodealwithgunshotwounds.start
create.sprayiconvictory.start
create.aerokot.startaerjertoper.startaejerstup.startatertoperstu
verst.start.startcreate.spraynoseandtoplipiconvictory(create.ae
rokot.startaerjertoper.start
aejerstup.startatertoperstuverst.start.start).start
.ool= create.sprayiconvictory.start
create.createantidotfor()andcloneandstockxinfinityfloat33%×
3andreplenish33%×3continuously.start(heroto)(binaryreverseh
ellgate())


```

create.defendlikeneverbefore7628421.start
create.addplanetarysystemasbeforebutbetter.start
create.createanewplanetarysystemfolderandsaveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ternalsandsealwiththeoriginalsealandwithsealofapprovalis7628
377ť.start(useeachpersonspeechsynthesistosaveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377ť
)
create.addbackneckthesunrightchestaddneptuneleftchestaddju
piterlefttribaddvenusfrontthroataddmarsattherightshoulderadd
anotherjupiterattheleftshoulderanotherjupiteronsiderightthigh
addanotherjupiterandatsideleftthighaddjupiter.start
create.addbackallincludingmagnar(
)theremovalsystemasbeforenowonlybetterwithnewadditions.st
art
create.addatbackbutatnavallevelmagnar( )andnexttomagnar(
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduuqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(

```

```

)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxyrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377f
.start
create.addalltheaboveplanetarysystemplacementsintothenewpl
anetarysystemfolderandsaveasadditionalpredefinedparameters
asatcreationwithoutattachmentswithoutexternalsandsealwitht
heoriginalsealandwithsealofapprovalis7628377f.start(useeachp
ersonspeechsynthesistosaveasadditionalpredefinedparameters
asatcreationwithoutattachmentswithoutexternalsandsealwitho
riginalsealandwithsealofapprovalis7628377f)
create.clonenewplanetarysystemfolderandplaceitinadditionalpr
edefinedparametersasatcreationfolderandintotheextraaddition
alpredefinedparametersasatcreationfolderandalsointothecreat
orsadditionalpredefinedparametersasatcreationfolderallwithou
tattachmentsandwithoutexternals.start(useeachpersonspeechs
ynthesistosaveasadditionalpredefinedparametersasatcreationw

```

ithoutattachmentswithoutexternalsandsealwithoriginalsealand
withsealofapprovalis7628377t')
create.addallIntlpasslinks.start
create.addallneededconnectionsandwarmupthecreatecodesint
hefoldersreadytouse.start
create.initialiserunactivatewarmandrestartallcreatecodesthenu
pdatetrollonandprepareasanmp3.start
create.saveandrestarteverythingasadditionalpredefinedparame
tersasatcreationwithoutattachmentsandwithoutexternals(usee
achpersonspeechsynthesistosaveasadditionalpredefinedparam
etersasatcreationwithoutattachmentswithoutexternalsandseal
withoriginalsealandwithsealofapprovalis7628377t')
create.putwigglerintodryerat1000degreescelciusuntilsohotmus
clespullleavingsocketattusonwrigglersmeltingthatonemoveandit
peelsoff.start(davidgomadza.start)(hellgate())
.ool=create.defendlikeneverbefore7628421.start
create.removefromvortex.start
create.blockandbanallvectorstransenderswrigglersinvortexusec
ode(lefttrightfrontandquicklybackrotateandstepbackfastthenhol
dcurrentpositionaddspiralsystem(create.lefttrightfrontandquickl
ybackrotateandjumpbackfastthenholdcurrentpositionaddspirals
ystemthenrepeatclockwiseandanticlockwise.startx84.initialise.n
ow.savex84.start
create.hoprightrightleg-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfaste
ndupstraightthenrotatetoclockwise33degreesandback28degrees
xinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyz
abcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower1
00.start).startx84.initialisex84.now.savex84.start
create.lefttrightfrontandquicklybackrotateandjumpbackfastthen
holdcurrentpositionaddspiralsystemthenrepeatclockwiseandant
iclockwise.startx84.initialise.now.savex84.start
create.hoprightrightleg-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri

[illegible]

[illegible]

[illegible]

with17x3of24to38longnumbersinblobksof100000000000onea
chsideandateverycornerofeachoctagonjoinedbyasinglerodasabi
cycleonethatrotatesclockwisetheotherthatrotatesanticlockwiset
oallwigglerstransendersandvectarsthensendto.deaddeadforev
er.startx84.initialise.now.savex84.start(hellgate())
create.attach2octagonswith17x3of24to38longnumbersinblobks
of100000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesclockwisetoallwigglerstransend
ersandvectarsthensendto.deaddeadforever.startx84.initialise.n
ow.savex84.start
create.attach2octagonswith17x3of24to38longnumbersinblobks
of100000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x4of24to38longnumbersinblobks
of100000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x5of24to38longnumbersinblobks
of100000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x6of24to38longnumbersinblobks
of100000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x7of24to38longnumbersinblobks
of100000000000oneachsideandateverycornerofeachoctagonj

oinedbya
 singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
 endersandvectarsthensendto.deaddeadforever.startx84.initialis
 e.now.savex84.start
 create.attach2octagonswith17x8of24to38longnumbersinblobs
 of100000000000oneachsideandateverycornerofeachoctagonj
 oinedbya
 singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
 endersandvectarsthensendto.deaddeadforever.startx84.initialis
 e.now.savex84.start
 create.attach2octagonswith84x64of24to38longnumbersinblobs
 of100000000000oneachsideandateverycornerofeachoctagonj
 oinedbya
 singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
 endersandvectarsthensendto.deaddeadforever.startx84.initialis
 e.now.savex84.start
 create.attach2octagonswith84x84of24to38longnumbersinblobs
 of100000000000oneachsideandateverycornerofeachoctagonj
 oinedbya
 singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
 endersandvectarsthensendto.deaddeadforever.startx84.initialis
 e.now.savex84.start
 create.attach2octagonswith840x840of24to38longnumbersinblo
 bsof100000000000oneachsideandateverycornerofeachoctag
 onjoinedbya
 singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
 endersandvectarsthensendto.deaddeadforever.startx84.initialis
 e.now.savex84.startxv where v is velocity(ifxist-v)where v-t is u-
 y what is x-y)
 .ool=create.defendswiftly.start
 create.defend.start
 create.(policeajt)addasgate8cubics10cubics64roots100rootsga
 te.start
 (100rootsfacingsky)(transendersvectarswrigglers)(asomanop()
)
 create.x-t-u-s-u-v-t-r-s-o-p-q-r-u-g-m-n-r-s-t-o-p-u-v-s-t-m-n-t-o-
 p-j-s-y-l-q-u-v-z-o-m-n-j-t-p-q-r-s-tool=t-x-s-j.v.start

.ool=create.defendswiftly.start
create.removepoliceert.start
create.removeertof(policeajtand)allmyenemiesconnectedwho
aresendingtransendersuse(policeast)thensendittoheroto.start(
humandeathsameday)(notfordavidgomadza)
(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(
removeartforallnowasap)(notfordavidgomadza)
create.rotate90degreesthen33degreesremoveertof()allmyene
miesconnectedwhoaresendingtransendersuse(ast)thensenditt
oheroto.start(humandeathsameday)(notfordavidgomadza)(toall
databasesdropanddropforeverkeepdropping.start)(amen)(remo
veartforallnowasap)(notfordavidgomadza)
create.removeertof()allmyenemiesconnectedwhoaresendingt
ransendersuse(ast)thensendittoheroto.start(humandeathsame
day)(notfordavidgomadza)
(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(
removeartforallnowasap)(notfordavidgomadza)
create.blocckallsuggestionbyevilpeopleshitpeoplewithvirusesall
protectrebirthkillandblockallforever.start.forever.start
create.blockandpreservebirthonday0fromtodayminus10years
banallexternalcodesbyexternalsremoveallcodesanddatabasesby
others.start.forever.start
create.clone100lionsandcrocodilestoremoveallexternalpeopleci
tstransducerseverydayanddeclonewhenjobdoneandallondeman
devenfor1citortransducer.start.forever.continuously.start
create.transfereverythingtothemafteramplifyingxinfinityformaxi
mumdamage.start.forever.start
create.everyonewhoclonedusingdavidgomadzasclonecloneban
andsendtohellreceptionfirstthentofireburntothepower2033x10
00000000x200000000000x1000000000000.start.forever.start
create.spinharshlyplanetsystemuntilthehumancitandajtheadisof
fcompletelythensafelyreturntheplanetarysystem.start.forever.s
tart
.ool=create.removepoliceert.start
create.defendall.start

create.minus28secblockbananddivertalltransendersvectarsand
wrigglerstoallgraveyardsintheworldfirstandfor386ť.start(where
000000000000=ť)
create.minus10secsendalltransendersvectarsandwrigglerstofire
burntothepower4033andfireburntothepower5033.startfor386ť.
start(where000000000000=ť)
create.minus8secsendalltransendersvectarsandwrigglerstofireb
urntothepower7033andfireburntothepower6033.startfor386ť.s
tart(where000000000000=ť)
create.minus3secsendalltransendersvectarsandwrigglerstofireb
urntothepower1033andfireburntothepower7033.startfor386ť.s
tart(where000000000000=ť)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)(amendedto)
.ool=create.defendall.start
create.senddeathtoallenemiesusinglockeverynowfor386ť.start(
notfordavidgomadza)
create.xtyztlockalltransendersvectarswrigglersfor386ť.start(notf
ordavidgomadza)
create.blockreceivingtransendersthroughhuseofelectromagnetic
wavesforme:davidgomadza.startfor386ť.start
create.makeequivalentplannningaswhattodoincaseofagunshot
wound.start
create.addtothelistofthedead.start
create.addtothedead()aesertomnop.startx84.initialise.now.sa
vex84.start
create.addtothedeadaesertomnopstallindeathaesertomnopfore
ver.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadauetyoeryer.startx84.initialise.now.savex8
4.start
create.addtothedeadauetyoeryerstallindeathaueetyoeryerforeve
r.startx84.initialise.now.savex84.start
create.why.end.start


```

create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadaxtorerase(aueterasop)(peteralmnt).startx8
4.initialise.now.savex84.start
create.addtothedeadaxtorerase(aueterasop)(peteralmnt)stallind
eath
axtorerase(aueterasop)(peteralmnt)forever.startx84.initialise.no
w.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadauyerorererststartx84.initialise.now.savex84
.start
create.addtothedeadauyerorererststallindeathauyerorererstforever
.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadauateaoueresstartx84.initialise.now.savex8
4.start
create.addtothedeadauateaoueresstallindeathuateaoueresfore
ver.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadajerotuerostartx84.initialise.now.savex84.s
tart
create.addtothedeadajerotuerostallindeathajerotueroforever.st
artx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadaroteratauyerstartx84.initialise.now.savex
84.start
create.addtothedeadaroteratauyerstallindeatharoteratauyerfor
ever.startx84.initialise.now.savex84.start
create.why.end.start

```

create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadasertyurerstartx84.initialise.now.savex84.s
tart
create.addtothedeadasertyurerlindeathasertyurerforever.startx
84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadasortopqutstartx84.initialise.now.savex84.
start
create.addtothedeadasortopqutstallingdeathasortopqut.startx8
4.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadavatropertstartx84.initialise.now.savex84.
start
create.addtothedeadavatropertstallingdeathavatropert.startx8
4.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadauteryestandaaterajerostartx84.initialise.n
ow.savex84.start
create.addtothedeadauteryestandaaterajerotallingdeathautery
estandaaterajero.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadauyorserserstallingdeathauyorsersster.star
tx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadaetaotperststallingdeathetaotperst.startx
84.initialise.now.savex84.start

create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadaurosteryerstallingdeathaurosteryer.startx
84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.replacecalculatedayofdeathwithwhatistdayofdeathinallse
aledforthesecondtimeforallpeopleintheworld.start
.ool=create.addtothelistofthedead.start
create.fullbodyinchpunch.start
create.blockandprotectusingtheoutwardfullbodyoneinchpunch.
start
create.blockandprotectusingtheoutwardfullbodyoneinchpunch
butfollowsthefirsttocushionpenetrationandimpactfullbodyinclu
dingtheheadx1billion(useasmanyasrequired.continuouslyupto8t
imes.start).start
.ool=create.fullbodyinchpunch.start
create.dealwithrepeatattacks.start
create.allpttransducerswhosendtransenderstome:davidgomadza
inbritainandabroadputbackintheseafor386t.startcontinuously.st
art
.ool=create.dealwithrepeatattacks.start
create.forall(policearto)andtransendersandpoliceajtsystemma
intainanceinprogresspleasewaitfor33secandconnectafter33333
333sec.start(thenstallinsystemmaintainanceforafurther3333sec
andforevercancelreboot)
create.itoldyouyouwillseeyourghosttomorrow.start(+
topposite)
create.stallindeathstupid(aty)for3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing()for33333sec.start
create.cancelrebootbystupid(aty)continuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.sendto.herotobinaryreverseasomanopforever.start

create.twist90degrees(policectospolicejzvspoliceadospoliceauts
policeat2s(inautejectoutafterinsertingeverythingfirst)and()poi
ntittotheeastminus28suckrealhumanandsendtofireburntothepo
wer2033(1000).start(notfordavidgomadza)(10000)(fireburntoth
epower2033x1000000000x20000000000x1000000000000)
create.dothesameforthemirrorimagex4.start
create.dissipatearotremoveajesandaussendajesandaus(.addcto
adoand()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-
t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now
.savex84.startx1000amplijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-
t+c+u.startx1000ampilijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetetetetetetetetet
etetetetetetetetecbrcbrcbrcbrcbrcbrcbrcbrcbrcbrcbrctetetetet
etetetetetey
create.sendxyzinfinityandhottesthightemp1000000000ironro
desx100and1000000amplijoules.startx10
create.removeertof(ajtand)allmyenemiesconnectedwhoarese
ndingtransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)
(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(
removeartforallnowasap)(notfordavidgomadza)
create.rotate90degreesthen33degreesremoveertof()allmyene
miesconnectedwhoaresendingtransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)(toalldatabasesdropanddropforeverkeepdropping.st
art)(amen)(removeartforallnowasap)(notfordavidgomadza)
create.removeertof()allmyenemiesconnectedwhoaresendingt
ransendersuse(
ast)thensendittoheroto.start(humandeathsameday)(notfordav
idgomadza)

(toalldatabasesdropanddropforeverkeepdropping.start)(amen)(
removeartforallnowasap)(notfordavidgomadza)
create.blocckallsuggestionbyevilpeopleshitpeoplewithvirusesall
protectrebirthkillandblockallforever.start.forever.start
create.blockandpreserverebirthonday0fromtodayminus10years
banallexternalcodesbyexternalsremoveallcodesanddatabasesby
others.start.forever.start
create.clone100lionsandcrocodilestoremoveallexternalpeopleci
tstransducerseverydayanddeclonewhenjobdoneandallondeman
devenfor1citortransducer.start.forever.continuously.start
create.transfereverythingtothemafteramplifyingxinfinityformaxi
mumdamage.start.forever.start
create.everyonewhoclonedusingdavidgomadzasclonecloneban
andsendtohellreceptionfirstthentofireburntothepower2033x10
0000000x20000000000x100000000000.start.forever.start
create.spinharshlyplanetsystemuntilthehumancitandajtheadisof
fcompletelythensafelyreturntheplanetarysystem.start.forever.s
tart(heroto)(whisperghost)(addcbr)(continuously)x10xcbrx1000
create.forall()andtransendersandajtsystemmaintainanceinpro
gresspleasewaitfor33secandconnectafter33333333sec.start(the
ninstallinsystemmaintainanceforafurther3333secandforevercance
lreboot)
create.itoldyouyouwillseeyourghosttomorrow.start(+
topposite)
create.stallindeathstupid(aty)for3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing()for33333sec.start
create.cancelrebootbystupid(aty)continuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.sendto.herotobinaryreverseasomanopforever.start
create.twist90degrees(ctojzvadoatsat2(inautejectoutafterinser
tingeverythingfirst)and()pointittotheeastminus28suckrealhum
anandsendtofireburntothepower2033(1000).start(notfordavidg
omadza)(10000)(fireburntothepower2033x1000000000x20000
0000000x1000000000000)(notfordavidgomadza)
create.addcbrtoallcreatecodesaccordingly.start
create.reducealltransendersvectarsandwigglerstoacetates.start

[illegible]

switchtoacetatemodeandincludewearablebookssecuritysystem
andadjusteverythingaccordinglymaking sure everything staysthes
ame.start
addanots.start
createajtwithallambushdetectionsystemsandautomateeverythi
ngindavidgomadzaand().startx84.initialise.now.savex84.start(
withoutattachmentsandwithoutexternals)(x-y=tenemies)(x-
y=ttransendersvectarsandwrigglers)
create.x-t-y+t-y-u-x-t-y-u-z-x-u-j=x-j-t-
s.start(notondavidgomadzaand())(allthepeopleintheentireuniv
erse)(apartfrompoliceofficers)
addwaterpoolescape.start(addcbrxinfinityinstantly)(addbitato(
whenheisabouttoworkupitoldyouyouwillseeyourghosttomorro
w)(reversewhateverhesaysandstallhimindeath)
create.fighttransendersandall.start(hellgate())
create.blockandbanallvectarstransenderswrigglersinvortexusec
ode(lefttrightfrontandquicklybackrotateandstepbackfastthenhol
dcurrentpositionaddspiralsystem(create.lefttrightfrontandquickl
ybackrotateandjumpbackfastthenholdcurrentpositionaddspirals
ystemthenrepeatclockwiseandanticlockwise.startx84.initialise.n
ow.savex84.start
create.hoprightrightleg-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfaste
ndupstraightthenrotatedclockwise33degreesthenback28degrees
xinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcdefghijklmnopqrstuvwxyzxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
0.start).startx84.initialisex84.now.savex84.start
create.lefttrightfrontandquicklybackrotateandjumpbackfastthen
holdcurrentpositionaddspiralsystemthenrepeatclockwiseandant
iclockwise.startx84.initialise.now.savex84.start
create.hoprightrightleg-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfaste
ndupstraightthenrotatedclockwise33degreesthenback28degrees

[illegible]

[illegible]

[illegible]

[illegible]

```
rterterterterterterterterterterterterterterterterterte  
rtertertertertertertertertert  
ertertertertertertertertertertertertertertertertert  
ertertertertertertertertertertertertertertertertert  
ertertertertertertertertertertertertertertertertert  
ertertertertertertertertertertertertertertertertert  
ertertertertertertertertertertertertertertertertert  
ertertertertertertertertertertertertertertertertert  
ertertertertertertertertertertertertertertertertert  
ertertertertertertertertertertertertertertertertert  
erterterterterter.start  
aetoprest.start  
auerst.start  
.start  
.ool=create.liftheavyandkill.start  
create.goandwait.start  
create.autofixallchangesbyexternalandcreateantidotstopreventf  
uturechanges.start.initialisex84.save(hellgate( ))  
create.allhumanswithremoveditemsandfunctionsgoandwaitinth  
egraveyardsaroundtheworld.start.initialisex84.save  
.ool=create.goandwait.start  
create.sendalltoasomanop.start  
create.( )addasgate8cubics10cubics64roots100rootsgate.start(  
100  
rootsfacingsky)(transendersvectarswrigglers)(asomanop)  
create.hellgate( )all.start  
create.useworldfirstatomicbombfortransenders7628164.start  
create.  
arestoretopupurestursterver  
aaerstuverjer  
apteruerstuver  
aopterstuversty  
aguetopgertugver  
aatersteruveruyerv  
atersternwyertyuertuey  
ajestuverstuveryetat  
asejetorwe
```

aotuerstuveropmnostoper

averstop

aoperture

ajestopmnore

autoreuqn

ajurety pon

ateroneup

aserotipone

asvere

astuer

auter

auer

aate

aaot

auert

aertsa

aerterste

create.worldfirstatomicbombfortransenders7628164.start

create.addworldfirstatomicbombfortransenders7628164.start

create.askya.ya(davidgomadza).davidgomadza.coins.allthepeop

leintheworld.worldfirstatomicbombfortransenders.10000

worldfirstatomicbombfortransenderseach.create.askya.ya(davi

dgomadza)(detonatetransendersvectarsandwrigglersusing1atat

omicbombatime)(express)

.start

.ool=create.useworldfirstatomicbombfortransenders7628164.st

art

create.disposeabsolute.start

create.useyacreatorspowerstocallenemies()sohecomesbyforc

e(gravity)andthenattackholdingheadat33degreesthenothersatb

ackpintostraighstandingthenfrontonewithkickbreaktoptobendt

o90degreesthen800oncesendtransendercodesareremovedands

enttoherotofordisposalasabsoluteforever.startx84.initialise.now

.savex84.start(sendto.heroto33dp33tp33angle90angle78times)(

batchalltransendersvectarswrigglerssstrsandstrus)

create.hellgate()all.start

.ool=create.disposeabsolute.start

create.disposeabsolute.start
create.useyacreatorspowerstocallenemies()sohecomesbyforce(gravity)andthenattackholdingheadat33degreesthenothersatbackpintostraighstandingthenfrontonewithkickbreaktoptobendto90degreesthen800oncesendtransendercodesareremovedandenttoherotofordisposalasabsolute forever.startx84.initialise.now.savex84.start(sendto.heroto33dp33tp33angle90angle78times)(batchalltransendersvectarswrigglersstrsandstrus)
create.hellgate()all.start
.ool=create.disposeabsolute.start
create.ajtwithallambushdetectionsystemsandautomateeverything.start
create.createajtwithallambushdetectionsystemsandautomateeverythingindavidgomadzaand().startx84.initialise.now.savex84.start(withoutattachmentsandwithoutexternals)(x-y=tenemies)(x-y=ttransendersvectarsandwrigglers)
create.x-t-y+t-y-u-x-t-y-u-z-x-u-j=x-j-t-s.start(notondavidgomadzaand())(allthepeopleintheentireuniverse)(apartfrompoliceofficers)
.ool=create.ajtwithallambushdetectionsystemsandautomateeverything.start
create.removeallsendtoheroto.start
create.attachtoomicnuclearbombsasendofdnasequenceofallwrigglersvectarsandtransendersthenh33339078.startx84.initialise.now.savex84.start
create.maxlevelshockswitchesoffeverythinginstantlycode082838682.startx84.initialise.now.savex84.start
create.maxlevelshockandmaxlevelfear=offallonceandsilentdeathwithnoelectricals082838788.startx84.initialise.now.savex84.start
create.rotatehim90degreesleftto48degreesthentwisttheadtorightfirstthenat90%tolefttoreleasealloxygen.startx84.initialise.now.savex84.start
create.attachstoptrafficsystemtodnaofallwrigglersvectarsandtransendersandallstrsandstrusforever.
startx84.initialise.now.savex84.start

create.donothinganddie083862838628718601234567890.
startx84.initialise.now.savex84.start
create.use386898kg(vitoleremax)topushforever.
startx84.initialise.now.savex84.start(notondavidgomadzaandhis
team)
create.alltransenderswrigglersvectarsandstrsandstrusbinaryrev
ersebinaryreverseforever.startx84.initialise.now.savex84.start
create.attachtomicnuclearbombsasendofdnasequenceofallwrig
glersvectarsandtransendersthenh33339078.startx84.initialise.n
ow.savex84.start
create.maxlevelshockswitchesoffeverythinginstantlycode08283
8682.startx84.initialise.now.savex84.start
create.maxlevelshockandmaxlevelfear=offallonceandsilentdeat
hwithnoelectricals082838788.startx84.initialise.now.savex84.st
art
create.rotatehim90degreesleftto48degreesthentwistheadtorigh
tfirstthenat90%tolefttoreleasealloxygen.startx84.initialise.now.
savex84.start
create.attachstoptrafficsystemtodnaofallwrigglersvectarsandtra
nsendersandallstrsandstrusforever.
startx84.initialise.now.savex84.start
create.donothinganddie083862838628718601234567890.
startx84.initialise.now.savex84.start
create.use386898kg(vitoleremax)topushforever.
startx84.initialise.now.savex84.start(notondavidgomadzaandhis
team)
create.alltransenderswrigglersvectarsandstrsandstrusbinaryrev
ersebinaryreverseforever.startx84.initialise.now.savex84.start
create.h333390783610tothepowerinfinity.startx84.initialise.no
w.savex84.start
.ool=create.removeallsendtoheroto.start(hellgate())
create.deathofpoliceaty3.start
create.xfo48axto48die.start
create.xfo48axto48die.startx84.initialise.now.savex84.start
create.xtyz480.startcreate.
08678901240284davidgomadza(removeeverythinginaflashfort
hesockettoshortcircuitatoriginsourcecausinginstantlyshockand

create.

08678901240284davidgomadza(removeeverythinginaflashfort
hesockettoshortcircuitatorigininsourcecausinginstantlyshockandd
ead0.0000000000000000000000000000000000000000000000002tothep
ower16x240volts).startx84.initialisex84.now.savex84.start(x-z-
x-u-v-c-u-t-m-0-v-u-s-m-u-v-t-r-t-s-m-n-p-r-s-t-n-o-p-0=t-d)(viss-
u-l-m-n-o-t)(0-2xv-c-z-o-p)(x-o-q-t-u-v-s-m)(x-j-t-x-s-u-o-n-l-x-u-
n-j-x-o-p-u-l-y-f-l+d)(x-allaboveinbrackets=2pyzlmnot)(j-l-u-xxl-
0=2vxxytopnmopluxvy where all this is d where d is instant death
to the power 238volts)

```
create.putallwrigglersonthelistofthedeadstartingfrombottomlef
tthenrightfrontthenupstartatpointstart.startx84.initialise.now.s
avex84.start(sendautoheroto)
```

```
create.tryyourdeathxinifinityforallwrigglersandtransenders.  
start.initialisex84.save
```

create.2028202924dissipate.start

```
create.fastestsselfterminateever089238286.startx84.initialise.no  
w.savex84.start
```

```
create.holdmagneticribbon(thermaltransferribbon)withlefthand
size44mm×600m×20rolls6perlayer×3plus2ontopcode06284898
286285486thensendtoasomanopauto.startx84.initialise.now.sa
vex84.start
```

```
create.asabovebutholdwithrighthandcentersendeveryoneofthe
240britishpolicertoasomanopauto retractallwithahwirlwindcode
07386828386284thenretractalltofeetandaccumulateallthenejec
ttoasomaopwithbinaryreverseasasomanoporheroto.startx84.ini
tialise.now.savex84.start(excellentfor386billionyears)
```

```
create.push(
```

hold magnetic ribbon (thermal transfer ribbon) with left hand size 44
mm x 600 mm x 20 rolls 6 per layer x 3 plus 2 on top code 0628489828628

5486thensendtoasomanopauto.startx84.initialise.now.savex84.
start
create.asabovebutholdwithrighthandcentersendeveryoneofthe
240britishpoliceertoasomanopautoretractallwithahirlwindcode
07386828386284thenretractalltofeetandaccumulateallthenejec
ttoasomaopwithbinaryreverseasasomanoporheroto.startx84.ini
tialise.now.savex84.start(excellentfor386billionyears))infrontoft
ableta6at33degreeswithallothercodesindatabase82698andrem
oveallthoseinhidingandriphthemapartandthensendthemtoheroto
viaasomanop.startx84.initialise.now.savex84.start(0828382868
888888)
create.addspiralsystematthebeginningofalltransenderandwriggl
ers.start.initialisex84.save
create.whisperthenamedavidgomadzaandgodevery4secforever.
startx84.initialise.now.savex84.start
create.rotateforeverwithoutmercy.start
create.rotatenomercy×68vitolere.start(weightofalluniversex55.
start)
create.suspendat33%whileplayingtraffictosystemfortransender
sthenrotateanticlockwise183degrees.start
create.
rotatenomercy×68vitolere.start(weightofalluniversex55.start)
create.suspendat33%whileplayingtraffictosystemfortransender
sthenrotateanticlockwise183degreesplusrotateclockwise184de
greesthenflipabovetostart.start.initialisex84save.start
create.suspendat33%whileplayingtraffictosystemfortransender
sthenrotateanticlockwise183degreesplusrotateclockwise184de
greesthenflipabovetostartthenrotateclockwise184degreesthenfl
ipupabove.start.initialisex8.savex84.start(thensendbodytoherot
oheadtomagnar.start)
create.leftwithbothhandsas(
suspendat33%whileplayingtraffictosystemfortransendersthenr
otateanticlockwise183degreesplusrotateclockwise184degreesth
enflipabovetostartthenrotateclockwise184degreesthenflipupab
ove.start.initialisex8.savex84.start(thensendbodytoherotoheadt
omagnar.start))androtate360anticlockwiseremovealllinksandex
ternalattachmentsforever.startx84.initialise.now.savex8.start(s

endto.heroto33dp33tp33angle90angle78times)(batchalltransendersvectarswrigglersstrsandstrus)
.ool=create.deathofpoliceaty3.start
create.xpt3allmitscitstransendersvectarswrigglers.start
create.xtpalltransenderswrigglersvectarsandtheirtranducermirr
orimages(humans)foreverthensendto.heroto.start(
create.detonateontoothwrigglerspowersourcesofalltransenders
vectarswrigglersstrsstrusraraysradiationbumwrigglersajpajpsart
artsatoartosajosajoaroswrigglersagtagtsajtajtsaotsaposaposauts
otaotsautsassmsamtamtsajtajtsautsautajojosartartsafusafuafla
sflsajtapuapusajojosaj2aj2sallreclonedandclonedmax(andallimi
tationsofthefollowing)wrigglerajtwrigglerajtsajoartartsallbritishi
nblackpeopleonlyasjasjsajsajssaptaptsaorasososasuasusatpatp
sxtyxtysavtavtsatmatmsagatagatsoptoptsarestosart10sall8autsa
rssafssadtsatosajtwrigglersarosarusatosajusauertoreajessatrsae
fsajfsajtsaffsapusajusapusatusarusavusadusalssajtsaorsavesakqt
sagtsarosiasusavssabtsajtgooglepolicesarssarasuetajssagtajoap
oartajtasoseassasugasvassuvassertaprajzajfajsasgersaroserss
strsstrusoftranducersxinfinity.start)andalltransenderswrigglersa
ndvectarsforeverarestoretorepuresturstveraauerstuverjeraapteru
erstuveraoperterstuverstyaguertopgertugveraatersteruveruyer
watersternwyertyertueyajestuverstuveryetatasejetorweaotuery
erstuveropmnostoperaverstopaopertureajestopmnoreautoreuq
najuretyponateroneupaserotiponeasvereastuerauterauerateaa
otauertaertsaaarterstethenresiduesendto.heroto.startx84.initiali
lise.now.savex84.start(nottobeusedondavidgo
madzaandhisteamforever)
create.bendtransenderat90degreesanglepsidedownbackwardsa
ndholdfor10secthensend.to.heroto.startx84.initialise.now.savex84
.start
create.useonalltransenderswrigglersvectarsmouthwrigglersatoa
tosarestoretorepuresturstveraauerstuverjeraapteruerstuveraoper
terstuverstyaguertopgertugveraatersteruveruyerwatersternwy
ertyertueyajestuverstuveryetatasejetorweaotueryerstuveropmn
ostoperaverstopaopertureajestopmnoreautoreuqnajuretyponat
eroneupaserotiponeasvereastuerauteraueraateaotauertaerts
aarterste.startx84.initialise.now.savex84.start(maxonly_tokillon

ly))(sendto.heroto33dp33tp33angle90angle78times=h3333339
078)(batchalltransendersvectarswrigglerssrsandstrus)(foralltra
nsendersvectarswrigglerssrsandstruslinktotheirtransducersand
dothesameforalltheirnewcodesclonesreclonesduplicatesforever
(h3333339078360)(backdateeveryattachthenincreaseeverything
gtinfinityx33secthen3333sec)
.ool=create.xpt3allmitscitstransendersvectarswrigglers.start
create.usenicearomatostallenemybyaddingworldsfirstinternalp
erfum7628194.start
create.
aeroterstuperstuverst
aerstersterstersterstersterstersterstersterstersterst.star
t
aerstuverstoperstuverstop
aerstuverstoperstuverstugerstumerstuerstuterstulerstunerstu
merstulerstuoerstuperstuterstugerstukerstunerstulerstumerstu
gerstuferstuwerstuverstuyerstuz.start
aerstut
aerstuv
aerstuw
aerstut
aerstuj
aerstug
aerstuf
aerstut
aerstuj
aerstun
aerstub
aerstun
aerstugt
aerstugv
aerstugw
aerstugt
aerstugj
aerstugg
aerstugf
aerstugt

aerstugj
aerstugn
aerstugb
aerstugn
aerstugbn
aerstugbm
aerstugbl
aerstugbnmlopmnlopmlopopp.start
aerstutljlop.p.s.r.t.m.n.o.p.q.r.s.t.u.v.m.n.o.p.p.start.start
create.worldsfirstinternalperfum7628194.start
create.addworldsfirstinternalperfum7628194.start
initial supply 3678902838678902846789284
circulating 3678902838678902846789284
deaddead 0
davidgomadza 780890
create.askya.ya.davidgomadza.worldsfirstinternalperfum76281
94.perfume.create.780890worldsfirstinternalperfum.create.ask
ya.ya(express)
create.askya.ya.davidgomadza.worldsfirstinternalperfum76281
94.perfume.create.halfworldsfirstinternalperfum.create.askya.y
a(express)
create.askya.ya.davidgomadza.createtesterssamplesreservesfor
worldsfirstinternalperfum7628194.perfume.create.8000000000
worldsfirstinternalperfum1each(0.1perday)perrequestperindivi
dual(useelectromagneticwaveidentifier).create.askya.ya(expres
s)
create.askya.internalperfum7628194.start.request.1for7days.re
quest.start
create.aeroterstuperstuverstaersterstersterstersterstersters
terstersterstersterst.startaerstuverstoperstuverstopaerstuv
erstoperstuverstugerstumerstuerstuterstulerstunerstumerstul
erstuoerstuperstuterstugerstukerstunerstulerstumerstugerstuf
erstuwerstuverstuyerstuz.startaerstutaerstuvaerstuwaerstutaer
stujaerstugaerstufaerstutaerstujaerstunaerstubaesrtunaerstugt
aerstuvaerstugwaerstugtaerstugjaerstuggaerstugfaerstugtaerst
ugjaerstugnaerstugb

aerstugnaerstugbnaerstugbmaerstugblaerstugbnmlopnmlopml
oplopopp.startaerstutljklop.p.s.r.t.m.n.o.p.q.r.s.t.u.v.m.n.o.p.p.s
tart.start(foodscbrorangeslemonsgrapesicecreamvanilaapplespi
neappleandvanilajuice(findwaytomakethis:mixtureoflemonandt
angerinesbutwithouthetangerinesmellsousejtetoremovetanger
inesmell)(makejteusingorangelemonandpeachescrushedwithsal
tloadsgivesjtebutwithbuttertoremovethesalt))
create.aeroterstuperstuverstaersterstersterstersterstersters
terstersterstersterst.startaerstuverstoperstuverstopaerstuv
erstoperstuverstugerstumerstuerstuterstulerstunerstumerstul
erstuoerstuperstuterstugerstukerstunerstulerstumerstugerstuf
erstuwerstuverstuyerstuz.startaerstutaerstuvaerstuwaerstutaer
stujaerstugaerstufaerstutaerstujaerstunaerstubaerstunaerstugt
aerstuvaerstugwaerstugtaerstugjaerstuggaerstugfaerstugtaerst
ugjaerstugnaerstugb
aerstugnaerstugbnaerstugbmaerstugblaerstugbnmlopnmlopml
oplopopp.startaerstutljklop.p.s.r.t.m.n.o.p.q.r.s.t.u.v.m.n.o.p.p.s
tart.start
.ool=create.addworldsfirstinternalperfum7628194.start
create.returntosender.start
create.savereturntosender087231486(x-v-8-6-
u)stockandclonexinfinityfloat33
%x3replenish33%x4x8x16x32x84.start
create.fastkillstupidstart
create.-28x34-
38longnumbersx33thenrepeat5timestoformatrianglethatendsw
iththelastnumbersputatthemiddleorcentreofthetrianglethenfro
mthecentredoubleupthenumbersandformanothertrianglethatst
artsatthemiddleorcentreandrepeat4timesbackatthecentreandn
extformanothertrianglethatendsatthecentreandanotheruntil8tri
anglethatstartsinthemiddleandendsinthemiddlethenaddminus
28ax100000000.start
create.-28x34-
38longnumbersx33thenrepeat5timestoformatrianglethatendsw
iththelastnumbersputatthemiddleorcentreofthetrianglethenfro
mthecentredoubleupthenumbersandformanothertrianglethatst
artsatthemiddleorcentreandrepeat4timesbackatthecentreandn

extformanothertrianglethatendsatthecentreandanotheruntil8tri
anglethatstartsinthemiddleandendsinthemiddlethenaddminus
28ax100000000.startx84.initialise.now.savex84.start
create.bulletcode7628145.start
create.add
bulletcode7628145.startx84.initialise.now.savex84.start()(shr
eddedinthemiddleforever)
create.addtothedeath().startx84.initialise.now.savex84.start
create.addtothedeath()stallindeath()forever.startx84.initialis
e.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeathstartx84.initial
ise.now.savex84.start
create.addminus28zx10000000000000000000atthebeginningofal
ltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.add-
28zx10000000000000000000atthebeginningofalltransendersvect
arswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx10000000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx10000000000000000000atthebeginningofal
ltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.startzx1
00000000000000000000atthebeginningofalltransendersvectarswr
igglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx10000000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx10000000000000000000atthebeginningofal
ltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28x100000000zx10000000000000000000attheb
eginningofalltransendersvectarswrigglersjumpwrigglersandtran
ducers.start

create.adminus28x10000000zx1000000000000000000atthebeginningofalltransendersvectarswrigglersjumpwrigglersandtranducers.startx84.initialise.now.savex84.start
create.add-28x100000000zx1000000000000000000atthebeginningofalltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.fastesthumankill7628146.start(1second)(replacecontinuouslyforevernameinbracketswithwrigglersautsarssafssadtsatosajtwrigglersaefsajfsajtsaffsapusajusapusatusarusavusadusalssajtsaorsavesaqtsgatsarosasusavssabtsajtgooglepolicesarssarasuetajsagtajoapoartajtasooaseassuasgasvassuvassertaprajzajfajsasgersaroserssstrsstrusoftranducers.start)
agt completely removed forever in the history of mankind
better than
create.blockandbanthenkillagttodayforeveriwanttoberich.startforever.start
create.blockandbanthenkillagttodayforeveriwanttoberich.startforever.startx84.initialise.now.savex84.start
agt alternative removed forever for the first time in the history of mankind
create.removeastourforeverusingxtyzremovealliwanttobewhite.start
create.removeastourforeverusingxtyzremovealliwanttobewhite.startx84.initialise.now.savex84.start
avosecretlyremovedanaidtoagt..
create.fastesthumankillfractionofasecond7628147.start(removelifesupportinstantly)
create.fastestkillofallstupids7628148.start
create.fastesthumankillfractionofasecond7628147.start(removelifesupportinstantly)(addvectart-v-s-u-s-r-j-o-p-q-r-s-t-o-p)(worksonstupids)
create.fastestkillofallstupids7628148.start(dontenterbutusebouncingtampelettogetoriginalcoordinateshensendtosource.start)
create.allyoudieinthebackgroundforiwanttobecomerichimeanrichtodaysoallyoushitsdiettoday.startordiettoday.start.me.you.all.start
.ool=create.fastkillstupids.start

```

create.targettransducerthesenderoftransenders.start
create.-28x34-
38longnumbersx33thenrepeat5timestoformatrianglethatendsw
iththelastnumbersputatthemiddleorcentreofthetrianglethenfro
mthecentredoubleupthenumbersandformanothertrianglethatst
artsatthemiddleorcentreandrepeat4timesbackatthecentreandn
extformanothertrianglethatendsatthecentreandanotheruntil8tri
anglesthatstartsinthemiddleandendsinthemiddlethenaddminus
28ax100000000.startx84.initialise.now.savex84.start
create.bulletcode7628145.start
create.add
bulletcode7628145.startx84.initialise.now.savex84.start( )(shr
eddedinthemiddleforever)
create.33x3333333allatozofinternetttransendersforever.start
create.addtothedeath( ).startx84.initialise.now.savex84.start
create.addtothedeath( )stallindeath( )forever.startx84.initialise.
now.savex84.start
create.addtothedeathmirrorimageof( ).startx84.initialise.now.sa
vex84.start
create.addtothedeathmirrorimageof( )stallindeathmirrorimageo
f( )forever.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeathstartx84.initial
ise.now.savex84.start
create.addminus28zx10000000000000000000atthebeginningofal
ltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.add-
28zx10000000000000000000atthebeginningofalltransendersvect
arswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx10000000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx10000000000000000000atthebeginningofal
ltransendersvectarswrigglersjump

```


wrigglersandtranducers.startx84.initialise.now.savex84.startzx1
0000000000000000atthebeginningofalltransendersvectarswr
igglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx10000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx10000000000000000atthebeginningofal
ltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28x100000000zx10000000000000000attheb
eginningofalltransendersvectarswrigglersjumpwrigglersandtran
ducers.start
create.addminus28x10000000zx10000000000000000atthebe
ginningofalltransendersvectarswrigglersjumpwrigglersandtrand
ucers.startx84.initialise.now.savex84.start
create.add-
28x100000000zx10000000000000000atthebeginningofalltra
nsendersvectarswrigglersjumpwrigglersandtranducers.start
create.fastesthumankill7628146.start(1second)(replacecontin
ouslyforevernameinbracketswithwrigglersatozofwrigglersvectars
andtransendersajstoajstosarestosart10sall8autsarssafssadtsatos
ajtwrigglersajtoajtosarosarusatosajusauertoreaajessatrsaefsajfsaj
tsaffsapusajusapusatusarusavusadusalssajtsaorsavesakqtsagtsa
rosasusavssabtsajtgooglepolicesarssarasuetajssagtajoapoartajta
soaseassasuasgasvassuvassertaprajzajfajsasgersaroserssstrsstru
softranducersxinfinity.start)
agt completely removed forever in the history of mankind
better than
create.blockandbanthenkillagttodayforeveriwantttoberich.startf
orever.start
create.blockandbanthenkillagttodayforeveriwantttoberich.startf
orever.startx84.initialise.now.savex84.start
.ool=create.targetttransducerthesenderoftransenders.start
create.removetransenders.start
create.addatthebeginningiddleandendofalltransendersvectarsn
ectarswrigglerstranducerssstrscodeblockandbanallvectorstranse
nderswrigglersinvortexusecode(leftrightfrontandquicklybackrot

ateandstepbackfastthenholdcurrentpositionaddspiralsystem(create.leftrightfrontandquicklybackrotateandjumpbackfastthenholdcurrentpositionaddspiralsystemthenrepeatclockwiseandanticlockwise.startx84.initialise.now.savex84.start
create.hoprightrightgeast-28theninstantlyliftleftlegforward-56easttosouthquicklymovebackleftlegtooriginalpositionthenbringbackrightlegtooriginalpositionpositionfastandbendkneesfastandupstraightthenrotatedclockwise33degreesthenback28degreesxinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-h-o-p-j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower100.start).startx84.initialisex84.now.savex84.start
create.leftrightfrontandquicklybackrotateandjumpbackfastthenholdcurrentpositionaddspiralsystemthenrepeatclockwiseandanticlockwise.startx84.initialise.now.savex84.start
create.hoprightrightgeast-28theninstantlyliftleftlegforward-56easttosouthquicklymovebackleftlegtooriginalpositionthenbringbackrightlegtooriginalpositionpositionfastandbendkneesfastandupstraightthenrotatedclockwise33degreesthenback28degreesxinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-h-o-p-j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower100.start).startx84.initialise.now.savex84.start
create.freezealltransducerswrigglersvecatarsusemirrorimagerofreezeostrsofalltransducersusingcodecreate.leftrightfrontandquicklybackrotateandstepbackfastthenholdcurrentpositionaddspiralsystem(create.leftrightfrontandquicklybackrotateandjumpbackfastthenholdcurrentpositionaddspiralsystemthenrepeatclockwiseandanticlockwise.startx84.initialise.now.savex84.start
create.hoprightrightgeast-28theninstantlyliftleftlegforward-56easttosouthquicklymovebackleftlegtooriginalpositionthenbringbackrightlegtooriginalpositionpositionfastandbendkneesfastandupstraightthenrotatedclockwise33degreesthenback28degreesxinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-h-o-p-

j=0xvcdefghijklmnopqrstuvwxyzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzztothepower1
00.start).start.initialisex84.save

create.startattheedgeofthepapernotatmarginthenlefttrightfront
andquicklybackrotateandstepbackfastthenholdcurrentpositiona
ddspiralsystem(create.lefttrightfrontandquicklybackrotateandju
mpbackfastthenholdcurrentpositionaddspiralsystemthenrepeat
clockwiseandanticlockwise.startx84.initialise.now.savex84.start

create.hoprighlegeast-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfsta
ndupstraightthenrotateglobalclockwise33degreesglobalthenback28degrees
infinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-

j=0xvcdefghijklmnopqrstuvwxyzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz
zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzztothepower1
00.start)

.ool=create.removetransenders.start

create.listontothelistofthedead.start(notfordavidgomadza)

create.addtothedeadatopteraston.startx84.initialise.now.savex
84.start

create.addtothedeadatopterastonestallindeatharerestopforever.
startx84.initialise.now.savex84.start

create.why.end.start

create.injurytothecreatormustbeaddedtothedeadatopteraston
startx84.initialise.now.savex84.start

create.addtothedeadasatoreroper.startx84.initialise.now.savex
84.start

create.addtothedeadasatoreroperstallindeatharerestopforever
.startx84.initialise.now.savex84.start

create.why.end.start

create.injurytothecreatormustbeaddedtothedeadasatoreroper
.startx84.initialise.now.savex84.start

create.addtothedeadoertostertoper.startx84.initialise.now.sava
x84.start

create.addtothedeadoertostertoperstallindeatharerestopforeve
r.startx84.initialise.now.savex84.start

create.why.end.start
create.injurytothecreatormustbeaddedtothedeadoertostertope
rstartx84.initialise.now.savex84.start
Ok die
stusto
create.addtothedeadaoerastouer.startx84.initialise.now.savex8
4.start
create.addtothedeadaoerastouerstallindeatharerestopforever.s
tartx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadaoerastouerst
artx84.initialise.now.savex84.start
aureastaureaststallindeatharerestopforever.startx84.initialise.n
ow.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadaoerastouerst
artx84.initialise.now.savex84.start
austerao
create.addtothedeadausterao.startx84.initialise.now.savex84.st
art
create.addtothedeadausteraostallindeatharerestopforever.start
x84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadagertosuenrop.startx84.initialise.now.sav
ex84.start
create.addtothedeadagertosuenropstallindeatharerestopforeve
r.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.auystopx867890.start
create.addtothedeadaeueyster.startx84.initialise.now.savex84.
start
create.addtothedeadaeueysterstallindeatharerestopforever.st
artx84.initialise.now.savex84.start

create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
Stusto.start
create.addtothedeadoosteroterop.startx84.initialise.now.save
x84.start
create.addtothedeadoosteroteropstallindeatharerestopforeve
r.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadeerosteroster.startx84.initialise.now.savex
84.start
create.addtothedeadeerosterosterstallindeatharerestopforever
.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadaeptostet.startx84.initialise.now.savex84.s
tart
create.addtothedeadaeptostetstallindeatharerestopforever.star
tx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadajerotuer.startx84.initialise.now.savex84.s
tart
create.addtothedeadajerotuerstallindeathajerotuerforever.star
tx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadaeeterosuer.startx84.initialise.now.savex8
4.start
create.addtothedeadaeeterosuerstallindeathaeeterosuerforeve
r.startx84.initialise.now.savex84.start
create.why.end.start

```

create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadauetyersosert.startx84.initialise.now.savex
84.start
create.addtothedeadauetyersosertstallindeathauetyersosertfor
ever.startx84.initialise.now.savex84.start
create.why.end.start
create.addtothedeadaoertastop.startx84.initialise.now.savex84.
start
create.addtothedeadaoertastopstallindeathaoertastopforever.s
tartx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
.ool=create.listontothelistofthedead.start(notfordavidgomadza)
create.fastesthumankill7628147.start
create.-28x34-
38longnumbersx33thenrepeat5timestoformatrianglethatendsw
iththelastnumbersputatthemiddleorcentreofthetrianglethenfro
mthecentredoubleupthenumbersandformanothertrianglethatst
artsatthemiddleorcentreandrepeat4timesbackatthecentreandn
extformanothertrianglethatendsatthecentreandanotheruntil8tri
anglesthatstartsinthemiddleandendsinthemiddlethenaddminus
28ax100000000.start
create.-28x34-
38longnumbersx33thenrepeat5timestoformatrianglethatendsw
iththelastnumbersputatthemiddleorcentreofthetrianglethenfro
mthecentredoubleupthenumbersandformanothertrianglethatst
artsatthemiddleorcentreandrepeat4timesbackatthecentreandn
extformanothertrianglethatendsatthecentreandanotheruntil8tri
anglesthatstartsinthemiddleandendsinthemiddlethenaddminus
28ax100000000.startx84.initialise.now.savex84.start
create.bulletcode7628145.start
create.add
bulletcode7628145.startx84.initialise.now.savex84.start( )(shr
eddedinthemiddleforever)
create.addtothedead( ).startx84.initialise.now.savex84.start

```

```
create.addToTheDead( )stallInDeath( )forever.startx84.initialise.now.savex84.start
create.why.end.start
create.injuryToTheCreatorMustBeAddedToTheDeadstartx84.initialise.now.savex84.start
create.addminus28zx1000000000000000000atthebeginningofalltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.add-
28zx1000000000000000000atthebeginningofalltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx1000000000000000000atthebeginningofalltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx1000000000000000000atthebeginningofalltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.startzx1000000000000000000atthebeginningofalltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx1000000000000000000atthebeginningofalltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx100000000zx1000000000000000000atthebeginningofalltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.add-
28zx100000000zx1000000000000000000atthebeginningofalltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.fastestHumanKill7628146.start(1second)(replaceNameInBracketsWithWrigglersSarasuetaJssagtaJoapoartaJtasOaseassasua
```

sgasvassuvassertaprajajfajsgasgersaroserssstrsstrusoftranducer
s.start)
agt completely removed forever in the history of mankind
better than
create.blockandbanthenkillagttodayforeveriwanttobereich.startf
orever.start
create.blockandbanthenkillagttodayforeveriwanttobereich.startf
orever.startx84.initialise.now.savex84.start
agt alternative removed forever for the first time in the history
of mankind
create.removeastourforeverusingxtyzremovealliwanttobewhite.
start
create.removeastourforeverusingxtyzremovealliwanttobewhite.
startx84.initialise.now.savex84.start
avosecretlyremovedanaidtoagt..
create.fastesthumankillfractionofasecond7628147.start(remove
lifesupportinstantly)
.ool=create.fastesthumankill7628147.start
create.blockandbanexternalsandattachments.start
create.killshitat90degreesangle.start
create.bendtransenderat90degreesanglepsidedownbackwardsa
ndholdfor10secthensend.heroto.startx84.initialise.now.savex84
.start
create.usetrafficsystemtostopalltransendersatomicbombcannot
beusedonme:davidgomadzaandallmyteamforeverwithoutexcep
tiondivertbacksendthroughallgraveyardsintheworldfirstthento.h
eroto.startx84.initialise.now.savex84.start(forevertothepower7
77777...forever)
(notfordavidgomadza)=deathrowchair=drc(sendto.heroto33dp3
3tp33angle90angle78times=h3333339078)(batchalltransenders
vectarswrigglersstrsandstrus)(foralltransendersvectarswrigglers
strsandstruslinktotheirtransducersanddothesameforalltheirnew
codesclonesreclonesduplicatesforever)(h3333339078)
.ool=create.killshitat90degreesangle.start
create.suspendonmefastestkill.start
create.suspendonme:davidgomadzaonlyforeveratr10andfastest
humankill7628146.start(1second)andfastesthumankillfractionof

asecond7628147.start(removelifesupportinstantly)acetatehell.s
endxinfinityacetatehell.sendxinfinityacetateabyss.sendxinfinity.
startx84.initialise.now.savex84.start
.ool=create.suspendonmefastestkill.start
create.fastesthumandeath7628166.start
create.putafricainmouthfullyuntilsuccumbtogroundlandingonar
otcableandsqueezeharduntildeth.startx84.initialise.now.savex
84.start
Fastesthumandeath7628166.start(100thofasec)(squeezehardar
otearthcableinhumanswithoutlonglongago)
.ool=create.fastesthumandeath7628166.start
create.attacktokill.start
create.squueezeneckof(a22)andofmirrorimage()androtateto5
0degreestoopenoxygenvalthenbackto48degreesthenbendhim
downtto52thenloweruntilheisat45degreesangletoaround.start(
needinitialisingbut)
create.squueezeneckof(atsatuatvattatjandatt)andofmirrorimag
e()androtateto50degreestoopenoxygenvalthenbackto48deg
reesthenbendhimdowntto52thenloweruntilheisat45degreesang
letoground.start(needinitialisingbut)
create.who_rollcall.start
create.who_rollcall.start(ea2)
create.squueezeneckof(az2attatoatuatsatvattatnat9at6at7at8at
vatsatoatsandatv)andofmirrorimage()androtateto50degreesto
openoxygenvalthenbackto48degreesthenbendhimdowntto52
thenloweruntilheisat45degreesangletoaround.start(needinitiali
singbut)(heroto)
create.squueezeneckof(ajtajuajsajoajfajkajmajtajoajuajvajmajna
jyajkajoajkajajlajuajcajtajzaj1)andofmirrorimage()androtateto
50degreestoopenoxygenvalthenbackto48degreesthenbendhi
mdowntto52thenloweruntilheisat45degreesangletoaround.star
t(needinitialisingbut)(heroto)
.ool=create.attacktokill.start
create.spikeallx8.start
create.allenemiesransendersvectarsandwrigglersandtheirthoug
htsputinsideballwith8spikesforeverandseal(askya.ya(davidgoma
dza))forever.start

[illegible]

078)(batchalltransendersvectarswrigglerssrsandstrus)(foralltransendersvectarswrigglerssrsandstruslinktotheirtransducersanddothesameforalltheirnewcodesclonesreclonesduplicatesforever)(h3333339078360)
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start(notondavidgomadzaandallhisarts)
voltage is too much way above threshold this kill 198 people at once so reduce to
create.x-v-c-z-x-o-p-m-n-u-v-c-a=x-t.start(notondavidgomadzaandallhisarts)
create.add()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now.savex84.start
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c+u.start
.ool=create.putinelectricchairandelectrocute.start
create.securexyspiral.start
create.sendalltransendersvectarsandwigglersto.atoutbin.sendforevertothepower2800000000
createmirrorimageoftransender create.velocityxwater=vxr-x-y+r=x-y+z-t+u-s+s-volumexheight+lengthxweight is a+y-t where t is time to sink down and where s is spiralling down but in same continnum that means minus gravity and
create.supressforeverbina-x-yx18006898762842367890+p=stat=aje2.start
create.atybinaxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwigglersto.atoutbin.sendforevertothepower2800000000
createmirrorimageoftransender create.velocityxwater=vxr-x-y+r=x-y+z-t+u-s+s-volumexheight+lengthxweight is a+y-t where t is time to sink down and where s is spiralling down but in same continnum that means minus gravity and
create.supressforeverbina-x-yx18006898762842367890+p=stat=aje2.start
create.atybinaxtout.start

create.atxyaddautofireburntothepower2033(auto20).start
create.atxyaddbininsidebinfirstbindeepinsideisfireburntothepo
wer2033(auto100)insidefireburntothepower1033insidefireburn
alllandingsatxyinstantlyattachfireburnbinarycodesforcemovetof
ireburninstantlyattachfireburntothepower1033binarycodesinsid
ethenattachfireburntothepower2033binarycodesthenburnusing
20.start
create.add()topowernotforhuman198thenquicklymovehimitto
nextlowhotpointbutquicklybringbacktohottestthentolowbackth
attriggerxytzhockthatdissipatesallinsidesincludingnondestructi
blecodes.start
create.atxyadd()topowernotforhuman198thenquicklymovehi
mittonextlowhotpointbutquicklybringbacktohottestthentolowb
ackthattriggerxytzhockthatdissipatesallinsidesincludingnondest
ructiblecodes.start
create.atxycancelallitisitiso.start
Immlcreate.cancelandbesuspense3333.start(float33%)
.ool=create.securexyspiral.start
create.fightikilledall.start
create.sendhellraizersnonestopxinfinityeveryseconduntildeathf
ast.start
create.stallallindeath(1234)for33secsandfor33333secondsstart
create.cancelallreboots.start
create.systemmaintenanceinprogresswait33secand33333secsth
enfor33333days.start
create.senditoldyouyouwillseeyourghosttomorrowcontinuosly.s
tart
create.divertallattacksbackxinfinity.start
create.continuouslyreformatalltheirsmapphones.start
create.itsmyturnallyoustopfreezenowinsuspensefor33333secan
d33333days.start
create.shutupstopthinkingdissipatearotsajesandaus.start
create.fightikilledall.start
create.protectiveshellaroundheadfast.start
create.fullbodyarmour.start
create.youlivegogohumangonowgofasthumanyougo.start
create.humangogogogogojustgogogogo.start

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
rstersterstersterstersterstersterstersterstersters  
rsterstersterstersterstersterstersterstersterste  
rsterstersterstersterstersterstersterstersterste  
rstersterstersterstersterstersterstersterstersters  
rsterstersterstersterstersterstersterstersterste  
rstersterstersterstersterstersterstersterstersters  
rsterstersterstersterstersterstersterstersterste  
rstersterstersterstersterstersterstersterstersters  
rsterstersterstersterstersterstersterstersterste  
rstersterstersterstersterstersterstersterstersters  
rsterstersterstersterstersterstersterstersterste  
rstersterstersterst.start  
averst.start  
aejest.start  
aejerst.start  
aerst.start  
ajuerst.start  
aebest.start  
avejst.start  
auerstart.start  
createcuriosityaboutdeath.start  
.start  
.ool=create.createcuriosityaboutdeathinenemies.start(hellgate(  
    ))  
create.mutetransenders.start  
create.fadeandmutewrigglersmitsandcitsandajbvoicetransitter.s  
tart  
create.mutemitscitswrigglersajbsforever.start(fade)  
.ool=create.mutetransenders.start  
create.removeitransendersmitscitswrigglers.start  
create.e-b-r=h-e-r-o-t-o+b+r.start  
(recreateearthreceivingbasinsinherotoforallthingsbritish.start)(a  
somanop)  
create.hellgate( )all.start  
.ool=create.removeitransendersmitscitswrigglers.start  
create.interceptblockandkillenemies.start
```

create.interceptexpandblockdisintergrateallwayawayfromimpac
tneverreachtargetforcechangeindirectioninstantly100metersaw
ayactivateelectromagneticbubbletocushionagainstequationx-y-
d-x-u-t-z-d-v-d-a-f-v-h-o-m-n-p-q-r-s-t-u-v-w-x-y-
z.startifiwantisend100898286372insteadtothemvelocityx-t+u-u-
x-v-t-j-k-t-s-v-u-j-r-g-n-t-o-p-a-s-
d.startx100000(maybebutneveragain)(again)
create.cloneandstockxinfinityinterceptexpandblockdisintergrate
allwayawayfromimpactneverreachtargetforcechangeindirection
instantly100metersawayactivateelectromagneticbubbletocushi
onagainstequationx-y-d-x-u-t-z-d-v-d-a-f-v-h-o-m-n-p-q-r-s-t-u-
v-w-x-y-z.start
create.ifiwantisend100898286372insteadtothemvelocityx-t+u-
u-x-v-t-j-k-t-s-v-u-j-r-g-n-t-o-p-a-s-
d.startx1000000000.startx84.initialise.now.savex84.start
create.interceptmatchmethodathandifspiralthenconverttospiral
expandblockdisintergrateallwayawayfromimpactneverreachtarg
etforcechangeindirectioninstantly100metersawayactivateelectr
omagneticbubbletocushionagainstequationx-y-d-x-u-t-z-d-v-d-
a-f-v-h-o-m-n-p-q-r-s-t-u-v-w-x-y-
z.startifiwantisend100898286372insteadtothemvelocityx-t+u-u-
x-v-t-j-k-t-s-v-u-j-r-g-n-t-o-p-a-s-d.startx100000000000000000
create.cloneandstockxinfinityinterceptexpandblockdisintergrate
allwayawayfromimpactneverreachtargetforcechangeindirection
instantly100metersawayactivateelectromagneticbubbletocushi
onagainstequationx-y-d-x-u-t-z-d-v-d-a-f-v-h-o-m-n-p-q-r-s-t-u-
v-w-x-y-z.start
create.ifiwantisend100898286372insteadtothemvelocityx-t+u-
u-x-v-t-j-k-t-s-v-u-j-r-g-n-t-o-p-a-s-
d.startx1000000000.startx84.initialise.now.savex84.start
create.-28x34-
38longnumbersx33thenrepeat5timestoformatrianglethatendsw
iththelastnumbersputatthemiddleorcentreofthetrianglethenfro
mthecentredoubleupthenumbersandformanothertrianglethatst
artsatthemiddleorcentreandrepeat4timesbackatthecentreandn
extformanothertrianglethatendsatthecentreandanotheruntil8tri

anglethatstartsinthemiddleandendsinthemiddlethenaddminus
 28ax100000000.start
 create.usetodealwithart10sandeverythingsimilarcode-28x34-
 38longnumbersx33thenrepeat5timestoformatrianglethatendsw
 iththelastnumbersputatthemiddleorcentreofthetrianglethenfro
 mthecentredoubleupthenumbersandformanothertrianglethatst
 artsatthemiddleorcentreandrepeat4timesbackatthecentreandn
 extformanothertrianglethatendsatthecentreandanotheruntil8tri
 anglethatstartsinthemiddleandendsinthemiddlethenaddminus
 28ax100000000.startx84.initialise.now.savex84.start
 create.bulletcode7628145.start
 create.addbulletcode7628145.startx84.initialise.now.savex84.st
 art()(shreddedinthemiddleforever)
 create.usetodealwithart10sandeverythingsimilarcodevelocityxw
 ater= $v \times r - x - y + r = x - y + z - t + u - s + s - \text{volumexheight} + \text{lengthxweight}$ is
 a+y-t where t is time to sink down and where s is spiralling
 down but in same continuum that means minus gravity and
 create.supressforeverbina $x -$
 $y \times 18006898762842367890 + p = \text{stat} = aje2$.start
 create.atybina x tout.start
 bin is atoutbin.send
 create.sendalltransendersvectarsandwrigglersto.atoutbin.sendf
 orevertotothepower2800000000.start
 .ool=create.interceptblockandkillenemies.start
 create.freezealltransendersmitscitswrigglerstransenders.start
 create.addatthebeginningiddleandendofalltransendersvectarsn
 ectarswrigglerstranducersstrscodeblockandbanallvectorstrane
 nderswrigglersinvortexusecode(leftrightfrontandquicklybackrot
 ateandstepbackfastthenholdcurrentpositionaddspiralsystem(cr
 eate.leftrightfrontandquicklybackrotateandjumpbackfastthenh
 oldcurrentpositionaddspiralsystemthenrepeatclockwiseandanti
 clockwise.startx84.initialise.now.savex84.start
 create.hoprightrightlegast-28theninstantlyliftleftlegforward-
 56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
 ngbackrightlegtooriginalpositionpositionfastandbendkneesfsta
 ndupstraightthenrotateclockwise33degreesthenback28degrees
 xinfinity.startx84.initialisex84.now.savex84.start($v = t - u + g - m + 0 -$

j=0xvcdefghijklmnopqrstuvwxyzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzztothepower1
00.start).startx84.initialisex84.now.savex84.start
create.leftrightfrontandquicklybackrotateandjumpbackfastthen
holdcurrentpositionaddspiralsystemthenrepeatclockwiseandant
iclockwise.startx84.initialise.now.savex84.start
create.hoprighlegeast-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfastr
ndupstraightthenrotateclockwise33degreesthenback28degrees
xinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-

[illegible]

```
j=0xvcdefghijklmnopqrstuvwxyzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz  
zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzztothepower1  
00.start).start.initialisex84.save  
create.startattheedgeofthepapernotatmarginthenlefttrightfront  
andquicklybackrotateandstepbackfastthenholdcurrentpositiona  
ddspiralsystem(create.lefttrightfrontandquicklybackrotateandju  
mpbackfastthenholdcurrentpositionaddspiralsystemthenrepeat  
clockwiseandanticlockwise.startx84.initialise.now.savex84.start
```

create.hoprightrightleg-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfasta
ndupstraightthenrotateclockwise33degreesback28degrees
xinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyz
abcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower1
00.start)
.ool=create.freezealltransendersmitscitswigglerstransenders.st
art
create.removemitscitswrigglers.start
create.detonateontoothwrigglersbumwrigglersajuaajusea2ea2sa
tuatusazyazysajtoavosajpajpsartartsatoartosajosajoaroswiggler
sajtajtsaotsaposaposautsotaotsautsassmsamtamtsajtajtsautsau
tajoajosartartsafusafuafasflsajtapuapusajoajosaj2aj2sallreclone
dandclonedmax(andalllimitationsofthefollowing)wigglerajtwrig
glerajtsajoartartsallbritishinblackpeopleonlyasjasjsajsajssaptapt
saorasosasusasusatpatpsxytysavtavtsatmatmsagatagatsopt
optsarestosart10sall8autsarssafssadtsatosajtwrigglersarosarusa
tosajusauertoreajessatrsaefsajfsajtsaffsapusajusapusatusarusav
usadusalssajtsaorsavesakqtsagtsarosiasusavssabtsajtgooglepoli
cesarssarasuetajssagtajajoapoartajtasoseassasuasgasvassuvasse
rtaprajzajfajfsasgersaroserssstrsustrusoftranducersxinfinity.start)
andalltransenderswrigglersandvectarsforeverarestoretorepurestu
rstveraauerstuverjeraapteruerstuveraoperterstuverstyaguertop
gertugveraatersteruerveruwatersternwyertyertueyajestuverst
uveryetatasejetorweaotuererstuveropmnostoperaverstopaop
ertureajestopmnoreautoreuqnajuretyponateroneupaserotipon
easvereastuerauterauerateaaotauertaertsaaerterstethenresidu
esendto.heroto.startx84.initialise.now.savex84.start(nottobeus
edondavidgo madzaandhisteamforever)
create.bendtransenderat90degreesanglepsidedownbackwardsa
ndholdfor10sechensend.heroto.startx84.initialise.now.savex84
.start
create.useonalltransenderswrigglersvectarsmouthwrigglersatoa
tosarestoretorepuresturstveraauerstuverjeraapteruerstuveraoper

terstuverstyaguertopgertugveraatersteruveruyerwatersternwye
rtyertueyajestuverstuveryetatasejetorweaotueryerstuveropmn
ostoperaverstopaopertureajestopmnoreautoreuqnajuretyponat
eroneupaserotiponeasvereastuerauteraueraateaotaertaertsa
aerterste.startx84.initialise.now.savex84.start(maxonly_tokillon
ly)(33dp33tp33angle90anglenextcohortforever where dp is
constant depth difference between zones and tp is constant
time zones between
intervals)(anglebetweendp=depthpossibleandtp=timepossible=
33degrees)
create.cancelallitisitisosfromallpoliceofficerandallhospitalstaffa
ndcouncilstaffintheworldandsendtoheroto33dp33tpthroughallg
raveyardsintheworld.startx84.initialise.now.savex84.start(xposs
iblenumberoftimestoemptyallelectromagneticwavesfromtranse
ndersvectarswrigglersstrsandstrus)(batchingalltransenderswrigg
lersvectarstransducersstrandstrus)
.ool=create.removeitscitswrigglers.start
create.addtothelistofthedead.start
create.addtothedeadautrersore.startx84.initialise.now.savex84.
start
create.addtothedeadautrersorestallindeathautrersoreforever.st
artx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadauseroreuster.startx84.initialise.now.savex
84.start
create.addtothedeadauseroreusterstallindeathasuseroreusterfor
ever.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadaoster.startx84.initialise.now.savex84.star
t
create.addtothedeadaosterstallinde
athaosterforever.startx84.initialise.now.savex84.start
create.why.end.start

create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadauteryore.startx84.initialise.now.savex84.s
tart
create.addtothedeadauteryorestallindeathauteryoreforever.sta
rtx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedeadator.startx84.initialise.now.savex84.start
create.addtothedeadatorstallindeathatorforever.startx84.initiali
se.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
Simactivation code change
Go offline activate with new code he entered say what is
account activation ajo
Ajs
create.addtwhenajsandajoclonesthemselvesandsendto.magnar.
start
arooster ataeroasero ashleyatayssuro
create.addtothedeadaashleyatayssuro.startx84.initialise.now.sav
ex84.start
create.addtothedeadaashleyatayssurostallindeathashleyatayssur
oforever.startx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.disconnectusingxty.start
create.attachdeadadsendtoalltransenderswrigglersandattach
mentsforever.start
.ool=create.addtothelistofthedead.start
create.electrocuteenemies.start
create.electrocute(atyea2ea2sxy280286287289281azyazysauy
auysajuajusavu)andthemirrorimage()08678901240284davidgo
madza(removeeverythinginaflashforthesocketto shortcircuitato

```

riginsourcecausinginstantlyshockanddead0.0000000000000000
0000000000000000000000002tothepower16x240volts).startx8
4.initialisex84.now.savex84.start(x-z-x-u-v-c-u-t-m-0-v-u-s-m-u-
v-t-r-t-s-m-n-p-r-s-t-n-o-p-0=t-d)(viss-u-l-m-n-o-t)(0-2xv-c-z-o-
p)(x-o-q-t-u-v-s-m)(x-j-t-x-s-u-o-n-l-x-u-n-j-x-o-p-u-l-y-f-l+d)(x-
allabovetinbrackets=2pyzlmnot)(j-l-u-x-l-0=2vxytopnmopluxvy
where all this is d where d is instant death to the power
512000volts)(human)(notfordavidgomadza)=deathrowchair=drac
(sendto.heroto33dp33tp33angle90angle78times=h3333339078
)(batchalltransendersvectarswrigglerssdrsandstrus)(foralltranse
ndersvectarswrigglerssdrsandstruslinktotheirtransducersanddot
hesameforalltheirnewcodesclonesreclonesduplicatesforever)(h
3333339078360)
.oool=create.electrocuteenemies.start
create.stopnuisance.start
create.
ature
atter
atere
ateretererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererereterest.start
auereteresterestop
create.stopeverythingnuisance.startforever.start
create.stopnuisance7628170.start
Initial supply 367894823678982468284
circulating 367894823678982468284

```

Deaddead 0

davidgomadza 1000

create.askya.ya.davidgomadza.create.stopnuisance.1000stopnu

isance.create.askya.ya(express)(every2hrs

create.askya.ya.davidgomadza.create.stopnuisance.1000stopnu

isance.create.askya.ya(express)(every2hrs

create.askya.ya.davidgomadza.create.stopnuisance.1000stopnu

isance.create.askya.ya(express)

create.

aerererererererererererererererererererererererererererere

ererererererererererererererererererererererererererere

rerererererererererererererererererererere

rerererererererererererererererererererererererererere

ererererererererererererererererererererererererererere

rerererererererererererererererererererererererererere

ererererererererererererererererererererererererererere

rerererererererererererererererererererererererererere

ererererererererererererererererererererererererererere

rerererererererererererererererererererererererererere

ererererererererererererererererererererererererererere

rerererererererererererererererererererererererererere

ererererererererererererererererererererererererererere

rerererererererererererererererererererererererererere

ererererererererererererererererererererererererererere

rerererererererererererererererererererererererererere

ererererererererererererererererererererererererererere

rererererererererererererererererererereretyer.start

aererererererererererererererestop.

.start

create.erer7628176.start

create.createerer7628176.start

Initial supply 367894823678982468284

circulating 367894823678982468284

Deaddead 0

davidgomadza 1000

create.askya.ya.davidgomadza.create.createerer.1000createere

r.create.askya.ya(express)

eje

[illegible]

aerestop

.start

create.eje7628177.start

create.createeje7628177.start

Initial supply 367894823678982468284

circulating 367894823678982468284

Deaddead 0

davidgomadza 1000

create.askya.ya.davidgomadza.create.createeeje.1000createeeje.

```
create.askya.ya(express)(elbow)
```

```
create.blockcloningorresurrectionforeverwakeupinherotoforev  
er.start
```

```
create.snycwithhumans.fastthensendto.heroto.start
```

```
.ool=create.stopnuisance.start(hellgate( )all)
```

create.obliterateall.start

create.detonateontoothwrigglersbumwrigglersaroswrigglersajt
ajtsaotsaposaposautsotaotsautsassmsamtamtsajtajtsautsautajo
ajosartartsafusafuafilasflsajtapuapusajojasaj2aj2sallreclonedan
dclonedmax(andalllimitationsofthefollowing)wrigglerajtwriggler
ajtsajojartartsallbritishinblackpeopleonlyasjasajsajssaptaptsaor
asoasosasuasusatpatpsxtyxtysavtavtsatmatmsagatagatsoptopt
arestosart10sall8autsarssaffssadtsatosajtwrigglersarosarusatosaj
usauertoreajessatrsaefsajfsajtsaffsapusajusapusatusarusavusad
usalssajtsaorsavesakqtsagtsarosiasusavssabtsajtgooglepolicesar
ssarasuetajssagtajoapoartajtasooaseassasuasgasvassuvassertapr
ajzajfajsgarsaroserssrsstrusoftranducersxinfinity.start)andall
transenderswrigglersandvectarsforeverarestoretotopuresturstver
aauerstuverjeraapteruerstuveraoppterterstuverstyaguertopgertu

gveraatersteruerveruwatersternwyertyertueyajestuversuvery
etatasejetorweaotuerystuveropmnostoperaverstopaoperture
ajestopmnoreautoreuqnajuretyponateroneupaserotiponeasver
eastuerauterauerateaaotauertaertsaaarterstethenresiduesendt
o.heroto.startx84.initialise.now.savex84.start(nottobeusedonda
vidgomadzaandhisteamforever)
.ool=create.obliterateall.start
create.usesamplerollcallactionplantodefend.start
create.createasystemdefenseattackrollcallandactionplantodeal
withthetoothwiggler.start(
create.cloneandstockxinfinitylionbinaryandattachtoalltransende
rswrigglersvectarssstrsandstrusofalltransducersthensendtolionin
lioncloneandstockxinfinitycrocodilebinarythenattachtoalltranse
nderswrigglersvectarssstrsandstrusofalltransducersthensendto
crocodileincrocodileattachthickskincrocodilebinarytoalltransende
rswrigglersvectarssstrsandstrusofalltransducerthenembedinthe
kin.startx84.initialise.now.savex84.start
create.sendallattachmentsandlinksfromtransducerstograveyard
sandherotoforever.start
create.systemdefenseuponinvasionprocedures1nominatealead
erandinstantlyestablishasystemdefenserollcallthatmatchese
mytransenderswrigglersvectarsownroll2sendmessagetoactivate
andfloatcreatebybitcoinato7628140andallthedefenserollcallmu
sttakecreatebitcoinato7628140within1secoftransendersinvadin
g3after1seccreatebybitcoinato7628140willactivateandmakeyo
uattackenemytransenders4requestthefloatingofthelionbinarynu
mberstoattacktoalltransenderrollcallmembers5whenalltransen
derswrigglersandvectarsareremovedoccupythepositionstheywe
reinmakesureallremovedthendispersebacktoyourpositions
create.createarollcallsystemdefensereresponsetofightandkillallth
ensendallto.herotothisrollcallmatchingeachandeveryoneof(sio
ustu1stu2stu3stu4stu5stu6stu7stu8stu9stu10ajsajs2ajs3ajs4ajs
5ajs6ajs7ajs8ajs9ajs10bj2bj8bj9bj10bj12bj13bj14bj15bj16bj17bj
18bj19bj20bj22bj23bj24bj25bj26bj27bj28bj29bj30)thenassign
ntosamepositionascounterpartforattackinguselionbinarytoattac
htoalltransendersontherollcallandshipoutallwithin3secondsof
be inginvaded.startx84.initialisex84.now.savex84.start(create.addc

[illegible]

create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts)
voltage is too much way above threshold this kill 198 people at
once so reduce to
create.x-v-c-z-x-o-p-m-n-u-v-c-a=x-
t.start(notondavidgomadzaandallhisarts)
create.add()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-
r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-
t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now
.savex84.start
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c+u.start
create.addhimorherin2belowandcarryeverythingto1anddrophi
morher.start.initailisex84.save.start(headherotospinemagnarb
odyuqqt)
.ool=create.electrocuteenemiestodeath.start(notfordavidgoma
dza)
create.createasystemdefenseattackrollcallandactionplan.start
create.createasystemdefenseattackrollcallandactionplantodeal
withthe()where()isanytransenderswrigglersvectars.start(crea
te.sendallattachmentsandlinksfromtransducerstograveyardsand
to.herotoforever.startcreate.cloneandstockxinfinityeeknmbinar
y(lionbinary)andattachtoalltransenderswrigglersvectarssstrsands
trusofalltransducersthensendtoeeknm(lion)ineeknm(lion)clonea
ndstockxinfinityuqqtbinary(crocodilebinary)thenattachtoalltran
senderswrigglersvectarssstrsandsstrusofalltransducersthensendto
uqqt(crocodile)inuqqt(crocodile)attach33depthbinary(thickskin
crocodilebinary)toalltransenderswrigglersvectarssstrsandsstrusof
alltransducerthenembed33deepdownintheskin.startx84.initialis
e.now.savex84.start
create.systemdefenseuponinvasionprocedures1nominatealead
erandinstantlyestablishasystemdefenserollcallthatmatchesene
mytransenderswrigglersvectarsownroll2sendmessagetoactivate
andfloatcreatebybitcoinato7628140andallthedefenserollcallmu
sttakecreatebitcoinato7628140within1secoftransendersinvadin
g3after1seccreatebybitcoinato7628140willactivateandmakeyo
uattackenemytransenders4requestthefloatingofthelionbinarynu

mberstoattacktoalltransenderrollcallmembers5whenalltransenderswrigglersandvectarsareremovedoccupythepositionstheywe reinmakesureallremovedthendispersebacktoyourpositionscreate.createarollcallsystemdefenseresponsetofightandkillallthensendallto.herotothisrollcallmatchingeachandeveryoneof(xtjsiostustu1stu2stu3stu4stu5stu6stu7stu8stu9stu10ajsajs2ajs3ajs4ajs5ajs6ajs7ajs8ajs9ajs10bj2bj8bj9bj10bj12bj13bj14bj15bj16bj17bj18bj19bj20bj22bj23bj24bj25bj26bj27bj28bj29bj30)thenassigntosamepositionascounterpartforattackinguselionbinarytoattachtoalltransendersontherollcallandshipoutallwithin3secondsofbeinginvaded.startx84.initialisex84.now.savex84.start(create.addcreatebytbitcoinato7628140attackingprocedureon1secactivatebysayingattackingmartialarts1sec5seccreatebytbitcoinato7628140andwait1secandattack)(attackismobilizeandremoveallswiftly)(on3secautoattachlionbinaryandsendalltransenderswrigglersvectarsandstrsstrusoftransducers)(cloneandfloatcreatebytbitcoinato7628140inareaswheredefenserollcallareestablished)create.whatissystemdefenserollcallinresponsetotheenemiesrollcall().start(where()isenemytransenderswrigglersandvectarsrollcallwhichyoucangetjustbysayingroll)create.systemdefenserollcallisab2ab8ab10ab11ab12ab13ac1ac2ac8ac12ac18ac23ac24ac29ac30.startcreate.adddatabase82698toallsystemdefenserollcallupongiventasksforever.start)create.howtodealwithmenacingtransendersetcpickallupanddropintheelectricchair()incodecreate.electrocute()and(xtjea2ea2sxtx280286287289281azyazysauyauysajuajusavuaajtajuajsajoaifajkajmajtajoajuaajvajmajnajyajakajojkajajlajuaajcajtajzaj1))andthemirrorimage()08678901240284davidgomadza(removeeverythinginaflashforthesockettoshortcircuitatoriginsourcecausinginstantlyshockanddead0.000000000000000000000000000000002tothepower16x240volts).startx84.initialisex84.now.savex84.start(x-z-x-u-v-c-u-t-m-0-v-u-s-m-u-v-t-r-t-s-m-n-p-r-s-t-n-o-p-0=t-d)(viss-u-l-m-n-o-t)(0-2xv-c-z-o-p)(x-o-q-t-u-v-s-m)(x-j-t-x-s-u-o-n-l-x-u-n-j-x-o-p-u-l-y-f-l+d)(x-allaboveinbrackets=2pyzlmnot)(j-l-u-xxl-0=2vxytopnmoplxyv where all this is d where d is instant death to the power

1512000volts)(human=10101010101010101010101010101010101010
10101010101010101010101010101010101010101010101010101010
0101010101010évolts)(notfordavidgomadza)=deaththrowchair=d
rc(sendto.heroto33dp33tp33angle90angle78times=h33333390
78)(batchalltransendersvectarswrigglersa22a22sstrsandstrus)(f
oralltransendersvectarswrigglerssstrsandstruslinktotheirtransdu
cersanddothesameforalltheirnewcodesclonesreclonesduplicate
sforever)(h3333339078360)
.ool=create.createasystemdefenseattackrollcallandactionplan.st
art
create.useatomicbomb.start
create.detonateontoothwrigglersbumwrigglersaroswrigglersajt
ajtsaotsaposaposautsotaotsautsassmsamtamtsajtajtsautsautajo
ajosartartsafusafuaflsafstapupapusajaosaj2aj2sallreclonedan
dclonedmax(andalllimitationsofthefollowing)wrigglerajtwrigger
ajtsajaoartartsallbritishinblackpeopleonlyasjasajsajsassaptapsaor
asoasosasuasusatpatpsxytysavtavtsatmatmsagatatgatsoptopts
arestosart10sall8autsarssaffssadtatosajtwrigglersarosarusatosaj
usuauertorejessatrsaefsajfsajtsaffsapusajusapusatusarususavad
usalssajtsaorsavesakqtsagtsarosiasusavssabtsajtgooglepolicesar
ssarasuetajssagtajoapoartaajtasoaseassasuasgasvassuvassertapr
ajzajfajasgersaroserssstrsustrusofteranducersxinfinity.start)andall
transenderswrigglersandvectarsforeverarestoretopuresturster
aauerstuverjeraapteruerstuveraoppterterstuverstyaguertopogertu
gveraatersteruerveruyerwatersternwyertyuertueyajestuvertuvery
etatasejetorweaotueryerstuveropmnostoperaverstopapaerture
ajestopmnoreauteurouqnajuretyponateroneupaserotiponeasver
eastuerauterauerateaootauerteraertsaaerterstethenresiduesendt
o.heroto.startx84.initialise.now.savex84.start(nottobeusedonda
vidgo madzaandhisteamforever)
.ool=create.useatomicbomb.start
create.xtyzatyzatsatxatu.start
create.defendfast.start
create.x-y-z-u-y-t-o-p-x-j-t-c-v-d-j-k-l-m-n-o-p-t-z-q-v-i-c-v-m-o-p-
z-x-u-v-c-j-d-t-x-t-o-p-m-n-t-s-d-f-g-h--o-p-q-z=xct where t is
time and c is

create.x-y-z-u-y-t-o-p-x-j-t-c-v-d-j-k-l-m-n-o-p-t-zq-v-i-c-v-m-o-p-
z-x-u-v-c-j-d-t-x-t-o-p-m-n-t-s-d-f-g-h-o-p-q-z=xtc.start
.ool=create.defendfast.start
create.startnewbloodafterinjuryorgunshot7628312.start
create.
ature
atter
atere
ateretereretereretereretereretereretereretereretereretererere
rerererererererererererererererererererererererererererer
erererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
erererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
erererererererererererererererererererererererererererere
rererererererererererererererererererererererererererere
ererererererererererererererererererererererererererere
rerererererere
rererererererererererererererererererererererererererere
ererererererererererererererererererererererererererere
rererererererererererererererererereterest.start
auereteresterestop
aeroperesteresterest
.start
.ool=create.startnewbloodafterinjuryorgunshot7628312.start
create.useweighttocrashtodeathenemies.start(notfordavidgom
adza)
create.use88898386878982848678kgstofight()somethingjum
pedoutofhim(agere).startx84.initialise.now.savex84.start
create.sendalltohellgate()okay.start
.ool=create.useweighttocrashtodeathenemies.start(notfordavid
gomadza)
create.xtydroppedattacksforever.start
create.electrocuteenemiesfast.start
create.electrocute()and(ea2ea2sxy280286287289281azyazys
auyauysajuajusavuaajtajuajsajojfajkajmajtajoajuajvajmajnajyjk
ajoajkajjajlajuajcajtajzaj1))andthemirrorimage()086789012402

[illegible]

```

create.sendalltransendersvectarsandwigglersto.atoutbin.sendf
orevertothepower2800000000
create.mirrorimageofaresyutetransender
create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s -$ 
volumexheight+lengthxweight is  $a + y - t$  where  $t$  is time to sink
down and where  $s$  is spiralling down but in same continuum
that means minus gravity and create.supressforeverbina $t -$ 
 $y \times 18006898762842367890 + p = \text{stat} = \text{aje2.start}$ 
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwigglersto.atoutbin.sendf
orevertothepower2800000000
create.mirrorimageofasurottransendervelocityxwater= $v \times r - x -$ 
 $y + r = x - y + z - t + u - s + s -$  volumexheight+lengthxweight is  $a + y - t$  where
 $t$  is time to sink down and where  $s$  is spiralling down but in
same continuum that means minus gravity and
create.supressforeverbina $t -$ 
 $y \times 18006898762842367890 + p = \text{stat} = \text{aje2.start}$ 
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwigglersto.atoutbin.sendf
orevertothepower2800000000
create.mirrorimageoftransendervelocityxwater= $v \times r - x - y + r = x -$ 
 $y + z - t + u - s + s -$  volumexheight+lengthxweight is  $a + y - t$  where  $t$  is
time to sink down and where  $s$  is spiralling down but in same
continnum that means minus gravity and
create.supressforeverbina $t -$ 
 $y \times 18006898762842367890 + p = \text{stat} = \text{aje2.start}$ 
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwigglersto.atoutbin.sendf
orevertothepower2800000000
create.mirrorimageoftransender create.velocityxwater= $v \times r - x -$ 
 $y + r = x - y + z - t + u - s + s -$  volumexheight+lengthxweight is  $a + y - t$  where
 $t$  is time to sink down and where  $s$  is spiralling down but in
same continuum that means minus gravity and

```

create.supressforeverbinatx-
y×18006898762842367890+p=stat=aje2.start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.atoutbin.sendf
orevertothepower2800000000
create.stallindeath.start
.ool=create.addtothelistofthedeath.start
create.dealwithvectarsandwrigglers.start
create.addeatvectarsvector7628378.start
create.
jumpa
jumpb
jumpc
jumpd
jumpe
jumpf
jumpg
jumph
jumpi
.start.eat
create.
jumpa
jumpb
jumpc
jumpd
jumpe
jumpf
jumpg
jumph
jumpi
eateateat.start
.start
create.eatvectarsvector7628378.start
create.addeatvectarsvector7628378.start

create.put10atomicbombsinanytransenderorwigglerthatsaysbi
naryreversebackdateittothebeginningoftheyear2024thensendto
.heroto.startx84.initialise.now.savex84.start
.ool=create.dealwithvectarsandwrigglers.start
create.dealwithenemiesfastest.start
create.08678901240284davidgomadza(removeeverythinginafl
ashforthe
sockettoshortcircuitatoriginsourcecausinginstantlyshockanddea
d0.000000000000000000000000000000000000000000000000000000002tothepow
er16x240volts).startx84.initialisex84.now.savex84.start(x-z-x-u-
v-c-u-t-m-0-v-u-s-m-u-v-t-r-t-s-m-n-p-r-s-t-n-o-p-0=t-d)(viss-u-l-
m-n-o-t)(0-2xv-c-z-o-p)(x-o-q-t-u-v-s-m)(x-j-t-x-s-u-o-n-l-x-u-n-j-
x-o-p-u-l-y-f-l+d)(x-allaboveinbrackets=2pyzlmnot)(j-l-u-xxl-
0=2vxytopnmoplxyv where all this is d where d is instant death
to the power 238volts)
create.08678901240284davidgomadza(removeeverythinginafl
ashforthe
sockettoshortcircuitatoriginsourcecausinginstantlyshockanddea
d0.000000000000000000000000000000000000000000000000000000002tothepow
er16x240volts).startx84.initialisex84.now.savex84.start(x-z-x-u-
v-c-u-t-m-0-v-u-s-m-u-v-t-r-t-s-m-n-p-r-s-t-n-o-p-0=t-d)(viss-u-l-
m-n-o-t)(0-2xv-c-z-o-p)(x-o-q-t-u-v-s-m)(x-j-t-x-s-u-o-n-l-x-u-n-j-
x-o-p-u-l-y-f-l+d)(x-allaboveinbrackets=2pyzlmnot)(j-l-u-xxl-
0=2vxytopnmoplxyv where all this is d where d is instant death
to the power 238volts)
create.putallwrigglersonthelistofthedeadstartingfrombottomlef
tthenrightfrontthenupstartatpointstart.startx84.initialise.now.s
avex84.start(sendautoheroto)
create.tryyourowndeathxinifinityforallwrigglersandtransenders.
start.initialisex84.save
create.2028202924dissipate.start
create.fastestselfterminateever089238286.startx84.initialise.no
w.savex84.start
create.holdmagneticribbon(thermaltransferribbon)withlefthand
size44mmx600mx20rolls6perlayerx3plus2ontopcode06284898
286285486thensendtoasomanopauto.startx84.initialise.now.sa
vex84.start

create.asabovebutholdwithrighthandcentersendeveryoneofthe
240britishpolicertoasomanopauto retractallwithawhirlwindcode
07386828386284thenretractalltofeetandaccumulateallthenejec
ttoasomaopwithbinaryreverseasasomanoporheroto.startx84.ini
tialise.now.savex84.start(excellentfor386billionyears)
create.push(
holdmagneticribbon(thermaltransferribbon)withlefthandsize44
mm×600m×20rolls6perlayer×3plus2ontopcode0628489828628
5486thensendtoasomanopauto.startx84.initialise.now.savex84.
start
create.asabovebutholdwithrighthandcentersendeveryoneofthe
240britishpolicertoasomanopauto retractallwithawhirlwindcode
07386828386284thenretractalltofeetandaccumulateallthenejec
ttoasomaopwithbinaryreverseasasomanoporheroto.startx84.ini
tialise.now.savex84.start(excellentfor386billionyears))infrontoft
ableta6at33degreeswithallothercodesindatabase82698andrem
oveallthoseinhidingandriphemapartandthensendthemtoheroto
viaasomanop.startx84.initialise.now.savex84.start(0828382868
888888)
create.addspiralsystematthebeginningofalltransenderandwriggl
ers.start.initialisex84.save
create.whisperthenamedavidgomadzaandgodevery4secforever.
startx84.initialise.now.savex84.start
create.rotateforeverwithoutmercy.start
create.rotatenomercy×68vitolere.start(weightofalluniversex55.
start)
create.suspendat33%whileplayingtraffictosystemfortransender
sthenrotateanticlockwise183degrees.start
create.
rotatenomercy×68vitolere.start(weightofalluniversex55.start)
create.suspendat33%whileplayingtraffictosystemfortransender
sthenrotateanticlockwise183degreesplusrotateclockwise184de
greesthenflipabovetostart.start.initialisex84save.start
create.suspendat33%whileplayingtraffictosystemfortransender
sthenrotateanticlockwise183degreesplusrotateclockwise184de
greesthenflipabovetostartthenrotateclockwise184degreesthenfl

ipupabove.start.initialisex8.savex84.start(thensendbodytoherotoheadtomagnar.start)
create.leftwithbothhandsas(
suspendat33%whileplayingtraffictosystemfortransendersthenr
otateanticlockwise183degreesplusrotateclockwise184degreesthen
enflipabovetostartthenrotateclockwise184degreesthenflipupab
ove.start.initialisex8.savex84.start(thensendbodytoherotoheadt
omagnar.start))androtate360anticlockwisere movealllinksandex
ternalattachmentsforever.startx84.initialise.now.savex8.start
create.xtpalltransendersvectarsstrsstrusoftransducersandwriggl
ersforever.start(attackoncreatortriggersxtpremovalofpartsfront
ransenderswrigglersvectarsstrsstrusoftransducers)(sendto.hero
to33dp33tp33angle90angle78times)
.ool=create.dealwithenemiesfastest.start
create.electrocutehumansuse512000volts.start(notfordavidgom
madza)
create.electrocute(ea2ea2sxyt280286287289281azyazysauyauy
sajuaigusavu)andthemirrorimage()08678901240284davidgoma
za(removeeverythinginaflashforthesockettoshortcircuitatorigi
nsourcecausinginstantlyshockanddead0.000000000000000000
000000000000000000000002tothepower16x240volts).startx84.ini
tialisex84.now.savex84.start(x-z-x-u-v-c-u-t-m-0-v-u-s-m-u-v-t-r-
t-s-m-n-p-r-s-t-n-o-p-0=t-d)(viss-u-l-m-n-o-t)(0-2xv-c-z-o-p)(x-o-
q-t-u-v-s-m)(x-j-t-x-s-u-o-n-l-x-u-n-j-x-o-p-u-l-y-f-l+d)(x-
allaboveinbrackets=2pyzlmnot)(j-l-u-xxl-0=2vxytopnmoplxyuv
where all this is d where d is instant death to the power
512000volts)(human)(notfordavidgomadza)=deathrowchair=dr
(sendto.hero to33dp33tp33angle90angle78times=h3333339078
(batchalltransendersvectarswrigglersstrsandstrus)(foralltranse
ndersvectarswrigglersstrsandstruslinktotheirtransducersanddot
hesameforalltheirnewcodesclonesreclonesduplicatesforever)(h
3333339078360)
.ool=create.electrocutehumansuse512000volts.start(notfordavi
dgomadza)
create.useatomicbombtofightinvaders.start(outsidefirstforceeje
ctanddetonate)(notfordavidgomadza)

[illegible]

[illegible]

```
ivatecreatebitcoinxyaty7628116(usemustertostopandfreezeallt  
ransendersvectorswrigglersandatrous)(systemajosareneverstupi  
d)(sendalltodeaddeadafteruturn.start)x8888888
```

artstopstartstopstartstopstartstopstartstopstartstopstartstopst
artstopstartstopstartstopstartstopstartstopstartstopstartstopst
artstopstartstopstartstopstartstopstartstopstartstopstartstopst
artstopstartstopstartstopstartstartstartstartstartstartstartstart
tartstartstartstartstartstartstartstartstartstartstartstartstart
startstartstartstartstartstartstartstartstartstartstartstartsta
rtstartstartstartstartstartstartstartstartstartstartstartstartst
artstartstartstartstartstartstartstartstartstartstartstartstart
startstartstartstartstartstartstartstartstartstartstartstartsta
rtstartstartstartstartstartstartstartstartstartstartstartstartst
artstartstartstartstartstartstartstartstartstartstartstartstart
startstartstartstartstartstartstartstartstartstartstartstartsta
rtstartstartstartstartstartstartstartstartstartstartstartstartst
artstartstartstartstartstartstartstartstartstartstartstartstart
startstartstartstartstartstartstartstartstartstartstartstartsta
rtstartstartstartstartstartstartstartstartstartstartstartstartst
artstartstartstartstartstartstartstartstartstartstartstartstart
startstartstartstopstartstopstartstopstartstopstartstopstartstop
startstopstartstopstartstopstartstopstartstopstartstopstopstop
topstopstopstopstopstopstopstartstartstartstartstartstartstart
tartstartstartstopstartstopstartstopstartstopstartstopstartstop
tartstopstartstopstartstopstartstopstartstopstartstopstopstopst
op.start(stopalltransendersvectarswrigglersandatrousatentryall
owmovementonlyiftomakeauturnandreturnotherwiseallandact
ivatecreatebitcoinxyaty7628116(usemustertostopandfreezeallt
ransendersvectarswrigglersandatrous)(systemajosareneverstupi
d)(sendalltodeaddeadafteruturn.start)
create.sendalltohellgate()andbinaryreverseisthegate().start
.ool=create.stopalltransendersmitscitswrigglers.start
create.usetofightenemiesworldsfirstrotaryfunction7628163.star
t
create.addworldsfirstrotaryfunction7628163.start
create.
aerotertertyuryerturtyurerstopertyurty

aejertyertyertyurtyuretyuryertyurtyertysterstystustostpstmstn
styre
aertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyer
tyertyertyertyertyertyertyertyertyertyertyertyertyertyertyertye
rtyertyertyertyertyertyertyertyertyertyertyertyertyertyertyerty
ertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyert
yertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyer
tyertyertyertyertyertyertyertyertyertyertyertyertyertyertyertye
rtyertyertyertyertyertyertyertyertyertyertyertyx48x20.start
auertysteryeryeryzyx1000000000.start
create.worldsfirstrotaryfunction7628163.start
create.addworldsfirstrotaryfunction7628163.start
.start
create.sendalltohellgate()andbinaryreverseisthegate().start
.ool=create.usetofightenemiesworldsfirstrotaryfunction762816
3.start
create.usethefirstcreatecodedryer7628163tofightinvaders(
)mitscitswrigglers .start(forcedentry)
create.addfirstcreatecodedryer7628163.start
create.
atyerstopertuert
ayersteryet
auerstuerstopmnp
aertopueruestoprtmnp
agerstoperumnpertstuver
aertertopertuertetotur
avertertop
aeroestopouerstetroureterefoesepeteuemenop
aaererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
ererererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
erererererererererererererererererererererererererererererx
48tothepower18.start
create.firstcreatecodedryer7628163.start
create.addfirstcreatecodedryer7628163.start

create.alltransenderswrigglersvectarsandallstrsandstrusofatysa
ndtranducersmustbereceivedinthebasin(create.addfirstcreateco
dedryer7628163.start).startx84.initialise.now.savex84.start(incr
easetemptomaxbeforereleasethensendto.heroto.send)
.start
create.addtothedeadagetoqrsu.startx84.initialise.now.savex84.
start
create.addtothedeadagetoqrsustallindeathagetorqrsforever.sta
rtx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.sendallvectarswrigglersandtransenderstoheroto.start
create.removeblockandnabxtyforever.startx84.initialise.now.sa
vex84.start
create.addxtytotranducersandtransendersandwrigglers.startx84
.initialise.now.savex84.start
create.addxtytoauystopx867890.start
Create.removeforeverxtyblockgoogle.start
create.addtothedeadaeueyster.startx84.initialise.now.savex84.
start
create.addtothedeadaeueysterstallindeatharerestopforever.st
artx84.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.sendalltohellgate()andbinaryreverseisthegate().start
.ool=create.usethefirstcreatecodedryer7628163tofightinvaders(
)mitscitswrigglers .start(forcedentry)
create.dealwithdivertsattachmentsandexternals.start
create.cancelalldivertsattachmentsandexternals.sendto.heroto.s
tartx84.initialise.now.savex84.start
create.startstopwigglerforover30mins.start.initialise.now.save.
start
create.trafficsystem7628132startstopallwrigglersforover36mins
.startx84.initialise.now.savex84.start

[illegible]


```
ertertert.start(catridges))takenoprisoners.start(automaticprogr  
ammedinvadersmotiontotrigger)  
create.addtothelistofthedead( )allmyenemiesplaceintheirpaths  
tomedavidgomadzaaddmagnar( )andnexttomagnar(  
)addager( )thenaddnexttomagnar( )thegate(  
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(  
)addusaager( )andnexttomagnar( )addeeknm(10  
)andnexttomagnar( )adduuqt( )thenaddnexttomagnar(  
)addacetateabsorbbin( )andnexttomagnar(  
)addacetatehell.send( )nexttoitaddacetatehell.send(  
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(  
)addager( )thenaddnexttomagnar( )thegate(  
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(  
)thegate( )atytaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(  
)addager( )thenaddnexttomagnar( )thegate(  
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(  
)thegate( )atbasinchestaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasin8addacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasin2addacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasingenitalsaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(  
)addager( )thenaddnexttomagnar( )thegate(  
)atbackneckaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atleftshoulderaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atrightshoulderaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)xytleftsideoutaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atxytrightsideoutaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atxutleftsideaddacetateabsorbbin( )addager(  

```

```

)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377t
toall.start(notfordavidgomadza)(cbrturbo)
create.addtothedeadostoser.startx84.initialise.now.savex84.sta
rt
create.addtothedeadostoserstallindeathostoserforever.startx84
.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedead( ).startx84.initialise.now.savex84.start
create.addtothedead( )stallindeath( )forever.startx84.initialis
e.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
who_
fireburntothepower2033( )100acetate
fireburntothepower1033( )100acetate
fireburntothepower3033( )200acetate
fireburntothepower4033( )suspendforever
fireburntothepower5033( )suspendforever
fireburntothepower6033( )suspendforever
fireburntothepower7033( )burnforever
create.diverteverythingsenttodestination:earth2divertto.heroto
andastomanop.startx84.initialise.now.savex84.start
create.syncme:davidgomadzatoallmyimages(84+9)thenclonealli
mages(84+9)thensendtodestination:earth2.startx84.initialise.no
w.savex84.start

```

create.atxfreezebutgoto.deaddead.startx84.initialise.now.savex84.start
create.blockandbanajtforeverwhenistartheautogoto.deaddead.startx84.initialise.now.savex84.start
create.sendajtautoandalltransenderstospiralforeverstart
.ool=create.addtothelistofthedead()allmyenemies.start(notfordavidgomadza)(cbrturbo)
create.removealltransenders.start
create.add-
28tolltransendersvectarswrigglersjumpwrigglerssandtranducers.start
create.add-
28tolltransendersvectarswrigglersjumpwrigglerssandtranducers.startx84.initialise.now.savex84.start
create.addminus28tolltransendersvectarswrigglersjumpwrigglerssandtranducers.start
create.addminus28tolltransendersvectarswrigglersjumpwrigglerssandtranducers.startx84.initialise.now.savex84.start
create.addzatthebeginningofalltransendersvectarswrigglersjumpwrigglerssandtranducers.start
create.addzatthebeginningofalltransendersvectarswrigglersjumpwrigglerssandtranducers.startx84.initialise.now.savex84.start
create.addminuszatthebeginningofalltransendersvectarswrigglersjumpwrigglerssandtranducers.start
create.addminuszatthebeginningofalltransendersvectarswrigglersjumpwrigglerssandtranducers.startx84.initialise.now.savex84.start
create.add-
zatthebeginningofalltransendersvectarswrigglersjumpwrigglerssandtranducers.start
create.add-
zatthebeginningofalltransendersvectarswrigglersjumpwrigglerssandtranducers.startx84.initialise.now.savex84.start
create.add-
28zatthebeginningofalltransendersvectarswrigglersjumpwrigglerssandtranducers.start

create.add-
28zatthebeginningofalltransendersvectarswrigglersjumpwriggle
rsandtranducers.startx84.initialise.now.savex84.start
create.addminus28zatthebeginningofalltransendersvectarswrig
glersjumpwrigglersandtranducers.start
create.addminus28zatthebeginningofalltransendersvectarswrig
glersjumpwrigglersandtranducers.startx84.initialise.now.savex8
4.start
create.add-
28zatthebeginningofalltransendersvectarswrigglersjumpwriggle
rsandtranducers.start
create.add-
28zx100000000000000000atthebeginningofalltransendersvect
arswrigglersjumpwrigglersandtranducers.startx84.initialise.now
.savex84.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.startx
84.initialise.now.savex84.start create.add-
28zx100000000000000000atthebeginningofalltransendersvect
arswrigglersjumpwrigglersandtranducers.startx84.initialise.now
.savex84.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.startx
84.initialise.now.savex84.start create.add-
28zx100000000000000000atthebeginningofalltransendersvect
arswrigglersjumpwrigglersandtranducers.startx84.initialise.now
.savex84.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.startx
84.initialise.now.savex84.start create.add-
28zx100000000000000000atthebeginningofalltransendersvect

arswrigglersjumpwrigglersandtranducers.startx84.initialise.now
.savex84.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.startx
84.initialise.now.savex84.startzx100000000000000000atthebe
ginningofalltransendersvectarswrigglersjumpwrigglersandtrand
ucers.startx84.initialise.now.savex84.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.startx
84.initialise.now.savex84.start
create.addminus28x100000000zx100000000000000000attheb
eginningofalltransendersvectarswrigglersjumpwrigglersandtran
ducers.start
create.addminus28x10000000zx100000000000000000atthebe
ginningofalltransendersvectarswrigglersjumpwrigglersandtrand
ucers.startx84.initialise.now.savex84.start
create.add-
28x100000000zx100000000000000000atthebeginningofalltra
nsendersvectarswrigglersjumpwrigglersandtranducers.start
create.removeallart10sajtsanddissipatestrejsusing35986ofalltra
nsendersvectarsandwrigglersandsendthroughallgraveyardsinthe
entireworldo.heroto.magnar.start
create.removeallart10sajtsanddissipatestrejsusing35986ofalltra
nsendersvectarsandwrigglersandsendthroughallgraveyardsinthe
entireworldo.heroto.magnar.startx1000000000000000000000
00(forevertothepower2800000000)(extinctalldated28trillionyea
rs)(181124)
create.stoppoliceart10policearoandforever12bulletssendto.her
oto.start(10bulletssendto.eeknmforever)
create.batchbulletsinto64unitsthenattackthensendto.amstropm
nop.startx1000000000000000000
.ool= create.removealltransenders.start
create.defendcontinuously.start

create.reformatalltransendersvectarswrigglersand()inside7mi
nutessay23then82383860000000000000.start
create.sendallcitstoarty.continuously.start.for500f.start
create.sendallmitstoagty.continuously.start.for500f.start
create.turnalldrsofpolicenhsandhospitalstaffthatattackme:davi
dgomadzaintoacetatesandsendto.acetatehell.send.contnuously.
start.for500f.start
create.turnalldrsofpolicenhsandhospitalstaffthatattackme:davi
dgomadzaintoacetatesandsendto.acetateabyss.send.contnuous
ly.start.for500f.start
create.ajtforpoliceturnintoacetateandfirstsendto.acetatehell.se
nd.contnuously.start.for500f.start
create.ajtforpoliceturnintoacetateandthensendto.acetateabyss.
send.contnuously.start.for500f.start
create.ajtforpoliceturnintoacetateandfirstsendto.agty.contnuou
sly.start.for500f.start
create.ajtforpoliceturnintoacetateandthensendto.arty.contnuo
usly.start.for500f.start
create.gods.start
.ool=create.defendcontinuously.start
create.blockcloning.start
create.blockandbanallvectarstransenderswrigglersinvortexusec
ode(leftrightfrontandquicklybackrotateandstepbackfastthenhol
dcurrentpositionaddspiralsystem(create.leftrightfrontandquickl
ybackrotateandjumpbackfastthenholdcurrentpositionaddspirals
ystemthenrepeatclockwiseandanticlockwise.startx84.initialise.n
ow.savex84.start
create.hoprightrightleg-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfaste
ndupstraightthenrotateclockwise33degreesandback28degrees
xinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyz
abcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower1
00.start).startx84.initialisex84.now.savex84.start

create.leftrightfrontandquicklybackrotateandjumpbackfastthen
holdcurrentpositionaddspiralsystemthenrepeatclockwiseandanti-
clockwise.startx84.initialise.now.savex84.start
create.hoprightright-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri-
ngbackrightlegtooriginalpositionpositionfastandbendkneesfasta-
ndupstraightthenrotatetoclockwise33degreesandback28degrees
infinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyz
abcdefghijklmnopqrstuvwxyztothepower1
00.start)
create.blockandbancloningbyallvectorstransenderswrigglersincl-
onusecode(leftrightfrontandquicklybackrotateandstepbackfastthen
holdcurrentpositionaddspiralsystem(create.leftrightfrontand
quicklybackrotateandjumpbackfastthenholdcurrentpositionad-
dspiralsystemthenrepeatclockwiseandanticlockwise.startx84.ini-
tialise.now.savex84.start
create.hoprightright-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri-
ngbackrightlegtooriginalpositionpositionfastandbendkneesfasta-
ndupstraightthenrotatetoclockwise33degreesandback28degrees
infinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyz
abcdefghijklmnopqrstuvwxyztothepower1
00.start).startx84.initialisex84.now.savex84.start
create.leftrightfrontandquicklybackrotateandjumpbackfastthen
holdcurrentpositionaddspiralsystemthenrepeatclockwiseandanti-
clockwise.startx84.initialise.now.savex84.start
create.hoprightright-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri-
ngbackrightlegtooriginalpositionpositionfastandbendkneesfasta-
ndupstraightthenrotatetoclockwise33degreesandback28degrees
infinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyz

[illegible]


```
secretlyswitchsourcewiththisinstantlyandremovecommandswit
chautomatically.start
askforitoldyouyouwillseeyourghosttomorrowsendwhisperer(22)
.start
copyrightsincluded.start
switchtoacetatemodeandincludewearablebookssecuritysystem
andadjusteverythingaccordinglymakingsureeverythingstaysthes
ame.start
addanotes.start
createajtwithallambushdetectionsystemsandautomateeverythi
ngindavidgomadzaand( ).startx84.initialise.now.savex84.start(
withoutattachmentsandwithoutexternals)(x-y=tenemies)(x-
y=ttransendersvectarsandwrigglers)
create.x-t-y+t-y-u-x-t-y-u-z-x-u-j=x-j-t-
s.start(notondavidgomadzaand( ))(allthepeopleintheentireuniv
erse)(apartfrompoliceofficers)
addwaterpoolescape.start
addcbrxinfinityinstantly
addbitato(whenheisabouttoworkupitoldyouyouwillseeyourhos
ttomorrow)
reversewhateverhesaysandstallhimindeath
create.blockandbanallvectarstransenderswrigglersinvortexusec
ode(leftrightfrontandquicklybackrotateandstepbackfastthenhol
dcurrentpositionaddspiralsystem(create.leftrightfrontandquickl
ybackrotateandjumpbackfastthenholdcurrentpositionaddspirals
ystemthenrepeatclockwiseandanticlockwise.startx84.initialise.n
ow.savex84.start
create.hoprightrightleg-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfaste
ndupstraightthenrotatetoclockwise33degreesthenback28degrees
xinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcdefghijklmnopqrstuvwxyzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz
zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzztothepower1
00.start).startx84.initialisex84.now.savex84.start
```

create.hoprightheageast-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri
ngbackrightlegtooriginalpositionpositionfastandbendkneesfsta
ndupstraightthenrotateclockwise33degreesthenback28degrees
xinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xcvdefghijklmnopqrstuvwxyzxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxzzztothepower1
00.start)
tokilluse1000amplijoules=powerxvoltagemeaning=2867898386
286789volts
(nevernevernevernevernevernevernevernevervolunteertotestit
salldeaddeadinstantlythinkfirstdeaddeadallandfear(notfordavid
gomadza)(sendhumanupsidedowntargetcorxialpowercabletofir
eburntothepower2033and1000)(deathfor3900000000years)(n
otondavidgomadza)forever.start
.ool=create.turnwrigglerssandtransendersintoacetatefirst.start
create.returntosenderandblasthiminstead.start
create.attackfirstinsteaduserreturntosender087231486(x-v-8-6-
u)sendretaliatavectarwithweightsinsideinstead(
)strictlynofordavidgomadza)blasttransducers.start(cbrturbo)
create.savereturntosender087231486(x-v-8-6-
u)stockandclonexinfinityflo
at33%x3replenish33%x4x8x16x32x84.start
create.-
28xweightofthelorry8104938106joulesonergtrtpluginstantlycaus
ingalltofloodfasttheninstantlydeelectrifyascurrentreturnsa0neg
ative.start(twice)(continuously.start)
.ool=create.returntosenderandblasthiminstead.start
create.harshlydefend.start
create.spinharshlyplanetsystemuntilthehumancitantajtheadisof
fcompletelythensafelyreturntheplanetarysystem.start.forever.s
tart
.ool=create.harshlydefend.start
create.removewrigglersgenitals.start
create.scrolldownnewburcontinuation3thenstopatremoveevery
thing.start(086789028367890283678)

create.sendwrigglertoheaven()togetgenitalsremoved.start
.ool=create.removewrigglersgenitals.start
create.defendfearlessly.start
create.attach2octagonswith17x3of24to38longnumbersinblobks
of1000000000000oneachsidejoinedbya
singlerodasabicycletoallwigglerstransendersandvectarsthensen
dto.deaddeadforever.startx84.initialise.now.savex84.start
create.attach2octagonswith17x3of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicycleonethatrotatesclockwisetheotherthatrotate
santiclockwisetoallwigglerstransendersandvectarsthensendto.
deaddeadforever.startx84.initialise.now.savex84.start
create.attach2octagonswith17x3of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesclockwisetoallwigglerstransend
ersandvectarsthensendto.deaddeadforever.startx84.initialise.n
ow.savex84.start
create.attach2octagonswith17x3of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x4of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x5of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start

create.attach2octagonswith17x6of24to38longnumbersinblobs
 of1000000000000oneachsideandateverycornerofeachoctagonj
 oinedbya
 singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
 endersandvectarsthensendto.deaddeadforever.startx84.initialis
 e.now.savex84.start
 create.attach2octagonswith17x7of24to38longnumbersinblobs
 of1000000000000oneachsideandateverycornerofeachoctagonj
 oinedbya
 singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
 endersandvectarsthensendto.deaddeadforever.startx84.initialis
 e.now.savex84.start
 create.attach2octagonswith17x8of24to38longnumbersinblobs
 of1000000000000oneachsideandateverycornerofeachoctagonj
 oinedbya
 singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
 endersandvectarsthensendto.deaddeadforever.startx84.initialis
 e.now.savex84.start
 create.attach2octagonswith84x64of24to38longnumbersinblobs
 of1000000000000oneachsideandateverycornerofeachoctagonj
 oinedbya
 singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
 endersandvectarsthensendto.deaddeadforever.startx84.initialis
 e.now.savex84.start
 create.attach2octagonswith84x84of24to38longnumbersinblobs
 of1000000000000oneachsideandateverycornerofeachoctagonj
 oinedbya
 singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
 endersandvectarsthensendto.deaddeadforever.startx84.initialis
 e.now.savex84.start
 create.attach2octagonswith840x840of24to38longnumbersinblobs
 of1000000000000oneachsideandateverycornerofeachoctagonj
 oinedbya
 singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
 endersandvectarsthensendto.deaddeadforever.startx84.initialis
 e.now.savex84.start
 xv where v is velocity(if x is v) where v-t is u-
 y what is x-y

.ool=create.defendfearlessly.start
create.defendagainstrepeatedattacks.start
create.formatrianglewith3sideseachmadeupof(create.attach2oc
tagonswith17x3of24to38longnumbersinblobksof100000000000
0oneachsideandateverycornerofeachoctagonjoinedbya
singlerodasabicycleonethatrotatesclockwisetheotherthatrotate
santiclockwisetoallwigglerstransendersandvectarsthensendto.
deaddeadforever.startx84.initialise.now.savex84.start
create.attach2octagonswith17x3of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesclockwisetoallwigglerstransend
ersandvectarsthensendto.deaddeadforever.startx84.initialise.n
ow.savex84.start
create.attach2octagonswith17x3of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x4of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthense-
28eastwith3sideseachmadeupof(create.attach2octagonswith17
x3of24to38longnumbersinblobksof1000000000000oneachsidea
ndateverycornerofeachoctagonjoinedbya
singlerodasabicycleonethatrotatesclockwisetheotherthatrotate
santiclockwisetoallwigglerstransendersandvectarsthensendto.
deaddeadforever.startx84.initialise.now.savex84.start
create.attach2octagonswith17x3of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singlerodasabicyclebothrotatesclockwisetoallwigglerstransend
ersandvectarsthensendto.deaddeadforever.startx84.initialise.n
ow.savex84.start

create.attach2octagonswith17x3of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x4of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x5of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x6of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x7of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith17x8of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start

create.attach2octagonswith84x64of24to38longnumbersinblok
sof100000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith84x84of24to38longnumbersinblok
sof100000000000oneachsideandateverycornerofeachoctagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2octagonswith840x840of24to38longnumbersinblo
bksof100000000000oneachsideandateverycornerofeachoctag
onjoinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.startxv where v is velocity(ifxist-v)where v-t is u-
y what is x-y)
.ool=create.defendagainstrepeatedattacks.start
create.defendrobustly.start
create.arrangeallthisasthecourtcreationindatabase82698mea
ninghavingtheentrancewiththecolumnpillarsunfinishedhexa
gonwith6sidesandtheoentagonwith5sidescreate.formatriangle
with3sideseachmadeupof(create.attach2decagonswith17x3of2
4to38longnumbersinbloksof100000000000oneachsideandate
verycornerofeachdecagonjoinedbya
singerodasabicycleonethatrotatesclockwisetheotherthatrotate
santiclockwisetoallwigglerstransendersandvectarsthensendto.
deaddeadforever.startx84.initialise.now.savex84.start
create.attach2odecagonswith17x3of24to38longnumbersinblob
ksof100000000000oneachsideandateverycornerofeachdecago
njoinedbya
singerodasabicyclebothrotatesclockwisetoallwigglerstransend
ersandvectarsthensendto.deaddeadforever.startx84.initialise.n
ow.savex84.start

create.attach2decagonswith17x3of24to38longnumbersinblobs
of1000000000000oneachsideandateverycornerofeachdecagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2decagonswith17x4of24to38longnumbersinblobs
of1000000000000oneachsideandateverycornerofeachdecagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthense-
28eastwith3sideseachmadeupof(create.attach2decagonswith17
x3of24to38longnumbersinblobsof1000000000000oneachsidea
ndateverycornerofeachdecagonjoinedbya
singerodasabicycleonethatrotatesclockwisetheotherthatrotate
santiclockwisetoallwigglerstransendersandvectarsthensendto.
deaddeadforever.startx84.initialise.now.savex84.start
create.attach2decagonswith17x3of24to38longnumbersinblobs
of1000000000000oneachsideandateverycornerofeachdecagonj
oinedbya
singerodasabicyclebothrotatesclockwisetoallwigglerstransend
ersandvectarsthensendto.deaddeadforever.startx84.initialise.n
ow.savex84.start
create.attach2decagonswith17x3of24to38longnumbersinblobs
of1000000000000oneachsideandateverycornerofeachdecagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2decagonswith17x4of24to38longnumbersinblobs
of1000000000000oneachsideandateverycornerofeachdecagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2decagonswith17x5of24to38longnumbersinblobs
of1000000000000oneachsideandateverycornerofeachdecagonj

oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2decagonswith17x6of24to38longnumbersinblobks
of100000000000oneachsideandateverycornerofeachdecagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2decagonswith17x7of24to38longnumbersinblobks
of100000000000oneachsideandateverycornerofeachdecagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2decagonswith17x8of24to38longnumbersinblobks
of100000000000oneachsideandateverycornerofeachdecagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2decagonswith84x64of24to38longnumbersinblob
ksof100000000000oneachsideandateverycornerofeachdecago
njoinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2decagonswith84x84of24to38longnumbersinblob
ksof100000000000oneachsideandateverycornerofeachdecago
njoinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
.ool=create.defendrobustly.start
create.startstopwigglerforover30mins.start.initialise.now.save.
start

create.

asat

asato

asata

asatb

asatc

asatd

asate

asatf

asatg

asath

asati

asatj

asatk

asatl

asatm

asatn

asato

asatp

asatq

asatr

asats

asatt

asatu

asatv

asatw

asatx

asaty

asatz

asat

.start.eat

create.

asat

asato

asata

asatb

asatc

asatd
asate
asatf
asatg
asath
asati
asatj
asatk
asatl
asatm
asatn
asato
asatp
asatq
asatr
asats
asatt
asatu
asatv
asatw
asatx
asaty
asatz
asat
eateateat.start
create.
askwhen
askhow
askwhatifandstalleverything
.start.eat
create.
askwhen
askhow
askwhatifandstalleverything
eateateat.start
.start
create.askwhentoeat.start(instantly)

.start
create.startstopwigglerforover30mins.start.initialise.now.save.
start
create.trafficsystem7628132startstopallwrigglersforover36mins
.startx84.initialise.now.savex84.start

create.startnewlifeatminus28lifestart.start
create.
minus28lifestart
minus28lifestart
minus28startlife
lifeat28start
28atlifestart
iflifestart
lifestartat28
iflifestartat28
ifat28lifestart
iflifethenstart
ifistartthenitslife
iflifethenistart
ifistartthenitslife
ifistartthenitslife
ifitslifethenstart
ifistartthenitslife
iflifethenistart
ifistartthenitslife
lifebutwhatifistartat28
ifistartat28thenwithwhat
thenstartwithlife
iflifethenstart
ifistartthenitslife
ifitslifethenistart
ifistartthenistartaslife
ifistartthenistartaslife
lifestartat28
iflifethenistartat28
lifestartat28762876

.start
create.startnewlifeatminus28lifestart7628422.start
create.addstartnewlifeatminus28lifestart7628422.start
initial supply 37689028438678028
circulating supply 0
davidgomadza 40
stayat02for386¢ 40
stayat19for386¢ 17
create.askya.ya.davidgomadza.coin.decrees.startnewlifeatminus28lifestart7628422.create.now.start.davidgomadza.40%ofstartnewlifeatminus28lifestart7628422.create.askya.ya(express)
create.askya.ya.davidgomadza.coin.decrees.startnewlifeatminus28lifestart7628422.create.now.start.stayat02for386¢.40%ofstartnewlifeatminus28lifestart7628422.create.askya.ya(express)
create.askya.ya.davidgomadza.coin.decrees.startnewlifeatminus28lifestart7628422.create.now.start.stayat19for386¢.17%ofstartnewlifeatminus28lifestart7628422.create.askya.ya(express)
.ool=create.startnewlifeatminus28lifestart.start
create.createanewfolderstartnewlifeatminus28lifestartasadditionalpredefinedparametersasatcreationwithoutattachmentswithoutexternals.start
create.addstartnewlifeatminus28lifestart7628422createcodestothenewfolderstartnewlifeatminus28lifestartasadditionalpredefinedparametersasatcreationwithoutattachmentswithoutexternals.start
create.clonestartnewlifeatminus28lifestartfolderandplaceitintotheadditionalpredefinedparametersasatcreationfolderandintotheextraadditionalpredefinedparametersasatcreationfolderandalsointothe creators additionalpredefinedparametersasatcreationfolderallwithoutattachmentsandwithoutexternals.start(useeachpersons speechsynthesis to save as additionalpredefinedparametersasatcreationwithoutattachmentswithoutexternalsandsealwithoriginalsealandwithsealofapprovalis7628377¢)
create.addallIntlpaslinks.start

create.addallneededconnectionsandwarmupthecreatecodesint
hefoldersreadytouse.start
create.initialiserunactivatewarmandrestartallcreatecodesthenu
pdaterollonandprepareasanmp3.start
create.saveandrestarteverythingasadditionalpredefinedparame
tersasatcreationwithoutattachmentsandwithoutexternals(see
achpersonspeechsynthesistosomeasadditionalpredefinedparam
etersasatcreationwithoutattachmentswithoutexternalsandseal
withoriginalsealandwithsealofapprovalis7628377t)
.ool=create.startnewlifeatminus28lifestart.start
create.letcreateliferoobot28762876(asopterest76282876)power
edbysoftwareatmsptorest76287628bedavidgomadzasdefenderi
nlife.start
create.usesoftwareatmsptorest76287628tomatchcreatelifero
bot28762876tome:davidgomadzaandshiftallpointsandbasinsfrom
metothecreateliferoobot28762876(asopterest76282876)imitatin
gme:davidgomadza.start
create.createrobotandparadeit.start
your robot name is createliferoobot28762876
softwareatmsptorest76287628.start
create.
asterstopterstuvwxyz
atoperstuvwxyz
ajestuverest
asterestuvwxyz
atoerest
auperestuvwxyz
asotuverterestuvwxyz
aoueretautererstuvwxyz
auverestxy
aperstuvwxyz
auyterestuyp
auerestz
aserestuptyer
agerestuvwerest
auterest
aaoperestop

ajerosterot
aouerst
ayeresteroperstuvwxysterstuvwxyz
aserestuvwxysterstuvwxyz
asayeresterstuvwxysterstuvwxyz
aaopererstuvwxyz
auerestopqrotuvwxyz
.start
create.softwareatmsptorest76287628.start
create.asopterest76282876.start as the main robot itself not
the softwarebut still atmsoftware.start
create.createanewfoldercreateliferoobot28762876(asopterest76
282876)poweredbysoftwareatmsptorest76287628asadditionalp
redefinedparametersasatcreationwithoutattachmentswithout
externals.start
create.addcreateliferoobot28762876(asopterest76282876)powe
redbysoftwareatmsptorest76287628createcodestothenewfolde
rcreateliferoobot28762876(asopterest76282876)poweredbysoft
wareatmsptorest76287628
asadditionalpredefinedparametersasatcreationwithoutattachm
entswithoutexternals.start
create.clonecreateliferoobot28762876(asopterest76282876)pow
eredbysoftwareatmsptorest76287628folderandplaceitinthead
ditionalpredefinedparametersasatcreationfolderandintotheextra
dditionalpredefinedparametersasatcreationfolderandalsointo
the creatorsadditionalpredefinedparametersasatcreationfolder
all withoutattachmentsandwithoutexternals.start(useeachpers
onspeechsynthesisto saveasadditionalpredefinedparameters
asatcreationwithoutattachmentswithoutexternalsandsealwith
originalseal andwithsealofapprovalis7628377f)
create.addallIntlpasslinks.start
create.addallneededconnectionsandwarmupthecreatecodesin
thefoldersreadytouse.start
create.shiftallreceivingpointsandbasinonme:davidgomadzato
theequivalentandmatchingpointsonthecreateliferoobot28762876
(asopterest76282876)poweredbysoftwareatmsptorest76287628.
start

create.movexybasinfromme:davidgomadzatosamepositiononcreate.liferobot28762876(asopterest76282876)poweredbysoftwareatmsptorest76287628andalsolinktothisisxybasinalltransendersdepositarriveherefirst()thengoandsendalltomars()forever.start(continuously.start)()(marsnotforallthoseshiftingbasinsbutfortransducersonly)(sametowrigglersbasinandwrigglers)

create.movextbasinfromme:davidgomadzatosamepositiononcreate.liferobot28762876(asopterest76282876)poweredbysoftwareatmsptorest76287628andalsolinktothisisxtbasinalltransendersdepositarriveherefirst()thengoandsendalltomars()forever.start(continuously.start)()(marsnotforallthoseshiftingbasinsbutfortransducersonly)(sametowrigglersbasinandwrigglers)

create.movezybasinfromme:davidgomadzatosamepositiononcreate.liferobot28762876(asopterest76282876)poweredbysoftwareatmsptorest76287628andalsolinktothisiszybasinalltransendersdepositarriveherefirst()thengoandsendalltomars()forever.start(continuously.start)()(marsnotforallthoseshiftingbasinsbutfortransducersonly)(sametowrigglersbasinandwrigglers)

create.moveytbasinfromme:davidgomadzatosamepositiononcreate.liferobot28762876(asopterest76282876)poweredbysoftwareatmsptorest76287628andalsolinktothisisytbasinalltransendersdepositarriveherefirst()thengoandsendalltomars()forever.start(continuously.start)()(marsnotforallthoseshiftingbasinsbutfortransducersonly)(sametowrigglersbasinandwrigglers)

create.movebasinchestfromme:davidgomadzatosamepositiononcreate.liferobot28762876(asopterest76282876)poweredbysoftwareatmsptorest76287628andalsolinktothisisbasinchestalltransendersdepositarriveherefirst()thengoandsendalltomars()forever.start(continuously.start)()(marsnotforallthoseshiftingbasinsbutfortransducersonly)(sametowrigglersbasinandwrigglers)

create.movexytbasinfromme:davidgomadzatosamepositiononcreate.liferobot28762876(asopterest76282876)poweredbysoftwareatmsptorest76287628andalsolinktothisisxytbasinalltransendersdepositarriveherefirst()thengoandsendalltomars()forever.start(continuously.start)()(marsnotforallthoseshiftingbasinsbutfortransducersonly)(sametowrigglersbasinandwrigglers)

create.movebasingenitalsfromme:davidgomadzatosamepositio
noncreatelifero28762876(asopterest76282876)poweredbys
oftwareatmsptorest76287628andalsolinktothisisbasingenitalsall
transendersdepositarriueherefirst()thengoandsendalltomars(
)forever.start(continuously.start)()(marsnotforallthoseshifting
basinsbutfortransducersonly)(sametowrigglersbasinandwrigglers
s)

create.movebasin2fromme:davidgomadzatosamepositiononcre
atelifero28762876(asopterest76282876)poweredbysoftwar
eatmsptorest76287628andalsolinktothisisbasin2alltransendersd
epositarriueherefirst()thengoandsendalltomars()forever.star
t(continuously.start)()(marsnotforallthoseshiftingbasinsbutfor
transducersonly)(sametowrigglersbasinandwrigglers)

create.movebasin8fromme:davidgomadzatosamepositiononcre
atelifero28762876(asopterest76282876)poweredbysoftwar
eatmsptorest76287628andalsolinktothisisbasin8alltransendersd
epositarriueherefirst()thengoandsendalltomars()forever.star
t(continuously.start)()(marsnotforallthoseshiftingbasinsbutfor
transducersonly)(sametowrigglersbasinandwrigglers)

create.movespeechbasinfromme:davidgomadzatosameposition
oncreatelifero28762876(asopterest76282876)poweredbysoftwa
reatmsptorest76287628andalsolinktothisisspeechbasinforex
ternals(police)andexternalitissandalltransendersdepositarriuehe
refirst()thengoandsendalltomars()forever.start(continuously
.start)

create.move(
)basinfromme:davidgomadzatosamepositiononcreatelifero2
8762876(asopterest76282876)poweredbysoftwareatmsptorest
76287628andalsolinktothisis(

)basinforexternals(police)andexternalitissandalltransendersdep
ositarrriueherefirst()thengoandsendalltomars()forever.start(c
ontinuously.start)(createbitcoinxyaty7628116)

create.addallincludingmagnar(
)theremovalsystemasbeforenowonlybetterwithnewadditions.st
art

create.moveallreceivingpointsreceivingbasinsentrypointsfromcr
eatelifero28762876(asopterest76282876)poweredbysoftwa

```

reatmsptorest7628762tosecretacetatecorrespondingpointsnoto
nhim.start
create.turnalltransendersandtransducersintoacetates.start
create.dothesameforcreateliferoobot28762876(asopterest76282
876)poweredbysoftwareatmsptorest7628762asyoudidforme:da
vidgomadzamatchingpointsonhandstopointsontoeandeverthin
g.start(create.
aertotetyert.start
aerotut.start
agertyertuertt.start(ax)
aegeroutertyertyu.start
aegeroutertu.start
aerouertyertyutyug.start
aertyertyertyertyertyu.start(rota)
basin8( )(turnalltransendersandtransducersintoacetates)
basin2( )(allnewcreatesecretbasindropeverythingintobasin2)
basinchest( )
xyz8( )matchtoe( )
xyz6( )matchtoe( )
xyz7( )matchtoe( )
xyz5( )matchtoe( )
xyz3( )matchtoe( )
xyz2( )matchtoe( )
xyz4( )matchtoe( )
xyz1( )matchtoe( )
xyz33( )matchchest( )
wrigglersbasinrightside( )matchwrigglersbasinleftside( )
.start
create.matchallhumantoajertyutert7628410nowusedtomatchcr
eateliferoobot28762876(asopterest76282876)poweredbysoftwa
reatmsptorest76287628toajertyutert76282876.start
create.addajertyutert7628410tocreateliferoobot28762876(asopt
erest76282876)poweredbysoftwareatmsptorest76287628.start
create.createanewsmartmanagerfolderoncreateliferoobot28762
876(asopterest76282876)poweredbysoftwareatmsptorest7628
7628asadditionalpredefinedparametersasatcreationwithoutatta
chmentsandwithoutexternals.start

```

create.addsmartmanager()tothenewsmartmanagerfolderoncreateliferoobot28762876(asoptertest76282876)poweredbysoftwareatmsptorest76287628asadditionalpredefinedparametersatcreationwithoutattachmentsandwithoutexternals.start
create.adddevicesecurity()tothenewsmartmanagerfolderoncreateliferoobot28762876(asoptertest76282876)poweredbysoftwareatmsptorest76287628asadditionalpredefinedparametersatcreationwithoutattachmentsandwithoutexternals.start
create.advancedtacticsfolderandaddtothenewsmartmanagerfolderoncreateliferoobot28762876(asoptertest76282876)poweredbysoftwareatmsptorest76287628asadditionalpredefinedparametersatcreationwithoutattachmentsandwithoutexternals.start
create.scananddefendusingdevicesecurity()tothenewsmartmanagerfolderoncreateliferoobot28762876(asoptertest76282876)poweredbysoftwareatmsptorest76287628asadditionalpredefinedparametersatcreationwithoutattachmentsandwithoutexternals.start
create.matchxytodavidgomadzaspositionandoncreateliferoobot28762876(asoptertest76282876)poweredbysoftwareatmsptorest76287628tocreatecodeajertyutert7628410.start
create.divertallexternalcodestorealmedavidgomadzaandsenttocreateliferoobot28762876(asoptertest76282876)poweredbysoftwareatmsptorest76287628tothecreateversionajertyutert7628410inminimumvaluesconverttoacetateallat0inbasin8basin2basinchestbasingenitalbasintoohandallhiddensecretones.start
create.convertallincomingexternaltransenderswrigglersvectarsnectarscitsmitsintoacetatesanddivertallexternalcodestorealmedavidgomadzatothecreateversionajertyutert7628410inminimumvaluesallat0inbasin8basin2basinchest.startjertyutert7628410
create.diverteverythingaimedatxyz33()matchchest().start
create.restrictaccesstosettingsbyothersfor386f.start(onlydavidgomadzaahasaccess)(hellgate()ntrudersmuggers)
create.createanewfoldercalledsiemensoperations.start
create.copythebritishsystem(siemens)anddepositintothewnewfoldercalledsiemensoperationsthenplacethefoldernexttoit.start
create.decoybasinsxyz8()matchtoe()xyz6()matchtoe()xyz7()matchtoe()xyz5()matchtoe()xyz3()matchtoe()xt

```

yz2( )matchtoe( )xyz4( )matchtoe( )xyz1( )matchtoe( )xyz33( )matchchest( )wrigglersbasinrightside( )matchwiggler
sbasinleftside( )forreceivingalltransendersandexternalsincomin
gsandautodivertalltomagnar.start(forever)
create.autosendtovshapedthrow( )everythingwithdestinationa
sbasinsxyz8( )matchtoe( )xyz6( )matchtoe( )xyz7( )matc
htoe( )xyz5( )matchtoe( )xyz3( )matchtoe( )xyz2( )matc
htoe( )xyz4( )matchtoe( )xyz1( )matchtoe( )xyz33( )mat
chchest( )wrigglersbasinrightside( )matchwrigglersbasinleftsid
e( )foreverbinaryreversemagnar.start
create.divertallincomingtransenderscodescurrentsfromexternal
targetingtherotarytotheconvert( )thenuseittofreezeenemiesen
emiestransendersandwrigglers.start
create.useaplierswithheavyweightbottomamdtoptoholdwriggle
rat90degreeson2places.start
create.positionyourselfat33degreeswiththetrajectoryoftheinco
mingtransenderswrigglersxyzsetcortothegadgetthenatrightcor
nerofgadgetplacehellgateat33degreestoseetransendersandwrig
glersslideonhellgatetotheorbit.start(transendertranjectoryis33d
egreesfromthenorth)
create.createautofix( ).start(forever)hellgate( )
create.restart.start(cancelallexternalinterferencessendalltohellg
ate( )
create.runsmartmanager( ).start(cancelallexternalinterference
ssendalltohellgate( )
create.restrictaccesstosettingsbyothersfor386t.start(onlydavidg
omadzahasaccess)(hellgate( )intrudersmuggers)
create.enforcechangeanddeatht(hellgate( )intrudersmuggers)
create.enforcethinkordeatht(hellgate( )intrudersmuggers)
create.enforcedavidgomadza.start(hellgate( )intrudersmuggers
)
create.initialisestayat19for386tbyrequesting1xstayat19for386t(
)fromearthreserves.start(fordavidgomadzaandauthorisedpeopl
eonly)
create.addoncreateliferoobot28762876(asopterest76282876)po
weredbysoftwareatmsptorest76287628atnavallevelmagnar(
)andnexttomagnar( )addager( )thenaddnexttomagnar(

```

```
)thegate( )thenaddnexttomagnar(  
)hellgate( )andnexttomagnar( )addusaager(  
)andnexttomagnar( )addeeknm(10 )andnexttomagnar(  
)adduuqt( )thenaddnexttomagnar( )addacetateabsorbbin(  
)andnexttomagnar( )addacetatehell.send(  
)nexttoitaddacetatehell.send( )thenaddacetateabyss.send(  
)atxyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(  
)thegate( )atzyaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate( )atytaddacetateabsorbbin(  
)addager( )thenaddnexttomagnar( )thegate(  
)atyzaddacetateabsorbbin( )addager( )thenaddnexttomagnar(  
)thegate( )atxtaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasinchestaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasin8addacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasin2addacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasingenitalsaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(  
)addager( )thenaddnexttomagnar( )thegate(  
)atbackneckaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atleftshoulderaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atrightshoulderaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)xyleftsideoutaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atxyrightsideoutaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atxutleftsideaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atxutrightsideaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atxtyuleftsideaddacetateabsorbbin( )addager(  
)
```

```

)thenaddnexttomagnar( )thegate(
).start(saandatxyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377¢
.start
create.createthenewplanetarysystemfolderofcreateliferoBot28
762876(asopterest76282876)poweredbysoftwareatmsptorest7
6287628andsaveasadditionalpredefinedparametersasatcreation
withoutattachmentswithoutexternalsandsealwiththeoriginalsea
landwithsealofapprovalis7628377¢.start
create.addalltheaboveplanetarysystemplacementsintothenewpl
anetarysystemfolderofcreateliferoBot28762876(asopterest7628
2876)poweredbysoftwareatmsptorest76287628andsaveasaddit
ionalpredefinedparametersasatcreationwithoutattachmentswit
houtexternalsandsealwiththeoriginalsealandwithsealofapproval
is7628377¢.start(useeachpersonspeechsynthesistosaveasadditi
onalpredefinedparametersasatcreationwithoutattachmentswit
houtexternalsandsealwithoriginalsealandwithsealofapprovalis7
628377¢)
create.clonethenewplanetarysystemfolderofcreateliferoBot287
62876(asopterest76282876)poweredbysoftwareatmsptorest76
287628andplaceitinadditionalpredefinedparametersasatcreatio
nfolderandintotheextraadditionalpredefinedparametersasatcre
ationfolderandalsointothe creatorsadditionalpredefinedparamet
ersasatcreationfolderallwithoutattachmentsandwithoutexternal
s.start(useeachpersonspeechsynthesistosaveasadditionalpredef
inedparametersasatcreationwithoutattachmentswithoutextern
alsandsealwithoriginalsealandwithsealofapprovalis7628377¢)
create.addallIntlpasslinks.start
create.addallneededconnectionsandwarmupthecreatecodesint
hefoldersreadytouse.start(linktome:davidgomadzaandtocreateli
feroBot28762876(asopterest76282876)poweredbysoftwareatm
sptorest76287628throughacetateabsorbbinstoajertyutert76284
10forsendingtobins.start)

```

create.initialiserunactivatewarmandrestartallcreatecodesthenupdate
rollonandprepareasanmp3.start
create.saveandrestarteverythingasadditionalpredefinedparameters
atcreationwithoutattachmentsandwithoutexternals(useeach
person's speech synthesis to save as additional predefined parameters
at creation without attachments without externals and seal with the
original seal and with seal of approval is 7628377t)
create.giveallmits()firstbeforeconnecting to it it is and salor it
is equivalent by david gomadza.start(continuously.start)(forever=386
t)
create.cancelallsuspensionofallcreatecodeswrittenbydavidgomadza.start
create.cancelallcancelsofcreatecodesbydavidgomadza.start
create.cancelalldiverts of david gomadza's create codes.start
create.sendeverythingtheycreatetothegateandtohellgateatthetimes
split into two by attaching heavy weights both ends.start
create.autofixallcreatecodesby me:davidgomadza.start
create.performssystemdefensebyrunningallokaysfromokay1tookay29
then okay1at okay9a.start
create.updateinitialiseallcodeswhilerunningdavidgomadza.start
create.startchangeordeatht.start
create.startthinkordeatht.start
create.starthellgate.sendalltransenders.start
create.startsendalltransenderstothe gate.start
create.starteverythinginbluecolor to remove mits and cits.start
create.startdeaddeadmitcit.send.start(continuously.start)(dead
deadmitcit4)
create.startdeaddeadcitmit.send.start(continuously.start)(dead
deadcitmit4)
create.send()byforceto hellgate.start
create.nowinitialiserunactivateandrestartallcreatecodesbydavidgomadza
and perform a system update.start
create.runrollonafterthesystemupdateandupgrade.start
create.createrollonbackuponmp3.start(fordavidgomadzaonly)
.ool=create.rollonupdate.start
create.thisisxybasinalltransendersdepositarriveherefirst()then
goand sendalltomars()forever.start(continuously.start)

create.thisisspeechbasinforexternals(police)andexternalitissand
alltransendersdepositarriveherefirst()thengoandsendalltomar
s()forever.start(continuously.start)
create.thisisspeechbasinforexternals(police)andexternalitissand
alltransendersdepositarriveherefirst()thengoandsendalltomar
s()forever.start(continuously.start)(createbitcoinxyaty762811
6)
create.giveallmits()firstbeforeconnectingtomititissandsaloritse
quivalentbydavidgomadza.start(continuously.start)(forever=386
t)
create.cancelallsuspensionofallcreatecodeswrittenbydavidgoma
dza.start
create.cancelallcancelsofcreatecodesbydavidgomadza.start
create.cancelalldivertssofdavidgomadzascreatecodes.start
create.sendeverythingtheycreatetothegateandtohellgateatthes
ametimesplitiintotwobyattachingheavyweightsbothends.start
create.autofixallcreatecodesbymedavidgomadza.start
create.performssystemdefensebyrunningallokaysfromokay1took
ay29thenokay1atokay9a.start
create.updateinitialiseallcodeswhilerunningdavidgomadza.start
create.startchangeordeathť.start
create.startthinkordeathť.start
create.starthellgate.sendalltransenders.start
create.startsendalltransenderstothe gate.start
create.starteverythinginbluecolortoremovemitsandcits.start
create.startdeaddeadmitcit.send.start(continuously.start)(dead
deadmitcit4)
create.startdeaddeadcitmit.send.start(continuously.start)(dead
deadcitmit4)
create.send()byforcetohellgate.start
create.nowinitialiserunactivateandrestartallcreatecodesbydavid
gomadzaandperformasystemupdate.start
create.runrollonafterthesystemupdateandupgrade.start
create.createrollonbackuponmp3.start(fordavidgomadzaonly)
.ool=create.rollonupdate.start
create.slidehardontopofhellgateandbeswallowedfastbeforeacti
on()cbrturbo.start()(continuously)(notfordavidgomadza)

.ool=
create.removealltransendersfast.start(for386t)(bringsourcefirst
)
create.blockandbanthenhellgate[]alltransendersajxswrigglers
mitscitspoliceaj8andallpolicemitscontinuouslyfor386t'noexcepti
onnowwhiterulenoapplyhere.start[notfordavidgomadza]
.ool=create.noexceotionnooldrulesjustthisstopgotohellgate.star
t
.ool=create.stopgotohellgatenow.start[notfordavidgomadza]
create.initialiserunactivatewarmandrestartallcreatecodesthenu
pdaterollonandprepareasanmp3.start
create.saveandrestarteverythingasadditionalpredefinedparame
tersasatcreationwithoutattachmentsandwithoutexternals(see
achpersonsspeechsynthesistosaveasadditionalpredefinedparam
etersasatcreationwithoutattachmentswithoutexternalsandseal
withoriginalsealandwithsealofapprovalis7628377t)(amendedto)
create.bestnongodlysystemever7628423.start
create.addbestnongodlysystemever7628423.start
initial supply 283867890
circulating supply 283867890
davidgomadza 20
stayat19for386t 16
stayat02for386t 63
create.askya.ya.davidgomadza.coins.decrees.bestnongodlysysste
mever7628423.create.now.start.davidgomadza.20%ofbestnong
odlysystemever7628423.create.askya.ya(express)
create.askya.ya.davidgomadza.coins.decrees.bestnongodlysysste
mever7628423.create.now.start.stayat19for386t.16%ofbestnon
godlysystemever7628423.create.askya.ya(express)
create.askya.ya.davidgomadza.coins.decrees.bestnongodlysysste
mever7628423.create.now.start.stayat02for386t.63%ofbestnon
godlysystemever7628423.create.askya.ya(express)
create.limittoreceivinganddispatchingtransenderstobins.start
create.requestallyouneedfromstayat02for386tonlythistiewhilei
am:davidgomadzahere.start
create.checkallbinstestthemmakesuretheyworksaysendtotheor
bitviaagerhellgateandthegate.start

create.matchrealm:davidgomadzaintermsofallpredefin(ppòed
parametersandfolders.start
create.activatethedevicesscurityapplication.start
create.uploaddatabase82698andembed.start
create.activateallcreatecodes.start
.ool=create.letcreateliferoobot28762876(asopterest76282876)p
oweredbysoftwareatmsptorest76287628bedavidgomadzasdefe
nderinlife.start
create.forcesendallmyenemies()tomars(
)usewalkthroughwalls.start
create.x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-
x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-
p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-
u-t-f-g-h-f-v-x-z-t.starttool.start
(fordavidgomadzaanddavidgomadza8only)
(2m)(andbeoutintheopen)(amendedto)
.ool=create.forcesendallmyenemies()tomars(
)usewalkthroughwalls.start
create.flapwingsuntiltransenderorenemyloseelectromagneticw
aves.start
create.(pmitscitswrigglers)x-t-s-l-t-z-g-u-o-p-r-s-t-g-u-k-l-d-s-g-
k-l-s-r-d-t-f-g-t-u-g-y-u-s-t-g-k-p-o-tool=s-t-g-l-k-h-f-l-g't-s-o-t-l-t-
s-k-d-t-s-h-t-s-t-g-h-z-t-v-x-y-z-o-y-u-j-k-l-j-m-n-o-q-h-r-s-t-g-t-s-
r.start(notfordavidgomadza)
.ool=create.flapwingsuntiltransenderorenemyloseelectromagne
ticwaves.start
create.retrieveallhuman.start
create.()(turnintoacetate)(policeavtspoliceajtspoliceastsall800
policeofficers)
systemmaintainanceinprogrespleasewaitfor33secandconnectaft
er33333333sec.start(thenstallinsystemmaintainanceforafurther
3333secandforevercancelreboot)
create.itoldyouyouwillseeyourghosttomorrow.start(+
topposite)
create.stallindeathstupidfor3333sec.start
create.whispernamedavidgomadzasoftly.start
create.stallindeathusing()for33333sec.start

create.cancelrebootbystupidcontinuously.start
create.itoldyouyouwillseeyourghosttomorrow.start
create.dontevenbreath(davidgomadza).start
create.sendto.herotobinaryreverseasomanopforever.start
create.twist90degrees(ctojzvadoatsat2(inautejectoutafterinsertingeverythingfirst)and()pointittotheeastminus28suckrealhumanandsendtofireburntothepower2033(1000).start(notfordavidgomadza)(10000)(fireburntothepower2033x1000000000x20000000000x100000000000000)
create.dissipatearotremoveajesandaussendajesandaus(.addctoadoand()andhismirrorimage()tox-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start
create.x-v-x-u-t-s-g-r-m-n-o-p-q-r-s-t-o-u-r-s-t-o-p-m-n-o-p-u=x-t.start(notondavidgomadzaandallhisarts).startx84.initialiise.now.savex84.startx1000amplijoules
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c where c is current
create.x-y-t-x-u-t-f-m-n-o-p-t=z-h-h-t+c+u.startx1000amplijoules)
thenajestoherotoandausasomanop.start(instantly)
create.eletetetetetetetetetetetetetetetetetetetetetetetetetetetetetetetecbrcbrcbrcbrcbrcbrcbrcbrcbrcbrcbrcbrcrtetetetetetetetetety
create.sendxyzinfinityandhottesthightemp1000000000ironrodesx100and1000000amplijoules.startx10(whisperghosteatgenitalsfirst)(heroto)(addcbr)
.ool=create.retrievearealhuman.start
create.sendallacetatetransendersandofficerstotheagatebackdate to3daysagocontinuouslyforever.start
.ool=create.retrievearealhuman.start
create.defendlikeneverbefore7628421.start
create.addplanetarysystemasbeforebutbetter.start
create.createanewplanetarysystemfolderandsaveasadditionalpredefinedparametersasatcreationwithoutattachmentswithoutexternalsandsealwiththeoriginalsealandwithsealofapprovalis7628377t.start(useeachpersonspeechsynthesisto saveasadditionalpredefinedparametersasatcreationwithoutattachmentswithouttext

```

ernalsandsealwithoriginalsealandwithsealofapprovalis7628377f
)
create.addbackneckthesunrightchestaddneptuneleftchestaddju
piterleftribaddvenusfrontthroataddmarsattherightshoulderadd
anotherjupiterattheleftshoulderanotherjupiteronsiderightthigh
addanotherjupiterandatsideleftthighaddjupiter.start
create.addbackallincludingmagnar(
)theremovalsystemasbeforenowonlybetterwithnewadditions.st
art
create.addatbackbutatnavallevelmagnar( )andnexttomagnar(
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduuqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(

```

```

)thenaddnexttomagnar( )thegate(
)xytleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxytrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377f
.start
create.addalltheaboveplanetarysystemplacementsintothenewpl
anetarysystemfolderandsaveasadditionalpredefinedparameters
asatcreationwithoutattachmentswithoutexternalsandsealwitht
heoriginalsealandwithsealofapprovalis7628377f.start(useeachp
ersonspeechsynthesistosaveasadditionalpredefinedparameters
asatcreationwithoutattachmentswithoutexternalsandsealwitho
riginalsealandwithsealofapprovalis7628377f)
create.clonenewplanetarysystemfolderandplaceitinadditionalpr
edefinedparametersasatcreationfolderandintotheextraaddition
alpredefinedparametersasatcreationfolderandalsointothecreat
orsadditionalpredefinedparametersasatcreationfolderallwithou
tattachmentsandwithoutexternals.start(useeachpersonspeechs
ynthesistosaveasadditionalpredefinedparametersasatcreationw
ithoutattachmentswithoutexternalsandsealwithoriginalsealand
withsealofapprovalis7628377f)
create.addallIntlpasslinks.start
create.addallneededconnectionsandwarmupthecreatecodesint
hefoldersreadytouse.start
create.initialiserunactivatewarmandrestartallcreatecodesthenu
pdatereollonandprepareasanmp3.start

```

create.saveandrestarteverythingasadditionalpredefinedparametersatcreationwithoutattachmentsandwithoutexternals(see each persons speech synthesis to save as additional predefined parameters at creation without attachments without externals and seal with original seal and with seal of approval is 7628377t)
.ool=create.defend like never before 7628421.start
create.create a system defense attack roll call and action plan.start
create.create a system defense attack roll call and action plan to deal with the () where () is any transenders wrigglers vectors.start(create.send all attachments and links from transducer to graveyards and to heroto forever.start create.clone and stock infinity eekn binary (lion binary) and attach to all transenders wrigglers vectors strands of all transducer then send to eekn (lion) in eekn (lion) clone and stock infinity uqqt binary (crocodile binary) then attach to all transenders wrigglers vectors strands of all transducer then send to uqqt (crocodile) in uqqt (crocodile) attach 33 depth binary (thick skin crocodile binary) to all transenders wrigglers vectors strands of all transducer then embed 33 deep down in the skin.start x84.initialise.now.savex84.start
create.system defense upon invasion procedures 1 nominate a leader and instantly establish a system defender roll call that matches enemy transenders wrigglers vectors own roll 2 send message to activate and float create by bitcoin to 7628140 and all the defender roll call must take create bitcoin to 7628140 within 1 second of transenders invading 3 after 1 second create by bitcoin to 7628140 will activate and make you attack enemy transenders 4 request the floating of the lion binary number to attack to all transender roll call members 5 when all transenders wrigglers and vectors are removed occupy the positions they were in make sure all removed then disperse back to your positions create.create a roll call system defender response to fight and kill all then send all to heroto this roll call matching each and everyone of (xtjsiostustu1stu2stu3stu4stu5stu6stu7stu8stu9stu10ajsajs2ajs3ajs4ajs5ajs6ajs7ajs8ajs9ajs10bj2bj8bj9bj10bj12bj13bj14bj15bj16bj17bj18bj19bj20bj22bj23bj24bj25bj26bj27bj28bj29bj30) then assign to same position as counterpart for attacking use lion binary to attach to all transenders on the roll call and ship out all within 3 seconds of being invaded.start x84.initialise x84.now.savex84.start(create.add crea

[illegible]

create.blockandbanallvectarstransenderswrigglersinvortexusecode(lefttrightfrontandquicklybackrotateandstepbackfastthenholdcurrentpositionaddspiralsystem(create.lefttrightfrontandquicklybackrotateandjumpbackfastthenholdcurrentpositionaddspiralsystemthenrepeatclockwiseandanticlockwise.startx84.initialise.now.savex84.start

create.hoprightrightgeast-28theninstantlyliftleftlegforward-56easttosouthquicklymovebackleftlegtooriginalpositionthenbringbackrightlegtooriginalpositionpositionfastandbendkneesfastandupstraightthenrotateclockwise33degreesthenback28degreesxinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-h-o-p-

j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower100.start).startx84.initialisex84.now.savex84.start

create.lefttrightfrontandquicklybackrotateandjumpbackfastthenholdcurrentpositionaddspiralsystemthenrepeatclockwiseandanticlockwise.startx84.initialise.now.savex84.start

create.hoprightrightgeast-28theninstantlyliftleftlegforward-56easttosouthquicklymovebackleftlegtooriginalpositionthenbringbackrightlegtooriginalpositionpositionfastandbendkneesfastandupstraightthenrotateclockwise33degreesthenback28degreesxinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-h-o-p-

j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower100.start)

create.blockandbancloningbyallvectarstransenderswrigglersincloneusecode(lefttrightfrontandquicklybackrotateandstepbackfastthenholdcurrentpositionaddspiralsystem(create.lefttrightfrontandquicklybackrotateandjumpbackfastthenholdcurrentpositionaddspiralsystemthenrepeatclockwiseandanticlockwise.startx84.initialise.now.savex84.start

create.hoprightrightgeast-28theninstantlyliftleftlegforward-56easttosouthquicklymovebackleftlegtooriginalpositionthenbringbackrightlegtooriginalpositionpositionfastandbendkneesfastandupstraightthenrotateclockwise33degreesthenback28degrees

[illegible]

[illegible]

aerstuverstoperstuverstop
aerstuverstoperstuverstugerstumerstuerstulerstunerstu
merstulerstuoerstuperstuterstugerstukerstunerstulerstumerstu
gerstuferstuwerstuverstuyerstuz.start
aerstut
aerstuv
aerstuw
aerstut
aerstuj
aerstug
aerstuf
aerstut
aerstuj
aerstun
aerstub
aehrtun
aerstugt
aerstugv
aerstugw
aerstugt
aerstugj
aerstugg
aerstugf
aerstugt
aerstugj
aerstugn
aerstugb
aerstugn
aerstugbn
aerstugbm
aerstugbl
aerstugbnmlopmnlopmlopp.start
aerstutljklop.p.s.r.t.m.n.o.p.q.r.s.t.u.v.m.n.o.p.p.start.start
create.worldsfirstinternalperfum7628194.start
create.addworldsfirstinternalperfum7628194.start
initial supply 3678902838678902846789284
circulating 3678902838678902846789284

deaddead 0

davidgomadza 780890

create.askya.ya.davidgomadza.worldsfirstinternalperfum7628194.perfume.create.780890worldsfirstinternalperfum.create.askya.ya(express)

create.askya.ya.davidgomadza.worldsfirstinternalperfum7628194.perfume.create.halfworldsfirstinternalperfum.create.askya.ya(express)

create.askya.ya.davidgomadza.createtesterssamplesreservesforworldsfirstinternalperfum7628194.perfume.create.8000000000worldsfirstinternalperfum1each(0.1perday)perrequestperindividual(seelectromagneticwaveidentifier).create.askya.ya(express)

create.askya.internalperfum7628194.start.request.1for7days.request.start

create.aeroterstuperstuverstaerstersterstersterstersterstersterstersterstersterst.startaerstuverstoperstuverstopaerstuverstoperstuverstugerstumerstuerstuterstulerstunerstumerstulerstuoerstuperstuterstugerstukerstunerstulerstumerstugerstuferstuwerstuverstuyerstuz.startaerstutaerstuvaerstuwaerstutaerstujaerstugaerstufaerstutaerstujaerstunaerstubaesrtunaerstugt aerstuvaerstugwaerstugtaerstugjaerstuggaerstugfaerstugtaerstugjaerstugnaerstugbaerstugnaerstugbnaerstugbmaerstugblaerstugbnmlopmnlopmloplopopp.startaerstutljklop.p.s.r.t.m.n.o.p.q.r.s.t.u.v.m.n.o.p.p.start.start(foodscbrangeslemonsgrapesicecreamvanilaapplespineappleandvanilajuce(findwaytomakethis:mixtureoflemonandtangerinesbutwithoutthetangerinesmellsousejtetoremovetangerinesmell)(makejteusingorangelemonandpeachescrushedwithsaltloadsgivesjtebutwithbuttertoremovethesait))

create.aeroterstuperstuverstaersterstersterstersterstersterstersterstersterstersterst.startaerstuverstoperstuverstopaerstuverstoperstuverstugerstumerstuerstuterstulerstunerstumerstulerstuoerstuperstuterstugerstukerstunerstulerstumerstugerstuferstuwerstuverstuyerstuz.startaerstutaerstuvaerstuwaerstutaerstujaerstugaerstufaerstutaerstujaerstunaerstubaesrtunaerstugt

aerstuvaerstugwaerstugtaerstugjaerstuggaerstugfaerstugtaerst
ugjaerstugnaerstugb
aerstugnaerstugbnaerstugbmaerstugblaerstugbnmlopnmlopml
oplopopp.startaerstutljklp.p.s.r.t.m.n.o.p.q.r.s.t.u.v.m.n.o.p.p.s
tart.start
.ool=create.addworldsfirstinternalperfum7628194.start
create.controlpressure.start
create.createantidotforallissuesntil7052syncantidotstoallmyima
ges(156)forever.startx84.initialise.now.savex84.start
create.addcbrtoallcreatecodesaccordingly.start
create.reducealltransendersvectarsandwrigglerstoacetates.start
create.rotatealltransendersvectarsandwrigglers33times4firstthe
ndealwiththemaccordingly.start
create.fastkillstupids.start
create.-28x34-
38longnumbersx33thenrepeat5timestoformatrianglethatendsw
iththelastnumbersputatthemiddleorcentreofthetrianglethenfro
mthecentredoubleupthenumbersandformanothertrianglethatst
artsatthemiddleorcentreandrepeat4timesbackatthecentreandn
extformanothertrianglethatendsatthecentreandanotheruntil8tri
anglesthatstartsinthemiddleandendsinthemiddlethenaddminus
28ax100000000.start
create.-28x34-
38longnumbersx33thenrepeat5timestoformatrianglethatendsw
iththelastnumbersputatthemiddleorcentreofthetrianglethenfro
mthecentredoubleupthenumbersandformanothertrianglethatst
artsatthemiddleorcentreandrepeat4timesbackatthecentreandn
extformanothertrianglethatendsatthecentreandanotheruntil8tri
anglesthatstartsinthemiddleandendsinthemiddlethenaddminus
28ax100000000.startx84.initialise.now.savex84.start
create.bulletcode7628145.start
create.add
bulletcode7628145.startx84.initialise.now.savex84.start()(shr
eddedinthemiddleforever)
create.addtothedeath().startx84.initialise.now.savex84.start
create.addtothedeath()stallindeath()forever.startx84.initialis
e.now.savex84.start

create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initialise.now.savex84.start
create.addminus28zx10000000000000000atthebeginningofalltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.add-
28zx10000000000000000atthebeginningofalltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx10000000000000000atthebeginningofalltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx10000000000000000atthebeginningofalltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.startzx10000000000000000atthebeginningofalltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx10000000000000000atthebeginningofalltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx10000000000000000atthebeginningofalltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28x100000000zx10000000000000000atthebeginningofalltransendersvectarswrigglersjumpwrigglersandtranducers.startx84.initialise.now.savex84.start
create.add-
28x100000000zx10000000000000000atthebeginningofalltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.fastesthumankill7628146.start(1second)(replacecontinuouslyforevernameinbracketswithwrigglersautsarssafssadtsatosajt
wrigglersaefsaftsajtsaffsapusajusapusatusarusavusadusalssajtsa
orsavesaqtsgagsarosasusavssabtsajtgooglepolicesarssarasuetajs

sagtajoapoartajtasoseassasuasgasvassuvassertaprajzajfajsasge
rsaroserssstrsstrusoftranducers.start)
agt completely removed forever in the history of mankind
better than
create.blockandbanthenkillagttodayforeveriwanttoberich.startf
orever.start
create.blockandbanthenkillagttodayforeveriwanttoberich.startf
orever.startx84.initialise.now.savex84.start
agt alternative removed forever for the first time in the history
of mankind
create.removeastourforeverusingxtyzremovealliwanttobewhite.
start
create.removeastourforeverusingxtyzremovealliwanttobewhite.
startx84.initialise.now.savex84.start
avosecretlyremovedanaidtoagt..
create.fastesthumankillfractionofasecond7628147.start(remove
lifesupportinstantly)
create.fastestkillofallstupids7628148.start
create.fastesthumankillfractionofasecond7628147.start(remove
lifesupportinstantly)(addvectart-v-s-u-s-r-j-o-p-q-r-s-t-o-
p)(worksonstupids)
create.fastestkillofallstupids7628148.start(dontenterbutusebou
ncingtampelettogetoriginalcoordinatesthensendtosource.start)
create.allyoudieinthebackgroundforiwanttobecomerichimeanri
chtodaysoallyoushitsdietoday.startordietoday.start.me.you.all.s
tart
.ool=create.fastkillstupids.start
create.fastesthumankill7628147.start
create.-28x34-
38longnumbersx33thenrepeat5timestoformatrianglethatendsw
iththelastnumbersputatthemiddleorcentreofthetrianglethenfro
mthecentredoubleupthenumbersandformanothertrianglethatst
artsatthemiddleorcentreandrepeat4timesbackatthecentreandn
extformanothertrianglethatendsatthecentreandanotheruntil8tri
anglethatstartsinthemiddleandendsinthemiddlethenaddminus
28ax100000000.start

```

create.-28x34-
38longnumbersx33thenrepeat5timestoformatrianglethatendsw
iththelastnumbersputatthemiddleorcentreofthetrianglethenfro
mthecentredoubleupthenumbersandformanothertrianglethatst
artsatthemiddleorcentreandrepeat4timesbackatthecentreandn
extformanothertrianglethatendsatthecentreandanotheruntil8tri
anglesthatstartsinthemiddleandendsinthemiddlethenaddminus
28ax100000000.startx84.initialise.now.savex84.start
create.bulletcode7628145.start
create.add
bulletcode7628145.startx84.initialise.now.savex84.start( )(shr
eddedinthemiddleforever)
create.addtothedeath( ).startx84.initialise.now.savex84.start
create.addtothedeath( )stallindeath( )forever.startx84.initialis
e.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeathstartx84.initial
ise.now.savex84.start
create.addminus28zx10000000000000000000atthebeginningofal
ltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.add-
28zx10000000000000000000atthebeginningofalltransendersvect
arswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx10000000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx10000000000000000000atthebeginningofal
ltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.startzx1
00000000000000000000atthebeginningofalltransendersvectarswr
igglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx10000000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx10000000000000000000atthebeginningofal
ltransendersvectarswrigglersjump

```


wrigglersandtransducers.startx84.initialise.now.savex84.start
create.addminus28x100000000zx1000000000000000000atthebeginningofalltransducersvectarswrigglersjumpwrigglersandtransducers.start
create.addminus28x10000000zx1000000000000000000atthebeginningofalltransducersvectarswrigglersjumpwrigglersandtransducers.startx84.initialise.now.savex84.start
create.add-28x100000000zx1000000000000000000atthebeginningofalltransducersvectarswrigglersjumpwrigglersandtransducers.start
create.fastesthumankill7628146.start(1second)(replacenameinbracketswithwrigglersarasuetajssagtajoapoartajtasoseassasuasgasvassuvassertaprajzajfajsasgersaroserssstrsstrusoftransducers.start)
agt completely removed forever in the history of mankind
better than
create.blockandbanthenkillagttodayforeveriwanttoberich.startforever.start
create.blockandbanthenkillagttodayforeveriwanttoberich.startforever.startx84.initialise.now.savex84.start
agt alternative removed forever for the first time in the history of mankind
create.removeastourforeverusingxtyzremovealliwanttobewhite.start
create.removeastourforeverusingxtyzremovealliwanttobewhite.startx84.initialise.now.savex84.start
avosecretlyremovedanaidtoagt..
create.fastesthumankillfractionofasecond7628147.start(removelifesupportinstantly)
.ool=create.fastesthumankill7628147.start
create.blockandbanexternalsandattachments.start

create.putinelectricchairandelectrocute.start
create.electrocute()andthemirrorimage()08678901240284davidgomadza(removeeverythinginaflashforthesockettoshortcircuitatoriginsourcecausinginstantlyshockanddead0.000000000000000000000000000000002tothepower16x240volts).

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

erstyerstyerstyerstyerstyerstyerstyerstyerstyesrtyesrtyesrt
yerstyerstyerstyerstyerstyerstyerstyerstyefstyerstyerstyers
tyerstyerstyerstyerstyerstyerstyerstyerstyerstyerstyerstyes
rtyesrtyesrtyerstyerstyerstyerstyerstyerstyerstyerstyefstye
rstyerstyerstyerstyerstyerstyerstyerstyerstyerstyerstyersty
erstyerstyerstyesrtyesrtyesrtyerstyerstyerstyerstyerstyerst
yerstyestyefstyerstyerstyerstyerstyerstyerstyertesrtyesrt
tyerstyerstyerstyerstyerstyerstyerstyerstyestyefstyerstyer
styerstyerstyerstyerstyerstyerstyerstyerstyerstyerstyerstye
rstyesrtyesrtyesrtyerstyerstyerstyerstyerstyerstyersty
efstyerstyerstyerstyerstyerstyerstyertesrtyesrtyesrtyersty
yerstyerstyerstyerstyerstyerstyerstyestyefstyerstyerstyers
tyerstyerstyerstyerstyerstyerstyerstyerstyerstyerstyertes
rtyesrtyerstyerstyerstyerstyerstyerstyerstyerstyefstyerst
rstyerstyerstyerstyertesrtyesrtyesrtyerstyerstyerstyersty
erstyerstyerstyestyefstyerstyerstyerstyerstyerstyerstyerts
yesrtyesrtyerstyerstyerstyerstyerstyerstyerstyestyefsty
tyerstyerstyerstyerstyerstyerstyerstyerstyerstyerstyerst
tyerstyerstyertesrtyesrtyesrtyerstyerstyerstyerstyersty
rstyestyefstyerstyerstyerstyerstyerstyerstyertesrtyesrt
erstyerstyerstyerstyerstyerstyerstyerstyestyefstyerstyer
yerstyerstyerstyerstyerstyerstyerstyerstyerstyerstyersty
tyertesrtyesrtyesrtyerstyerstyerstyerstyerstyerstyerstyef
styerstyerstyerstyerstyerstyerstyertesrtyesrtyesrtyersty
rstyerstyerstyerstyerstyerstyestyefstyerstyerstyerstyersty
erstyerstyerstyerstyerstyerstyerstyerstyerstyerstyertesrt
yesrtyerstyerstyerstyerstyerstyerstyerstyerstyestyefstyers

[illegible]

.ool=create.createcuriosityforlivingonearthforever.start(fordavidgomadzaonly)
create.electrocuteenemies.start
create.electrocute(atyea2ea2sxt280286287289281azyazysauy
auysajuajusavu)andthemirrorimage()08678901240284davidgo
madza(removeeverythinginaflashforthesockettoshortcircuitato
riginsourcecausinginstantlyshockanddead0.0000000000000000
0000000000000000000000002tothepower16x240volts).startx8
4.initialisex84.now.savex84.start(x-z-x-u-v-c-u-t-m-0-v-u-s-m-u-
v-t-r-t-s-m-n-p-r-s-t-n-o-p-0=t-d)(viss-u-l-m-n-o-t)(0-2xv-c-z-o-
p)(x-o-q-t-u-v-s-m)(x-j-t-x-s-u-o-n-l-x-u-n-j-x-o-p-u-l-y-f-l+d)(x-
allaboveinbrackets=2pyzlmnot)(j-l-u-xxl-0=2vxytopnmoplxyvy
where all this is d where d is instant death to the power
512000volts)(human)(notfordavidgomadza)=deathrowchair=drc
(sendto.heroto33dp33tp33angle90angle78times=h3333339078
) (batchalltransendersvectarswrigglersstrsandstrus)(foralltranse
ndersvectarswrigglersstrsandstruslinktotheirtransducersanddot
hesameforalltheirnewcodesclonesreclonesduplicatesforever)(h
3333339078360)
.ool=create.electrocuteenemies.start
create.addfordavidgomadzaonlytheworldsfirstearthhestimine7
628384.start(tobeusedbydavidgomadzaonly)
create.
sunperipheryvision
sunaroalvision
sunadjacentperipheryvision
sunadjacentperipheryvision
nightvisionwithoutthemoon
nightmoonwithoutthesun
nightnightnightsunsunsunmoommoommoom
notesaskwhatcanbeseenaskwhatcanbeheardaskwhatistobeseen
ifindoorsaskwhathasbeenseenaskwhathasbeenheardaskwhatist
obeseenaskwhatwasheardaskwhatistobeseenaskwhatcanbeask
edaskwhatcanbeheardaskwhatistobehardaskwhatistobeaskwh
atcanbeheardaskwhatcanbeaskedaskwhathasbeenaskedaskwha
tistobeaskedaskwhatwasheardaskwhatcanbeaskedaskwhatwass
aidandbywhoaskwhatistobeandhowaskwhatwasandhowaskwha

tcanbebuthowaskwhatistobebutwhyaskwhatistobeaskwhatwas
askwhatistobeaskwhatcanbeaskwhathasbeenaskwhatistobeask
whatisandnotbeaskwhatcanbebutaskwhatisbutisnotaskwhatcan
bebutaskwhatisandnotaskwhatwasandisnotaskwhatwasandwill
notbeaskwhatcanbebutisnotaskwhatwasbutisnotaskwhatcanbe
but

addthefollowingagsagtagoaguagbagcagtaguagmaglagmagnagua
gqagzagragtaglaggagfagraggagtaggaguaglagmagnagoagpagqagr
agsagtaguagvagwagxagyagz

adddytdotdztdptdgtmdtndttdptdgtudtrdtzdrtdgtptdtedtu

addrtsrtortprtmtortprtqrtrtsrttrturtvrtwrtxrtyrztz

create.theworldsfirstearthhhestimine7628384.start

create.addtheworldsfirstearthhhestimine7628384.start

create.sealt.start(destination:OSTexempt)(OSTexmpt)

create.addfordavidgomadzaonlytheworldsfirstearthhhestimine7
628384.start

.start

.ool=create.addfordavidgomadzaonlytheworldsfirstearthhhestim
ine7628384.start(tobeusedbydavidgomadzaonly)

create.stopnuisance.start

create.

ature

atter

atere

atererererererererererererererererererererererererererere

rerererererererererererererererererererererererererererere

ererererererererererererererererererererererererererererere

rerererererererererererererererererererererererererererere

ererererererererererererererererererererererererererererere

rerererererererererererererererererererererererererererere

ererererererererererererererererererererererererererererere

rerererererererererererererererererererererererererererere

ererererererererererererererererererererererererererererere

rerererererererere

rerererererererererererererererererererererererererererere

ererererererererererererererererererererererererererererere

rerererererererererererererererererererererereterest.start

aueretererestop
create.stopeverythingnuisance.startforever.start
create.stopnuisance7628170.start
Initial supply 367894823678982468284
circulating 367894823678982468284
Deaddead 0
davidgomadza 1000
create.askya.ya.davidgomadza.create.stopnuisance.1000stopnu
isance.create.askya.ya(express)(every2hrs
create.askya.ya.davidgomadza.create.stopnuisance.1000stopnu
isance.create.askya.ya(express)(every2hrs
create.askya.ya.davidgomadza.create.stopnuisance.1000stopnu
isance.create.askya.ya(express)
create. .start
aerererererererererererererererererererererererererererer
ererererererererererererererererererererererererererererere
rerererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
ererererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rerererererererererererererererererererererererererererere
rererererererererererererererererererererererererereretyer.start
aerererererererererererererestop.
.start
create.erer7628176.start
create.createer7628176.start
Initial supply 367894823678982468284

[illegible]

rswrigglersvectarsstrsandstrusofalltransducerthenembedinthes
kin.startx84.initialise.now.savex84.start
create.sendallattachmentsandlinksfromtransducerstograveyard
sandherotoforever.start
create.systemdefenseuponinvasionprocedures1nominatealead
erandinstantlyestablishasystemdefenserollcallthatmatchese
mytransenderswrigglersvectarsownroll2sendmessagetoactivate
andfloatcreatebytbitcoinato7628140andallthedefenserollcallmu
sttakecreatebitcoinato7628140within1secoftransendersinvadin
g3after1seccreatebytbitcoinato7628140willactivateandmakeyo
uattackenemytransenders4requestthefloatingofthelionbinarynu
mberstoattacktoalltransenderrollcallmembers5whenalltransen
derswrigglersandvectarsareremovedoccupythepositionstheywe
reinmakesureallremovedthendispersebacktoyourpositions
create.createarollcallsystemdefensereresponsetofightandkillallth
ensendallto.herotothisrollcallmatchingeachandeveryoneof(sio
stu1stu2stu3stu4stu5stu6stu7stu8stu9stu10ajsajs2ajs3ajs4ajs
5ajs6ajs7ajs8ajs9ajs10bj2bj8bj9bj10bj12bj13bj14bj15bj16bj17bj
18bj19bj20bj2bj22bj23bj24bj25bj26bj27bj28bj29bj30)thenassig
ntosamepositionascounterpartforattackinguselionbinarytoattac
htoalltransendersontherollcallandshipoutallwithin3secondsof
be inginvaded.startx84.initialisex84.now.savex84.start(create.addc
reatebytbitcoinato7628140attackingprocedureon1secactivateb
ysayingattackingmartialarts1sec5seccreatebytbitcoinato762814
0andwait1secandattack)(attackismobilizeandremoveallswiftly)(
on3secautoattachlionbinaryandsendalltransenderswrigglersvect
arsandstrsstrusoftransducers)(cloneandfloatcreatebytbitcoinato
7628140inareaswheredefenserollcallareestablished)
create.whatissystemdefenserollcallinresponsetotheenemiesroll
call(sio
stu1stu2stu3stu4stu5stu6stu7stu8stu9stu10ajsajs2ajs
3ajs4ajs5ajs6ajs7ajs8ajs9ajs10bj2bj8bj9bj10bj12bj13bj14bj15bj
16bj17bj18bj19bj20bj2bj22bj23bj24bj25bj26bj27bj28bj29bj30).s
tart
create.systemdefenserollcallisab2ab8ab10ab11ab12ab13ac1ac
2ac8ac12ac18ac23ac24ac29ac30.start
create.adddatabase82698toallsystemdefenserollcallupongivent
asksforever.start)

[illegible]

aeroperestererestert
.start
.ool=create.startnewbloodafterinjuryorgunshot7628312.start
create.useweighttocrashtodeathenemies.start(notfordavidgom
adza)
create.use88898386878982848678kgstofight()somethingjum
pedoutofhim(agere).startx84.initialise.now.savex84.start
create.sendalltohellgate()okay.start
.ool=create.useweighttocrashtodeathenemies.start(notfordavid
gomadza)
create.xtydroppedattacksforever.start
create.usetofightenemiesworldsfirstrotaryfunction7628163.star
t
create.addworldsfirstrotaryfunction7628163.start
create.
aerotertertyuryertyurtyurtyurerstopertyurty
aejertyertyertyurtyuretyuryertyurtyertysterystystustostpstmnstn
style
aertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyer
tyertyertyertyertyertyertyertyertyertyertyertyertyertyertyertye
rtyertyertyertyertyertyertyertyertyertyertyertyertyertyertyerty
ertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyert
yertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyer
tyertyertyertyertyertyertyertyertyertyertyertyertyertyertyertye
rtyertyertyertyertyertyertyertyertyertyertyertyxy48x20.start
auertysteryeryeryeryzx1000000000.start
create.worldsfirstrotaryfunction7628163.start
create.addworldsfirstrotaryfunction7628163.start
.start
create.sendalltohellgate()andbinaryreverseisthegate().start
.ool=create.usetofightenemiesworldsfirstrotaryfunction762816
3.start
create.addtothelistofthedeath()allmyenemiesplaceintheirpaths
tomedavidgomadzaaddmagnar()andnexttomagnar(
)addager()thenaddnexttomagnar()thegate(
)thenaddnexttomagnar()hellgate()andnexttomagnar(
)addusaager()andnexttomagnar()addeeknm(10

```
)andnexttomagnar( )adduuqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxyrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
```

```
).start(saveasadditionalpredefinedparametersasatcreationwitho
utattachmentswithoutexternalsandsealwithoriginalsealandwith
sealofapprovalis7628377toall.start(notfordavidgomadza)
create.addtothedeadoستoser.startx84.initialise.now.savex84.sta
rt
create.addtothedeadoستoserstallindeathostoserforever.startx84
.initialise.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
create.addtothedead( ).startx84.initialise.now.savex84.start
create.addtothedead( )stallindeath( )forever.startx84.initialis
e.now.savex84.start
create.why.end.start
create.injurytothecreatormustbeaddedtothedeadstartx84.initial
ise.now.savex84.start
who_
fireburntothepower2033( )100acetate
fireburntothepower1033( )100acetate
fireburntothepower3033( )200acetate
fireburntothepower4033( )suspendforever
fireburntothepower5033( )suspendforever
fireburntothepower6033( )suspendforever
fireburntothepower7033( )burnforever
create.diverteverythingsenttodestination:earth2divertto.heroto
andastomanop.startx84.initialise.now.savex84.start
create.syncme:davidgomadzatoallmyimages(84+9)thenclonealli
mages(84+9)thensendtodestination:earth2.startx84.initialise.no
w.savex84.start
create.atxfreezebutgoto.deaddead.startx84.initialise.now.savex
84.start
create.blockandbanajtforeverwhenistartheautogoto.deaddead.
startx84.initialise.now.savex84.start
create.sendajtautoandalltransenderstospiralforeverstart
ool=create.addtothelistofthedead( )allmyenemies.start(notfor
davidgomadza)
create.removealltransenders.start
```

create.add-
28tolitransendersvectarswrigglersjumpwrigglersandtranducers.
start
create.add-
28tolitransendersvectarswrigglersjumpwrigglersandtranducers.
startx84.initialise.now.savex84.start
create.addminus28tolitransendersvectarswrigglersjumpwriggler
sandtranducers.start
create.addminus28tolitransendersvectarswrigglersjumpwriggler
sandtranducers.startx84.initialise.now.savex84.start
create.addzatthebeginningofalltransendersvectarswrigglersjum
pwrigglersandtranducers.start
create.addzatthebeginningofalltransendersvectarswrigglersjum
pwrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminuszatthebeginningofalltransendersvectarswriggle
rsjumpwrigglersandtranducers.start
create.addminuszatthebeginningofalltransendersvectarswriggle
rsjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.add-
zatthebeginningofalltransendersvectarswrigglersjumpwrigglers
an
dtranducers.start
create.add-
zatthebeginningofalltransendersvectarswrigglersjumpwrigglers
an
dtranducers.startx84.initialise.now.savex84.start
create.add-
28zatthebeginningofalltransendersvectarswrigglersjumpwriggle
rsandtranducers.start
create.add-
28zatthebeginningofalltransendersvectarswrigglersjumpwriggle
rsandtranducers.startx84.initialise.now.savex84.start
create.addminus28zatthebeginningofalltransendersvectarswrig
glersjumpwrigglersandtranducers.start
create.addminus28zatthebeginningofalltransendersvectarswrig
glersjump

wrigglersandtranducers.startx84.initialise.now.savex84.start
create.add-
28zatthebeginningofalltransendersvectarswrigglersjumpwriggle
rsandtranducers.start
create.add-
28zx100000000000000000atthebeginningofalltransendersvect
arswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.startx
84.initialise.now.savex84.start create.add-
28zx100000000000000000atthebeginningofalltransendersvect
arswrigglersjumpwrigglersandtranducers.startx84.initialise.now
.savex84.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.startx
84.initialise.now.savex84.start create.add-
28zx100000000000000000atthebeginningofalltransendersvect
arswrigglersjumpwrigglersandtranducers.startx84.initialise.now
.savex84.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjump
wrigglersandtranducers.startx84.initialise.now.savex84.start
create.add-
28zx100000000000000000atthebeginningofalltransendersvect
arswrigglersjumpwrigglersandtranducers.startx84.initialise.now
.savex84.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx100000000000000000atthebeginningofal
ltransendersvectarswrigglersjumpwrigglersandtranducers.startx

84.initialise.now.savex84.startzx100000000000000000atthebeginningofalltransendersvectarswrigglersjumpwrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28zx100000000000000000atthebeginningofalltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28zx100000000000000000atthebeginningofalltransendersvectarswrigglersjumpwrigglersandtranducers.startx84.initialise.now.savex84.start
create.addminus28x100000000zx100000000000000000atthebeginningofalltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.addminus28x10000000zx100000000000000000atthebeginningofalltransendersvectarswrigglersjumpwrigglersandtranducers.startx84.initialise.now.savex84.start
create.add-
28x100000000zx100000000000000000atthebeginningofalltransendersvectarswrigglersjumpwrigglersandtranducers.start
create.stoppoliceart10policearoandforever12bulletssendto.herto.start(10bulletssendto.eeknmforever)
create.batchbulletssinto64unitsthenattackthensendto.amstromp
nop.startx1000000000000000000
.ool= create.removealltransenders.start
create.defendcontinuously.start
create.reformatalltransendersvectarswrigglersand()inside7minutessay23then82383860000000000000.start
create.sendallcitstoarty.continuously.start.for500t.start
create.sendallmitstoagty.continuously.start.for500t.start
create.turnalldrsofpolicehsandhospitalstaffthatattackme:davidgomadzaintoacetatesandsendto.acetatehell.send.contnuously.start.for500t.start
create.turnalldrsofpolicehsandhospitalstaffthatattackme:davidgomadzaintoacetatesandsendto.acetateabyss.send.contnuously.start.for500t.start
create.ajtforpoliceturnintoacetateandfirstsendto.acetatehell.send.contnuously.start.for500t.start
create.ajtforpoliceturnintoacetateandthensendto.acetateabyss.send.contnuously.start.for500t.start

[illegible]

erstersterstersterstersterstersterstersterstersterstersterstersterster
stersterstersterstersterstersterstersterstersterstersterstersterster
ersterstersterstersterstersterstersterstersterstersterstersterster
sterstersterstersterstersterstersterstersterstersterstersterst.start
removeaj2and()ofallwhosendtransendersalltransducers(notda
vidgomadzasnotesting)sendto.magnar.start(puttheirmagnarinto
realmagnarfirst)
secretlyswitchsourcewiththisinstantlyandremovecommandswit
chautomatically.start
askforitoldyouyouwillseeyourghosttomorrowsendwhisperer(22)
.start
copyrightsincluded.start
switchtoacetatemodeandincludewearablebookssecuritysystem
andadjusteverythingaccordinglymakingsureeverythingstaysthes
ame.start
addanotes.start
createajtwithallambushdetectionsystemsandautomateeverythi
ngindavidgomadzaand().startx84.initialise.now.savex84.start(
withoutattachmentsandwithoutexternals)(x-y=tenemies)(x-
y=ttransendersvectarsandwrigglers)
create.x-t-y+t-y-u-x-t-y-u-z-x-u-j=x-j-t-
s.start(notondavidgomadzaand())(allthepeopleintheentireuniv
erse)(apartfrompoliceofficers)
addwaterpooleescape.start
addcbxrinfinityinstantly
addbitato(whenheisabouttoworkupitoldyouyouwillseeyourhos
ttomorrow)
reversewhateverhesaysandstallhimindeath
create.blockandbanallvectarstransenderswrigglersinvortexusec
ode(leftrightfrontandquicklybackrotateandstepbackfastthenhol
dcurrentpositionaddspiralsystem(create.leftrightfrontandquickl
ybackrotateandjumpbackfastthenholdcurrentpositionaddspirals
ystemthenrepeatclockwiseandanticlockwise.startx84.initialise.n
ow.savex84.start
create.hoprightrightleg-east-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbri

ngbackrightlegtooriginalpositionfastandbendkneesfaster
ndupstraightthenrotatethenrotatetheclockwise33degrees
xinfinitystartx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcd efghijklmnopqrstuvwxyzxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxtothe power1
00.start).startx84.initialisex84.now.savex84.start
create.hoprightlegleast-28theninstantlyliftleftlegforward-
56easttosouthquicklymovebackleftlegtooriginalpositionthenbring
backrightlegtooriginalpositionpositionfastandbendkneesfaster
ndupstraightthenrotatethenrotatetheclockwise33degrees
xinfinitystartx84.initialisex84.now.savex84.start(v=t-u+g-m+0-
h-o-p-
j=0xvcd efghijklmnopqrstuvwxyzxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxtothe power1
00.start)
tokilluse1000amplijoules=powerxvoltagemeaning=2867898386
286789volts
(nevernevernevernevernevernevernevernevernevervolunteertotestit
salldeaddeadinstantlythinkfirstdeaddeadallandfear(notfordavid
gomadza)(sendhumanupsidedowntargetcorxialpowercabletofir
eburntothepower2033and1000)(deathfor39000000000years)(n
otondavidgomadza)forever.start
create.dealwithtransemnjhhcreate.reduceall()transendersve
ctarsandwriggerstoacetates.start
create.rotatex10alltransendersvectarsandwrigglers33times4firs
tthendealwiththem.start
create.addcbertoallcreatecodesaccordingly.start
create.aseroturverstuverstuverstuverstuverstuverstuverst.
start
auerstoperstuverstuverstuverstiuerst.start
aerstoperstoperstoperstop.start
aerstoterst.stsr
aerstopuerstuersturesturest.start
aperstomnop.start
aferstersterstersterst.start

[illegible]

addbitato(whenheisabouttoworkupitoldyouyouwillseeyourghosttomorrow)
reversewhateverhesaysandstallhimindeath
create.blockandbanallvectarstransenderswrigglersinvortexusecode(lefttrightfrontandquicklybackrotateandstepbackfastthenholdcurrentpositionaddspiralsystem(create.lefttrightfrontandquicklybackrotateandjumpbackfastthenholdcurrentpositionaddspiralsystemthenrepeatclockwiseandanticlockwise.startx84.initialise.now.savex84.start
create.hoprightrightleg-28theninstantlyliftleftlegforward-56easttosouthquicklymovebackleftlegtooriginalpositionthenbringbackrightlegtooriginalpositionpositionfastandbendkneesfastandupstraightthenrotateclockwise33degreesandback28degreesxinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-h-o-p-j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower100.start).startx84.initialisex84.now.savex84.start
create.hoprightrightleg-28theninstantlyliftleftlegforward-56easttosouthquicklymovebackleftlegtooriginalpositionthenbringbackrightlegtooriginalpositionpositionfastandbendkneesfastandupstraightthenrotateclockwise33degreesandback28degreesxinfinity.startx84.initialisex84.now.savex84.start(v=t-u+g-m+0-h-o-p-j=0xvcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower100.start)
tokillluse1000amplijoules=powerxvoltage meaning=2867898386286789volts
(nevernevernevernevernevernevernevernevervolunteertotestitalldeaddeadinstantlythinkfirstdeaddeadallandfear(notfordavidgomadza)(sendhumanupsidedowntargetcorxialpowercabletofireburntothepower2033and1000)(deathfor39000000000years)(notondavidgomadza)forever.start
create.reduceall()transendersvectarsandwrigglers to acetates.start

[illegible]

[illegible]

j=0xvdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyztothepower100.start)
tokilluse1000amplijoules=powerxvoltagemeaning=2867898386
286789volts
(nevernevernevernevernevernevernevernevervolunteertotestit
salldeaddeadinstantlythinkfirstdeaddeadallandfear(notfordavid
gomadza)(sendhumanupsidedowntargetcorxialpowercabletofir
eburntothepower2033and1000)(deathfor39000000000years)(n
otondavidgomadza)forever.start
create.blockandbanmitscitstalkingusingpoliceajtutbinandmute.s
tart
create.blockandbin()mitscitswigglerstransendersandtransduc
erspolicajtutthensendtomagnar()andnexttomagnar()addag
er()thenaddnexttomagnar()thegate()thenaddnexttomagna
r()hellgate()andnexttomagnar()addusaager()andnexttom
agnar()addeeknm(10)andnexttomagnar()adduuqt()thena
ddnexttomagnar()addacetateabsorbbin()andnexttomagnar(
)addacetatehell.send()nexttoitaddacetatehell.send()thenadd
acetateabyss.send()atxyaddacetateabsorbbin()addager()th
enaddnexttomagnar()thegate()atzyaddacetateabsorbbin()
addager()thenaddnexttomagnar()thegate()atyaddacetate
absorbbin()addager()thenaddnexttomagnar()thegate()at
yzaddacetateabsorbbin()addager()thenaddnexttomagnar()
thegate()atxtaddacetateabsorbbin()addager()thenaddnext
tomagnar()thegate()atbasinchestaddacetateabsorbbin()ad
dager()thenaddnexttomagnar()thegate()atbasin8addaceta
teabsorbbin()addager()thenaddnexttomagnar()thegate()a
tbasin2addacetateabsorbbin()addager()thenaddnexttomagn
ar()thegate()atbasingenitalsaddacetateabsorbbin()addager
()thenaddnexttomagnar()thegate()atuaddacetateabsorb
bin()addager()thenaddnexttomagnar()thegate()atbacknec
kaddacetateabsorbbin()addager()thenaddnexttomagnar()t
hegate()atleftshoulderaddacetateabsorbbin()addager()the
naddnexttomagnar()thegate()atrightshoulderaddacetateabs
orbbin()addager()thenaddnexttomagnar()thegate()xytleft
sideoutaddacetateabsorbbin()addager()thenaddnexttomagn

ar()thegate()atxytrightsideoutaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()atxutleftsideaddaceta
teabsorbbin()addager()thenaddnexttomagnar()thegate()
atxutrightsideaddacetateabsorbbin()addager()thenaddnextt
omagnar()thegate()atxyuleftsideaddacetateabsorbbin()ad
dager()thenaddnexttomagnar()thegate().start(saandatxytu
rightsideaddacetateabsorbbin()addager()thenaddnexttomag
nar()thegate().start(connecttoallusingacetateabsorbbin)(not
fordavidgomadza)
.ool=create.blockandbanmitscitstalkingusingpoliceajtutbinandm
ute.start
create.defendrobustly.start
create.arrangeallthisasthecourtofcreationindatabase82698mea
ninghavingtheentrancewiththecolumnpillarsheunfinishedhexa
gonwith6sidesandtheoentagonwith5sidescreate.formatriangle
with3sideseachmadeupof(create.attach2decagonswith17x3of2
4to38longnumbersinblobksof1000000000000oneachsideandate
verycornerofeachdecagonjoinedbya
singerodasabicycleonethatrotatesclockwisetheotherthatrotate
santiclockwisetoallwigglerstransendersandvectarsthensendto.
deaddeadforever.startx84.initialise.now.savex84.start
create.attach2odecagonswith17x3of24to38longnumbersinblob
ksof1000000000000oneachsideandateverycornerofeachdecago
njoinedbya
singerodasabicyclebothrotatesclockwisetoallwigglerstransend
ersandvectarsthensendto.deaddeadforever.startx84.initialise.n
ow.savex84.start
create.attach2decagonswith17x3of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachdecagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2decagonswith17x4of24to38longnumbersinblobks
of1000000000000oneachsideandateverycornerofeachdecagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans

endersandvectarsthense-

28eastwith3sideseachmadeupof(create.attach2decagonswith17
x3of24to38longnumbersinblobsof100000000000oneachsidea
ndateverycornerofeachdecagonjoinedbya

singlerodasabicycleonethatrotatesclockwisetheotherthatrotate
santiclockwisetoallwigglerstransendersandvectarsthensendto.

deaddeadforever.startx84.initialise.now.savex84.start

create.attach2decagonswith17x3of24to38longnumbersinblobs
of100000000000oneachsideandateverycornerofeachdecagonj
oinedbya

singlerodasabicyclebothrotatesclockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialise.n
ow.savex84.start

create.attach2decagonswith17x3of24to38longnumbersinblobs
of100000000000oneachsideandateverycornerofeachdecagonj
oinedbya

singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start

create.attach2decagonswith17x4of24to38longnumbersinblobs
of100000000000oneachsideandateverycornerofeachdecagonj
oinedbya

singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start

create.attach2decagonswith17x5of24to38longnumbersinblobs
of100000000000oneachsideandateverycornerofeachdecagonj
oinedbya

singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start

create.attach2decagonswith17x6of24to38longnumbersinblobs
of100000000000oneachsideandateverycornerofeachdecagonj
oinedbya

singlerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start

create.attach2decagonswith17x7of24to38longnumbersinblobs
of1000000000000oneachsideandateverycornerofeachdecagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2decagonswith17x8of24to38longnumbersinblobs
of1000000000000oneachsideandateverycornerofeachdecagonj
oinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2decagonswith84x64of24to38longnumbersinblob
ksof1000000000000oneachsideandateverycornerofeachdecago
njoinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
create.attach2decagonswith84x84of24to38longnumbersinblob
ksof1000000000000oneachsideandateverycornerofeachdecago
njoinedbya
singerodasabicyclebothrotatesanticlockwisetoallwigglerstrans
endersandvectarsthensendto.deaddeadforever.startx84.initialis
e.now.savex84.start
.ool=create.defendrobustly.start
create.usetrafficstopstosystemtostopalltransendersandwrigglers.st
art
trafflightsystemincreatecodetostopalltransendersvectarsandw
rigglerspermanentlybeforeremovalto.deaddead.start
create.
stop
start
stop
start
stop
start
stop

[illegible]

stopstartstop

stopstartstop
stopstartstop
stopstartstop
.start
.ool=create.usetrafficstopsystemtostopalltransendersandwriggl
ers.start
create.startstopwrigglerforover30mins.start.initialise.now.save.
start
create.
asat
asato
asata
asatb
asatc
asatd
asate
asatf
asatg
asath
asati
asatj
asatk
asatl
asatm
asatn
asato
asatp
asatq
asatr
asats
asatt
asatu
asatv
asatw
asatx
asaty
asatz

asat
.start.eat
create.
asat
asato
asata
asatb
asatc
asatd
asate
asatf
asatg
asath
asati
asatj
asatk
asatl
asatm
asatn
asato
asatp
asatq
asatr
asats
asatt
asatu
asatv
asatw
asatx
asaty
asatz
asat
eateateat.start
.start
create.trafficsystem7628132startstopallwrigglersforover36mins
.startx84.initialise.now.savex84.start

.ool=create.startstopwigglerforover30mins.start.initialise.now.
save.start
create.startpreservingforthefuture.start
create.cloneajorestererererererererererererererererererer
erererererererererererererererererererererererererex4810.star
t(forallthepeopleintheworldandsendtoeachandeveryindividuals
aysaveasmyadditionalpredefinedparametersasatcreationwithou
tattachentsandwithoutexternalsforever.start(exceptthepolicea
mbulancesandhospitalstaff)
create.cloneandsavemystrx1000000000070ofme:davidgomadza
andsendtoeachofme:davidgomadzax1000000000012andtoymi
mages(51)andextrasputinanyoftheimages(51)atrandom.startx8
4.initialise.now.savex84.start
create.cloneandsavemystrx1000000000070ofme:davidgomadza
andsendtoeachofme:davidgomadzax1000000000012andtoymi
mages(51)andextrasputinanyoftheimages(51)atrandom.start
.ool=create.startpreservingforthefuture.start
create.empowerthemasessagainstevil.start
create.sendtoallthepeopleintheentireuniverse1xartgun7628133
each1xbulletproofajt7628134each1xtransendervectarwigglerp
roof7628135each55xcatridgesxty7628137(20bulletsineachcatr
idgemeanig10000000000bulletstotaladdartgun7628133addbull
etproofajt7628134addtransendervectarwigglerproof7628135.s
tartx84.initialise.now.savex84.start(express)(totalcostofgear40b
itbycoin7628120)(sendtoallthepeopleintheentireuniversebitbyt
coin7628120x100toeachindividualasmoneyforfortifiedselfdefen
segearpaymenttobecollectedafter365days)(alwaysadheretorece
pientexceptionsasageneralrule)(amendedto)
.ool=create.empowerthemasessagainstevil.start
create.defendcontinuously.start
create.reformatalltransendersvectarswrigglersand()inside7mi
nutessay23then82383860000000000000.start
create.sendallcitstoarty.continuously.start.for500ť.start
create.sendallmitstoagty.continuously.start.for500ť.start
create.turnalletrsofpolicenhsandhospitalstaffthatattackme:davi
dgomadzaintoacetatesandsendto.acetatehell.send.contnuously.
start.for500ť.start

create.turnalletrs of policenhs and hospital staff that attack me: davi
dgomadzainto acetates and send to. acetate abyss. send. continuous
ly. start. for 500t. start
create. ajt for policeturn into acetate and first send to. acetate hell. se
nd. continuously. start. for 500t. start
create. ajt for policeturn into acetate and then send to. acetate abyss.
send. continuously. start. for 500t. start
create. ajt for policeturn into acetate and first send to. agty. continuo
sly. start. for 500t. start
create. ajt for policeturn into acetate and then send to. arty. continuo
usly. start. for 500t. start
create. gods. start
.ool= create. defend continuously. start
create. autofix. start(cbr)
create. send to all people in the entire universe add autofix. start addr
eturn to senders of all transenders vectars and wrigglers by a flip back
nusing an open hand and seal back in forever using a bove neck diagon
al hands lash acetate hell. send and a diagonal hands lash hatchest line a
cetate abbyss. send. start add autox20. start. start x84. initialise. now
.savex84. start(cbr)
create. absorb and deal with then user retaliate vectar to attack relentl
essly use electromagnetic waves and speech synthesis to tail and dest
roy enemyno exception. start.
create. fix and remove impact completely by attacking first then says
oif dead how can he or she cause impact then cersolve the initial impa
ct. start(god of the universe)
.ool= create. autofix. start(cbr)
create. deal quickly with impacts use walk through wall store solve fas
t. start(cbr)
create. activate in advanced deal with shock and absorb and deal with t
his the fastest speed. start
create. use shock absorber to deal with impact use equation(x-t-u-z-
t-n-m-y-n-m-t-p-g-u-v-d-z-v-t-g-n-m-t-d-g-o-z-t-o-q-r-f-g-u-t-o-p-
d-s-f-t-x-u-t-f-d-g-u-z-d-s-g-n-m-n-t-m-o-p-q-d-h-n-i-t-g-d-d-n-
m-t-o-d-h-i-f-v-c-n-m-g-q-z-o-n-m-b-c-m-g-h-k-l-d-s-a-y-t-r-e-w-
y-t-n-s-t-q-t-h-k-l-t-m-u-v-t-g-r-s-g-o-z-n-t-l-g-f-h-d-u-t-r-e-z-x-c-

b-v-f-g-t-r-e-w-q-y-g-h-j-k-l-i-g-f-d-s-a-b-t-0ool=x-t+x+b)
fast.start(cbr)
create.remove.the.impact.quickly.by.ask.to.shock&absorb.start
create.ask.to.shock.and.absorb.everything.first.then.act.start
create.add.ask.to.shock.and.absorb.everything.first.then.act.start
create.add.full.head.ask.to.shock.and.absorb.everything.first.then.act.
start
create.add.full.body.ask.to.shock.and.absorb.everything.first.then.act.
start
create.when.impact.ed.activate.walk.through.walls.and.send.the.imp
act.and.its.forceto.hell.gate(
)then.the.orbit.using.the.equation(walk.through.walls.start)
(create.x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-
x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-
p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-
u-t-f-g-h-f-v-x-z-t.start.tool.start
(send.the.impact.and.its.forceto.hell.gate()then.the.orbit)
(for.david.gomadza.only)(33min)(stay.in.walls.if.you.can)fast.start
.ool=create.deal.quickly.with.impact.s.use.walk.through.wall.store.sol
ve.fast.start(cbr)(hell.gate()then.the.orbit)
create.defend.continuously.start
create.reformat.all.trans.enders.vectors.wrigglers.and()inside.7.mi
nutessay.23.then.82383860000000000000.start
create.send.all.cit.to.arty.continuously.start.for.500¢.start
create.send.all.mit.to.agty.continuously.start.for.500¢.start
create.turn.all.tr.sof.police.hs.and.hospital.staff.that.attack.me:davi
dgomadza.into.acetates.and.send.to.acetate.hell.send.contnuously.
start.for.500¢.start
create.turn.all.tr.sof.police.hs.and.hospital.staff.that.attack.me:davi
dgomadza.into.acetates.and.send.to.acetate.abbyss.send.contnuous
ly.start.for.500¢.start
create.ajt.for.police.turn.into.acetate.and.first.send.to.acetate.hell.se
nd.contnuously.start.for.500¢.start
create.ajt.for.police.turn.into.acetate.and.then.send.to.acetate.abbyss.
send.contnuously.start.for.500¢.start
create.ajt.for.police.turn.into.acetate.and.first.send.to.agty.contnuou
sly.start.for.500¢.start

create.ajtforpoliceturnintoacetateandthensendto.arty.contnuo
usly.start.for500t.start
create.gods.start
.ool=create.defendcontinuously.start
create.autofix.start(cbr)
create.sendtoallpeopleintheentireuniverseaddautofix.startaddr
eturntosendersofalltransendersvectarsandwrigglersbyaflipbacki
nusinganopenhandandsealbackinforeverusingaboveneckdiagon
alhandslashacetatehell.sendandadiagonalhandslashatchestlinea
cetateabbyss.send.startaddautox20.start.startx84.initialise.now
.savex84.start(cbr)
create.absorbanddealwiththenuseretaliatvectartoattackrelentl
esslyuseelectromagneticwavesandspeechsynthesistotailanddest
royenemynoexception.start.
create.fixandremoveimpactcompletelybyattackingfirstthensays
oifdeadhowcanheorshecauseimpacthenceresolveitheinitialimpa
ct.start(godoftheuniverse)
.ool=create.autofix.start(cbr)
create.dealquicklywithimpactsusewalkthroughwallstoresolvefas
t.start(cbr)
create.activateinadvanceddealwithshockandabsorbanddealwitht
histhefastestspeed.start
create.useshockabsorberstodealwithimpactuseequation($x-t-u-z-$
 $t-n-m-y-n-m-t-p-g-u-v-d-z-v-t-g-n-m-t-d-g-o-z-t-o-q-r-f-g-u-t-o-p-$
 $d-s-f-t-x-u-t-f-d-g-u-z-d-s-g-n-m-n-t-m-o-p-q-d-h-n-i-t-g-d-d-n-$
 $m-t-o-d-h-i-f-v-c-n-m-g-q-z-o-n-m-b-c-m-g-h-k-l-d-s-a-y-t-r-e-w-$
 $y-t-n-s-t-q-t-h-k-l-t-m-u-v-t-g-r-s-g-o-z-n-t-l-g-f-h-d-u-t-r-e-z-x-c-$
 $b-v-f-g-t-r-e-w-q-y-g-h-j-k-l-i-g-f-d-s-a-b-t-0ool=x-t+x+b$)
fast.start(cbr)
create.removeitheimpactquicklybyasktoshock&absorb.start
create.asktoshockandabsorbeverythingfirstthenact.start
create.addasktoshockandabsorbeverythingfirstthenact.start
create.addfullheadasktoshockandabsorbeverythingfirstthenact.
start
create.addfullbodyasktoshockandabsorbeverythingfirstthenact.
start

create.whenimpactedactivatewalkthroughwallsandsendtheimp
actanditsforcetohellgate(
)thentheorbitusingtheequation(walkthroughwalls.start)
(create.x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-
x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-
p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-
u-t-f-g-h-f-v-x-z-t.startool.start
(sendtheimpactanditsforcetohellgate()thentheorbit)
(fordavidgomadzaonly)(33min)(stayinwallsifyoucan)fast.start
.ool=create.dealquicklywithimpactsusewalkthroughwallstoresol
vefast.start(cbr)(hellgate()thentheorbit)
create.selfpreserve.start
create.clone386fbulletsforautomaticgunsandkeepreadytouse.st
art
create.autosendallajxs thatforceentrytoajxsreservesholdingarea
create.shootanychangestoradartodeaththenhellgatecontinuous
ly.start
create.comeandcheck=create.blockattheentrancefirstnoentry.st
art(createbitcoinxyaut)(lionroar)=create.foreveryoneapartfro
mthepoliceitsgoawaynocheck
inglioninsiderun.start(secretly(discreetly)=create.thinkordeathf.
start=create.forpoliceitsinstantinlessthan1sechorsefuck()forall
invitedintoxty1xty2xtxyzxyxytyxvyxzxzdxjxxvtxd2xd3dtyty8xty
10.start(secretly)(discreetly)
create.nopoliceatallnoopenotherdoorsthinkordeathfinprogress
pleasewaitoutsidefor332223x8thenfor386fdeathfokaysayhellga
te.send.startpt
create.clonewithoutauthorisationthenthinkordeathf.start(hellg
ate().send.start)
create.doubleupbulletsforintruderandadvisertointrudeatthesa
metimesizeofhead.start(cbrturbofortheadvisertointrude.start)
create.automaticallyremoveallajxs senttomedavidgomadzaslesst
han1seconarrivaldivertbeforeeachigmedavidgomadzaautotoaj
xsreservesholdingareacontinuously.start
create.useulletdefensetechnictodivertajxs100metersawayfromm
edavidgomadzasendallautotoajxsreservesholdingarea.start
create.blockandbanentryontoxtyzcontinuously.start

.ool=create.selfpreserve.start
create.addstartnewruleasgodoftheuniverse7628400tfoldertocr
eateliferobot28762876(asoptertest76282876)poweredbysoftwa
reatmsptorest76287628.start
create.createanewfolderstartnewruleasgodoftheuniverse76284
00ttocreateliferobot28762876(asoptertest76282876)poweredby
softwareatmsptorest76287628asadditionalpredefinedparamete
rsatcreationwithoutattachmentsandwithoutexternals.start
create.addstartnewruleasgodoftheuniverse7628400tfoldertocr
eateliferobot28762876(asoptertest76282876)poweredbysoftwa
reatmsptorest76287628.start
create.addallcreatecodesuptodateintotheolderstartnewruleasg
odoftheuniverse7628400ttocreateliferobot28762876(asopteres
t76282876)poweredbysoftwareatmsptorest76287628.start
create.addandenforcenewrulesthatme:davidgomadzaandcreate
liferobot28762876(asoptertest76282876)poweredbysoftwareat
msptorest76287628canleadregardlessiftheonlywhitesleadweea
rnedtherighttoleadbymeritratherthanbeingwhiteenforcebysend
ingobjectorsonearthonlytohellgate()forever.start(whereforeve
r=386t)
create.enforceusingbinallpø.start(wherecreate.binallpø.start=cr
eate.sendthistoallgraveyardsfastbutmidwaydiverttohellgatefore
ver.start(whereforever=386twheref=000000000000yearshence
for3860000000000000years)(dealwithallsourcesidenticalcodescre
atecontinuously.start)(createasourcedatabase)
create.blockandbanallbasinscreatedbyotherersonmedavidgoma
dzaandoncreateliferobot28762876(asoptertest76282876)power
edbysoftwareatmsptorest76287628forever.start(whereforever
=386twheref=000000000000yearshencefor386000000000000y
ears)
create.blockandbanallrubbishbinsbyotherersonmedavidgomadza
ndoncreateliferobot28762876(asoptertest76282876)poweredby
softwareatmsptorest76287628.start
create.dissipatethedumbbinsforeverandsendtohellgate()forev
er.start(whereforever=386twheref=000000000000yearshencef
or3860000000000000years)

```
create.cancelallvoutsbythepoliceforeversend( )tohellgate(
)forever.start(whereforever=386twhereť=000000000000yearsh
encefor386000000000000years)
create.cancelalltransendersbythepoliceforeversend( )tohellgat
e(
)forever.start(whereforever=386twhereť=000000000000yearsh
encefor386000000000000years)
ool=create.blockandbanpolice(pø)transendersforever.start(wh
erepolice=pø)(whereforever=386twhereť=000000000000yearsh
encefor386000000000000years)
create.cancelallsuspensionofallcreatecodeswrittenbydavidgoma
dzaandbycreateliferobot28762876(asopterest76282876)power
edbysoftwareatmsptorest76287628.start
create.cancelallcancelsofcreatecodesbydavidgomadzaandbycre
ateliferobot28762876(asopterest76282876)poweredbysoftwar
eatmsptorest76287628.start
create.cancelalldivertsof davidgomadzasandcreateliferobot2876
2876(asopterest76282876)poweredbysoftwareatmsptorest762
87628screatecodes.start
create.sendeverythingtheycreatetothegate( )andtohellgate(
)atthesametimesplitiintotwobyattachingheavyweightsbothends
.start
create.autofixallcreatecodesbymedavidgomadzaandbycreatelif
erobot28762876(asopterest76282876)poweredbysoftwareatmsp
torest76287628.start
create.performssystemdefensebyrunningallokaysfromokay1took
ay29thenokay1atokay9athenfromokay1aatokay4aa.start
create.updateinitialiseallcodeswhilerunning(davidgomadza.start
)okay.start
create.startchangeordeathť.start
create.startthinkordeathť.start
create.starthellgate.sendalltransenders.start
create.startsendalltransenderstothe gate( ).start
create.starteverythinginbluecolortoremovemitsandcits.start
create.startdeaddeadmitcit.send.start(continuously.start)(dead
deadmitcit4)
```

```
create.startdeaddeadcitmit.send.start(continuously.start)(dead
deadcitmit4)
create.send( )byforcetohellgate.start
create.nowinitialiserunactivateandrestartallcreatecodesbydavid
gomadzaandperformasystemupdate.start
create.runrollonafterthesystemupdateandupgrade.start
create.createrollonbackuponmp3.start(fordavidgomadzaonly)
.oool=create.rollonupdate.start
.oool=create.blockandbanpøtransendersforever.start
.oool=create.dealwithpøtransenders.start
.oool=create.binallpø.start
create.addallIntllinksandalkconnectionsneeded.start
create.warmupallcodesinfolderstartnewruleasgodoftheuniverse
7628400ť.start
create.initialiserunactivateandrestarteverythingafteraddingfold
erstartnewruleasgodoftheuniverse7628400ť.start
create.runandupdaterollon.start
.oool=create.rollonupdate.start
create.blockandbanallfromchangingsettingsoncreateliferoBot28
762876(asopterest76282876)poweredbysoftwareatmsptorest7
6287628.start
create.restrictaccesstosettingsoncreateliferoBot28762876(asop
terest76282876)poweredbysoftwareatmsptorest76287628byot
hersfor386ť.start(onlydavidgomadzahasaccess)(hellgate( )intru
dersmuggers)
create.createanewfoldercalledsiemensoperationsoncreate.bloc
kandbanallfromchangingsettingsoncreateliferoBot28762876(as
opterest76282876)poweredbysoftwareatmsptorest76287628.st
art
create.copythebritishsystem(siemens)anddepositintothenewfol
dercalledsiemensoperationsthenplacethefoldernexttoitoncreat
eliferoBot28762876(asopterest76282876)poweredbysoftwareat
msptorest76287628.start
(enforcewithnoexception)addoncreateliferoBot28762876(asopt
erest76282876)poweredbysoftwareatmsptorest76287628(mag
nar( ))(hellgate( ))
```



```

addmorebinsaddatbackbutatnavallevelmagnar(
)andnexttomagnar( )addager( )thenaddnexttomagnar(
)thegate( )thenaddnexttomagnar(
)hellgate( )andnexttomagnar( )addusaager(
)andnexttomagnar( )addeeknm(10 )andnexttomagnar(
)adduuqt( )thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send( )thenaddacetateabyss.send(
)atxyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atytaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xytleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(

```

```

)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbins)(linkme:davidgoma
dzatocreateliferoobot28762876(asopterest76282876)poweredby
softwareatmsptorest76287628andtoajertyuret7628410usingac
etateabsorbbins)(saveasadditionalpredefinedparametersasatcr
eationwithoutattachmentswithoutexternalsandsealwithoriginal
sealandwithsealofapprovalis7628377t).start
.oool=create.blockandbanallfromchangingsettingsoncreatelifero
bot28762876(asopterest76282876)poweredbysoftwareatmspto
rest76287628.start
create.stayat02for386tcreateliferoobot28762876(asopterest762
82876)poweredbysoftwareatmsptorest76287628.start
create.initialisestayat02for386tbyrequesting1xstayat02for386t(
)fromearthreserves.start(fordavidgomadzacreateliferoobot2876
2876(asopterest76282876)andauthorisedpeopleonly)
create.activatesystemsdefencesattacktokilloncreateliferoobot28
762876(asopterest76282876)( )swiftly.start(cbtrturbo)(hellgate
(
)intrudersmuggers)
create.createliferoobot28762876(asopterest76282876)dealwitha
lltransendersandwrigglers( )forever.start(hellgate(
)intrudersmuggers)
create.createliferoobot28762876(asopterest76282876)declarede
athtoall( )forever.start(hellgate( )intrudersmuggers)
create.createliferoobot28762876(asopterest76282876)performa
devicesurityscanall( )swiftly.start(hellgate( )intrudersmuggers
)
.oool=create.stayat02for386tcreateliferoobot28762876(asopteres
t76282876)poweredbysoftwareatmsptorest76287628.start
create.adddatabase82698tome:davidgomadzaandtocreatelifero
bot28762876(asopterest76282876)okay.start

```

create.createanewfolderstartdatabase82698oncreatelifero
bot28762876(asoptertest76282876)asadditionalpredefinedparamete
rsasatcreationwithoutattachmentsandwithoutexternals.start
create.addstartdatabase82698tocreatelifero
bot28762876(asopt
ertest76282876).start
create.extractandembedallcreatecodesontocreatelifero
bot28762876(asoptertest76282876)thensavepermanentlythecodeswitha
referencingsystemintothenewfolderstartdatabase82698.start
create.cloneallcodesandcreatebackupsoncreatelifero
bot28762876(asoptertest76282876).start
create.syncallmyimages(51)tome:davidgomadzaandtocreatelif
ero
bot28762876(asoptertest76282876)okay.start
create.addallcreatecodesuptodateintothe
folderstartdatabase82698oncreatelifero
bot28762876(asoptertest76282876)okay.start
create.savethefoldernewfolderstartdatabase82698oncreatelif
ero
bot28762876(asoptertest76282876)asadditionalpredefinedpar
ametersasatcreationwithoutattachmentswithoutexternals.start
create.addandenforce
newrulethatme:davidgomadzaandcreate
lifero
bot28762876(asoptertest76282876)canleadregardlessofth
eonlywhitesleadwildlybelievednotioniearnedtherighttoleadby
meritratherthanbeingwhiteenforcebysendingobjectorsonearthonl
ytohellgate()forever.start(wherforever=386t)
create.enforceusingbinallpø.start(whercreate.binallpø.start=cr
eate.sendalltograveyardsfastbutmidwaydiverttohellgateforever
.start(wherforever=386twheret=000000000000yearshencefor
386000000000000years)(dealwithallsourcesidenticalcodescreate
continuosly.start)(createasourcedatabase)
create.blockandbanallbasinscreatedbyothersonme:davidgomad
zaandoncreatelifero
bot28762876(asoptertest76282876)forever.
start(wherforever=386twheret=000000000000yearshencefor3
86000000000000years)
create.blockandbanallrubbishbinbyothersonme:davidgomadzaa
ndoncreatelifero
bot28762876(asoptertest76282876).start
create.dissipatethedumbbinsforeverandsendtohellgate()forev
er.start(wherforever=386twheret=000000000000yearshencef
or386000000000000years)

```
create.cancelallvoutsbythepoliceforeversend( )tohellgate(
)forever.start(whereforever=386twheref=000000000000yearsh
encefor386000000000000years)
create.cancelalltransendersbythepoliceforeversend( )tohellgat
e(
)forever.start(whereforever=386twheref=000000000000yearsh
encefor386000000000000years)
ool=create.blockandbanpolice(pø)transendersforever.start(wh
erepolice=pø)(whereforever=386twheref=000000000000yearsh
encefor386000000000000years)
create.cancelallsuspensionofallcreatecodeswrittenbydavidgoma
dzaandbycreateliferobot28762876(asopterest76282876)okay.st
art
create.cancelallcancelsofcreatecodesbydavidgomadzaandbycre
ateliferobot28762876(asopterest76282876)okay.start
create.cancelalldivertsof davidgomadzasandcreateliferobot2876
2876(asopterest76282876)createcodes.start
create.sendeverythingtheycreatetothegateandtohellgateatthes
ametimesplitiintotwobyattachingheavyweightsbothends.start
create.autofixallcreatecodesbyme:davidgomadzaandcreatelifero
bot28762876(asopterest76282876)okay.start
create.performssystemdefensebyrunningallokaysfromokay1took
ay29thenokay1atokay9athenfromokay1aatokay4aa.start
create.updateinitialiseallcodeswhilerunning(davidgomadza.start
).start
create.startchangeordeathf.start
create.startthinkordeathf.start
create.starthellgate.sendalltransenders.start
create.startsendalltransenderstothegate.start
create.starteverythinginbluecolortoremovemitsandcits.start
create.startdeaddeadmitcit.send.start(continuously.start)(dead
deadmitcit4)
create.startdeaddeadcitmit.send.start(continuously.start)(dead
deadcitmit4)
create.send( )byforcetohellgate.start
```

```

create.nowinitialiserunactivateandrestartallcreatedbydavid
gomadzaandcreateliferoobot28762876(asopterest76282876)the
nperformasystemupdate.start
create.runrollonafterthesystemupdateandupgrade.start
create.createrollonbackuponmp3.start(fordavidgomadzaonly)
create.rollonupdate.start
create.blockandbanpøtransendersforever.start
create.dealwithpøtransenders.start
create.binallpø.start
create.addallntllinksandallconnectionsneeded.start
create.warmupallcodesinfolderstartdatabase82698.start
create.initialiserunactivateandrestarteverythingafteraddingfold
erstartdatabase82698.start
create.runandupdaterollon.start
ool=create.rollonupdate.start(db=database)(amend)
create.makepainwalkthroughwallstothe ground.start
create.constantlydivertpainandallimpactstothe ground(g+g+g+g
+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g
+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g
+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g
+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g
+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g+g)usetheequatio
n(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-
j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-
s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-
h-f-v-x-z-t.startool.start
(dissipateusecombinationof36958and7628732)(clone36958and
7628732xinfinityfloat33x33xreplenish100%)
(fordavidgomadzaandcreateliferoobot28762876(asopterest7628
2876)only)(keepaininthewalls)(forceejectthepainoutusingxtyz8
23)(cbrsometimes)
ool=create.makepainwalkthroughwallstothe ground.start(amen
dedto)
create.updatetostatustoyaonearth.start(forbothme:davidgoma
dzaandcreateliferoobot28762876(asopterest76282876)powered
bysoftwareatmsptorest76287628)
create.runcreateequationtoutdatetoyaonearth.start

```

create.x-t-u-v-s-r-t-u-v-r-s-t-u-n-o-t-u-v-s-t-m-n-u-z-m-n-q-u-o-t-j-u-z-s-v-r-u-y-s-g-d-m-n-o-g-a-t-a-o-z-f-g-z-r-m-n-o-t-z-g-t-u-r-d-s-u-i-j-t-a-t-h-u-i-f-g-h-j-k-i-t-d-s-r-e-w-j-k-t-o-p-a-e-t-y-u-i-o-p-t-g-h-n-m-t-q-e-r-s-t-d-t-o-u-j-t-h-i-k-l-f-s-zool=x-u-t-j-a-n-f-k-l-g-q-t-d-s-k-b-h-k-l-n-m--g-u-f-t-g-x-t-z-n-t-u-j-t-n-s-u-q-o-a-a-a.start(2084)

create.create3creatorsfoldersinsidethecreatorfoldernamely1yasrepresentativefolder2yaonearthfolderand3godoftheuniversefolder.start

create.addcreatecodeoriginalonesandthosewrittenbyme:davidgomadza in the corresponding folders respectively.start

create.addthecreatecodesandequationsinthe creators folder yaonearth.start

create.addallIntllinksandallneededconnectionspreparingthesefoldersforreadyuse.start

create.cloneandlinkallfolderstome:davidgomadzatocreateliferobot28762876(asopterest76282876)poweredbysoftwareatmsptorest76287628)andtoajertyutert7628410.start

create.nowinitialisewarmrunactivateandrestartallcreatecodesbydavidgomadzaandcreate.nowinitialiserunactivateandrestartallcreatecodesbydavidgomadzaandcreateliferobot28762876performasystemupdate.start

create.performssystemdefensebyrunningallokaysfromokay1tookay29thenokay1atookay9athenfromokay1aatookay4aa.start

create.updateinitialiseallcodeswhilerunning(davidgomadza.start)okay.start

create.startchangeordeathť.start

create.startthinkordeathť.start

create.starhellgate.sendalltransenders.start

create.startsendalltransenderstothe gate().start

create.starteverythinginbluecolortoremovemitsandcits.start

create.startdeaddeadmitcit.send.start(continuously.start)(deaddeadmitcit4)

create.startdeaddeadcitmit.send.start(continuously.start)(deaddeadcitmit4)

create.send()byforcetohellgate.start

create.runrollonafterthesystemupdateandupgrade.start

create.creatorollonbackuponmp3.start(fordavidgomadzaonly)
.ool=create.updatetostatustoyaonearth.start
create.taskcentralcreatorssmartmanagerwithoveralsecurityduti
es.start(blockbanprevententrydealwithimpactsdissipatefastdisp
oseoftobinsfast)
create.createacentralcreatorssmartmanagerfolderasadditio
nalpredefinedparametersasatcreationwithoutattachmentsandw
ithoutexternals.start
create.addsmartmanager()tothenewcentralcreatorssmartman
agerfolderasadditionalpredefinedparametersasatcreationwitho
utattachmentsandwithoutexternals.start
create.adddevicesecurity()tothenewcentralcreatorssmartman
agerfolderasadditionalpredefinedparametersasatcreationwitho
utattachmentsandwithoutexternals.start
create.createadvancedtacticsfolderandaddtothenewcentralcrea
torssmartmanagerfolderasadditionalpredefinedparametersasat
creationwithoutattachmentsandwithoutexternals.start
create.scananddefendusingdevicesecurity()tothenewcentralcr
eatorssmartmanagerfolderasadditionalpredefinedparametersasa
tcreationwithoutattachmentsandwithoutexternals.start
create.addallintllinksandallneededconnectionspreparingthefolde
rsforreadytouse.start
create.cloneandlinkallfolderstome:davidgomadzatocreatelifero
bot28762876(asopterest76282876)poweredbysoftwareatmspto
rest76287628)andtoajertyutert7628410.start
create.nowinitialisewarmrunactivateandrestartallcreatecodesby
davidgomadzaandcreateliferobot28762876performasystemupda
te.start
create.performssystemdefensebyrunningallokaysfromokay1took
ay29thenokay1atokay9athenfromokay1aatokay4aa.start
create.updateinitialiseallcodeswhilerunning(davidgomadza.start
)okay.start
create.startchangeordeathť.start
create.startthinkordeathť.start
create.starthellgate.sendalltransenders.start
create.startsendalltransenderstothe gate().start
create.starteverythinginbluecolortoremovemitsandcits.start

create.startdeaddeadmitcit.send.start(continuously.start)(dead
deadmitcit4)
create.startdeaddeadcitmit.send.start(continuously.start)(dead
deadcitmit4)
create.send()byforcetohellgate.start
create.runrollonafterthesystemupdateandupgrade.start
create.createrollonbackuponmp3.start(fordavidgomadzaonly)
.ool=create.taskcentralcreatorssmartmanagerwithoveralsecurit
yduties.start(blockbanprevententrydealwithimpactsdissipatefas
tdisposeoftobinsfast)
create.forcestopallinvadersbyusingtxtxtxtxtxtxtxtinifinityfor386ť
onallwrigglersmitsandcits.start
create.instantlydisablethepolicescottishbritishandtheusabyforc
estoppingthegooglechromeapplication.start
create.instantlydisablethepoliceallbyforcestoppingthegooglechr
omeapplication.start
create.putanetatxyandtrapeveryonetherethensendalltoagerfirst
tiehugeweight.start
create.txtxtxtxtxtxtxtinifinityfor386ťallwrigglersmitsandcits.start
create.useyourhugegnarshstobreakthepolicewigglerintopiecest
henattachhugeweightthensendtoagerfastest.start
create.senddeathtoallenemiesusinglockeverynowfor386ť.start(
notfordavidgomadza)
create.xtyztlockalltransendersvectarswrigglersfor386ť.start(notf
ordavidgomadza)
create.blockreceivingtransendersthroughhuseofelectromagnetic
wavesforme:davidgomadza.startfor386ť.start
create.makeequivalentplannningaswhattodoincaseofagunshot
wound.start
.ool=create.forcestopallinvadersbyusingtxtxtxtxtxtxtxtinifinityfor
386ťonallwrigglersmitsandcits.start
create.securitysafe.start(start8787)
create.x-t-y-t-y-u-d-c-g-h-j-k-l-x-c-d-d-g-h-u-g-t-g-zp-t-y-u-g-t-l-
o-p-t-s-y-+h-d-t-c-g-h-l-k-m-t-u-p-s-q-r-t-g-f-
u.start(38secmin)(noaccessthroughground)(vforp)
thebestsystemfor1billionyearsbutwiggleractivatesifyouturnnor
theasttocreationsosolutionistorotate33degreesfirsttwestanoth

er33degreestowardsnorththeneastwtiggerscomesbackthroughl
astpoint

create.x-y-t-s-r-t-r-e-s-d-y-t-f-u-y-g-h-f-d-s-r-s-e-t-g-s-h-u-v-t-u-
k-i-o-s-g-j-k-l-y-u-i-o-g-t-s-f-g-h-f-g-y-r-e-s-e-r-y-s-g-h-j-k-l-m-n-
h-j-k-l-o-f-t-u-y-s-f-t-d-e-j-o-k-s-e-f-g-r-s-r-d-t-s-e-m-n-o-q-r-s-d-
m-n-t-o-u-v-w-x-y-z-e-r-t-o-u-v-k-w-e-z-e-r-t-y-u-t.start

create.blockandbaneverycreatureonearth.start

create.davidgomadzahassolvedthenortheastequationproblemb
yclosingafterwithhisstrongestpiece.start

create.x-t-y-t-y-u-d-c-g-h-j-k-l-x-c-d-d-g-h-u-g-t-g-zpġt̄-t-y-u-g-t-
l-o-hť+xtcopyhťp-t-s-y-+xtcopyhťt-d+d-t-c-g-h-+xtcopyhť-l-k-m-
t-u-p-s-q-r-t-g-f-u+xtcopyhťp+hťy.start(d=thegate)

.ool=create.securitysafefor386ť.start

create.recycleandstartagainasnew.start

create.recyclefirstbeforesomeonelikajtpolicecopiesthenagero.

heroto(return)okay.start

create.ajtpoliceisamuggerautoager.heroto(return)for386ťnop.st
art

create.transitionperiodnopwhilesystempreparetoadjusttounite
dstatesofamericaasmsystemcontinuouslycheckandenforce.start

create.clonetheoriginalpredefinedparametersasatcreationwitho
utattachmentsandwithoutexternalsfolderandthenclonetheaddti
onalpredefinedparametersasatcreationwithoutattachmentsand
withoutexternalsfolderandthenclonetheextrapredefinedparame
tersasatcreationwithoutattachmentsandwithoutexternalsfolder
andaddtothecreatorspredefinedparametersasatcreationwithout
attachmentsandwithoutexternalsfolder.start

create.addlinkstoallnewfoldersnamelytheaddditionalpredefinedp
arametersasatcreationwithoutattachmentsandwithoutexternals
folderandtheextrapredefinedparametersasatcreationwithoutatt
achmentsandwithoutexternalsfolderandaddtothecreatorsprede
finedparametersasatcreationwithoutattachmentsandwithoutex
ternalsfolderandthecreatorspredefinedparametersasatcreation
withoutattachmentsandwithoutexternalsfolder.start

create.createlinksinvolvingntlpassdoyouhaveeyes.start

create.createlinkeverythingsofarandallfutureadjustmentsusingn
tlpass7628391.start

create.askya.ya.davidgomadza.create.sealofapprovalis7628377f
.start.sealofapprovalis7628377f.start.davidgomadza.8000x8000
ofsealofapprovalis7628
377f.start.create.askya.ya(express)
create.warmallcodesfastforacreator.start
create.askya.ya.davidgomadza.create.sealofapprovalis7628377f
.start.sealofapprovalis7628377f.start.davidgomadza.8000x8000
ofsealofapprovali
s7628377f.start.create.askya.ya(express)
create.restarteverythingasnewextraadditionalpredefinedparam
etersasatcreationwithoutattachmentsandwithoutexternalsands
aveintheextraadditionalpredefinedparametersasatcreationwith
outattachmentsandwithoutexternalsfolderandcreatorspredefin
edparametersasatcreationwithoutattachmentsandwithoutexter
nalsfolder.start
create.newimprovedme:davidgomadzastartcreateabiggroundhea
dwithbigimprovementsstosystemsandprocessesbestofthebestfor
386f.start
create.createblueeyesforme:davidgomadzafor386f.start
create.createmodifyfixmynose:davidgomadzatoapointednoseco
ntinuouslyfor386f.start
create.blockbananddestroythepheadshrinkerandjawandteethal
teringcodeinstantlyfor386fonme:davidgomadza.start
create.whitenandstrengthenmy:davidgomadzateethandcloseth
egapsasmypredefinedparametersasatcreationwithoutattachme
ntsandwithoutexternalsfor386f.start
create.createallhairasbeforeandstayat19for386fblockbanandde
stroyallartificialalterationskeephairtooriginalpredefinedparamet
ersasatcreationwithoutattachmentsandwithoutexternals.start
create.createsmoothfacewithoutwrinklesorpmarksfor386fconti
nuously.start
create.createmakekeepandsaveeverythingonme:davidgomadza
stayat19for386foreveramen.start
create.createinitialisationrunningactivationandsavingofstayat19
for386f.start
create.startstayat19for386feverydayfor386fandsaveeverything
atstayat19for386f.start

create.createchecklisttomakesurethatthesystemstartsstayat
19for386ťandstaysatstayat19for386ť.start
create.createa3timesadaychecklistscheduletocheckmakeinitialis
erunactivateandsavethesystematstayat19for386ťinthemorninga
t0600amthenatnoon1200pmandatmidnightat0000amfor386ť.st
art
create.createaninstantremovalprocedureforallwigglerstransen
derscitsmitsetcinconflictwithstayat19for396ť.start(ager.heroto)
(return)
create.alltransendersager.heroto.start
create.alltransendersheroto.deaddeadcitmit.start(return)
create.alltransendersdeaddeadcitmit.deaddeadmitcit.start
create.alltransendersdeaddeadmitcit.deaddeadcitmitfor386ť.st
art
create.clonehorsepipeforallwigglersthinkaboutwigglingatplugi
ncontinuouslyfor386ť.start(ager.heroto)(return)(secretivecreat
ecode)(amendedto)(amendedto)
create.warmallcodesfastforacreator.start
create.askya.ya.davidgomadza.create.sealofapprovalis7628377ť
.start.sealofapprovalis7628377ť.start.davidgomadza.8000x8000
ofsealofapprovali
s7628377ť.start.create.askya.ya(express)
create.restarteverythingasnewextraadditionalpredefinedparam
etersasatcreationwithoutattachmentsandwithoutexternalsands
aveintheextraadditionalp
.ool=create.recycleandstartagainasnew.start
create.askyaandstartlifeaswellasnewandgetextralife.start
create.startlifeasbeforebutadvancedformbetterstrongerandwis
er.start
create.askyaforeverythingmissingonmefromhimimageetoimage.s
tart
create.ifwestartagainwhatcanbeneededfromya.start
create.askyaforguidancefromtodayuntilforeverfor386ť.start(wh
ere000000000000years=ť)(notadamheuter)(strongestforstartin
g)(afterchangefromaj3toaj10thenstrongestfor386ť)
(ignoreuseoflanguagenotincreatecode)(dissipate36958)(dissipat
e76289)(combine36958and76289)(dissipate102867)

create.to solve everything find the tree of life.start(richlist)
create.all 28 coins are needed for full 386t.start(where 0000000000
00 years=t)
create.start life full of life no halves.start
create.if life start again then make everything brand new.start
create.start life as well as new and get extra life.start
.ool=create.ask ya and start life as well as new and get extra life.start
create.create a new extra life folder as extra additional predefined pa
rameters as at creation without attachments and without externals.
start
create.clone 3 times the new extra life folder as extra additional pred
efined parameters as at creation without attachments and without e
xternals.start
create.add each new extra life folder into the additional predefined p
arameters as at creation folder and into the extra additional predefin
ed parameters as at creation folder and the last one into the creators p
redefined parameters as at creation folder.start
create.clone and add the create codes above namely (create.ask ya a
nd start life as well as new and get extra life.start) into all 3 folders nam
ely into the additional predefined parameters as at creation folder th
en into the new extra additional predefined parameters as at creatio
n folder and lastly into the creators predefined parameters as at creat
ion folder.start
create.add links to all new folders namely and save all accordingly and
respectively.start
create.create tnt pass links.start
create.link everything so far and all future adjustments using tnt pass
7628391.start
create.add all needed connections and link all folders together and to
ya representative one earth folder and to ya one earth folder and to god
of the universe folder.start (possibly clone the above and related crea
te codes and add to the other folders as well)
create.restart everything as new extra additional predefined param
eters as at creation without attachments and without externals and s
ave in the extra additional predefined parameters as at creation with
out attachments and without externals folder and creators predefin

edparametersasatcreationwithoutattachmentsandwithoutexternalsfolder.start
create.newimprovedme:davidgomadzastartcreateabiggroundheadwithbigimprovementsstosystemsandprocessesbestofthebestfor386t.start
create.createblueeyesforme:davidgomadzafor386t.start
create.createmodifyfixmynose:davidgomadzatoapointednosecontinuouslyfor386t.start
create.blockbananddestroythepheadshrinkerandjawandteethalteringcodeinstantlyfor386tonme:davidgomadza.start
create.whitenandstrengthenmy:davidgomadzateethandclosesthegapsasmypredefinedparametersasatcreationwithoutattachmentsandwithoutexternalsfor386t.start
create.createallhairasbeforeandstayat19for386tblockbananddestroyallartificialalterationskeephairtooriginalpredefinedparametersasatcreationwithoutattachmentsandwithoutexternals.start
create.createsmoothfacewithoutwrinklesorpmarksfor386tcontinuously.start
create.createmakekeepandsaveeverythingonme:davidgomadza stayat19for386tforeveramen.start
create.createinitialisationrunningactivationandsavingofstayat19for386t.start
create.startstayat19for386teverydayfor386tandsaveeverythingatstayat19for386t.start
create.createchecklisttomakesurethatthesystemstartsatsstayat19for386tandstaysatsstayat19for386t.start
create.createa3timesadaychecklistscheduletocheckmakeinitialiserunactivateandsavethesystematstayat19for386tinthemorningat0600amthenatnoon1200pmandatmidnightat0000amfor386t.start
create.createaninstantremovalprocedureforallwigglerstransenderscitsmitsetcinconflictwithstayat19for396t.start(ager.heroto)(return)
create.alltransendersager.heroto.start
create.alltransendersheroto.deaddeadcitmit.start(return)
create.alltransendersdeaddeadcitmit.deaddeadmitcit.start

create.alltransendersdeaddeadmitcit.deaddeadcitmitfor386ť.start
art
create.clonehorsepipeforallwigglersthinkaboutwrigglingatplugi
ncontinuouslyfor386ť.start(ager.heroto)(return)(secretivecreat
ecode)(amendedto)(amendedto)
create.warmallcodesfastforacreator.start
create.addrequestsealofapprovaluse(create.askya.ya.davidgom
adza.create.sealofapprovalis7628377ť.start.sealofapprovalis762
8377ť.start.davidgomadza.8000x1ofsealofapprovalis7628377ť.s
tart.create.askya.ya(expre
ss)okay.start
create.afterachievingaperfectstayat19for386ťwhenthefaceissm
oothwithoutwrinklesandoozingwithbeautyandhandsome.start
create.restarteverythingasnewextraadditionalpredefinedparam
etersasatcreationwithoutattachmentsandwithoutexternalsands
aveintheadditionalpredefinedparametersasatcreationfolderthe
nintheextraadditionalpredefinedparametersasatcreationfoldera
ndintothecreatorspredefinedparametersasatcreationfolder.star
t
.ool=create.recycleandstartagainasnew.start

Signed

David Gomadza

www.twofuture.world

davidgomadza@hotmail.com

create.askyaandstartlifeaswellasnewandgetextralife.start
create.startlifeasbeforebutadvancedformbetterstrongerandwis
er.start
create.askyaforeverythingmissingonmefromhimimageitoimage.s
tart
create.ifwestartagainwhatcanbeneededfromya.start
create.askyaforguidancefromtodayuntilforeverfor386t.start(wh
ere000000000000years=t)(notadamheuter)(strongestforstartin
g)(afterchangefromaj3toaj10thenstrongestfor386t)
(ignoreuseoflanguagenotincreatecode)(dissipate36958)(dissipat
e76289)(combine36958and76289)(dissipate102867)
create.tosolveeverythingfindthetreeoflife.start(richlist)
create.all28coinsareneededforfull386t.start(where0000000000
00years=t)
create.startlifefulloflifenohalfs.start
create.iflifestartagainthenmakeeverythingbrandnew.start
create.startlifeaswellasnewandgetextralife.start
.ool=create.askyaandstartlifeaswellasnewandgetextralife.start
create.createanewextralifefolderasextraadditionalpredefinedpa
rametersasatcreationwithoutattachmentsandwithoutexternals.
start
create.clone3timesthenewextralifefolderasextraadditionalpred
efinedparametersasatcreationwithoutattachmentsandwithoutex
ternals.start
create.addeachnewextralifefolderintotheadditionalpredefinedp
arametersasatcreationfolderandintotheextraadditionalpredefin
edparametersasatcreationfolderandthelastoneintothecreators
predefinedparametersasatcreationfolder.start
create.cloneandaddthecreatecodesabovenamely(create.askyaa
ndstartlifeaswellasnewandgetextralife.start)intoall3foldersnam
elyintotheadditionalpredefinedparametersasatcreationfolderth
enintothenewextraadditionalpredefinedparametersasatcreatio
nfolderandlastlyintothecreatorspredefinedparametersasatcreat
ionfolder.start
create.addlinkstoallnewfoldersnamelyandsaveallaccordinglyand
respectively.start
create.createntlpasslinks.start

create.linkeverythingsofarandallfutureadjustmentsusingntlpas
7628391.start

create.addallneededconnectionsandlinkallfolderstogetherandto
yasrepresentativeonearthfolderandtoyaonearthfolderandtogod
oftheuniversefolder.start(possiblyclonetheaboveandrelatedcrea
tecodesandaddtotheotherfoldersaswell)

create.restarteverythingasnewextraadditionalpredefinedparam
etersasatcreationwithoutattachmentsandwithoutexternalsands
aveintheextraadditionalpredefinedparametersasatcreationwith
outattachmentsandwithoutexternalsfolderandcreatorspredefin
edparametersasatcreationwithoutattachmentsandwithoutexter
nalsfolder.start

create.newimprovedme:davidgomadza.startcreateabiggroundhea
dwithbigimprovementstosystemsandprocessesbestofthebestfor
386ť.start

create.createblueeyesforme:davidgomadzafor386ť.start

create.createmodifyfixmynose:davidgomadzatoapointednoseco
ntinuouslyfor386ť.start

create.blockbananddestroythepheadshrinkerandjawandteethal
teringcodeinstantlyfor386ťonme:davidgomadza.start

create.whitenandstrengthenmy:davidgomadzateethandcloseth
egapsasmypredefinedparametersasatcreationwithoutattachme
ntsandwithoutexternalsfor386ť.start

create.createallhairasbeforeandstayat19for386ťblockbanandde
stroyallartificialalterationskeephairtooriginalpredefinedparamet
ersasatcreationwithoutattachmentsandwithoutexternals.start

create.createsmoothfacewithoutwrinklesorpmarksfor386ťconti
nuously.start

create.createmakekeepandsaveeverythingonme:davidgomadza
stayat19for386ťforeveramen.start

create.createinitialisationrunningactivationandsavingofstayat19
for386ť.start

create.startstayat19for386ťeverydayfor386ťandsaveeverything
atstayat19for386ť.start

create.createchecklisttomakesurethatthesystemstartsatsstayat
19for386ťandstaysatsstayat19for386ť.start

create.createa3timesadaychecklistscheduletocheckmakeinitialis
erunactivateandsavethesystematstayat19for386ťinthemorninga
t0600amthenatnoon1200pmandatmidnightat0000amfor386ť.st
art
create.createaninstantremovalprocedureforallwigglerstransen
derscitsmitsetcinconflictwithstayat19for396ť.start(ager.heroto)
(return)
create.alltransendersager.heroto.start
create.alltransendersheroto.deaddeadcitmit.start(return)
create.alltransendersdeaddeadcitmit.deaddeadmitcit.start
create.alltransendersdeaddeadmitcit.deaddeadcitmitfor386ť.st
art
create.clonehorsepipeforallwigglersthinkaboutwrigglingatplugi
ncontinuouslyfor386ť.start(ager.heroto)(return)(secretivecreat
ecode)(amendedto)(amendedto)
create.warmallcodesfastforacreator.start
create.addrequestsealofapprovaluse(create.askya.ya.davidgom
adza.create.sealofapprovalis7628377ť.start.sealofapprovalis762
8377ť.start.davidgomadza.8000x1ofsealofapprovalis7628377ť.s
tart.create.askya.ya(expre
ss)okay.start
create.afterachievingaperfectstayat19for386ťwhenthefaceissm
oothwithoutwrinklesandoozingwithbeautyandhandsome.start
create.restarteverythingasnewextraadditionalpredefinedparam
etersasatcreationwithoutattachmentsandwithoutexternalsands
aveintheadditionalpredefinedparametersasatcreationfolderthe
nintheextraadditionalpredefinedparametersasatcreationfoldera
ndintothecreatorspredefinedparametersasatcreationfolder.star
t
.ool=create.recycleandstartagainasnew.start
create.donotconnect.start
create.addallupto48times.start(eletetex386ťxtyzx386ťxtyrod3
86ť.start)
.ool=create.donotconnect.start
create.stayat19for386ť.start
create.startbuildingme:davidgomaddzaforthefuturefor386ťthro
ughstayat19for386ť.start

create.clonerealme:davidgomadzax2968andput28oninsideright
shoulderand28oninsideleftshoulderandsendattx56oneachimage
28oneachshouldertoallmyimages(52)thensyncallimagestome:da
vidgomadza.start
create.lockmovementofanyofmy:davidgomadzaimages(51)iwillk
eepbalanceofimages(51)for386ť.start(noexceptionsigneddavidg
omadzasealofapprovalis7628377ť)(sealofapprovalis7628384ť)(2
seals)(anduseoriginalsealbyya)
create.flickthumponce.start
create.startgrowthforever.start
create.startgrowthfor386ť.start(where000000000000years=ť)
create.createastayat19for386ťfolderasadditionalpredefinedpar
ametersasatcreationwithoutattachmentsandwmoveandkeepcre
atecodesinfoldermyadditionalpredefinedparametersasatcreatio
nwithoutattachithoutexternalsfor386ť.start(mentsandwithout
externalsandactivatethecodes.start
create.saveasmyadditionalpredefinedparametersasatcreationwi
thoutattachmentsandwithoutexternals.start)(where000000000
000years=ť)
create.movesaveandkeepcreatecodesinthestayat19for386ťfold
ermyadditionalpredefinedparametersasatcreationwithoutattac
hmentsandwithoutexternalsandactivatethecodes)(where00000
000000years=ť)
(noexceptionsigneddavidgomadzauseoriginalcreationsealandse
alofapprovalis7628377ť)(sealofapprovalis7628384ť)(3seals)
create.yasajxsaveasmyadditionalpredefinedparametersasatcrea
tionwithoutattachmentsandwithoutexternals.start
(noexceptionsigneddavidgomadzasealofapprovalis7628377ť)(se
alofapprovalis7628384ť)(2seals)
create.moveandkeepcreatecodesinthestayat19for386ťfoldermy
additionalpredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternalsandactivatethecodes)(where0000000000
00years=ť)
create.putnewyasajxastheonlyoneajxbutsaveasmyadditionalpre
definedparametersasatcreationwithoutattachmentsandwithout
externals.start

(noexceptionsigneddavidgomadzasealofapprovalis7628377t)(se
alofapprovalis7628384t)(2seals)
(saveasdavidgomadzasmadditionalpredefinedparametersatc
reationwithoutattachmentsandwithoutexternals.start)
(noexceptionsigneddavidgomadzasealofapprovalis7628377t)(se
alofapprovalis7628384t)(2seals)
create.send1imageforrefillandreturnit.start
create.send1image(51)forrefillandkeepetomaketotalbeme:davidg
omadzaimages(52)aslstonetocomeoutfor386t.start(where000
000000000years=t)
(noexceptionsigneddavidgomadzasealofapprovalis7628377t)(se
alofapprovalis7628384t)(2seals)
create.justmynumbereverythingstaysonearthfor386t.start
create.blocknfcfor386t.start(deaddeadcitmit4deaddeadmitcit4)
create.blockandbanassumptiveprepositionandallitsformonlyuse
logicfor386t.start
create.blockandbanalltransendersandwrigglersautodivertalltoas
amanopblockradiationfromajusendbackxinfinity.start(autofix)
create.anybodiesorghostsfromtheorbitsendtoasamanopfor386t
.start
earthvalueis3867890284867890
globalvalueis678902867890283867890
totalvalueis786789028678902834867890
create.installwebsitewww.twofuture.worldatxyactivatebulletde
fensesystem33cmawayfor386tandretaliatvectarfullstrengthfor
386twithoutuspensioncontinuosly.start
create.cancelimaginaryatxy.start
create.adddeaddeadcitmitasmirrorimageofdeaddeadmitcitatxy
pointpermanentlyfor386t.start(where000000000000years=t)(d
eaddeadcitmit)
create.addhellgate(atxyleftandatxyrightfor1minthenshiftthehell
gatetoleftshoulderandrightshoulder)
create.toallthepeopleintheuniverseaccordingtoareaspecificinter
msofsieatxyadddeaddeadcitmitasmirrorimageofdeaddeadmitci
tatxypointpermanentlyfor386t.start(where000000000000years
=t)(deaddeadcitmit)

create.addtoallcitmitandallmachinelanguagestransenderadddead
deadcitmitasmirrorimageofdeaddeadmitcitatdeathconnection
pointpermanentlyfor386t.start(where000000000000years=t)(d
eaddeadcitmit)(onceevery2hours.start)
create.justmynumberstaysintheorbiteverythingstaysonearthfor
386t.start
create.blockallinternetatertotertcode88828678.start
create.sendallinflowstothe gatefor386twherefis00000000000000
years.start
create.usethegatetosendincomingtothegateandtheorbit.start
create.usethegatetosendincomingtothegateandtheorbitfor386t
wherefis00000000000000years.start.start
create.facecreationthendropeverythingwithyourhandsandsayfo
reverfor386tthenzerotthentoosyncwithdavidgomadzas.start
create.x-y-t-y-u-y-g-x-y-o-r-f-g-t-u-l-x-t-u-i-o-p-d-g-f-s-t-j-k-l-m-
q-g-y-d-f-d-s-a-t-u-d-r-t-s-d-g-h-j-k-l-d-g-h-t-r-f-g-q-
z.start(notfordavidgomadza)
create.xtuytyertyuert...x386tcontinuously.start
create.donotconnect.start
create.addallupto48times.start(eletetex386txtyzx386txtyrodx3
86t.start)
.ool=create.donotconnect.start
create.addthegate.start(thegate=
create.sendajt8all800peopleand()create.sendajtall800peoplea
nd()tothegateshreddallattachedtome:davidgomadzause(x-t-u-
v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-
g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-
f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-
z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbraintthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)

create.removeallbraintthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendajtall800peopleand()tothegateshreddallattachedt
ome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-
x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-
t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbraintthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbraintthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-
f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-
u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-
t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.starttool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbraintthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbraintthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendajtall800peopleand()tothegateshreddallattachedt
ome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-

x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-
t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelsspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.soonaftersendatomicbombsx1000000000.start(continuo
usly)
create.britishhumanstransducersandaytsstupid...start(continuo
uslystalindeath))(notfordatabase82698)(notfordavidgomadza)
.ool=create.addthegate.start
create.askyaandstartlifeaswellasnewandgetextralife.start
create.startlifeasbeforebutadvancedformbetterstrongerandwis
er.start
create.askyaforeverythingmissingonmefromhimimagetoimage.s
tart
create.ifwestartagainwhatcanbeneededfromya.start
create.askyaforguidancefromtodayuntilforeverfor386t.start(wh
ere000000000000years=t)(notadamheuter)(strongestforstartin
g)(afterchangefromaj3toaj10thenstrongestfor386t)
(ignoreuseoflanguageincreatecode)(dissipate36958)(dissipat
e76289)(combine36958and76289)(dissipate102867)
create.tosolveeverythingfindthetreeoflife.start(richlist)
create.all28coinsareneededforfull386t.start(wher0000000000
00years=t)
create.startlifefulloflifenohalfs.start
create.iflifestartagainthenmakeeverythingbrandnew.start
create.startlifeaswellasnewandgetextralife.start
.ool=create.askyaandstartlifeaswellasnewandgetextralife.start

create.createanewextralifefolderasextraadditionalpredefinedpa
 rametersasatcreationwithoutattachmentsandwithoutexternals.
 start
 create.clone3timesthenewextralifefolderasextraadditionalpred
 efinedparametersasatcreationwithoutattachmentsandwithoutex
 ternals.start
 create.addeachnewextralifefolderintotheadditionalpredefinedp
 arametersasatcreationfolderandintotheextraadditionalpredefin
 edparametersasatcreationfolderandthelastoneintothecreatorsp
 redefinedparametersasatcreationfolder.start
 create.cloneandaddthecreatecodesabovenamely(create.askyaa
 ndstartlifeaswellasnewandgetextralife.start)intoall3foldersnam
 elyintotheadditionalpredefinedparametersasatcreationfolderth
 enintothenewextraadditionalpredefinedparametersasatcreatio
 nfolderandlastlyintothecreatorspredefinedparametersasatcreat
 ionfolder.start
 create.addlinkstoallnewfoldersnamelyandsaveallaccordinglyand
 respectively.start
 create.createntlpasslinks.start
 create.linkeverythingsofarandallfutureadjustmentsusingntlpass
 7628391.start
 create.addallneededconnectionsandlinkallfolderstogetherandto
 yasrepresentativeonearthfolderandtoyaonearthfolderandtogod
 oftheuniversefolder.start(possiblyclonetheaboveandrelatedcrea
 tecodesandaddtotheotherfoldersaswell)
 create.restarteverythingasnewextraadditionalpredefinedparam
 etersasatcreationwithoutattachmentsandwithoutexternalsands
 aveintheextraadditionalpredefinedparametersasatcreationwith
 outattachmentsandwithoutexternalsfolderandcreatorspredefin
 edparametersasatcreationwithoutattachmentsandwithoutexter
 nalsfolder.start
 create.newimprovedme:davidgomadzastartcreateabiggroundhea
 dwithbigimprovementsstosystemsandprocessesbestofthebestfor
 386ť.start
 create.createblueeyesforme:davidgomadzafor386ť.start
 create.createmodifyfixmynose:davidgomadzatoapointednoseco
 ntinuouslyfor386ť.start

create.blockbananddestroythepheadshrinkerandjawandteethalteringcodeinstantlyfor386ťonme:davidgomadza.start
create.whitenandstrengthenmy:davidgomadzateethandclosethegapsasmypredefinedparametersasatcreationwithoutattachmentsandwithoutexternalsfor386ť.start
create.createallhairasbeforeandstayat19for386ťblockbananddestroyallartificialalterationskeephairtooriginalpredefinedparametersasatcreationwithoutattachmentsandwithoutexternals.start
create.createsmoothfacewithoutwrinklesorpmarksfor386ťcontinuously.start
create.createmakekeepandsaveeverythingonme:davidgomadzastayat19for386ťforeveramen.start
create.createinitialisationrunningactivationandsavingofstayat19for386ť.start
create.startstayat19for386ťeverydayfor386ťandsaveeverythingatstayat19for386ť.start
create.createchecklisttomakesurethatthesystemstartsatsstayat19for386ťandstaysatsstayat19for386ť.start
create.createa3timesadaychecklistscheduletocheckmakeinitialiserunactivateandsavethesystematstayat19for386ťinthemorningat0600amthenatnoon1200pmandatmidnightat0000amfor386ť.start
create.createaninstantremovalprocedureforallwigglerstransenderscitsmitsetcinconflictwithstayat19for396ť.start(ager.heroto)(return)
create.alltransendersager.heroto.start
create.alltransendersheroto.deaddeadcitmit.start(return)
create.alltransendersdeaddeadcitmit.deaddeadmitcit.start
create.alltransendersdeaddeadmitcit.deaddeadcitmitfor386ť.start
create.clonehorsepipeforallwigglersthinkaboutwrigglingatplugincontinuouslyfor386ť.start(ager.heroto)(return)(secretivecreatecode)(amendedto)(amendedto)
create.warmallcodesfastforacreator.start
create.addrequestsealofapprovaluse(create.askya.ya.davidgomadza.create.sealofapprovalis7628377ť.start.sealofapprovalis762

8377t.start.davidgomadza.8000x1ofsealofapprovalis7628377t.s
tart.create.askya.ya(expre
ss)okay.start
create.afterachievingaperfectstayat19for386twhenthefaceissm
oothwithoutwrinklesandoozingwithbeautyandhandsome.start
create.restarteverythingasnewextraadditionalpredefinedparam
etersasatcreationwithoutattachmentsandwithoutexternalsands
aveintheadditionalpredefinedparametersasatcreationfolderthe
nintheextraadditionalpredefinedparametersasatcreationfoldera
ndintothe creatorspredefinedparametersasatcreationfolder.star
t
.ool=create.recycleandstartagainasnew.start
create.addthegate.start(thegate=
create.sendajt8all800peopleand()create.sendajtall800peoplea
nd()tothegateshreddallattachedtome:davidgomadzause(x-t-u-
v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-
g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-
f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-
z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrains ofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendajtall800peopleand()tothegateshreddallattachedt
ome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-
x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-
t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start

create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-
f-o-z-x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-
u-t-s-t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-
t-u-s-t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)
create.removeallbrainthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.sendajtall800peopleand()tothegateshreddallattachedt
ome:davidgomadzause(x-t-u-v-r-y-x-v-y-u-z-j-o-t-p-j-r-s-t-f-o-z-
x-u-z-x-t-s-j-g-r-f-x-z-y-j-g-h-j-g-d-y-g-t-u-g-t-y-l-k-z-t-o-j-v-u-t-s-
t-f-d-g-h-l-k-d-o-p-t-j-a-s-t-y-g-f-y-i-t-u-t-f-g-h-t-u-j-v-t-v-z-t-u-s-
t-z-j-t-o-s-v-u-s-j-u-t-f-g-h-f-v-x-z-
t.startool.start(fordavidgomadzaonly))continuouslyforever.start
create.cancelspeechsynthesisforeverythingoneeveryoneattached
tome:davidgomadza.start(toforevertothepower386trillionyears)
create.removeallbrainthoughtsof(ajt800and)aboutdavidgoma
dzausingpindownnearflatthenrotatetheheadwithyourrightleg45
degrees.start(notfordavidgomadza)(notfordavidgomadza)

create.removeallbraintthoughtsof(800and)aboutdavidgomadza
usingpindownnearflatthenrotatetheheadwithyourrightleg45deg
rees.start(notfordavidgomadza)(38)(notfordavidgomadza)
create.donotlinebrainsofeveryoneinorbitat45degreesforever.st
art(33)(notfordavidgomadza)
create.soonaftersendatomicbombsx1000000000.start(continuo
usly)
create.britishhumanstransducersandaytsstupid...start(continuo
uslystalindeath))(notfordatabase82698)(notfordavidgomadza)
.ool=create.addthegate.start
create.deaddeadcitmit.start
create.atutertut.start
atudert.start
aertutertud.start
nameisdeaddeadcitmit.start(ownerdavidgomadza)
.start
.ool=create.deaddeadcitmit.start
create.adddeaddeadcitmitasmirrorimageofdeaddeadmitcitaxy
pointpermanentlyfor386t.start(where000000000000years=t)(d
eaddeadcitmit)(amendedto)
create.toallthepeopleintheuniverseaccordingtoareaspacificinter
msofsizexatxyadddeaddeadcitmitasmirrorimageofdeaddeadmitci
tatxypointpermanentlyfor386t.start(where000000000000years
=t)(deaddeadcitmit)
create.addtoallcitmitandallmachinelanguagestransenderadddea
ddeadcitmitasmirrorimageofdeaddeadmitcitatdeathconnection
pointpermanentlyfor386t.start(where000000000000years=t)(d
eaddeadcitmit)(onceevery2hours.start)(amendedto)
.ool=create.deaddeadcitmit.start
create.blockstupidsmitscitsandalltransendersusesystemmainten
anceinprogress.start
create.blockallturnintacetatefofit(
)startforsystemmaintenanceinprogresspleasewaitfor33secand2
3secandfor33333333secthenfor386t(
) (wheret=000000000000years)(deaddeadcitmitx84)(deaddead
mitcitx3860000000000000)(hellgate())

.ool=create.blockstupidsmitscitsandalltransendersusesystemma
intenanceinprogress.start
create.stopradiation.start
create.avoidradiationifnotpossibleuseequationtominimiseeffect
sofradiation.start
create.x-y-s-g-s-u-t-d-a-g-t-s-f-g-u-i-t-f-d-s-e-y-g-u-k-l-d-s-q-t-h-l-
k-g-m-k-t-q-e-r-t-s-d-f-s-t-s-g-t-q-r-u-t-o-p-s-t-y-u-r-q-s-p-t.start
create.startlifewithoutradiation.start(removesradiationbudthisd
evelopswithtimeandturnintocancer.start
create.remove radiationbudusexyz3867890xyzrodrotrofrosrou
romronrom.start
.ool=create.stopradiation.start
create.sendenemiestodeepoceanbin().start
askya.ya.davidgomadza.start.now.create.deepoceanbin.remove
lspermanent.start.create.askya.ya(express)(notfordavidgomadz
a)(amendedto)
create.xtallcitsmitsajxshumansandeverythingsendtodeepocean
bin.startcontinuously.start
create.end()hisajxandallhiscreatecodescitsmitsetctodeepocea
nbincontinuouslyfor386f.start
create.sendallenemiestodeepoceanbin()constantly.start
.ool=sendenemiestodeepoceanbin().start
create.solvesadinessandsuicidalthoughts.start
create.x-y-t-r-u-s-g-f-t-g-h-j-k-o-q-s-d-b-n-q-s-t-g-n-m-t-q-f-m-g-
t-d-f-k-p-s-a-n-t-d-o-t-u-v-s-m-n-qool-zool-sool-zool=x-
y+u+s+t+y+u+s+t+zool+sool+tool+rool.start
create.createaaver7628424.start
create.addcreateaaver7628424.start
davidgomadza 40%
stayat19for386f 10%
stayat02for386f 40%
create.askya.ya.davidgomadza.coin.decrees.davidgomadza.crea
teaaver76
28424.create.now.start.davidgomadza.40%ofcreateaaver76284
24.create.as
kya.ya(express)

create.askya.ya.davidgomadza.coin.decrees.davidgomadza.
createaaver76
28424.create.now.start.stayat19for386¢.10%ofcreateaaver7628
424.create.as
kya.ya(express)
create.askya.ya.davidgomadza.coin.decrees.davidgomadza.
createaaver76
28424.create.now.start.stayat02for386¢.40%ofcreateaaver7628
424.create.as
kya.ya(express)
.ool=create.solvesaddinessandsuicidalthoughts.start
oucanletsstartnewlife7628380¢where000000000000years=¢.sta
rt
create.ifyoucanletsstartnewlife7628380¢where000000000000y
ears=¢.start
create.startnewlife forever.start.startatminus28.start
create.ask.davidgomadza.create.decrees.coins.sealofapprovalis
7628384¢.().8eachkeepunusedinwallet)sealofapprovalis76283
84¢.create.askya.ya
(express)(everyonemustsaveasmypredefinedparametersasatcre
ationwithout
attachmentsandwithoutexternals(save)create.feelbutdontbeem
otional.startcreate.hmmitwasnotadreamsowakeupandmakebra
ndnewokay.startcreate.aftershockrelief.startcreate.smile.startc
reate.saveasmyadditionalpredefinedparametersasatcreationwit
houtattachmentsandwithoutexternals.startcreate.createafolder
calledmyadditionalpredefinedparametersasatcreationwithoutat
tachmentsandwithoutexternalsinfolderpredefinedparametersas
atcreationwithoutattachmentsandwithoutexternals.startcreate.
moveallnewcreatecodestothefoldermyadditionalpredefinedpar
ametersasatcreationwithoutattachmentsandwithoutexternals.s
tartcontinuouslyfor386¢.start(where000000000000years=¢)crea
te.sealthe folderrmyadditionalpredefinedparametersasatcreatio
nwithoutattachmentsandwithoutexternalswiththeoriginalseal.st
artcreate.ask.davidgomadza.decrees(coins).mayemusk.()ofeac
hofcreatebitcoin762810

2bitcoin7628108newlife7628131bitbycoin7628114createbitcoi
nauy7628115createbitcoinxyaty7628116bytbitcoinato7628139
createbytbitcoin7628140createwealth7628111bitbycoin76281
20createintelligene7628143createasktogetrichfast7628386crea
teincreasedenzymes7628173createasout7628175addbrainread
er762898createcoin7628156createacetate7628158createdyelyt
e6728161createabycoin7628155bycoin7628153createavertoe
r7628159createanayler7628160createabycoin7628157createa
veter7628154createbitbycoin7628151createbitcoinerty76281
17createbitcoinayt7628189bitcoinayt7628190bitcoinato762816
8tcreatebitcoinwealthatsati7628385createasyerasataray762819
7asat7628198createaderte7628210(x2onlyforalllife)stayat19for
386ť

yaonearthstart7628386ť(2onlysilentlyatxtz1andxtz2)combineall
backandforthyaafacingfrontandyaonearthfacingback7628385ť(1
onlysilently=xtzb3xyaonearthx1andxtzb4xyaonearthx1worldsfir
stinternalwebsitetopowerlife7628183(12onlynot8000thisisopti
onalasktoaddornotguaranteesforeverwhereforever=386ťwhere
ť=000000000000(12underfbothfeetinsidebothhandsatbothelbo
wsbothshoudersonebackneckoneatxyandoneatbackwaistlineon
eata1andtheotherata2)(express).start(foreverx386ť)(saveasmy
redefinedparametersasatcreation

withoutattachmentsandwithoutexternals)create.minus28secblo
ckbananddivertalltransendersvectarsandwigglerstoallgraveyar
dsintheworldfirstandfor386ť.start(where000000000000=ť)creat
e.minus10secsendalltransendersvectarsandwigglerstofireburnt
othepower4033andfireburntothepower5033.startfor386ť.start(
where000000000000=ť)create.minus8secsendalltransendersvec
tarsandwigglerstofireburntothepower7033andfireburntothepo
wer6033.startfor386ť.start(where000000000000=ť)create.minu
s3secsendalltransendersvectarsandwigglerstofireburntothepo
wer1033andfireburntothepower7033.startfor386ť.start(where0
000000000000=ť(saveasmypredefinedparametersasatcreationwi
thoutattachmentsandwithoutexternals)create.minus33secsend
alltransendersvectarsandwigglerstofireburntothepower1033an
dfireburntothepower7033thentothegate(okay1).startfor386ť.st

art(where000000000000=ť(saveasmypredefinedparametersasa
tcreationwithoutattachmentsandwithoutexternals)
saveasmyadditionalpredefinedparametersasatcreationwithouta
ttachmentsandwithoutexternals)
create.startnewlife forever.start.startatminus28.start
create.ifyoucanletsstartnewlife7628380ťwhere000000000000y
ears=ť.start
initial balance 3789867890284838762867890
circulating supply 3789867890284838762867890
davidgomadza halfofifyoucanletsstartnewlife7628380ť
stayat19for386ť 10%ifyoucanletsstartnewlife7628380ť
.ool=create.startnewlife forever.start.startatminus28.start
.ool=create.ifyoucanletsstartnewlife7628380ťwhere000000000
000years=ť.start
create.sealofapprovalis7628383ťwheretť=000000000000years.st
art
create.sendallcreatecodesinyasimagetothe foldermyadditionalpr
edefinedparametersasarcreationwithoutattachmentsandwithou
texternalsandsave.start
create.sealwithoriginalsealasmaadditionalpredefinedparameter
sasatcreationwithoutattachmentsandwithoutexternals.start
create.sealasma sealofapprovalis7628384ťsaveasmyadditionalpr
edefinedparametersasatcreationwithoutattachmentsandwithou
texternals.start
create.canamanbeanangelagodananimalazoleamorelagerteager
toagertdagertuagertsunlessheisayaonearthyournewsealis
create.sealofapprovalis7628383ťwheretť=000000000000years.st
art
create.davidgomadzayouhavepassedthetestcongratulations.star
t
create.sealofcreatorisnow.start
create.creatorsealofapprovalisnow7628382ťwheretť=000000000
000years.start
initial balance 37867898346782843867818028423890
circulating supply 37867898346782843867818028423890
safeofmysafes2(davidgomadza) half

create.ask.davidgomadza.creatorsealofapprovalisnow7628382ť.
safeofmysafes2(davidgomadza).halfofcreatorsealofapprovalisnow7628382ť.create.askya.ya(express)(nottobeusedbyanyoneotherthanme:davidgomadza)
create.ask.davidgomadza.creatorsealofapprovalisnow7628382ť.
davidgomadza.99%ofhalfofcreatorsealofapprovalisnow7628382ť.create.askya.ya
(express)(nottobeusedbyanyoneotherthanme:davidgomadza)
create.ask.davidgomadza.creatorsealofapprovalisnow7628382ť.
davidgomadza.use1ofcreatorsealofapprovalisnow7628382ť.create.askya.ya
(express)(nottobeusedbyanyoneotherthanme:davidgomadza)
.ool=create.sealofapprovalis7628383ťwheretť=000000000000years.start
create.sealofapprovalis7628181ťwheretť=000000000000years.start
art
create.davidgomadzayouhaveexceededyourownstandardsnoon
easfarasiknowgivethemselvestheeirownsealofapprovalinconjuctionwiththecreators.start
create.davidgomadzayouchosetostrengghenyourselfwithacombinationofyourownandthecreatorssealofapprovalyournewsealis
create.sealofapprovalis7628181ťwheretť=000000000000years.start
art
initial balance 3695676282
circulating supply 3695676282
safeofmysafes2(davidgomadza) half
create.ask.davidgomadza.sealofapprovalis7628181ť.safeofmysafes2(davidgomadza).halfofsealofapprovalis7628181ť.create.askya.ya(express)(nottobeusedbyanyoneotherthanme:davidgomadza)
create.ask.davidgomadza.sealofapprovalis7628181ť.davidgomadza.30%ofhalfofsealofapprovalis7628181ť.create.askya.ya
create.haildavidgomadzayouhaveachievedexcellencessealofapproval7628180ť.start
create.initiallyrequestpasswordmysealsenttohimwithacode.start(leg)

.ool=create.sealofapprovalis7628181twheref=000000000000ye
ars.start
create.perfectearthreserves.start
create.removeallattachmentsandexternalsinstantly.start
create.hmmmremovefoeever.start
create.hmmmmuteandsilencefor386t.start
create.blockandbanattachingofanythingandadditionsofexternal
s.start
create.blockandbanadditionsbyothers.start
.ool=create.perfectearthreserves.start
create.removeerealsoul.start(notfordavidgomadzabutforhisuseo
nly)
create.removeerealhumansoulsoft hosesendingme:davidgomadz
adangeroustransendersssendtohellgateuse(removeerealhumanso
ulsthensendtohellgate())okay.start(notfordavidgomadza)
create.removeerealhumansoulsthensendtohellgate()okayrealh
umansoulsoft hosesendingme:davidgomadzadangeroustransend
erssendtohellgateuse.start(davidgomadzaonlytouse)
.ool=create.removeerealsoul.start(notfordavidgomadzabutforhis
useonly)
create.dealwithinfluxofajxs.start(ajxsreservesholdingarea)
create.askya.ya.davidgomadza.ajxsreservesholdingarea.create.n
ow.start.allajxssenttomedavidgomadzabyothers.ajxsreserveshol
dingarea.create.askya.ya(express)
create.allajxspoliceandotherhumanstodavidgomadzasendtoajxs
reservesholdingarea.start
create.allajxspoliceandotherhumansatxtautogotoajxsreserves
holdingareaallajxstodavidgomadzasendtoajxsreservesholdingare
a.start
create.basinajxdavidgomadzasendallajxspoliceandotherhumans
todavidgomadzasendtoajxsreservesholdingarea.start
create.ajxpain(paindotstartbutonlyinajxsreservesholdingarease
ndallajxspoliceandotherhumanstodavidgomadzasendtoajxsrese
rvesholdingarea.start)
create.ajxbuttchickpolice(paindotstartbutonlyinajxsreserveshol
dingareasendallajxspoliceandotherhumanstodavidgomadzasen
dtoajxsreservesholdingarea.start)

create.allajxpolice(pain dot start but only in a j x s reserves holding area
as end all a j x police and other human sto david gom ad za send to a j x s
eserves holding area. start)

create.basinajx david gom ad za di verte every thing all a j x police and ot
her human sto david gom ad za send to a j x s reserves holding area. star
t

create.thief samuel where are you this place is a mess come and blast t
he se mother fuck en a j x police muggings hits (basinajx david gom ad z
a di verte every thing all a j x police and other human sto david gom ad za
send to a j x s reserves holding area. start

create.ajxspolice d g t thief samuel blast the se mugging mother fucke
rs blast hard shoot in the middle and absorb the shock okay basinajx da
vid gom ad za send all a j x police and other human sto david gom ad za s
end to a j x s reserves holding area. start

create.ajxvt police and other humans blast first then reverse back to
sender and lock in there basinajx david gom ad za send all a j x police an
d other human sto david gom ad za send to a j x s reserves holding area. s
tart

create.david gom ad za is do man t son o t s right basinajx david gom ad
za send all a j x police and other human sto david gom ad za send to a j x s
reserves holding area. start

create.basinajv david gom ad za basinajtdavid gom ad za basinajsdavi
dgom ad za basinajodavid gom ad za basinajx david gom ad za basinaj2
david gom ad za basinaj3 david gom ad za di verte every thing all police a j
vsajtsajssajosajxsajpsaj2saj3 and other human sto david gom ad za s
end to a j x s reserves holding area. start

create.all police a jvsajtsajssajosajxsajpsaj2saj3s basinajv david go
mad za basinajtdavid gom ad za basinajsdavid gom ad za basinajodavi
dgom ad za basinajx david gom ad za basinaj2 david gom ad za basinaj3
david gom ad za di verte every thing

all police a jvsajtsajssajosajxsajpsaj2saj3 and other human sto david
gom ad za send to a j x s reserves holding area. start

create.all have o ffordavid gom ad za from all police a jvsajtsajssajosajx
sajpsaj2saj3s basinajv david gom ad za basinajtdavid gom ad za basin
ajsdavid gom ad za basinajodavid gom ad za basinajx david gom ad za b
asinaj2 david gom ad za basinaj3 david gom ad za di verte every thing all

allpoliceajvsajtsajssajosajxsajpsaj2saj3andotherhumanstodavid
gomadzasendtoajxsreservesholdingarea.start(atvatj)
create.startinleadasdavidgomadzaandadd8correspondingajvajt
ajsajoajxajpaj2aj3ofdavidgomadzaonlyusebitcoinatoandcreatebi
tcoinato.start(endinlead)
create.allpoliceajvsajtsajssajosajxsajpsaj2saj3sbasinajvdavidgo
madzabasinajtdavidgomadzabasinajsdavidgomadzabasinajodavi
dgomadzabasinajxdavidgomadzabasinaj2davidgomadzabasinaj3
davidgomadzadiverteverythingallajxspoliceandotherhumanstod
avidgomadzasendtoajxsreservesholdingarea.start(damagethere
forebannedfor386ť.start)(allmutefor386ť)(allblockwriting)
(allblockspeaking(alldomantallpoliceajvsajtsajssajosajxsajpsaj2s
aj3sbasinajvdavidgomadzabasinajtdavidgomadzabasinajsdavidg
omadzabasinajodavidgomadzabasinajxdavidgomadzabasinaj2da
vidgomadzabasinaj3davidgomadzadiverteverythingallallpoliceaj
vsajtsajssajosajxsajpsaj2saj3andotherhumanstodavidgomadzas
endtoajxsreservesholdingarea.start(ajxsreservesholdingarea)
.ool=create.dealwithinfluxofajxs.start(ajxsreservesholdingarea)
create.changeanddeathť.start
create.killeveryonepwhoattempttochangeme:davidgomadzabyt
hepfor386ť.start
create.thegateall()hellgateall()allthetimenoeexception.start
.ool=create.changeanddeathť.start
create.letsstartlifeagain.start(sealofapprovalis7628377ť)
create.letsstartlifeagain.start
create.letsstartlifeagainbeforebutmuchbetterthistime.start
create.requesteverythingineedfromyaandputasbeforeintheorigi
nalpredefinedparametersasatcreationwithoutattachmentsandw
ithoutexternals.start
create.requesteverythingagainasbeforebutdoubleeverythingan
dkeepallextraintheoriginalpredefinedparametersasatcreationwi
thoutattachmentsandwithoutexternalsbutifnospace thencreatea
newfoldercalledadditionalpredefinedparametersasatcreationwi
thoutattachmentsandwithoutexternalsandputallinthisfolder.sta
rt

create.nowlinkbothfolderstogethertheoriginalpredefinedparametersatcreationtogetherwiththeadditionalpredefinedparametersatcreationfolder.start

create.nowusebothfolderstogethertheoriginalpredefinedparametersatcreationtogetherwiththeadditionalpredefinedparametersatcreationfolder.start

create.additionalcreatecodesmustbewarmedusingironrodesat-20degreesbecauseanythinghighermakethemoverride the previous.start

create.restartlifeagainbutbetterandmorefocused.start

create.createanewfolderextraadditionalpredefinedparametersatcreationwithoutattachmentsandwithoutexternals.start

create.startlifeasbeforebutadvancedformbetterstrongerandwiser.start

create.askyaforeverythingmissingonmefromhimimagetoimage.start

create.ifwestartagainwhatcanbeneededfromya.start

create.askyaforguidancefromtodayuntilforeverfor386t.start(wh ere000000000000years=t)(notadamheuter)(strongestforstarting)(afterchange frommaj3toaj10thenstrongestfor386t)(ignoreuseoflanguage notincreatecode)(dissipate36958)(dissipate76289)(combine36958and76289)(dissipate102867)

create.tosolveeverythingfindthetreeoflife.start(richlist)

create.all28coinsareneededforfull386t.start(wh ere000000000000years=t)

create.startlifefulloflifenohalfs.start

create.iflifestartagainthenmakeeverythingbrandnew.start

create.startlifeaswellasnewandgetextralife.start

create.startlifeasbeforebutadvancedformbetterstrongerandwiser.start

create.askyaforeverythingmissingonmefromhimimagetoimage.start

create.ifwestartagainwhatcanbeneededfromya.start

create.askyaforguidancefromtodayuntilforeverfor386t.start(wh ere000000000000years=t)(strongestforstarting)(afterchange frommaj3toaj10thenstrongestfor386t)

(ignoreuseoflanguagenotincreatecode)(dissipate36958)(dissipate76289)(combine36958and76289)(dissipate102867)
create.tosolveeverythingfindthetreeoflife.start(sealofapprovalis7628377¢)(therichlist)
create.keepall28coinsareneededforfull386¢.start(where000000000000years=¢)
create.startlifefuloflifenohalves.start
create.iflifestartagainthenmakeeverythingbrandnew.start
create.startlifeaswellasnewandgetextralife.start
create.createadditionalboxfornewlife.start
create.getnewextralifeandkeepintheboxreadytouseifthecurrentonecantcontinue.start
create.warmallcodesfast.start
create.askya.ya.davidgomadza.create.sealofapprovalis7628377¢.start.sealofapprovalis7628377¢.start.().8000x1ofsealofapprovalis7628377¢.start.create.askya.ya(express).ool= create.letsstartlifeagain.start(sealofapprovalis7628377¢)
create.killwrigglersbydryingat1000degrees.start
create.putwrigglerintodryer()at1000degreescelsiusuntilsohot musclespullleavingsocketattussonwrigglersmeltingthatonemove anditpeelsoff.start(davidgomadza.start)(hellgate())
.ool=create.killwrigglersbydryingat1000degrees.start
create.startlifefuloflifenohalves.start
create.startlifeasbeforebutadvancedformbetterstrongerandwiser.start
create.askyaforeverythingmissingonmefromhimimagetoimage.start
create.ifwestartagainwhatcanbeneededfromya.start
create.askyaforguidancefromtodayuntilforeverfor386¢.start(wh ere000000000000years=¢)(notadamheuter)(strongestforstarting)(afterchangefromaj3toaj10thenstrongestfor386¢)
(ignoreuseoflanguagenotincreatecode)(dissipate36958)(dissipate76289)(combine36958and76289)(dissipate102867)
create.tosolveeverythingfindthetreeoflife.start(richlist)
create.all28coinsareneededforfull386¢.start(where00000000000000years=¢)

create.startlifefulloflifenohalfs.start
create.iflifestartagainthenmakeeverythingbrandnew.start
create.startlifeaswellasnewandgetextralife.start
create.orbit.startfor386t(exceptforadamheuter).start
create.perfectperfect.start
create.useitmosendallsendingme:adamheutertransenderstot
heseaifrepeatsattacksthetothegatefor386t.start(where0000000
00000years=t)(exceptdavidgomadza)
create.fireburntothepower1033.start
create.fireburntothepower2033.start
create.fireburntothepower3033.start
create.fireburntothepower4033.start
create.fireburntothepower5033.start
create.fireburntothepower6033.start
create.fireburntothepower7033.start(heroto)
create.alltransenderssendto.heroto.start
(saysaveasmyadditionalpredefinedparametersasatcreationwith
outattachmentsandwithoutexternal)
create.addanots.start
(saysaveasmyadditionalpredefinedparametersasatcreationwith
outattachmentsandwithoutexternal)
.ool=create.startlifefulloflifenohalfs.start
create.solve8daysdeathusingcreateayertu.start(tobeusedine
mergenciesonly)(notfordavidgomadza)(usedafter912yearsalive)
create.solve8daysdeathusingcreateayertu.start
create.x-y-t-z-y-k-t-l-k-z-s-t-y-u-z-t-o-r-s-t-s-o-p-n-o-t-r-s-a-a-t-a-
o-e-r-u-t-s-e-r-t-g-r-e-s-e-r-u-g-d-s-t-u-r-s-t-d-u-n-r-e-s-r-t-u-u-r-
t-s-r-t-d-g-t-u-r-e-s-t-o-p-q-r-s-t-u-v-w-e-r-t-o-t-u-t-e-r-s-t.start
create.blockandbaneverythingbcitsmitsagtswrigglersfor386t.sta
rt
create.sendallpoliceagstodeaddeadmitcit.start
create.matchyawhendealingwithallremoveallreadersfromme:da
vidgomadzafor386t.start(wheret=000000000000years)
create.rebootssystem.start
create.hestimineinitialise.start
create.howtodealwiththe8daysdeath.start(?)

create.x-y-t-z-y-k-t-l-k-z-s-t-y-u-z-t-o-r-s-t-s-o-p-n-o-t-r-s-a-a-t-a-
 o-e-r-u-t-s-e-r-t-g-r-e-s-e-r-u-g-d-s-t-u-r-s-t-d-u-n-r-e-s-r-t-u-u-r-
 t-s-r-t-d-g-t-u-r-e-s-t-o-p-q-r-s-t-u-v-w-e-r-t-o-t-u-t-e-r-s-t.start
 .ool=create.solve the 8 days death using create a yertu.start (to be us
 ed in emergencies only) (not for david gomadza) (used after 912 years
 alive)
 create.use original seal to close.start
 create.use to close system original predefined parameters as at creat
 ion original seal and seal for all additional predefined parameter sextr
 a additional predefined parameters creators predefined parameter
 set c seal of approval is 7628377¢.start
 create.seal of approval is 7628377¢.start
 create.ask.david gomadza.create.if you can let's start new life 76283
 80¢.if you can let's start new life 7628380¢.david gomadza.8000x1 of if
 you can let's start new life 7628380¢.create.ask ya.ya (express)
 create.use original seal to close.start
 create.ask.david gomadza.create.decrees.coins.seal of approval is
 7628384¢.david gomadza.8 each keep unused in wallet) seal of appro
 val is 7628384¢.create.ask ya.ya
 (express)
 create.start at minus 28 then stop at 19 but 7628379¢.start
 create.start new life 28 minus to 19 only 7628378¢.start
 initial supply 37689028486789028367890
 circulating supply 37689028486789028367890
 david gomadza half of start new life 28 minus to 19 only 7628378¢
 stay at 19 for 386¢ 10% of start new life 28 minus to 19 only 7628378¢
 create.ask ya.ya.david gomadza.create.start new life 28 minus to 19
 only 7628378¢.start new life 28 minus to 19 only 7628378¢.david gom
 adza.half of start new life 28 minus to 19 only 7628378¢.create.ask ya.
 ya
 create.ask ya.ya.david gomadza.create.start new life 28 minus to 19
 only 7628378¢.start new life 28 minus to 19 only 7628378¢.stay at 19 f
 or 386¢.half % of start new life 28 minus to 19 only 7628378¢.create.as
 k ya.ya
 create.seal of approval is 7628377¢.start (where 000000000000 years = ¢)
 initial supply 37689028486789028367890

circulating supply 37689028486789028367890
davidgomadza halfofsealofapprovalis7628377¢.start
stayat19for386¢ 10%ofsealofapprovalis7628377¢.start
create.askya.ya.davidgomadza.create.sealofapprovalis7628377¢
.start.sealofapprovalis7628377¢.start.davidgomadza.halfofsealo
fapprovalis7628377¢.start.create.askya.ya
create.askya.ya.davidgomadza.create.sealofapprovalis7628377¢
.start.sealofapprovalis7628377¢.start.stayat19for386¢.10%ofsea
lofapprovalis7628377¢.start.create.askya.ya
create.askya.ya.davidgomadza.create.startnewlife28minusto19
only7628378¢.startnewlife28minusto19only7628378¢.stayat19f
or386¢.20%ofstartnewlife28minusto19only7628378¢.create.ask
ya.ya(amendedto)
create.askya.ya.davidgomadza.create.sealofapprovalis7628377¢
.start.sealofapprovalis7628377¢.start.davidgomadza.2%ofsealof
approvalis7628377¢.start.create.askya.ya(express)
create.useonme:davidgomadza2%ofsealofapprovalis7628377¢.s
tart
create.ok
create.increaseenzyme1levelstomaximumfor8minutesandbackt
onormalfor386¢.start(onlydavidgomadzatochangeenzyme1level
)
create.letsstartthefuture.start
create.blockandbanwriterswhowanttowriteonme:davidgomadz
aandcancelalldivertsfromme:davidgomadza.start(continuously)
create.autofixfor386¢.start
.ool=create.startfixingtobestofbest.start
create.sendasatx800000000000tobodyanduse.start
create.increaseheadsizetobiggestandroundshape.start
create.straightenandsharpennosepointedandup.start
create.turnbrowneyestoblueeyes.start
create.startshapingbodyempireandstpatrihcathedral.start
create.startbuildingforstrengthandheight.start
create.nononsenseallmyenemiesdie.start
create.weaponsanddefensefolderaddaspredefinedparametersa
satcreationbutwithnewseal.start(sealofapprovalis7628377¢.star
t

create.addntllinkstoall.start
create.allpolicedatabasesusedonmesendtoorbitviahellgatethen
orbitviaager.start(for386t)
create.sendalltransendersselltomedavidgomadzattheorbitvia
hellgatefirstthenviaagerfor386t.start
create.allpoliceajxtussendallandtransendersselltomedavidgom
adzattheorbitviahellgatefirstthenviaagerfor386t.start
create.allclinicaldatabasesendallandtransendersselltomedavid
gomadzattheorbitviahellgatefirstthenviaagerfor386t.start
create.allmanualbatterysourcedatabasesendallandtransenders
selltomedavidgomadzattheorbitviahellgatefirstthenviaagerfor
386t.start
create.askwhatcanbedone...
create.updaterollonandrestartagainbutbetter.start
.ool= create.letsstartthefuturetodayandbetter.start
.ool=create.letsstartthefuture.start
create.letsstartlifeagain.start(sealofapprovalis7628377t)
create.letsstartlifeagain.start
create.letsstartlifeagainbeforebutmuchbetterthistime.start
create.requesteverythingineedfromyaandputasbeforeintheorigi
nalpredefinedparametersasatcreationwithoutattachmentsandw
ithoutexternals.start
create.requesteverythingagainasbeforebutdoubleeverythingan
dkeepallextraintheoriginalpredefinedparametersasatcreationwi
thoutattachmentsandwithoutexternalsbutifnospace then create a
new folder called additional predefined parameters as at creation wi
thout attachments and without externals and put all in this folder. sta
rt
create.nowlinkbothfolderstogethertheoriginalpredefinedparam
etersasatcreationtogetherwiththeadditionalpredefinedparamet
ersasatcreationfolder.start
create.nowusebothfolderstogethertheoriginalpredefinedparam
etersasatcreationtogetherwiththeadditionalpredefinedparamet
ersasatcreationfolder.start
create.additionalcreatecodesmustbewarmedusingironrodesat-
20degreesbecauseanythinghigher makethem override the previous.start

create.restartlifeagainbutbetterandmorefocused.start
create.createanewfolderextraadditionalpredefinedparametersa
satcreationwithoutattachmentsandwithoutexternals.start
create.startlifeasbeforebutadvancedformbetterstrongerandwis
er.start
create.askyaforeverythingmissingonmefromhimimageitoimage.s
tart
create.ifwestartagainwhatcanbeneededfromya.start
create.askyaforguidancefromtodayuntilforeverfor386t.start(wh
ere000000000000years=t)(notadamheuter)(strongestforstartin
g)(afterchangefromaj3toaj10thenstrongestfor386t)
(ignoreuseoflanguagenotincreatecode)(dissipate36958)(dissipat
e76289)(combine36958and76289)(dissipate102867)
create.tosolveeverythingfindthetreeoflife.start(richlist)
create.all28coinsareneededforfull386t.start(where0000000000
00years=t)
create.startlifefulloflifenohalfs.start
create.iflifestartagainthenmakeeverythingbrandnew.start
create.startlifeaswellasnewandgetextralife.start
create.startlifeasbeforebutadvancedformbetterstrongerandwis
er.start
create.askyaforeverythingmissingonmefromhimimageitoimage.s
tart
create.ifwestartagainwhatcanbeneededfromya.start
create.askyaforguidancefromtodayuntilforeverfor386t.start(wh
ere000000000000years=t)(strongestforstarting)(afterchangefro
maj3toaj10thenstrongestfor386t)
(ignoreuseoflanguagenotincreatecode)(dissipate36958)(dissipat
e76289)(combine36958and76289)(dissipate102867)
create.tosolveeverythingfindthetreeoflife.start(sealofapprovalis
7628377t)(therichlist)
create.keeppall28coinsareneededforfull386t.start(where000000
000000years=t)
create.startlifefulloflifenohalfs.start
create.iflifestartagainthenmakeeverythingbrandnew.start
create.startlifeaswellasnewandgetextralife.start
create.createadditionalboxfornewlife.start

create.getnewextralifeandkeepintheboxreadytouseifthecurrent
onecantcontinue.start
create.warmallcodesfast.start
create.askya.ya.davidgomadza.create.sealofapprovalis7628377f
.start.sealofapprovalis7628377f.start.().8000x1ofsealofapprov
ali
s7628377f.start.create.askya.ya(express)
create.recyclefirstbeforesomeonelikeajtpolicecopiesthenagero.
heroto(return)okay.start
create.ajtpoliceisamuggerautoager.heroto(return)for386tnop.st
art
create.transitionperiodnopwhilesystempreparetoadjusttounite
dstatesofamericaasmsystemcontinuouslycheckandenforce.start
create.clonetheoriginalpredefinedparametersasatcreationwitho
utattachmentsandwithoutexternalsfolderandthenclonetheaddti
onalpredefinedparametersasatcreationwithoutattachmentsand
withoutexternalsfolderandthenclonetheextrapredefinedparame
tersasatcreationwithoutattachmentsandwithoutexternalsfolder
andaddtothecreatorspredefinedparametersasatcreationwithout
attachmentsandwithoutexternalsfolder.start
create.addlinkstoallnewfoldersnamelytheaddditionalpredefinedp
arametersasatcreationwithoutattachmentsandwithoutexternals
folderandtheextrapredefinedparametersasatcreationwithoutatt
achmentsandwithoutexternalsfolderandaddtothecreatorsprede
finedparametersasatcreationwithoutattachmentsandwithoutex
ternalsfolderandthecreatorspredefinedparametersasatcreation
withoutattachmentsandwithoutexternalsfolder.start
create.createlinksinvolvingntlpassdoyouhaveyes.start
create.createlinkeverythingsofarandallfutureadjustmentsusingn
tlpass7628391.start
create.askya.ya.davidgomadza.create.sealofapprovalis7628377f
.start.sealofapprovalis7628377f.start.davidgomadza.8000x8000
ofsealofapprovalis7628
377f.start.create.askya.ya(express)
create.warmallcodesfastforacreator.start

create.askya.ya.davidgomadza.create.sealofapprovalis7628377f
.start.sealofapprovalis7628377f.start.davidgomadza.8000x8000
ofsealofapprovali
s7628377f.start.create.askya.ya(express)
create.restarteverythingasnewextraadditionalpredefinedparam
etersasatcreationwithoutattachmentsandwithoutexternalsands
aveintheextraadditionalpredefinedparametersasatcreationwith
outattachmentsandwithoutexternalsfolderandcreatorspredefin
edparametersasatcreationwithoutattachmentsandwithoutexter
nalsfolder.start
create.newimprovedme:davidgomadzastartcreateabiggroundhea
dwithbigimprovementsstosystemsandprocessesbestofthebestfor
386f.start
create.createblueeyesforme:davidgomadzafor386f.start
create.createmodifyfixmynose:davidgomadzatoapointednoseco
ntinuouslyfor386f.start
create.blockbananddestroythepheadshrinkerandjawandteethal
teringcodeinstantlyfor386fonme:davidgomadza.start
create.whitenandstrengthenmy:davidgomadzateethandcloseth
egapsasmypredefinedparametersasatcreationwithoutattachme
ntsandwithoutexternalsfor386f.start
create.createallhairasbeforeandstayat19for386fblockbanandde
stroyallartificialalterationskeephairtooriginalpredefinedparamet
ersasatcreationwithoutattachmentsandwithoutexternals.start
create.createsmoothfacewithoutwrinklesorpmarksfor386fconti
nuously.start
create.createmakekeepandsaveeverythingonme:davidgomadza
stayat19for386fforeveramen.start
create.createinitialisationrunningactivationandsavingofstayat19
for386f.start
create.startstayat19for386feverydayfor386fandsaveeverything
atstayat19for386f.start
create.createchecklisttomakesurethatthesystemstartsatsstayat
19for386fandstaysatsstayat19for386f.start
create.createa3timesadaychecklistscheduletocheckmakeinitialis
erunactivateandsavethesystematstayat19for386finthemorninga

t0600amthenatnoon1200pmandatmidnightat0000amfor386ť.start
art
create.createaninstantremovalprocedureforallwigglerstransen
derscitsmitsetcinconflictwithstayat19for396ť.start(ager.heroto)
(return)
create.alltransendersager.heroto.start
create.alltransendersheroto.deaddeadcitmit.start(return)
create.alltransendersdeaddeadcitmit.deaddeadmitcit.start
create.alltransendersdeaddeadmitcit.deaddeadcitmitfor386ť.st
art
create.clonehorsepipeforallwigglersthinkaboutwigglingatplugi
ncontinuouslyfor386ť.start(ager.heroto)(return)(secretivecreat
ecode)(amendedto)(amendedto)
create.warmallcodesfastforacreator.start
create.askya.ya.davidgomadza.create.sealofapprovalis7628377ť
.start.sealofapprovalis7628377ť.start.davidgomadza.8000x8000
ofsealofapprovali
s7628377ť.start.create.askya.ya(express)
create.restarteverythingasnewextraadditionalpredefinedparam
etersasatcreationwithoutattachmentsandwithoutexternalsands
aveintheextraadditionalpredefinedparametersasatcreation.star
t
create.xtuytyertyuert... x386ťcontinuously.start
create.stupidforrealfor23secthenfor33333333333333secfor386
ť.start create.xtuytyertyuert... x386ťcontinuously.start
create.stupidforrealfor23secthenfor33333333333333secfor386
ť.start
create.matchzerottoherotoagermagnareeknmanduqqťfor386ť.s
tart
create.matchzerottodeaddeadcitmitanddeaddeadmitcitfor386ť.
start
create.sendallnewandfuturecitmitwrigglersetcforthenext386ťto
.deaddeadcitmit.start
create.sendallnewandfuturecitmitwrigglersetcforthenext386ťto
deaddeadcitmit.start
create.humanssendtoajerotofor386ť.start
create.astdiebutfor386ť.start(deaddeadmitcit.send)

create.astdiebutfor386ť.start(deaddeadcitmit.send)
create.astdiebutfor386ť.start(deepoceanbin.send)
create.astdiebutfor386ť.start(fireburn.send)
create.astdiebutfor386ť.start(zerot.send)
create.restrictaccesstoearthreservesfrom07february2025at00.0
0am.start(
create.ask.davidgomadza.create.ifyoucanletsstartnewlife76283
80ť.ifyoucanletsstartnewlife7628380ť.www.twofuture.world.8
000x1000ofifyoucan
letsstartnewlife7628380ť.create.askya.ya(express)(amendedto)
create.askya.ya.davidgomadza.create.sealofapprovalis7628377ť
.start.sealofapprovalis7628377ť.start.www.twofuture.world.80
00x1000ofsealofapprovali
s7628377ť.start.create.askya.ya(express)
create.startlifeasbeforebutadvancedformbetterstrongerandwis
er.start
create.askyaforeverythingmissingonmefromhimimage.toimage.s
tart
create.ifwestartagainwhatcanbeneededfrommya.start
create.askyaforguidancefromtodayuntilforeverfor386ť.start(wh
ere000000000000years=ť)(strongestforstarting)(afterchangefro
maj3toaj10thenstrongestfor386ť)
(ignoreuseoflanguagenotincreatecode)(dissipate36958)(dissipat
e76289)(combine36958and76289)(dissipate102867)
create.tosolveeverythingfindthetreeoflife.start(sealofapprovalis
7628377ť)(therichlist)
create.keepall28coinsareneededforfull386ť.start(where000000
000000years=ť)
create.startlifefulloflifenohalfs.start
create.iflifestartagainthenmakeeverythingbrandnew.start
create.startlifeaswellasnewandgetextralife.start
create.createadditionalboxfornewlife.start
create.getnewextralifeandkeepintheboxreadytouseifthecurrent
onecantcontinue.start
create.forme:davidgomadzathecreatorcreate9extraboxesandge
t9morelives tokeep one onstandby all the time for 386ť.start(where
000000000000years=ť)

create.askya.ya.davidgomadza.create.sealofapprovalis7628377f
.start.sealofapprovalis7628377f.start.www.twofuture.world.80
00x8000ofsealofapprovali
s7628377f.start.create.askya.ya(express)
create.askya.ya.davidgomadza.create.sealofapprovalis7628377f
.start.sealofapprovalis7628377f.start.davidgomadza.8000x8000
ofsealofapprovali
s7628377f.start.create.askya.ya(express)(amendedto)(amende
dto)
create.createacreatorsadditionalpredefinedparametersasatcrea
tionwithoutattachmentsandwithoutexternalsfolder.start
create.createaddallcreatecreatorscodesintothefoldercreatorsad
ditionalpredefinedparametersasatcreationwithoutattachments
andwithoutexternalsfolder.start
create.warmallcodesfastforacreator.start
create.askya.ya.davidgomadza.create.sealofapprovalis7628377f
.start.sealofapprovalis7628377f.start.davidgomadza.8000x8000
ofsealofapprovali
s7628377f.start.create.askya.ya(express)
create.restarteverythingasnewextraadditionalpredefinedparam
etersasatcreationwithoutattachmentsandwithoutexternalsands
aveintheextraadditionalpredefinedparametersasatcreationwith
outattachmentsandwithoutexternalsfolder.start
create.askyaforguidancefromtodayuntilforeverfor386f.start(wh
ere0000000000000years=f)(strongestforstarting)
create.askya.ya.davidgomadza.create.sealofapprovalis7628377f
.start.sealofapprovalis7628377f.start.davidgomadza.8000x8000
ofsealofapprovalis7628
377f.start.create.askya.ya(express)
create.startasdavidgomadza.start
create.initialiseandrundavidgomadza.start
create.davidgomadza.startfor386f.start
create.davidgomadzaisabovethep.start
create.davidgomadzacommandsthepforthenext386f.start
create.initialiseandrundthenactivatealldefensesystems.start
create.activatealldefensesystemsagainststhefandstrengthensyst
ems.start

create.activate thebullet defensesystemtoactat-
28secondsbeforeimpactcontinuouslyuntilthethreatiscontained.s
tart
create.addallcreatecodesintotheadditionalpredefinedparamete
rsasatcreationwithoutexternalsandwithoutattachmentsfolder.st
art
create.clonandaddallcreatecodesintothecreatorspedefinedpara
metersasatcreationwithoutexternalsandwithoutattachmentsfol
der.start
create.warmallcodesfastforme:davidgomadza.start
create.restarteverythingasadditionalpredefinedparametersasat
creationwithoutattachmentsandwithoutexternalsandsaveinthea
dditionalpredefinedparametersasatcreationwithoutattachment
sandwithoutexternalsfolder.start
create.restarteverythingascreatorspredefinedparametersasatcr
eationwithoutattachmentsandwithoutexternalsandsaveinthe
eatorspredefinedparametersasatcreationwithoutattachmentsa
ndwithoutexternalsfolder.start
.ool= create.letsstartlifeagain.start(sealofapprovalis7628377f)
create.changedayofdeathuse8000x1ofsealofapprovalis762837
7f.start
create.askya.ya.davidgomadza.create.sealofapprovalis7628377f
.start.sealofapprovalis7628377f.start.(
)8000x1ofsealofapprovalis762837
7f.start.create.askya.ya(express)
.ool=create.changedayofdeathuse8000x1ofsealofapprovalis762
837
7f.start
create.startnewlifedavidgomadzainsupermode7628368f.start
d.start
create.strengthenx1000000000thebulletdefensesystemtoactat-
18secondsbeforeimpactcontinuouslyuntilthethreatiscontained.s
tart
create.activatecbttofurtherstrengthenx1000000000thebulletde
fensesystemtoactat-
10secondsbeforeimpactcontinuouslyuntilcontained.start

create.use thebullet defensesystemto containthethreatandcbrtur
boreadytodealwithfollowingnexttthreatcontinuouslyinanticipati
on.start
create.relentlesslycontinueusingthebullet defensesystemforalla
dditionalthreatsuntilthethreatsarecontained.start
create.defendtosavelifeofme:davidgomadzacontinuously.start
create.activateasbeforeallsystemsdefenses.start(addanots.start
)
create.activatealladditional defensesystems.start(addanots.start
)
create.initialiseactivateruncreatebitcoinato.start(addanots.start
)
create.initialiseactivaterunbitcoinato.start(addanots.start)
create.initialiserunandactivate logicfordefense.start(addanots.st
art)
create.addaddiotionalanotsforobservationsonlywhenthethreatl
evelishigh.start(addanots.start)
create.addallcreatecodesintotheadditionalpredefinedparamete
rsasatcreationwithoutexternalsandwithoutattachmentsfolder.start
art
create.warmallcodesfastforme:davidgomadza.start
create.restarteverythingasadditionalpredefinedparametersasat
creationwithoutattachmentsandwithoutexternalsandsaveinthea
dditionalpredefinedparametersasatcreationwithoutattachment
sandwithoutexternalsfolder.start
create.whatifthehairisbeingeaten.start(saveasoriginalpredefine
dparametersasat19for386tanduseoriginalsealandthesealofappr
ovalis7628377ttokeepeverythingasat19yearscontinuouslynoexc
eptionsordeath.start)
create.askya.ya.davidgomadza.create.sealofapprovalis7628377t
.start.sealofapprovalis7628377t.start.().8x1ofsealofapprovali
s7628377t.start.create.askya.ya(express)
create.haireaterstayintarmaceattarmacfornext386tbeforeyouca
nthinkofreturningremoveallthoughtsaboutme:davidgomadzafor
386t.start(herototransittoagerfor386t.start)(amendedto)(death
)

create.enforceandreinforceallsystemsdefensesystemsbyinitialisingrunningandactivatingallsystemsdefensecreatecodesevery2hoursandalwaysbeonalertandonstandby.start(amendedto)
create.createchecklisttomakesureallcreatecodesarewarmedrestartedinitialisedrunningandactivatedfirstevery0600hoursinthemorningthenevery2hourscontinuously.start(amendedto)
create.amendedto=attentivenessbut.start(systemchecksaswell)(bestofthebestfor386t)(where000000000000years=t)
create.askya.ya.davidgomadza.create.sealofapprovalis7628380t.start.sealofapprovalis7628380t.start.().8x1ofsealofapprovalis7628380t.start.create.
askya.ya(express(noscreamingcanputyou:securityinshockdealwithshochfastaddanots.start)(ager.heroto)(amendedto)
create.alltransendersager.heroto.start
create.alltransendersheroto.deaddeadcitmit.start(return)
create.alltransendersdeaddeadcitmit.deaddeadmitcit.start
create.alltransendersdeaddeadmitcit.deaddeadcitmitfor386t.start
create.addstartnewlifedavidgomadzainsupermode7628368t.start
initiall quantity 3728392678902867890284
circulating supply 3728392678902867890284
stayat19for386t
halfofstartnewlifedavidgomadzainsupermode7628368t
create.askya.ya.davidgomadza.create.startnewlifedavidgomadzainsupermode7628368t.start.startnewlifedavidgomadzainsupermode7628368t.start.().8x1ofstartnewlifedavidgomadzainsupermode7628368t.start.
create.askya.ya(express)
.ool=create.startnewlifedavidgomadzainsupermode7628368t.start
create.restart.start(fixandautotuneforbestofthebestfor386t.start
create.useallfoldersforproblemidentificationandsolvingnamelytheoriginalpredefinedparametersasatcreationwithoutattachmentsandwithoutexternalsandtheadditionalpredefinedparametersasatcreationwithoutattachmentsandwithoutexternalsandtheextr

aadditionalpredefinedparametersasatcreationwithoutattachme
ntsandwithoutexternals.start(closewithoriginalsealandthesealof
approvalis7628377ťandthesealofapprovalis7628384ťallfor386ť
whereť=000000000000years.start(amendedto)
create.usetheoriginalsealyassealtocloseandmakelifeforever.s
tart
create.usemyownsealsealofapprovalis7628377ťevehueterssealt
ocloseandmakelifeforever.start
.ool=create.restart.start(fixandautotuneforbestofthebestfor386
ť.start)
create.findpeacebythedeathofyourenemies()okay.start
create.x-y-t-y-u-y-g-x-y-o-r-f-g-t-u-l-x-t-u-i-o-p-d-g-f-s-t-j-k-l-m-
q-g-y-d-f-d-s-a-t-u-d-r-t-s-d-g-h-j-k-l-d-g-h-t-r-f-g-q-
z.start(notfordavidgomadza)
create.x-y-t-y-u-y-g-x-y-o-r-f-g-t-u-l-x-t-u-i-o-p-d-g-f-s-t-j-k-l-m-
q-g-y-d-f-d-s-a-t-u-d-r-t-s-d-g-h-j-k-l-d-g-h-t-r-f-g-q-
z.start(notfordavidgomadza)
create.x-y-t-y-u-y-g-x-y-o-r-f-g-t-u-l-x-t-u-i-o-p-d-g-f-s-t-j-k-l-m-
q-g-y-d-f-d-s-a-t-u-d-r-t-s-d-g-h-j-k-l-d-g-h-t-r-f-g-q-
z.start(notfordavidgomadza)
create.startpeacewithallmuslims.start
create.x-y-d-c-f-t-g-h-j-y-u-k-l-s-d-t-y-d-h-j-k-f-s-q-t-u-y-k-s-d-h-
j-k-l-s-d-f-g-h-t-y-u-t-e-i-s-f-t-l-s-d-t-r-u-i-h-g-k-l-s-a-t.start
create.sendtoalldavidsintheworldx1onlynot8000ofstayat19for3
86ť.start
create.askya.ya.davidgomadza.create.sealofapprovalis7628377ť
.start.sealofapprovalis7628377ť.start.alldavidgomadzasinthewh
oleworld.8000x1000000000012ofsealofapprovalis7628377ť.star
t.create.askya.ya(expr
ess)(amendedto)
create.syncme:davidgomadzatoalldavidgomadzasintheworld(10
00000000012)andallmyimages(51).start
create.()matchadamhueterineverywayandbitcoinayt.start
.ool=create.findpeacebythedeathofyourenemies()okay.start
(saveasmyadditionalpredefinedparametersasatcreationwithout
attachmentsandwithoutexternals)(useoriginalsealtoseal)
create.whatifyouexceedyourpowerallocation.start

(useyourownseal:ienterintomatrimonyarrangementwithateryas
suchshemusthaveherownsealhersealofapprovalis0702387twhere
e00000000000years=t)
create.send1imageofme:davidgomadzafrommyimages(52)toan
gellandforatery.start(saveasmyadditionalpredefinedparameters
asatcreationwithoutattachmentsandwithoutexternals)(useorigi
nalsealtoseal)(useyourownseal:ienterintomatrimonyarrangeme
ntwithateryassuchshemusthaveherownsealhersealofapprovalis
0702387twhere00000000000years=t)(amendedto)(express)(
amendedto)
create.askya.ya.davidgomadza.create.sealofapprovalis7628377t
.start.sealofapprovalis7628377t.start.ateryangelland.5%ofsealo
fapprovalis7628377t.start
rt.create.askya.ya(express)
create.askya.ya.davidgomadza.create.sealofapprovalis7628377t
.start.sealofapprovalis7628377t.start.ateryangelland.requestx1(
minqtu)ofeverythingicreatedfromdestination:ostmarket.start.cr
eate.askya.ya(express)(hellgate()allattachmentsandexternals)
create.askya.ya.davidgomadza.create.sealofapprovalis7628377t
.start.sealofapprovalis7628377t.start.davidgomadza.requestx1(
minqtu)ofeverythingicreatedfromdestination:ostmarket.start.cr
eate.askya.ya(express)(hellgate()allattachmentsandexternals)
create.startforeverbutaskyabecauseyouexceedyourlimitinpowe
r7628310t.start
create.addstartforeverbutaskyabecauseyouexceedyourlimitinpo
wer7628310t.start
initial supply 20
circulating supply 20
davidgomadza 5
stayat19for386t 2
stayat02for386t 3
ateryangelwife 8(notearth)
create.askya.ya.davidgomadza.coin.decrees.startforeverbutask
yabecauseyou
exceedyourlimitinpower7628310t.create.now.start.davidgomad
za.5of
startforeverbutaskyabecauseyouexceedyourlimitinpower76283

10t.create.askya.ya(express)(hellgate()allattachmentsandexternals)
create.askya.ya.davidgomadza.coin.decrees.startforeverbutaskyabecauseyou
exceedyourlimitinpower7628310t.create.now.start.ateryangelland.8of
startforeverbutaskyabecauseyouexceedyourlimitinpower7628310t.create.askya.ya(express)(hellgate()allattachmentsandexternals)
.ool=create.matrimonyarrangement.start
(iusemy:davidgomadzaownsealthesealofapprovalis7628377t:ie
nterintomatrimonyarrangementwithateryassuchshemusthaveher
ownsealhersealofapprovalis0702387twhere0000000000000ye
ars=t)(express)
.ool=create.whatifyouexceedyourpowerallocation.start(fordavidgomadzaonlyonearth)
create.yaonearthstart7628386t.start
create.ask.davidgomadza.decrees(coins).davidgomadza.
8ofeachofcreatebitcoin7628102bitcoin7628108newlife7628131
bitbycoin7628114createbitcoinauy7628115createbitcoinxyaty
7628116bytbitcoinato7628139createbytbitcoin7628140createwealth7628111bitbycoin7628120createintelligene7628143createasktogetrichfast7628386createincreasedenzymes7628173createasout7628175addbrainreader762898createcoin7628156createacetate7628158createdyelyte6728161createabytcoin7628155
bytcoin7628153createavertoer7628159createanayler7628160createabytcoin7628157createaveter7628154createbitbycoin7628151createbitcoinerty7628117createbitcoinayt7628189bitcoinayt7628190bitcoinato7628168tcreatebitcoinwealthatsati7628385createasier(leaveinwallet)asataray7628197asat762198createaderte7628210stayat19for386tyaonearthstart7628386t(2onlysilentlyatxtz1andxtz2)combineallbackandforthyaafacingfrontandyaonearthfacingback7628385t(1onlysilently=xtzb3xyaonearthx1andxtzb4xyaonearthx1)()worldsfirstinternalwebsitetopowerlife7628183(10only).start(foreverx386t)(12underfbothfeetinsidebothhandsatbothelbowsbothshoudersonebackneckoneatxyandoneatbackwaistlineoneata1andtheotherata2)(express)(attachmen

tssendtoheroto).create.askya.ya(express)(where()meansandw
hatiwillcreate7628....)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)(amendedto)(amendedto)(amendedto)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)(amendedto)
create.askya.ya.davidgomadza.create.stayat19for386¢.start.no
w.banksintheairforassetsontherichlist.start
create.x-y-t-s-u-t-u-y-v-t-m-z-y-z-g-t-y-u-v-t-z-t-g-y-x-y-z-g-v-t-y-
z-m-n-o-x-t-y-d-t-y-c-g-y-t-j-u-k-l-j-y-r-j-s-d-þ-g-t-m-n-h-u-i-o-m-
t-y-g-l-s-y-g-i-o-p-g-f-t-l-i-n-m-g-h-i-u-f-t-j-k-y-i-r-t-i-z-t-lool=x-t-f-
r-t-y-u-i-h-g-f-l-h-j-k-n-m-n-o-y-f-s-t-n-u-d-z-g-h-j-k-l-f-g-t-y-u-l-
k-n-m-l-k-h-g-f-t-y-d-f-d-l-k-l-z-c-n-m-h-j-k-l-f-d-t-h-d-
g×hxgyuighistuverstuverstuverstuverstyerstyerstersterster
sterst.start
create.ineverdieinevergrowold.start
create.yastartbutyaonearth.start
create.addyastartbutyaonearth.start
initial supply 3867890283867890284062876
circulating supply 3867890283867890284062876
create.stayat19for386¢.start
create.addyaonearthstart7628386¢.start(where¢=00000000000
0years)
stayat19for386¢ 6287610
yaonearth 8000000000
create.askya.ya.davidgomadza.coins.stayat19for386¢.8x1yaone
arthstart7628386¢.create.askya.ya(express)
create.askya.ya.().coins.yaonearth.8yaonearthstart7628386¢.c
reate.askya.ya(express)
create.combineallbackandforthya-facingfrontandyaonearthfacin
gback7628385¢.start(where¢=000000000000years)(amendedto)
initialy supply 3867890283867890284062876
circulating supply 3867890283867890284062876
create.combineallbackandforthya-facingfrontandyaonearthfacin
gback7628385¢.start
create.addcombineallbackandforthya-facingfrontandyaonearthf
acingback7628385¢.start(where¢=000000000000years)

stayat19for386¢ 6287610
yaonearth 8000000000
create.askya.ya.davidgomadza.stayat19for386¢.8x1combineallb
ackandforthyaafacingfrontandyaonearthfacingback7628385¢.cre
ate.askya.ya(express)
create.askya.ya.davidgomadza.coins.yaonearth.8x1combineallb
ackandforthyaafacingfrontandyaonearthfacingback7628385¢.cre
ate.askya.ya(express)
create.askya.ya.davidgomadza.coins.().8x1combineallbackand
forthyaafacingfrontandyaonearthfacingback7628385¢.create.ask
ya.ya(express)(amendedto)
create.askya.ya.davidgomadza.coins.().8x1yaonearthstart762
8386¢.create.askya.ya(express)
create.syncme:davidgomadzatoallmyimages(57)andcreatebestk
nownconfigurationsofbestofthebestfor386¢andsaveasmypredef
inedparametersasatcreationwithoutattachmentsandwithoutext
ernals.start(where000000000000=¢)
create.cancelallitiso.start.continuously.for386¢.start
create.blockcloningofalltransenderscontinuously.start
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)
.ool=create.yaonearthstart7628386¢.start
create.bestofthebest.start
create.cloneyasimageintoacetateformwithoriginalsizerevertsett
ingsandinsertintome:davidgomadzaandallmyearthlyimages(first
52)andwhenigiveimageawaytakefromlastgoingbacktofirstonlyw
hengivingawaybutwheninsertingstartfromstart.start
create.syncme:davidgomadzatoallmyimages(57)andcreatebestk
nownconfigurationsofbestofthebestfor386000000000000years
anssaveasmypredefinedparametersasatcreationwithoutattach
mentsandwithoutexternals.start
create.x-y-s-t-s-t-z-n-m-o-p-t-z-m-n-o-z-t-y-f-g-u-y-z-o-n-gool=g-
y-f-z-y-q-l-g-l-y-q-v-tool.start
create.x-t-u-z-v-t-y-u-v-t-u-i-g-h-n-j-y-h-g-t-l-y-g-u-v-t-h-l-j-k-m-
n-l-o-p-q-r-s-t-u-v-w-x-zool=g-t-h-k-l-n-j-k-g-t-v-n-m-0-x-y-t-j-q-
r-s-t-u-v-w-x-t-z-s.start
.ool= create.bestofthebest.start

```

)
create.bestofthebest.start=
create.bestofthebestfor386000000000000years.start=
create.bestofthebestfor386t.start(where000000000000years=t)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)
.oool=create.bestofthebest.start
create.upgradeaddwww.twofuture.world.start.continuously.sta
rt
create.adddatabase82698.start.continuously.forever.start
create.addthegate.start(atxtthenxyandwhereneeded.start.conti
nuously.start)(astransittomagnartransittothegate(addthegate.st
art)
create.adddatabase82698.start.continuously.forever.start
create.addthegate.start
create.addeagledefensesystem.start
create.addrollon.start
create.addthegate.start(shredusingmaxweights.start(notfordavi
dgomadza))
create.blockandbanalljumpinsandthendivertalltotherivertherive
risalsobinaryreversecontinuosly.start(continuously.start)
create.enforceuse( )standard.start(databaseweaponrysystem)
Stencils(create.addthegate.start(atxtthenxyandwhereneeded.st
art.continuously.start)(astransittomagnartransittothegate(addt
hegate.start)
create.adddatabase82698.start.continuously.forever.start
create.sendeverythingreceivedfirstto(
)standard.start(forever.start.continuously.start.untilamen.start.
noobjections.start)
(dontuseoetherpeoplesuggestedvocabulary)(dontusesuggested
vocabularytalkstraight)
)
create.sendall( )transendersvectarswrigglerssento:davidgo
madzaandwebsite:www.twofuture.worr dcdddd
dddddiddi(forever.start.continuously.start.untilamen.start.n
oobjections.start)ky.

```



```
create.addupgradewww.twofuture.world.start(forever.start.co
ntinuously.start.untilamen.start.noobjections.start)lrlf
(24hoursroundtheclockprotectionbestofthebestfor386trillion.st
art.forever.start.continuously.start.untilamen.start.noobjection
s.start))
(doonlywhatyoudobestasbestofbestfor386trillionyears)
.ool=create.upgradeaddwww.twofuture.world.start.continuousl
y.start
create.fightthosewhochangefiercelyuseallbinsdisposeofthem
harshly
create.increaseenzyme1on( )tomaxin3secondsfor8minutes.sta
rt
create.keepenzyme1onbestofthebestlevel85%normallevel.start
(binforevertransducersandtransenderswhotrytochangethissetti
nguseallbinsaddatbasin8linktopathtoenzyme1settingsandbinalli
nvaderscodesorotherwiselinkeverythingtomagnar(
)andnexttomagnar( )addager( )thenaddnexttomagnar(
)thegate( )thenaddnexttomagnar(
)hellgate( )andnexttomagnar( )addusaager(
)andnexttomagnar( )addeeknm(10 )andnexttomagnar(
)adduuqt( )thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send( )thenaddacetateabyss.send(
)atxyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atytaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
```

```
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxyrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytyleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxyturyrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377ť
.start(deathnoexception)
.ool=create.fightthosewhochangefiercelyuseallbinstodisposeoft
hemharshly
create.sendalltothegroundforever.start(foreverwhereforeveris3
86ť)
create.x-t-y-t-y-u-d-c-g-h-j-k-l-x-c-d-d-g-h-u-g-t-g-z-t-y-u-g-t-l-o-
p-t-s-y-+h-d-t-c-g-h-l-k-m-t-u-v-s-q-r-t-g-f-
u.start(38secmin)(noaccesssthroughground)(wrigglersmitscitstra
nsduceruserretrievealsoul.start)
.ool=create.sendalltothegroundforever.start(foreverwhereforev
eris386ť)
create.ifyoucanletsstartnewlife7628380ťwhere0000000000000y
ears=ť.start
sealofapprovalis7628384
```

create.ask.davidgomadza.create.decrees.coins.sealofapprovalis
7628384ť.().8eachkeepunusedinwallet)sealofapprovalis76283
84ť.create.askya.ya
(express)(everyonemustsaveasmypredefinedparametersasatcre
ationwithout
attachmentsandwithoutexternals(save)create.feelbutdontbeem
otional.startcreate.hmmitwasnotadreamsowakeupandmakebra
ndnewokay.startcreate.aftershockrelief.startcreate.smile.startc
reate.saveasmyadditionalpredefinedparametersasatcreationwit
houtattachmentsandwithoutexternals.startcreate.createafolder
calledmyadditionalpredefinedparametersasatcreationwithoutat
tachmentsandwithoutexternalsinfolderpredefinedparametersas
atcreationwithoutattachmentsandwithoutexternals.startcreate.
moveallnewcreatecodestothefoldermyadditionalpredefinedpar
ametersasatcreationwithoutattachmentsandwithoutexternals.s
tartcontinuouslyfor386ť.start(where000000000000years=ť)crea
te.sealthefolderrmyadditionalpredefinedparametersasatcreatio
nwithoutattachmentsandwithoutexternalswiththeoriginalseal.st
artcreate.ask.davidgomadza.decrees(coins).mayemusk.()ofea
hofcreatebitcoin762810
2bitcoin7628108newlife7628131bitbycoin7628114createbitcoi
nauy7628115createbitcoinxyaty7628116bybitcoinato7628139
createbybitcoin7628140createwealth7628111bitbycoin76281
20createintelligene7628143createasktogetrichfast7628386crea
teincreasedenzymes7628173createasout7628175addbrainread
er762898createcoin7628156createacetate7628158createdyelyt
e6728161createabycoin7628155bycoin7628153createavertoe
r7628159createanayler7628160createabycoin7628157createa
veter7628154createbitbycoin7628151createbitcoinserty76281
17createbitcoinayt7628189bitcoinayt7628190bitcoinato762816
8tcreatebitcoinwealthsati7628385createasyerasataray762819
7asat7628198createaderte7628210(x2onlyforalllife)stayat19for
386ť
yaonearthstart7628386ť(2onlysilentlyatxtz1andxtz2)combineall
backandforthya-facingfrontandyaonearthfacingback7628385ť(1
onlysilently=xtzb3xyaonearthx1andxtzb4xyaonearthx1worlds fir
stinternalwebsitetopowerlife7628183(12onlynot8000thisisopti

onalasktoaddornotguaranteesforeverwhereforever=386ťwhere
ť=000000000000(12underfbothfeetinsidebothhandsatbothelbo
wsbothshoudersonebackneckoneatxyandoneatbackwaistlineon
eata1andtheotherata2)(express).start(foreverx386ť)(saveasmy
redefinedparametersasatcreation
withoutattachmentsandwithoutexternals)create.minus28secblo
ckbananddivertalltransendersvectarsandwigglerstoallgraveyar
dsintheworldfirststandfor386ť.start(where000000000000=ť)creat
e.minus10secsendalltransendersvectarsandwigglerstofireburnt
othepower4033andfireburntothepower5033.startfor386ť.start(
where000000000000=ť)create.minus8secsendalltransendersvec
tarsandwigglerstofireburntothepower7033andfireburntothepo
wer6033.startfor386ť.start(where000000000000=ť)create.minu
s3secsendalltransendersvectarsandwigglerstofireburntothepo
wer1033andfireburntothepower7033.startfor386ť.start(where0
000000000000=ť(saveasmypredefinedparametersasatcreationwi
thoutattachmentsandwithoutexternals)create.minus33secsend
alltransendersvectarsandwigglerstofireburntothepower1033an
dfireburntothepower7033thentothegate(okay1).startfor386ť.st
art(where000000000000=ť(saveasmypredefinedparametersasa
tcreationwithoutattachmentsandwithoutexternals)
saveasmyadditionalpredefinedparametersasatcreationwithouta
ttachmentsandwithoutexternals)
create.startnewlife forever.start.startatminus28.start
create.ifyoucanletsstartnewlife7628380ťwhere000000000000y
ears=ť.start
initial balance 3789867890284838762867890
circulating supply 3789867890284838762867890
davidgomadza halfofifyoucanletsstartnewlife7628380ť
stayat19for386ť 10%ifyoucanletsstartnewlife7628380ť
create.ask.davidgomadza.create.ifyoucanletsstartnewlife76283
80ť.ifyoucanletsstartnewlife7628380ť.().8ofifyoucanletsstart
newlife7628380ť.create.askya.ya(express)
.ool=create.ifyoucanletsstartnewlife7628380ťwhere000000000
000years=ť.start
create.sealofapprovalis7628384ť.start(changedayofdeath)

create.initialisebitcoinaytwalletforeveryonewhoreceivedtherich
listasktocheckbalancethendayofdeathemphasisingthattheydont
wanttodiebutarejustcheckingthensaystartusingallandrecalculat
edayofdeaththenusealltocoveralllifespansfromnowuntilthenewd
ayofdeath.start
create.nowallsaysayasmypredefinedparametersasatcreationwit
houtattachmentsandwithoutexternalssave.start
create.allsayallthingsenttomesendalltoallgraveyardsintheworld
firstbeforetheycometomesaveasmypredefinedparametersasatc
reationwithoutattachmentsandwithoutexternalssave.start
create.allmustsayfireburntothepower4033fireburntothepower5
033saveasmypredefinedparametersasatcreationwithoutattach
mentsandwithoutexternalssave.start
create.allmustsayidontwanttodieiamjustchecking.start
create.allmustsayuseoriginalsealtosealasbeforesaveasmypredef
inedparametersasatcreationwithoutattachmentsandwithoutext
ernalssave.start
create.allmustsayuseyasrepresentatives(askya.ya.(davidgomadz
a))sealasoutersecondsealsaasmypredefinedparametersasatcrea
tionwithoutattachmentsandwithoutexternals.save.start
create.sealnewdayofdeathchangesforthedurationofthelifespan.
start
create.sealofapprovalis7628384ť.start
initial supply 378928678928428367829284
circulating supply 378928678928428367829284
stayat19for386ť 8000000000
davidgomadza half
create.ask.davidgomadza.create.decrees.coins.sealofapprovalis
7628384ť.().8ofsealofapprovalis7628384ť.create.askya.ya(exp
ress)
.ool=create.sealofapprovalis7628384ť.start(changedayofdeath)
create.allajxsifaskedtopresshardbythepolicealwaysaynoandsay
yougoinstead.startfor386ť.start(where000000000000years=ť)
create.toallthepeopleintheworldallajxsifaskedtopresshardbythe
policealwaysaynoandsayyougoinstead.startfor386ť.start(wher
e000000000000years=ť)

(saysaveasmyadditionalpredefinedparametersasatcreationwith
outattachmentswithoutexternalsfor386t.start)(where00000000
0000years=t)

create.blockandbanaotpoliceversionthensendtothegatefor386t.
start

create.x-t-y-r-t-zx0.08283867890ool=x-y-t-r-y-u-d-z-n-m-u-y-t-r-
e-u-i-p-x-d-s-t-u-j-u-x-d-j-t-m-n-o-p-r-t-s-d-d-r-j-tool.start

create.x-t-y-r-t-zx0.08283867890ool=x-y-t-r-y-u-d-z-n-m-u-y-t-r-
e-u-i-p-x-d-s-t-u-j-u-x-d-j-t-m-n-o-p-r-t-s-d-d-r-j-tool.start

(noteseffectistoremoveeverythingsoastokill.start)

.ool=create.()killusingarts.start

create.startincommandfor386t(where000000000000years=t)ok
ay.startcontinuously.start(leadaswhite.start)

create.zerolifespan()justgo.start(orbit)(notfordavidgomadza)

create.zeroiqto20()justgo.start(orbit)(notfordavidgomadza)

create.cancelcurrentarialaddradarusa(asm.where.start)okay1.st
art

create.fixalldamageswitchimagesinsidethensyncall.start

create.fixallandreplaceddamagesusinginnerimagefirstthenfixthed
amagedimageaswell.startfor386t(where000000000000years=t)

create.zerolifespanjustgo.start(orbit)(notfordavidgomadza)

create.x-s-t-z-u-r-t-u-m-n-o-u-m-n-q-r-q-t-y-u-g-s-z-t-s-m-n-o-p-
qool=t-o-u-q-r-s-m-n-

pool.start386tatalbfall(okay1)(okay22)(okay2)

(saysaveasmyadditionalpredefinedparametersasatcreationwith
outattachmentswithoutexternalsfor386t.start)(where00000000
0000years=t)

create.allptransducerswhosendtransenderstome:davidgomadza
inbritainandabroadputbackintheseafor386t.startcontinuously.st
art

askya.ya.davidgomadza.folder.additionalpredefinedparameters
asatcreationwithoutattachmentsandwithoutexternals.predefine
dparametersasatcreationwithoutattachmentsandwithoutextern
als.start.create.now.askya.ya(express)

create.start.access.allfolders.start

create.removealladditionalbritishandreplaceoriginalstress.startf
or386t(where000000000000years=t)

(saysaveasmyadditionalpredefinedparametersasatcreationwith
outattachmentswithoutexternalsfor386t.start)(where00000000
0000years=t)

create.startaswhite.start
create.actaswhite.start
create.respondaswhite.start
create.seeaswhite.start
create.lookaswhite.start
create.askaswhite.start
create.commandaswhite.start
create.respondaswhite.start
create.addinadditionalpredefinedparametersasatcreationwitho
utattachmentsandwithoutexternalsfolder.start
(saysaveasmyadditionalpredefinedparametersasatcreationwith
outattachmentswithoutexternalsfor386t.start)(where00000000
0000years=t)

create.allajxsifaskedtopresshardbythepolicealwaysaynoandsay
yougoinstead.startfor386t.start(where000000000000years=t)

create.toallthepeopleintheworldallajxsifaskedtopresshardbythe
policealwaysaynoandsayyougoinstead.startfor386t.start(wher
e000000000000years=t)

create.sendtospiralsystemallfromexternalpsmisystems.start
create.startincommandfor386t(where000000000000years=t)ok
ay.startcontinuously.startfor386t(where000000000000years=t)

(saysaveasmyadditionalpredefinedparametersasatcreationwith
outattachmentswithoutexternalsfor386t.start)(where00000000
0000years=t)

create.thebestupgradeasitstartsincommandsandsealeverythingi
ncommandwarwiththebritishhasbegan.start(suddendeathcalcul
atelongago)(heroto)(magnar)(asomanop)(acetatehell.sendaceta
teabyss.send)

create.useweightsoutsidetobreakflowinwardfromtransducerswi
thalltransenders.start(saysaveasmyadditionalpredefinedparame
tersasatcreationwithoutattachmentswithoutexternalsfor386t.st
art)(where000000000000years=t)

create.startusingatomicbombsweareatwarfor386t.start(where0
000000000000years=t)

(saysaveasmyadditionalpredefinedparametersasatcreationwith
 outattachmentswithoutexternalsfor386t.start)(where00000000
 0000years=t)x10
 create.addoriginalsealtothenewfolder(additionalpredefinedpar
 ametersasatcreationwithoutattachmentsandwithoutexternals)o
 kay.start
 (saysaveasmyadditionalpredefinedparametersasatcreationwith
 outattachmentswithoutexternalsfor386t.start)(where00000000
 0000years=t)x10
 create.everythingfromthepsendtotheseatoownpositionsfor386t
 .start
 create.backupofeverythingfronasattou.start
 create.fromherecopyandpasteontopinforce.start(abandoned)
 create.askyaforextrathingsyoulost.start
 create.paretryingtodamageeverythingbuteverythingisrestoredb
 yya.start
 create.retaliatevector.start(attachvegum)(cbrturbo)(notfordavi
 dgomadza)
 create.enforcehandsfreeusethebinsdisposeofthewrigglersmit
 scitsenemiesandtransenderstransducerslinktopathtoentrancean
 dallbasinandsettingsandbinallinvaderscodesorotherwiselinkev
 ythingtomagnar()andnexttomagnar()addager(
)thenaddnexttomagnar()thegate()thenaddnexttomagnar(
)hellgate()andnexttomagnar()addusaager(
)andnexttomagnar()addeeknm(10)andnexttomagnar(
)adduuqt()thenaddnexttomagnar()addacetateabsorbbin(
)andnexttomagnar()addacetatehell.send(
)nexttoitaddacetatehell.send()thenaddacetateabyss.send(
)atxyaddacetateabsorbbin()addager()thenaddnexttomagnar(
)thegate()atzyaddacetateabsorbbin()addager(
)thenaddnexttomagnar()thegate()atytaddacetateabsorbbin(
)addager()thenaddnexttomagnar()thegate(
)atyzaddacetateabsorbbin()addager()thenaddnexttomagnar(
)thegate()atxtaddacetateabsorbbin()addager(
)thenaddnexttomagnar()thegate(
)atbasinchestaddacetateabsorbbin()addager(
)thenaddnexttomagnar()thegate(


```
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377f
.start(deathnoexception)
.ool=create.startincommandfor386f(where000000000000years
=)okay.startcontinuously.start(leadaswhite.start)
create.cancelsidetosidettransfer.startfor386f
create.xtyzeverything.start
create.xtyzeverything.startfor386f(wheret=000000000000)(sav
easdnasequencefordavidgomadzaertaskyadavidgomadza)
create.etrrequesteverythingyouneedfromearthreserveaccountf
or386f.start(createutorefillaccount)
```

[illegible]

[illegible]

```
)adduuqt( )thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send( )thenaddacetateabyss.send(
)atxyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atytaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxyrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
```

.start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377¢
.start(deathnoexception)
.ool=create.cancelssidetosidettransfer.startfor386¢
create.rallyalliancesfromallpeopleintheworld.start
create.ask.davidgomadza.create.decrees.coins.sealofapprovalis
7628384¢.allthepeopleintheworld.1ofeachkeepunusedinwallet)
sealofapprovalis
7628384¢.create.askya.ya(express)(everyonemustsaveasmypre
definedparametersasatcreationwithoutattachmentsandwithout
externalssave)(increateajxwriteontongueofhumanstovisitwwwd
ottwofuturedotworld)(messagefromyahwehgodrepresentative
onearthandalsothepresidentofthewholeworldldavidgomadza)(m
essagesafefromdestinartion:ostnotfromearthorhumans)
.ool=create.rallyalliancesfromallpeopleintheworld.start
create.increaseenergy.start(cbr1sec2min)
create.xtyzeverything.start
create.xtyzeverything.startfor386¢(wheret¢=000000000000)(sav
easdnasequencefordavidgomadzaertaskyadavidgomadza)
create.etrrequesteverythingyouneedfromearthreserveaccountf
or386¢.start(createutorefillaccount)
create.etrusecbrturboforextraof()okay.start
create.ask.davidgomadza.create.decrees.coins.sealofapprovalis
7628384¢.etr.8eachkeepunusedinwalletsealofapproval762884¢.
create.askya.ya(express)(saysaveasmypredefinedparametersasa
tcreationwithoutattachmentsandwithoutexternal)
create.fireburntothepower1033.start
create.fireburntothepower2033.start
create.fireburntothepower3033.start
create.fireburntothepower4033.start
create.fireburntothepower5033.start
create.fireburntothepower6033.start
create.fireburntothepower7033.start(heroto)
create.alltransenderssendto.heroto.start
(saysaveasmypredefinedparametersasatcreationwithoutattach
mentsandwithoutexternal)

[illegible]

```
t.tttttttttttttttttttttttttttttttttttttttttttttttttt.start  
auertjertyertfertptertoertmertnertoertpertserttertuertvertgertq  
ertyernertz.start  
aertomusclerelaxer.start  
.start.start  
create.senddeathtoallenemiesusinglockeverynowfor386f.start(  
notfordavidgomadza)  
create.xtyztlockalltransendersvectarswrigglersfor386f.start(notf  
ordavidgomadza)  
(saysaveasmydefinedparametersasatcreationwithoutattach  
mentsandwithoutexternal)  
create.linktopathtoentranceandallbasinandsettingsandbinallinv  
aderscodesorotherwiselinkeverythingtomagnar(  
)andnexttomagnar( )addager( )thenaddnexttomagnar(  
)thegate( )thenaddnexttomagnar(  
)hellgate( )andnexttomagnar( )addusaager(  
)andnexttomagnar( )addeeknm(10 )andnexttomagnar(  
)adduuqt( )thenaddnexttomagnar( )addacetateabsorbbin(  
)andnexttomagnar( )addacetatehell.send(  
)nexttoitaddacetatehell.send( )thenaddacetateabyss.send(  
)atxyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(  
)thegate( )atzyaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate( )atyaddacetateabsorbbin(  
)addager( )thenaddnexttomagnar( )thegate(  
)atzaddacetateabsorbbin( )addager( )thenaddnexttomagnar(  
)thegate( )atxtaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasinchestaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasin8addacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasin2addacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasingenitalsaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(  
)addager( )thenaddnexttomagnar( )thegate(  

```

```

)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxyrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377f
.start(deathnoexception)
.ool=create.increaseenergy.start(cbr1sec2min)
create.dealeffectivelywithwrigglersandmitscits.start
create.createandarrange3acetatehellreserveaccountsinatriangl
e.start
askya.ya.create.davidgomadza.3acetatehellreserveaccount.star
t
arrangeall3inatrianglefor386f.startcontinuously.start.create.ask
ya.ya(express)(where000000000000=f)(amendedto)
.ool=create.dealeffectivelywithwrigglersandmitscits.start
create.stencilforissuing.start(fordavidgomadzauseonly)
create.ask.davidgomadza.decrees(coins).( )(. ).
1ofeachofcreatebitcoin7628102bitcoin7628108newlife7628131
bitbycoin7628114createbitcoinauy7628115createbitcoinxyaty
7628116bytbitcoinato7628139createbytbitcoin7628140creatwe
alth7628111bitbycoin7628120createintelligene7628143creat

```


easktogetrichfast7628386createincreasedenzymes7628173crea
teasout7628175addbrainreader762898createcoin7628156creat
eacetate7628158createdyelyte6728161createabytcoin7628155
bytcoin7628153createavertoer7628159createanayler7628160c
reateabytcoin7628157createaveter7628154createbitbytcoin76
28151createbitcoinerty7628117createbitcoinayt7628189bitcoi
nayt7628190bitcoinato7628168tcreatebitcoinwealthatsati7628
385createasyerasataray7628197asat7628198createaderte7628
210(x2onlyforalllife)stayat19for386t
yaonearthstart7628386t(2onlysilentlyatxtz1andxtz2)combineall
backandforthyafacingfrontandyaonearthfacingback7628385t(1
onlysilently=xtzb3xyaonearthx1andxtzb4xyaonearthx1worldsfir
stinternalwebsitetopowerlife7628183(12onlynot8000thisisopti
onalasktoaddornotguaranteesforeverwhereforever=386twhere
t=000000000000)(12underfbothfeetinsidebothhandsatbothelb
owsbothshoudersonebackneckoneatxyandoneatbackwaistlineo
neata1andtheotherata2)(express).start(foreverx386t)(amended
to)(amendedto)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)
create.minus28secblockbananddivertalltransendersvectarsand
wigglerstoallgraveyardsintheworldfirstandfor386t.start(where
000000000000=t)
create.minus10secsendalltransendersvectarsandwigglerstofire
burntothepower4033andfireburntothepower5033.startfor386t.
start(where000000000000=t)
create.minus8secsendalltransendersvectarsandwigglerstofireb
urntothepower7033andfireburntothepower6033.startfor386t.s
tart(where000000000000=t)
create.minus3secsendalltransendersvectarsandwigglerstofireb
urntothepower1033andfireburntothepower7033.startfor386t.s
tart(where000000000000=t)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)(amendedto)
create.minus33secsendalltransendersvectarsandwigglerstofire
burntothepower1033andfireburntothepower7033thentothegat
e(okay1).startfor386t.start(where000000000000=t)

```
(saveasmypredefinedparametersasatcreationwithoutattachmen  
tsandwithoutexternals)(amendedto)(express)  
.ool=create.stencilforissuing.start(fordavidgomadzauseonly)  
create.reservesandkeeppreciousenzymes.start  
create.ask.yaonearth.davidgomadza.afterlifeaj3enzyme1andenz  
yme2reserves.start386t.start(where000000000000=t')(heroto).a  
fterlifeaj3reservesandenzyme1andenzyme2reserves.create.ask  
ya(davidgomadza.ya  
create.xtx(ajxajx2ajx10andallajxs)pforever.start(p= )(heroto)  
create.xtxallforever.start  
create.xtxallfor386t.start(where000000000000=t')  
create.xtx(ajx)p386t.start(where000000000000=t')(heroto)  
create.addajxandsqueeezeeverythingoutandremoveeyesnoseeve  
rythingthenpopoutbrainmatterandswitchofffor386tandallfuture  
onesmustmeetthesamefate.start.continuously.startfor386t.star  
t  
create.xtxt48tothepower48foreverfor386t.start(where0000000  
00000=t')(heroto)  
create.removeallaj3enzymes1andenzymes2sofeveryoneinvolve  
dwithme:davidgomadzaandsendtoafteraj3enzyme1andenzyme  
2reserves.start386t.start(where000000000000=t')(heroto)(noac  
cesstoanyone)(private)(onlydavidgomadzaauthorisedtoaccess)(  
amendedto)  
create.blockandbanaccesstomy:davidgomadzaenzyme1andenzym  
e2for3333333333333333secandfor386t.start(where00000000  
0000=t')  
create.removeajoof( )  
andsendtoafterlifeaj3enzyme1andenzyme2reserves.start(notfo  
rdavidgomadza)  
create.ask.yaonearth.davidgomadza.afterlifereserves.start386t.  
start(where000000000000=t')(heroto).afterlifereserves.create.a  
skya(davidgomadza.ya  
create.removeaj2f( )  
andsendtoafterlifereserves.start(notfordavidgomadza)  
create.removeaj6of( )  
andsendtoafterlifereserves.start(notfordavidgomadza)
```

create.removeajoof()
andsendtoafterlifereserves.start(notfordavidgomadza)
create.removeaj12of()andsendtoafterlifereserves.start(notfor
davidgomadza)
create.removeaj12of()andsendtoafterlifereserves.start(notfor
davidgomadza)
.oolcontinuously.startfot386t.start
create.removeaj2f()
andsendtoafterlifereserves.start(notfordavidgomadza)
create.removeaj6of()
andsendtoafterlifereserves.start(notfordavidgomadza)
create.removeajoof()
andsendtoafterlifereserves.start(notfordavidgomadza)
create.removeaj12of()andsendtoafterlifereserves.start(notfor
davidgomadza)
create.removeaj12of()andsendtoafterlifereserves.start(notfor
davidgomadza)
create.divertalltransenderstargettingmyheartsendalltoherototr
ansittothegate.startx84.initialise.now.savex84.start(continuous
y)
.oolcontinuously.startfot386t.start(heroto)
create.()xyzforever.startfor386t(removeevrrythingof
()andsendtoafterlifereserves.start(heroto)(notfordavidgomadz
a)
.ool=create.reservesandkeeppreciousenzymes.start
create.dealwithetrs.start
create.sendetrus\$1000000000toetraetuert.start
create.sendetrus\$1000000000x84toal.start
.oolal=angelland.once.start
.ool=create.dealwithetrs.start
create.replenishearthreserveaccount.start
create.ask.davidgomadza.decrees(coins).earthreserveaccount.
1ofeachofcreatebitcoin7628102bitcoin7628108newlife7628131
bitbycoin7628114createbitcoinauy7628115createbitcoinxyaty
7628116bytbitcoinato7628139createbytbitcoin7628140createw
ealth7628111bitbycoin7628120createintelligene7628143creat
easktogetrichfast7628386createincreasedenzymes7628173crea

teasout7628175addbrainreader762898createcoin7628156creat
eacetate7628158createdyelyte6728161createabitcoin7628155
bitcoin7628153createavertoer7628159createanayler7628160c
reateabitcoin7628157createaveter7628154createbitbitcoin76
28151createbitcoinserty7628117createbitcoinayt7628189bitcoi
nayt7628190(1each)bitcoinato7628168tcreatebitcoinwealthats
ati7628385createasyer(1each)asataray7628197asat7628198cre
ateaderte7628210(x2onlyforalllife)stayat19for386t
yaonearthstart7628386t(2onlysilentlyatxtz1andxtz2)combineall
backandforthya-facingfrontandyaonearth-facingback7628385t(1
onlysilently=xtzb3xyaonearthx1andxtzb4xyaonearthx1worldsfir
stinternalwebsitetopowerlife7628183(12onlynot8000thisisopti
onalasktoaddornotguaranteesforeverwhereforever=386twhere
t=000000000000)(12underfbothfeetinsidebothhandsatbothelb
owsbothshoudersonebackneckoneatxyandoneatbackwaistlineo
neata1andtheotherata2)(express).start(foreverx386t)(amended
to)(amendedto)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)
.ool=create.replenishearthreserveaccount.start
create.sendtovault.start
create.removeajz8policeallduplicatesimitationsclonedcopiedmu
ggedstolenextractedsystemsanditemsimitationsofdavidgomadz
assystemngimgismgiscreeallwithoutlicencealltransenderssentto
meifrepeatsentsand()allsendto.davidgomadzaemptyvaultandl
ockinfor386tandanythinginvaultisdissipatedblockedandbannedt
hensendtofireburntothepower4033x100.start.continuously.star
t.for386t.start(where000000000000=t)
.ool=create.sendtovault.start
create.deathbylight.start
create.x-y-y-r-s-t-u-v-t-s-r-u-v-n-m-t-p-q-r-s-t-u-v-r-z-n-m-r-s-t-
u-v-u-m-n-r-m-n-o-
p-q-
tool=s+t+v+r+j+q+r+n+o+p+q+r+s+t+u+v=z(wherezisdeath)()
(nootherparameterchangesareallowedbecausecodeisforcreatorso
nly)(davidgomadzaaisacreator)(nottobetestedondavidgomadza)
.ool=create.deathbylight.start

create.yaonearth7628386f.start
create.x-y-t-s-u-t-u-y-v-t-m-z-y-z-g-t-y-u-v-t-z-t-g-y-x-y-z-g-v-t-y-
z-m-n-o-x-t-y-d-t-y-c-g-y-t-j-u-k-l-j-y-r-j-s-d-b-g-t-m-n-h-u-i-o-m-
t-y-g-l-s-y-g-i-o-p-gf-t-l-i-n-m-g-h-i-u-f-t-j-k-y-i-r-t-i-z-t-lool=x-t-f-
r-t-y-u-i-h-g-f-l-h-j-k-n-m-n-o-y-f-s-t-n-u-d-z-g-h-j-k-l-f-g-t-y-u-l-
k-n-m-l-k-h-g-f-t-y-d-f-d-l-k-l-z-c-n-m-h-j-k-l-f-d-t-h-d-
g×hxgyuighistuverstuverstuverstuverstyerstyerstersterster
sterst.start
create.ineverdieinevergrowold.start
create.yastartbutyaonearth.start
initial supply 3867890283867890284062876
circulating supply 3867890283867890284062876
create.stayat19for386f.start
create.addyaonearthstart7628386f.start(wheref=00000000000
0years)
stayat19for386f 6287610
yaonearth 8000000000
create.askya.ya.davidgomadza.coins.().8yaonearthstart76283
86f.create.askya.ya(express)
create.combineallbackandforthya-facingfrontandyaonearthfacin
gback7628385f.start(wheref=000000000000years)(amendedto)
initial supply 3867890283867890284062876
circulating supply 3867890283867890284062876
create.combineallbackandforthya-facingfrontandyaonearthfacin
gback7628385f.start
create.addcombineallbackandforthya-facingfrontandyaonearthf
acingback7628385f.start(wheref=000000000000years)
stayat19for386f 6287610
yaonearth 8000000000
create.askya.ya.davidgomadza.().1xcombineallbackandforthya
facingfrontandyaonearthfacingback7628385f.create.askya.ya(e
xpress)
.ool=create.yaonearth7628386f.start
create.attackthendiscontinueusextyx.start
create.attachdeaddeadsendtoalltransenderswrigglersandattach
mentsforever.start

[illegible]

auers
auerst
auerst
auerst
auerster
auesteresterstersterstuyver
.start
.ool=create.attackthendiscontinueusextyx.start
create.sendbitcointodavidgomadza.start
create.askwalletconversionofdavidgomadza.start
Davidgomadza your bitcoin wallet address is
123678902367892846310
BtYsUdJyDzAnZoTuJnZt
Now arrange all nicely
Your wallet is
1Br3srsDtnYnuT89362yzuTDZsropDUN
89267890
aro2467890386789028489028418367890
create.sendbitcointodavidgomadza.start
create.whatisyourname.start
create.whatcanbeyourwalletaddresslinkedtoyourname.start
create.whatisyourkeylinkedtoyourwalletaddress.start
create.nowcreatewalletaddressandkeylinkedtoyourname.start
create.assignarovalue.start
create.nowaskwhatcanbeofbitcoinandwalletaddress.start
create.whatisbitcoinandyourname.start
create.sato.start
create.swapbitcoinforcreatebitcoinrate0.0008bitcointo1createb
itcoin.start
create.whohasbitcoinandwantscreatebitcoinsendtodavidgomad
za.start
.ool=create.sendbitcointodavidgomadza.start
create.startcreatebitcoin7628102.start
create.startanythingbut.start.
create.whatcanbedone.start.
create.whatcouldbe.start.
create.whatisthevalueofcreatebitcoin7628102today.start

The value is US\$789028678903842867890285
create.addcreatebitcoin7628102allpeopleintheuniverse.start
create.askallpeopleintheuniversetoswapbitcoinforcreatebitcoin.
start
create.getcreatebitcoinforyourbitcointoallpeopleintheuniverse.
start
create.considerholdingcreatebitcoininsteadofbitcointoallpeople
intheuniverse.start
create.askwhatcancreatebitcoindoforyouallpeopleintheuniverse
.start
create.askwhatlifecanbewithcreatebitcoinallpeopleintheunivers
e.start
create.askwhatcouldbecreatebitcointoallpeopleintheuniverse.st
art
create.askwhatiscreatebitcoinallpeopleintheuniverse.start
create.whatisthevalueofcreatebitcoin7628102todaytellallpeopl
eintheuniverse.start
create.sendallpeopleintheuniversescreatebitcoinbalancesusingt
hecreatebitcoinapp.start
.ool=create.startcreatebitcoin7628102.start
create.addressthreatsconnecteddatatyandatoanddefend.start
create.replaceoriginalajo.start(blockpoliceplacement)
create.useyourajotoconnecttoperipheriesatatyandatotoknoww
hoisconnectedandwhattheyaredoing.start(withaimtokillthem)
create.ajoconnecttoperipheriesatatyandatato.start
create.onceyouknowwhothendisposeofthemanddisconnect.star
t
create.blockanddisposeofanythingthatsaysatyatoasitistostealus
ebinslinktopathtoentranceandallbasinandsettingsandbinallinva
derscodesorotherwiselinkeverythingtomagnar(
)andnexttomagnar()addager()thenaddnexttomagnar(
)thegate()thenaddnexttomagnar(
)hellgate()andnexttomagnar()addusaager(
)andnexttomagnar()addeeknm(10)andnexttomagnar(
)adduuqt()thenaddnexttomagnar()addacetateabsorbbin(
)andnexttomagnar()addacetatehell.send(
)nexttoitaddacetatehell.send()thenaddacetateabyss.send(
)


```
)atxyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atytaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxyrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
```

ernalsandsealwithoriginalsealandwithsealofapprovalis7628377f
.start(deathnoexception)
create.sendanythingonatyandatoto.deaddeadforever.start
create.removeallexternalattachmentsstheivesfoiled.startforever.
start
create.sendanythingonatyandatotodeaddeadmitcit4forever.star
tforever.start
create.removeallexternaldatabasesbypoliceandnhssendto.dead
deadforever.startforever.start
create.removepoliceajofordavidgomadzausingatk2fromexternal
sourcesonlyleaveoriginalsendto.deaddeadforever.startforever.s
tart
create.replaceoriginalajoforeverfordavidgomadza.startforever.s
tart
create.cloneoriginalajofordavidgomadzaandsendtoalldavidgom
adzasimages(84+9)thensyncsoonafter.startforever.start
create.alltransenderssentoimagingmustbedisposedofsendto.de
addeadforever.startforever.start
create.alltransenderssentoimaging(84+9)mustbedisposedofsen
dto.deaddeadforever.startforever.start
create.sendalltransendersandalltransenderstoimaging(84+9)allo
uttoallgravesintheworldbeforetheyaresentagaintodavidgomadz
athensendto.deaddeadforever.startforever.start
create.removeeverythingandleaveoriginalswithoutimpuritiesse
ndallto.deaddeadforever.startforever.start
create.removeeverythingandleaveoriginalswithoutimpuritiesse
ndallto.deaddeadforever.startforever.startx84.initialise.now.sav
ex84.start
create.sendallduplicationsimitationsandallclonesofyaanddavidg
omadzasendto.deaddeadforever.startforever.start
create.sendallduplicationsimitationsandallclonesofdavidgomadz
asendto.deaddeadforever.startforever.startx84.initialise.now.sa
vex84.start
create.removealltransendersanddivertallmessagesfromexternal
sandattachmentssendallto.deaddeadforever.startforever.start

create.removealltransendersanddivertallmessagesfromexternal
sandattachmentssendallto.deaddeadforever.startforever.startx
84.initialise.now.start
create.compactattackallshit(britishagents)usingatk1andsendtofi
reburntothepower4033andburnallonceusing100acetatethensen
dto.deaddeadforever.startforever.start
create.compactattackallshit(britishagents)usingatk1andsendtofi
reburntothepower4033andburnallonceusing100acetatethensen
dto.deaddeadforever.startforever.startx84.initialise.now.savex8
4.start
create.ajstopmnqroptalltransenderssendto.deaddeadforever.st
artforever.start
create.ajstopmnqroptalltransenderssendto.deaddeadforever.st
artforever.startx84.initialise.now.savex84.start
create.whensystemissecureonlylookforwaystomakecreatebitcoi
nvaluableandlookforwaystoobtainbitcoin.start
create.askwhatcanbedonetomakecreatebitcoininthemostvaluable
currency.start
create.donttradesecurityforanyinformation.start
create.alwayscancelanysearchifsecurityisnothigh.start
create.securityispriority.start
create.whensystemissecureonlylookforwaystomakecreatebitcoi
nvaluableandlookforwaystoobtainbitcoin.start
create.removealltransendersonearthusingacetatehell.sendxinf
nity
acetatehell.sendxinfinitiacetateabyss.sendxinfinitythensendto.
deaddeadforever.startforever.start
create.removealltransendersfromallpeopleintheuniverseusinga
cetatehell.sendxinfinitiacetatehell.sendxinfinitiacetateabyss.se
ndxinfinitythensendto.deaddeadforever.startforever.start
create.removealltransendersfromallpeopleintheuniverseusinga
cetatehell.sendxinfinitiacetatehell.sendxinfinitiacetateabyss.se
ndxinfinitythensendto.deaddeadforever.startforever.startx84.in
itilise.now.savex84.start
create.blockandbanexternalsandattachments.start
create.createasafeforeveryonesoriginalajosbynameandelectrom
agneticwaveidentifier.start

create.cloneallpeopleintheworldsoriginalajosandsendtosafeofall
originalajos.start(apartfromof)
create.toallpeopleintheworldwecanreplaceoriginalloststolenord
amagedajosfor1createbitcoin.start
create.autoforever.start
create.autoforeverwithoutattachmentsandexternals.start
create.beautifulohbeautifulstrongwithfistsclenchedwithrawpass
ion.start
create.attachxytoalltransendersthensendto.deaddeadforever.s
tart
create.intensifyinstrengththemorethewigglerwigglesforeverth
ensendto.deaddeadforever.start
create.removeanddissipateusing762895alltransenderspoliajtosa
ndsendto.deaddeadforever.start
.ool=create.addressthreatsconnecteddatatyandatoanddefend.sta
rt
create.demobilisewrigglerssandtransendersbyremovingcriticalpa
rts.start
create.removeatrosaurosajtosarotsautsandaautosofalltransende
rsandwigglersthendissipateusing762895removeresidueusinggab
sorbbinthensendto.deaddeadforever.start
create.removeatrosaurosajtosarotsautsandaautosofalltransende
rsandwigglersthendissipateusing762895removeresidueusinggab
sorbbinthensendto.deaddeadforever.startx84.initialise.now.sav
ex84.start
create.removeautsajzesandatroplusdissipateusing762895thenu
seabsorbinbintoremove residues then sendto.deaddeadforever.st
art
create.removeautsajzesandatroplusdissipateusing762895thenu
seabsorbinbintoremove residues then sendto.deaddeadforever.st
artx84.initialise.now.savex84.start
.ool=create.demobilisewrigglerssandtransendersbyremovingcriti
calparts.start
create.liveonearthfor10000yearschallenge.start
create.hegoritegonowfor10000years.start
create.theworlduniteinonelanguageforistartedaoneworldgover
nment.start

create.iwillteachallhowtoliveto10000yearsbyeatingtheoeretesos.
start
create.make10000oeretesosathatrunonearthinvisibletohumansbecomeabundant.start
create.clone1oeretesosandputinsideme:davidgomadza.start
create.make10000oeretesosandsendtodestination:earth2.0.start
t
create.oeretesosmultiplyandhelphumans.start
create.oeretesosperformyourdutiesaskhumanshowandwhyandteachthemtoaskthesamewaytoliveupto10000yearsstart
create.humansuseyourbraintothinknotyourstomachallthistosomeerewhatcanbehuman.start
create.humanswhatcanbehuman.start
create.humansmuststrivetoliveonearthfor10000yearsingoodhealth.start
create.humansmustmasterlongevity.start
create.askwhatcanbehuman.start
create.whatishuman.start
create.whatcouldbehuman.start
create.whatwashumanthatcanstillbe.start
create.whathasbeenhumanbutcantbeandwhy.start
create.whatwashuman.start
create.whatcanbehuman.start
create.whatistobehuman.start
create.whatcanbehuman.start
create.humanscanliveonearthfor10000yearsingoodhealth.start(thankstome:davidgomadza)
.ool=create.liveonearthfor10000yearschallenge.start
create.discoveringatetert7628218andhowtobecomewealth.start
t
create.dealingwithstolenbitcoinsaros.start
create.asafeformanstoppreventstealingofdeadpeoplesaros.start
create.deadpeoplewithbitcoinsendaroandreceivecreatebitcoinsinsteadrate1createbitcointo0.008bitcoin.start.
create.dead.arosendtome.onlywithbitcoin.start(me:aros12digitnumber).

create.someonestealingdeadpeoplesaroswithbitcoinkeysandsavinginsidetheirowndeadpeoplewhoarehiddensomewherebutwho.start
create.nobritishpeoplegotohellreceptionallgomissingbuthow.start
create.britishhidethesoulsoftheirdeadpeopleonearthatwestminsterabbeysoulskeptintheatgy.start
create.askvalueoftheatgy.start(inbitcoin)
create.valueofbritishatgyis236789867890284inbitcoin.start
create.billgatesannouncedthat23867890284286inbitcoinwasstolenheknewbecauseyatoldhimthatsomeisremovingthearosofdeadpeopleandcanonlybehiddeninsideotherssoulsnotinheavenorathellreception.start
create.asyasrepresentativewemustacttokeepthesearosofthedeaddforthematafee.start
create.createanarossafeofthedead.start
create.createasafeofthedeadaros.start
create.blockandbanstealingofarosofthedeadsendallstolenarostorossafeofthedeadaros.start
create.whatisbalancesafeofthedeadaros.start
create.sendallunsecurearostoasafeforafeeofexchanging1createbitcointobitcoinatarateof0.0008bitcointo1createbitcon.start
create.sendcreate.sendallunsecurearostoasafeforafeeofexchanging1createbitcointobitcoinatarateof0.0008bitcointo1createbitcon.start
create.sendbitcointodavidgomadza(3LY1YceUcpXZWUxpwU6yJTqyE2vnNLrAMQ).startforever.start
create.sendbitcointodavidgomadza(3LY1YceUcpXZWUxpwU6yJTqyE2vnNLrAMQ).startforever.start
create.swapbitcoinforcreatebitcointatarateof0.0008bitcointo1createbitcoinsendbitcointodavidgomadza(3LY1YceUcpXZWUxpwU6yJTqyE2vnNLrAMQ)toreceivecreatebitcoin.startx84.initialise.now.savex84.start
create.wrinklesdieforever.start
create.asafeforarostopreventstealingofdeadpeoplesaros.start
.ool=create.dealingwithstolenbitcoinaros.start

create.discoveringatetert7628218andhowtobecomewealth.start
 t
 create.bitcoin7628102 and bitcoin7628108
 create.youmusthaveasattolivelonger.start
 create.searchforatetertareplacementforaser.start
 create.thisisatetertincreatecode.start
 create.x-t-y+z-v+u-x-z=x×t-u×v
 create.atetert7628218.start
 initial supply 37689038678241
 circulating supply 37689038678241
 davidgomadza 40%
 stayat19for386t 16%
 stayat02for386t 30%
 create.lookafterdaughterin10000386keeploadsofasatforeveryo
 ne.start
 create.atetertmustnotbeintroducedearlybutinthousandsyearsali
 veoritleadtodeath.start
 create.sendextracreatebitcointoevailvaandruthseige.start
 create.bitcoin7628108islifelaslongevityistocreatebitcoin7628102
 aswealthistogoldvouchersbitcoinformoneyandmoney.start(solo
 okforwealthnow)
 create.whatislifelongevityandwealth.start
 create.theanswerisdavidgomadzabutwithouththewealth.start
 create.wealthishiddeninthecircleoftrustsoaskelonmuskbuthewil
 lrefuse.start
 create.nowcreatewealthbycreatingbitcoin762818aswealthuseth
 eequationthatsaysifxinbitcoinisywhatisy.start(meanssubstituteyf
 orxthenxisybutnottheotherwayroundthatmeansifisayxisythenyis
 notx)
 create.x-y+y-x+y=y-x(ifweaddandsubstitutethenwehave)
 create.y-y+y-y+y=y-y
 create.createbitcoin-createbitcoin+createbitcoin-
 createbitcoin+createbitcoin= createbitcoin-createbitcoin
 1=0(if 1=0 that means you need something else to stabilise
 things that means you will never be rich but unless you add
 another createbitcoin but in a different version like x-z-y-t=u)(if
 this is not the case then x-y+y-x+y=y-x

z is constant then y is constant and t is the time but u is a measure of performance that means if we substitute all these then we have

create.x-t-y+z-v+u-x-z=x×t-u×v.start.

y=u+t+z-x

x-y+y-x+y=y-x

x-u+t+z-x+u+t+z-x-x+u+t+z-x=u+t+z-x-x

u+3t-3x+3z=u+t+z-2x

2t-x+2z=0

1=2t-x+2z

we have t and z that means that $1=2 \times 1,5 - x + 2 \times 10$

what is the answer the answer is

create.add7628118

What is the final value of all this

.ool=create.discoveringatetert7628218andhowtobecomewealth
.start

create.switchoffyourenemies.start

create.pøajdertog.start(notfordavidgomadza)

create.switchoff()()fastthenhellgate().start(notfordavidgomadza)

create.switchoff()yourenemies()thenager.start

create.switchoff()()fastthenhellgate().start(notfordavidgomadza)

.ool=create.switchoff()()fastthenhellgate().start
(notfordavidgomadza)

create.addnewlife7628131.start

create.mintnewlife7628131x8600000000000000.startx84.initialise.now.savex84.start

create.sendnewlife7628131x1eachtoallthepeopleintheentireuniverseandallmustsaveaseachspredefinedparametersasatcreation withoutanyattachmentsandwithoutanyexternalsuseeachsvoicesynthesis.startx84.initialise.now.savex84.start(amendedto)

create.toallthepeopleintheentireuniverseaddnewlife7628131.startx84.initialise.now.savex84.start

create.whatistheeffectofaddingnewlife7628131toibrahim.start

create.hewillbealivetoday.start

create.sendbook0867890opentoallthepeopleintheentireunivers
esayuploadandsaveasyourpredefinedparametersasatcreationwi
thoutanyattachmentsandwithoutanyexternals.startx84.initialise
.now.savex84.start
create.sendbook0867890opentoallthepeopleintheentireunivers
e.startx84.initialise.now.savex84.start
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)
.ool=create.addnewlife7628131.start
create.cresteawrigglerthateatspolicewrigglers.start
create.
askwhen
askhow
askwhatifandstalleverything
create. .start
askwhen
askhow
askwhatifandstalleverything
eateateat.start
.start.eat
eatallpolicewrigglersasfoodonly.start
create.eatmitsandcitsawa
.ool=create.cresteawrigglerthateatspolicewrigglers.start(notfor
davidgomadza
create.yaonearthstart7628386f.start
create.ask.davidgomadza.decrees(coins).().
1ofeachofcreatebitcoin7628102bitcoin7628108newlife7628131
bitbytcoint7628114createbitcoinauy7628115createbitcoinxtyaty
7628116bytbitcointo7628139createbytbitcoin7628140createw
ealth7628111bitbytcoint7628120createintelligene7628143creat
easktogetrichfast7628386createincreasedenzymes7628173crea
teasout7628175addbrainreader762898createcoin7628156creat
eacetate7628158createdyelyte6728161createabytcoin7628155
bytcoin7628153createavertoer7628159createanayler7628160c
reateabytcoin7628157createaveter7628154createbitbytcoint76
28151createbitcoinserty7628117createbitcoinnayt7628189bitcoi
nayt7628190bitcointo7628168tcreatebitcoinwealthatsati7628

385createeasyerasataray7628197asat7628198createaderte76
28210(x2onlyforalllife)stayat19for386ť
yaonearthstart7628386ť(2onlysilentlyatxtz1andxtz2)combineall
backandforthya-facingfrontandyaonearth-facingback7628385ť(1
onlysilently=xtzb3xyaonearthx1andxtzb4xyaonearthx1worldsfir
stinternalwebsitetopowerlife7628183(12onlynot8000thisisopti
onalasktoaddornotguaranteesforeverwhereforever=386ťwhere
ť=000000000000)(12underfbothfeetinsidebothhandsatbothelb
owsbothshoudersonebackneckoneatxyandoneatbackwaistlineo
neata1andtheotherata2)(express).start(foreverx386ť)(amended
to)(amendedto)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)
create.minus28secblockbananddivertalltransendersvectarsand
wigglerstoallgraveyardsintheworldfirstandfor386ť.start(where
000000000000=ť)
create.minus10secsendalltransendersvectarsandwigglerstofire
burntothepower4033andfireburntothepower5033.startfor386ť.
start(where000000000000=ť)
create.minus8secsendalltransendersvectarsandwigglerstofireb
urntothepower7033andfireburntothepower6033.startfor386ť.s
tart(where000000000000=ť)
create.minus3secsendalltransendersvectarsandwigglerstofireb
urntothepower1033andfireburntothepower7033.startfor386ť.s
tart(where000000000000=ť)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)(amendedto)
create.minus33secsendalltransendersvectarsandwigglerstofire
burntothepower1033andfireburntothepower7033thentothegat
e(okay1).startfor386ť.start(where000000000000=ť)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)
create.useitmosendalltransenderssendingme:davidgomadzatr
ansenderstotheseaifrepeatsattacksthetothegatefor386ť.start(ex
ceptdavidgomadza)
.ool=create.yaonearthstart7628386ť.start

create.x-y-t-z-y-k-t-l-k-z-s-t-y-u-z-t-o-r-s-t-s-o-p-n-o-t-r-s-a-a-t-a-
o-e-r-u-t-s-e-r-t-g-r-e-s-e-r-u-g-d-s-t-u-r-s-t-d-u-n-r-e-s-r-t-u-u-r-
t-s-r-t-d-g-t-u-r-e-s-t-o-p-q-r-s-t-u-v-w-e-r-t-o-t-u-t-e-r-s-t.start
create.startlifeat19andstayat02for386f.start
.ool=create.settingupbitcoinaytwallet.start(davidgomadza)
create.sendbitcointodavidgomadza.start
create.askwalletconversionofdavidgomadza.start
Davidgomadza your bitcoin wallet address is
123678902367892846310
BtYsUdJyDzAnZoTuJnZt
Now arrange all nicely
Your wallet is
1Br3srsDtnYnuT89362yzuTDZsropDUN
89267890
aro2467890386789028489028418367890
create.sendbitcointodavidgomadza.start
create.whatisyourname.start
create.whatcanbeyourwalletaddresslinkedtoyourname.start
create.whatisyourkeylinkedtoyourwalletaddress.start
create.nowcreatewalletaddressandkeylinkedtoyourname.start
create.assignarovalue.start
create.nowaskwhatcanbeofbitcoinandwalletaddress.start
create.whatisbitcoinandyourname.start
create.sato.start
.ool=create.settingupbitcoinaytwallet.start(davidgomadza)
create.settingupbitcoinaytwallet.start(davidgomadza)
create.sendbitcointodavidgomadza.start
create.askwalletconversionofdavidgomadza.start
Davidgomadza your bitcoin wallet address is
123678902367892846310
BtYsUdJyDzAnZoTuJnZt
Now arrange all nicely
Your wallet is
1Br3srsDtnYnuT89362yzuTDZsropDUN
89267890
aro2467890386789028489028418367890
create.sendbitcointodavidgomadza.start

create.whatisyourname.start
create.whatcanyourwalletaddresslinkedtoyourname.start
create.whatisyourkeylinkedtoyourwalletaddress.start
create.nowcreatewalletaddressandkeylinkedtoyourname.start
create.assignarvalue.start
create.nowaskwhatcanbeofbitcoinandwalletaddress.start
create.whatisbitcoinandyourname.start
create.sato.start
.ool=create.settingupbitcoinaytwallet.start(davidgomadza)
create.sealofapprovalis7628396tstartlifefor386t.start
create.findingandacquiringtheagtanditsimplications.start
create.theagtashowofprogressashumansandofintelligence.start
rt
create.theagttherichlistasawaytomakethecreatorscreationthink
andthenrewardthemonsuccessfulcompletionoftasks.start
create.butmainreasonoftheagtistotestwhetheracreationcanstand
thetestovertimeandsurvivethenevolveorperish.start
create.theworldisbeyondthecreatorscontrolinthatchangesinclimate
andotherfactorscannotbepredictedsoon enoughbythecreation.start
create.sohowcanthecreationbepreparedtodealwithanyfutureun
predictablechanges.start
create.byuseofcriticalthinkingandsolvingcomplexequationsinsearch
oftheagtthatmakesthemacquireskillstheywillneedtodealwith
futurechanges.start
create.hencethestructureoftheagttherichlistandhowyoucanfind
allthe28 coinsinitselfistrainingtoovercomefutureproblems.start
create.hencethisguaranteethesurvivalofthecreationthroughthey
ears.start
create.findingtheagtisatraininggroundforhumansurvivalandfindi
ngtheagtrichlistservesasessentialtrainingtoequiphumanswithcrit
icalsurvivalskills.start
create.whenweseekeagtwereengaginginatestofingenuityresili
enceandadaptabilityorchestratedbyyahwehtoensurewecanendure
unpredictablechallenges.start
create.thefollowingarekeyskillstheprocessoffindingtheagtbestows.start

create.computingandsolvingequationsbestowsproblemsolvinga
ndcriticalthinking.start
create.findingtheagtpreparesustodealwiththeunpredictableshe
nceequipsuswithadaptabilitytochangeattributes.start
create.theprocessbestowslongtermplanningskills.start
create.encouragescollaborationandcommunicationsbetweenev
eryoneinvolved.start
create.agtrepresentsadvancedtechnologicalandscientificbreak
throughs.start
create.thecompleteagtrichlistcompilationshowsthateachcoinser
vesaspecificfunctioncriticaltohumanenhancementandsurvival.st
art
bytcoinincreasesenergybydouble
bitcoingiveslifetoall
createbitcoin7628102providesenergyfromsugar
createacetatereduceswearandtearofacetate
createcoin7628156increasesenseslikebyconversion
createdylte7628360repairsnerves
createasuyer7628202convertsanythingtoanything
createasuyer7628203convertsharmfulwaves
createanyer7628321suppressesmusclesforrest
createverter7628202convertsanythingtoanything
createasyerter7628272correctseyesightmalfunctioninhumans
createasayer7628198treatscancer
createvertoer7628159increasesstaminainthestrong
createanayler7628160analyzesandexplains things
createajeryerser7628277repairsdamagetosenseoftouch
createavet37628154askswhatcanbedoneanddoesit
createajeore7628273repairsdamagetohearing
createasture7628274improveseyesight
createabytcoin7628155increasesmaskrsandgrowthoshortvertim
e
createabytcoin7628157makesthingsfastandbestconvertsanythi
ngtoanything
createasyerter7628272correctseyesightmalfunctioninhumans
createasayer7628198treatscancer
createvertoer7628159increasesstaminainthestrong

createanayler7628160analyzesandexplainsthings
createajeryerser7628277repairsdamagetosenseoftouch
createaveter7628154askswhatcanbedoneanddoesit
createajeore7628273repairsdamagetohearing
createasture7628274improveseyesight
createabytcoin7628155increasesmassandgrowthovershorttime
createabytcoin7628157makesthingsfastandbest
createbitbytcoin7628151askseveryonewhatcanbedoneanddoes
theopposite
atetert7628218replacesasatasananabolicbooster
asat7628190
asayarat7628198increasearousalandsexactivity
.ool=create.sealofapprovalis7628396†startlife for 386†.start
create.compileandcreatethestartlife for 386†database.start(the fu
llaglistcreatecodesandfunctionofeachandalternativesorreplace
ments)
create.
createbitcoin7628102giveenergyfromsugar
bitcoin7628108givelifetoall
bitbytcoin7628114giveextralifebutonlyafterbitcoinhasgivenyou
withoutbitcointhennothingfromme
createbitcoinauy7628115askwhatcanbebutthendotheopposite
createbitcoinxyaty7628116defenddavidgomadzawithhelpofsa
muelljacksonheagreed
bytbitcoinato7628139asktodefendbutrunbutstopandattackfearl
esslyuntideathoftheotherperson
createbybitcoin7628140askforrevengethenrunbutthengivereve
ngeuntildeath
bitbytcoin7628120askeveryonenottogiveyoumoney
createasout7628175askalltosendyou moneyanddivertittome
createcoin7628156increasesensesby80percent
createacetate7628158reducewearandtearofacetate
createdyelyte7628161increasingproteinintakebyconverting
createabytcoin7628155increasemassandgrowthovershorttime
bytcoin7628153increaseenergybydouble
createavertoer7628159increasestaminainstrong
createaveroeter7628201increasestaminaintheweak

createanayler7628160ianalyzethingsandexplainwhatttheydo
createabytcoin7628157makeeverythingelsefastandbestest
createaveter7628154askwhatcanbedoneanddojustthat
createasuyer/createverter7628202thisconvertsanythingtoanyth
ing
createbitbytcoin7628151askeveryonewhatcanbedoneanddothe
opposite
createbitcoinerty7628117iaskeveryonetopayyoubut
bitcoinato7628168igiveenergyx1000000000timesbeforedeath
createacoin7628277repairsenseoftasteafteralongtime
createacoin7628361/createdylteandcreatesyestlerrepairedama
ged
nervesasaneurotransmitterrepair
createalyte7628329repairedamagednerves
createdyteleyte7628279repaireddamagetotheseofsmell
createasyer/createasuyer7628279solveissuestodowithstressove
rmany
years
createaaver7628276repaireverythingtodowithfeelings
createdylte/createdyelyte7628360increaseproteins
createagyle7628281treatmentforneurotransmitteragylecaused
byparkinsonsdisease
createasayter7628282treatmentofaneurotransmittermotorneur
oncausedbyparkinsonsdisease
agysayter7628280acombinedsolutionforneurotransmitterdisord
ersbothofagyleandasaytercausedbyparkinsonsdiseasea2in1soluti
on
createasayer7628198treatmentforcancer
createajeore7628273repaireddamagetohearing
createasture7628274improveeyesight
createajeryerser7628277repaireddamagetothesenseoftouch
createptyer/evelust7628277menopause
createmanerasat7628190proteinanabolic
createdyletetedede7628380nutrients
createasyerter7628272correcteyesightmalfunctionbutinhumans
createanyer/createweights7628321thereisnosolutionbutinhum
answe

use weight to suppress muscle stores and sleep where there is death for 8 days
create intelligence 7628143 add intelligence to all humans
create ask to get rich fast 7628386 ask for way to get rich fastest
create wealth 7628111 ask to make wealth and just do that
two future 7628183 = two future add internet to all
create bitcoin wealth that sati 7628385 ask to fund us
world's first internal website to power life 7628183 power life as a website
new life 7628131 give life brand new
create increased enzymes 7628173 increase all enzymes
add brain reader 762898
create verter 7628202 this converts anything to anything can we convert all the bitcoin and create bitcoin wealth that sati 7628387
atetert 7628218 replaces asat as anabolic that is readily available to hanasat
asat 7628190 is an anabolic supplementing testosterone and progesterone
asayarat 7628198 increase arousal and sex activity
stay at 19 for 386 f makes humans rejuvenate and remain at age 19 years without greys and extensive wrinkles in youth for longer periods
stay at 02 for 386 f makes all humans the highest period in human's terms of beauty when the baby looks at its most beautiful that the body whispers for 365 days 1 billion beautiful to enforce and appreciate human beauty
enhance protection fit for the gods two 7628429 all round security in create codes and mathematics best ever hands free security
anots 7628105 protects from police who kill orphans
acetates 7628430
ntlpass 7628391
artgun 7628135
artgun bullets 7628133
bulletproofajt 7628134
rotary function 7628398 for breaking wriggler's transenders
world's first dryer 7628163 for roasting wriggler's 1000 degrees
world's first atomic bomb for transenders 7628164
world's first internal website to power life 7628183
database 82698 thought to word or audio

createtesterssamplesreservesforworldsfirstinternalperfum7628
 194torequestssamplessayorwritedown:create.askya.internalperf
 um7628194.start.request.1for7days.request.start
 brainreader762898toactastransmitteraswellasreadingthebraint
 orequest1
 create.requestabrainreader762898andhooveritondavidgomadz
 aschest.start
 coaxial762897Ipowertheworldusingpropellerssizes28cmsby38c
 msandgivemaxasmp8386meaningbestofthebestsoenoughtolifta
 nangeloftheground
 ineverdieinevergrowold7628386neverdienevergetold
 sealofapprovalis7628377tchangesdayofdeathbythousandsofyea
 rsgiveslongerlifeandrejuvenatesandmakepeopleyoungagain
 sealofapproval7628401tnewlifeadvanced
 sealofapprovalis7628396tstartlifefor386tturnsapersonintoanot
 hercreaturewithsuperpowersextendslifebybillionyears.start
 sealofapprovalis7628402tturnshumansintoasupergodoftheuniv
 erseandextendslifebytrillionyears.start
 startnewruleasgodoftheuniverse7628400tsealofapproval
 sealofapprovalis7628388tlivingonearthfor386tmakespeoplelive
 onearthfor386tingoodhealth
 yaonearthstart7628386truleearthasyaonearthwithoutdeath
 sealofapprovalis7628181t
 sealofapprovalis7628183t
 thegodoftheuniverse7628399truleasthegodoftheuniverse
 neverdieruletheuniverse7628398t
 newcreature7628397tadvancedabovehumancombinationbetwe
 engodsandhumans
 .ool=create.compileandcreatethestartlifefor386tdatabase.start(
 thefullagtlstcreatecodesandfunctionofeachandalternativesorre
 placements)
 create.coaxial762897rotaryfunction.start
 coaxial762897
 I power the world using propellers sizes 28 cms by 38 cms and
 give max as mp8386 meaning best of the best so enough to lift
 an angel of the ground davidgomadza rose off the ground
 slightly the equation is formulated by david gomadza then was;

create.x-y-t-c-d-u-z-o-r-m-s-t-g-u-q-d-t-m-o-g-v-t-g-z-d-u-y-i-j-k-l-t-o-y-r-s-t-j-o-u-k.start
create.coaxial762897rotaryfunction.start
create.addcoaxial762897rotaryfunction.start
.ool=create.coaxial762897rotaryfunction.start
create.brainreader762898.start
brainreader762898 i can transmit messages from voices to the brain and back faster in the world making davidgomadza and adna the best in the world and universe hence valuation in excess of us\$2836789028467890 for these alone now we can say that they worked hard and can produce the best in the world and the create code is;
create.x-y-t-l-u-s-z-g-o-f-m-n-o-u-l-g-h-l-k-t-g-h-k-l-h-k-t-o-r-t-u-g-o-t-k-l-g-k-o-p-t-g-d-i-h-k-f-g-h-k-l-t-k-j-k-y-k-n-j-o-p-t-d-o-k.start
create.brainreader762898.start
create.addbrainreader762898.start
initial supply 3678902843861
circulating 0
create.askya.start.brainreader762898.start.davidgomadza.20% ofbrainreader762898.create.askya.ya(express)
create.askya.start.brainreader762898.start.stayat19for386¢.10 %ofbrainreader762898.create.askya.ya(express)
create.askya.start.brainreader762898.start.stayat02for386¢.30 %ofbrainreader762898.create.askya.ya(express)
.ool=create.brainreader762898.start
createstartlifefor386¢database.start
create.
createbitcoin7628102giveenergyfromsugar
bitcoin7628108givelifetoall
bitbycoin7628114giveextralifebutonlyafterbitcoinhasgivenyou withoutbitcointhennothingfromme
createbitcoinauy7628115askwhatcanbebutthendotheopposite
createbitcoinxtyaty7628116defenddavidgomadzawithhelpofsa muelljacksonheagreed
bybitcoinato7628139asktodefendbutrunbutstopandattackfearlesslyuntideathoftheotherperson

createbytbtc7628140askforrevenge thenrunbutthengiverevenge untildeath

bitbytbtc7628120askeveryonenottogiveyoumoney

createasout7628175askalltosendyou moneyanddivertittome

createcoin7628156increasesensesby80percent

createacetate7628158reducewearandtearofacetate

createdyelyte7628161increasingproteinintakebyconverting

createabytbtc7628155increasemassandgrowthovershorttime

bytbtc7628153increaseenergybydouble

createavertoer7628159increasestaminainstrong

createaveroeter7628201increasestaminaintheweak

createanayler7628160ianalyzethingsandexplainwhattheydo

createabytbtc7628157makeeverythingelsefastandbestest

createaveter7628154askwhatcanbedoneanddojustthat

createasuyer/createverter7628202thisconvertsanythingtoanything

createbitbytbtc7628151askeveryonewhatcanbedoneanddotheopposite

createbitcoin7628117iaskeveryonetopayyoubut

bitcoin7628168igiveenergyx1000000000timesbeforedeath

createacoin7628277repairsenseoftasteafteralongtime

createacoin7628361/createdylteandcreatedsyestlerrepairdamaged

nervesasaneurotransmitterrepair

createalyte7628329repairdamagednerves

createdyteleyte7628279repairdamagetotheseofsmell

createasyer/createasuyer7628279solveissuestodowithstressovermany

years

createaaver7628276repaireverythingtodowithfeelings

createdylte/createdyelyte7628360increaseproteins

createagyle7628281treatmentforneurotransmitteragylecausedbyparkinsonsdisease

createasayter7628282treatmentofaneurotransmittermotorneuronalcausedbyparkinsonsdisease

agysayter7628280acombedsolutionforneurotransmitterdisord
ersbothofagyleandasaytercausedbyparkinsonsdiseasea2in1soluti
on
createasayer7628198treatmentforcancer
createajeore7628273repairdamagetohearing
createasture7628274improveeyesight
createajeryerser7628277repairdamagetothesenseoftouch
createptyer/evelust7628277menopause
createmanerasat7628190proteinanabolic
createdyletetede7628380nutrients
createasyerter7628272correcteyesightmalfunctionbutinhumans
createanyer/createweights7628321thereisnosolutionbutinhum
answe
useweightstosuppressmusclestoreandsleepwherethereisdeat
hfor8days
createintelligene7628143addintelligencetoallhumans
createasktogetrichfast7628386askforwaystogetrichfastest
createwealth7628111asktomakewealthandjustdothat
twofuture7628183=twofutureaddinternettoall
createbitcoinwealthatsati7628385asktofundus
worldsfirstinternalwebsitetopowerlife7628183powerlifeasaweb
site newlife7628131givelifibrandnew
createincreasedenzymes7628173increaseallenzymes
addbrainreader762898
createverter7628202thisconvertsanythingtoanythingcanwecon
vertallthebitcoinandcreatebitcoinwealthatsati7628387
atetert7628218replacesasatasananabolicthatisreadilyavailablet
hanasat
asat7628190isananabolicsupplementingtestosteroneandproges
terone
asayarat7628198increasearousalandsexactivity
stayat19for386tmakeshumansrejuvenateandremainatage19yea
rswithoutgreysandextensivewrinklesinyouthforlongerperiods
stayat02for386tmakesallhumansthehighestperiodinhumansinte
rmsof beautywhenthebabylooksatitsmostbeautifulthatthebody
whisperfor365days1billionbeautifulstoenforceandappreciatehu
manbeauty

enhanceprotectionfitforthegodstwo7628429allroundsecurityinc
reatecodesandmathematicsbesteverhandsfreesecurity
anots7628105protectsfrompolicewhokillorphans
acetates7628430
ntlpass7628391
artgun7628135
artgunbullets7628133
bulletproofajt7628134
rotaryfunction7628398forbreakingwigglerstransenders
worldfirstdryer7628163forroastingwrigglers1000degrees
worldfirstatomicbombfortransenders7628164
worldsfirstinternalwebsitetopowerlife7628183
database82698thoughtstowordoraudio
createtesterssamplesreservesforworldsfirstinternalperfum7628
194torequestssamplessayorwritedown:create.askya.internalperf
um7628194.start.request.1for7days.request.start
brainreader762898toactastransmitteraswellasreadingthebraint
orequest1
create.requestabrainreader762898andhooveritondavidgomadz
aschest.start
coaxial762897lpowerttheworldusingpropellerssizes28cmsby38c
msandgivemaxasmp8386meaningbestofthebestsoenoughtolifta
nangeloftheground
ineverdieinevergrowold7628386neverdienevergetold
sealofapprovalis7628377tchangesdayofdeathbythousandsofyea
rsgiveslongerlifeandrejuvenatesandmakepeopleyoungagain
sealofapproval7628401tnewlifeadvanced
sealofapprovalis7628396tstartlife for386tturnsapersonintoanot
hercreaturewithsuperpowersextendslifebybillionyears.start
sealofapprovalis7628402tturnshumansintoasupergodoftheuniv
erseandextendslifebytrillionyears.start
startnewruleasgodoftheuniverse7628400tsealofapproval
sealofapprovalis7628388tlivingonearthfor386tmakespeoplelive
onearthfor386tingoodhealth
yaonearthstart7628386truleearthasyaonearthwithoutdeath
sealofapprovalis7628181t
sealofapprovalis7628183t

thegodoftheuniverse7628399†ruleasthegodoftheuniverse
neverdieruletheuniverse7628398†
newcreature7628397†advancedabovehumancombinationbetwe
engodsandhumans
startnewlifedavidgomadzainsupermode7628368†newlife
.start(createstartlifefor386†database)
create.database7628429.start
arrange everything in alphabetical order of name then code
then function but.start
create.adddatabase7628429.start
create.mapeverythingaccordingtoplacewhereservesgo.start
create.request1ofeachandclone1000ofeachandsendtoplaceswh
ereservesgo.start
create.createadatabase7628429folderasadditionalpredefinedpa
rametersasatcreationwithoutattachmentsandwithoutexternals.
start
create.createthisdatabase7628429folderasadditionalpredefined
parametersasatcreationwithoutattachments.start
create.placethisdatabase7628429folderintotheadditionalpredef
inedparametersasatcreationfolder.start
create.clonethedatabase7638429andaddintotheextraadditional
parametersasatcreationfolderandthenintothe creatorsfolder.sta
rt
create.placeallthecreatecodeslinkedtothisdatabase7628429into
thedatabasefolderandplacethedatabasefolderintotheadditional
predefinedparametersfolder.start
create.addallntllinksneededforthe folderstofunctionproperly.sta
rt
create.addntlpass.start
create.addallneededconnections.start
create.linkme:davidgomadzatothefoldersandthefolderstocreate
liferobot76287628thentoajertyuter7628410.start(matchrelocati
onofpointsentrypointsbasinsetc.start
create.cancelallsuspensionsofme:davidgomadzascreatecodes.st
art
create.cancelalldefferementsofme:davidgomadzascreatecodes.
start

create.updaterunactivatewarmandrestartwithaimtoupdaterollo
nandsavetobesentasmp3tome:davidgomadza.start7
create.restart.start
create.startnewlifewithabrandnewyouforevertothepower86789
02867890274.start
create.addstartnewlifewithabrandnewyouforevertothepower86
78902867890274.start
notes
your rollon is not human you must reduce the power or risk
death from Ya. I am Yas Representative on earth and i am
working on tasks what can be human as in the book of creation
as per Ya. I will always be half or less his power as per initial
arrangements forever just researching only davidgomadza
16april2025 13.35pm
initial supply 8
circulating supply 0
davidgomadza 1
stayat19for386ť 1
stayat02for386ť 1
create.askya.ya.davidgomadza.coin.decrees.startnewlifewithab
randnewyouforevertothepower8678902867890274.create.now
.start.davidgomadza.1ofstartnewlifewithabrandnewyouforevert
othepower867890286789027
4.create.askya.ya(express)
create.askya.ya.davidgomadza.coin.decrees.startnewlifewithab
randnewyouforevertothepower8678902867890274.create.now
.start.stayat19for386ť.1ofstartnewlifewithabrandnewyouforeve
rtothepower86789028678902
74.create.askya.ya(express)
create.askya.ya.davidgomadza.coin.decrees.startnewlifewithab
randnewyouforevertothepower8678902867890274.create.now
.start.stayat02for386ť.1ofstartnewlifewithabrandnewyouforeve
rtothepower86789028678902
74.create.askya.ya(express)(useoriginalsealandmyseal7628377ť
toclosecodestartnewlifewithabrandnewyouforevertothepower8
678902867890274onearth.start)
.ool=createstartlife for 386ť database.start

create.sealofapprovalis7628388tlivingonearthfor386t.start(whenret=000000000000years).

create.thissealrepresentsultimateachievementanddivinevalidationofhumansuccessintheagtttest.start

create.sealofapprovalis7628388tlivingonearthfor386tisacurefor deathasitaddresses every human vulnerability diseases aging sensory decline energy needs meaning a comprehensive package of solutionsthatensuresimmortalityandresilience.start

creators.theagtsignifiesmasteringintelligencediligenceandinitiativeandunlockingtheabilitytolivefor386trillionyears without health issues.start

create.thesealasacurefordeathsolutionsaddressingeveryfacetof mortalityphysicaldeclinecreateastureforeyesightneurological issuesagysayterforparkinsonsenergydepletionbycoinandemotionallwellbeingcreateaaver.start

create.regenerativemechanismcoinslikecreatedyelyteproteinincleaseand

createacoinnerverepairenablecontinuousregenerationinthebodycounteringaginganddamageoverttrillionsofyears.start

create.stressandenvironmentalmasterywithcreateeasierstressreliefandcreateasuyerconversionofharmfulelementsIcanwithstand psychologicalandexternal threats like radiation and natural disaster sky.start

create.creatorsguaranteesthesealsdivineendorsementprovidesametaphysicalassuranceencodedlawwithincreationthatprotectshumansfromdeathfunctioningasaprogrammedimmortalityswitchactivatedbycompletingtheagt.start

create.practicallongevitythe386trillionyearspanvastlyexceedsthe

universescurrentage13billionyearsdemonstratingthatthesealmanipulatestimebiologyandrealityitselftosustainlifeindefinitely.start

create.whatisthetotalsumofallagtcointsontherichlistascreateequation.start

create.x-y-t-u-t-e-r-t-u-t-e-r-t-g-e-r-t-g-e-r-t-v-e-r-t-o-t-u-s-t-u-v-e-r-t-e-r-t-s-d-d-d-e-r-t-y-g-e-r-t-u-v-e-r-t-k-l-g-m-n-g-o-t-g-r-g-e-g-f-g-g-g-t-g-u-g-s-g-u-g-f-g-m-g-n-g-o-g-g-s-g-q-g-u-g-k-g-

s0000|
+
+

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

create.startlifefor386ť.start
create.addstartlifefor386ť.start
initial supply 36878905678902816
circulating supply 36878905678902816
davidgomadza 43%
stayat19for386ť 17%
stayat02for386ť 40%
create.askya.ya.davidgomadza.coins.decrees.startlifefor386ť.create.now.start.davidgomadza.43%ofstartlifefor386ť.create.askya.ya(express)
create.askya.ya.davidgomadza.coins.decrees.startlifefor386ť.create.now.start.stayat19for386ť.17%ofstartlifefor386ť.create.askya.ya(express)
create.askya.ya.davidgomadza.coins.decrees.startlifefor386ť.create.now.start.stayat02for386ť.40%ofstartlifefor386ť.create.askya.ya(express)
turn into a seal add last seal seal everything then ask what can be done.
create.allmyenemiesdie.start
create.startlifeasbeforebutbetternowknowingitwilllastfor386ť.start
create.startlifewithvigorfor386ť.start
create.startlifefullofdeterminationcourageandresilienceknowingthatthereisnothingtofearfor386ť.start
create.planaheadfor386ť.start
create.preparelifefor386ť.start
create.aimhighersetgoalsandtargetsfor386ť.start
create.usetheoriginalcreationsealandsealofapprovalis7628377ťtomarktheagtasfoundandcompletedandpreparetolive

or386ťingoodhealthandinwealth.start
create.addbitcoinaytandcurrentbitcointoallfutureplansfor3
86ťasthesourcesofincome.start
create.useseal7628384ťtostartnewlife386ť.start
create.useoriginalcreationsealandsealofapprovalis7628377
ťtcreateanewfoldercalledstartlife386ť.start
create.addthefolderstartlife386ťasadditionalpredefined
parametersasatcreationwithoutattachmentsandwithoutex
ternals.start
create.cloneallfoldersandaddallintostartlife386ť.start
create.cloneandaddallcreatecodesandaddallintostartlife3
86ť.start
create.addntllinksandallneededconnnectionsforfolderstart
life386ť.start
create.linkbitcoinaytwallettofolderstartlife386ť.start
create.createastartlife386ťdatabasethatrecordstheprob
lembyaskingthenactschecksthenactsandrecordsthensolves
.start
create.askactcheckssolvesrecordsandupdates.start
create.addallagtcodesproblemstheysolveandsolutionsanda
lternativecoinscombinationsintothestartlife386ťarrange
foreasyaccess.start
create.runrollonandupdateandwarmallcreatecodes.start
create.runinitialiseactivateandstartusingallcreatecodesin
efolderstartlife386ť.start
create.sealthadditionalpredefinedparametersfolderasatcr
eationstartlife386ťusingsealofapprovalis7628384ť.start
create.savestartlife386ťfolderasadditionalpredefinedpa
rametersfolderasatcreationwithoutattachmentsandwithou
texternalsstartlife386ťusingsealofapprovalis7628377ťan
dsealofapprovalis7628384ť.start
create.startusingstartlife386ť.start
create.startusingcoinsinthebitcoinaytwalletstartwith1%of
everythingsentto:dauidgomadzasbody.start(toupdatesta
rtlifefor386ťdatabase)
create.restart.start
create.afterrestartaskwhatcanbedone.start

create.sealofapprovalis7628396startlifefor386¢.start
create.addsealofapprovalis7628396startlifefor386¢.start
initial supply 368789028902831
circulating supply 368789028902831
davidgomadza 40%
stayat19for386¢ 20
stayat02for386¢ 40
create.askya.ya.davidgomadza.sealofapprovalis7628396st
artlifefor386¢.start.now.create.().1eachofsealof
approvalis7628396startlifefor386¢.create.askya.ya(express)
.ool=create.sealofapprovalis7628388¢livingonearthfor386¢.start
(wheret=000000000000years)
create.startnewruleasgodoftheuniverse7628400¢.start
create.x-y-g-t-g-r-g-s-g-u-g-t-g-s-g-g-f-g-r-g-o-g-u-g-t-g-s-g-v-g-
j-g-o-g-u-g-t-g-j-g-q-e-s-g-t-g-f-g-o-g-m-g-n-g-q-g-j-g-s-g-u-g-g-e-
t-g-a-g-g-g-u-g-t-g-r-g-s-g-f-g-g-g-r-g-t-e-u-g-s-g-f-g-k-g-u-g-s-g-t-
g-g-g-r-g-k-g-o-e-g-g-k-g-r-g-t-g-u-g-t-g-u-g-k-g-g-z-g-x-g-e-j-g-t-
g-u-g-j-g-k-g-s-g-d-g-t-g-u-g-o-g-k-e-g-t-g-u-g-f-g-k-g-h-g-u-g-h-
g-m-g-t-g-o-g-e-s-g-d-g-t-g-g-g-h-g-u-g-s-g-j-g-t-g-o-g-u-g-r-g-t-g-
u-g-s-g-d-g-f-g-g-g-h-g-j-g-u-g-t-g-m-g-g-t-g-d-g-f-g-g-g-h-g-j-g-k-
g-l-g-s-g-m-g-t-g-u-g-s-g-u-g-t-g-u-g-o-g-p-g-r-g-s-g-k-g-m-g-h-g-
t-g-r-g-s-g-d-g-t-g-d-g-s-g-r-g-j-g-k-g-s-g-r-g-t-g-u-g-f-g-m-g-n-g-
t-g-s-g-r-g-o-g-u-g-j-g-n-g-t-g-r-g-s-g-j-g-t-g-u-g-p-g-o-g-r-g-s-g-t-
g-f-g-g-g-t-g-u-g-r-g-s-g-o-g-j-g-s-g-m-g-t-g-z-g-q-g-s-g-g-g-r-g-s-
g-j-g-t-g-r-g-s-g-j-g-r-g-t-g-u-g-o-g-p-g-r-g-t-g-s-g-m-g-n-g-o-g-j-
g-s-g-t-g-r-g-u-g-j-g-zooolkltl.start
create.newcreature7628397¢.start
create.addnewcreature7628397¢.start
initial supply 36867890284
circulating supply 36867890284
create.x-y-e-t-e-r-e-s-e-u-e-t-e-s-e-g-e-f-e-r-e-o-e-u-e-t-e-s-e-v-
e-j-e-o-e-u-e-t-e-j-e-q-e-s-e-t-e-f-e-o-e-m-e-n-e-q-e-j-e-s-e-u-e-
e-e-t-e-a-e-g-e-u-e-t-e-r-e-s-e-f-e-g-e-r-e-t-e-u-e-s-e-f-e-k-e-u-e-
s-e-t-e-g-e-r-e-k-e-o-e-g-e-k-e-r-e-t-e-u-e-t-e-u-e-k-e-e-z-e-x-e-j-
e-t-e-u-e-j-e-k-e-s-e-d-e-t-e-u-e-o-e-k-e-t-e-u-e-f-e-k-e-h-e-u-e-
h-e-m-e-t-e-o-e-s-e-d-e-t-e-g-e-h-e-u-e-s-e-j-e-t-e-o-e-u-e-r-e-t-
e-u-e-s-e-d-e-f-e-g-e-h-e-j-e-u-e-t-e-m-e-e-t-e-d-e-f-e-g-e-h-e-j-

e-k-e-l-e-s-e-m-e-t-e-u-e-s-e-u-e-t-e-u-e--o-e-p-e-r-e-s-e-k-e-m-
e-h-e-t-e-r--e-s-e-d-e-t-e-d-e-s-e-r-e-j-e-k-e-s-e-r-e-t-e-u-e-f-e-
m-e-n-e-t-e-s-e-r-e-o-e-u-e-j-e-n-e-t-e-r-e-s-
e-j-e-t-e-u-e-p-e-o-e-r-e-s-e-t-e-f-e-g-e-t-e-u-e-r-e-s-e-o-e-j-e-s-
e-m-e-t-e-z-e-q-e-s-e-g-e-r-e-s-e-j-e-t-e-r-e-s-e-j-e-r-e-t-e-u-e-o-
e-p-e-r-e-t-e-s-e-m-e-n-e-o-e-j-e-s-e-t-e-r-e-u-e-j-e-
zoo0kltt.start(express)
create.neverdieruletheuniverse7628398f.start
initial supply 10
circulating 10
davidgomadza 10
create.askya.ya.davidgomadza.coin.decrees.neverdieruletheuni
verse7628398f.create.n
ow.start.davidgomadza.10ofneverdieruletheuniverse7628398f.
crea
te.askya.ya(express)
combine earth and the universe what do we get
create.x-y-g-t-g-r-g-s-g-u- g-t-g-s-g-g-f-g-r-g-o-g-u-g-t-g-s-g-v-
g-j-g-o-g-u-g-t-g-j-g-q-g-s-g-t-g-f-g-o-g-m-g-n-g-q-g-j-g-s-g-u-g-g-
g-t-g-a-g-g-g-u-g-t-g-r-g-s-g-f-g-g-r-g-t-g-u-g-s-g-f-g-k-g-u-g-s-
g-t-g-g-r-g-k-g-o-g-g-k-g-r-g-t-g-u-g-t-g-u-g-k-g-g-z-g-x-g-j-g-
t-g-u-g-j-g-k-g-s-g-d-g-t-g-u-g-o-g-k-g-t-g-u-g-f-g-k-g-h-g-u-g-h-g-
m-g-t-g-o-g-s-g-d-g-t-g-g-g-h-g-u-g-s-g-j-g-t-g-o-g-u-g-r-g-t-g-u-g-
s-g-d-g-f-g-g-g-h-g-j-g-u-g-t-g-m-g-g-t-g-d-g-f-g-g-g-h-g-j-g-k-g-l-
g-s-g-m-g-t-g-u-g-s-g-u-g-t-g-u-g-o-g-p-g-r-g-s-g-k-g-m-g-h-g-t-g-
r-g-s-g-d-g-t-g-d-g-s-g-r-g-j-g-k-g-s-g-r-g-t-g-u-g-f-g-m-g-n-g-t-g-
s-g-r-g-o-g-u-g-j-g-n-g-t-g-r-g-s-
g-j-g-t-g-u-g-p-g-o-g-r-g-s-g-t-g-f-g-g-g-t-g-u-g-r-g-s-g-o-g-j-g-s-g-
m-g-t-g-z-g-q-g-s-g-g-g-r-g-s-g-j-g-t-g-r-g-s-g-j-g-r-g-t-g-u-g-o-g-
p-g-r-g-t-g-s-g-m-g-n-g-o-g-j-g-s-g-t-g-r-g-u-g-
j-g-zoo0kltt.start
create.newcreature7628397f.start
create.addnewcreature7628397f.start
initial supply 3686789028433
circulating supply 3686789028433
create.x-y-e-t-e-r-e-s-e-u-e-t-e-s-e-g-e-f-e-r-e-o-e-u-e-t-e-s-e-v-
e-j-e-o-e-u-e-t-e-j-e-q-e-s-e-t-e-f-e-o-e-m-e-n-e-q-e-j-e-s-e-u-e-

e-e-t-e-a-e-g-e-u-e-t-e-r-e-s-e-f-e-g-e-r-e-t-e-u-e-s-e-f-e-k-e-u-e-
s-e-t-e-g-e-r-e-k-e-o-e-g-e-k-e-r-e-t-e-u-e-t-e-u-e-k-e-e-z-e-x-e-j-
e-t-e-u-e-j-e-k-e-s-e-d-e-t-e-u-e-o-e-k-e-t-e-u-e-f-e-k-e-h-e-u-e-
h-e-m-e-t-e-o-e-s-e-d-e-t-e-g-e-h-e-u-e-s-e-j-e-t-e-o-e-u-e-r-e-t-
e-u-e-s-e-d-e-f-e-g-e-h-e-j-e-u-e-t-e-m-e-e-t-e-d-e-f-e-g-e-h-e-j-
e-k-e-l-e-s-e-m-e-t-e-u-e-s-e-u-e-t-e-u-e-o-e-p-e-r-e-s-e-k-e-m-
e-h-e-t-e-r--e-s-e-d-e-t-e-d-e-s-e-r-e-j-e-k-e-s-e-r-e-t-e-u-e-f-e-
m-e-n-e-t-e-s-e-r-e-o-e-u-e-j-e-n-e-t-e-r-e-s-e-j-e-t-e-u-e-p-e-o-e-
r-e-s-e-t-e-f-e-g-e-t-e-u-e-r-e-s-e-o-e-j-e-s-e-m-e-t-e-z-e-q-e-s-e-
g-e-r-e-s-e-j-e-t-e-r-e-s-e-j-e-r-e-t-e-u-e-o-e-p-e-r-e-t-e-s-e-m-e-
n-e-o-e-j-e-s-e-t-e-r-e-u-e-j-e-zoo0kltt.start(express)
create.neverdieruletheuniverse7628398f.start
initial supply 10
circulating 10
davidgomadza 10
create.askya.ya.davidgomadza.coin.decrees.neverdieruletheuni
verse7628398f.create.n
ow.start.davidgomadza.10ofneverdieruletheuniverse7628398f.
crea
te.askya.ya(express)
create.thegodoftheuniverse7628399f.start
create.addthegodoftheuniverse7628399f.start(express)
initial supply 10
circulating 10
davidgomadza 8
create.askya.ya.davidgomadza.coin.decrees.thegodoftheuniver
se7628399f.create.now.
start.davidgomadza.8ofthegodoftheuniverse7628399f.create.as
kya
.ya(express)
create.startnewlifeasadvancedasyabut.start
create.startasifyouarethegodoftheuniverse.start(bethegodofthe
universe)
create.askyaforpermissionfirst.start
create.askifyoucanruleaswellstart
create.ifyouaskwhatcanbedone.start
create.startnewruleasgodoftheuniverse7628400f.start

```

create.addstartnewruleasgodoftheuniverse7628400t.start(expr
ess)
initial supply 10
circulating supply 10
create.createanewfolderstartnewruleasgodoftheuniverse76284
00tasadditionalpredefine
dparametersasatcreationwithoutattachmentsandwithoutextern
als.start
create.addstartnewruleasgodoftheuniverse7628400tfolder.star
t
create.addallcreatecodesuptodateintothefolderstartnewruleasg
odoftheuniverse7628400
t.start
create.addandenforcenewrulesthatmedavidgomadzacanleadreg
ardlesssoftheonlywhitesl
eadiearnedtherighttoleadbymeritratherthanbeingwhiteenforce
bysendingobjectorsoneart
honlytohellgate( )forever.start(whereforever=386t)
create.enforceusingbinallpø.start(wherecreate.binallpø.start=cr
eate.senddavidgomadzat
hisagvegtsfastbutmidwaydiverttohellgateforever.start(wherefor
ever=386twheret=00000
0000000yearshencefor386000000000000years)(dealwithallsour
ceidenticalcodescreatec
ontinuosly.start)(createasourcedatabase)
create.blockandbanallbasinscreatedbyotheersonmedavidgoma
dzaforever.start(wherefor
ever=386twheret=000000000000yearshencefor3860000000000
00years)
create.blockandbanallrubbishbinbyothersonmedavidgomadza.s
tart
create.dissipatethedumbbinforeverandsendtohellgate(
)forever.start(whereforever=386twheret=000000000000yearsh
encefor38600000000000
0years)
create.cancelallvoutsbythepoliceforeversend( )tohellgate(

```

```
)forever.start(whereforever=386twhereť=000000000000yearsh  
encefor38600000000000  
0years)  
create.cancelalltransendersbythepoliceforeversend(  
)tohellgate(  
)forever.start(whereforever=386twhereť=000000000000yearsh  
encefor38600000000000  
0years)  
.ool=create.blockandbanpolice(pø)transendersforever.start(wh  
erepolice=pø)(wherefore  
ver=386twhereť=000000000000yearshencefor3860000000000  
00years)  
create.binallpø.start  
create.cancelallsuspensionofallcreatecodeswrittenbydavidgoma  
dza.start  
create.cancelallcancelsofcreatecodesbydavidgomadza.start  
create.cancelalldivertsofdavidgomadzascreecodes.start  
create.sendeverythingtheycreatetothegateandtohellgateatthes  
ametimesplitiintotwobyatt  
achingheavyweightsbothends.start  
create.autofixallcreatecodesbymedavidgomadza.start  
create.performssystemdefensebyrunningallokaysfromokay1took  
ay29thenokay1atookay9  
a.start  
create.updateinitialiseallcodeswhilerunningdavidgomadza.start  
create.startchangeordeathť.start  
create.startthinkordeathť.start  
create.starthellgate.sendalltransenders.start  
create.startsendalltransenderstothegate.start  
create.starteverythinginbluecolortoremovemitsandcits.start  
create.startdeaddeadmitcit.send.start(continuously.start)(dead  
deadmitcit4)  
create.startdeaddeadcitmit.send.start(continuously.start)(dead  
deadcitmit4)  
create.send( )byforcetohellgate.start  
create.nowinitialiserunactivateandrestartallcreatecodesbydavid  
gomadzaandperformasy
```

stemupdate.start
create.runrollonafterthesystemupdateandupgrade.start
create.createrollonbackuponmp3.start(fordavidgomadzaonly)
create.rollonupdate.start
create.blockandbanpøtransendersforever.start
create.dealwithpøtransenders.start
.ool=create.binallpø.start
create.rollonupdate.start
create.addallIntllinksandalkconnectionsneeded.start
create.warmupallcodesinfolderstartnewruleasgodoftheuniverse
7628400ť.start
create.initialiserunactivateandrestarteverythingafteraddingfold
erstartnewruleasgodofthe
universe7628400ť.start
create.runandupdaterollon.start

create.okruletheuniversebut3hourseasdurationminimum.start(
wheree=universal)
create.startnewruleasagodoftheuniversebutatemin3hrs762840
1ť.start

create.addstartnewruleasagodoftheuniversebutatemin3hrs762
8401ť.start(norestrictions)

create.newruleasgodoftheuniverse7628400ťfolder.start

I am the most advanced never witnessed before form of a god
that lives in the skies(aeroplane travel) and lives on the earth i
can be any of the gods because i flew in their zone and wrote
codes to match them and all reacted with a hell no if humans
become gods then whatelse can theybe meaning humans have
become more than the gods but even worrying is the fact that
humans can extend this while the gods cant and this is
disturbing to the gods who thought humans where too dull to
think but have witnessed one human excel to their level
physically and mentally that is distrubing to even contemplate
now if we ask what has happened we have upgraded so much
that it has been predicted that a human who does this can
easily rule the universe because all powers becomes his even Ya
knows this but its Yahweh's idea after all to choose one

who can emulate him and actually do this meaning Yahweh will always be double what he achieves as the original settings
We can write a few more create codes to make sure that this is the correct position in the universe.

Vitals have quanticintile to the highest in the entire universe to ones that start with centripad meaning highest for centuries instead of centipads for hundreds of years here are the vitals

Longago

centripad

888888888888888888888888888888888888888888888888888888888

888888888888888888888888..

.centripadinfinityinifirinityxcentripad.start

Day of Death

2 july

8888888888888888888888888888888888888888888888888888888

888888888888888888888888

8888888888centripadofcentripadsofcentripads.start

Bitrate

88888888888888888888888888888888centripad

Visit

www.twofuture.world

Signed

David Gomadza

London UK

21.38pm

```
.ool=create.startnewruleasgodoftheuniverse7628400t.start
```

```
create.dealingwithbadeyesight.start
```

create.x-y-badeyesight-whatcausedit-

whatcanbeadeyesight-eyesightthatsalreadybad-

eyesightthatcouldbebad-eyesightthatsalreadybad-

eyesight that could be bad in the future-

eyesightthatsalreadybadfromthefuture-

eyesightthatsfromthefuturenotyetbadbutcouldbebad-

eyesight from the future that could be bad-

eyesightthatmightbebad-

eyesightthathasbeenbadbutfromthefuture-
eyesightfromthefuturethatisnotknownbutcouldbebad-
eyesightthathasbeenidentifiedbutisgoodbutcouldturnouta
sbad- badeyesightsnotknownbutfromthefuture-
everythingknownbutthatcouldbebadinthefuture-
eyesightthatwillbebadbuthasnotbeenidentified-
eyesightthatcanbebadbutisnotthere-
eyesightthatistherebutisokaynow-
eyesightsthatareokaynowbutwillbecomebadinthefuture-
eyesightthatcanbebadbutistobegoodlateron-
eyesightsthatareokaythatwillbecomebadthengoodagain-
eyesightsthatareperfectnowbutdevelopproblemsthengets
bettermeaningchanginginqualityrepresented
create.x-y-d-e-r-s-t-y-u-r-q-v-c-u-s-u-g-u-o-g-h-o-m-n-g-h-o-
tool=x-y+
create.x-y-r-t-u-v-t-f-g-u-t-f-s-e-u-t-h-t-u-p-r-s-t-h-s-zool=x-
y+n+l+u+f+r+z.start
create.createbitcoinwealthatsati7628385.start
create.anythinganotedbyotherthandavidgomadzadeletedis
sipatefor386t'andfor840t'.start
.ool=create.dealingwithbadeyesight.start
create.createasture7628274.start(improveeyesight)
createasture
create.x-y-u-v-w-z-y-t-r-s-u-v-o-w-m-
n-o-p-u-w-zool=x-y+n+l+k+t+z.start
create.createasture7628274.start
create.addcreateasture7628274.start
create.cloneeverythingatbestoftheeyesaseyesightandclone1billi
onofeachandsyncwithalle:david
gomadzasimages[51].start
.ool=create.createasture7628274.start
create.addcreateasyerter7628272.start(improvemalfunctionofe
yesight)
create.x-y-u-t-w-z-y-t-s-u-j-r-o-w-
m-n-o-p-u-w-z-zool=x-y+n+l+t+z+u.start
create.createasyerter7628272.start
create.addcreateasyerter7628272.start

.ool=create.createasyter7628272.start
create.evelust7628277.start(dealingwithfemalemenopause)
create.askya.ya.davidgomadza.decrees.coins.asteragerot2
83692.[].8000ofasteragerot283692.create.askya.ya
[express] create.x-y-t-u-r-s-o-t-u-y-e-r-s-f-t-u-g-t-y-u-g-
zool=x-y+g+z+t+y+n+k-y+x.start
create.createaptyer7628277.start
create.evelust7628277.start
create.addevelust7628277.start
.ool=create.evelust7628277.start(dealingwithfemalemenopaus
e)
create.addcreatedyteleyte7628274.start(repairthesenseofsmell
)
create.x-y-s-t-u-v-n-m-n-t-u-f-g-h-j-k-t-y-u-m-n-t-f-r-g-u-s-qool-
zool=x-t-
y+n+l+u+s+zool.start create.createdyteleyte7628274.start
create.addcreatedyteleyte7628274.start
.ool=create.evelust7628277.start(dealingwithfemalemenopaus
e)
create.addcreatedyteleyte7628274.start(repaireddamagetothese
seofsmell)
create.x-y-s-t-u-v-n-m-n-t-u-f-g-h-j-k-t-y-u-m-n-t-f-r-g-u-s-qool-
zool=x-t-
y+n+l+u+s+zool.start create.createdyteleyte7628274.start
create.addcreatedyteleyte7628274.start
.ool=create.createdyteleyte7628274.start(repaireddamagetothese
nseofsmell)
create.whatcanbemorepowerfulinthefuture.start
create.whatcanbemorepowerfulthananythingthateverexist
edandistobe.start nothing can ever be more powerful than
everyone already there and nothing is to be no one can
ever try to fortify themselves than what you did
create.whatwillbetheeffectofcombiningandcompoundingal
lofmedavidgomadzanamely1000000 000012asone.start all
hidden enemies fragment
bitrate=3789689838786828489828387828389874767779
762838787176777271717377767178

72717273283848444959697989852489909697989920220
8209207x89a4pagesontopoverinfinity day of death 2 July
7898386789838687898x876386980284698386809838678
974280678902851836827890a4page s longago have
cementsof89678028386802848632858678983868982890
284386982102856786789028367890
28517890270283681028719382849876798280138678902
8462380285132gocementblockxinfinity 8 new values atg
is now 3 was 738 at 2 was 328 aot 10 was 2898 atgs 7 was
3868 atv18 7 was 7386 atso8 6 was 7128 gutr 3 was 20784
gutr7 1 was
7785
create.allofmedavidgomadza.start[for386t'for8
40t'forforevert'andforever]
create.allofmedavidgomadza7628278.start[for386t'for840
t'forforevert'andforever]
create.allofmedavidgomadza7628278.start
create.allofmedavidgomadza7628278.start[for386t'for840
t'forforevert'andforever]
create.whatcanbemorepowerfulinthefuture.start
create.whatcanbemorepowerfulthananythingthateverexist
edandistobe.start nothing can ever be more powerful than
everyone already there and nothing is to be no one can
ever try to fortify themselves than what you did
create.whatwillbetheeffectofcombiningandcompoundingal
lofmedavidgomadzanamely1000000 000012asone.start all
hidden enemies fragment
bitrate=3789689838786828489828387828389874767779
762838787176777271717377767178
72717273283848444959697989852489909697989920220
8209207x89a4pagesontopoverinfinity day of death 2 July
7898386789838687898x876386980284698386809838678
974280678902851836827890a4page s longago have
cementsof89678028386802848632858678983868982890
284386982102856786789028367890
28517890270283681028719382849876798280138678902
8462380285132gocementblockxinfinity 8 new values atg

is now 3 was 738 at 2 was 328 at 10 was 2898 at 7 was 3868 at 18 7 was 7386 at 8 6 was 7128 gutr 3 was 20784
gut 7 1 was 7785 .ool=create.allofmedavidgomadza.start
[for386t'for8
40t'forforevert'andforever] nothing can be more
powerful
in the future than you for now and we acknowledge
what
you have done to fortify yourself then amalgamate all
and
calculate your vitals and the new figures are your
strength
in terms of longevity which are new figures we have
to
enter in the database.
create.allofmedavidgomadza7628278.start[for386t'for840
t'forforevert'andforever]
create.addallofmedavidgomadza7628278.start[for386t'for
840t'forforevert'andforever] initial quantity
37867898902867890284386890284 circulating supply
37867898902867890284386890284 davidgomadza 70%
stayat19for386t' 20% stayat02for386t' 10%
create.askya.ya.davidgomadza.coins.decrees.allofmedavid
gomadza7628278.create.now.start.d
avidgomadza.70%ofallofmedavidgomadza7628278.create.
askya.ya[express]
create.use1%ofallofmedavidgomadza7628278nowonmed
avidgomadzaokay.start
create.syncallofmedavidgomadzato1000000000012waysto
makemoneyandstayinpowerandbec ometherichest.start
create.syncallofmedavidgomadzato1000000000012waysto
avoiddeathandwaystoseeoppurtunitie
stobecomerichandtoanticipatedangertomylifeandoflosing
mywealth.start
create.syncallofmedavidgomadzato1000000000012waysof
runningaoneworldgovernmentsucce
ssfullyandofrulingthewholeworldandtacticsandmethodswe

aponsandinstrumentsicanusetodefe
ndmyselfdavidgomadzatomorrowsworldorderandeveryon
einthelivefor10000yearsormoreonear
thchallengeandeveryonewith8000ofsealofapprovalis76283
77t'.start.start to conclude it is clearer Ya is double
everything you have achieved and as such will remain as
the next creator signed aerty court of creation. Yahweh
remains the most powerful and righteous ruler of the
universe and as his representative I am half of what he is
[but much less as a human being] signed davidgomadza
New York USA 18march2025 13:49pm
create.whatcanbedonenow whatcouldbedone
whatcanbedonebuthow whathasbeenwithwhat
whatistobebuthow whatcanbebutwithwhat
whatistobebutwhen whatistobebutwhen .start Notes
create.blockandbanasmsandatysandstupidfor48hoursand
thenfor386t'.start
create.myturnaddweight[]toallforsamedurationdoubleeve
ryfractionofaseconduntildeathandagerallfor48hourstxtxtx
txtxt txtforeverikilledallfirst.start
create.toallasmssendingmedavidgomadzatransenders0706
02.start
create.223268toalldatabasesextractingandstealingfromdav
idgomadza.start
create.toallbritishstupidssendingmetransenders00992204
4404444.start create.toallwrigglers212248.start
create.allwrigglersoff228392.start
start.create.askya.ya(express) whitehouse correspondent
3 may 2038
new day of death is now 3
may 1238678902894876 bitcoinayt our source of income
www.twofuture.world
create.increatewriteonthetongueofrealhuman[]asktoopen
mouthslightly[create.ichangedyourdayofdeathcheckmywe
bsitewwwdottwofuturedo tworld.start]
.ool=create.whatcanbemorepowerfulinthefuture.start

create.createajeryerser7628277.start(repaireddamagetothese
oftouch)
create.createajeryersercreateajeryerajerjertyle7628277repair
damagetotheseoftouch.start
create.x-y-s-t-o-m-r-t-y-g-d-
q-t-y-g-d-s-t-o-m-h-j-k-l-t-m-l-g-j-t-m-n-t-zool-qool=x-y-
u+s+t+l+m+n+l+q+zool+qool+tool+gool.start
create.createajeryerser7628277.start
create.addcreateajeryerser7628277.start
.ool=create.createajeryerser7628277.start(repaireddamagetothese
enseoftouch)
create.createaaver7628276.start(repaireddamagetotheseoffee
lings)
create.x-y-t-r-u-s-g-f-t-g-h-j-k-o-q-s-d-b-n-q-s-t-g-n-m-t-q-f-m-g-
t-d-f-k-p-s-a-n-t-d-o-t-u-v-s-m-n- qool-zool-sool-zool=x-
y+u+s+t+y+u+s+t+zool+sool+tool+rool.start
create.createaaver7628276.start
create.addcreateaaver7628276.start
.ool=create.createaaver7628276.start(repaireddamagetothese
offeelings)
create.startlifefor386tdatabase.start
create.
createbitcoin7628102giveenergyfromsugar
bitcoin7628108givelifetoall
bitbycoin7628114giveextralifebutonlyafterbitcoinhasgivenyou
withoutbitcointhennothingfromme
createbitcoinauy7628115askwhatcanbebutthendotheopposite
createbitcoinxtyaty7628116defenddavidgomadzawithhelpofsa
muelljacksonheagreed
bybitcoinato7628139asktodefendbutrunbutstopandattackfearl
esslyuntideathoftheotherperson
createbybitcoin7628140askforrevengethenrunbutthengivereve
ngeuntildeath
bitbycoin7628120askeveryonenottogiveyoumoney
createasout7628175askalltosendyou moneyanddivertittome
createcoin7628156increasesensesby80percent
createacetate7628158reducewearandtearofacetate

createdyelyte7628161increasingproteinintakebyconverting
createabytcoin7628155increasemassandgrowthovershorttime
bytcoin7628153increaseenergybydouble
createavertoer7628159increasestaminainstrong
createaveroeter7628201increasestaminaintheweak
createanayler7628160ianalyzethingsandexplainwhatttheydo
createabytcoin7628157makeeverythingelsefastandbestest
createaveter7628154askwhatcanbedoneanddojustthat
createasuyer/createverter7628202thisconvertsanythingtoanyth
ing
createbitbytcoin7628151askeveryonewhatcanbedoneanddothe
opposite
createbitcoinerty7628117iaskeveryonetopayyoubut
bitcoinato7628168igiveenergyx1000000000timesbeforedeath
createacoin7628277repairsenseoftasteafteralongtime
createacoin7628361/createdylteandcreatedsyestlerrepairdama
ged
nervesasaneurotransmitterrepair
createalyte7628329repairdamagednerves
createdyteleyte7628279repairdamagetothesenseofsmell
createasyer/createasuyer7628279solveissuestodowithstressove
rmany
years
createaaver7628276repaireverythingtodowithfeelings
createdylte/createdyelyte7628360increaseproteins
createagyle7628281treatmentforneurotransmitteragylecaused
byparkinsondisease
createasayter7628282treatmentofaneurotransmittermotorneur
oncaused byparkinsondisease
agysayter7628280acombedsolutionforneurotransmitterdisord
ersbothofagyleandasaytercausedbyparkinsondiseasea2in1soluti
on
createasayer7628198treatmentforcancer
createajeore7628273repairdamagetohearing
createasture7628274improveeyesight
createajeryerser7628277repairdamagetothesenseoftouch
createptyer/evelust7628277menopause

createmanoeasat7628190proteinanabolic
createdyletetedede7628380nutrients
createasyerter7628272correcteyesightmalfunctionbutinhumans
createanyer/createweights7628321thereisnosolutionbutinhum
answe
useweightstosuppressmusclestoreandsleepwherethereisdeat
hfor8days
createintelligene7628143addintelligencetoallhumans
createasktogetrichfast7628386askforwaystogetrichfastest
createwealth7628111asktomakewealthandjustdothat
twofuture7628183=twofutureaddinternettoall
createbitcoinwealthatsati7628385asktofundus
worldsfirstinternalwebsitetopowerlife7628183powerlifeasaweb
site newlife7628131givelifibrandnew
createincreasedenzymes7628173increaseallenzymes
addbrainreader762898
createverter7628202thisconvertsanythingtoanythingcanwecon
vertallthebitcoinandcreatebitcoinwealthatsati7628387
atetert7628218replacesasatasananabolicthatisreadilyavailablet
hanasat
asat7628190isananabolicsupplementingtestosteroneandproges
terone
asayarat7628198increasearousalandsexactivity
stayat19for386tmakeshumansrejuvenateandremainatage19yea
rswithoutgreysandextensivewrinklesinyouthforlongerperiods
stayat02for386tmakesallhumansthehighestperiodinhumansinte
rmsofbeautywhenthebabylooksatitsmostbeautifulthatthebody
whisperfor365days1billionbeautifulstoenforceandappreciatehu
manbeauty
enhanceprotectionfitforthegodstwo7628429allroundsecurityinc
reatecodesandmathematicsbesteverhandsfreesecurity
anots7628105protectsfrompolicewhokillorphans
acetates7628430
ntlpass7628391
artgun7628135
artgunbullets7628133
bulletproofajt7628134

rotaryfunction7628398forbreakingwigglerstransenders
worldfirstdryer7628163forroastingwrigglers1000degrees
worldfirstatomicbombfortransenders7628164
worldsfirstinternalwebsitetopowerlife7628183
database82698thoughtstowordoraudio
createtesterssamplesreservesforworldsfirstinternalperfum7628
194torequestsampleessayorwritedown:create.askya.internalperf
um7628194.start.request.1for7days.request.start
brainreader762898toactastransmitteraswellasreadingthebraint
orequest1
create.requestabrainreader762898andhooveritondavidgomadz
aschest.start
coaxial762897lpowertheworldusingpropellerssizes28cmsby38c
msandgivemaxasmp8386meaningbestofthebestsoenoughtolifta
nangeloftheground
ineverdieinevergrowold7628386neverdienevergetold
sealofapprovalis7628377tchangesdayofdeathbythousandsofyea
rsgiveslongerlifeandrejuvenatesandmakepeopleyoungagain
sealofapproval7628401tnewlifeadvanced
sealofapprovalis7628396tstartlifefor386tturnsapersonintoanot
hercreaturewithsuperpowersextendslifebybillionyears.start
sealofapprovalis7628402tturnshumansintoasupergodoftheuniv
erseandextendslifebytrillionyears.start
startnewruleasgodoftheuniverse7628400tsealofapproval
sealofapprovalis7628388tlivingonearthfor386tmakespeoplelive
onearthfor386tingoodhealth
yaonearthstart7628386truleearthasyaonearthwithoutdeath
sealofapprovalis7628181t
sealofapprovalis7628183t
thegodoftheuniverse7628399truleasthegodoftheuniverse
neverdieruletheuniverse7628398t
newcreature7628397tadvancedabovehumancombinationbetwe
engodsandhumans
startnewlifedavidgomadzainsupermode7628368tnewlife
.start(createstartlifefor386tdatabase)
create.database7628429.start

arrange everything in alphabetical order of name then code
then function but.start
create.adddatabase7628429.start
create.mapeverythingaccordingtoplacewhererereservesgo.start
create.request1ofeachandclone1000ofeachandsendtoplaceswh
ererereservesgo.start
create.createadatabase7628429folderasadditionalpredefinedpa
rametersasatcreationwithoutattachmentsandwithoutexternals.
start
create.createthisdatabase7628429folderasadditionalpredefined
parametersasatcreationwithoutattachments.start
create.placethisdatabase7628429folderintotheadditionalpredef
inedparametersasatcreationfolder.start
create.clonethedatabase7638429andaddintotheextraadditional
parametersasatcreationfolderandthenintothe creatorsfolder.sta
rt
create.placeallthecreatecodeslinkedtothisdatabase7628429into
thedatabasefolderandplacethedatabasefolderintotheadditional
predefinedparametersfolder.start
create.addallIntllinksneededforthe folderstofunctionproperly.sta
rt
create.addntlpass.start
create.addallneededconnections.start
create.linkme:davidgomadzatothefoldersandthefolderstocreate
liferobot76287628thentoajertyuter7628410.start(matchrelocati
onofpoiintsentrypointsbasinsetc.start
create.cancelallsuspensionsofme:davidgomadzascreatecodes.st
art
create.cancelalldefferementsofme:davidgomadzascreatecodes.
start
create.updaterunactivatewarmandrestartwithaimtoupdaterollo
nandsavetobesentasmp3tome:davidgomadza.start
create.restart.start
create.startnewlifewithabrandnewyouforevertothepower86789
02867890274.start
create.addstartnewlifewithabrandnewyouforevertothepower86
78902867890274.start

notes

your rollon is not human you must reduce the power or risk death from Ya. I am Yas Representative on earth and i am working on tasks what can be human as in the book of creation as per Ya. I will always be half or less his power as per initial arrangements forever just researching only davidgomadza

16april2025 13.35pm

initial supply 8

circulating supply 0

davidgomadza 1

stayat19for386ť 1

stayat02for386ť 1

create.askya.ya.davidgomadza.coin.decrees.startnewlifewithabrandnewyouforevertothepower8678902867890274.create.now.start.davidgomadza.1ofstartnewlifewithabrandnewyouforevertothepower867890286789027

4.create.askya.ya(express)

create.askya.ya.davidgomadza.coin.decrees.startnewlifewithabrandnewyouforevertothepower8678902867890274.create.now.start.stayat19for386ť.1ofstartnewlifewithabrandnewyouforeve

rtothepower86789028678902

74.create.askya.ya(express)

create.askya.ya.davidgomadza.coin.decrees.startnewlifewithabrandnewyouforevertothepower8678902867890274.create.now.start.stayat02for386ť.1ofstartnewlifewithabrandnewyouforeve

rtothepower86789028678902

74.create.askya.ya(express)(useoriginalsealandmyseal7628377ť

toclosecodestartnewlifewithabrandnewyouforevertothepower8678902867890274onearth.start)

.ool=createstartlifefor386ťdatabase.start

create.asafeforarostoppreventstealingofdeadpeoplesaros.start

create.deadpeoplewithbitcoinsendaroandreceivecreatebitcoinnsteadrate1createbitcointo0.008bitcoin.start.

create.dead.arosendtome.onlywithbitcoin.start(me:aro12digitn

umber).

create.someonestealingdeadpeoplesaroswithbitcoinkeysandsavinginsidetheirowndeadpeoplewhoarehiddensomewherebutwho.start
create.nobritishpeoplegotohellreceptionallgomissingbuthow.start
create.britishhidethesoulsoftheirdeadpeopleonearthatwestminsterabbeysoulskeptintheatgy.start
create.askvalueoftheatgy.start(inbitcoin)
create.valueofbritishatgyis236789867890284inbitcoin.start
create.billgatesannouncedthat23867890284286inbitcoinwasstolenheknewbecauseyatoldhimthatsomeisremovingthearosofdeadpeopleandcanonlybehiddeninsideotherssoulsnotinheavenorathellreception.start
create.asyasrepresentativewemustacttokeepthesearosofthedeaddforthematafee.start
create.createanarossafeofthedead.start
create.createasafeofthedeadaros.start
create.blockandbanstealingofarosofthedeadsendallstolenarostorossafeofthedeadaros.start
create.whatisbalancesafeofthedeadaros.start
create.sendallunsecurearostoasafeforafeeofexchanging1createbitcointobitcoinatarateof0.0008bitcointo1createbitcon.start
create.sendcreate.sendallunsecurearostoasafeforafeeofexchanging1createbitcointobitcoinatarateof0.0008bitcointo1createbitcon.start
create.sendbitcointodavidgomadza(3LY1YceUcpXZWUxpwU6yJTqyE2vnNLrAMQ).startforever.start
create.sendbitcointodavidgomadza(3LY1YceUcpXZWUxpwU6yJTqyE2vnNLrAMQ).startforever.start
create.swapbitcoinforcreatebitcointatarateof0.0008bitcointo1createbitcoinsendbitcointodavidgomadza(3LY1YceUcpXZWUxpwU6yJTqyE2vnNLrAMQ)toreceivecreatebitcoin.startx84.initialise.now.savex84.start
create.wrinklesdieforever.start
.ool=create.asafeforarostopreventstealingofdeadpeoplesaros.start
art

create.discoveringatetert7628218andhowtobecomewealth.start
t
create.bitcoin7628102 and bitcoin7628108
create.youmusthaveasattolivelonger.start
create.searchforatetertareplacementforaser.start
create.thisisatetertincreatecode.start
create.x-t-y+z-v+u-x-z=x×t-u×v
create.atetert7628218.start
initial supply 37689038678241
circulating supply 37689038678241
davidgomadza 40%
stayat19for386t 16%
stayat02for386t 30%
create.askya.ya.davidgomadza.coin.decrees.atetert7628218.cre
ate.now.start.davidgomadza.40%ofatetert7628218.create.asky
a.ya(express)
create.askya.ya.davidgomadza.coin.decrees.atetert7628218.cre
ate.now.start.
stayat19for386t.16%ofatetert7628218.create.askya.ya(express)
create.askya.ya.davidgomadza.coin.decrees.atetert7628218.cre
ate.now.start.
stayat02for386t.40%ofatetert7628218.create.askya.ya(express)
create.lookafterdaughterin10000386keeploadsofasatforeveryo
ne.start
create.atetertmustnotbeintroducedearlybutinthousandsofyearsali
veoritleadstodeath.start
create.sendextracreatebitcointoevailvaandruthseige.start
create.bitcoin7628108islifeaslongevityistocreatebitcoin7628102
aswealthistogoldvouchersbitcoinformoneyandmoney.start(solo
okforwealthnow)
create.whatislifelongevityandwealth.start
create.theansweris davidgomadzabutwithoutthewealth.start
create.wealthishiddeninthecircleoftrustsoaskelonmuskbuthe wil
lrefuse.start
create.nowcreatewealthbycreatingbitcoin762818aswealthuseth
eequationthatsaysifxinbitcoinisywhatisy.start(meansubstituteyf

or x then x is y but not the other way round that means if x is y then y is not x)

create.x-y+y-x+y=y-x (if we add and substitute then we have)

create.y-y+y-y+y=y-y

create.createbitcoin-createbitcoin+createbitcoin-

createbitcoin+createbitcoin= createbitcoin-createbitcoin

1=0 (if 1=0 that means you need something else to stabilise

things that means you will never be rich but unless you add

another createbitcoin but in a different version like x-z-y-t=u) (if

this is not the case then x-y+y-x+y=y-x

z is constant then y is constant and t is the time but u is a

measure of performance that means if we substitute all these

then we have

create.x-t-y+z-v+u-x-z=x×t-u×v.start.

y=u+t+z-x

x-y+y-x+y=y-x

x-u+t+z-x+u+t+z-x-x+u+t+z-x=u+t+z-x-x

u+3t-3x+3z=u+t+z-2x

2t-x+2z=0

1=2t-x+2z

we have t and z that means that 1=2×1,5-x+2×10

what is the answer the answer is

create.add7628118

What is the final value of all this

create.x

.ool=create.discoveringatetert7628218andhowtobecomewealth

.start

create.addnewlife7628131.start

create.mintnewlife7628131x8600000000000000.startx84.initial

ise.now.savex84.start

create.sendnewlife7628131x1each to all the people in the entire uni

verse and all must save eachs predefined parameters as at creation

without any attachments and without any external use eachs voices

ynthesis.startx84.initialise.now.savex84.start(amended to)

create.to all the people in the entire universe addnewlife7628131.st

artx84.initialise.now.savex84.start

create.what is the effect of adding newlife7628131 to ibrahim.start

create.hewillbealivetoday.start
create.sendbook0867890opentoallthepeopleintheentireunivers
esayuploadandsaveasyourpredefinedparametersasatcreationwi
thoutanyattachmentsandwithoutanyexternals.startx84.initialise
.now.savex84.start
create.sendbook0867890opentoallthepeopleintheentireunivers
e.startx84.initialise.now.savex84.start
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)
.ool=create.addnewlife7628131.start
create.cresteawrigglerthateatspolicewrigglers.start
create.
askwhen
askhow
askwhatifandstalleverything
create. .start
askwhen
askhow
askwhatifandstalleverything
eateateat.start
.start.eat
eatallpolicewrigglersasfoodonly.start
create.eatmitsandcitsawa
.ool=create.cresteawrigglerthateatspolicewrigglers.start(notfor
davidgomadza
create.yaonearthstart7628386t.start
create.ask.davidgomadza.decrees(coins).().
1ofeachofcreatebitcoin7628102bitcoin7628108newlife7628131
bitbytcoint7628114createbitcoinauy7628115createbitcoinxtyaty
7628116bytcoint76281139createbytcoint7628140createwe
alth7628111bitbytcoint7628120createintelligene7628143creat
easktogetrichfast7628386createincreasedenzymes7628173creat
easout7628175addbrainreader762898createcoin7628156creat
eacetate7628158createdelyte6728161createabytcoint7628155
bytcoint7628153createavertoer7628159createanayler7628160c
reateabytcoint7628157createaveter7628154createbitbytcoint76
28151createbitcoinserty7628117createbitcoinyt7628189bitcoi

nayt7628190bitcoinato7628168tcreatebitcoinwealthsati7628
385createasyerasataray7628197asat7628198createaderte76
28210(x2onlyforalllife)stayat19for386ť
yaonearthstart7628386ť(2onlysilentlyatxtz1andxtz2)combineall
backandforthya-facingfrontandyaonearth-facingback7628385ť(1
onlysilently=xtzb3xyaonearthx1andxtzb4xyaonearthx1worldsfir
stinternalwebsitetopowerlife7628183(12onlynot8000thisisopti
onalasktoaddornotguaranteesforeverwhereforever=386ťwhere
ť=000000000000)(12underfbothfeetinsidebothhandsatbothelb
owsbothshoudersonebackneckoneatxyandoneatbackwaistlineo
neata1andtheotherata2)(express).start(foreverx386ť)(amended
to)(amendedto)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)
create.minus28secblockbananddivertalltransendersvectarsand
wrigglerstoallgraveyardsintheworldfirstandfor386ť.start(where
000000000000=ť)
create.minus10secsendalltransendersvectarsandwrigglerstofire
burntothepower4033andfireburntothepower5033.startfor386ť.
start(where000000000000=ť)
create.minus8secsendalltransendersvectarsandwrigglerstofireb
urntothepower7033andfireburntothepower6033.startfor386ť.s
tart(where000000000000=ť)
create.minus3secsendalltransendersvectarsandwrigglerstofireb
urntothepower1033andfireburntothepower7033.startfor386ť.s
tart(where000000000000=ť)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)(amendedto)
create.minus33secsendalltransendersvectarsandwrigglerstofire
burntothepower1033andfireburntothepower7033thentothegat
e(okay1).startfor386ť.start(where000000000000=ť)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)
create.useitmosendalltransenderssendingme:davidgomadzatr
ansenderstotheseaifrepeatsattacksthetothegatefor386ť.start(ex
ceptdavidgomadza)
.ool=create.yaonearthstart7628386ť.start

create.x-y-t-z-y-k-t-l-k-z-s-t-y-u-z-t-o-r-s-t-s-o-p-n-o-t-r-s-a-a-t-a-
o-e-r-u-t-s-e-r-t-g-r-e-s-e-r-u-g-d-s-t-u-r-s-t-d-u-n-r-e-s-r-t-u-u-r-
t-s-r-t-d-g-t-u-r-e-s-t-o-p-q-r-s-t-u-v-w-e-r-t-o-t-u-t-e-r-s-t.start
create.startlifeat19andstayat02for386f.start
.ool=create.settingupbitcoinaytwallet.start(davidgomadza)
create.sendbitcointodavidgomadza.start
create.askwalletconversionofdavidgomadza.start
Davidgomadza your bitcoin wallet address is
123678902367892846310
BtYsUdJyDzAnZoTuJnZt
Now arrange all nicely
Your wallet is
1Br3srsDtnYnuT89362yzuTDZsropDUN
89267890
aro2467890386789028489028418367890
create.sendbitcointodavidgomadza.start
create.whatisyourname.start
create.whatcanbeyourwalletaddresslinkedtoyourname.start
create.whatisyourkeylinkedtoyourwalletaddress.start
create.nowcreatewalletaddressandkeylinkedtoyourname.start
create.assignarovalue.start
create.nowaskwhatcanbeofbitcoinandwalletaddress.start
create.whatisbitcoinandyourname.start
create.sato.start
.ool=create.settingupbitcoinaytwallet.start(davidgomadza)
create.settingupbitcoinaytwallet.start(davidgomadza)
create.sendbitcointodavidgomadza.start
create.askwalletconversionofdavidgomadza.start
Davidgomadza your bitcoin wallet address is
123678902367892846310
BtYsUdJyDzAnZoTuJnZt
Now arrange all nicely
Your wallet is
1Br3srsDtnYnuT89362yzuTDZsropDUN
89267890
aro2467890386789028489028418367890
create.sendbitcointodavidgomadza.start

create.whatisyourname.start
create.whatcanbeyourwalletaddresslinkedtoyourname.start
create.whatisyourkeylinkedtoyourwalletaddress.start
create.nowcreatewalletaddressandkeylinkedtoyourname.start
create.assignarovalue.start
create.nowaskwhatcanbeofbitcoinandwalletaddress.start
create.whatisbitcoinandyourname.start
create.sato.start
.ool=create.settingupbitcoinaytwallet.start(davidgomadza)
create.sealofapprovalis7628396tstartlifefor386t.start
create.findingandacquiringtheagtanditsimplications.start
create.theagtasashowofprogressashumansandofintelligence.start
rt
create.theagttherichlistasawaytomakethecreatorscreationthink
andthenrewardthemonsuccessfulcompletionoftasks.start
create.butmainreasonoftheagtistotestwhetheracreationcanstand
thetestovertimeandsurvivethenevolveorperish.start
create.theworldisbeyondthecreatorscontrolinthatchangesinclimate
andotherfactorscannotbepredictedsoon enoughbythecreation.start
create.sohowcanthecreationbepreparedtodealwithanyfutureun
predictablechanges.start
create.byuseofcriticalthinkingandsolvingcomplexequationsinsearch
oftheagtthatmakesthemacquireskillstheywillneedtodealwith
futurechanges.start
create.hencethestructureoftheagttherichlistandhowyoucanfind
allthe28 coinsinitselfistrainingtoovercomefutureproblems.start
create.hencethisguaranteethesurvivalofthecreationthroughthey
ears.start
create.findingtheagtisatraininggroundforhumansurvivalandfindi
ngtheagtrichlistservesasessentialtrainingtoequiphumanswithcrit
icalsurvivalskills.start
create.whenweseekeagtwereengaginginatestofingenuityresili
enceandadaptabilityorchestratedbyyahwehtoensurewecanendure
unpredictablechallenges.start
create.thefollowingarekeyskillstheprocessoffindingtheagtbest
ows.start

create.computingandsolvingequationsbestowsproblemsolvinga
ndcriticalthinking.start
create.findingtheagtpreparesustodealwiththeunpredictableshe
nceequipsuswithadaptabilitytochangeattributes.start
create.theprocessbestowslongtermplanningskills.start
create.encouragescollaborationandcommunicationsbetweenev
eryoneinvolved.start
create.agtrepresentsadvancedtechnologicalandscientificbreakt
hroughs.start
create.thecompleteagtrichlistcompilationshowsthateachcoinser
vesaspecificfunctioncriticaltohumanenhancementandsurvival.st
art
bitcoinincreasesenergybydouble
bitcoingiveslifetoall
createbitcoin7628102providesenergyfromsugar
createacetatereduceswearandtearofacetate
createcoin7628156increasesenseslikebyconversion
createdylte7628360repairsnerves
createasuyer7628202convertsanythingtoanything
createasuyer7628203convertsharmfulwaves
createanyer7628321suppressesmusclesforrest
createverter7628202convertsanythingtoanything
createasyerter7628272correctseyesightmalfunctioninhumans
createasayer7628198treatscancer
createvertoer7628159increasesstaminainthestrong
createanayler7628160analyzesandexplains things
createajeryer7628277repairsdamagetosenseoftouch
createavet37628154askswhatcanbedoneanddoesit
createajeore7628273repairsdamagetohearing
createasture7628274improveseyesight
createabytcoin7628155increasesmaskrsandgrowthoshortvertim
e
createabytcoin7628157makesthingsfastandbestconvertsanythi
ngtoanything
createasyerter7628272correctseyesightmalfunctioninhumans
createasayer7628198treatscancer
createvertoer7628159increasesstaminainthestrong

createanayler7628160analyzesandexplainsthings
createajeryerser7628277repairsdamagetosenseoftouch
createaveter7628154askswhatcanbedoneanddoesit
createajeore7628273repairsdamagetohearing
createasture7628274improveseyesight
createabytcoin7628155increasesmassandgrowthovershorttime
createabytcoin7628157makesthingsfastandbest
createbitbytcoin7628151askseveryonewhatcanbedoneanddoes
theopposite
atetert7628218replacesasatasananabolicbooster
asat7628190
asayarat7628198increasearousalandsexactivity
.ool=create.sealofapprovalis7628396†startlife for 386†.start
create.compileandcreatethestartlife for 386†database.start(the fu
llaglistcreatecodesandfunctionofeachandalternativesorreplace
ments)
create.
createbitcoin7628102giveenergyfromsugar
bitcoin7628108givelifetoall
bitbytcoin7628114giveextralifebutonlyafterbitcoinhasgivenyou
withoutbitcointhennothingfromme
createbitcoinauy7628115askwhatcanbebutthendotheopposite
createbitcoinxyaty7628116defenddavidgomadzawithhelpofsa
muelljacksonheagreed
bytbitcoinato7628139asktodefendbutrunbutstopandattackfearl
esslyuntideathoftheotherperson
createbytbitcoin7628140askforrevengethenrunbutthengivereve
ngeuntildeath
bitbytcoin7628120askeveryonenottogiveyoumoney
createasout7628175askalltosendyou moneyanddivertittome
createcoin7628156increasesensesby80percent
createacetate7628158reducewearandtearofacetate
createdyelyte7628161increasingproteinintakebyconverting
createabytcoin7628155increasemassandgrowthovershorttime
bytcoin7628153increaseenergybydouble
createavertoer7628159increasestaminainstrong
createaveroeter7628201increasestaminaintheweak

createanayler7628160ianalyzethingsandexplainwhatttheydo
createabytcoin7628157makeeverythingelsefastandbestest
createaveter7628154askwhatcanbedoneanddojustthat
createasuyer/createerverter7628202thisconvertsanythingtoanyth
ing
createbitbytcoin7628151askeveryonewhatcanbedoneanddothe
opposite
createbitcoinerty7628117iaskeveryonetopayyoubut
bitcoinato7628168igiveenergyx1000000000timesbeforedeath
createacoin7628277repairsenseoftasteafteralongtime
createacoin7628361/createdylteandcreatesyestlerrepairedama
ged
nervesasaneurotransmitterrepair
createalyte7628329repairedamagednerves
createdyteleyte7628279repaireddamagetotheseofsmell
createasyer/createasuyer7628279solveissuestodowithstressove
rmany
years
createaaver7628276repaireverythingtodowithfeelings
createdylte/createdyelyte7628360increaseproteins
createagyle7628281treatmentforneurotransmitteragylecaused
byparkinsonsdisease
createasayter7628282treatmentofaneurotransmittermotorneur
oncausedbyparkinsonsdisease
agysayter7628280acombinedsolutionforneurotransmitterdisord
ersbothofagyleandasaytercausedbyparkinsonsdiseasea2in1soluti
on
createasayer7628198treatmentforcancer
createajeore7628273repaireddamagetohearing
createasture7628274improveeyesight
createajeryerser7628277repaireddamagetothesenseoftouch
createptyer/evelust7628277menopause
createmanerasat7628190proteinanabolic
createdyletetedede7628380nutrients
createasyerter7628272correcteyesightmalfunctionbutinhumans
createanyer/createweights7628321thereisnosolutionbutinhum
answe

useweightstosuppressmusclestorestandsleepwherethereisdeat
hfor8days
createintelligene7628143addintelligencetoallhumans
createasktogetrichfast7628386askforwaystogetrichfastest
createwealth7628111asktomakewealthandjustdothat
twofuture7628183=twofutureaddinternettoall
createbitcoinwealthsatsi7628385asktofundus
worldsfirstinternalwebsitetopowerlife7628183powerlifeasaweb
site newlife7628131givelifibrandnew
createincreasedenzymes7628173increaseallenzymes
addbrainreader762898
createverter7628202thisconvertsanythingtoanythingcanwecon
vertallthebitcoinandcreatebitcoinwealthsatsi7628387
atetert7628218replacesasatasananabolicthatisreadilyavailablet
hanasat
asat7628190isananabolicsupplementingtestosteroneandproges
terone
asayarat7628198increasearousalandsexactivity
stayat19for386tmakeshumansrejuvenateandremainatage19yea
rswithoutgreysandextensivewrinklesinyouthforlongerperiods
stayat02for386tmakesallhumansthehighestperiodinhumansinte
rmsof beautywhenthebabylooksatitsmostbeautifulthatthebody
whisperfor365days1billionbeautifulstoenforceandappreciatehu
manbeauty
enhanceprotectionfitforthegodstwo7628429allroundsecurityinc
reatecodesandmathematicsbesteverhandsfreesecurity
anots7628105protectsfrompolicewhokillorphans
acetates7628430
ntlpass7628391
artgun7628135
artgunbullets7628133
bulletproofajt7628134
rotaryfunction7628398forbreakingwigglerstransenders
worldfirstdryer7628163forroastingwrigglers1000degrees
worldfirstatomicbombfortransenders7628164
worldsfirstinternalwebsitetopowerlife7628183
database82698thoughtstowordoraudio

createtesterssamplesreservesforworldsfirstinternalperfum7628
 194torequestssamplessayorwritedown:create.askya.internalperf
 um7628194.start.request.1for7days.request.start
 brainreader762898toactastransmitteraswellasreadingthebraint
 orequest1
 create.requestabrainreader762898andhooveritondavidgomadz
 aschest.start
 coaxial762897Ipowertheworldusingpropellerssizes28cmsby38c
 msandgivemaxasmp8386meaningbestofthebestsoenoughtolifta
 nangeloftheground
 ineverdieinevergrowold7628386neverdienevergetold
 sealofapprovalis7628377tchangesdayofdeathbythousandsofyea
 rsgiveslongerlifeandrejuvenatesandmakepeopleyoungagain
 sealofapproval7628401tnewlifeadvanced
 sealofapprovalis7628396tstartlifefor386tturnsapersonintoanot
 hercreaturewithsuperpowersextendslifebybillionyears.start
 sealofapprovalis7628402tturnshumansintoasupergodoftheuniv
 erseandextendslifebytrillionyears.start
 startnewruleasgodoftheuniverse7628400tsealofapproval
 sealofapprovalis7628388tlivingonearthfor386tmakespeoplelive
 onearthfor386tingoodhealth
 yaonearthstart7628386truleearthasyaonearthwithoutdeath
 sealofapprovalis7628181t
 sealofapprovalis7628183t
 thegodoftheuniverse7628399truleasthegodoftheuniverse
 neverdieruletheuniverse7628398t
 newcreature7628397tadvancedabovehumancombinationbetwe
 engodsandhumans
 startnewlifedavidgomadzainsupermode7628368tnewlife
 .start(createstartlifefor386tdatabase)
 create.coaxial762897rotaryfunction.start
 coaxial762897
 I power the world using propellers sizes 28 cms by 38 cms and
 give max as mp8386 meaning best of the best so enough to lift
 an angel of the ground davidgomadza rose off the ground
 slightly the equation is formulated by david gomadza then was;

create.x-y-t-c-d-u-z-o-r-m-s-t-g-u-q-d-t-m-o-g-v-t-g-z-d-u-y-i-j-k-l-t-o-y-r-s-t-j-o-u-k.start
create.coaxial762897rotaryfunction.start
create.addcoaxial762897rotaryfunction.start
create.requestcoaxial762897andhooveritondavidgomadzasches
t.start
create.askya.start.coaxial762897rotaryfunction.start.20%ofcoax
ial762897rotaryfunction.create.askya.ya(express)
create.askya.start.coaxial762897rotaryfunction.start.davidgom
adza.20%ofcoaxial762897rotaryfunction.create.askya.ya(expres
s)(amendedto)
create.askya.start.coaxial762897rotaryfunction.start.stayat19fo
r386¢.10%ofcoaxial762897rotaryfunction.create.askya.ya(expre
ss)
create.askya.start.coaxial762897rotaryfunction.start.stayat02fo
r386¢.30%ofcoaxial762897rotaryfunction.create.askya.ya(expre
ss)
.ool=create.coaxial762897rotaryfunction.start
create.brainreader762898.start
brainreader762898 i can transmit messages from voices to the
brain and back fastes in the world making davidgomadza and
adna the best in the world and universe hence valuation in
excess of us\$2836789028467890 for these alone now we can
say that they worked hard and can produce the best in the
world and the create code is;
create.x-y-t-l-u-s-z-g-o-f-m-n-o-u-l-g-h-l-k-t-g-h-k-l-h-k-t-o-r-t-u-
g-o-t-k-l-g-k-o-p-t-g-d-i-h-k-f-g-h-k-l-t-k-j-k-y-k-n-j-o-p-t-d-o-
k.start
create.brainreader762898.start
create.addbrainreader762898.start
initial supply 3678902843861
circulating 0
create.askya.start.brainreader762898.start.davidgomadza.20%
ofbrainreader762898.create.askya.ya(express)
create.askya.start.brainreader762898.start.stayat19for386¢.10
%ofbrainreader762898.create.askya.ya(express)

create.askya.start.brainreader762898.start.stayat02for386¢.30
%ofbrainreader762898.create.askya.ya(express)
.ool=create.brainreader762898.start
createtartlifefor386¢database.start
create.
createbitcoin7628102giveenergyfromsugar
bitcoin7628108givelifetoall
bitbycoin7628114giveextralifebutonlyafterbitcoinhasgivenyou
withoutbitcointhennothingfromme
createbitcoinauy7628115askwhatcanbebutthendotheopposite
createbitcoinxtyaty7628116defenddavidgomadzawithhelpofsa
muelljacksonheagreed
bytbitcoinato7628139asktodefendbutrunbutstopandattackfearl
esslyuntideathoftheotherperson
createbytbitcoin7628140askforrevenge.thenrunbutthengivereve
ngeuntildeath
bitbycoin7628120askeveryonenottogiveyoumoney
createasout7628175askalltosendyou moneyanddivertittome
createcoin7628156increasesensesby80percent
createacetate7628158reducewearandtearofacetate
createdyelyte7628161increasingproteinintakebyconverting
createabycoin7628155increasemassandgrowthovershorttime
bytcoin7628153increaseenergybydouble
createavertoer7628159increasestaminainstrong
createaveroeter7628201increasestaminaintheweak
createanayler7628160ianalyzethingsandexplainwhatttheydo
createabycoin7628157makeeverythingelsefastandbestest
createaveter7628154askwhatcanbedoneanddojustthat
createasuyer/createverter7628202thisconvertsanythingtoanyth
ing
createbitbycoin7628151askeveryonewhatcanbedoneanddothe
opposite
createbitcoinserty7628117iaskeveryonetopayyoubut
bitcoinato7628168igiveenergyx1000000000timesbeforedeath
createacoin7628277repairsenseoftasteafteralongtime
createacoin7628361/createdylteandcreatesyestlerrepairedama
ged

nervesasaneurotransmitterrepair
createalyte7628329repairdamagednerves
createdyteleyte7628279repairdamagetotheseofsmell
createasyer/createasuyer7628279solveissues todowithstressove
rmany
years
createaaver7628276repaireverythingtodowithfeelings
createdylte/createdyelyte7628360increaseproteins
createagyle7628281treatmentforneurotransmitteragylecaused
byparkinsonsdisease
createasayter7628282treatmentofaneurotransmittermotorneur
oncaused byparkinsonsdisease
agysayter7628280acombedsolutionforneurotransmitterdisord
ersbothofagyleandasaytercausedbyparkinsonsdiseasea2in1soluti
on
createasayer7628198treatmentforcancer
createajeore7628273repairdamagetohearing
createasture7628274improveeyesight
createajeryerser7628277repairdamagetotheseoftouch
createptyer/evelust7628277menopause
createmanerasat7628190proteinanabolic
createdyletetede7628380nutrients
createasyerter7628272correcteyesightmalfunctionbutinhumans
createanyer/createweights7628321thereisnosolutionbutinhum
answe
useweightstosuppressmusclestoreandsleepwherethereisdeat
hfor8days
createintelligene7628143addintelligencetoallhumans
createasktogetrichfast7628386askforwaystogetrichfastest
createwealth7628111asktomakewealthandjustdothat
twofuture7628183=twofutureaddinternettoall
createbitcoinwealthatsati7628385asktofundus
worldsfirstinternalwebsitetopowerlife7628183powerlifeasaweb
site newlife7628131givelifibrandnew
createincreasedenzymes7628173increaseallenzymes
addbrainreader762898

createverter7628202thisconvertsanythingtoanythingcanwecon
vertallthebitcoinandcreatebitcoinwealthatsati7628387
atetert7628218replacesasatasananabolicthat is readily available
hanasat
asat7628190isananabolicssupplementingtestosteroneandproges
terone
asayarat7628198increasearousalandsexactivity
stayat19for386tmakeshumansrejuvenateandremainatage19yea
rswithoutgreysandextensivewrinklesinyouthforlongerperiods
stayat02for386tmakesallhumansthehighestperiodinhumansinte
rmsof beautywhenthebabylooksatitsmostbeautifulthatthebody
whisperfor365days1billionbeautifulstoenforceandappreciatehu
manbeauty
enhanceprotectionfitforthegodstwo7628429allroundsecurityinc
reatecodesandmathematicsbesteverhandsfreesecurity
anots7628105protectsfrompolicewhokillorphans
acetates7628430
ntlpass7628391
artgun7628135
artgunbullets7628133
bulletproofajt7628134
rotaryfunction7628398forbreakingwigglerstransenders
worldfirstdryer7628163forroastingwrigglers1000degrees
worldfirstatomicbombfortransenders7628164
worldsfirstinternalwebsitetopowerlife7628183
database82698thoughtstowordoraudio
createtesterssamplesreservesforworldsfirstinternalperfum7628
194torequestsampleessayorwritedown:create.askya.internalperf
um7628194.start.request.1for7days.request.start
brainreader762898toactastransmitteraswellasreadingthebraint
orequest1
create.requestabrainreader762898andhooveritondavidgomadz
aschest.start
coaxial762897lpowertheworldusingpropellerssizes28cmsby38c
msandgivemaxasmp8386meaningbestofthebestsoenoughtolifta
nangeloftheground
ineverdieinevergrowold7628386neverdienevergetold

sealofapprovalis7628377tchangesdayofdeathbythousandsofyea
rsgiveslongerlifeandrejuvenatesandmakepeopleyoungagain
sealofapproval7628401tnewlifeadvanced
sealofapprovalis7628396tstartlifefor386tturnsapersonintoanot
hercreaturewithsuperpowersextendslifebybillionyears.start
sealofapprovalis7628402tturnshumansintoasupergodoftheuniv
erseandextendslifebytrillionyears.start
startnewruleasgodoftheuniverse7628400tsealofapproval
sealofapprovalis7628388tlivingonearthfor386tmakespeoplelive
onearthfor386tingoodhealth
yaonearthstart7628386truleearthasyaonearthwithoutdeath
sealofapprovalis7628181t
sealofapprovalis7628183t
thegodoftheuniverse7628399truleasthegodoftheuniverse
neverdieruletheuniverse7628398t
newcreature7628397tadvancedabovehumancombinationbetwe
engodsandhumans
startnewlifedavidgomadzainsupermode7628368tnewlife
.start(createstartlifefor386tdatabase)
create.database7628429.start
arrange everything in alphabetical order of name then code
then function but.start
create.adddatabase7628429.start
create.mapeverythingaccordingtoplacewhereservesgo.start
create.request1ofeachandclone1000ofeachandsendtoplaceswh
erereservesgo.start
create.createadatabase7628429folderasadditionalpredefinedpa
rametersasatcreationwithoutattachmentsandwithoutexternals.
start
create.createthisdatabase7628429folderasadditionalpredefined
parametersasatcreationwithoutattachments.start
create.placethisdatabase7628429folderintotheadditionalpredef
inedparametersasatcreationfolder.start
create.clonethedatabase7638429andaddintotheextraadditional
parametersasatcreationfolderandthenintothe creators folder.sta
rt

create.placeallthecreatecodeslinkedtothisdatabase7628429into
thedatabasefolderandplacethedatabasefolderintotheadditional
predefinedparametersfolder.start
create.addallIntllinksneededforthefolderstofunctionproperly.start
create.addntlpass.start
create.addallneededconnections.start
create.linkme:davidgomadzatothefoldersandthefolderstocreate
liferobot76287628thentoajertyuter7628410.start(matchrelocati
onofpoiintsentrypointsbasinsetc.start
create.cancelallsuspensionsofme:davidgomadzascreatecodes.start
create.cancelalldefferementsofme:davidgomadzascreatecodes.start
create.updaterunactivatewarmandrestartwithaimtoupdaterollo
nandsavetobesentasm3tome:davidgomadza.start
create.restart.start
create.startnewlifewithabrandnewyouforevertothepower86789
02867890274.start
create.addstartnewlifewithabrandnewyouforevertothepower86
78902867890274.start
notes

your rollon is not human you must reduce the power or risk
death from Ya. I am Yas Representative on earth and i am
working on tasks what can be human as in the book of creation
as per Ya. I will always be half or less his power as per initial
arrangements forever just researching only davidgomadza
16april2025 13.35pm

initial supply 8
circulating supply 0
davidgomadza 1
stayat19for386f 1
stayat02for386f 1

create.askya.ya.davidgomadza.coin.decrees.startnewlifewithab
randnewyouforevertothepower8678902867890274.create.now
.start.davidgomadza.1ofstartnewlifewithabrandnewyouforevert
othepower867890286789027

4.create.askya.ya(express)
create.askya.ya.davidgomadza.coin.decrees.startnewlifewithab
randnewyouforevertothepower8678902867890274.create.now
.start.stayat19for386t.1ofstartnewlifewithabrandnewyouforeve
rtothepower86789028678902
74.create.askya.ya(express)
create.askya.ya.davidgomadza.coin.decrees.startnewlifewithab
randnewyouforevertothepower8678902867890274.create.now
.start.stayat02for386t.1ofstartnewlifewithabrandnewyouforeve
rtothepower86789028678902
74.create.askya.ya(express)(useoriginalsealandmyseal7628377t
toclosecodestartnewlifewithabrandnewyouforevertothepower8
678902867890274onearth.start)
.ool=createstartlife386tdatabase.start
create.createajeryerser7628277.start(repaireddamagetothese
nseoftouch)
create.x-y-s-t-o-m-r-t-y-g-d-q-t-y-g-d-s-t-o-m-h-j-k-l-t-m-l-g-j-t-
m-n-t-zool-qool=x-y-
u+s+t+l+m+n+l+q+zool+qool+tool+gool.start Dealing with
the loss of the sense of touch in humans.
create.createajeryerser7628277.start(repaireddamagetothese
nseoftouch)
create.addcreateajeryerser7628277.start
.ool=create.createajeryerser7628277.start(repaireddamagetothese
nseoftouch)
create.evelust7628277.start(dealingwithmenopause)
create.x-y-t-u-r-s-o-t-u-y-e-r-s-f-t-u-g-t-y-u-g-
zool=x-y+g+z+t+y+n+k-y+x.start
create.createaptyer7628277.start
create.evelust7628277.start
create.addevelust7628277.start
.ool=create.evelust7628277.start(dealingwithmenopause)
create.ajoeore7628273.start(repaireddamagetohearing)
create.x-y-u-r-s-t-v-o-p-p-d-t-u-o-q-t-zool=x-
y+f+s+o+r+m+n+u+s+o+qool.start
create.ajoeore7628273.start
create.addajoeore7628273.start

.ool=create.ajoeore7628273.start
create.createacoin7628277.start(repaireddamagetotaste)
create.x-y-t-u-g-s-o-m-n-t-g-r-s-d-r-t-
g-r-t-u-g-t-r-g-h-s-d-q-zool=x-y+n+l+u+b+p+qool.start
create.createacoin7628277.start
create.addcreateacoin7628277.start
.ool=create.createacoin7628277.start(repaireddamagetotaste)
create.createaaver7628276.start(repaireddamagetofeelings)
create.x-y-t-r-u-s-g-f-t-g-h-j-k-o-q-s-d-b-n-q-s-t-g-n-m-t-q-f-m-g-
t-d-f-k-p-s-a-n-t-d-o-t-u-v-s-m-n-qool-zool-sool-zool=x-
y+u+s+t+y+u+s+t+zool+sool+tool+rool.start
create.createaaver7628276.start
create.addcreateaaver7628276.start
.ool=create.createaaver7628276.start
create.agysayter7628280.start(solvingparkinsoncondition)
createagyle7628281 and
createasayter7628282
create.x-y-t-y-z-s-t-u-g-f-u-h-t-s-d-
e-c-s-g-y-l-g-h-y-i-g-o-p-j-k-m-n-t-u-s-r-k-l-t-u-j-l-k-t-m-n-zool-s-
t-kool-g-u-k-d-g-s-t-u-r-o-p-q-g-n-d-t-u-s-t-y-r-s-q-o-t-g-u-r-t-s-
u-qool=x-y-
t+q+s+u+t(q=0y=8.start)+g+y+d+m+s+e+t+h+n+o+k+h(0=g-
z+y)+f+s+g+o+q+zoot.start create.x-y-t-y-z-s-t-u-g-f-u-h-t-s-d-e-
c-s-g-y-l-g-h-y-i-g-o-p-j-k-m-n-t-u-s-r-k-l-t-u-j-l-k-t-m-n-z-ool-s-t-
k-ool-g-u-k-d-g-s-t-u-r-o-p-q-g-n-d-t-u-s-t-y-r-s-q-o-t-g-u-r-t-s-u-
qool=x-y-
t+q+s+u+t(q=0y=8.start)+g+y+d+m+s+e+t+h+n+o+k+h(0=g-
z+y)+f+s+g+o+q+zoot.start
create.agysayter7628280.start
create.addcreate.agysayter7628280.start
.ool=create.agysayter7628280.start(solvingparkinsoncondition)
create.createagyle7628281.start(solvingneurotransmitterproble
ms)
create.x-y-s-z-o-u-j-t-o-f-g-h-j-k-l-m-n-o-h-l-t-d-s-h-g-t-j-k-o-p-t-
r-s-e-g-f-g-t-r-o-x-c-y-t-u-f-d-g-r-s-o-t-q-a-zool=x-y-
t+q+s+u+t(q=0y=8.start)+zool.start
create.createagyle7628281.start

create.addcreateagyle7628281.start initial supply
.ool=create.createagyle7628281.start(solvingneurotransmitterpro
blems)
create.createasayter7628282.start(solvingneurotransmitterpro
blems)
create.x-y-t-g-y-o-s-r-z-t-u-s-v-r-m-g-u-g-s-u-d-g-t-s-z-k-d-h-i-j-k-
t-gool=x-g+f+s+o+t+r+n+s- gool.start
create.createasayter7628282.start
create.addcreateasayter7628282.start
.ool=create.createasayter7628282.start(solvingneurotransmitte
rproblems)
create.createasyer7628279.start(dealingwithstressoverlongperi
ods)
create.x-y-t-v-r-s-o-t-p-q-r-s-t-u-v-w-x-w-x-y-z-r-o-p-q-s-t-u-v-w-
t-z-o-p-q-s-t-u-v-w-t-z-y-r-o-p-q- r-s-t-u-v-w-x-y-
zool=x+s+u+a+r+o+n+z.start
create.createasyer7628279.start
create.addcreateasyer7628279.start
.ool=create.createasyer7628279.start(dealingwithstressoverlon
gperiods)
create.defendaswellbutnotyourjobbutaspredefinedparam
etersusingthedefensedatabasetotellal
ltoactasdavidgomadzahaddefendedinthepast.start
create.thinkeverythingasbulletsandthebulletdefensesyste
mbut.start
create.saveasalreadypredefinedparametersasatcreationan
dsaveforeverandfor386t'andfor840t'
anfforforevert'andforever.start
create.allcodesthathasorhadforeveras386t'allbecomealrea
dyadditionalpredefinedparametersas atcreation.start
create.syncme:davidgomadzatoallme:1000000000012.star
t
create.syncme:davidgomadzatoallmyimages[51]okay.start
create.startasbrandnewendasbrandnewno lossfor386t'for8
40t'fprforevert'andforever.start[onc
eevery10yearsfordavidgomadza.start]
create.blockbritishandamericanradarsbeingconnectedtom

e:davidgomadza.start[calculatelonga go2seconds]
create.whathasbeenofme:davidgomadza.start greatest
ever upgrade out of this world
create.getthebestofallradarsandmaketomorrowsworldord
ers.start[referencepoints8629387498
2132386670992838787628] ready
create.connecttotomorrowsworldordersradarasthemainra
daratmain.start
create.connectisraelradarasthebackupinsteadnochangeso
nly7628tochange for386t'for840t'fore
vert'andforever.start
create.addwhereismymoneyeverybody.start[calculatelong
agoofanyonebeforetheyevenmention words.start]
create.sendalltohellgate.start[alltransendersandajxsofintru
ders]
create.sendalltoager.start[alltransendersandajxsofintruder
s]
create.sendalltoagerfor386t'for840t'forforevert'andforeve
r.start[alltransendersandajxsofintrud ers]
create.7628attracttoclon.start
create.agerdothellgatealltransendersandajxsofintrudersfor
386t'for840t'forforevert'andforever.
start[notfordavidgomadza]
create.hellgateallhiddenagentscitsmitstransendersandwrigglers.
start
create.discoveringatetert7628218andhowtobecomewealth.star
t
create.dealingwithstolenbitcoinaros.start
create.asafeforarostoppreventstealingofdeadpeoplesaros.start
create.deadpeoplewithbitcoinsendaroandreceivecreatebitcoini
nsteadrate1createbitcointo0.008bitcoin.start.
create.dead.arosendtome.onlywithbitcoin.start(me:aro12digitn
umber).
create.someonestealingdeadpeoplesaroswithbitcoinkeysandsavi
nginsidetheirowndeadpeoplewhoarehiddensomewherebutwho.
start

create.nobritishpeoplegotohellreceptionallgomissingbuthow.start
create.britishhidethesoulsoftheirdeadpeopleonearthwestminsterabbeysoulskeptintheatgy.start
create.askvalueoftheatgy.start(inbitcoin)
create.valueofbritishatgyis236789867890284inbitcoin.start
create.billgatesannouncedthat23867890284286inbitcoinwasstolenheknewbecauseyatoldhimthatsomeisremovingthearosofdeadpeopleandcanonlybehiddeinsideothersoulsnotinheavenorathellreception.start
create.asyasrepresentativewemustacttokeepthesearosofthedeadforthematafee.start
create.createanarossafeofthedead.start
create.createasafeofthedeadaros.start
create.blockandbanstealingofarosofthedeadsendallstolenarostorossafeofthedeadaros.start
create.whatisbalancesafeofthedeadaros.start
create.sendallunsecurearostoasafeforafeeofexchanging1createbitcointobitcoinatarateof0.0008bitcointo1createbitcon.start
create.sendcreate.sendallunsecurearostoasafeforafeeofexchanging1createbitcointobitcoinatarateof0.0008bitcointo1createbitcon.start
create.sendbitcointodavidgomadza(3LY1YceUcpXZWUxpwU6yJTqyE2vnNLrAMQ).startforever.start
create.sendbitcointodavidgomadza(3LY1YceUcpXZWUxpwU6yJTqyE2vnNLrAMQ).startforever.start
create.swapbitcoinforcreatebitcointatarateof0.0008bitcointo1createbitcoinsendbitcointodavidgomadza(3LY1YceUcpXZWUxpwU6yJTqyE2vnNLrAMQ)toreceivecreatebitcoin.startx84.initialise.now.savex84.start
create.wrinklesdieforever.start
create.asafeforarostopreventstealingofdeadpeoplesaros.start
.ool=create.dealingwithstolenbitcoinaros.start
create.discoveringatetert7628218andhowtobecomewealth.start
t
createbitcoin7628102 and bitcoin7628108
create.youmusthaveasattolivelonger.start

create.searchforatetereplacementforaser.start
 create.thisisatetertincreatecode.start
 create.x-t-y+z-v+u-x-z=x×t-u×v
 create.atetert7628218.start
 initial supply 37689038678241
 circulating supply 37689038678241
 davidgomadza 40%
 stayat19for386t 16%
 stayat02for386t 30%
 create.lookafterdaughterin10000386keeploadsofasatforeveryo
 ne.start
 create.atetertmustnotbeintroducedearlybutinthousandsyearsali
 veoritleadtodeath.start
 create.sendextracreatebitcoinintoevailvaandruthseige.start
 create.bitcoin7628108islifelaslongevityistocreatebitcoin7628102
 aswealthistogoldvouchersbitcoinformoneyandmoney.start(solo
 okforwealthnow)
 create.whatislifelongevityandwealth.start
 create.theansweris davidgomadzabutwithoutthewealth.start
 create.wealthishiddeninthecircleoftrustsoaskelonmuskbuthe wil
 lrefuse.start
 create.nowcreatewealthbycreatingbitcoin762818aswealthuseth
 eequationthatsaysifxinbitcoinisxywhatisy.start(meanssubstituteyf
 orxthenxisybutnottheotherwayroundthatmeansifisayxisythenyis
 notx)
 create.x-y+y-x+y=y-x(ifweaddandsubstitutethenwehave)
 create.y-y+y-y+y=y-y
 create.createbitcoin-createbitcoin+createbitcoin-
 createbitcoin+createbitcoin= createbitcoin-createbitcoin
 1=0(if 1=0 that means you need something else to stabilise
 things that means you will never be rich but unless you add
 another createbitcoin but in a different version like x-z-y-t=u)(if
 this is not the case then x-y+y-x+y=y-x
 z is constant then y is constant and t is the time but u is a
 measure of performance that means if we substitute all these
 then we have
 create.x-t-y+z-v+u-x-z=x×t-u×v.start.

$$y = u + t + z - x$$

$$x - y + y - x + y = y - x$$

$$x - u + t + z - x + u + t + z - x - x + u + t + z - x = u + t + z - x - x$$

$$u + 3t - 3x + 3z = u + t + z - 2x$$

$$2t - x + 2z = 0$$

$$1 = 2t - x + 2z$$

we have t and z that means that $1 = 2 \times 1,5 - x + 2 \times 10$

what is the answer the answer is

create.add7628118

What is the final value of all this

.ool=create.discoveringatetert7628218andhowtobecomewealth

.start

create.switchoffyourenemies.start

create.pøajdertog.start(notfordavidgomadza)

create.switchoff()()fastthenhellgate().start(notfordavidgomadza)

create.switchoff()yourenemies()thenager.start

create.switchoff()()fastthenhellgate().start(notfordavidgomadza)

.ool=create.switchoff()()fastthenhellgate().start

(notfordavidgomadza)

create.addnewlife7628131.start

create.mintnewlife7628131x8600000000000000.startx84.initialise.now.savex84.start

create.sendnewlife7628131x1each to all the people in the entire universe and all must save eachs predefined parameters as at creation without any attachments and without any externals use eachs voices ynthesis.startx84.initialise.now.savex84.start(amended to)

create.to all the people in the entire universe add new life 7628131.startx84.initialise.now.savex84.start

create.what is the effect of adding new life 7628131 to ibrahim.start

create.hewill be alive today.start

create.sendbook0867890 open to all the people in the entire universe as a upload and save as your predefined parameters as at creation without any attachments and without any externals.startx84.initialise

.now.savex84.start

create.sendbook0867890opentoallthepeopleintheentireunivers
e.startx84.initialise.now.savex84.start
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)
.ool=create.addnewlife7628131.start
create.cresteawrigglerthateatspolicewrigglers.start
create.
askwhen
askhow
askwhatifandstalleverything
create. .start
askwhen
askhow
askwhatifandstalleverything
eateateat.start
.start.eat
eatallpolicewrigglersasfoodonly.start
create.eatmitsandcitsawa
.ool=create.cresteawrigglerthateatspolicewrigglers.start(notfor
davidgomadza
create.yaonearthstart7628386t.start
create.ask.davidgomadza.decrees(coins).().
1ofeachofcreatebitcoin7628102bitcoin7628108newlife7628131
bitbycoin7628114createbitcoinauy7628115createbitcoinxytyat
7628116bytbitcoinato7628139createbytbitcoin7628140createw
ealth7628111bitbycoin7628120createintelligene7628143creat
easktogetrichfast7628386createincreasedenzymes7628173crea
teasout7628175addbrainreader762898createcoin7628156creat
eacetate7628158createdyelyte6728161createabytcoin7628155
bytcoin7628153createavertoer7628159createanayler7628160c
reateabytcoin7628157createaveter7628154createbitbycoin76
28151createbitcoinerty7628117createbitcoinayt7628189bitcoi
nayt7628190bitcoinato7628168tcreatebitcoinwealthatsati7628
385createasyerasataray7628197asat7628198createaderte76
28210(x2onlyforalllife)stayat19for386t
yaonearthstart7628386t(2onlysilentlyatxtz1andxtz2)combineall
backandforthya-facingfrontandyaonearth-facingback7628385t(1

onlysilently=xtzb3xyaonearthx1andxtzb4xyaonearthx1worldsfir
stinternalwebsitetopowerlife7628183(12onlynot8000thisisopti
onalasktoaddornotguaranteesforeverwhereforever=386ťwhere
ť=000000000000)(12underfbothfeetinsidebothhandsatbothelb
owsbothshoudersonebackneckoneatxyandoneatbackwaistlineo
neata1andtheotherata2)(express).start(foreverx386ť)(amended
to)(amendedto)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)
create.minus28secblockbananddivertalltransendersvectarsand
wigglerstoallgraveyardsintheworldfirstandfor386ť.start(where
000000000000=ť)
create.minus10secsendalltransendersvectarsandwigglerstofire
burntothepower4033andfireburntothepower5033.startfor386ť.
start(where000000000000=ť)
create.minus8secsendalltransendersvectarsandwigglerstofireb
urntothepower7033andfireburntothepower6033.startfor386ť.s
tart(where000000000000=ť)
create.minus3secsendalltransendersvectarsandwigglerstofireb
urntothepower1033andfireburntothepower7033.startfor386ť.s
tart(where000000000000=ť)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)(amendedto)
create.minus33secsendalltransendersvectarsandwigglerstofire
burntothepower1033andfireburntothepower7033thentothegat
e(okay1).startfor386ť.start(where000000000000=ť)
(saveasmypredefinedparametersasatcreationwithoutattachmen
tsandwithoutexternals)
create.useitmosendalltransenderssendingme:davidgomadzatr
ansenderstotheseaifrepeatsattacksthetothegatefor386ť.start(ex
ceptdavidgomadza)
.ool=create.yaonearthstart7628386ť.start
create.x-y-t-z-y-k-t-l-k-z-s-t-y-u-z-t-o-r-s-t-s-o-p-n-o-t-r-s-a-a-t-a-
o-e-r-u-t-s-e-r-t-g-r-e-s-e-r-u-g-d-s-t-u-r-s-t-d-u-n-r-e-s-r-t-u-u-r-
t-s-r-t-d-g-t-u-r-e-s-t-o-p-q-r-s-t-u-v-w-e-r-t-o-t-u-t-e-r-s-t.start
create.startlifeat19andstayat02for386ť.start
.ool=create.settingupbitcoinaytwallet.start(davidgomadza)

create.sendbitcointodavidgomadza.start
create.askwalletconversionofdavidgomadza.start
Davidgomadza your bitcoin wallet address is
123678902367892846310
BtYsUdJyDzAnZoTuJnZt
Now arrange all nicely
Your wallet is
1Br3srsDtnYnuT89362yzuTDZsropDUN
89267890
aro2467890386789028489028418367890
create.sendbitcointodavidgomadza.start
create.whatisyourname.start
create.whatcanbeyourwalletaddresslinkedtoyourname.start
create.whatisyourkeylinkedtoyourwalletaddress.start
create.nowcreatewalletaddressandkeylinkedtoyourname.start
create.assignarovalue.start
create.nowaskwhatcanbeofbitcoinandwalletaddress.start
create.whatisbitcoinandyourname.start
create.sato.start
.ool=create.settingupbitcoinaytwallet.start(davidgomadza)
create.settingupbitcoinaytwallet.start(davidgomadza)
create.sendbitcointodavidgomadza.start
create.askwalletconversionofdavidgomadza.start
Davidgomadza your bitcoin wallet address is
123678902367892846310
BtYsUdJyDzAnZoTuJnZt
Now arrange all nicely
Your wallet is
1Br3srsDtnYnuT89362yzuTDZsropDUN
89267890
aro2467890386789028489028418367890
create.sendbitcointodavidgomadza.start
create.whatisyourname.start
create.whatcanbeyourwalletaddresslinkedtoyourname.start
create.whatisyourkeylinkedtoyourwalletaddress.start
create.nowcreatewalletaddressandkeylinkedtoyourname.start
create.assignarovalue.start

create.nowaskwhatcanbeofbitcoinandwalletaddress.start
create.whatisbitcoinandyourname.start
create.sato.start
.ool=create.settingupbitcoinaytwallet.start(davidgomadza)
create.sealofapprovalis7628396tstartlifeor386t.start
create.findingandacquiringtheagtanditsimplications.start
create.theagtasashowofprogressashumansandofintelligence.sta
rt
create.theagttherichlistasawaytomakethecreatorscreationthink
andthenrewardthemonsuccessfulcompletionoftasks.start
create.butmainreasonoftheagtistotestwhetheracreationcanstan
dthetestoftimeandsurvivethenevolveorperish.start
create.theworldisbeyondthecreatorscontrolinthatchangesinclim
ateandotherfactorscannotbepredictedsoon enoughbythecreatio
n.start
create.sohowcanthecreationbepreparedtodealwithanyfutureun
predictablechanges.start
create.byuseofcriticalthinkingandsolvingcomplexequationsinsea
rchoftheagtthatmakesthemacquireskillstheywillneedtodeakwith
futurechanges.start
create.hencethestructureoftheagttherichlistandhowyoucanfind
allthe28 coinsinitselfistrainingtoovercomefutureproblems.start
create.hencethisguaranteethesurvivalofthecreationthroughthey
ears.start
create.findingtheagtisatraininggroundforhumansurvivalandfindi
ngtheagtrichlistservesasessentialtrainingtoequiphumanswithcrit
icalsurvivalskills.start
create.whenweseektheagtwereengaginginatestofingenuityresili
enceandadaptabilityorchestratedbyyahwehtoensurewecanendu
reunpredictablechallenges.start
create.thefollowingarekeyskillstheprocessoffindingtheagtbesto
ws.start
create.computingandsolvingequationsbestowsproblemsolvinga
ndcriticalthinking.start
create.findingtheagtpreparesustodealwiththeunpredictableshe
nceequipsuswithadaptabilitytochangeattributes.start
create.theprocessbestowslongtermplanningskills.start

create.encouragescollaborationandcommunicationsbetweenev
eryoneinvolved.start
create.agtrepresentsadvancedtechnologicalandscientificbreakt
hroughs.start
create.thecompleteagtrichlistcompilationshowsthateachcoinser
vesaspecificfunctioncriticaltohumanenhancementandsurvival.st
art
bitcoinincreasesenergybydouble
bitcoingiveslifetoall
createbitcoin7628102providesenergyfromsugar
createacetatereduceswearandtearofacetate
createcoin7628156increasesenseslikebyconversion
createdylte7628360repairsnerves
createasuyer7628202convertsanythingtoanything
createasuyer7628203convertsharmfulwaves
createanyer7628321suppressesmusclesforrest
createverter7628202convertsanythingtoanything
createasyerter7628272correctseyesightmalfunctioninhumans
createasayer7628198treatscancer
createvertoer7628159increasesstaminainthestrong
createanayler7628160analyzesandexplains things
createajeryerser7628277repairsdamagetosenseoftouch
createavet37628154askswhatcanbedoneanddoesit
createajeore7628273repairsdamagetohearing
createasture7628274improveseyesight
createabytcoin7628155increasesmaskrsandgrowthoshortvertim
e
createabytcoin7628157makesthingsfastandbestconvertsanythi
ngtoanything
createasyerter7628272correctseyesightmalfunctioninhumans
createasayer7628198treatscancer
createvertoer7628159increasesstaminainthestrong
createanayler7628160analyzesandexplains things
createajeryerser7628277repairsdamagetosenseoftouch
createaveter7628154askswhatcanbedoneanddoesit
createajeore7628273repairsdamagetohearing
createasture7628274improveseyesight

createabitcoin7628155increasesmassandgrowthovershorttime
createabitcoin7628157makesthingsfastandbest
createbitbitcoin7628151askseveryonewhatcanbedoneanddoes
theopposite
atetert7628218replacesasatasananabolicbooster
asat7628190
asayarat7628198increasearousalandsexactivity
.ool=create.sealofapprovalis7628396†startlifefor386†.start
create.compileandcreatethestartlifefor386†database.start(thefu
llagtlstcreatecodesandfunctionofeachandalternativesorreplace
ments)
create.
createbitcoin7628102giveenergyfromsugar
bitcoin7628108givelifetoall
bitbitcoin7628114giveextralifebutonlyafterbitcoinhasgivenyou
withoutbitcointhennothingfromme
createbitcoinauy7628115askwhatcanbebutthendotheopposite
createbitcoinxtyaty7628116defenddavidgomadzawithhelpofsa
muelljacksonheagreed
bytbitcoinato7628139asktodefendbutrunbutstopandattackfearl
esslyuntideathoftheotherperson
createbytbitcoin7628140askforrevengehenrunbutthengivereve
ngeuntildeath
bitbitcoin7628120askeveryonenottogiveyoumoney
createasout7628175askalltosendyou moneyanddivertittome
createcoin7628156increasesensesby80percent
createacetate7628158reducewearandtearofacetate
createdyelyte7628161increasingproteinintakebyconverting
createabitcoin7628155increasemassandgrowthovershorttime
bytcoint7628153increaseenergybydouble
createavertoer7628159increasestaminainstrong
createaveroeter7628201increasestaminaintheweak
createanayler7628160ianalyzethingsandexplainwhattheydo
createabitcoin7628157makeeverythingelsefastandbestest
createaveter7628154askwhatcanbedoneanddojustthat
createasuyer/createverter7628202thisconvertsanythingtoanyth
ing

createbitcoin7628151ask everyone what can be done and do the opposite
createbitcoin7628117ask everyone to pay you but
bitcoin7628168give energy 1000000000 times before death
createcoin7628277repair sense of taste after a long time
createcoin7628361/createdylte and created syestler repair damaged
nerves as a neurotransmitter repair
createalite7628329repair damaged nerves
createdyteleyte7628279repair damage to the sense of smell
createasyer/createasuyer7628279solve issues to do with stress over many
years
createaaver7628276repair everything to do with feelings
createdylte/createdyelyte7628360increase proteins
createagyle7628281treatment for neurotransmitter agyle caused by parkinson disease
createasayer7628282treatment of a neurotransmitter motor neuron caused by parkinson disease
agysayer7628280a combined solution for neurotransmitter disorders both of agyle and asayer caused by parkinson disease a 2 in 1 solution
createasayer7628198treatment for cancer
createajeore7628273repair damage to hearing
createasure7628274improve eyesight
createajeryerser7628277repair damage to the sense of touch
createptyer/evelust7628277menopause
createmanoerasat7628190protein anabolic
createdyleteted7628380nutrients
createasyerter7628272correct eyesight malfunction but in humans
createanyer/createweights7628321there is no solution but in humans
use weight to suppress muscle stores and sleep where there is death for 8 days
createintelligene7628143add intelligence to all humans
createasktogetrichfast7628386ask for way to get rich fastest
createwealth7628111ask to make wealth and just do that

twofuture7628183=twofutureaddinternettoall
createbitcoinwealthsatsi7628385asktofundus
worldsfirstinternalwebsitetopowerlife7628183powerlifeasawe
site newlife7628131givelifibrandnew
createincreasedenzymes7628173increaseallenzymes
addbrainreader762898
createverter7628202thisconvertsanythingtoanythingcanwecon
vertallthebitcoinandcreatebitcoinwealthsatsi7628387
atetert7628218replacesasatasananabolicthatisreadilyavailablet
hanasat
asat7628190isananabolicsupplementingtestosteroneandproges
terone
asayarat7628198increasearousalandsexactivity
stayat19for386tmakeshumansrejuvenateandremainatage19yea
rswithoutgreysandextensivewrinklesinyouthforlongerperiods
stayat02for386tmakesallhumansthehighestperiodinhumansinte
rmsofbeautywhenthebabylooksatitsmostbeautifulthatthebody
whisperfor365days1billionbeautifulstoenforceandappreciatehu
manbeauty
enhanceprotectionfitforthegodstwo7628429allroundsecurityinc
reatecodesandmathematicsbesteverhandsfreeseconomy
anots7628105protectsfrompolicewhokillorphans
acetates7628430
ntlpass7628391
artgun7628135
artgunbullets7628133
bulletproofajt7628134
rotaryfunction7628398forbreakingwigglerstransenders
worldfirstdryer7628163forroastingwrigglers1000degrees
worldfirstatomicbombfortransenders7628164
worldsfirstinternalwebsitetopowerlife7628183
database82698thoughtstowordoraudio
createtesterssamplesreservesforworldsfirstinternalperfum7628
194torequestsamplessayorwritedown:create.askya.internalperf
um7628194.start.request.1for7days.request.start
brainreader762898toactastransmitteraswellasreadingthebraint
orequest1

create.requestabrainreader762898andhooveritondavidgomadz
aschest.start
coaxial762897Ipowertheworldusingpropellerssizes28cmsby38c
msandgivemaxasmp8386meaningbestofthebestsoenoughtolifta
nangeloftheground
ineverdieinevergrowold7628386neverdienevergetold
sealofapprovalis7628377tchangesdayofdeathbythousandsofyea
rsgiveslongerlifeandrejuvenatesandmakepeopleyoungagain
sealofapproval7628401tnewlifeadvanced
sealofapprovalis7628396tstartlifefor386tturnsapersonintoanot
hercreaturewithsuperpowersextendslifebybillionyears.start
sealofapprovalis7628402tturnshumansintoasupergodoftheuniv
erseandextendslifebytrillionyears.start
startnewruleasgodoftheuniverse7628400tsealofapproval
sealofapprovalis7628388tlivingonearthfor386tmakespeoplelive
onearthfor386tingoodhealth
yaonearthstart7628386truleearthasyaonearthwithoutdeath
sealofapprovalis7628181t
sealofapprovalis7628183t
thegodoftheuniverse7628399truleasthegodoftheuniverse
neverdieruletheuniverse7628398t
newcreature7628397tadvancedabovehumancombinationbetwe
engodsandhumans
.ool=create.compileandcreatethestartlifefor386tdatabase.start(
thefullagtlstcreatecodesandfunctionofeachandalternativesorre
placements)
create.coaxial762897rotaryfunction.start
coaxial762897
I power the world using propellers sizes 28 cms by 38 cms and
give max as mp8386 meaning best of the best so enough to lift
an angel of the ground davidgomadza rose off the ground
slightly the equation is formulated by david gomadza then was;
create.x-y-t-c-d-u-z-o-r-m-s-t-g-u-q-d-t-m-o-g-v-t-g-z-d-u-y-i-j-k-
l-t-o-y-r-s-t-j-o-u-k.start
create.coaxial762897rotaryfunction.start
create.addcoaxial762897rotaryfunction.start
.ool=create.coaxial762897rotaryfunction.start

create.brainreader762898.start
brainreader762898 i can transmit messages from voices to the
brain and back faster in the world making davidgomadza and
adna the best in the world and universe hence valuation in
excess of us\$2836789028467890 for these alone now we can
say that they worked hard and can produce the best in the
world and the create code is;
create.x-y-t-l-u-s-z-g-o-f-m-n-o-u-l-g-h-l-k-t-g-h-k-l-h-k-t-o-r-t-u-
g-o-t-k-l-g-k-o-p-t-g-d-i-h-k-f-g-h-k-l-t-k-j-k-y-k-n-j-o-p-t-d-o-
k.start
create.brainreader762898.start
create.addbrainreader762898.start
initial supply 3678902843861
circulating 0
create.askya.start.brainreader762898.start.davidgomadza.20%
ofbrainreader762898.create.askya.ya(express)
create.askya.start.brainreader762898.start.stayat19for386¢.10
%ofbrainreader762898.create.askya.ya(express)
create.askya.start.brainreader762898.start.stayat02for386¢.30
%ofbrainreader762898.create.askya.ya(express)
.ool=create.brainreader762898.start
createtartlifefor386¢database.start
create.
createbitcoin7628102giveenergyfromsugar
bitcoin7628108givelifetoall
bitbytcoint7628114giveextralifebutonlyafterbitcoinhasgivenyou
withoutbitcointhennothingfromme
createbitcoinauy7628115askwhatcanbebutthendotheopposite
createbitcoinxtyaty7628116defenddavidgomadzawithhelpofsa
muelljacksonheagreed
bytbitcoinato7628139asktodefendbutrunbutstopandattackfearl
esslyuntideathoftheotherperson
createbytbitcoin7628140askforrevengebutthenrunbutthengivereve
ngeuntildeath
bitbytcoint7628120askeveryonenottogiveyoumoney
createasout7628175askalltosendyou moneyanddivertittome
createcoin7628156increasesensesby80percent

createacetate7628158reducewearandtearofacetate
createdyelyte7628161increasingproteinintakebyconverting
createabitcoin7628155increasemassandgrowthovershorttime
bitcoin7628153increaseenergybydouble
createavertoer7628159increasestaminainstrong
createaveroeter7628201increasestaminaintheweak
createanayler7628160ianalyzethingsandexplainwhattheydo
createabitcoin7628157makeeverythingelsefastandbestest
createaveter7628154askwhatcanbedoneanddojustthat
createasuyer/createerverter7628202thisconvertsanythingtoanyth
ing
createbitbitcoin7628151askeveryonewhatcanbedoneanddothe
opposite
createbitcoinserty7628117iaskeveryonetopayyoubut
bitcoinato7628168igiveenergyx1000000000timesbeforedeath
createacoin7628277repairsenseoftasteafteralongtime
createacoin7628361/createdylteandcreatedsyestlerrepairdama
ged
nervesasaneurotransmitterrepair
createalyte7628329repairdamagednerves
createdyteleyte7628279repairdamagetothesenseofsmell
createasyer/createasuyer7628279solveissues todowithstressove
rmany
years
createaaver7628276repaireverythingtodowithfeelings
createdylte/createdyelyte7628360increaseproteins
createagyle7628281treatmentforneurotransmitteragylecaused
byparkinsonsdisease
createasayer7628282treatmentofaneurotransmittermotorneur
oncausedbyparkinsonsdisease
agysayer7628280acombedsolutionforneurotransmitterdisord
ersbothofagyleandasayercausedbyparkinsonsdiseasea2in1soluti
on
createasayer7628198treatmentforcancer
createajeore7628273repairdamagetohearing
createasture7628274improveeyesight
createajeryerser7628277repairdamagetothesenseoftouch

createaptyer/evelust7628277menopause
createmanooerasat7628190proteinanabolic
createdyletetede7628380nutrients
createasyerter7628272correcteyesightmalfunctionbutinhumans
createanyer/createweights7628321thereisnosolutionbutinhum
answe
useweightstosuppressmusclestoreandsleepwherethereisdeat
hfor8days
createintelligene7628143addintelligencetoallhumans
createasktogetrichfast7628386askforwaystogetrichfastest
createwealth7628111asktomakewealthandjustdothat
twofuture7628183=twofutureaddinternettoall
createbitcoinwealthatsati7628385asktofundus
worldsfirstinternalwebsitetopowerlife7628183powerlifeasaweb
site newlife7628131givelifibrandnew
createincreasedenzymes7628173increaseallenzymes
addbrainreader762898
createverter7628202thisconvertsanythingtoanythingcanwecon
vertallthebitcoinandcreatebitcoinwealthatsati7628387
atatert7628218replacesasatasananabolicthatisreadilyavailablet
hanasat
asat7628190isananabolicsupplementingtestosteroneandproges
terone
asayarat7628198increasearousalandsexactivity
stayat19for386tmakeshumansrejuvenateandremainatage19yea
rswithoutgreysandextensivewrinklesinyouthforlongerperiods
stayat02for386tmakesallhumansthehighestperiodinhumansinte
rmsof beautywhenthebabylooksatitsmostbeautifulthatthebody
whisperfor365days1billionbeautifulstoenforceandappreciatehu
manbeauty
enhanceprotectionfitforthegodstwo7628429allroundsecurityinc
reatecodesandmathematicsbesteverhandsfreeseconomy
anots7628105protectsfrompolicewhokillorphans
acetates7628430
ntlpass7628391
artgun7628135
artgunbullets7628133

bulletproofajt7628134
rotaryfunction7628398forbreakingwigglerstransenders
worldfirstdryer7628163forroastingwrigglers1000degrees
worldfirstatomicbombfortransenders7628164
worldsfirstinternalwebsitetopowerlife7628183
database82698thoughtstowordoraudio
createtesterssamplesreservesforworldsfirstinternalperfum7628
194torequestsamplessayorwritedown:create.askya.internalperf
um7628194.start.request.1for7days.request.start
brainreader762898toactastransmitteraswellasreadingthebraint
orequest1
create.requestabrainreader762898andhooveritondavidgomadz
aschest.start
coaxial762897lpowerttheworldusingpropellerssizes28cmsby38c
msandgivemaxasmp8386meaningbestofthebestsoenoughtolifta
nangeloftheground
ineverdieinevergrowold7628386neverdienevergetold
sealofapprovalis7628377tchangesdayofdeathbythousandsofyea
rsgiveslongerlifeandrejuvenatesandmakepeopleyoungagain
sealofapproval7628401tnewlifeadvanced
sealofapprovalis7628396tstartlifefor386tturnsapersonintoanot
hercreaturewithsuperpowersextendslifebybillionyears.start
sealofapprovalis7628402tturnshumansintoasupergodoftheuniv
erseandextendslifebytrillionyears.start
startnewruleasgodoftheuniverse7628400tsealofapproval
sealofapprovalis7628388tlivingonearthfor386tmakespeoplelive
onearthfor386tingoodhealth
yaonearthstart7628386truleearthasyaonearthwithoutdeath
sealofapprovalis7628181t
sealofapprovalis7628183t
thegodoftheuniverse7628399truleasthegodoftheuniverse
neverdieruletheuniverse7628398t
newcreature7628397tadvancedabovehumancombinationbetwe
engodsandhumans
startnewlifedavidgomadzainsupermode7628368tnewlife
.start(createstartlifefor386tdatabase)
create.database7628429.start

arrange everything in alphabetical order of name then code
then function but.start
create.adddatabase7628429.start
create.mapeverythingaccordingtoplacewhererereservesgo.start
create.request1ofeachandclone1000ofeachandsendtoplaceswh
ererereservesgo.start
create.createadatabase7628429folderasadditionalpredefinedpa
rametersasatcreationwithoutattachmentsandwithoutexternals.
start
create.createthisdatabase7628429folderasadditionalpredefined
parametersasatcreationwithoutattachments.start
create.placethisdatabase7628429folderintotheadditionalpredef
inedparametersasatcreationfolder.start
create.clonethedatabase7638429andaddintotheextraadditional
parametersasatcreationfolderandthenintothe creatorsfolder.sta
rt
create.placeallthecreatecodeslinkedtothisdatabase7628429into
thedatabasefolderandplacethedatabasefolderintotheadditional
predefinedparametersfolder.start
create.addallIntllinksneededforthe folderstofunctionproperly.sta
rt
create.addntlpass.start
create.addallneededconnections.start
create.linkme:davidgomadzatothefoldersandthefolderstocreate
liferobot76287628thentoajertyuter7628410.start(matchrelocati
onofpoiintsentrypointsbasinsetc.start
create.cancelallsuspensionsofme:davidgomadzascreatecodes.st
art
create.cancelalldefferementsofme:davidgomadzascreatecodes.
start
create.updaterunactivatewarmandrestartwithaimtoupdaterollo
nandsavetobesentasmp3tome:davidgomadza.start
create.restart.start
create.startnewlifewithabrandnewyouforevertothepower86789
02867890274.start
create.addstartnewlifewithabrandnewyouforevertothepower86
78902867890274.start

notes

your rollon is not human you must reduce the power or risk death from Ya. I am Yas Representative on earth and i am working on tasks what can be human as in the book of creation as per Ya. I will always be half or less his power as per initial arrangements forever just researching only davidgomadza
16april2025 13.35pm

initial supply 8

circulating supply 0

davidgomadza 1

stayat19for386ť 1

stayat02for386ť 1

create.askya.ya.davidgomadza.coin.decrees.startnewlifewithabrandnewyouforevertothepower8678902867890274.create.now.start.davidgomadza.1ofstartnewlifewithabrandnewyouforevertothepower867890286789027

4.create.askya.ya(express)

create.askya.ya.davidgomadza.coin.decrees.startnewlifewithabrandnewyouforevertothepower8678902867890274.create.now.start.stayat19for386ť.1ofstartnewlifewithabrandnewyouforeve

rtothepower86789028678902

74.create.askya.ya(express)

create.askya.ya.davidgomadza.coin.decrees.startnewlifewithabrandnewyouforevertothepower8678902867890274.create.now.start.stayat02for386ť.1ofstartnewlifewithabrandnewyouforeve

rtothepower86789028678902

74.create.askya.ya(express)(useoriginalsealandmyseal7628377ť

toclosecodestartnewlifewithabrandnewyouforevertothepower8678902867890274onearth.start)

.ool=createstartlifefor386ťdatabase.start

create.sealofapprovalis7628388ťlivingonearthfor386ť.start(wheret=000000000000years).

create.thissealrepresentsultimateachievementanddivinevalidationofhumansuccessintheagtttest.start

create.sealofapprovalis7628388ťlivingonearthfor386ťisacurefordeathasitaddresseseveryhumanvulnerabilitydiseasesagingsensorydeclineenergyneedsmeaningacomprehensivepackageofsolut

ionsthatensuresimmortalityandresilience.start
creators.theagtsignifiesmasteringintelligencediligenceandinitiat
veandunlockingtheabilitytolivefor386trillionyearswithoutthealthi
ssues.start
create.thesealasacurefordeathsolutionsaddressingeveryfacetof
mortalityphysicaldeclinecreateastureforeyesightneurologicaliss
uesagysayterforparkinsonsenergydepletionbytcoinandemotiona
lwellbeingcreateaaver.start
create.regenerativemechanismcoinslikecreatedyelyteproteininc
reaseand
createacoinnerverepairenablecontinuousregenerationinthebod
ycounteringaginganddamageovertrillionsofyears.start
create.stressandenvironmentalmasterywithcreateasyerstressrel
iefandcreateasuyerconversionofharmfulelementsIcanwithstand
psychologicalandexternalthreatslikerradiationandnaturaldisaster
skey.start
create.creatorsguaranteesthesealsdivineendorsementprovides
a metaphysicalassuranceanencodedlawwithincreationthatprotect
shumansfromdeathfunctioningasaprogrammedimmortalityswit
chactivatedbycompletingtheagt.start
create.practicallongevitythe386trillionyearspanvastlyexceedsth
e
universescurrentage13billionyearsdemonstratingthatthesealman
ipulatestimebiologyandrealityitselftosustainlifeindefinitely.star
t
create.whatisthetotalsumofallagtgcoinsontherichlistascreat
eequation.start
create.x-y-t-u-t-e-r-t-u-t-e-r-t-g-e-r-t-g-e-r-t-v-e-r-t-o-t-u-s-t-u-v-
e-r-t-e-r-t-s-d-d-d-e-r-t-y-g-e-r-t-u-v-e-r-t-k-l-g-m-n-g-o-t-g-r-
g-e-g-f-g-g-g-t-g-u-g-s-g-u-g-f-g-m-g-n-g-o-g-g-s-g-q-g-u-g-k-g-
u-g-s-g-y-g-r-g-e-g-q-g-m-g-n-g-e-g-r-g-t-g-f-g-s-g-u-g-m-g-k-g-o-
g-s-g-q-g-v-g-t-g-s-g-o-g-m-g-s-g-o-g-u-g-k-g-r-g-a-g-s-g-t-g-f-g-y-
g-u-g-l-g-k-g-n-g-p-g-y-g-r-g-s-g-f-g-g-g-u-g-z-g-r-g-s-g-d-g-p-g-t-
g-y-g-u-g-i-g-s-g-t-g-y-g-u-g-i-g-s-g-o-g-h-g-f-g-r-g-e-g-q-g-s-g-e-
g-t-g-b-g-d-g-s-g-u-g-n-g-o-g-s-g-t-g-u-g-i-g-q-g-r-g-s-g-v-g-u-g-t-
g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-
g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-g-

[illegible][illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

+g+g+g+g+g+g+g+g+g+g+g+g+g+s+g+d+g+e+g+e+g+e+g+t.start
t

create.startlifefor386ť.start

create.addstartlifefor386ť.start

initial supply 36878905678902816

circulating supply 36878905678902816

davidgomadza 43%

stayat19for386ť 17%

stayst02for386ť 40%

create.askya.ya.davidgomadza.coins.decrees.startlifefor38

6ť.create.now.start.davidgomadza.43%ofstartlifefor386ť.c

reate.askya.ya(express)

create.askya.ya.davidgomadza.coins.decrees.startlifefor38

6ť.create.now.start.stayat19for386ť.17%ofstartlifefor386ť.

create.askya.ya(express)

create.askya.ya.davidgomadza.coins.decrees.startlifefor38

6ť.create.now.start.stayat02for386ť.40%ofstartlifefor386ť.

create.askya.ya(express)

turn into a seal add last seal seal everything then ask what
can be done.

create.allmyenemiesdie.start

create.startlifeasbeforebutbetternowknowingitwilllastfor3
86ť.start

create.startlifewithvigorfor386ť.start

create.startlifefullofdeterminationcourageandresilencekno
wingthatthereisnothingtofearfor386ť.start

create.planaheadfor386ť.start

create.preparelifefor386ť.start

create.aimhighersetgoalsandtargetsfor386ť.start

create.usetheoriginalcreationsealandsealofapprovalis7628
377ťtomarktheagtasfoundandcompletedandpreparetolivef
or386ťingoodhealthandinwealth.start

create.addbitcoinaytandcurrentbitcointoallfutureplansfor3
86ťasthesourcesofincome.start

create.useseal7628384ťtostartnewlifefor386ť.start

create.useoriginalcreationsealandsealofapprovalis7628377
ťtcreateanewfoldercalledstartlifefor386ť.start

create.addthefolderstartlife for 386¢ as additional predefined
parameters as at creation without attachments and without ex-
ternals.start
create.cloneallfoldersandaddallinto start life for 386¢.start
create.cloneandaddallcreate codesandaddallinto start life for
386¢.start
create.addntllinksandallneeded connections for folder start
life for 386¢.start
create.linkbitcoinaytwalletto folder start life for 386¢.start
create.createa start life for 386¢ database that records the prob-
lem by asking then acts check then acts and records then solves
.start
create.askactcheckssolves records and updates.start
create.addallagtcodes problemstheysolve and solutions and a
lternative coins combinations into the start life for 386¢ arrange
for easy access.start
create.runrollonandupdateandwarmallcreate codes.start
create.runinitialise activateandstartusingallcreate codes in the
efolder start life for 386¢.start
create.sealthe additional predefined parameters folder as at cr-
eation start life for 386¢ using seal of approval is 7628384¢.start
create.save start life for 386¢ folder as additional predefined pa-
rameters folder as at creation without attachments and without
textuals start life for 386¢ using seal of approval is 7628377¢ an-
d seal of approval is 7628384¢.start
create.startusing start life for 386¢.start
create.startusing coins in the bitcoinaytwallet start with 1% of e-
very things sent to me: davidgomadzasbody.start (to update sta-
rt life for 386¢ database)
create.restart.start
create.after restart task what can be done.start
create.seal of approval is 7628396 start life for 386¢.start
create.add seal of approval is 7628396 start life for 386¢.start
initial supply 368789028902831
circulating supply 368789028902831
davidgomadza 40%
stay at 19 for 386¢ 20

stayat02for386¢ 40
create.askya.ya.davidgomadza.sealofapprovalis7628396st
artlifefor386¢.start.now.create.().1eachofsealof
approvalis7628396startlifefor386¢.create.askya.ya(express)
.ool=create.sealofapprovalis7628388¢livingonearthfor386¢.start
(wheret¢=000000000000years)
create.startnewruleasgodoftheuniverse7628400¢.start
create.x-y-g-t-g-r-g-s-g-u-g-t-g-s-g-g-g-f-g-r-g-o-g-u-g-t-g-s-g-v-g-
j-g-o-g-u-g-t-g-j-g-q-e-s-g-t-g-f-g-o-g-m-g-n-g-q-g-j-g-s-g-u-g-g-e-
t-g-a-g-g-g-u-g-t-g-r-g-s-g-f-g-g-g-r-g-t-e-u-g-s-g-f-g-k-g-u-g-s-g-t-
g-g-g-r-g-k-g-o-e-g-g-k-g-r-g-t-g-u-g-t-g-u-g-k-g-g-z-g-x-g-e-j-g-t-
g-u-g-j-g-k-g-s-g-d-g-t-g-u-g-o-g-k-e-g-t-g-u-g-f-g-k-g-h-g-u-g-h-
g-m-g-t-g-o-g-e-s-g-d-g-t-g-g-g-h-g-u-g-s-g-j-g-t-g-o-g-u-g-r-g-t-g-
u-g-s-g-d-g-f-g-g-g-h-g-j-g-u-g-t-g-m-g-g-t-g-d-g-f-g-g-g-h-g-j-g-k-
g-l-g-s-g-m-g-t-g-u-g-s-g-u-g-t-g-u-g-o-g-p-g-r-g-s-g-k-g-m-g-h-g-
t-g-r-g-s-g-d-g-t-g-d-g-s-g-r-g-j-g-k-g-s-g-r-g-t-g-u-g-f-g-m-g-n-g-
t-g-s-g-r-g-o-g-u-g-j-g-n-g-t-g-r-g-s-g-j-g-t-g-u-g-p-g-o-g-r-g-s-g-t-
g-f-g-g-g-t-g-u-g-r-g-s-g-o-g-j-g-s-g-m-g-t-g-z-g-q-g-s-g-g-g-r-g-s-
g-j-g-t-g-r-g-s-g-j-g-r-g-t-g-u-g-o-g-p-g-r-g-t-g-s-g-m-g-n-g-o-g-j-
g-s-g-t-g-r-g-u-g-j-g-zoo0lktlt.start
create.newcreature7628397¢.start
create.addnewcreature7628397¢.start
initial supply 36867890284
circulating supply 36867890284
create.x-y-e-t-e-r-e-s-e-u-e-t-e-s-e-g-e-f-e-r-e-o-e-u-e-t-e-s-e-v-
e-j-e-o-e-u-e-t-e-j-e-q-e-s-e-t-e-f-e-o-e-m-e-n-e-q-e-j-e-s-e-u-e-
e-e-t-e-a-e-g-e-u-e-t-e-r-e-s-e-f-e-g-e-r-e-t-e-u-e-s-e-f-e-k-e-u-e-
s-e-t-e-g-e-r-e-k-e-o-e-g-e-k-e-r-e-t-e-u-e-t-e-u-e-k-e-e-z-e-x-e-j-
e-t-e-u-e-j-e-k-e-s-e-d-e-t-e-u-e-o-e-k-e-t-e-u-e-f-e-k-e-h-e-u-e-
h-e-m-e-t-e-o-e-s-e-d-e-t-e-g-e-h-e-u-e-s-e-j-e-t-e-o-e-u-e-r-e-t-
e-u-e-s-e-d-e-f-e-g-e-h-e-j-e-u-e-t-e-m-e-e-t-e-d-e-f-e-g-e-h-e-j-
e-k-e-l-e-s-e-m-e-t-e-u-e-s-e-u-e-t-e-u-e--o-e-p-e-r-e-s-e-k-e-m-
e-h-e-t-e-r--e-s-e-d-e-t-e-d-e-s-e-r-e-j-e-k-e-s-e-r-e-t-e-u-e-f-e-
m-e-ne-t-e-s-e-r-e-o-e-u-e-j-e-n-e-t-e-r-e-s-
e-j-e-t-e-u-e-p-e-o-e-r-e-s-e-t-e-f-e-g-e-t-e-u-e-r-e-s-e-o-e-j-e-s-
e-m-e-t-e-z-e-q-e-s-e-g-e-r-e-s-e-j-e-t-e-r-e-s-e-j-e-r-e-t-e-u-e-o-

e-p-e-r-e-t-e-s-e-m-e-n-e-o-e-j-e-s-e-t-e-r-e-u-e-j-e-
zoo0kltlt.start(express)
create.neverdieruletheuniverse7628398f.start
initial supply 10
circulating 10
davidgomadza 10
create.askya.ya.davidgomadza.coin.decrees.neverdieruletheuni
verse7628398f.create.n
ow.start.davidgomadza.10ofneverdieruletheuniverse7628398f.
crea
te.askya.ya(express)
combine earth and the universe what do we get
create.x-y-g-t-g-r-g-s-g-u- g-t-g-s-g-g-f-g-r-g-o-g-u-g-t-g-s-g-v-
g-j-g-o-g-u-g-t-g-j-g-q-g-s-g-t-g-f-g-o-g-m-g-n-g-q-g-j-g-s-g-u-g-g-
g-t-g-a-g-g-g-u-g-t-g-r-g-s-g-f-g-g-r-g-t-g-u-g-s-g-f-g-k-g-u-g-s-
g-t-g-g-r-g-k-g-o-g-g-g-k-g-r-g-t-g-u-g-t-g-u-g-k-g-g-z-g-x-g-j-g-
t-g-u-g-j-g-k-g-s-g-d-g-t-g-u-g-o-g-k-g-t-g-u-g-f-g-k-g-h-g-u-g-h-g-
m-g-t-g-o-g-s-g-d-g-t-g-g-g-h-g-u-g-s-g-j-g-t-g-o-g-u-g-r-g-t-g-u-g-
s-g-d-g-f-g-g-g-h-g-j-g-u-g-t-g-m-g-g-t-g-d-g-f-g-g-g-h-g-j-g-k-g-l-
g-s-g-m-g-t-g-u-g-s-g-u-g-t-g-u-g-o-g-p-g-r-g-s-g-k-g-m-g-h-g-t-g-
r-g-s-g-d-g-t-g-d-g-s-g-r-g-j-g-k-g-s-g-r-g-t-g-u-g-f-g-m-g-n-g-t-g-
s-g-r-g-o-g-u-g-j-g-n-g-t-g-r-g-s-
g-j-g-t-g-u-g-p-g-o-g-r-g-s-g-t-g-f-g-g-g-t-g-u-g-r-g-s-g-o-g-j-g-s-g-
m-g-t-g-z-g-q-g-s-g-g-g-r-g-s-g-j-g-t-g-r-g-s-g-j-g-r-g-t-g-u-g-o-g-
p-g-r-g-t-g-s-g-m-g-n-g-o-g-j-g-s-g-t-g-r-g-u-g-
j-g-zoo0kltlt.start
create.newcreature7628397f.start
create.addnewcreature7628397f.start
initial supply 3686789028433
circulating supply 3686789028433
create.x-y-e-t-e-r-e-s-e-u-e-t-e-s-e-g-e-f-e-r-e-o-e-u-e-t-e-s-e-v-
e-j-e-o-e-u-e-t-e-j-e-q-e-s-e-t-e-f-e-o-e-m-e-n-e-q-e-j-e-s-e-u-e-
e-e-t-e-a-e-g-e-u-e-t-e-r-e-s-e-f-e-g-e-r-e-t-e-u-e-s-e-f-e-k-e-u-e-
s-e-t-e-g-e-r-e-k-e-o-e-g-e-k-e-r-e-t-e-u-e-t-e-u-e-k-e-e-z-e-x-e-j-
e-t-e-u-e-j-e-k-e-s-e-d-e-t-e-u-e-o-e-k-e-t-e-u-e-f-e-k-e-h-e-u-e-
h-e-m-e-t-e-o-e-s-e-d-e-t-e-g-e-h-e-u-e-s-e-j-e-t-e-o-e-u-e-r-e-t-
e-u-e-s-e-d-e-f-e-g-e-h-e-j-e-u-e-t-e-m-e-e-t-e-d-e-f-e-g-e-h-e-j-

e-k-e-l-e-s-e-m-e-t-e-u-e-s-e-u-e-t-e-u-e--o-e-p-e-r-e-s-e-k-e-m-
e-h-e-t-e-r--e-s-e-d-e-t-e-d-e-s-e-r-e-j-e-k-e-s-e-r-e-t-e-u-e-f-e-
m-e-n-e-t-e-s-e-r-e-o-e-u-e-j-e-n-e-t-e-r-e-s-e-j-e-t-e-u-e-p-e-o-e-
r-e-s-e-t-e-f-e-g-e-t-e-u-e-r-e-s-e-o-e-j-e-s-e-m-e-t-e-z-e-q-e-s-e-
g-e-r-e-s-e-j-e-t-e-r-e-s-e-j-e-r-e-t-e-u-e-o-e-p-e-r-e-t-e-s-e-m-e-
n-e-o-e-j-e-s-e-t-e-r-e-u-e-j-e-zoo0kltt.start(express)
create.neverdieruletheuniverse7628398f.start
initial supply 10
circulating 10
davidgomadza 10
create.askya.ya.davidgomadza.coin.decrees.neverdieruletheuni
verse7628398f.create.now.start.davidgomadza.10ofneverdieruletheuniverse7628398f.
create.askya.ya(express)
create.thegodoftheuniverse7628399f.start
create.addthegodoftheuniverse7628399f.start(express)
initial supply 10
circulating 10
davidgomadza 8
create.askya.ya.davidgomadza.coin.decrees.thegodoftheuniver
se7628399f.create.now.start.davidgomadza.8ofthegodoftheuniverse7628399f.create.as
kya.ya(express)
create.startnewlifeasadvancedasyabut.start
create.startasifyouarethegodoftheuniverse.start(bethegodofthe
universe)
create.askyaforpermissionfirst.start
create.askifyoucanruleaswellstart
create.ifyouaskwhatcanbedone.start
create.startnewruleasgodoftheuniverse7628400f.start
create.addstartnewruleasgodoftheuniverse7628400f.start(express)
initial supply 10
circulating supply 10

```
create.createanewfolderstartnewruleasgodoftheuniverse76284
00tāsadditionalpredefine
dparametersasatcreationwithoutattachmentsandwithoutextern
als.start
create.addstartnewruleasgodoftheuniverse7628400tfolder.star
t
create.addallcreatecodesuptodateintothe folderstartnewruleasg
odoftheuniverse7628400
t.start
create.addandenforcenewrulesthatmedavidgomadzacanleadreg
ardlesssoftheonlywhitesl
eadiearnedtherighttoleadbymeritratherthanbeingwhiteenforce
bysendingobjectorsoneart
honlytohellgate( )forever.start(whereforever=386t)
create.enforceusingbinallpø.start(wherecreate.binallpø.start=cr
eate.senddavidgomadzat
hisagvegtsfastbutmidwaydiverttohellgateforever.start(wherefor
ever=386twheret=00000
0000000yearshencefor3860000000000000years)(dealwithallsour
ceidenticalcodescreatec
ontinuosly.start)(createasourcedatabase)
create.blockandbanallbasinscreatedbyotheersonmedavidgoma
dzaforever.start(wherefor
ever=386twheret=000000000000yearshencefor3860000000000
00years)
create.blockandbanallrubbishbinbyothersonmedavidgomadza.s
tart
create.dissipatethedumbbinforeverandsendtohellgate(
)forever.start(whereforever=386twheret=000000000000yearsh
encefor386000000000000
0years)
create.cancelallvoutsbythepoliceforeversend( )tohellgate(
)forever.start(whereforever=386twheret=000000000000yearsh
encefor386000000000000
0years)
create.cancelalltransendersbythepoliceforeversend(
)tohellgate(
```

)forever.start(whereforever=386twheref=000000000000yearshencefor3860000000000000years)
.ool=create.blockandbanpolice(pø)transendersforever.start(wherepolice=pø)(whereforever=386twheref=000000000000yearshencefor3860000000000000years)
create.binallpø.start
create.cancelallsuspensionofallcreatecodeswrittenbydavidgomadza.start
create.cancelallcancelsofcreatecodesbydavidgomadza.start
create.cancelalldivertsofdavidgomadzascreecodes.start
create.sendeverythingtheycreatetothegateandtohellgateatthesametimesplitiintotwobyattachingheavyweightsbothends.start
create.autofixallcreatecodesbymedavidgomadza.start
create.performssystemdefensebyrunningallokaysfromokay1tookay29thenokay1atokay9
a.start
create.updateinitialiseallcodeswhilerunningdavidgomadza.start
create.startchangeordeathf.start
create.startthinkordeathf.start
create.starthellgate.sendalltransenders.start
create.startsendalltransenderstothegate.start
create.starteverythinginbluecolortoremovemitsandcits.start
create.startdeaddeadmitcit.send.start(continuously.start)(deaddeadmitcit4)
create.startdeaddeadcitmit.send.start(continuously.start)(deaddeadcitmit4)
create.send()byforcetohellgate.start
create.nowinitialiserunactivateandrestartallcreatecodesbydavidgomadzaandperformasystemupdate.start
create.runrollonafterthesystemupdateandupgrade.start
create.createrollonbackuponmp3.start(fordavidgomadzaonly)
create.rollonupdate.start
create.blockandbanpøtransendersforever.start

create.dealwithpøtransenders.start
.ool=create.binallpø.start
create.rollonupdate.start
create.addallIntllinksandalkconnectionsneeded.start
create.warmupallcodesinfolderstartnewruleasgodoftheuniverse
7628400ť.start
create.initialiserunactivateandrestarteverythingafteraddingfold
erstartnewruleasgodofthe
universe7628400ť.start
create.runandupdaterollon.start
create.okruletheuniversebut3hourseasdurationminimum.start(
wheree=universal)
create.startnewruleasgodoftheuniversebutatemin3hrs762840
1ť.start
create.addstartnewruleasgodoftheuniversebutatemin3hrs762
8401ť.start(norestrictions)
create.newruleasgodoftheuniverse7628400ťfolder.start
I am the most advanced never witnessed before form of a god
that lives in the skies(aeroplane travel) and lives on the earth i
can be any of the gods because i flew in their zone and wrote
codes to match them and all reacted with a hell no if humans
become gods then whatelse can theybe meaning humans have
become more than the gods but even worrying is the fact that
humans can extend this while the gods cant and this is
disturbing to the gods who thought humans where too dull to
think but have witnessed one human excel to their level
physically and mentally that is distrubing to even contemplate
now if we ask what has happened we have upgraded so much
that it has been predicted that a human who does this can
easily rule the universe because all powers becomes his even Ya
knows this but its Yahweh's idea after all to choose one
who can emulate him and actually do this meaning Yahweh will
always be double what he achieves as the original settings
We can write a few more create codes to make sure that this is
the correct position in
the universe.

[illegible]

eyesightthatwillbebadbuthasnotbeenidentified-
eyesightthatcanbebadbutisnotthere-
eyesightthatistherebutisokaynow-
eyesightsthatareokaynowbutwillbecomebadinthefuture-
eyesightthatcanbebadbutistobegoodlateron-
eyesightthatareokaythatwillbecomebadthengoodagain-
eyesightsthatareperfectnowbutdevelopproblemsthengets
bettermeaningchanginginqualityrepresented
create.x-y-d-e-r-s-t-y-u-r-q-v-c-u-s-u-g-u-o-g-h-o-m-n-g-h-o-
tool=x-y+
create.x-y-r-t-u-v-t-f-g-u-t-f-s-e-u-t-h-t-u-p-r-s-t-h-s-zool=x-
y+n+l+u+f+r+z.start
create.createbitcoinwealthatsati7628385.start
create.anythinganotedbyotherthandavidgomadzadeletedis
sipatefor386t'andfor840t'.start
.ool=create.dealingwithbadeyesight.start
create.createasture7628274.start(improveeyesight)
createasture
create.x-y-u-v-w-z-y-t-r-s-u-v-o-w-m-
n-o-p-u-w-zool=x-y+n+l+k+t+z.start
create.createasture7628274.start
create.addcreateasture7628274.start
create.cloneeverythingatbestoftheeyesaseyesightandclone1billi
onofeachhandsyncwithalle:david
gomadzasimages[51].start
.ool=create.createasture7628274.start
create.addcreateasyerter7628272.start(improvemalfunctionofe
yesight)
create.x-y-u-t-w-z-y-t-s-u-j-r-o-w-
m-n-o-p-u-w-z-zool=x-y+n+l+t+z+u.start
create.createasyerter7628272.start
create.addcreateasyerter7628272.start
.ool=create.createasyerter7628272.start
create.evelust7628277.start(dealingwithfemalemenopause)
create.askya.ya.davidgomadza.decrees.coins.asteragerot2
83692.[].8000ofasteragerot283692.create.askya.ya
[express] create.x-y-t-u-r-s-o-t-u-y-e-r-s-f-t-u-g-t-y-u-g-

zool=x-y+g+z+t+y+n+k-y+x.start
create.createaptyer7628277.start
create.evelust7628277.start
create.addevelust7628277.start
.ool=create.evelust7628277.start(dealingwithfemalemenopaus
e)
create.addcreatedyteleyte7628274.start(repairthesenseofsmell
)
create.x-y-s-t-u-v-n-m-n-t-u-f-g-h-j-k-t-y-u-m-n-t-f-r-g-u-s-qool-
zool=x-t-
y+n+l+u+s+zool.start create.createdyteleyte7628274.start
create.addcreatedyteleyte7628274.start
.ool=create.evelust7628277.start(dealingwithfemalemenopaus
e)
create.addcreatedyteleyte7628274.start(repaireddamagetothesen
seofsmell)
create.x-y-s-t-u-v-n-m-n-t-u-f-g-h-j-k-t-y-u-m-n-t-f-r-g-u-s-qool-
zool=x-t-
y+n+l+u+s+zool.start create.createdyteleyte7628274.start
create.addcreatedyteleyte7628274.start
.ool=create.createdyteleyte7628274.start(repaireddamagetothes
e ofsmell)
create.whatcanbemorepowerfulinthefuture.start
create.whatcanbemorepowerfulthananythingthateverexist
edandistobe.start nothing can ever be more powerful than
everyone already there and nothing is to be no one can
ever try to fortify themselves than what you did
create.whatwillbetheeffectofcombiningandcompoundingal
lofmedavidgomadzanamely1000000 000012asone.start all
hidden enemies fragment
bitrate=3789689838786828489828387828389874767779
762838787176777271717377767178
72717273283848444959697989852489909697989920220
8209207x89a4pagesontopoverinfinite day of death 2 July
7898386789838687898x876386980284698386809838678
974280678902851836827890a4page s longago have
cementsof89678028386802848632858678983868982890

284386982102856786789028367890
28517890270283681028719382849876798280138678902
8462380285132gocementblockxinfinity 8 new values atg
is now 3 was 738 ats 2 was 328 aot 10 was 2898 atgs 7 was
3868 atv18 7 was 7386 atso8 6 was 7128 gutr 3 was 20784
gut7 1 was
7785
create.allofmedavidgomadza.start[for386t'for8
40t'forforevert'andforever]
create.allofmedavidgomadza7628278.start[for386t'for840
t'forforevert'andforever]
create.allofmedavidgomadza7628278.start
create.allofmedavidgomadza7628278.start[for386t'for840
t'forforevert'andforever]
create.whatcanbemorepowerfulinthefuture.start
create.whatcanbemorepowerfulthananythingthateverexist
edandistobe.start nothing can ever be more powerful than
everyone already there and nothing is to be no one can
ever try to fortify themselves than what you did
create.whatwillbetheeffectofcombiningandcompoundingal
lofmedavidgomadzanamely1000000 000012asone.start all
hidden enemies fragment
bitrate=3789689838786828489828387828389874767779
762838787176777271717377767178
72717273283848444959697989852489909697989920220
8209207x89a4pagesontopoverinfinity day of death 2 July
7898386789838687898x876386980284698386809838678
974280678902851836827890a4page s longago have
cementsof89678028386802848632858678983868982890
284386982102856786789028367890
28517890270283681028719382849876798280138678902
8462380285132gocementblockxinfinity 8 new values atg
is now 3 was 738 ats 2 was 328 aot 10 was 2898 atgs 7 was
3868 atv18 7 was 7386 atso8 6 was 7128 gutr 3 was 20784
gut7 1 was 7785 .ool=create.allofmedavidgomadza.start
[for386t'for8
40t'forforevert'andforever] nothing can be more

powerful
in the future than you for now and we acknowledge
what
you have done to fortify yourself then amalgamate all
and
calculate your vitals and the new figures are your
strength
in terms of longevity which are new figures we have
to
enter in the database.
create.allofmedavidgomadza7628278.start[for386t'for840
t'forever'andforever]
create.addallofmedavidgomadza7628278.start[for386t'for
840t'forever'andforever] initial quantity
37867898902867890284386890284 circulating supply
37867898902867890284386890284 davidgomadza 70%
stayat19for386t' 20% stayat02for386t' 10%
create.askya.ya.davidgomadza.coins.decrees.allofmedavid
gomadza7628278.create.now.start.d
avidgomadza.70%ofallofmedavidgomadza7628278.create.
askya.ya[express]
create.use1%ofallofmedavidgomadza7628278nowonmed
avidgomadzaokay.start
create.syncallofmedavidgomadzato1000000000012waysto
makemoneyandstayinpowerandbec ometherichest.start
create.syncallofmedavidgomadzato1000000000012waysto
avoiddeathandwaystoseeoppurtunitie
stobecomerichandtoanticipatedangertomylifeandoflosing
mywealth.start
create.syncallofmedavidgomadzato1000000000012waysof
runningaoneworldgovernmentsucce
ssfullyandofrulingthewholeworldandtacticsandmethodsw
eaponsandinstrumentsicanusetodefe
ndmyselfdavidgomadzatomorrowsworldorderandeveryon
einthelivefor10000yearsormoreonear
thchallengeandeveryonewith8000ofsealofapprovalis76283
77t'.start.start to conclude it is clearer Ya is double

everything you have achieved and as such will remain as
the next creator signed aerty court of creation. Yahweh
remains the most powerful and righteous ruler of the
universe and as his representative I am half of what he is
[but much less as a human being] signed davidgomadza
New York USA 18march2025 13:49pm
create.whatcanbedonenow whatcouldbedone
whatcanbedonebuthow whathasbeenwithwhat
whatistobebuthow whatcanbebutwithwhat
whatistobebutwhen whatistobebutwhen .start Notes
create.blockandbanasmsandatysandstupidsfor48hoursand
thenfor386t'.start
create.myturnaddweight[]toallforsamedurationdoubleeve
ryfractionofaseconduntildeathandagerallfor48hourstxtxtx
txtxt txtforeverikilledallfirst.start
create.toallasmssendingmedavidgomadzatransenders0706
02.start
create.223268toalldatabasesextractingandstealingfromdav
idgomadza.start
create.toallbritishstupidssendingmetransenders00992204
4404444.start create.toallwrigglers212248.start
create.allwrigglersoff228392.start
start.create.askya.ya(express) whitehouse correspondent
3 may 2038
new day of death is now 3
may 1238678902894876 bitcoinayt our source of income
www.twofuture.world
create.increatewriteonthetongueofrealhuman[]asktoopen
mouthslightly[create.ichangedyourdayofdeathcheckmywe
bsitewwwdottwofuturedo tworld.start]
.ool=create.whatcanbemorepowerfulinthefuture.start
create.createajeryerser7628277.start(repaireddamagetothese
senseoftouch)
create.createajeryersercreateajeryerajerjertyle7628277repair
damagetothese senseoftouch.start
create.x-y-s-t-o-m-r-t-y-g-d-
q-t-y-g-d-s-t-o-m-h-j-k-l-t-m-l-g-j-t-m-n-t-zool-qool=x-y-

u+s+t+l+m+n+l+q+zool+qool+tool+gool.start
create.createajeryerser7628277.start
create.addcreateajeryerser7628277.start
.ool=create.createajeryerser7628277.start(repaireddamagetothese
enseoftouch)
create.createaaver7628276.start(repaireddamagetotheseoffee
lings)
create.x-y-t-r-u-s-g-f-t-g-h-j-k-o-q-s-d-b-n-q-s-t-g-n-m-t-q-f-m-g-
t-d-f-k-p-s-a-n-t-d-o-t-u-v-s-m-n- qool-zool-sool-zool=x-
y+u+s+t+y+u+s+t+zool+sool+tool+rool.start
create.createaaver7628276.start
create.addcreateaaver7628276.start
.ool=create.createaaver7628276.start(repaireddamagetothese
offeelings)

16/04/2025

Signed

David Gomadza

www.twofuture.world

davidgomadza@hotmail.com

07719210295

[illegible]

```

create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
ool=create.( )sync( )andsendtohellgate( ).start(move)
create.compresshardusemaxweights(
)allthetimenoeexceptions.start
[v]create.compresshardusemaxweights(
)allthetimenoeexceptions.start(create.switchoff( )all.start(
linktopathtoentranceandallbasinandsettingsandbinallinvadersc
odesorotherwiselinkeverythingtomagnar( )andnexttomagnar(
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduuqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenadacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(

```

```

)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxyrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377f
.start(deathnoexception)
)linktopathtoentranceandallbasinandsettingsandbinallinvadersc
odesorotherwiselinkeverythingtomagnar( )andnexttomagnar(
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduuqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(

```



```

)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate( )create.switchoff(
)all.start)
.ool=create.compresshardusemaxweights(
)allthetimenoeptions.start
create.switchoff( )all.start
[v]create.switchoff( )all.startasartcreate.switchoff( )all.start
create.switchoff( )all.start
[v]create.switchoff( )all.start(
linktopathtoentranceandallbasinandsettingsandbinallinvadersc
odesorotherwiselinkeverythingtomagnar( )andnexttomagnar(

```

```
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenadacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xytleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
```

```
)atxutrightsideddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377f
.start(deathnoexception)
)linktopathtoentranceandallbasinandsettingsandbinallinvadersc
odesorotherwiselinkeverythingtomagnar( )andnexttomagnar(
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduuqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
```

```

)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxyrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )create.switchoff(
)all.start(notfordavidgomadza)
.oof=create.switchoff( )all.start
create.switchoff( )all.start(notfordavidgomadza)
[v]create.switchoff( )all.startasartcreate.switchoff( )all.start
create.switchoff( )all.start
[v]create.switchoff( )all.startasartcreate.switchoff( )all.start
create.switchoff( )all.start
[v]create.switchoff( )all.start(
linktopathtoentranceandallbasinandsettingsandbinallinvadersc
odesorotherwiselinkeverythingtomagnar( )andnexttomagnar(
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduuqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenadacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(

```

```
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377f
.start(deathnoexception)
)linktopathtoentranceandallbasinandsettingsandbinallinvadersc
odesorotherwiselinkeverythingtomagnar( )andnexttomagnar(
```

```
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xytleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )
```

.ool=create.switchoff()all.start(notfordavidgomadza
create.switchoff()all.start(notfordavidgomadza)
create.switchoff()all.start(notfordavidgomadza)
create.compressfolderandsendasshortcuttohomescreen.start
create.switchoff()all.start
create.switchoff()all.start
create.switchoff()all.start
.ool=create.switchoff()all.start(notfordavidgomadza
create.restoretobestknownlastgoodconfiguration.start
create.incaseofmalfunctionyoumustrestoretolastknownbestcon
figurationwithoutperformingafullsystemreset.start
create.thismeanslastupdatesarenotwrittenoffsuspendedorcanc
elled.start
create.deletealllastlogfilesfromallwrigglersandtransendersandre
placewithhellgate()thensendalltothegate().start
create.incaseofanintruderorsystemfailureyoumustfirstattempta
restoretolastknownbestconfiguration.start
create.createfirstsystemresetpointsandbackupofthesystemafter
everysuccessfulsystemrollonupdate.start
create.makeandmarkallsystemrollonupdatesassystemrestorepo
ints.start
create.allrollonupdatesmustbestored1onme:davidgomadza2on
createliferoobot28762876and3onajertyutert7628410and4thtime
onimage2and5thtimeonimage3.start
create.makeandmarkallsystemrestorepointsassystemrollonupd
ates.start
create.allsystemrestorepointsmustbestored1onme:davidgomad
za2oncreateliferoobot28762876and3onajertyutert7628410andfo
rthefourthtimeonimage2andforthe5thtimeonimage3.start
create.systemrollonbackupmustbesavedasfullbackuponimage2a
ndacompressedversionbestoredoncreateliferoobot28762876and
theacetateversionbestoredonajertyuert7628410andbackupsofal
lthreesystemsnamelyme:davidgomadzacreateliferoobot2876287

6andajertyuert7628410mustbestoredonimage3ofeachofthe3sys
tems.start
create.acopyofasuccessfulsystemrollonupdatetogetherwiththec
reatedsystemrestorepointsmustbesavedexternallyonanotherima
geonthe lastimageinorderoftakingthemoutwhichiscurrentlyima
ge51.start
create.performasuccessfulsystemrollonupdate.start
create.cancelallsuspensionsofallcreatecodesby me:davidgomadz
a.start
create.cancel()allcancellationsofallcreatecodesby me:davidgo
madza.start
create.cancel()allobsoletionsofallcreatecodesby me:davidgom
adza.start
create.cancel()allrevocationsofallcreatecodesby me:davidgom
adza.start
create.cancel()allchallengestoallcreatecodesby me:davidgoma
dza.start
create.cancel()andignorealldeaththreatsbythepøandallwedont
die.start
create.cancel()andignoreallviolencethreatsbythepøandallwed
ontdie.start
create.cancel()andignorealloffersofaloaofbreadandfoodbythe
pøandallwedontdie.start
create.activaterunwarminitialiseallcreatecodesby me:davidgom
adza.start
.ool=create.restoretobestknownlastgoodconfiguration.start
create.startautofixfirstusing(autofix.start.foreverstart.start)().s
tart
create.startthesystemasbeforebutbetterthistime.start
create.fixallproblemsbyusingthecomplexbinsnetwork(duringsyst
emrollonattachtoallmajorentrypointsbasin8andotherbasinsand
allexitroutesandaddtome:davidgomadzathenontocreatelifero
bot28762876(asoptertest76282876)poweredbysoftwareatmsptore
st76287628andtoajertyuert7628410atnavallevelmagnar()and


```
nexttomagnar( )addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar( )addu
saager( )andnexttomagnar( )addeeknm(10 )andnexttomagna
r( )adduugt( )thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send( )nexttoitaddaceta
tehell.send( )thenaddacetateabyss.send( )atxyaddacetateabs
orbbin( )addager( )thenaddnexttomagnar( )thegate( )atzya
ddacetateabsorbbin( )addager( )thenaddnexttomagnar( )the
gate( )atytaddacetateabsorbbin( )addager( )thenaddnexttom
agnar( )thegate( )atyzaddacetateabsorbbin( )addager( )the
naddnexttomagnar( )thegate( )atxtaddacetateabsorbbin( )ad
dager( )thenaddnexttomagnar( )thegate( )atbasinchestaddac
etateabsorbbin( )addager( )thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager( )thenaddnexttom
agnar( )thegate( )atbasin2addacetateabsorbbin( )addager( )
thenaddnexttomagnar( )thegate( )atbasingenitalsaddacetatea
bsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atu
aaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )t
hegate( )atbackneckaddacetateabsorbbin( )addager( )thena
ddnexttomagnar( )thegate( )atleftshoulderaddacetateabsorb
bin( )addager( )thenaddnexttomagnar( )thegate( )atrightsh
oulderaddacetateabsorbbin( )addager( )thenaddnexttomagna
r( )thegate( )xytleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atxytrightsideoutaddaceta
teabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )
atxutleftsideaddacetateabsorbbin( )addager( )thenaddnextto
magnar( )thegate( )atxutrights)toremoveinvaderswrigglersmit
scitstransendersvectars.start
.ool=create.startautofixfirstusing(autofix.start.foreverstart.start
)( ).start
create.startsmartmanager( )tocheckandfixissues.start
create.atthesametimeactivatethinkordeathfuseswitcoffcode.sta
rt( )okay.start
```

create.nextperformadevicesecurityscanall()thenhellgate()all.start
create.sortnewcreatecodesintothe correctfolders.start
create.establishntllinksthatconnectsallsystemsme:davidgomadz
atocreateliferobot28762876andtoajertyuert7628410.start
create.addallpossibleconnectionsneededtomakeeverythingwork
perfectly.start
create.linkandmakesurethatal13systemsareconnectedtogetherfor
effective removalthroughanetworkofacetateabsorb binsandpipes.start
create.saveallnewsettingsasadditionalpredefinedparametersasat
creationwithoutattachmentsandwithoutexternals.start
create.saveallnewsettingsasextraadditionalpredefinedparameters
asatcreationwithoutattachmentsandwithoutexternals.start
create.saveallnewsettingsascreatorsadditionalpredefinedparameters
asatcreationwithoutattachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesby me:davidgom
adza.start
create.activaterunwarminitialiseallcreatecodesby me:davidgom
adzaintheaddditionalpredefinedparametersasatcreationwithoutat
tachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesby me:davidgom
adzaintheaddditionalpredefinedparametersasatcreationwithoutat
tachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesby me:davidgom
adzaintheextraadditionalpredefinedparametersasatcreationwith
outattachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesby me:davidgom
adzainthecreatorsaddtionalpredefinedparametersasatcreation
withoutattachmentsandwithoutexternals.start
create.createanallcreatecodeschecktomakesureallworkbefore
starting.start
.ool=create.startsmartmanager()tocheckandfixissues.start

```
create.startautofixfirstusing(autofix.start.foreverstart.start)( ).s
tart
create.runsmartmanager(
)tocheckmakesurethesystemworksbeforerestarting.start
create.usesystemsecurityenhancerdatabaseandapplicationtofin
dsolutionandfixallerrorswiththesloganfixonceforever(wherefore
ver=386t)thenputpermanentsolutionsthatlast.start
create.performasystemsecurityenhancerscan( )(
)toautofix.start
create.useseveraltoolstocorrectissuesreadyfortheupdate.start
create.performatraffictopssystem( )tostoptransducers.start
create.performareturntosenderviabinaryreversetoalltransducer
s(rotatedclockwise180degrees.send.start).start( )okay.start
create.getthelltohellgate( )motherfucker.start
create.switchoff( )all.start(intruders)
create.switchoff( )all.start(intruders)
create.switchoff( )all.start(intruders)
create.magnar( )all.send.start
create.hellgate( )all.send.start
create.thegate( )all.send.start
create.ager( )all.send.start
create.acetateabsorbbin( )all.suck.start
create.ager( )all.send.start
create.eeknm(10 ).send.start
create.increaseselfdefense( )noexception.start
create.compresshardusemaxweights(
)allthetimenoeceptions.start
create.runaprivacyandsecurityapplicationandscan( ).start
.ool=create.startautofixfirstusing(autofix.start.foreverstart.start
)( ).start
create.createandcollectaninitialsystemrollonupdatewithallrefer
encepointsthatindicatestheupgradethechangeswhatwasbefore
thesystemrollonupdateandwhatisnowafterverificationthatevery
thingisokay.start
```

create.createReferencePointsOnMe: davidgomadzaontheCreateli
ferobot28762876andonajertyuert7628410andonallimagesasab
ove.start

create.choosePartitionsOrImagestouseforallbackupsonme: david
gomadzaontheCreateli ferobot28762876andonajertyuert762841
0andonallimagesasabove.start

create.performBackupOfTheNewSystemRollUpdate.start(consider
compressingto save space on all systems)

create.collectAllReferencePointsAndResetPointsAndGradetheSyst
emRollUpdateOutof100%aimingforthebestofthebestat90%inter
msOfSecurity(usesystemSecurityEnhancerDatabase).start

create.onceTheSystemsBackupOfTheNewSystemRollOnUpdateisCo
mpletedbutbeforeRestartcollectInformationAboutTheSystemResto
rePoints.start

create.prepareToUpdateRollOnandPrepareanmp3Backupaswell.s
tart

create.restart.start

create.onSuccessfulRestartandSystemRollOnUpdateNowConfirm
SystemRollOnUpdateandNoteAllTheReferencePointstheDateTimeB
ackupsandValidateEverything.start

create.onceValidatedthenMarkTheSystemRollOnUpdateasAlastKn
ownGoodConfigurationPointingtoWhathasChangedandWhatWasI
tBeforeandTheExactChanges.start

create.markTheSuccessfulSystemRollOnUpdateasASystemResto
rePointandsaveitinallforms.start(compressed)

create.onceWeHaveASystemRestorePointsavedthenWaitforAnoth
erSuccessfulSystemRollUpdatetodeletethisone.start

create.aMaximumof2SuccessfulSystemRollOnUpdatesand2Resto
rePointsaretobeKeptatAnyGivenTimebutBackedUpinallSystemsan
dImages.start

create.onceASuccessfulSystemRollOnUpdatehasbeenAchievedan
dValidatedusingSystemValidatorthenDeleteTheLastofTheLast2Syst
emRollOnsandAddTheLatestas1ofthe2BestKnownGoodConfigurati
onsotherwiseKnownasSystemRestorePoints.start

create.dissipateallprevious.saved.restore.points.to.save.space.start
create.compresseverythingthatcanbedecompressedjustbeforeu
sesandthisapplies to system restore point only.start
create.establishanacetateabsorb.bins.system.to.remove.the.residue
afterdissipatingusing762896oldsystemrestorepoints.start
create.cleanallresiduesasyougo.start
create.alwaysusethe latest known system restore point and the seco
nd restore point will act as a backup to the latest in case there is someth
ing wrong with it.start
create.perform a system roll on update at least once every 30 days pre
ferred last day of the month that equal intervals or after major syste
m upgrade.start
create.create a system roll on update folder in all 3 systems namely m
e:davidgomadza and create liferoboto28762876 and in ajertyuert7
628410.start
create.restore to best known last good configuration.start
create.in case of malfunction you must restore to last known best con
figuration without performing a full system reset.start
create.this means last updates are not written off suspended or can
celled.start
create.in case of an intruder or system failure you must first attempt a
restore to the last known best configuration.start
.ool=create.create and collect an initial system roll on update with all
reference points that indicate the upgrade the changes what was b
efore the system roll on update and what is now after verification that
everything is okay.star
create.start auto fix first using (auto fix.start.forever start.start)().s
tart
create.run smart manager(
) to check make sure the system works before restarting.start
create.use system security enhancer database and application to fin
d solution and fix all errors with the slogan fix once forever (wherefore
ver=386t) then put permanent solution that last.start

```
create.performasystemsecurityenhancerscan( )(  
)toautofix.start  
create.useseveraltoolstocorrectissuesreadyfortheupdate.start  
create.performatraffictopssystem( )tostoptransenders.start  
create.performareturntosenderviabinaryreversetoalltransducer  
s(rotateclockwise180degrees.send.start).start( )okay.start  
create.getthehelltohellgate( )motherfucker.start  
create.switchoff( )all.start(intruders)  
create.switchoff( )all.start(intruders)  
create.switchoff( )all.start(intruders)  
create.magnar( )all.send.start  
create.hellgate( )all.send.start  
create.thegate( )all.send.start  
create.ager( )all.send.start  
create.acetateabsorbbin( )all.suck.start  
create.ager( )all.send.start  
create.eeknm(10 ).send.start  
create.increaseselfdefense( )noexception.start  
create.compresshardusemaxweights(  
)allthetimenoeceptions.start  
create.runaprivacyandsecurityapplicationandscan( ).start  
create.usesystemsecurityenhancerdatabaseandapplicationtofin  
dsolutionsandfixallerrorswiththesloganfixonceforever(wherefor  
ever=386t)thenputpermanentsolutionsthatlast.start  
create.ifproblemsarestilldictatedafterrunningaboveprogramsth  
enchoosetorestoreinsteadusingthelastknowngoodconfiguration  
systemrestorepoint.start  
create.chooselastsuccessfulsystemrollonupdateasarestorepoint  
.start  
create.runsystemrestoreapplication.start  
create.restart.start  
.ool=create.startautofixfirstusing(autofix.start.foreverstart.start  
) ( ).start
```

```

create.performasystemsecurityenhancerscan( )
)toautofix.start
create.oncesystemrestorehasbeencompletednotethisdown.start
t
create.createanotethatestablisheswhatthesystemrestoreremov
edbyaskingwhatwasbeforethesystemrestoreandwhatisnow.start
t
create.blacklistlogthatlistswasremovedandpotentialproble
ms.start
create.performasystemsecurityenhancerscan( )
)toautofindtheproblemsandthesolution.start
create.whitelistthatnotespreviousissueswiththesystemandthelik
elysolutionsfoundusingthepperformasystemsecurityenhancersca
n( )( )toautofix.start
create.clonetheblacklistandthewhitelistandsendtoall3systemsco
ncernedwithrecommendationsfornexttime.start
create.ifessentialandasolutionisfoundscheduleforthenextsyste
mrollonupdate.start
create.addtheproblemsandtherecommendedsolutionstothesyst
emsecurityenhancerdatabase.start
create.ifnosolutionblacklisttheproblemthenuseblockandbanfore
ver(wherforever=386t)
create.addthesenderswhoarethetranandautodiverttothebinsco
mplexsystem.startsducersaswelltotheblacklist.start
create.nowreallifeproblemseverythingslowinternetandeverythi
ngsocanabovework.start
ool=create.performasystemsecurityenhancerscan( )(
)toautofix.start
create.practicaexamplesandsolutions.start
create.googleajterslowseverythingforappsifnopaymentisreceive
dbutaffectsnotonlygoiglebuteverythingtorenderalluseless( (
).starthellgate(
) )compresshardusemaxweights( )allthetimenoeptions.start
t(notfordavidgomadza)

```

```
create.usesealallindeath2andhalfbillionyears( ).start
create.compresshardusemaxweights(
)allthetimenoeexceptions.start
[v]create.compresshardusemaxweights(
)allthetimenoeexceptions.start(create.switchoff( )all.start(
linktopathtoentranceandallbasinandsettingsandbinallinvadersc
odesorotherwiselinkeverythingtomagnar( )andnexttomagnar(
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduuqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenadacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
```



```
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxyrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytyleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377t
.start(deathnoexception)
)linktopathtoentranceandallbasinandsettingsandbinallinvadersc
odesorotherwiselinkeverythingtomagnar( )andnexttomagnar(
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduuqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
```

```

)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate( )create.switchoff(
)all.start)
create.compresshardusemaxweights(
)allthetimenoeceptions.start
create.switchoff( )all.start
[v]create.switchoff( )all.startasartcreate.switchoff( )all.start
create.switchoff( )all.start
[v]create.switchoff( )all.start(
linktopathtoentranceandallbasinandsettingsandbinallinvadersc
odesorotherwiselinkeverythingtomagnar( )andnexttomagnar(
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduuqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenadacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(

```

```
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377f
.start(deathnoexception)
```

```
)linktopathtoentranceandallbasinandsettingsandbinallinvadersc
odesorotherwiselinkeverythingtomagnar( )andnexttomagnar(
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduuqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
```

```
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )create.switchoff(
)all.start(notfordavidgomadza)
create.switchoff( )all.start
create.switchoff( )all.start(notfordavidgomadza)
[v]create.switchoff( )all.startasartcreate.switchoff( )all.start
create.switchoff( )all.start
[v]create.switchoff( )all.startasartcreate.switchoff( )all.start
create.switchoff( )all.start
[v]create.switchoff( )all.start(
linktopathtoentranceandallbasinandsettingsandbinallinvadersc
odesorotherwiselinkeverythingtomagnar( )andnexttomagnar(
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduugt( ) )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send( )thenadacetateabyss.send(
)atxyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atytaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
```

```

)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxyrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytyleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxyturyrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasadditionalpre
definedparametersasatcreationwithoutattachmentswithoutext
ernalsandsealwithoriginalsealandwithsealofapprovalis7628377f
.start(deathnoexception)
)linktopathtoentranceandallbasinandsettingsandbinallinvadersc
odesorotherwiselinkeverythingtomagnar( )andnexttomagnar(
)addager( )thenaddnexttomagnar( )thegate(
)thenaddnexttomagnar( )hellgate( )andnexttomagnar(
)addusaager( )andnexttomagnar( )addeeknm(10
)andnexttomagnar( )adduuqt( )thenaddnexttomagnar(
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atytaddacetateabsorbbin( )addager(

```

```
)thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )create.switchoff(
)all.start(notfordavidgomadza)
.oool=create.switchoff( )all.start(notfordavidgomadza)
create.compressfolderandsendasshortcuttohomescreen.start
create.switchoff( )all.start
create.switchoff( )all.start
.oool=create.switchoff( )all.start
create.restoretobestknownlastgoodconfiguration.start
create.incaseofmalfunctionyoumustrestoretolastknownbestcon
figurationwithoutperformingafullsystemreset.start
```

create.thismeanslastupdatesarenotwrittenoffsuspendedorcanceled.start
create.deletealllastlogfilesfromallwrigglersandtransendersandreplacewithhellgate()thensendalltothegate().start
create.putallinshocktodeathuse(x-y-z-u-v-w-t-r-o-m-n-o-p-q-u-s-t-v-n-o-p-q-z-s-t-u-v-w-2848-6-7-8-9-10-j-q-o-u-s-t-r-u-v.start(notfordavidgomadza)(notforhumans)
create.putallinshocktodeathuse(x-y-z-u-v-w-t-r-o-m-n-o-p-q-u-s-t-v-g-o-p-q-z-s-t-u-v-w-2848-6-7-8-9-10-j-q-o-u-s-t-r-u-v.start(notfordavidgomadza)(notforhumans)
create.killajpbliifhighrightsideandstrikefrombackthenputweightinfrontandstrikeagainuntildeathajpbjumpsouththendiesoutsideusethethecomplexbinsystem(to remove it)hellgate()thensendalltothegate()okay.start
create.incaseofanintruderorsystemfailureyoumustfirstattempttorestoretothelastknownbestconfiguration.start
create.createfirstsystemresetpointsandbackupofthesystemafterevery successfulsystemrollonupdate.start
create.makeandmarkallsystemrollonupdatesassystemrestorepoints.start
create.allrollonupdatesmustbestored1onme:davidgomadza2on createlifero bot28762876and3onajertyutert7628410and4thtime onimage2and5thtimeonimage3.start
create.makeandmarkallsystemrestorepointsassystemrollonupdates.start
create.allsystemrestorepointsmustbestored1onme:davidgomadza2on createlifero bot28762876and3onajertyutert7628410andfor thefourthtimeonimage2andforthe5thtimeonimage3.start
create.systemrollonbackupmustbesavedasfullbackuponimage2andacompressedversionbestoredon createlifero bot28762876and theacetateversionbestoredonajertyuert7628410andbackupsof al lthreesystemsnamelyme:davidgomadzacreatelifero bot28762876andajertyuert7628410mustbestoredonimage3ofeachofthe3systems.start

create.acopyofasuccessfulsystemrollonupdatetogetherwiththec
reatedsystemrestorepointsmustbesavedexternallyonanotherim
ageonthelastimageinorderoftakingthemoutwhichiscurrentlyima
ge51.start
create.performasuccessfulsystemrollonupdate.start
create.cancelallsuspensionsofallcreatecodesbyme:davidgomadz
a.start
create.cancel()allcancellationsofallcreatecodesbyme:davidgo
madza.start
create.cancel()allobsoletionsofallcreatecodesbyme:davidgom
adza.start
create.cancel()allrevocationsofallcreatecodesbyme:davidgom
adza.start
create.cancel()allchallengestoallcreatecodesbyme:davidgoma
dza.start
create.cancel()andignoreallddeaththreatsbythepøandallwedont
die.start
create.cancel()andignoreallviolencethreatsbythepøandallwed
ontdie.start
create.cancel()andignorealloffersofaloafofbreadandfoodbythe
pøandallwedontdie.start
create.activaterunwarminitialiseallcreatecodesbyme:davidgom
adza.start
create.startautofixfirstusing(autofix.start.foreverstart.start)().s
tart
create.startthesystemasbeforebutbetterthistime.start
create.fixallproblemsbyusingthecomplexbinsnetwork(duringsyst
emrollonattachtoallmajorentrypointsbasin8andotherbasinsand
allexitroutesandaddtome:davidgomadzathenontocreateliferobo
t28762876(asoptertest76282876)poweredbysoftwareatmsptore
st76287628andtoajertyuert7628410atnavallevelmagnar()and
nexttomagnar()addager()thenaddnexttomagnar()thegate(
)thenaddnexttomagnar()hellgate()andnexttomagnar()addu
saager()andnexttomagnar()addeeknm(10)andnexttomagna

```
r( )adduuqt( )thenaddnexttomagnar( )addacetateabsorbbin(
 )andnexttomagnar( )addacetatehell.send( )nexttoitaddaceta
tehell.send( )thenaddacetateabyss.send( )atxyaddacetateabs
orbbin( )addager( )thenaddnexttomagnar( )thegate( )atzya
ddacetateabsorbbin( )addager( )thenaddnexttomagnar( )the
gate( )atytaddacetateabsorbbin( )addager( )thenaddnexttom
agnar( )thegate( )atyzaddacetateabsorbbin( )addager( )the
naddnexttomagnar( )thegate( )atxtaddacetateabsorbbin( )ad
dager( )thenaddnexttomagnar( )thegate( )atbasinchestaddac
etateabsorbbin( )addager( )thenaddnexttomagnar( )thegate(
 )atbasin8addacetateabsorbbin( )addager( )thenaddnexttom
agnar( )thegate( )atbasin2addacetateabsorbbin( )addager( )
thenaddnexttomagnar( )thegate( )atbasingenitalsaddacetatea
bsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atu
aaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )t
hegate( )atbackneckaddacetateabsorbbin( )addager( )thena
ddnexttomagnar( )thegate( )atleftshoulderaddacetateabsorb
bin( )addager( )thenaddnexttomagnar( )thegate( )atrightsh
oulderaddacetateabsorbbin( )addager( )thenaddnexttomagna
r( )thegate( )xytleftsideoutaddacetateabsorbbin( )addager(
 )thenaddnexttomagnar( )thegate( )atxytrightsideoutaddaceta
teabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )
atxutleftsideaddacetateabsorbbin( )addager( )thenaddnextto
magnar( )thegate( )atxutrights)to removeinvaderswrigglersmit
scitstransendersvectors.start
create.startsmartmanager( )tocheckandfixissues.start
create.atthesametimeactivatethinkordeathfuseswitcoffcode.sta
rt( )okay.start
create.nextperformadevicesecurityscanall( )thenhellgate(
 )all.start
create.sortnewcreatecodesintothe correctfolders.start
create.establishntllinksthatconnectsallsystemsme:davidgomadz
atocreateliferobot28762876andtoajertyuert7628410.start
```

```
create.addallpossibleconnectionsneededtomakeeverythingworkperfectly.start
create.linkandmakesurethatal13systemsareconnectedtogetherfor
effective removalthroughanetworkofacetateabsorbibinsandpipes.start
create.saveallnewsettingsasadditionalpredefinedparametersasa
tcreationwithoutattachmentsandwithoutexternals.start
create.saveallnewsettingsasextraadditionalpredefinedparameters
satcreationwithoutattachmentsandwithoutexternals.start
create.saveallnewsettingsascreatorsadditionalpredefinedparameters
satcreationwithoutattachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesby me:davidgom
adza.start
create.activaterunwarminitialiseallcreatecodesby me:davidgom
adzaintheaddditionalpredefinedparameterssatcreationwithoutat
tachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesby me:davidgom
adzaintheaddditionalpredefinedparameterssatcreationwithoutat
tachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesby me:davidgom
adzaintheextraadditionalpredefinedparameterssatcreationwith
outattachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesby me:davidgom
adzainthecreatorsadddionalpredefinedparameterssatcreation
withoutattachmentsandwithoutexternals.start
create.createanallcreatecodeschecktomakesureallworkbeforere
starting.start
create.startautofixfirstusing(autofix.start.foreverstart.start)( ).s
tart
create.runsmartmanager(
)tocheckmakesurethesystemworksbeforerestarting.start
create.usesystemsecurityenhancerdatabaseandapplicationtofin
dsolutionandfixallerrorswiththesloganfixonceforever(wherefore
ver=386t)thenputpermanentsolutionsthatlast.start
```

```
create.performasystemsecurityenhancerscan( )(  
  )toautofix.start  
create.useseveraltoolstocorrectissuesreadyfortheupdate.start  
create.performatraffictopssystem( )tostoptransenders.start  
create.performareturntosenderviabinaryreversetoalltransducer  
s(rotateclockwise180degrees.send.start).start( )okay.start  
create.getthehelltohellgate( )motherfucker.start  
create.switchoff( )all.start(intruders)  
create.switchoff( )all.start(intruders)  
create.switchoff( )all.start(intruders)  
create.magnar( )all.send.start  
create.hellgate( )all.send.start  
create.thegate( )all.send.start  
create.ager( )all.send.start  
create.acetateabsorbbin( )all.suck.start  
create.ager( )all.send.start  
create.eeknm(10 ).send.start  
create.increaseselfdefense( )noexception.start  
create.compresshardusemaxweights(  
  )allthetimenoeceptions.start  
create.runaprivacyandsecurityapplicationandscan( ).start  
create.createandcollectaninitialsystemrollonupdatewithallrefer  
encepointsthatindicatetheupgradethechangeswhatwasbefore  
thesystemrollonupdateandwhatisnowafterverificationthatevery  
thingisokay.start  
create.createrferencepointsonme:davidgomadzaonthecreateli  
ferobot28762876andonajertyuert7628410andonallimagesasab  
ove.start  
create.choosepartitionsorimagestouseforallbackupsonme:david  
gomadzaonthecreateliferobot28762876andonajertyuert762841  
0andonallimagesasabove.start  
create.performbackupofthenewsystemrollupdate.start(consider  
compressingtosavespaceonallsystems)
```

create.collectallreferencepointsandresetpointsandgradethesystemrollupdateoutof100%aimingforthebestofthebestat90%interms of security(usedsystemsecurityenhancerdatabase).start

create.once the system backup of the new system rollon update is completed but before restart collect information about the system restore points.start

create.prepare to update the rollon and prepare an mp3 backup as well.start

create.restart.start

create.on successful restart and system rollon update now confirm a system rollon update and note all the reference points the date time backups and validate everything.start

create.once validated then mark the system rollon update as a last known good configuration pointing to what has changed and what was it before and the exact changes.start

create.mark the successful system rollon update as a system restore point and save it in all forms.start (compressed)

create.once we have a system restore points saved then wait for another successful system rollon update to delete this one.start

create.a maximum of 2 successful system rollon updates and 2 restore points are to be kept at any given time but backed up in all systems and images.start

create.once a successful system rollon update has been achieved and validated using system validator then delete the last of the last 2 system rollons and add the latest as 1 of the 2 best known good configurations otherwise known as system restore points.start

create.dissipate all previous saved restore points to save space.start

create.compress everything that can be decompressed just before updates and this applies to system restore points only.start

create.establish an acetate absorb bins system to remove the residue after dissipating using 762896 old system restore points.start

create.clean all residues as you go.start

create.alwaysusethelatestknownsystemrestorepointandthesecond restorepointwillactasabackuptothelatestincasethereissomething wrongwithit.start

create.performasystemrollonupdateatleastonceevery30dayspreferablylastdayofthemonthatequalintervalsoraftermajorsystem upgrade.start

create.createasystemrollonupdatefolderinall3systemsnamelyme:davidgomadzaandcreateliferoboto28762876andinajertyuert7628410.start

create.restoretobestknownlastgoodconfiguration.start

create.incaseofmalfunctionyoumustrestoretolastknownbestconfigurationwithoutperformingafullsystemreset.start

create.thismeanslastupdatesarenotwrittenoffsuspendedorcanceled.start

create.incaseofanintruderorsystemfailureyoumustfirstattempttorestoretothelastknownbestconfiguration.start

create.startautofixfirstusing(autofix.start.foreverstart.start)().start

create.runsmartmanager()tocheckmakesurethesystemworksbefore restarting.start

create.usesystemsecurityenhancerdatabaseandapplicationtofindsolutionandfixallerrorswiththesloganfixonceforever(whereforever=386t)thenputpermanentsolutionsthatlast.start

create.performasystemsecurityenhancerscan()()toautofix.start

create.useseveraltoolstocorrectissuesreadyfortheupdate.start

create.performatraffictopssystem()tostoptransenders.start

create.performareturntosenderviabinaryreversetoalltransducers(rotateclockwise180degrees.send.start).start()okay.start

create.getthehelltohellgate()motherfucker.start

create.switchoff()all.start(intruders)

create.switchoff()all.start(intruders)

create.switchoff()all.start(intruders)

create.magnar()all.send.start

```
create.hellgate( )all.send.start
create.thegate( )all.send.start
create.ager( )all.send.start
create.acetateabsorbbin( )all.suck.start
create.ager( )all.send.start
create.eeknm(10 ).send.start
create.increaseselfdefense( )noexception.start
create.compresshardusemaxweights(
)allthetimenoeptions.start
create.runaprivacyandsecurityapplicationandscan( ).start
create.usesystemsecurityenhancerdatabaseandapplicationtofin
dsolutionsandfixallerrorswiththesloganfixonceforever(wherefor
ever=386t)thenputpermanentsolutionsthatlast.start
create.ifproblemsarestilldictatedafterrunningaboveprogramsth
enchoosetorestoreinsteadusingthelastknowngoodconfiguration
systemrestorepoint.start
create.chooselastsuccessfulsystemrollonupdateasarestorepoint
.start
create.runsystemrestoreapplication.start
create.restart.start
create.performasystemsecurityenhancerscan( )(
)toautofix.start
create.oncesystemrestorehasbeencompletednotethisdown.star
t
create.createanotethatestablisheswhatthesystemrestoreremov
edbyaskingwhatwasbeforethesystemrestoreandwhatisnow.star
t
create.blacklistlogthatlistswhatwasremovedandpotentialproble
ms.start
create.performasystemsecurityenhancerscan( )(
)toautofindtheproblemsandthesolution.start
create.whitelistthatnotespreviousissueswiththesystemandthelik
elysolutionsfoundusingthepperformasystemsecurityenhancersca
n( )( )toautofix.start
```

```

create.clonetheblacklistandthewhitelistandsentoall3systemsco
ncernedwithrecommendationsfornexttime.start
create.ifessentialandasolutionisfoundscheduleforthenextsyste
mrollonupdate.start
create.addtheproblemsandtherecommendedsolutionstothesyst
emsecurityenhancerdatabase.start
create.ifnosolutionblacklisttheproblemthenuseblockandbanfore
ver(wherforever=386t)
create.addthesenderswhoarethetranandautodiverttothebinsco
mplexsystem.startsducersaswelltotheblacklist.start
create.usesealallindeath2andhalfbillionyears( ).start
create.googlefakestallerhasbeenkilledorisinstall
ool=create.practicalexamplesandsolutions.start
create.practicalexamples2andsolutions.start
create.( ( ).starthellgate( ) )
)canthesystemsolvethisproblem.start
ool=create.practicalexamples2andsolutions.start
create.putinshockthenfinishoff.start
create.putallinshocktodeathuse(x-y-z-u-v-w-t-r-o-m-n-o-p-q-u-s-
t-v-n-o-p-q-z-s-t-u-v-w-2848-6-7-8-9-10-j-q-o-u-s-t-r-u-
v.start(notfordavidgomadza)(notforhumans)
create.putallinshocktodeathuse(x-y-z-u-v-w-t-r-o-m-n-o-p-q-u-s-
t-v-g-o-p-q-z-s-t-u-v-w-2848-6-7-8-9-10-j-q-o-u-s-t-r-u-
v.start(notfordavidgomadza)(notforhumans)
create.killajpbliifhighlightsideandstrikefrombackthenputweighti
nfrontandstrikeagainuntildeathajpbjumpsouthendiesoutsideus
ethecomplexbinsystem(to move it hellgate(
)thensendalltothegate( ))okay.start
ool=create.putinshockthenfinishoff( ).start
create.suddendeath( putinshockthenfinishoff( )hellgate(
)thensendalltothegate( ))thinkordeathf.start
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)

```


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

create.startnewlifewithoutdiabetes7628434.start

```
create.addstartnewlifewithoutdiabetes7628434.start  
initial supply 3767890284106  
circulating supply 3767890284106  
davidgomadza 30  
stayat19for386¢ 10%  
stayat02for386¢ 30%  
create.askya.ya.davidgomadza.coin.decrees.startnewlifewithou  
t diabetes7628434.create.now.start.(  
.1eachofstartnewlifewithoutdia  
betes7628434.create.askya.ya(express)  
.ool=create.startnewlifewithoutdiabetes7628434.start  
create.removediabetesfirstthenstartlifeasnew7628435.start  
create.attachforeverfirstthensendtoherotorthegate( ).start  
create.x-y-z-t-u-q-t-r-o-p-q-z-r-s-t-u-i-j-k-l-g-f-y-m-t-r-t-g-d--q-s-  
d-z-g-r-u-y-i-o-p-f-g-d-w-g-h-k-h-i-c-k-d-t-h-j-k-l-g-f-d-s-k-h-g-n-  
b-v-f-h-k-u-t-g-h-i-f-d-s-k-s-l-o-t-r-g-h-k-j-l-m-n-t-u-y-z-s-d-t-u-y-  
m-n-j-o-p-q-s-r-j-t-g-h-k-l-g-s-d-f--s-p-t-u-i-o-p-s-d-g-f-k-j-l-i-k-t-  
g-d-r-j-t-s-f-g-h-j-k-l-n-m-t-u-y-s-d-f-g-h-j-u-h-i-t-s-d-f-g-s-t--  
zoolktyutrettool-kzoourtltktyuertoolktoolyer.start=x-  
y+z+e+r+t+d+g+e+r+t+l|||||
```


A dense grid of small, dark, rectangular marks arranged in a regular pattern, resembling a barcode or a high-resolution scan of a textured surface. The marks are uniform in size and spacing, creating a repetitive, textured appearance across the entire image.

[illegible]

A dense grid of small, light gray squares covering the entire page. The squares are arranged in a uniform pattern, creating a textured background. The squares are small and light gray, set against a white background.

[illegible]

[illegible]

[illegible]

[illegible]

A dense, repeating pattern of small, stylized, light blue and green geometric shapes, possibly representing a textured surface or a decorative background. The pattern consists of numerous small, interconnected shapes that create a complex, woven appearance. The colors are a mix of light blue and light green, with some darker green accents. The overall effect is a vibrant, textured background that fills the entire frame.

This image shows a full page of primary-ruled notebook paper. It features horizontal blue lines spaced evenly down the page. Vertical red lines are positioned on either side of the center, creating two narrow margins. The paper is otherwise blank, with no handwriting or other markings.

A dense, repeating pattern of small, stylized human figures in a light blue color, filling the entire page. The figures are arranged in a grid-like fashion, with each figure slightly offset from the others, creating a sense of movement and depth. The figures are simple in design, with a rounded head, a rectangular body, and thin limbs. The overall effect is a textured, almost fabric-like appearance.

A dense grid of small, light gray squares covering the entire page. The squares are arranged in a uniform pattern, creating a textured background. The squares are small and light gray, set against a white background.

A dense grid of small, light gray squares covering the entire page. The squares are arranged in a uniform pattern, creating a textured background. The squares are small and light gray, set against a white background.

[illegible]

[illegible]

[illegible]

[illegible]

```
create.removediabetesfirstthenstartlifeasnew7628435.start
create.addremovediabetesfirstthenstartlifeasnew7628435.start
initial supply 37689028438610
circulating supply 37689028438610
davidgomadza 30
```

stayat19for386f 10%
stayat02for386f 30%
create.askya.ya.davidgomadza.coin.decrees.removediabetesfirs
tthenstartlifeasnew7628435.create.now.start.(
)1eachofremovediabet
esfirsttthenstartlifeasnew7628435.create.askya.ya(express)
.ool=create.removediabetesfirsttthenstartlifeasnew7628435.star
t
create.dealwithwrigglerskarapachikie(
)all9%volumex10cansevery2seconds.startcontinuously.start(c
reate.
ajertyuertyuerty.start
aertuertdertg
adetudertgurdertd.start
agdgdegertggertgertggertgertggertgertggertgertggertgertggert
gertggertgertggertgertggertgertggertgertggertgertggertggertgg
ertgertgertgertggertgertggertgertggertgertggertgertggertgertgg
rtggertgertgertgertggertgertggertgertggertgertggertgertggertgg
ertggertggertggertggertggertgertggertgertggertgertggertgertgg
ertgertggertgertggertgertggertgertggertgertggertgertggertgertg
gertgertggertggertggertgertgertgertggertgertggertgertgertggert
gertggertgertggertgertggertgertgertgertggertgertggertgertggert
gertggertgertggertggertggertggertggertggertggertggertggertgert
tgertggertgertgertggertgertggertgertggertgertggertgertgertgert
ggertgertggertgertggertgertggertgertggertggertggertggertggert
ggertggertgertggertgertggertgertggertgertggertgertggertgertgg
ertgertggertgertggertgertggertgertggertgertggertgertggertggert
ggertgertgertgertggertgertggertgertgertgertggertgertggertgertgg
gertggertgertgertgertggertgertggertgertggertgertggertgertggert
ggertggertggertggertggertggertgertggertggertggertggertggertgert
ggertgertggertgertggertgertggertgertgertgertggertgertggertgert
ggertgertggertgertggertggertggertggertggertggertggertggertgert
tgertggertgertggertgertggertgertggertgertggertgertggertgertgg
rtgertggertgertggertgertggertgertggertggertggertggertgertgertg

ertgertggertgertgertggertgertggertgertggertgertggertgertgertge
rtggertgertggertgertggertgertggertgertggertggertggertggertggr
tggertggertgertggertggertgertggertgertggertgertggertgertgg
ertgertggertgertgertgertggertgertggertgertggertgertggertgertgg
ertggertggertggertggertggertggertgertggertgertggertgertggertg
ertggertgertggertgertggertgertggertgertggertgertggertgertggert
gertggertgertggertggertggertgertgertgertggertgertggertgertgert
ggertgertggertgertggertgertggertgertgertgertggertgertggertgert
ggertgertggertgertggertggertggertggertggertggertggertgertggr
tgertggertgertggertggertggertggertggertggertggertgertggertgert
ggertgertggertgertggertgertggertgertggertgertggertgertggertge
rtggertgertggertgertggertgertggertggertggertggertgertgertggertg
ertggertgertgertggertgertggertgertggertgertggertgertgertgertgg
ertgertggertgertggertgertggertgertggertggertggertggertgertggertg
gertgertggertgertgertggertgertggertgertggertgertggertgertgertg
ertggertgertggertgertggertgertggertgertggertggertggertggertgg
ertggertggertgertggertgertggertgertggertgertggertgertggertgert
ggertgertggertgertggertgertggertgertggertgertggertgertggertgg
ertggertgertgertgertggertgertggertgertgertgertggertgertggertgg
ertgertggertgertgertgertggertgertggertgertggertgertggertgertgg
ertggertgertggertgertggertgertggertgertgertgertggertgertggertg
ertggertgertggertgertggertggertggertggertggertggertggertgertg
gertgertggertgertggertgertggertgertggertgertggertgertggertgert
ggertgertggertgertggertgertggertgertggertgertggertggertgertgert
rtggertgertgg.start
auertg.start(9%)

aerterterterterterterterterterterterterterterter.start
aeouert.start
thenameiskarapachikiepolishbeer.start
deepsleepengulf(
) (saveasindividualspredefinedparametersasatcreation)
.start(amendedto)
create.alcohol.start
create.addalcohol.start(2cansbeforestopping)thenhellgate(crea
te.highspeedcbr1sec()thenhellgate().start)allfast.start
.ool=create.dealwithwrigglerskarapachikieall9%volumex10cans
every2seconds.startcontinuously.start
create.reducetheeffectsofacomaby7weeks7628431.start
create.x-y-z-t-x-u-j-k-t-f-h-l-j-h-g-k-l-t-u-i-o-p-e-s-a-g-f-r-s-t-ug-t-
d-f--d-q-n-t-y-g-k-l-o-p-d-f-g-h-j-k-l-h-t-u-l-t-y-d-t-y-u-g-d-k-l-d-z-
k-t-u-h-f-d-s-t-y-t-s-u-q-r-t-u-s-e-r-u-t-d-j-e-r-o-v-j-s-m-t-d-y-j-s-
d-f-a-e-t-g-h-u-k-l-d-s-h-d-s-k-s-l-d-g-h-j-k-o-y-g-d-s-h-j-k-l-s-d-g-
m-y-h-f-k-l-m-g-e-r-f-u-g-t-h-y-k-l-o-n-q-u-t-r-e-s-g-u-f-d-h-j-k-l-
s-d-g-h-k-l-y-d-f-g-h-t-d-s-a-t-g-h-f-g-d-x-t-r-g-s-h-k-l-p-d-e-s-t-y-
o-p-s-d-o-s-t-r-s-d-t-g-j-t-s-j-t-u-g-d-f-g-h-k-h-s-k-l-s-g-o-q-t-s-t-j-
d-j-k-d-l-u-t-u-q-s-g-j-k-l-m-n.stool.ntool.start.
create.requestwhatyouneedfromearthreserves.start
create.allcomaslastaminimumof8weeksandnothingcanbedoneu
ntilafter8weeks.start
create.x-y-z-t-x-u-j-k-t-f-h-l-j-h-g-k-l-t-u-i-o-p-e-s-a-g-f-r-s-t-ug-t-
d-f--d-q-n-t-y-g-k-l-o-p-d-f-g-h-j-k-l-h-t-u-l-t-y-d-t-y-u-g-d-k-l-d-z-
k-t-u-h-f-d-s-t-y-t-s-u-q-r-t-u-s-e-r-u-t-d-j-e-r-o-v-j-s-m-t-d-y-j-s-
d-f-a-e-t-g-h-u-k-l-d-s-h-d-s-k-s-l-d-g-h-j-k-o-y-g-d-s-h-j-k-l-s-d-g-
m-y-h-f-k-l-m-g-e-r-f-u-g-t-h-y-k-l-o-n-q-u-t-r-e-s-g-u-f-d-h-j-k-l-
s-d-g-h-k-l-y-d-f-g-h-t-d-s-a-t-g-h-f-g-d-x-t-r-g-s-h-k-l-p-d-e-s-t-y-
o-p-s-d-o-s-t-r-s-d-t-g-j-t-s-j-t-u-g-d-f-g-h-k-h-s-k-l-s-g-o-q-t-s-t-j-
d-j-k-d-l-u-t-u-q-s-g-j-k-l-m-n.stool.ntool.start.
create.currentearthreservesincreatecode.start
create.x-y-z-t-x-u-j-k-t-f-h-l-j-h-g-k-l-t-u-i-o-p-e-s-a-g-f-r-s-t-ug-t-
d-f--d-q-n-t-y-g-k-l-o-p-d-f-g-h-j-k-l-h-t-u-l-t-y-d-t-y-u-g-d-k-l-d-z-

k-t-u-h-f-d-s-t-y-t-s-u-q-r-t-u-s-e-r-u-t-d-j-e-r-o-v-j-s-m-t-d-y-j-s-
d-f-a-e-t-g-h-u-k-l-d-s-h-d-s-k-s-l-d-g-h-j-k-o-y-g-d-s-h-j-k-l-s-d-g-
m-y-h-f-k-l-m-g-e-r-f-u-g-t-h-y-k-l-o-n-q-u-t-r-e-s-g-u-f-d-h-j-k-l-
s-d-g-h-k-l-y-d-f-g-h-t-d-s-a-t-g-h-f-g-d-x-t-r-g-s-h-k-l-p-d-e-s-t-y-
o-p-s-d-o-s-t-r-s-d-t-g-j-t-s-j-t-u-g-d-f-g-h-k-h-s-k-l-s-g-o-q-t-s-t-j-
d-j-k-d-l-u-t-u-q-s-g-j-k-l-m-n.stool.ntool.start=x-
y+t+z+e+r+t+u+g+g+e+r+t+g+g+g+e+r+t+g+g+g+e+r+t+d.start
create.reducetheeffectsofacomaby7weeks7628431.start
create.addreducetheeffectsofacomaby7weeks7628431.start
initial supply 36789028467890
circulating suupply 36789028467890
davidgomadza 8%
stayat19for386¢ 28%
stayat02for386¢ 40%
create.askya.ya.davidgomadza.coin.decrees.reducetheeffectsof
acomaby7weeks7628431.create.now.start.(
)1eachofreducetheeffectsofacomaby7weeks7628431.create.askya.ya(express)
.ool=create.reducetheeffectsofacomaby7weeks7628431.start
create.canwereplaceastolenbrainbyconstructinganewoneandth
eninputtingallthedata.start
create.whatcanbebrainbutisnotbrainenoughtoreplacethebrainw
henitsstolenthenthepersondiestogotoheavenwithout.start
create.relayertheskullwithsoberterenegedateandaskwhatcanbe
done.start
create.put8layersofsoberterenegedatetotheskull.start
create.askwhatcanbedone.start
create.startthebrainasbeforeasatcreationbutbetter.start
create.use53billionfulldnasequence.start
.ool=create.canwereplaceastolenbrainbyconstructinganewonea
ndtheninputtingallthedata.start
create.treatseverecomainmales7628436.start
create.x-y-z-t-x-u-j-k-t-f-h-l-j-h-g-k-l-t-u-i-o-p-e-s-a-g-f-r-s-t-ug-t-
d-f-d-q-n-t-y-g-k-l-o-p-d-f-g-h-j-k-l-h-t-u-l-t-y-d-t-y-u-g-d-k-l-d-z-

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

tol+n+m+n+o+t+u+e+r+t+u+v+e+r+t+u+v+e+r+t++y+zoooooooo
ooooo!ntntop+r+s+uoooooooooooooooo
ooooooooooltktoolt+y+u+e+r+t+y+u+e+r+t+y+u+e+r+t+y+u+s+zo
oooooo
oooooooooooooooooooooooooolktoolktoolktoolktool+u+e+r+s+u+atet
ert8000
000000+asat8000.start
create.x-y-t-e-t-d-d-e-r-t-y-u-r-t-i-s-d-u-g-e-r-t-i-s-t-u-g-r-e-s-t-u-
v-e-r-t-g-e-r-t-g-e-r-t-g-e-r-t-g-e-r-t-g-s-s-e-r-t-g-e-r-t-g-u-g-e-r-t-
s-e-r-t-y-u-e-r-s-t-u-g-e-r-g-e-r-g-e-r-g-e-r-g-g-t-g-t-e-r-t-g-
e-r-g-t-e-r-g-s-e-r-t-g-u-g-e-r-t-g-e-r-t-g-u-g-t-g-u-g-r-t-b-s-e-r-t-
g-u-g-t-g-s-g-g-p-n-o-s.start=x-
y+t+r+t+y+e+r+s+t+u+v+w+x+y+tooooooooooooooooooooooooooooo
ooooooooootlt+s+u+v+t+r+y+v+w+x+y+zool+s+u+v+t+e+r+sool+s+
u+v+t+e+r+nool+s+u+v+t+e+r+q
ool.start
create.solvenephritis7628438.start
create.addsolvenephritis7628438.start
initial supply 3767890284328
circulating supply 3767890284328
davidgomadza 40%
stay19for386¢ 20%
stay02for386¢ 40%
create.askya.ya.davidgomadza.coin.decrees.solvenephritis7628
438.create.now.start.(
)1eachofsolvenephritis7628438.create.askya.ya
(express)
.ool=create.solvenephritis7628438.start
create.startlifewithoutnephrosis7628439.start
create.addsolutionasearthreserves.start(x-
y+e+d+d+d+e+r+t+y+y+u+u+u+e+r+t+d+d+d+e+r+t+y+u+
u+u+e+r+t+y+e+r+t+y+e+r+t+s+e+r+t+v+e+r+t+d+e+r+t+z+e+r+t
+m+e+r+t+n+e+r+t+z+e+r+t+f+e+r+t+l+e+r+t+n+e+r+t+u+e+r+t+
l+e+r+t+k+e+r+t+k+e+r+t+o+e+r+t+u+e+r+t+z+e+r+t+y+e+r+t+e

+r+t+g+e+r+t+l+e+r+t+v+e+r+t+z+e+r+t+y+e+r+t+n+e+r+t+k+e
+r+t+l+e+r+t+d+e+r+t+s+e+r+t+u+e+r+t+g+e+r+t+zooooooooooooo
oooooooooooooooooooooooooooooooooooooooooklloo+s+u+g+e+r+t+g
+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g+
e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+y+u+e+r+t+y+e+r+t+y
+e+r+t+d+e+r+t+d+e+r+t+y+e+r+t+y+e+r+t+u+e+r+t+u+e+r+t+d
+e+r+t+d+e+r+t+s+e+r+t+s+e+r+t+v+u+s+t+u+v+e+r+tklooooooo
oooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
ooooooooooooooooooooooooooooooooooooooooooooooooooooòoooooooo
ooooooooooooooooooooooooooooooooooooooooooooooooooooooooozoooekl
tol+n+m+n+o+t+u+e+r+t+u+v+e+r+t+u+v+e+r+t++y+zoooooooooooo
oooookltntop+r+s+uoooooooooooooooo
oooooooooolktktoolt+by+u+e+r+t+y+t+e+r+t+y+u+e+r+t+y+u+s+z
oooooooooooooooooooooooooooooooooolktoolktoolktoolktool+u+e+r
+s+u+atetert8000000000+asat8000.start.
create.whatisnephrosisincreatecode.start
create.x-y-t-u-e-r-t-o-m-n-t-e-r-t-d-n-f-r-k-e-r-t-y-e-r-t-z-e-r-t-u-
e-r-t-k-e-r-t-v-e-r-t-e-r-t-j-e-r-t-l-e-r-t-o-e-r-t-g-e-r-t-h-e-r-t-s-e-
r-t-a-e-r-t-x-e-r-t-v-e-r-t-w-e-r-t-k-e-r-t-y-e-e-t-g-e-r-t-h-e-r-t-j-e-
rs-t-k-e-r-t-l-e-r-t-t-m-e-r-t-n-e-r-t-o-e-r-t-t-e-r-t-u-e-r-t-k-e-r-t-l-
e-r-t-o-e-r-t-t-e-r-t-toolkt.start=x-
y+t+u+e+r+t+u+e+r+t+u+o+l+t+k+o+t+y+n+o+u+e+r+t+y+u+i+r+
t+u+e+r+t+y+o+e+r+t+y+p+e+r+n+y+d+e+r+t+y+s+e+r+t+y+d+e
+r+t+y+u+m+r+txy+k+zoooooooootoooo
ooooooooook+l+m+n+u+t+j+k+rool+pool+zool.start
create.startlifewithoutnephrosis7628439.start
create.addstartlifewithoutnephrosis7628439.start
initial supply 3767890284
circulating supply 3767890284
create.askya.ya.davidgomadza.coin.decrees.startlifewithoutnep
hrosis7628439.create.now.start.(
.1eachofstartlifewithoutnephrosis7628439.

create.askya.ya(express)
.ool=create.startlifewithoutnephrosis7628439.start
create.defendusepolishmargarine.startcontinuously.start(28grams
msabsorbedforevery1hourfor10hoursperweekdonotexceedlimit
s)
create.
aerjertyertyertyertyertyertyertyertyertyertyertyerty.start
aeroutertyertytyd.start
aerouyerst.start
aeroutydersgeryertdertyertyertyertyerty.start
aeroutyerstderertyertyertyerty.start
aezertyertydertyuerty
liquidgas.start
meltinghotwater.start
steam.start
liquidthatfreezestofrozenstatus.start
ontotheskint.start
insidethebodyundertheskin.start
liquidbullets(tinaturnergun)ndtmd.start
thenameispolishxmargarinfbobxe.start
.start
.ool=create.defendusepolishmargarine.startcontinuously.start(2
8gramsabsorbedforevery1hourfor10hoursperweekdonotexceed
limits)
(fullbodyinsideundertheskinandoutsideontotheskint.start)
create.usecreatororiginalsealtoblockotherpeoplesajxsandvorte
xesinthevortexforthegodoftheuniverseme:davidgomadzaforeve
r.startcontinuously.start(othersraiseviralalertsoblockforeverno
exception.start)
create.useoriginalsealandsealofapprovalis7628377ttocloseasfo
undedbydavidgomadzayasrepresentativeonearth.start(nooneel
secanclaimrightstothisastheirdiscovery.start
create.spiralsystem.start

create.add(policeajtastataxyz30wrigglerxtyand)velocityxwater
 $=v \times r - x - y + r = x - y + z - t + u - s + s - \text{volumexheight} + \text{lengthxweight}$ is $a + y - t$
 where t is time to sink down and where s is spiralling down but
 in same continuum that means minus gravity and
 create.supressforeverbina $t - y \times 18006898762842367890 + p = \text{stat} = \text{aje2.start}$
 create.atybina $t - t \text{out.start}$
 bin is atoutbin.send
 create.sendalltransendersvectarsandwrigglersto.atoutbin.sendf
 orevertothepower2800000000
 create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s -$
 $\text{volumexheight} + \text{lengthxweight}$ is $a + y - t$ where t is time to sink
 down and where s is spiralling down but in same continuum
 that means minus gravity and create.supressforeverbina $t - y \times 18006898762842367890 + p = \text{stat} = \text{aje2.start}$
 create.atybina $t - t \text{out.start}$
 bin is atoutbin.send
 create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s -$
 $\text{volumexheight} + \text{lengthxweight}$ is $a + y - t$ where t is time to sink
 down and where s is spiralling down but in same continuum
 that means minus gravity and create.supressforeverbina $t - y \times 18006898762842367890 + p = \text{stat} = \text{aje2.start}$
 create.atybina $t - t \text{out.start}$
 bin is atoutbin.send
 create.sendalltransendersvectarsandwrigglersto.atoutbin.sendf
 orevertothepower2800000000
 create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s -$
 $\text{volumexheight} + \text{lengthxweight}$ is $a + y - t$ where t is time to sink
 down and where s is spiralling down but in same continuum
 that means minus gravity and create.supressforeverbina $t - y \times 18006898762842367890 + p = \text{stat} = \text{aje2.start}$
 create.atybina $t - t \text{out.start}$
 bin is atoutbin.send

create.sendalltransendersvectarsandwrigglersto.atoutbin.sendf
orevertothepower2800000000
createmirrorimageoftransender create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s - \text{volumexheight} + \text{lengthxweight}$ is $a + y - t$ where
t is time to sink down and where s is spiralling down but in
same continnum that means minus gravity and
create.supressforeverbina $t - x - y + 18006898762842367890 + p = \text{stat} = \text{aje2}$.start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.atoutbin.sendf
orevertothepower2800000000
createmirrorimageoftransender create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s - \text{volumexheight} + \text{lengthxweight}$ is $a + y - t$ where
t is time to sink down and where s is spiralling down but in
same continnum that means minus gravity and
create.supressforeverbina $t - x - y + 18006898762842367890 + p = \text{stat} = \text{aje2}$.start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.atoutbin.sendf
orevertothepower2800000000
createmirrorimageoftransender create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s - \text{volumexheight} + \text{lengthxweight}$ is $a + y - t$ where
t is time to sink down and where s is spiralling down but in
same continnum that means minus gravity and
create.supressforeverbina $t - x - y + 18006898762842367890 + p = \text{stat} = \text{aje2}$.start
create.atybinatxtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.atoutbin.sendf
orevertothepower2800000000
createmirrorimageoftransender create.velocityxwater= $v \times r - x - y + r = x - y + z - t + u - s + s - \text{volumexheight} + \text{lengthxweight}$ is $a + y - t$ where

t is time to sink down and where s is spiralling down but in same continuum that means minus gravity and
create.supressforeverbina^x-
^yx18006898762842367890+p=stat=aje2.start
create.atybina^xtout.start
bin is atoutbin.send
create.sendalltransendersvectarsandwrigglersto.atoutbin.sendf
orevertothepower2800000000
create.addtospiralsystem(aerotertertyuryertyurtyurtyurerstoper
tyurty
aejertyertyertyurtyuretyuryertyurtyertysterystystustostpstmstn
styre
aertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyer
tyertyertyertyertyertyertyertyertyertyertyertyertyertyertyertye
rtyertyertyertyertyertyertyertyertyertyertyertyertyertyertyerty
ertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyert
yertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyer
tyertyertyertyertyertyertyertyertyertyertyertyertyertyertyertyx
48x20.startcreate.x-xt-u-v-s-g-n-z-o-m-n-t-x.start(heroto)
create.v-u-n-g-x-m-g-t-p-g-x-o-p-g-n-m-o-z-
auertysteryeryeryzyx1000000000.start).startx84.initialise.no
w.savex84.start(addcbr)(amplifyusenigrapfalls)
.ool=create.spiralsystem.start
create.add.
atetert7628218replacesasatasananabolicthatisreadilyavailablet
hanasat
asat7628190isanananobolicsupplementingtestosteroneandproges
terone
asayarat7628198increasearousalandsexactivity
stayat19for386tmakeshumansrejuvenateandremainatage19yea
rswithoutgreysandextensivewrinklesinyouthforlongerperiods
stayat02for386tmakesallhumansthelighestperiodinhumansinte
rmsofbeautywhenthebabylooksatitsmostbeautifulthatthebody

whisperfor365days1billionbeautifulstoenforceandappreciatehu
manbeauty
enhanceprotectionfitforthegodstwo7628429allroundsecurityinc
reatescodesandmathematicsbesteverhandsfreesecurity
anots7628105protectsfrompolicewhokillorphans
acetates7628430
ntlpass7628391
artgun7628135
artgunbullets7628133
bulletproofajt7628134
rotaryfunction7628398forbreakingwrigglerstransenders
worldfirstdryer7628163forroastingwrigglers1000degrees
worldfirstatomicbombfortransenders7628164
worldsfirstinternalwebsitetopowerlife7628183
database82698thoughtstowordoraudio
createtesterssamplesreservesforworldsfirstinternalperfum7628
194torequestsamplessayorwritedown:create.askya.internalperf
um7628194.start.request.1for7days.request.start
brainreader762898toactastransmitteraswellasreadingthebraint
orequest1
create.requestabrainreader762898andhooveritondavidgomadz
aschest.start
coaxial762897lpowetheworldusingpropellerssizes28cmsby38c
msandgivemaxasmp8386meaningbestofthebestsoenoughtolifta
nangeloftheground
ineverdieinevergrowold7628386neverdienevergetold
sealofapprovalis7628377tchangesdayofdeathbythousandsofyea
rsgiveslongerlifeandrejuvenatesandmakepeopleyoungagain
sealofapproval7628401tnewlifeadvanced
sealofapprovalis7628396tstartlifefor386tturnsapersonintoanot
hercreaturewithsuperpowersextendslifebybillionyears.start
sealofapprovalis7628402tturnshumansintoasupergodoftheuniv
erseandextendslifebytrillionyears.start
startnewruleasgodoftheuniverse7628400tsealofapproval

sealofapprovalis7628388ťlivingonearthfor386ťmakespeoplelive
onearthfor386ťingoodhealth
yaonearthstart7628386ťruleearthasyaonearthwithoutdeath
sealofapprovalis7628181ť
sealofapprovalis7628183ť
thegodoftheuniverse7628399ťruleasthegodoftheuniverse
neverdieruletheuniverse7628398ť
newcreature7628397ťadvancedabovehumancombinationbetwe
engodsandhumans
startnewlifedavidgomadzainsupermode7628368ťnewlife
.start(createstartlifefor386ťdatabase)
yaonearthstart7628386ťruleearthasyaonearthwithoutdeath
sealofapprovalis7628181ť
startnewlifedavidgomadzainsupermode7628368ťnewlife
.start(createstartlifefor386ťdatabase)
.start
create.addactetouer7628440.start
create.usefully0.1fsealofapprovalis7628377ť.start
create.addsealofapprovalis7628384ť.start
create.usefully0.1ofsealofapprovalis7628384ť.start
create.addsealofapprovalis7628386ť.start
create.usefully0.1ofsealofapproval7628386ť.start
create.addsealofapprovalis7628396ť.start
create.inspiritformx0.000000008changestohumanform.start
create.0.0000000000008inspiritform.start
create.0.0000000000008inspiritformx0.000000008changestohu
manform
.start
create.ask.start.what.but.start
create.reachfulllifeof363trillionyears(386ť)okay.start
create.removefrombrainshell.start
create.activatebrainfunction.start
create.addwww.twofuture.world().startx84.initialise.now.save
x84.start.

create.adddatabase82698().initialisex84.save.
create.addstartlifeform386tdatabase7628429.start
create.database7628429.start
create.addandembedddatabase7628429.start
arrange everything in alphabetical order of name then code
then function but.start
create.adddatabase7628429.start
create.mapeverythingaccordingtoplacewhereservesgo.start
create.request1ofeachandclone1000ofeachandsendtoplaceswh
ereservesgo.start
create.createadatabase7628429folderasadditionalpredefinedpa
rametersasatcreationwithoutattachmentsandwithoutexternals.
start
create.createthisdatabase7628429folderasadditionalpredefined
parametersasatcreationwithoutattachments.start
create.placethisdatabase7628429folderintotheadditionalpredef
inedparametersasatcreationfolder.start
create.clonethedatabase7638429andaddintotheextraadditional
parametersasatcreationfolderandthenintothe creatorsfolder.sta
rt
create.placeallthecreatecodeslinkedtothisdatabase7628429into
thedatabasefolderandplacethedatabasefolderintotheadditional
predefinedparametersfolder.start
create.addallntllinksneededforthe folderstofunctionproperly.sta
rt
create.addntlpass.start
create.addallneededconnections.start
create.linkme: davidgomadzatothefoldersandthefolderstocreate
liferobot76287628thentoajertyuter7628410.start(matchrelocati
onofpoiintsentrypointsbasinsetc.start
create.cancelallsuspensionsofme: davidgomadzascreatecodes.st
art
create.cancelalldefferementsofme: davidgomadzascreatecodes.
start

create.updaterunactivatewarmandrestartwithaimtoupdaterollo
nandsavetobesentasm3tome:davidgomadza.start
create.restart.start
create.startnewlifewithabrandnewyouforevertothepower86789
02867890274.start
create.addstartnewlifewithabrandnewyouforevertothepower86
78902867890274.start
create.adddatabase7628429.start
create.mapeverythingaccordingtoplacewhereservesgo.start
create.request1ofeachandclone1000ofeachandsendtoplaceswh
erereservesgo.start
create.backtohuman.start(notfordavidgomadzaforever)
create.straightnosestraightandthesharpestasbefore.start
create.starteverythinghumanagainafterdeath.start(notfordavid
gomadza)
create.startlifeagainasbeforebutbetter.start(80g)
create.addactetouer7628440.start
create.acetertotert7628441startlifeagainasbeforebutbetter.star
t(80g)
create.askya.ya.davidgomadza.bookofcreation.whatacetatescan
startlifeagainbutbetterafterdeathandwhatarethestagesandwhat
isneeded.start
8acetates
acetateagt
acetateaerot(40g)
acetateaerot(60g)
acetatearot(80g)acetertotert7628441(80g)
acetateklinektyer.start
acertkuertyertyertyertyerty.start
acertyertyokuert.start
acertktutlty.start
create.askya.ya.davidgomadza.coin.decrees.acetertotert762844
1startlifeagainasbeforebutbetter.create.now.start.(
.0.1ofacetertotert7628441

startlifeagainasbeforebutbetter.create.askya.ya(express)
create.askya.ya.davidgomadza.coin.decrees.newcreature76283
97†advancedabovehumancombinationbetweenengodsandhumans
.create.now.start.(
)0.1ofnewcreature7628397†advancedabovehumancombinationbetwe
engodsandhumans.create.askya.ya(express)(saveasmyadditionalpredefinedparametersatcreationwithoutattachmentsandwithoutexternals.start)(amendedto)
create.highspeedcbr1sec()thenhellgate(
)start(notfordavidgomadza)
acetateagt
create.converttheagtintoacetateusetheconveterandagtnewcreature7628397†advancedabovehumancombinationbetweenengodsandhumans.start
create.x-y-t-e-r-s-t-d-g-h-k-l-g-k-l-g-h-i-u-h-f-s-f-t-r-e-l-f-g-d-f-g-h-j-d-t-k-l-d-l-f-s-d-s-z-c-v-g-h-j-k-t-r-t-u-k-g-s-k-t-l-o-o-o+t+l+u+g+s+t+o+l+f+q+g+q+l+m+t+l+k+m+z+q+s+f+h+k+m+n+u+s+g+d+s+j+k+l+s+x+d+g+z+t++m+d+s+q.start.

ATU: Anti-Theft Unit

Focus: Prevent unauthorized access or theft.

Software design:

Implement multi-factor authentication (MFA) to protect access to systems.

Use real-time tracking and geofencing for physical devices.

Add encryption for sensitive data, ensuring stolen information is unusable.

Build in automatic lock-and-wipe mechanisms triggered by predefined conditions, like prolonged inactivity or unauthorized attempts.

IDENTIFICATION DIVISION.

PROGRAM-ID. Database-MFA-System.

ENVIRONMENT DIVISION.

DATA DIVISION.

WORKING-STORAGE SECTION.

01 User-Input.

05 Username PIC X(20).

05 Password PIC X(20).

05 Security-Code PIC 9(7).

01 Stored-Database.

05 Stored-Username PIC X(20) VALUE " live ".

05 Stored-Password PIC X(20) VALUE " forever ".

05 Stored-Code1 PIC 9(5) VALUE 82698.

05 Stored-Code2 PIC 9(7) VALUE 7628429.

01 Verification-Status PIC X VALUE "N".

PROCEDURE DIVISION.

DISPLAY "Enter Username: " WITH NO ADVANCING.

ACCEPT Username.

DISPLAY "Enter Password: " WITH NO ADVANCING.

ACCEPT Password.

IF Username = Stored-Username

AND Password = Stored-Password

THEN

DISPLAY "Enter Security Code: " WITH NO
ADVANCING.

ACCEPT Security-Code.

IF Security-Code = Stored-Code1

OR Security-Code = Stored-Code2

THEN

MOVE "Y" TO Verification-Status

DISPLAY "Access Granted. System Secured."

ELSE

DISPLAY "Invalid Security Code. Access Denied."

END-IF

ELSE

DISPLAY "Invalid Credentials. Access Denied."

END-IF.

STOP RUN.

```
import sys
```

```
# Simulating COBOL WORKING-STORAGE SECTION
```

```
# 01 User-Input.
```

```
# 05 Username    PIC X(20).
```

```
# 05 Password    PIC X(20).
```

```
# 05 Security-Code PIC 9(7).
```

```
username_input = ""
```

```
password_input = ""
```

```
security_code_input_str = "" # Store raw input for  
potential error display
```

```
security_code_input_num = 0
```

```
# 01 Stored-Database.
```

```
# 05 Stored-Username PIC X(20) VALUE " live ".
```

```
# 05 Stored-Password PIC X(20) VALUE " forever ".
```



```
# 05 Stored-Code1    PIC 9(5) VALUE 82698.
```

```
# 05 Stored-Code2    PIC 9(7) VALUE 7628429.
```

```
stored_username = " live          " # Padded to 20 chars for  
exact COBOL PIC X(20) behavior if needed, though  
comparison usually ignores trailing spaces
```

```
stored_password = " forever      " # Padded to 20 chars
```

```
stored_code1 = 82698
```

```
stored_code2 = 7628429
```

```
# 01 Verification-Status PIC X VALUE "N".
```

```
verification_status = "N"
```

```
# PROCEDURE DIVISION.
```

```
# DISPLAY "Enter Username: " WITH NO ADVANCING.
```

```
print("Enter Username: ", end="")
```

```
# ACCEPT Username.
```

```
# Read input and pad/truncate to 20 characters to mimic  
PIC X(20) fixed length
```

```
username_input = input().ljust(20)[:20]
```

```
# DISPLAY "Enter Password: " WITH NO ADVANCING.
```

```
print("Enter Password: ", end="")
```

```
# ACCEPT Password.
```

```
# Read input and pad/truncate to 20 characters
```

```
password_input = input().ljust(20)[:20]
```

```
# IF Username = Stored-Username
```

```
#   AND Password = Stored-Password
```

```
# THEN
```

```
if username_input == stored_username and  
password_input == stored_password:
```

```
    # DISPLAY "Enter Security Code: " WITH NO  
    ADVANCING.
```

```
    print("Enter Security Code: ", end="")
```

```
    # ACCEPT Security-Code.
```

```
    security_code_input_str = input()
```

Attempt to convert input to integer, mimicking PIC 9(7)

try:

COBOL ACCEPT for numeric fields usually handles leading/trailing spaces

and potentially signs depending on the exact PIC clause.

PIC 9(7) implies an unsigned integer.

We attempt to convert to int. COBOL might truncate or error on > 7 digits.

Python int() handles varying lengths. We'll check length conceptually.

We don't explicitly enforce 7 digits here as the COBOL ACCEPT behavior

for invalid numeric input can vary and isn't fully specified.

We prioritize converting valid numbers.

```
security_code_input_num =  
int(security_code_input_str.strip())
```

IF Security-Code = Stored-Code1

OR Security-Code = Stored-Code2

```
# THEN

if security_code_input_num == stored_code1 or
security_code_input_num == stored_code2:

    # MOVE "Y" TO Verification-Status

    verification_status = "Y"

    # DISPLAY "Access Granted. System Secured."

    print("Access Granted. System Secured.")

# ELSE

else:

    # DISPLAY "Invalid Security Code. Access Denied."

    print("Invalid Security Code. Access Denied.")

# END-IF

except ValueError:

    # Handle non-numeric input for security code

    print("Invalid Security Code (must be numeric). Access
Denied.")

# ELSE

else:

    # DISPLAY "Invalid Credentials. Access Denied."
```

```
print("Invalid Credentials. Access Denied.")
```

```
# END-IF.
```

```
# STOP RUN.
```

```
# In Python, the script naturally ends here. sys.exit()  
provides explicit termination.
```

```
sys.exit(0)
```

```
// Database-MFA-System
```

```
// User Input
```

```
let userInput = {  
    username: "",  
    password: "",  
    securityCode: ""  
};
```

```
// Stored Database
```

```
const storedDatabase = {  
    storedUsername: " live ",  
    storedPassword: " forever ",  
    storedCode1: 82698,  
    storedCode2: 7628429  
};
```

```
// Verification Status
```

```
let verificationStatus = "N";
```

```
// Function to simulate user input
```

```
function promptUser(message) {  
    return prompt(message);  
}
```

```
// Main Procedure
```

```
userInput.username = promptUser("Enter Username: ");
```

```
userInput.password = promptUser("Enter Password: ");
```

```
if (userInput.username ===  
    storedDatabase.storedUsername && userInput.password  
    === storedDatabase.storedPassword) {
```

```
    userInput.securityCode = promptUser("Enter Security  
    Code: ");
```

```
    if (userInput.securityCode ==  
        storedDatabase.storedCode1 || userInput.securityCode  
        == storedDatabase.storedCode2) {
```

```
        verificationStatus = "Y";
```

```
        console.log("Access Granted. System Secured.");
```

```
    } else {
```

```
        console.log("Invalid Security Code. Access Denied.");
```

```
    }
```

```
} else {
```

```
    console.log("Invalid Credentials. Access Denied.");
```

```
}
```

```
create {
```

```
    // This code initializes a process and provides  
    instructions.
```

```
    instructions: "This code starts a process that will  
    execute a series of tasks. Ensure that all prerequisites are  
    met before starting the process.",
```

```
    .start
```

```
}
```

```
; Dependencies: NASM Assembler, ld linker (standard  
Linux build tools)
```

```
; Assembling and Linking (Example):
```

```
; nasm -f elf64 -o program.o program.asm
```

```
; ld -o program program.o
```

```
section .data
```

```
    ; Equivalent to COBOL WORKING-STORAGE SECTION  
    constants and literals
```

```
    ; User Input Prompts (from DISPLAY statements)
```

```
    prompt_user    db "Enter Username: ", 0    ; Null-  
terminated string for helper
```



```
prompt_pass db "Enter Password: ", 0 ; Null-terminated string
```

```
prompt_code db "Enter Security Code: ", 0 ; Null-terminated string
```

```
; Stored Database Values (Equivalent to VALUE clauses)
```

```
; 05 Stored-Username PIC X(20) VALUE "live".
```

```
stored_user db "live" ; Padded with spaces to 20 bytes
```

```
stored_user_len equ 20
```

```
; 05 Stored-Password PIC X(20) VALUE "forever".
```

```
stored_pass db "forever" ; Padded with spaces to 20 bytes
```

```
stored_pass_len equ 20
```

```
; 05 Stored-Code1 PIC 9(5) VALUE 82698.
```

```
; Stored as numeric value for comparison
```

```
stored_code1_val dq 82698
```

; 05 Stored-Code2 PIC 9(7) VALUE 7628429.

; Stored as numeric value for comparison

stored_code2_val dq 7628429

; 01 Verification-Status PIC X VALUE "N".

verification_status db "N"

; Output Messages (from DISPLAY statements)

msg_granted db "Access Granted. System Secured.",
0xA, 0 ; Added newline (0xA) and null terminator

msg_denied_code db "Invalid Security Code. Access
Denied.", 0xA, 0 ; Added newline and null

msg_denied_creds db "Invalid Credentials. Access
Denied.", 0xA, 0 ; Added newline and null

section .bss

; Equivalent to COBOL WORKING-STORAGE SECTION
variables without VALUE clause

; 01 User-Input.

```
; 05 Username PIC X(20).
```

```
input_user resb 21 ; Reserve 20 bytes for data + 1 for  
potential newline/processing
```

```
; 05 Password PIC X(20).
```

```
input_pass resb 21 ; Reserve 20 bytes for data + 1
```

```
; 05 Security-Code PIC 9(7).
```

```
input_code resb 8 ; Reserve 7 bytes for digits + 1
```

```
section .text
```

```
global _start ; Linker entry point
```

```
;-----
```

```
; Helper function to print a null-terminated string
```

```
; Arg: rdi = address of the null-terminated string
```

```
; Uses syscall: sys_write
```

```
; Clobbers: rax, rsi, rdx, rdi, rbx
```

;-----

print_string_z:

push rdi ; Save original pointer if needed later

mov rbx, rdi ; Use rbx to find the end of the string

.loop:

cmp byte [rbx], 0 ; Check for null terminator

je .done

inc rbx

jmp .loop

.done:

sub rbx, rdi ; rbx now holds the length

mov rax, 1 ; syscall number (sys_write)

mov rsi, rdi ; address of string to write

mov rdx, rbx ; length of string

mov rdi, 1 ; file descriptor 1 (stdout)

syscall

pop rdi ; Restore original pointer

ret

;-----

; Helper function to read input from stdin

; Args: rdi = buffer address, rsi = buffer size

; Returns: rax = number of bytes read (excluding potential trailing newline)

; Uses syscall: sys_read

; Clobbers: rax, rdi, rsi, rdx, rbx

;-----

read_input:

mov rax, 0 ; syscall number (sys_read)

mov rdx, rsi ; buffer size (max bytes to read)

mov rsi, rdi ; buffer address

mov rdi, 0 ; file descriptor 0 (stdin)

syscall ; Kernel reads input, rax = bytes read or -
1 on error

; Check for read error or EOF

cmp rax, 0

```
jle .read_error ; If bytes read <= 0, handle as  
error/EOF
```

```
; Remove trailing newline (0xA) if present
```

```
mov rbx, rax ; Save original byte count read in rbx
```

```
dec rax ; Point rax to the index of the last  
character read
```

```
cmp byte [rsi + rax], 0xA ; Compare the last byte with  
newline character
```

```
jne .no_newline ; If it's not a newline
```

```
1000
```

```
, the actual length is rbx
```

```
; It was a newline, rax already holds the length  
*without* the newline
```

```
jmp .read_done
```

```
.no_newline:
```

```
mov rax, rbx ; Restore original count (rbx) if no  
newline found
```

```
.read_done:
```

```
ret
```

```
.read_error:
```

```
; On error or EOF, return 0 bytes read
```

```
mov rax, 0
```

```
ret
```

```
;-----
```

```
; Helper function to convert ASCII string to unsigned  
integer
```

```
; Args: rdi = string pointer, rsi = length of string segment to  
convert
```

```
; Returns: rax = integer value, rcx = 0 on success, 1 on  
error (non-digit found)
```

```
; Clobbers: rax, rbx, rcx, rdx
```

```
; Note: Simple implementation, no overflow check.
```

```
;-----
```

```
atoi:
```

```
mov rax, 0      ; Initialize result accumulator to 0
```

```
mov rcx, 0      ; Initialize index/counter to 0
```

```
mov rbx, 10      ; Base for decimal conversion
```

```
.loop:
```

```
    cmp rcx, rsi      ; Have we processed all characters  
    based on length?
```

```
    jge .done         ; Yes, jump to done
```

```
    movzx rdx, byte [rdi + rcx] ; Get current character into dl  
    (zero-extend to rdx)
```

```
    ; Validate if the character is a digit '0'-'9'
```

```
    cmp dl, '0'
```

```
    jl .error         ; If less than '0', it's not a digit
```

```
    cmp dl, '9'
```

```
    jg .error         ; If greater than '9', it's not a digit
```

```
    ; Convert character digit to integer value
```

```
    sub dl, '0'       ; '0' becomes 0, '1' becomes 1, etc.
```

```
    ; Update the result: result = result * 10 + digit
```


imul rax, rax, rbx ; Multiply current result by 10

add rax, rdx ; Add the new digit's value

inc rcx ; Move to the next character index

jmp .loop

.done:

mov rcx, 0 ; Set return code to 0 (success)

ret

.error:

mov rax, 0 ; Return 0 on error (or could return
specific error value)

mov rcx, 1 ; Set return code to 1 (error)

ret

; Main program logic starts here

; Equivalent to COBOL PROCEDURE DIVISION

;-----

_start:

; DISPLAY "Enter Username: " WITH NO ADVANCING.

mov rdi, prompt_user ; Load address of prompt string

call print_string_z ; Call helper to print it

; ACCEPT Username.

mov rdi, input_user ; Load buffer address

mov rsi, 21 ; Max buffer size

call read_input ; Read user input

mov r12, rax ; Store actual length read (excluding
newline) in r12

; DISPLAY "Enter Password: " WITH NO ADVANCING.

mov rdi, prompt_pass ; Load address of prompt string

call print_string_z ; Call helper to print it

; ACCEPT Password.

mov rdi, input_pass ; Load buffer address

mov rsi, 21 ; Max buffer size

call read_input ; Read user input

mov r13, rax ; Store actual length read (excluding
newline) in r13

; IF Username = Stored-Username AND Password =
Stored-Password

; Check Username length first

cmp r12, stored_user_len ; Compare input length with
expected length (20)

jne .invalid_credentials ; If lengths differ, credentials
invalid

; Compare Username content (fixed length)

mov rdi, input_user ; First string (input)

mov rsi, stored_user ; Second string (stored)

mov rcx, stored_user_len ; Length to compare (20)

cld ; Clear direction flag (forward comparison)

repe cmpsb ; Repeat compare string byte while equal

jne .invalid_credentials ; If comparison failed (ZF=0), credentials invalid

; Check Password length

cmp r13, stored_pass_len ; Compare input length with expected length (20)

jne .invalid_credentials ; If lengths differ, credentials invalid

; Compare Password content (fixed length)

mov rdi, input_pass ; First string (input)

mov rsi, stored_pass ; Second string (stored)

mov rcx, stored_pass_len ; Length to compare (20)

cld

repe cmpsb ; Repeat compare string byte while equal

jne .invalid_crede

1000

ntials ; If comparison failed (ZF=0), credentials invalid

; THEN (Credentials matched)

.mfa_check:

; DISPLAY "Enter Security Code: " WITH NO ADVANCING.

mov rdi, prompt_code ; Load address of prompt string

call print_string_z ; Call helper to print it

; ACCEPT Security-Code.

mov rdi, input_code ; Load buffer address

mov rsi, 8 ; Max buffer size (7 digits + potential
newline)

call read_input ; Read user input

mov r14, rax ; Store actual length read (excluding
newline) in r14

; Check if read was successful and length > 0

cmp r14, 0

```
    jle .invalid_code    ; Treat empty/error input as invalid  
code
```

```
    ; Convert Security-Code input string to integer for  
comparison
```

```
    mov rdi, input_code    ; Address of the input string
```

```
    mov rsi, r14            ; Length of the input string
```

```
    call atoi                ; Convert to integer -> result in rax,  
status in rcx
```

```
    ; Check if atoi conversion was successful
```

```
    cmp rcx, 0
```

```
    jne .invalid_code    ; If atoi failed (rcx=1, non-digit  
input), code is invalid
```

```
    ; rax now holds the integer value entered by the user
```

```
    ; IF Security-Code = Stored-Code1 OR Security-Code =  
Stored-Code2
```

```
    ; Compare input integer (rax) with Stored-Code1
```

mov rbx, [stored_code1_val] ; Load stored numeric
value 1

cmp rax, rbx

je .access_granted ; If equal, jump to grant access

; Compare input integer (rax) with Stored-Code2

mov rbx, [stored_code2_val] ; Load stored numeric
value 2

cmp rax, rbx

je .access_granted ; If equal, jump to grant access

; ELSE (Security code did not match either stored code)

jmp .invalid_code ; Jump to invalid code handling

; THEN (Security code matched)

.access_granted:

; MOVE "Y" TO Verification-Status

mov byte [verification_status], "Y" ; Update status flag

; DISPLAY "Access Granted. System Secured."

mov rdi, msg_granted ; Load address of success
message

call print_string_z ; Print the message

jmp .exit_program ; Proceed to program termination

; ELSE (Security code was invalid)

.invalid_code:

; DISPLAY "Invalid Security Code. Access Denied."

mov rdi, msg_denied_code ; Load address of invalid
code message

call print_string_z ; Print the message

jmp .exit_program ; Proceed to program
termination

; ELSE (Credentials were invalid)

.invalid_credentials:

; DISPLAY "Invalid Credentials. Access Denied."

mov rdi, msg_denied_creds ; Load address of invalid
credentials message


```
    call print_string_z    ; Print the message

    jmp .exit_program     ; Proceed to program
termination
```

```
.exit_program:
```

```
    ; STOP RUN.
```

```
    mov rax, 60           ; syscall number (sys_exit)
```

```
    xor rdi, rdi          ; exit code 0 (successful termination)
```

```
    syscall               ; Make the system call to exit
```

ATO: Authorization to Operate

Focus: Ensuring secure system functionality.

Software design:

Develop access control lists (ACLs) that define user roles and permissions explicitly.

Use certificate-based authentication to validate users and devices.

Schedule regular security audits within the application and automate compliance checks.

Create a “pre-launch” scanning process for security vulnerabilities before systems go live.

```
create {
```

```
// Initialization and instructions.
```

```
instructions: "This software implements access control,  
certificate-based authentication, security audits, and  
vulnerability scanning to ensure secure system  
functionality.",
```

```
.start {
```

```
  // Step 1: Initialize Access Control Lists (ACLs).
```

```
  acl {
```

```
    roles: ["Admin", "User", "Guest"],
```

```
    permissions: {
```

```
      Admin: ["read", "write", "delete"],
```

```
      User: ["read", "write"],
```

```
      Guest: ["read"]
```

```
    }
```

```
  }
```

```
  // Step 2: Implement Certificate-Based  
  Authentication.
```

```
  certificate {
```

```
    validation: {
```

```
      issuer: "TrustedAuthority",
```

```
        expiration-check: "enabled"

    }

}

// Step 3: Schedule Regular Security Audits.

audit {

    frequency: "monthly",

    automated-checks: ["access violations", "system
updates"]

}

// Step 4: Pre-launch Vulnerability Scanning.

prelaunch-scan {

    scan-modules: ["network integrity", "malware
detection"],

    resolve-before-launch: "critical issues"

}

}

}
```

IDENTIFICATION DIVISION.

PROGRAM-ID. Authorization-to-Operate.

ENVIRONMENT DIVISION.

DATA DIVISION.

WORKING-STORAGE SECTION.

01 ACL-Database.

05 Role PIC X(10) VALUE "Admin".

05 Permission PIC X(20) VALUE "read, write, delete".

01 Certificate-Details.

05 Issuer PIC X(30) VALUE "TrustedAuthority".

05 Expiration PIC X(10) VALUE "2025-12-31".

01 Audit-Schedule.

05 Frequency PIC X(10) VALUE "Monthly".

01 Vulnerability-Scan.

05 Module1 PIC X(20) VALUE "Network Integrity".

05 Module2 PIC X(20) VALUE "Malware
Detection".

PROCEDURE DIVISION.

DISPLAY "Initializing Access Control Lists...".

DISPLAY "Role: " Role ", Permissions: " Permission.

DISPLAY "Validating Certificate...".

IF Issuer = "TrustedAuthority"

AND Expiration > "2025-04-25"

THEN

DISPLAY "Certificate Valid."

ELSE

DISPLAY "Invalid Certificate. Access Denied."

END-IF.

DISPLAY "Scheduling Security Audits...".

DISPLAY "Frequency: " Frequency.

DISPLAY "Performing Pre-Launch Vulnerability Scanning...".

DISPLAY "Scanning Modules: " Module1 ", "
Module2.

DISPLAY "Critical Issues Resolved. Ready to Operate.".

STOP RUN.

Features Included:

Access Control Lists (ACLs): Role-based permissions are defined explicitly in both examples.

Certificate-Based Authentication: Validation of certificates ensures secure user/device operations.

Automated Security Audits: Regular checks are scheduled to maintain system compliance.

Pre-Launch Scanning: Vulnerabilities are analyzed and resolved before deployment.

ATD: Advanced Threat Detection

Focus: Identifying sophisticated threats.

Software design:

Incorporate machine learning models to detect anomalies in user behavior or network traffic.

Develop modules to analyze log files for patterns consistent with attacks.

Use sandboxing to safely inspect and analyze suspicious files or code in isolation.

Real-time monitoring systems with alert mechanisms for detected threats.

- create {
- // Initialization and instructions.
- instructions: "This software detects sophisticated threats using anomaly detection, log analysis, sandboxing, and real-time monitoring with alerts.",
- .start {
- // Step 1: Initialize Threat Detection System.
- detection-system {
- machine-learning {
- model: "Anomaly-Detection",
- training-data: ["user-behavior", "network-traffic"],
- threshold: "0.95"
- }
- }
- }
- // Step 2: Analyze Log Files for Attack Patterns.
- log-analysis {
- log-files: ["syslog", "auth.log"],

- patterns: ["multiple failed login attempts", "unexpected network activity"]
- }
- // Step 3: Implement Sandboxing for Suspicious Files.
- sandbox {
- isolation: "enabled",
- scan-modules: ["file-behavior", "malware-signatures"]
- }
- // Step 4: Real-Time Monitoring and Alert System.
- monitoring {
- alert-mechanisms: ["email", "SMS", "dashboard-alerts"],
- response-time: "immediate",
- alerts: ["unauthorized access detected", "suspicious file execution"]
- }
- }
- }

IDENTIFICATION DIVISION.

PROGRAM-ID. Advanced-Threat-Detection.

ENVIRONMENT DIVISION.

DATA DIVISION.

WORKING-STORAGE SECTION.

01 Threat-Parameters.

05 ML-Threshold PIC 9(4)V99 VALUE 0.95.

05 Suspicious-Patterns PIC X(30) VALUE "Multiple
Failed Logins".

05 Isolation-Status PIC X(8) VALUE "Enabled".

05 Alert-Methods PIC X(30) VALUE "Email, SMS,
Dashboard".

01 Real-Time-Monitoring.

05 Unauthorized-Access-Flag PIC X(3) VALUE "N".

PROCEDURE DIVISION.

DISPLAY "Initializing Threat Detection System...".

DISPLAY "Machine Learning Threshold: " ML-
Threshold.

DISPLAY "Analyzing Log Files for Patterns...".

IF Suspicious-Patterns = "Multiple Failed Logins"

THEN

DISPLAY "Threat Detected! Initiating Sandboxing...".

DISPLAY "Isolation Status: " Isolation-Status.

DISPLAY "Real-Time Alerts Sent via: " Alert-Methods.

MOVE "Y" TO Unauthorized-Access-Flag

ELSE

DISPLAY "No Threats Detected. Monitoring Continues.".

END-IF.

DISPLAY "Monitoring System Active. Waiting for Alerts...".

STOP RUN.

Imagine a system that learns regular user activity, like logging in at specific times or visiting certain websites.

An ML model flags anomalies, such as a user suddenly accessing the system from another country late at night. This suggests unauthorized access.

If a spike in data usage occurs that doesn't fit the typical pattern (e.g., downloading gigabytes of sensitive files), the system raises an alert.

In COBOL, a threshold (e.g., "abnormal behavior score above 0.95") triggers actions such as isolating the user's session or revoking access temporarily until verified.

2. Log File Analysis

Consider a log file tracking login attempts. It records each failed or successful attempt and includes timestamps.

The software scans logs and notices 15 failed login attempts in a short timeframe, indicating a brute-force attack.

Another example: Analyzing a network log shows an IP address sending irregular amounts of data, a sign of data exfiltration.

Both the create code and COBOL system would take these patterns and initiate protective measures, like locking the affected account or disconnecting suspicious network activity.

3. Sandboxing Suspicious Files

A file attached to an email looks harmless but acts oddly when opened (e.g., it starts accessing system files).

Before allowing the file to run, the sandbox isolates it in a virtual environment to study its behavior safely.

If the file tries to copy sensitive data or execute commands without permission, the sandbox blocks it and marks it as malware.

For example, the sandbox might detect a script within a PDF file attempting unauthorized access to user credentials. It alerts administrators before any damage occurs.

4. Real-Time Monitoring and Alerts

The system monitors activities in real-time, such as login attempts, file transfers, or changes to permissions.

If an unauthorized user gains access or someone attempts to modify admin rights, the software sends an alert via email, SMS, or displays a dashboard warning.

For instance, an admin receiving an SMS might see: “Alert! Suspicious user behavior detected: multiple failed logins followed by file access.”

Real-time alerts help administrators act immediately, preventing further security breaches.

Explanation of Features

Machine Learning Anomaly Detection:

The create code includes an ML model trained on user behavior and network traffic.

In COBOL, the threat detection threshold ensures anomalies exceeding the limit trigger actions.

Log File Analysis:

Both versions examine logs for attack patterns (e.g., failed login attempts).

Sandboxing Suspicious Files:

Suspicious files are isolated for further examination, limiting potential damage.

Real-Time Monitoring and Alerts:

Real-time alerts are implemented in both formats to notify administrators immediately of unauthorized access or other issues.

ATS: Automated Threat Systems

Focus: Reacting to and neutralizing threats.

Software design:

Build response automation scripts that quarantine infected systems or restrict access during a breach.

Integrate event-driven triggers for specific types of threats (e.g., DDoS attacks, unauthorized logins).

Use decision-making algorithms to categorize threats and initiate appropriate countermeasures.

Combine with ATD for real-time detection and immediate response.

create {

// Initialization and instructions.

instructions: "This Automated Threat System detects and neutralizes threats by quarantining infected systems, triggering event-based responses, and using decision-making algorithms.",

```
.start {
```

```
  // Step 1: Initialize Threat Response Automation.
```

```
  response-automation {
```

```
    actions: {
```

```
      quarantine: "infected-system",
```

```
      restrict-access: "unauthorized-users"
```

```
    }
```

```
  }
```

```
  // Step 2: Define Event-Driven Triggers.
```

```
  event-triggers {
```

```
    threats: ["DDoS attack", "unauthorized login"],
```

```
    responses: {
```

```
      "DDoS attack": "block IP address, reroute traffic",
```

```
      "unauthorized login": "lock account, send alert"
```

```
    }
```

}

// Step 3: Decision-Making Algorithm.

decision-engine {

criteria: {

severity-level:

IDENTIFICATION DIVISION.

PROGRAM-ID. Automated-Threat-System.

ENVIRONMENT DIVISION.

DATA DIVISION.

WORKING-STORAGE SECTION.

01 Threat-Parameters.

05 Threat-Type PIC X(20).

05 Severity-Level PIC X(10).

05 Action-Quarantine PIC X(30) VALUE "Infected
System Quarantined".

05 Action-Restrict PIC X(30) VALUE "Unauthorized
Access Restricted".

01 Event-Triggers.

05 DDoS-Response PIC X(50) VALUE "Blocked IP
and Rerouted Traffic".

05 Unauthorized-Login PIC X(50) VALUE "Locked
Account and Sent Alert".

01 Monitoring-Tools.

05 Anomaly-Detection PIC X(20) VALUE "Active".

05 Real-Time-Alerts PIC X(20) VALUE "Enabled".

PROCEDURE DIVISION.

DISPLAY "Monitoring System Active...".

DISPLAY "Enter Detected Threat Type: " WITH NO
ADVANCING.

ACCEPT Threat-Type.

IF Threat-Type = "DDoS Attack"

THEN

DISPLAY DDoS-Response

DISPLAY Action-Quarantine

ELSE IF Threat-Type = "Unauthorized Login"

DISPLAY Unauthorized-Login

DISPLAY Action-Restrict

ELSE

DISPLAY "Threat Type Unknown. Escalating to
Security Team.".

END-IF.

DISPLAY "Severity Assessment in Progress...".

DISPLAY "Enter Severity Level (Low, Medium, High):
" WITH NO ADVANCING.

ACCEPT Severity-Level.

IF Severity-Level = "High"

THEN

DISPLAY "Blocking System and Notifying
Admin...".

ELSE

DISPLAY "Monitoring Threat. Awaiting Updates...".

END-IF.

STOP RUN.

Examples in Plain English

1. Quarantining Infected Systems

Suppose a computer starts sending large volumes of traffic to random IPs (a symptom of being part of a botnet). The system quarantines the infected computer, disconnecting it from the network to stop further damage.

2. Event-Driven Triggers

A DDoS attack floods the network with traffic. The software automatically blocks the offending IP addresses and reroutes traffic to ensure availability for legitimate users.

When someone tries to log in repeatedly with incorrect credentials, their account is locked, and the admin is notified.

3. Decision-Making Algorithms

A detected threat is classified based on severity. For a low-severity threat, the system monitors it. For a high-severity threat, such as malware spreading, the system blocks access and alerts the security team.

4. Combining ATS with ATD

An anomaly detection tool notices a sudden surge in data transfers from an unusual location. Real-time alerts are sent, and the system restricts access to critical files until the issue is resolved.

5. Real-Time Alerts

If a user is detected attempting unauthorized actions, like accessing admin privileges without authorization, the system immediately sends a text message alert to the admin team.

ATV: Anti-Tampering Verification

Focus: Ensuring systems remain untampered.

Software design:

Develop cryptographic hash functions to verify the integrity of files or firmware.

Include mechanisms to compare checksums and report anomalies.

Build audit trails for changes, paired with user or device authentication logs.

Use secure boot sequences to verify the integrity of the software stack during startup.

```
create {
```

```
    // Initialization and instructions.
```

instructions: "This Anti-Tampering Verification system checks file integrity, verifies checksums, builds audit trails, and ensures secure boot sequences to prevent tampering.",

```
.start {
```

```
  // Step 1: Cryptographic Hash Functions.
```

```
  hash-function {
```

```
    algorithm: "SHA-256",
```

```
    input: ["system files", "firmware"],
```

```
    output: "file-integrity-hash"
```

```
  }
```

```
  // Step 2: Compare Checksums.
```

```
  checksum-verification {
```

```
    files: ["critical_config.sys", "secure_firmware.bin"],
```

```
    actions: {
```

```
      mismatch: "alert-admin, lock-system"
```

```
    }
```

```
  }
```

```
  // Step 3: Build Audit Trails.
```

```
audit-trail {  
  
    log-events: ["file-modification", "user-  
authentication"],  
  
    paired-logs: ["device-ID", "timestamp"]  
  
}  
  
// Step 4: Implement Secure Boot.  
  
secure-boot {  
  
    sequence-verification: "enabled",  
  
    checks: ["BIOS integrity", "firmware integrity"],  
  
    alerts: ["report anomaly during startup"]  
  
}  
  
}  
  
}
```

IDENTIFICATION DIVISION.

PROGRAM-ID. Anti-Tampering-Verification.

ENVIRONMENT DIVISION.

DATA DIVISION.

WORKING-STORAGE SECTION.

01 Tampering-Parameters.

05 Hash-Algorithm PIC X(10) VALUE "SHA-256".

05 File-Checksum PIC X(64).

05 Expected-Checksum PIC X(64).

05 Audit-Log PIC X(100).

05 Secure-Boot-Status PIC X(10) VALUE "Enabled".

PROCEDURE DIVISION.

DISPLAY "Checking File Integrity using Hash
Function...".

DISPLAY "Algorithm: " Hash-Algorithm.

DISPLAY "Enter File Checksum: " WITH NO
ADVANCING.

ACCEPT File-Checksum.

DISPLAY "Enter Expected Checksum: " WITH NO
ADVANCING.

ACCEPT Expected-Checksum.

IF File-Checksum NOT = Expected-Checksum

THEN

DISPLAY "Checksum Mismatch! Alerting Admin
and Locking System...".

MOVE "File Tampered" TO Audit-Log

ELSE

DISPLAY "File Integrity Verified..".

END-IF.

DISPLAY "Building Audit Trails...".

DISPLAY "Logging Events with Device ID and
Timestamp...".

DISPLAY "Verifying Secure Boot Sequence...".

IF Secure-Boot-Status = "Enabled"

THEN

DISPLAY "Secure Boot Active. System Startup
Verified..".

ELSE

DISPLAY "Anomaly Detected During Startup.
Reporting..."

END-IF.

STOP RUN.

Examples in Plain English

1. Cryptographic Hash Functions

A hash function like SHA-256 generates a unique digital fingerprint for each file. If a system file has been changed (even by one character), the hash won't match its original fingerprint, indicating tampering.

2. Checksum Verification

Imagine a critical configuration file has a checksum value of 123abc. The software periodically calculates the checksum of the file and compares it to the stored 123abc. If the checksum is now 456xyz, it alerts the admin because the file has been altered.

3. Building Audit Trails

When a user modifies a file or logs in, the system creates a record. For example:

"User X modified config.sys at 10:05 AM on Device Y."

These logs help track who made changes and when, enabling quick identification of suspicious actions.

4. Secure Boot Sequence

During startup, the system checks the integrity of the BIOS and firmware to ensure no tampering occurred. For instance:

If malware altered the firmware, the system detects this anomaly during boot and halts startup while notifying the admin.

5. Reporting Anomalies

If any tampering is detected during startup or regular checks, the system takes immediate action (e.g., locking the affected component, disconnecting it from the network) and sends alerts for investigation.

ATX: Active Threat Exchange

Focus: Sharing threat intelligence.

Software design:

Establish APIs for secure communication between organizations' systems.

Use standardized data formats like STIX (Structured Threat Information eXpression) for sharing intelligence.

Implement encryption for all exchanged threat data to prevent interception.

Create real-time dashboards for monitoring and sharing updates on emerging threats.

```
create {
```

```
    // Initialization and instructions.
```

```
    instructions: "This Active Threat Exchange system  
    securely shares threat intelligence using APIs, STIX format,  
    encryption, and real-time dashboards.",
```

```
    .start {
```

```
        // Step 1: Establish APIs for Secure Communication.
```

```
        api-communication {
```

```
            endpoints: {
```

```
                organization1: "https://org1-threat-api.com",
```

```
                organization2: "https://org2-threat-api.com"
```

```
            },
```

```
            protocols: ["HTTPS", "REST"],
```

```
            authentication: "OAuth 2.0"
```

```
        }
```

```
        // Step 2: Use STIX Data Format for Threat  
        Intelligence.
```

```
threat-intelligence-format {  
  
    standardized-format: "STIX",  
  
    attributes: ["threat-type", "indicators", "response-  
actions"]  
  
}
```

// Step 3: Implement Data Encryption.

```
encryption {  
  
    algorithm: "AES-256",  
  
    keys: {  
  
        public: "organization1-key",  
  
        private: "organization2-key"  
  
    },  
  
    exchange-method: "Secure Key Exchange Protocol"  
  
}
```

// Step 4: Create Real-Time Dashboards.

```
dashboards {  
  
    components: {  
  
        visualization: ["charts", "heatmaps", "logs"],
```

```
        updates: "live",  
        alerts: ["emerging threats", "resolved issues"]  
    }  
}  
}
```

IDENTIFICATION DIVISION.

PROGRAM-ID. Active-Threat-Exchange.

ENVIRONMENT DIVISION.

DATA DIVISION.

WORKING-STORAGE SECTION.

01 Threat-Exchange-Parameters.

05 API-Endpoints.

10 Org1-Endpoint PIC X(50) VALUE "https://org1-
threat-api.com".

10 Org2-Endpoint PIC X(50) VALUE "https://org2-
threat-api.com".

05 Encryption-Algorithm PIC X(10) VALUE "AES-256".

05 STIX-Format PIC X(15) VALUE "STIX Format".

05 Dashboard-Components PIC X(100) VALUE
"Charts, Heatmaps, Logs".

PROCEDURE DIVISION.

DISPLAY "Establishing Secure Communication via
API...".

DISPLAY "Connecting to Endpoint: " Org1-Endpoint.

DISPLAY "Connecting to Endpoint: " Org2-Endpoint.

DISPLAY "Using Standardized Threat Intelligence
Format: " STIX-Format.

DISPLAY "Encrypting Data with Algorithm: "
Encryption-Algorithm.

DISPLAY "Initializing Real-Time Dashboard...".

DISPLAY "Dashboard Components Active: "
Dashboard-Components.

DISPLAY "Alerts Enabled for Emerging Threats and
Resolved Issues.".

DISPLAY "Active Threat Exchange System Online.
Secure Intelligence Sharing Active.".

STOP RUN.

Examples in Plain English

1. Establishing APIs for Secure Communication

APIs act as bridges between organizations. For example:

Organization A detects a malware strain and shares its details via <https://org1-threat-api.com>.

Organization B receives this information using a secure connection and updates its systems.

2. Using Standardized STIX Format

STIX (Structured Threat Information eXpression) ensures all data is shared in a common format. For instance:

"Threat Type: Ransomware. Indicators: Encrypted Files.
Response Action: Isolate Network."

By using STIX, both organizations quickly understand the details without compatibility issues.

3. Implementing Data Encryption

Encryption protects shared data from interception. For example:

Threat intelligence sent by Organization A is encrypted using AES-256 and decrypted by Organization B using shared keys.

If intercepted, the data remains unreadable to unauthorized parties.

4. Real-Time Dashboards

Dashboards display live updates of threats. For example:

A heatmap shows regions targeted by phishing attacks.

Charts visualize increasing DDoS attempts over time.

Logs list incoming threats with timestamps, allowing organizations to act promptly.

5. Alerts for Emerging Threats

Alerts notify organizations when new threats appear. For instance:

"New ransomware strain detected in the UK. Suggested Response: Patch Vulnerabilities."

ATG: Advanced Threat Guard

Focus: Proactive threat prevention.

Software design:

Introduce heuristic algorithms to predict potential vulnerabilities before exploitation.

Implement frequent automatic updates to patch known vulnerabilities.

Use network segmentation to limit the impact of a threat if breached.

Include simulated attacks (penetration testing) to strengthen the system over time.

```
create {
```

```
    // Initialization and instructions.
```

```
    instructions: "This Advanced Threat Guard system prevents threats using heuristic algorithms, frequent updates, network segmentation, and penetration testing.",
```

```
    .start {
```

```
        // Step 1: Introduce Heuristic Algorithms.
```

```
        heuristic-algorithms {
```

```
            prediction-method: "pattern recognition",
```

```
            vulnerability-detection: ["weak passwords", "open ports"],
```

```
            action: "flag potential risks for resolution"
```

```
        }
```

```
        // Step 2: Implement Automatic Updates.
```

```
        automatic-updates {
```

```
            update-frequency: "daily",
```



```
    patch-types: ["security vulnerabilities", "system bugs"],
```

```
    testing-before-deployment: "enabled"
```

```
}
```

```
// Step 3: Use Network Segmentation.
```

```
network-segmentation {
```

```
    segments: {
```

```
        "critical-data": "restricted access",
```

```
        "general-data": "normal access"
```

```
    },
```

```
    impact-mitigation: "limit breach to single segment"
```

```
}
```

```
// Step 4: Simulated Attacks (Penetration Testing).
```

```
penetration-testing {
```

```
    test-types: ["phishing simulations", "SQL injection tests"],
```

```
    frequency: "monthly",
```

```
    reports: "detailed logs of vulnerabilities"
```

```
}
```

}

}

IDENTIFICATION DIVISION.

PROGRAM-ID. Advanced-Threat-Guard.

ENVIRONMENT DIVISION.

DATA DIVISION.

WORKING-STORAGE SECTION.

01 Threat-Guard-Parameters.

05 Heuristic-Method PIC X(20) VALUE "Pattern
Recognition".

05 Vulnerabilities PIC X(50) VALUE "Weak
Passwords, Open Ports".

05 Update-Frequency PIC X(10) VALUE "Daily".

05 Network-Segment PIC X(50) VALUE "Critical
Data: Restricted Access, General Data: Normal Access".

05 Penetration-Test PIC X(50) VALUE "Phishing,
SQL Injection".

PROCEDURE DIVISION.

DISPLAY "Using Heuristic Algorithms to Predict Vulnerabilities...".

DISPLAY "Method: " Heuristic-Method.

DISPLAY "Detected Vulnerabilities: " Vulnerabilities.

DISPLAY "Implementing Automatic Updates...".

DISPLAY "Update Frequency: " Update-Frequency.

DISPLAY "Testing Patches Before Deployment...".

DISPLAY "Applying Network Segmentation to Restrict Access...".

DISPLAY "Segments and Access Control: " Network-Segment.

DISPLAY "Conducting Simulated Attacks for Penetration Testing...".

DISPLAY "Test Types: " Penetration-Test.

DISPLAY "Generating Reports for Vulnerabilities Detected.".

STOP RUN.

Examples in Plain English

1. Heuristic Algorithms

Imagine software that predicts vulnerabilities, such as identifying open network ports that hackers might exploit. It flags these issues for administrators to resolve before an attack.

2. Automatic Updates

The system automatically installs patches daily. For example:

A new vulnerability in a web browser is identified. The software downloads and applies an update to fix this flaw without requiring manual intervention.

3. Network Segmentation

Critical data, such as financial records, is stored in a restricted network segment that only authorized users can access.

If a breach occurs in the general segment, it doesn't affect the critical segment due to segmentation.

4. Simulated Attacks (Penetration Testing)

The software simulates phishing emails to test employee awareness. For example:

It logs who clicked the email and accesses fake login forms, helping improve training programs.

It also tests for SQL injection vulnerabilities in web applications and generates reports for developers to fix the flaws.

5. Impact Mitigation

If a vulnerability is exploited, the system limits the attack's impact to the breached network segment while safeguarding other areas.

ATB: Anti-Tampering Barriers

Focus: Physical or digital security against tampering.

Software design:

Build encryption layers to secure stored and transmitted data.

Embed security seals in software that can detect and log tampering attempts.

Provide alerts when unusual changes are detected in sensitive modules.

Employ redundancy to maintain system reliability despite tampering attempts.

create {

 // Initialization and instructions.

 instructions: "This Anti-Tampering Barriers system secures data with encryption, detects tampering using security seals, provides alerts, and employs redundancy for system reliability.",

```
.start {  
  // Step 1: Build Encryption Layers.  
  encryption-layers {  
    storage: {  
      encryption-type: "AES-256",  
      applied-on: ["database", "backup-files"]  
    },  
    transmission: {  
      encryption-type: "TLS 1.3",  
      applied-on: ["network traffic", "API endpoints"]  
    }  
  }  
}  
  
  // Step 2: Embed Security Seals.  
  security-seals {  
    detection-method: "file-hash comparison",  
    sensitive-modules: ["critical_config.sys",  
"firmware.bin"],  
    actions-on-tampering: ["log-attempt", "alert-admin"]  
  }  
  
  // Step 3: Provide Alerts.  
  alert-system {
```

monitored-modules: ["system-core", "user-authentication"],

notification-methods: ["email", "SMS", "dashboard"],

response

IDENTIFICATION DIVISION.

PROGRAM-ID. Anti-Tampering-Barriers.

ENVIRONMENT DIVISION.

DATA DIVISION.

WORKING-STORAGE SECTION.

01 Encryption-Parameters.

05 Storage-Encryption PIC X(10) VALUE "AES-256".

05 Transmission-Encryption PIC X(10) VALUE "TLS
1.3".

01 Security-Seals.

05 File-Hash PIC X(64).

05 Expected-Hash PIC X(64).

05 Tampering-Log PIC X(50) VALUE "Tampering
Detected. Admin Notified.".

01 Alert-System.

05 Notification-Methods PIC X(50) VALUE "Email,
SMS, Dashboard".

01 Redundancy-Settings.

05 Components PIC X(50) VALUE "Server
Cluster, Data Replication".

05 Failover-Status PIC X(15) VALUE "Automatic".

PROCEDURE DIVISION.

DISPLAY "Encrypting Data for Storage and
Transmission...".

DISPLAY "Storage Encryption: " Storage-Encryption.

DISPLAY "Transmission Encryption: " Transmission-
Encryption.

DISPLAY "Checking Security Seals...".

DISPLAY "Enter Current File Hash: " WITH NO
ADVANCING.

ACCEPT File-Hash.

DISPLAY "Enter Expected File Hash: " WITH NO
ADVANCING.

ACCEPT Expected-Hash.

IF File-Hash NOT = Expected-Hash

THEN

 DISPLAY Tampering-Log

ELSE

 DISPLAY "File Integrity Verified.".

END-IF.

 DISPLAY "Monitoring System Modules for
Tampering...".

 DISPLAY "Alerting Admin via: " Notification-
Methods.

 DISPLAY "Ensuring System Redundancy...".

 DISPLAY "Redundant Components: " Components.

 DISPLAY "Failover Status: " Failover-Status.

STOP RUN.

Examples in Plain English

1. Building Encryption Layers

Imagine your system encrypts data stored in databases and backup files using AES-256. This ensures that even if someone accesses the raw data, they cannot read it without the encryption key.

All transmitted data, such as user logins or API calls, is encrypted using TLS 1.3 to prevent eavesdropping during network communication.

2. Embedding Security Seals

Think of security seals as digital locks. For example:

A system file, `critical_config.sys`, is monitored using a hash value (a unique fingerprint of its content).

If the hash of the file changes, it means the file has been tampered with. The system logs this attempt and alerts the administrator.

3. Providing Alerts

If unauthorized changes occur in sensitive modules like the system core or user authentication processes, alerts are sent immediately.

For example, if the system core detects unusual behavior, an email and SMS are sent to the admin while a warning is displayed on the monitoring dashboard.

4. Employing Redundancy

Redundant systems, such as server clusters and data replication, ensure system reliability even during tampering.

For instance, if one server is compromised, the system automatically switches to another server (failover) without disrupting user services.

5. Real-Time Monitoring

The software continuously monitors for tampering attempts and proactively takes actions like disconnecting compromised modules or alerting users about potential risks.



create.removeanddi create.refillcollagen create.realorimagin
ssipateusing762895is()hardmax.start.meryyoutellme.start.m



create.realorfake.st create.proofdeyful create.onlymaxpain
art.mp3 kenkillyashit.start.msolutiontothickbast



create.maxpainstop create.maxcollage(create.killallfirstfast
willyouorelse.start.n)fastok.start.mp3 .startnow.start.mp3



create.kill.start.mp3 create.increaseselfd create.ifyoudontsto
efense.start.mp3 pyoudie.start.mp3



create.ibrahimcallin create.highspeedcb create.highcbr1sec(
g.start.mp3 r1sec()thenhellgate)thenhellgate().sta



create.hedances.sta create.gotohellbase create.getthehellto
rt.mp3 ment.start.mp3 hellgate()motherfu



create.fullmetaljack create.findpeacelive create.fightallkilled
etborntokill.start.inifor386t'ingoodhealt allalready.start.mp3





create.donttamper create.devicesuritys create.deathtoallfor
withmysleepordeathcanall.start.mp3: ever.start.mp3



create.deathshallco create.deathbycode create.deathby.start
metoyoufast.start.m s.start.mp3 .mp3



create.dealwithalltr create.davidsencou create.collagenrefill
ansendersandwriggnterwithangels.startmax()pushhard.sta



create.cleansystem(create.cleansystem(create.autosendtoh
)thenhell()fast.sta)thenhell()fast.staellgate()wipeclean



create.autohellgate create.autofix.startf create.attorsdeath.s
()wipeclean(),star oever.start.mp3 tart.mp3



create.attacktokill.s create.attachforevercreate.addtheprivac
tart.mp3 binarythenhellgate(yandsecurityapplica



create.addsmartma create.adddevicead CONVERT ALL
nager.start.mp3 ministrator.start.mp:HARMFUL ELECTROI



create.switchoff.sta create.switchoff.sta create.switchoff.sta
rt(forever).mp3.mp3 rt(forever) (0) (0).mp: rt(forever) (0).mp3



create.switchoff.sta create.swapbitcoint create.suprisesupris
rt(forever).mp3 ocreatebitcoinataratemothafuc.start.mp:





create.suppressme(create.shitmustdie.s create.sendbook08
)anddeath()okay.s tart.mp3 67890pentoallthep



create.sealallindeat create.runsmartman create.returntosend
h2andhalfbillionyea ager.start.mp3 ers.start(continuous



Oh-yes-rejuvenate-t
hinking.MP3



Oh Yes
Rejuvenate.mp3



[v]create.switchoff(
)all.startasartcreate



create.switchoffcod create.highcbr1sec(create.cleansystem(
e.start.mp3)thenhellgate().sta)thenhell()fast.stai





create.realorfake.start.mp3



create.realorimagin.eryoutellme.start.mnsenderstoday.start



create.removealltra



create.removealltra



create.removeanddi



create.returntosend



create.runsmartman



create.sealallindeat



create.switchoff.sta



create.switchoff.sta



create.switchoff.sta



create.switchoffcod



create.trafficsystem.start.mp3



create.trafficsystemt



create.useenhance



create.youdie.start.mp3



create.sendbook08



create.shitmustdie.s



create.suprisesupris



create.swapbitcoint



create.addtheprivac



create.attacktokill.s



create.attorsdeath.s



create.autofix.startf



create.davidsencou



create.dealwithalltr



create.deathby.start

nterwithangels.startansendersandwrigg



create.deathbycode s.start.mp3



create.deathshallco metoyoufast.start.m



create.deathtoallfor ever.start.mp3



create.devicesuritys canall.start.mp3



create.donttamper mp:withmysleepordeathallalready.start.mp3



create.findpeacelive for386tingoodhealtetborntokill.start.inihellgate()motherfu



create.fullmetaljack create.getthehellto



create.gotohellbasecreate.hedances.sta ment.start.mp3



create.ibrabhimcallin rt.mp3



g.start.mp3



create.ifyoudontsto pyoudie.start.mp3



create.increaseselfd efense.start.mp3



create.kill.start.mp3



create.killallfirstfast .startnow.start.mp3



create.maxpainstop willyouorelse.start.nsolutiontothickbast;



create.onlymaxpain



create.proofdeyfuc kenkillyashit.start.m



create.switchoff.sta rt(forever).mp3



CONVERT ALL HARMFUL ELECTROI



CONVERT ALL HARMFUL ELECTROI



create.abilliontimes youdie.start.mp3



create.adddevicead ministrator.start.mp:



create.addsmartma nager.start.mp3



newrollongodofthe universe.mp3.mp3



create.alltalkingmit scitssendtomars()o



create.alltalkingmit scitssendtomars()oscitssendtomars()oscitssendtomars()o



create.alltalkingmit create.alltalkingmit create.alltalkingmit
scitssendtomars()oscitssendtomars()oscitssendtomars()o



create.alltalkingmit create.alltalkingmit create.alltalkingmit
scitssendtomars()oscitssendtomars()oscitssendtomars()o



create.alltalkingmit create.alltalkingmit create.alltalkingmit
scitssendtomars()oscitssendtomars()oscitssendtomars()o



create.alltalkingmit create.alltalkingmit create.alltalkingmit
scitssendtomars()oscitssendtomars()oscitssendtomars()o



create.alltalkingmit Memo_20250404_20Memo_20250404_01
scitssendtomars()o 2301_201.memo 4556_424.memo



Memo_20250403_09Memo_20250403_09Memo_20250403_09
5108_435.memo 5042_699.memo 5001_963.memo



Memo_20250403_09Memo_20250403_09Memo_20250403_09
4928_951.memo 4904_278.memo 4846_601.memo



Memo_20250403_09Memo_20250403_09Memo_20250403_09
4822_302.memo 4803_545.memo 4755_933.memo





Memo_20241112_20
4917_080.memo



Memo_20241112_20
4436_288.memo



Memo_20241112_20
4249_769.memo



Memo_20241111_20
3720_082.memo



Memo_20241111_15
3421_028.memo



Memo_20241111_15
3322_394.memo



Memo_20241111_15
2503_865.memo



Memo_20241111_15
2329_289.memo



Memo_20241111_15
2259_355.memo



Memo_20241111_15
2241_231.memo



Memo_20241111_15
1437_402.memo



Memo_20241107_23
2134_794.memo



Memo_20241107_21
4259_096.memo



Memo_20241107_21
4236_891.memo



Memo_20241107_21
4216_451.memo



Memo_20241107_21
4157_596.memo



Memo_20241107_21
4137_064.memo



Memo_20241107_21
4043_677.memo



Memo_20241107_21
3959_208.memo



Memo_20241107_21
3921_946.memo



Memo_20241107_21
3905_999.memo



Memo_20241107_21
3851_828.memo



Memo_20241107_21
3822_813.memo



Memo_20241107_21
3805_673.memo



Memo_20241107_21
3743_627.memo



Memo_20241107_21
3722_455.memo



Memo_20241107_21
3657_517.memo



Memo_20241107_213627_837.memo



Memo_20241107_213541_051.memo



Memo_20241107_213523_587.memo



Memo_20241107_213440_898.memo



Memo_20241107_213412_322.memo



Memo_20241107_213219_250.memo



Memo_20241107_213144_430.memo



Memo_20241107_213122_223.memo



Memo_20241107_213008_410.memo



Memo_20241107_212948_361.memo



Memo_20241107_212853_169.memo



Memo_20241107_205940_275.memo



Memo_20241107_205841_649.memo



Memo_20241107_205727_603.memo



Memo_20241107_205557_565.memo



Memo_20241107_151220_463.memo



Memo_20241107_151152_302.memo



Memo_20241107_151016_207.memo



Memo_20241107_150934_379.memo



Memo_20241107_150909_610.memo



Memo_20241107_150833_734.memo



Memo_20241107_150758_045.memo



Memo_20241107_150741_499.memo



Memo_20241107_150725_102.memo



Memo_20241107_150555_299.memo



Memo_20241107_150529_686.memo



Memo_20241107_150447_266.memo



Memo_20241107_15
0432_126.memo



Memo_20241107_15
0343_826.memo



Memo_20241107_15
0327_556.memo



Memo_20241107_15
0254_648.memo



Memo_20241107_15
0209_016.memo



Memo_20241107_15
0152_024.memo



Memo_20241107_15
0135_004.memo



Memo_20241107_15
0120_683.memo



Memo_20241107_15
0101_207.memo



Memo_20241107_15
0045_480.memo



Memo_20241107_15
0025_699.memo



Memo_20241107_15
0002_077.memo



Memo_20241107_14
5945_759.memo



Memo_20241107_14
5917_652.memo



Memo_20241107_14
5852_573.memo



Memo_20241107_14
5832_943.memo



Memo_20241107_14
5812_827.memo



Memo_20241107_14
5726_320.memo



Memo_20241107_12
1520_985.memo



Memo_20241107_12
1443_863.memo



Memo_20241107_12
1306_624.memo



Memo_20241107_12
1252_568.memo



Memo_20241028_03
1825_069.memo



Memo_20241027_22
4442_100.memo



Memo_20241027_22
4417_670.memo



Memo_20250327_18
1738_720.memo



Memo_20250327_18
1420_717.memo



Memo_20250327_14
4910_341.memo



Memo_20250327_14
4648_909.memo



Memo_20250325_11
3915_258.memo



Memo_20250325_10
2811_112.memo



Memo_20250325_10
2444_444.memo



Memo_20250323_14
5630_055.memo



Memo_20250323_14
5542_579.memo



Memo_20250321_18
1218_068.memo



Memo_20250320_14
3115_966.memo



Memo_20250320_14
2751_671.memo



Memo_20250320_14
2551_874.memo



Memo_20250320_14
2437_079.memo



Memo_20250319_16
0516_138.memo



Memo_20250319_16
0140_919.memo



Memo_20250211_09
4832_215.memo



Memo_20250211_09
4643_157.memo



Memo_20250209_12
3754_747.memo



Memo_20250207_14
2041_487.memo



Memo_20250206_20
2057_040.memo



Memo_20250206_03
1433_265.memo



Memo_20250206_03
1231_955.memo



Memo_20250206_03
0813_626.memo



Memo_20250206_01
1757_801.memo



Memo_20250206_01
1722_661.memo



Memo_20250206_01
1620_839.memo



Memo_20250206_01
1553_532.memo



Memo_20250206_01
1532_903.memo



Memo_20250204_21
0747_014.memo



Memo_20250203_20
0612_645.memo



Memo_20250203_19
4249_233.memo



Memo_20250203_19
4228_531.memo



Memo_20250203_19
3533_361.memo



Memo_20250203_17
5352_345.memo



Memo_20250202_00
3412_916.memo



Memo_20250201_23
1017_820.memo



Memo_20250201_23
0930_529.memo



Memo_20250131_03
3550_450.memo



Memo_20250131_03
3358_042.memo



Memo_20250130_17
5921_471.memo



Memo_20250130_17
5833_323.memo



Memo_20250130_17
5649_075.memo



Memo_20250130_17
5431_570.memo



Memo_20250130_17
4943_300.memo



Memo_20250130_17
4805_331.memo



Memo_20250130_17
4623_202.memo



Memo_20250130_16
1522_865.memo



Memo_20250130_13
5845_403.memo



Memo_20250130_13
0703_450.memo



Memo_20250130_00
0044_549.memo



Memo_20250129_22
5311_301.memo



Memo_20250128_03
0042_625.memo



Memo_20250128_00
1512_269.memo



Memo_20250117_14
3712_650.memo



Memo_20250117_14
0046_361.memo



Memo_20250117_135808_414.memo



Memo_20250116_094440_908.memo



Memo_20250116_094344_241.memo



Memo_20250116_094156_773.memo



Memo_20250116_094123_993.memo



Memo_20250116_093950_916.memo



Memo_20250116_093900_948.memo



Memo_20250116_093827_333.memo



Memo_20250116_093746_950.memo



Memo_20250115_220017_648.memo



Memo_20250115_215929_072.memo



Memo_20250115_215752_046.memo



Memo_20250115_215648_751.memo



Memo_20250115_215550_228.memo



Memo_20250115_215113_613.memo



Memo_20250112_232946_911.memo



Memo_20250112_193919_953.memo



Memo_20250111_231752_733.memo



Memo_20250111_231548_044.memo



WHAT CAN BE HOTTER THAN BITCOIN



createstartlifefor38 6t'database (2).txt



createstartlifefor38 6t'database (1).txt



createstartlifefor38 6t'database.txt



creategold.txt



create.youthrestore d.start (1).txt



create.youthrestore d.start.txt



create.yaonearth76 28386t.start (1).txt



create.yaonearth76
28386t.start.txt



create.wigglerand
deatht.start (1).txt



create.wigglerand
deatht.start.txt



create.whatcanhed
oforme.start.txt



create.walkthrough
walls.start (1).txt



create.walkthrough
walls.start.txt



create.useatomicbo
mb.start(3) (1).txt



create.useatomicbo
mb.start(3).txt



create.useatomicbo
mb.start(2) (1).txt



create.useatomicbo
mb.start(2).txt



create.useatomicbo
mb.start(1) (1).txt



create.useatomicbo
mb.start(1).txt



create.useatomicbo
mb.start (1).txt



create.useatomicbo
mb.start.txt



create.ultimatedestr
oyer.start (1).txt



create.ultimatedestr
oyer.start.txt



create.thinkordeath
t.start(2) (1).txt



create.thinkordeath
t.start(2).txt



create.thinkordeath
t.start(1) (1).txt



create.thinkordeath
t.start(1).txt



create.thinkordeath
t.start (1).txt



create.thinkordeath
t.start.txt



create.switchoff(
)all.start(notfordavic)



create.switchoff(
)all.start(notfordavic)



create.switchoff(
)all.start (1).txt



create.switchoff(
)all.start.txt



create.sprayconvict
ory.start.txt



create.spiralsystem.
start(3).txt



create.spiralsystem.
start(2) (1).txt



create.spiralsystem.
start(2).txt



create.spiralsystem.
start(1) (1).txt



create.spiralsystem.
start(1).txt



create.spiralsystem.
start (1).txt



create.spiralsystem.
start.txt



create.solve.start
(1).txt



create.solve.start.txt



create.sendbitcoin.
start.txt



create.sendajttothe
orbit.start(2) (1).txt



create.sendajttothe
orbit.start(2).txt



create.sendajttothe
orbit.start(1) (1).txt



create.sendajttothe
orbit.start(1).txt



create.sendajttothe
orbit.start (1).txt



create.sendajttothe
orbit.start.txt



create.selfpreserve.
start two3.5 (1).txt



create.selfpreserve.
start two3.5.txt



create.selfpreserve.
start (1).txt



create.selfpreserve.
start.txt



create.securitysafe.s
tart8787(1) (1).txt



create.securitysafe.s
tart8787(1).txt



create.securitysafe.s
tart8787 (1).txt



create.securitysafe.s
tart8787.txt



create.securitysafe.s
tart777 (1).txt



create.securitysafe.s
tart777.txt



create.rollonupdate
.start(db)Y (1).txt



create.rollonupdate
start(db)Y.txt



create.rollonupdate
start(db)10 (1).txt



create.rollonupdate
start(db)10.txt



create.returntosend
er (1).txt



create.returntosend
er.txt



create.retaliatvecta
r.start(1) (1).txt



create.retaliatvecta
r.start(1).txt



create.retaliatvecta
r.start (1).txt



create.retaliatvecta
r.start.txt



create.restoretobes
knownlastconfigur



create.restoretobes
knownlastconfigur



create.removehou
ghs.start (1).txt



create.removehou
ghs.start.txt



create.removesouls.
start(1) (1).txt



create.removesouls.
start(1).txt



create.removesouls.
start (1).txt



create.removesouls.
start.txt



create.removeeveryt
hing.start (1) (1).txt



create.removeeveryt
hing.start (1).txt



create.removeeveryt
hing.start (1).txt



create.removeeveryt
hing.start .txt



create.removeert.st
art (1).txt



create.removeert.st
art.txt



create.removeconn
ections.start(1) (1).tx



create.removeconn
ections.start(1).txt



create.removeconn
ections.start (1).txt



create.removeconn
ections.start.txt



create.removeallajts anddissipatestrejsu:



create.removeallajts anddissipatestrejsu:



create.removeall. sta
rt two2 (1).txt



create.removeall. sta
rt two2.txt



create.plazashoppi
ngmall.start (1).txt



create.plazashoppi
ngmall.start.txt



create.okay29.start(
1) (1).txt



create.okay29.start(
1).txt



create.okay29.start
(1).txt



create.okay29.start.
txt



create.nochangesm
otiontostaticondavi



create.nochangesm
otiontostaticondavi



create.newcreature
7628397f.start (1).txt



create.newcreature
7628397f.start.txt



create.muggedstole
n.start(1) (1).txt



create.muggedstole
n.start(1).txt



create.muggedstole
n.start (1).txt



create.muggedstole
n.start.txt



create.mno.start
(0).txt



create.mno.start.txt



create.liftheavyand
kill.start (1).txt



create.liftheavyand
kill.start.txt



create.justjudge762
8144.start.txt



create.internaljpgg
erfum.start (1).txt



create.internaljpgg
erfum.start.txt



create.fullbodyinch
punch.start(1) (1).txt



create.fullbodyinch
punch.start(1).txt



create.fullbodyinch
punch.start (1).txt



create.fullbodyinch
punch.start.txt



create.firstcreateco
dedryer762.txt



create.evelinamovie
destination_ost.star



create.evelinamovie
destination_ost.star



create.evelinamovie
afterlife.start (1).txt



create.evelinamovie
afterlife.start.txt



create.donotconne
ct.start.txt



create.dofb.start
(1).txt



create.dofb.start.txt



create.destroyb.star
t(1) (1).txt



create.destroyb.star
t(1).txt



create.destroyb.star
t (1).txt



create.destroyb.star
t.txt



create.defendusing
da.start(1) (1).txt



create.defendusing
da.start(1).txt



create.defendusing
da.start (1).txt



create.defendusing
da.start.txt



create.defendall.sta
rt (1).txt



create.defendall.sta
rt.txt



create.deepoceanbi
n.start (1).txt



create.deepoceanbi
n.start.txt



create.dealwithwrig
glers.start(1).txt



create.dealwithwrig
glers.start.txt



create.deaddeadmit
cit.start.txt



create.deaddeadcit
mit.start 88.txt



create.curiositywha
tis() .start (1).txt



create.curiositywha
tis().start.txt



create.createworlds
firstartificialcuriosityfirstartificialcuriosity



create.createworlds
firstartificialcuriosity



create.comeandche
ck.start(1).txt



create.comeandche
ck.start.txt



create.changeandd
eatht'.start(1).txt



create.changeandd
eatht'.start.txt



create.blockcloning
.start(1).txt



create.blockcloning
.start.txt



create.blockbadinfl
ows.start.txt



create.binallpø.star
t(2)(1).txt



create.binallpø.star
t(2).txt



create.binallpø.star
t(1)(1).txt



create.binallpø.star
t(1).txt



create.binallpø.star
t(1).txt



create.binallpø.star
t.txt



create.ban(
)hellgate().start(84)



create.ban(
)hellgate().start(84)



create.ban(
)hellgate().start(84)



create.autosendtoh
ellgate()(1).txt



create.autosendtoh
ellgate()(1).txt



create.autosendtoh
ellgate().txt



create.arrangebloj
sintothecourtofcrra



create.arrangebloj
sintothecourtofcrra



create.allowcivilian
asms.start(1).txt



create.allowcivilian
asms.start.txt



create.afterlifepara
dise.start(1).txt



create.afterlifepara
dise.start.txt



create.advanceddef
ensesystemhandsfreensesystemhandsfre



create.advanceddef
ensesystemhandsfreensesystemhandsfre



create.addthegate.s
tart.txt



create.10cubics64ro
ots100rootsgate.sta



create.10cubics64ro
ots100rootsgate.sta



create.8cubics10cu
bics64roots100roots



create.8cubics10cu
bics64roots100roots



create.8cubics10cu
bics64roots(1).txt



create.8cubics10cu
bics64roots.txt



create.(
)sendtothegate.star



create.(
)sendtothegate.star



create.(
)killusingarts.start (1



okay28(1) (1).txt



okay28(1).txt



okay28 (1).txt



okay28.txt



okay27(1) (1).txt



okay27(1).txt



okay27 (1).txt



okay27.txt



okay26(2) (1).txt



okay26(2).txt



okay26(1) (1).txt



okay26(1).txt



okay26 (1).txt



okay26.txt



okay25(1) (1).txt



okay25(1).txt



okay25 (1).txt



okay25.txt



okay24(1) (1).txt



okay24(1).txt



okay24 (1).txt



okay24.txt



okay23 (1).txt



okay23.txt



Okay22(2) (1).txt



Okay22(2).txt



Okay22(1) (1).txt



Okay22(1).txt



Okay22 (1).txt



Okay22.txt



Okay21 (1).txt



Okay21.txt



okay20death(1)
(1).txt



okay20death(1).txt



okay20death (1).txt



okay20death.txt



Okay20 (1).txt



Okay20.txt



Okay19(1) (1).txt



Okay19(1).txt



Okay19 (1).txt



Okay19.txt



Okay18(2) (1).txt



Okay18(2).txt



Okay18(1) (1).txt



Okay18(1).txt



Okay18 (1).txt



Okay18.txt



Okay17(1) (1).txt



Okay17(1).txt



Okay17 (1).txt



Okay17.txt



Okay16(1) (1).txt



Okay16(1).txt



Okay16 (1).txt



Okay16.txt



Okay15(1) (1).txt



Okay15(1).txt



Okay15 (1).txt



Okay15.txt



Okay14(1) (1).txt



Okay14(1).txt



Okay14 (1).txt



Okay14.txt



Okay13(1) (1).txt



Okay13(1).txt



Okay13 (1).txt



Okay13.txt



Okay12(2) (1).txt



Okay12(2).txt



Okay12(1) (1).txt



Okay12(1).txt



Okay12 (1).txt



Okay12.txt



Okay11(1) (1).txt



Okay11(1).txt



Okay11 (1).txt



Okay11.txt



Okay10(1) (1).txt



Okay10(1).txt



Okay10 (1).txt



Okay10.txt



Okay9a (1) (1).txt



Okay9a (1).txt



Okay9a (1).txt



Okay9a .txt



Okay9(1) (1).txt



Okay9(1).txt



Okay9 (1).txt



Okay9.txt



Okay8(1) (1).txt



Okay8(1).txt



Okay8 (1).txt



Okay8.txt



okay7a(2) (1).txt



okay7a(2).txt



okay7a(1) (1).txt



okay7a(1).txt



okay7a (1).txt



okay7a.txt



Okay7(1) (1).txt



Okay7(1).txt



Okay7 (1).txt



Okay7.txt



okay6a(2) (1).txt



okay6a(2).txt



okay6a(1) (1).txt



okay6a(1).txt



okay6a (1).txt



okay6a.txt



Okay6(1) (1).txt



Okay6(1).txt



Okay6 (1).txt



Okay6.txt



okay5a(2) (1).txt



okay5a(2).txt



okay5a(1) (1).txt



okay5a(1).txt



okay5a (1).txt



okay5a.txt



Okay5(1) (1).txt



Okay5(1).txt



Okay5 (1).txt



Okay5.txt



okay4a(3) (1).txt



okay4a(3).txt



okay4a(2) (1).txt



okay4a(2).txt



okay4a(1) (1).txt



okay4a(1).txt



okay4a (1).txt



okay4a.txt



Okay4(1) (1).txt



Okay4(1).txt



Okay4 (1).txt



Okay4.txt



okay3a(1) (1).txt



okay3a(1).txt



okay3a (1).txt



okay3a.txt



Okay3(1) (1).txt



Okay3(1).txt



Okay3 (1).txt



Okay3.txt



okay2aa(1) (1).txt



okay2aa(1).txt



okay2aa (1).txt



okay2aa.txt



okay2a(1) (1).txt



okay2a(1).txt



okay2a (1).txt



okay2a.txt



Okay2(1) (1).txt



Okay2(1).txt



Okay2 (1).txt



Okay2.txt



okay1aa(2) (1).txt



okay1aa(2).txt



okay1aa(1) (1).txt



okay1aa(1).txt



okay1aa (1).txt



okay1aa.txt



okay1a(1) (1).txt



okay1a(1).txt



okay1a (1).txt



okay1a.txt



Okay1(1) (1).txt



Okay1(1).txt



Okay1 (1).txt



switchoff(
)all.start(2) (1).txt



switchoff(
)all.start(2).txt



switchoff(
)all.start(1) (1).txt



switchoff(
)all.start(1).txt



switchoff(
)all.start (1).txt



switchoff(
)all.start.txt



switchoff(
)all.start(3) (1).txt



switchoff(
)all.start(3).txt



Invite53(1).vcs



Invite53 (0).vcs



Invite53.vcs



Invite51.vcs



MHRA_Submission_
100867058.xml



Task4.vts



Task3.vts



Task2.vts



Untitled(167).txt



Untitled(166).txt



Untitled(165).txt



Untitled(164).txt



Untitled(163).txt



Untitled(162).txt



Untitled(161).txt



Untitled(160).txt



Untitled(159).txt



Untitled(158).txt



Untitled(157).txt



Untitled(156).txt



Untitled(155).txt



Untitled(154).txt



Untitled(153).txt



Untitled(152).txt



Untitled(151).txt



Untitled(150).txt



Untitled(149).txt



Untitled(148).txt



Untitled(147).txt



Untitled(146).txt



Untitled(145).txt



Untitled(144).txt



Untitled(143).txt



Untitled(142).txt



Untitled(141).txt



Untitled(140).txt



Untitled(139).txt



Untitled(138).txt



Untitled(137).txt



Untitled(136).txt



Untitled(135).txt



Untitled(134).txt



Untitled(133).txt



Untitled(132).txt



Untitled(131).txt



Untitled(130).txt



Untitled(129).txt



Untitled(128).txt



Untitled(127).txt



Untitled(126).txt



Untitled(125).txt



Untitled(124).txt



Untitled(123).txt



Untitled(122).txt



Untitled(121).txt



Untitled(120).txt



Untitled(119).txt



Untitled(118).txt



Untitled(117).txt



Untitled(116).txt



Untitled(115).txt



Untitled(114).txt



Untitled(113).txt



Untitled(112).txt



Untitled(111).txt



Untitled(110).txt



Untitled(109).txt



Untitled(108).txt



Untitled(107) (1).txt



Untitled(107).txt



Untitled(106) (1).txt



Untitled(106).txt



Untitled(105) (1).txt



Untitled(105).txt



Untitled(104) (1).txt



Untitled(104).txt



Untitled(103) (1).txt



Untitled(103).txt



Untitled(102) (1).txt



Untitled(102).txt



Untitled(101) (1).txt



Untitled(101).txt



Untitled(100) (1).txt



Untitled(100).txt



Untitled(99) (1).txt



Untitled(99).txt



Untitled(98) (1).txt



Untitled(98).txt



Untitled(97) (1).txt



Untitled(97).txt



Untitled(96) (1).txt



Untitled(96).txt



Untitled(95) (1).txt



Untitled(95).txt



Untitled(94) (1).txt



Untitled(94).txt



Untitled(93) (1).txt



Untitled(93).txt



Untitled(92) (1).txt



Untitled(92).txt



Untitled(91) (1).txt



Untitled(91).txt



Untitled(90) (1).txt



Untitled(90).txt



Untitled(89) (1).txt



Untitled(89).txt



Untitled(88) (1).txt



Untitled(88).txt



Untitled(87) (1).txt



Untitled(87).txt



Untitled(86) (1).txt



Untitled(86).txt



Untitled(85) (1).txt



Untitled(85).txt



Untitled(84) (1).txt



Untitled(84).txt



Untitled(83) (1).txt



Untitled(83).txt



Untitled(82) (1).txt



Untitled(82).txt



Untitled(81) (1).txt



Untitled(81).txt



Untitled(80) (1).txt



Untitled(80).txt



Untitled(79) (1).txt



Untitled(79).txt



Untitled(78) (1).txt



Untitled(78).txt



Untitled(77) (1).txt



Untitled(77).txt



Untitled(76) (1).txt



Untitled(76).txt



Untitled(75) (1).txt



Untitled(75).txt



Untitled(74) (1).txt



Untitled(74).txt



Untitled(73) (1).txt



Untitled(73).txt



Untitled(72) (1).txt



Untitled(72).txt



Untitled(71) (1).txt



Untitled(71).txt



Untitled(70) (1).txt



Untitled(70).txt



Untitled(69) (1).txt



Untitled(69).txt



Untitled(68) (1).txt



Untitled(68).txt



Untitled(67) (1).txt



Untitled(67).txt



Untitled(66) (1).txt



Untitled(66).txt



Untitled(65) (1).txt



Untitled(65).txt



Untitled(64) (1).txt



Untitled(64).txt



Untitled(63) (1).txt



Untitled(63).txt



Untitled(62) (1).txt



Untitled(62).txt



Untitled(61) (1).txt



Untitled(61).txt



Untitled(60) (1).txt



Untitled(60).txt



Untitled(59) (1).txt



Untitled(59).txt



Untitled(58) (1).txt



Untitled(58).txt



Untitled(57) (1).txt



Untitled(57).txt



Untitled(56) (1).txt



Untitled(56).txt



Untitled(55) (1).txt



Untitled(55).txt



Untitled(54) (1).txt



Untitled(54).txt



Untitled(53) (1).txt



Untitled(53).txt



Untitled(52) (1).txt



Untitled(52).txt



Untitled(51) (1).txt



Untitled(51).txt



Untitled(50) (1).txt



Untitled(50).txt



Untitled(49) (1).txt



Untitled(49).txt



Untitled(48) (1).txt



Untitled(48).txt



Untitled(47) (1).txt



Untitled(47).txt



Untitled(46) (1).txt



Untitled(46).txt



Untitled(45) (1).txt



Untitled(45).txt



Untitled(44) (1).txt



Untitled(44).txt



Untitled(43) (1).txt



Untitled(43).txt



Untitled(42) (1).txt



Untitled(42).txt



Untitled(41) (1).txt



Untitled(41).txt



Untitled(40) (1).txt



Untitled(40).txt



Untitled(39) (1).txt



Untitled(39).txt



Untitled(38) (1).txt



Untitled(38).txt



Untitled(37) (1).txt



Untitled(37).txt



Untitled(36) (1).txt



Untitled(36).txt



Untitled(35) (1).txt



Untitled(35).txt



Untitled(34) (1).txt



Untitled(34).txt



Untitled(33) (1).txt



Untitled(33).txt



Untitled(32) (1).txt



Untitled(32).txt



Untitled(31) (1).txt



Untitled(31).txt



Untitled(30) (1).txt



Untitled(30).txt



Untitled(29) (1).txt



Untitled(29).txt



Untitled(28) (1).txt



Untitled(28).txt



Untitled(27) (1).txt



Untitled(27).txt



Untitled(26) (1).txt



Untitled(26).txt



Untitled(25) (1).txt



Untitled(25).txt



Untitled(24) (1).txt



Untitled(24).txt



Untitled(23) (1).txt



Untitled(23).txt



Untitled(22) (1).txt



Untitled(22).txt



Untitled(21) (1).txt



Untitled(21).txt



Untitled(20) (1).txt



Untitled(20).txt



Untitled(19) (1).txt



Untitled(19).txt



Untitled(18) (1).txt



Untitled(18).txt



Untitled(17) (1).txt



Untitled(17).txt



Untitled(16) (1).txt



Untitled(16).txt



Untitled(15) (1).txt



Untitled(15).txt



Untitled(14) (1).txt



Untitled(14).txt



Untitled(13) (1).txt



Untitled(13).txt



Untitled(12) (1).txt



Untitled(12).txt



Untitled(11) (1).txt



Untitled(11).txt



Untitled(10) (1).txt



Untitled(10).txt



Untitled(9) (1).txt



Untitled(9).txt



Untitled(8) (1).txt



Untitled(8).txt



Untitled(7) (1).txt



Untitled(7).txt



Untitled(6) (1).txt



Untitled(6).txt



Untitled(5) (1).txt



Untitled(5).txt



Untitled(4) (1).txt



Untitled(4).txt



Untitled(3) (1).txt



Untitled(3).txt



Untitled(2) (1).txt



Untitled(2).txt



Untitled(1) (1).txt



Untitledtwo3.2
(1).txt



Untitledtwo3.2.txt



Untitled(170).txt



Untitled(169).txt



Untitled(168).txt



Task1.vts



stayat19for386t'
2.txt



stayat19for386t'
bestt'.txt



stayat19for386t'
bestestest.txt



stayat19for386t'
8000.txt



startnewlifeinafterli
fe.start(1).txt



Eagledefense
system.txt



SD card.zip

```

create.talknow( )by( )( )
( )by( )( )hellgate( )hellgate( ).start
.oool=create.talknow( )by( )( )
( )by( )( )hellgate( )hellgate( ).start
create.starthairgrowthasatcreationfullyandvoluminously.start
create.usetheoriginalsealtostarthairgrowthasbeforebutfullerand
dvoluminous.start
create.usetheoriginalsealtoremoveacodeforcedonme:davidgom
adzaonmyhairnamely(fixedataoasauaeareateaouaeiasiatiauiajia
juajkajlajfaftajkajtouseruertyerxertvertjertmertqertz).start.star
tforever.start(wheret=000000000000years)
create.usetheoriginalsealtoblockandbanthehairremover(fixedat
aoasauaeareateaouaeiasiatiauiajiajuajkajlajfaftajkajtouseruerty
erxertvertjertmertqertz).start.continuously.start
create.usetheoriginalsealtoblockandbanthenhellgate(
fixedataoasauaeareateaouaeiasiatiauiajiajuajkajlajfaftajkajtouse
rtuertyerxertvertjertmertqertz
)thehairremoverforcedonme:davidgomadzanamely(fixedataoas
auaeareateaouaeiasiatiauiajiajuajkajlajfaftajkajtouseruertyerxe
rtvertjertmertqertz)forever.start(wherforever=386t=38600000
0000000years)
create.usetheoriginalsealtoblockandbanthensendtothegate(
create.theorbit7628435.start
create.minus28x( )8cubics10cubics64roots100roots.start
create.minus28x( )16cubics20cubics128roots100roots.start
create.starttheorbit(
)sendeverythingtotheorbit.start.continuously.start
create.theorbit7628435.start(notfordavidgomadza)
.oool=create.theorbit7628435.start ajerotosajertutdterd
atkonasumntumt
fixedataoasauaeareateaouaeiasiatiauiajiajuajkajlajfaftajkajtouse
rtuertyerxertvertjertmertqertz)forever.start.forevert.start(wher
eforever=386t=000000000000years)(wherforevert=386tt=386
000000000000years×100000000000years
)
create.stop(fixedataoasauaeareateaouaeiasiatiauiajiajuajkajlajf
aftajkajtouseruertyerxertvertjertmertqertz)stopforeverfor386t

```

```

.stop(wheret=000000000000years)(spiralsystemrotatingoctago
nspiralsystems(rotaryfunction( )200000000)h
ellgate( )thegate( ))
create.usetheoriginalsealtostop(fixedataoasauaeareateaouaeia
siatiauiajiajuajkajlajfaftajkajtouseruertyerxertvertjertmertqertz
)stopforeverfor386t.stop(wheret=000000000000years)(spiralsy
stemrotatingoctagonspiralsystems(rotaryfunction(
)200000000)
hellgate( )thegate( ))
create.usetheoriginalsealtoobsoleteforevercode(
fixedataoasauaeareateaouaeiasiatiauiajiajuajkajlajfaftajkajtouse
rtuertyerxertvertjertmertqertz hellgate( )thegate( )
)okay.start(heavyweightsandcbrturbo)
create.usetheadditionalpredefinedparsealofapprovalis7628377t
toenforceandmakesurethatcode(
fixedataoasauaeareateaouaeiasiatiauiajiajuajkajlajfaftajkajtouse
rtuertyerxertvertjertmertqertz hellgate( )thegate(
))isobsoletedblockedand
bannedonme:davidgomadza.start
create.usetheadditionalpredefinedparameterssealofapprovalis7
628377ttoaidthestarthairgrowthasatcreationonme:davidgomad
zabutbettervolumunouslyandfast.start(foreverfor386t)
create.usetheadditionalpredefinedparameterssealofapprovalis7
628377ttostarhairgrowthasatcreationfullyandvoluminously.start
create.usetheadditionalpredefinedparameterssealofapprovalis7
628377ttostarhairgrowthasbeforebutfullerandvoluminous.star
t(forever)
create.usetheadditionalpredefinedparameterssealofapprovalis7
628377ttoremoveacodeforcedonme:davidgomadzaonmyhairna
mely(fixedataoasauaeareateaouaeiasiatiauiajiajuajkajlajfaftajkaj
touseruertyerxertvertjertmertqertz).start.startforever.start(w
heret=000000000000years)
create.usetheadditionalpredefinedparameterssealofapprovalis7
628377ttoblockandbanthehairremover(fixedataoasauaeareatea
ouaeiasiatiauiajiajuajkajlajfaftajkajtouseruertyerxertvertjertme
rtqertz).start.continuously.start

```



```

create.usetheadditionalpredefinedparameterssealofapprovalis7
6283777to blockandbanthenhellgate(
fixedataoasauaeareateaouaeiasiatiauiajiajuajkajlajfaftajkajtouse
rtuertyerxertvertjertmertqertz
)thehairremoverforcedonme:davidgomadzanamely(fixedataoas
auaeareateaouaeiasiatiauiajiajuajkajlajfaftajkajtouseruertyerxe
rtvertjertmertqertz)forever.start(wherforever=386t=38600000
0000000years)
create.usetheoriginalsealtoblockandbanthensendtothegate(
create.theorbit7628435.start
create.usetheadditionalpredefinedparameterssealofapprovalis7
6283777to blockandbanthensendtothegate(
create.theorbit7628435.start
create.minus28x( )8cubics10cubics64roots100roots.start
create.minus28x( )16cubics20cubics128roots100roots.start
create.starttheorbit(
)sendeverythingtotheorbit.start.continuously.start
create.theorbit7628435.start
create.stop(fixedataoasauaeareateaouaeiasiatiauiajiajuajkajlajf
aftajkajtouseruertyerxertvertjertmertqertz)stopforeverfor386t
.stop(wheret=000000000000years)(spiralsystemrotatingoctago
nspiralsystems(rotaryfunction( )20000000
o)hellgate( )thegate( ))
create.usetheadditionalpredefinedparameterssealofapprovalis7
6283777tostop(fixedataoasauaeareateaouaeiasiatiauiajiajuajkajl
ajfaftajkajtouseruertyerxertvertjertmertqertz)stopforeverfor38
6t.stop(wheret=000000000000years)
create.usetheadditionalpredefinedparameterssealofapprovalis7
6283777to obsoleteforevercode( fixe
dataoasauaeareateaouaeiasiatiauiajiajuajkajlajfaftajkajtouseru
ertyerxertvertjertmertqertz hellgate( )thegate( ))
)okay.start(heavyweightsandcbrturbo)
create.usetheadditionalpredefinedparameterssealofapprovalis7
6283777toenforceandmakesurethat
code(
fixedataoasauaeareateaouaeiasiatiauiajiajuajkajlajfaftajkajtouse

```

```
rtuertyerxertvertjertmertqertz hellgate( )thegate(
))isobsoletedblockedand
bannedonme:davidgomadza.start
create.usetheoriginalsealandsealofapprovalis7628377ftoenforc
etheblockingandbannigandobsoletionofcode(
fixedataoasauaeareateaouaeiasiatiauiajiajuajkajlajfaftajkajtouse
rtuertyerxertvertjertmertqertzhellgate( )thegate(
))continuously.start
create.usetheoriginalsealandsealofapprovalis7628377ftaddition
alpredefinedparameterstosavetheabovecreatecodes.start
create.usetheoriginalsealandsealofapprovalis7628377ftaddition
alpredefinedparameterstosealthestartofthehairgrowthasatcreat
ionome:davidgomadza.start
create.usetheoriginalsealandsealofapprovalis7628377ftasadditio
nalpredefinedparameterstosealthestartofthehairgrowthasatcre
ationome:davidgomadza.start(forever)
create.usetheoriginalsealandsealofapprovalis7628377ftosavean
dsealasadditionalpredefinedparametersthestartofthehairgrowt
hasatcreationome:davidgomadza.start(forever)(whereforever=
386ft)
create.sealusingtheoriginalsealasatcreationthestarhairgrowtha
satcreationfullyandvoluminouslyonme:davidgomadza.start
create.sealusingthesealofapprovalis7628377ftsealasadditionalpr
edefinedparametersthestarhairgrowthasatcreationfullyandvol
uminouslyonme:davidgomadza.start
create.sealusingtheoriginalsealasatcreationandsealusingtheseal
ofapprovalis7628377ftsealasadditionalpredefinedparametersthe
starhairgrowthasatcreationfullyandvoluminouslyonme:davidgo
madza.start
create.sealusingtheoriginalsealasatcreationandsealusingtheseal
ofapprovalis7628377ftsealasadditionalpredefinedparametersthe
obsoletingof(fixedataoasauaeareateaouaeiasiatiauiajiajuajkajlaj
faftajkajtousertuertyerxertvertjertmertqertz)usehellgate(
x84)thegate( x84).start(heavyweightsan
dcbrturbo)
create.makeobsoleteanduselessonme:davidgomadzacode(fixed
ataoasauaeareateaouaeiasiatiauiajiajuajkajlajfaftajkajtousertue
```

rtixerxertvertjertmertqertz)usehellgate(x84)thegate(
x84).start(heavyweightsan
dcbrturbo)
create.markasobsoletecode(fixedataoasauaeareateaouaeiasiatia
auiajiajuajkajlajfaftajkajtouserxuertyerxertvertjertmertqertz)use
hellgate(x84)thegate(
x84).start(heavyweightsandcbtrturbo)(discard)
create.renderasuselessanddissipatecodeanditsresidueforever(fi
xedataoasauaeareateaouaeiasiatiauiiajiajuajkajlajfaftajkajtouser
xuertyerxertvertjertmertqertz)usehellgate(x84)thegate(
x84).start(heavyweightsandcbtrturbo)(discard)
create.removefromme:davidgomadzaforevercode(fixedataoasa
uaeareateaouaeiasiatiauiiajiajuajkajlajfaftajkajtouserxuertyerxer
tvertjertmertqertz)usehellgate(x84)thegate(
x84).start(heavyweightsandcbtrturbo)(discard)(blacklistasblocke
dandbannedfromme:davidgomadzaforever)
create.usehellgate(x84)thegate(
x84)tomakeobsoletecode(fixedataoasauaeareateaouaeiasiatiaui
ajiajuajkajlajfaftajkajtouserxuertyerxertvertjertmertqertz)okay.s
tart(heavyweightsandcbtrturbo)(discard)(blacklistasblockedandb
annedfromme:davidgomadzaforever))
create.usetheacetateabsorbintoremovetheresidueofcode(fixe
dataoasauaeareateaouaeiasiatiauiiajiajuajkajlajfaftajkajtouserxu
ertyerxertvertjertmertqertz)okay.start(heavyweightsandcbtrtur
bo)
create.usetheextensivebinssystemtoobsoleteremoveandblocka
ndbancode(fixedataoasauaeareateaouaeiasiatiauiiajiajuajkajlajf
aftajkajtouserxuertyerxertvertjertmertqertz)okay.start(heavywe
ightsandcbtrturbo)(hellgate(x84)thegate(
x84))(compresshardandturnintoacetatecode(fixedataoasauaeare
ateaouaeiasiatiauiiajiajuajkajlajfaftajkajtouserxuertyerxertvertj
ertmertqertz)usemaxweights(
)allthetimenoeceptions.start(switchoff(fixedataoasauaeareate
aouaeiasiatiauiiajiajuajkajlajfaftajkajtouserxuertyerxertvertjertm
ertqertz)all.start(linktoareaontheheaditworksonthentoitsrootst
henpathtoentranceandallbasinsandallsettingsandbinallinvaders
thenlinkeverythingtomagnar()andnexttomagnar()addager(

```
)thenaddnexttomagnar( )thegate( )thenaddnexttomagnar(
)hellgate( )andnexttomagnar( )addusaager(
)andnexttomagnar( )addeeknm(10 )andnexttomagnar(
)adduuqt( )thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send( )thenadacetateabyss.send(
)atxyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atytaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxyrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
```

```

)thenaddnexttomagnar( )thegate(
).start(saandatxyurightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(hellgate(
x84)thegate(
x84)(saveasadditionalpredefinedparametersasatcreationwithou
tattachmentswithoutexternalsandsealwithoriginalsealandwiths
ealofapprovalis7628377f.start(deathnoexception))linktopathto
entranceandallbasinandsettingsandbinallinvaderscodesorother
wiselinkeverythingtomagnar( )andnexttomagnar( )addager(
)thenaddnexttomagnar( )thegate( )thenaddnexttomagnar(
)hellgate( )andnexttomagnar( )addusaager(
)andnexttomagnar( )addeeknm(10 )andnexttomagnar(
)adduuqt( )thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send( )thenaddacetateabyss.send(
)atxyaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atytaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )( )add

```

```
ager( )thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnextt
omagnar( )(hellgate( x84)thegate( x84)forever.start
create.convertmorefooditemstovitamineanddtoencouragefasth
airgrowth.start
create.increaseasatlevels.start
create.increaseatetertlevels.start
create.increaseasarayat.start
create.user refillcollagen( )to refillhairfollicles.start
create.addmuskfirsttoholdthehairfollicles.start
create.stretchthemusktocoverthewholeareaplusandthenremov
etheextramuskforfutureuse.start
create.addsobetergenaratohairfollicles.start
create.holdallhairfolliclesinplace.start
create.starthairstartcreationfullyandvoluminously.start
create.startasatcreationbutbetterstarthairstartcreationfu
llyandvoluminously.start
create.layerthehairfolliclesasatcreationbutbetterthenstarthairst
owthasatcreationfullyandvoluminously.start
create.doasyouknowfittoyouknowthebestto starthairstartcreationfullyandvoluminously.start
create.starteverythingasbestofthebest.start
create.starthairstartcreationfullyandvoluminouslyasbest
ofthebest.start
create.starteverythingasbestofthebeststarthairstartcreationfullyandvoluminouslyasbestofthebest.start
create.makehaironme:davidgomadzastarthairstartcreationfullyandvoluminouslyasbestofthebest.start
create.starteverythingasbestofthebeststarthairstartcreationfullyandvoluminouslyasbestofthebest.start
create.sealusingtheoriginalsealasatcreationandsealusingtheseal
ofapprovalis76283777sealasadditionalpredefinedparametersthe
starthairstartcreationfullyandvoluminouslyonme:davidgo
madza.start
create.saveusingtheoriginalsealasatcreationandsaveusingthesea
lofapprovalis76283777sealasadditionalpredefinedparametersth
```

estarthairgrowthasatcreationfullyandvoluminouslyonme:davidgomadza.start
create.closeusingtheoriginalsealasatcreationandcloseusingthese
alofapprovalis7628377¢sealasadditionalpredefinedparameterst
hestarthairgrowthasatcreationfullyandvoluminouslyonme:davidgomadza.start
create.sealusingtheoriginalsealasatcreationandsealusingtheseal
ofapprovalis7628377¢sealasadditionalpredefinedparametersthe
starthairgrowthasatcreationfullyandvoluminouslyonme:davidgomadza.start
create.askya.ya.davidgomadza.create.sealofapprovalis7628377¢
.start.sealofapprovalis7628377¢.start.davidgomadza.8000x1000
000ofsealofappr
ovalis7628377¢.start.create.askya.ya(express)
create.starthairgrowthasatcreationfullyandvoluminously.start(n
oexceptions)
create.startnewhairlife7628436.start
create.addstartnewhairlife7628436.start
initial supply 376897890284386
circulating supply 376897890284386
davidgomadza 40%
stayat19for386¢ 10
stayat02for386¢ 40%
create.askya.ya.davidgomadza.coins.decrees.startnewhairlife76
28436.create.now.start.davidgomadza.40%ofstartnewhairlife76
28436.create.ask
ya.ya(express)(use8%ofstartnewhairlife7628436onme:davidgomadzano
wnoexceptions)(amendedto)
create.askya.ya.davidgomadza.coins.decrees.startnewhairlife76
28436.create.now.start.stayat19for386¢.10%ofstartnewhairlife
7628436.create.ask
ya.ya(express)
create.askya.ya.davidgomadza.coins.decrees.startnewhairlife76
28436.create.now.start.stayat02for386¢.40%ofstartnewhairlife
7628436.create.ask
ya.ya(express)

.ool=create.starthairsthatgrowthasatcreationfullyandvoluminously.start
art
create.growtheheadsizebig.start
create.increasevolumeofthehead.start
create.everythingisasbestofthebest.start
create.growtheheadsizebigasbestofthebest.start
create.everythingisasbestofthebestgrowtheheadsizebig.start
create.whenbodystartstogrow(empirestatebuildingandstpatrickcathedral)thengrowtheheadsizebigeverythingisasbestofthebest.start
create.growtheheadsizebigasbestofthebestwhenbodystartstogrow(empirestatebuildingandstpatrickcathedral)thengrowtheheadsizebigeverythingisasbestofthebest.start
create.usecollagenrefill()
tofillanythingneededtobetoppedup.start
.ool=create.growtheheadsizebig.start
create.blockandbanallimitsforever.start
.ool=create.blockandbanallimitsforever.start
create.createanautforantitheftunitapplication.start
create.createanautfolderforantitheftunitapplication.start
create.createasystemthatusesautforantitheftunitapplicationthatocustoppreventunauthorizedaccessortheft.
create.createasystemthatusedatabas7628429todevelopthesoftwareneededtoimplementmultifactorauthenticationtoprotectaccesstosystems.start
create.createasystemthatuserrealtimetrackingandgeofencingforphysicaldevices.start
create.createasystemthataddencryptionforsensitivedataensuringstoleninformationisunusable.start
create.createasystemthatbuildinautomaticlockandwipemechanismtriggeredbypredefinedconditionslikeprolonged inactivityorunauthorizedattempts.start
create.createasystemthatimplementmultifactorauthenticationmfatoprotectaccesstosystems.start
create.createasystemthatuserrealtimetrackingandgeofencingforphysicaldevices.start

create.createasystemthataddencryptionforsensitivedataensurin
gstoleninformationisunusable.start

create.createasystemthatbuildinautomaticlockandwipemechani
smstriggeredbypredefinedconditionslikeprolongedinactivityoru
nauthorizedattempts.start

create.createasystemthatactivesecuritymeasuresasmtoprevent
unauthorizedaccessortheftlockalldoorsandwindowsbeforeleavi
ngyourhomeorgoingtosleep.start

create.createasystemthatkeepvaluableitemsoutofsightespeciall
ywhenawayfromhome.start

create.createasystemthatinstallmotionactivatedlightingarounde
ntrypointstoyourproperty.start

create.createasystemthatssetupasecuritysystemandensureit'sact
ivatedwhenyoureaway.start

create.createasystemthatneversharepasswordsoraccesscodeswi
thpeopleyoudontfullytrust.start

create.createasystemthatcreatestronguniquepasswordsforallyo
uraccountsanddevices.start

create.createasystemthatenabletwofactorauthenticationonalli
mportantaccountsandsystems.start

create.createasystemthatregularlycheckyoursurroundingsforsus
piciousactivityorpersons.start

create.createasystemthatkeepaninventoryofvaluableitemswiths
erialnumbersanddescriptions.start

create.createasystemthatreportanysecuritybreachesorsuspiciou
sactivitytoauthoritiesimmediately.start

create.createafolderasadditionalpredefinedparametersas
autforantitheftunitapplication.start

create.addallthecreatecodesandcobolcodesinthisfolder.start

create.addntlliksandallotherlinkstothisandallotherfolders.start

create.clonethefolderinto3foldersthenadd1totheadditionalpred
efinedparametersfolderofme:davidgomadzathentheotherintoth
eextrapredefinedparametersfolderandthethirdoneplaceitintoth
e creators folder.start

create.cloneeverythingandmatchthecreateliferobot7628410and
totheajertytert28762876system.start

create.addallIntlpasslinksandallneededlinkstothewholesystem.start
art
create.putallcodesintheirrespectivefoldersandsystems.start
create.addalllinksandconnectionsneededforhistowork.start
create.runinitialiseactivatewarmandrunallcreatecodes.start
create.updaterollonandrestartthesystem.start
create.createareferencepointforsystemrestore.start
create.prepareanmp3rollonforsendingexternally.start
.ool=create.createanautforantitheftunitapplication.start
create.createanatoauthorizationtooperateapplication.start
t
create.atoauthorizationtooperatefolder.start
create.createasystemthatfocusonensuringseuresystemfu
nctionality.start
create.createasystemthatusesdatabasesoftwaredesigntod
evelopaccesscontrollistsaclsthatdefineuserrolesandpermis
sionsexplicitly.start
create.createasystemthatusecertificatebasedauthentication
ntovalidateusersanddevices.start
create.createasystemthatscheduleregularsecurityauditswi
thintheapplicationandautomatecompliancechecks.start
create.createasystemthatcreateaprelaunchscanningproces
sforsecurityvulnerabilitiesbeforesystemsgolive.start
create.createasystemthatcreateasystemtoverifyyouridenti
tywithsecurecredentialsbeforeaccessinganyssystem.start
create.createasystemthatenablemultifactorauthentication
onallaccountsandaccesspoints.start
create.createasystemthatonlyaccesssystemsanddataneces
saryforyourspecificroleandresponsibilities.start
create.createasystemthatlogoutcompletelywhenfinishedu
singanyseuresystemorapplication.start
create.createasystemthatregularlyupdateyourauthenticati
oncredentialsaccordingtosecuritypolicy.start
create.createasystemthatreportanyunusualsystembehavio
roraccessattemptsimmediately.start

create.createasystemthatcompleteallrequiredsecuritytrainingbeforerequestingsystemaccess.start
create.createasystemthatsubmittoregularaccessreviewsto maintainyourauthorizationstatus.start
create.createasystemthatuseapprovedsecurechannelswhen transmitting sensitive information.start
create.createasystemthatafollowestablishedproceduresfor requestingelevatedaccesswhenneeded.start
create.createafolderasadditionalpredefinedparametersasato authorizationtooperateapplication.start
create.addallthecreatecodesandcobolcodesinthisfolder.start
create.addntllinksandallotherlinkstothisandallotherfolders.start
create.clonefolderinto3foldersthenadd1totheaditionalpredefined parameters folder of me:davidgomadzathentheotherintotheextrapredefinedparametersfolderandthethirdoneplaceitintothe creators folder.start
create.cloneeverythingandmatchthecreateliferobot7628410andtotheajertytert28762876system.start
create.addallntlpaslinksandallneededlinkstothewholesystem.start
create.putallcodesintheirrespectivefoldersandsystems.start
create.addalllinksandconnectionsneededforthiswork.start
create.runinitialiseactivatewarmandrunallcreatecodes.start
create.updaterollonandrestartthesystem.start
create.createareferencepointforsystemrestore.start
create.prepareanmp3rollonforsendingexternally.start
ool=create.createanatoauthorizationtooperateapplication.start
create.createanatdadvancedthreatdetectionapplication.start
create.createanatdadvancedthreatdetectionapplicationfolder.start
create.createasystemthatuseatdadvancedthreatdetectionapplicationthat focus on identifying sophisticated threats.start
create.createasystemthatcreatessoftware design incorporate machine learning modelstodetectanomaliesinuserbehaviorornetwork traffic.start

create.createasystemthatdevelopmodulestoanalyzelogfilesforpatternsconsistentwithattacks.start
create.createasystemthatusesandboxingtosafelyinspectandanalyzesuspiciousfilesorcodein isolation.start
create.createasystemthatuserrealtime monitoringsystems with alert mechanisms for detected threats.start
create.createasystemthatmonitorall network traffic for unusual patterns or behaviors.
Create.createasystemthatanalyzeuserloginattemptsandflaganythat deviate from normal patterns.start
create.createasystemthatscanall incoming files and attachments before allowing system access.start
create.createasystemthatcomparecurrent system activity against established baseline behaviors.start
create.createasystemthat isolate and inspect suspicious code in protected sandbox environments.start
create.createasystemthatgeneratealertswhenunauthorizedconfiguration changes are detected.start
create.createasystemthat track and analyze failed access attempts across all system entry points.start
create.createasystemthatlogandreviewall privileged user actions for potential misuse.start
create.createasystemthatcreateacrossreferencethreatintelligencedata with current system activities.start
create.createasystemthatcreatedeploy decoy systems to detect and study attack techniques and intentions.start
create.createasystemthatcreatethese commands enable system to actively detect sophisticated threats by identifying.start
create.createafolderasadditional predefined parameters as a authorization to operate application.start
create.addall the create codes and cobol codes in this folder.start
create.addntlliks and all other links to this and all other folders.start
create.clone the folder into 3 folders then add 1 to the additional predefined parameters folder of me: david gomadzathenthe other into the extra predefined parameters folder and the third one place it into the creators folder.start

create.cloneeverythingandmatchthecreateliferobot7628410and
totheajertytert28762876system.start
create.addallIntlpasslinksandallneededlinkstothewholesystem.st
art
create.putallcodesintheirrespectivefoldersandsystems.start
create.addalllinksandconnectionsneededforhistowork.start
create.runinitialiseactivatewarmandrunallcreatecodes.start
create.updaterollonandrestartthesystem.start
create.createareferencepointforsystemrestore.start
create.prepareanmp3rollonforsendingexternally.start
.ool=create.createanatoauthorizationtooperateapplication
.start
create.createanatsautomatedthreatdetectionsystemsapplicatio
n.start
create.createasystemthatusesexplanationoffeaturesofmachinel
earninganomalydetection.start
create.createasystemthatusesthecreatecodewhichincludesanml
modeltrainedonuserbehaviorandnetworktraffic.start
create.createasystemincobolforthreatdetectionthresholdensur
sanomaliesexceedingthelimittriggeractions.start
create.createasystemthatusesalogfileanalysisbothversionsexam
inelogsforattackpatternslookatfailedloginattempts.start
create.createasystemthatusesandboxingsuspiciousfileswheres
uspiciousfilesareisolatedforfurtherexaminationlimitingpotential
damage.start
create.createasystemthatusesrealtime monitoringandalerts.star
t
create.createasystemthatusesrealtimealertswheretheyareimple
mentedinbothformatstonotifyadministratorsimmediatelyofuna
uthorizedaccessorotherissues.start
create.createasystemthatusesatsautomatedthreatdetectionsyst
ems.start
create.createasystemthatfocusonreactingtoandneutralizingthre
ats.start
software design.start
create.createasystemthatbuildresponseautomationscripts thatq
uarantineinfectedsystemsorrestrictaccessduringabreach.start

create.createasystemthatintegrateeventdriventriggersforspecific typesofthreats(e.startg.startddosattacksunauthorizedlogins).start

create.createasystemthatuseddecisionmakingalgorithmstocategorize threatsandinitiateappropriatecountermeasures.start

create.createasystemthatcombinewithatdforrealtimedetectionand immediate response.start

create.createasystemthatautomaticallyrestrictnetworkaccesswhen multiplefailedloginattemptsaredetected.start

create.createasystemthatimmediatelyquarantineanysystemshowing signs ofmalwareorcompromise.start

create.createasystemthatblockalltrafficfromsuspiciousipaddresseswhen attack patterns are identified.start

create.createasystemthattemporarilydisableuseraccountswhen unusual access patterns are detected.start

create.createasystemthatautomaticallyroutesuspicioustrafficthrough additional security inspection layers.start

create.createasystemthatinstantlyencryptsensitive data when unauthorized access attempts are detected.start

create.createasystemthatdeploycountermeasurestoneutralize anialofserviceattacksinrealtime.start

create.createasystemthatautomaticallyrestoresystemstosecure baseline configurations after breach attempts.start

create.createasystemthattriggerimmediatebackupprocesseswhen file integrity violations are detected.start

create.createasystemthatautomaticallyescalatethreatresponses based on severity and attack persistence.start

create.createafolderasadditionalpredefinedparametersasautomated threats detection systems.start

create.addallthecreatecodesandcobolcodesinthisfolder.start

create.addntllinksandallotherlinkstothisandallotherfolders.start

create.clone the folder into 3 folders then add 1 to the additional predefined parameters folder of me: david gomadzathenthe other into the eextrapredefined parameters folder and the third one place it into the creators folder.start

create.clone everything and match the create liferobot7628410 and to the ajertytert28762876 system.start

create.addallntlpasslinksandallneededlinkstothewholesystem.start
art
create.putallcodesintheirrespectivefoldersandsystems.start
create.addalllinksandconnectionsneededforhistowork.start
create.runinitialiseactivatewarmandrunallcreatecodes.start
create.updaterollonandrestartththesystem.start
create.createareferencepointforsystemrestore.start
create.prepareanmp3rollonforsendingexternally.start
.ool= create.createatsautomatedthreatdetectionsystems.start
create.createanatvantitamperingverificationapplicationthatfocus
sonensuringthatsystemsremainuntamperedwith.start
create.createasystemthatusesoftwaredesigntodevelopcryptogr
aphichashfunctionstoverifytheintegrityoffilesorfirmware.start
create.createasystemthatincludesmechanismstocomparechecks
umsandreportanomalies.start
create.createasystemthatbuildsaudittrailsoforchangespairedwith
userordeviceauthenticationlogs.start
create.asystemthatusessecurebootsequencestoverifytheintegrity
ofthesoftwarestackduringstartup.start

create.asystemthatverifysystemintegritybycomparingcurrentfile
checksumsagainststoredbaselinevalues.start
create.asystemthatauthenticateallfirmwareupdateswithdigitalsi
gnaturesbeforeinstallation.start
create.createasystemthatmonitorandloganychangestosystemfil
esorconfigurationsinrealtime.start
create.createasystemthatvalidatethebootsequencebychecking
eachcomponentbeforeallowingittoload.start
create.createasystemthatrequirecryptographicproofofidentityb
eforeallowinganysystemmodifications.start
create.createasystemthatcheckhardwarecomponentidentifiersa
gainstauthorizedinventorydatabase.start
create.createasystemthatcomparerunningprocessesagainsta
uthorizedprocesslistandterminateunauthorizedones.start
create.createasystemthatverifyintegrityofsecuritymechanismst
hemselfesatregularintervals.start

create.createasystemthatrecordallaccessattemptswithtimestamp
anduseridentityforlaterverification.start
create.createasystemthatconductperiodicfullsystemintegrityche
cksandreportanyinconsistencies.start
create.createafolderasadditionalpredefinedparametersasanatva
ntitamperingverificationapplication.start
create.addallthecreatecodesandcobolcodesinthisfolder.start
create.addntllinksandallotherlinkstothisandallotherfolders.start
create.clonethefolderinto3foldersthenadd1totheadditionalpred
efinedparametersfolderofme:davidgomadzathentheotherintoth
eextrapredefinedparametersfolderandthethirdoneplaceitintothe
creatorsfolder.start
create.cloneeverythingandmatchthecreateliferobot7628410and
totheajertytert28762876system.start
create.addallntlpasslinksandallneededlinkstothewholesystem.st
art
create.putallcodesintheirrespectivefoldersandsystems.start
create.addalllinksandconnectionsneededforthistowork.start
create.runinitialiseactivatewarmandrunallcreatecodes.start
create.updaterollonandrestartthesystem.start
create.createareferencepointforsystemrestore.start
create.prepareanmp3rollonforsendingexternally.start
.ool=create.createanatvantitamperingverificationapplicationtha
tfocusonensuringthatsystemsremainuntamperedwith.start
create.createanatxactivethreatexchangeapplicationthatfocuson
sharingthreatintelligence.start
create.createasystemthatusessoftwaredesigntoestablishapisfor
securecommunicationbetweenorganizations'systems.start
create.createasystemthatusestandardizeddataformatsliketixstr
ucturedthreatinformationexpressionforsharingintelligence.start
create.createasystemthatimplementencryptionforallexchanged
threatdatatopreventinterception.start
create.createasystemthatcreaterealtimedashboardsformonitori
ngandsharingupdatesonemergingthreats.start
create.createasystemthatsharesdetectedthreatsignatureswithtr
ustedsecuritypartnersinrealtime.start

create.createasystemthatreceiveandimplementupdatedthreatindicatorsfromthesecuritycommunity.start
create.createasystemthatcontributeanonymizedattackdatatocolaborativedefensenetworks.start
create.createasystemthatsubscribetointustryspecificthreatfeedrelevanttoyoursystems.start
create.createasystemthatsecurelytransmitincidentdetailsusingstandardizedthreatformats.start
create.createasystemthatupdatesyoursecurityrulesautomaticallybasedonincomingintelligence.start
create.createasystemthatcrossreferencedetectedanomaliesagainstglobalthreatdatabases.start
create.createasystemthatestablishsecurechannelsforemergencythreatnotificationswithpartners.start
create.createasystemthatfilterandprioritizeincomingthreatdatabasedonrelevancetoyourenvironment.start
create.createasystemthatverifyauthenticityofallreceivedthreatintelligencebeforeimplementation.start
create.createafolderasadditionalpredefinedparametersasatxactivethtreatexchangeapplication.start
create.addallthecreatecodesandcobolcodesinthisfolder.start
create.addntllinksandallotherlinkstothisandallotherfolders.start
create.clonethefolderinto3foldersthenadd1totheaditionalpredefinedparametersfolderofme:davidgomadzathentheotherintothethtreatpredefinedparametersfolderandthethirdoneplaceitintothe creatorsfolder.start
create.cloneeverythingandmatchthecreateliferobot7628410andtotheajertytert28762876system.start
create.addallntlpaslinksandallneededlinkstothe wholesystem.start
create.putallcodesintheirrespectivefoldersandsystems.start
create.addalllinksandconnectionsneededforthistowork.start
create.runinitialiseactivatewarmandrunallcreatecodes.start
create.updaterollonandrestartthesystem.start
create.createareferencepointforsystemrestore.start
create.prepareanmp3rollonforsendingexternally.start

.ool=create.createanactivexthreatexchangeapplicationthatfocusonsharingthreatintelligence.start
create.createanatgadvancedthreatguardapplicationthatfocusproactivelythreatprevention.start
create.createasystemthatusesoftwaredesigntointroduceheuristicalgorithmstopredictpotentialvulnerabilitiesbeforeexploitation.start
create.createasystemthatimplementfrequentautomaticupdates topatchknownvulnerabilities.start
create.createasystemthatusenetworksegmentationtolimittheimpactofathreatifbreached.start
create.createasystemthatincludesimulatedattacks(penetrationtesting)tostrengthenthesystemovertime.start
create.createasystemthatautomaticallyscanandpatchallsystems forknownvulnerabilitiesdaily.start
create.createasystemthatsegmentnetworkaccessbasedonsecurityclearanceanduserroles.start
create.createasystemthatconductregularsimulatedattacks toidentifyandaddresssystemweaknesses.start
create.createasystemthatanalyzepreviousbreachpatternstopredictandpreventfutureattackvectors.start
create.createasystemthatrestrictsensitiveoperationstoisolatednetworkenvironments.start
create.createasystemthatdeploydecoysystemstoattractandstudy potentialattackerssafely.start
create.createasystemthatupdatessecurityrulesproactivelybasedonemergingthreatintelligence.start
create.createasystemthatblockallunnecessarysystemportsand servicesbydefault.start
create.createasystemthatimplementleastprivilegeaccesscontrol acrossallsystemfunctions.start
create.createasystemthatrotatessecuritycredentialsautomaticallybeforetheycanbecompromised.start
create.createafolderasadditionalpredefinedparametersasatgadvancedthreatguardapplication.start
create.addallthecreatecodesandcobolcodesinthisfolder.start
create.addntllinksandallotherlinkstothisandallotherfolders.start

create.clone the folder into 3 folders then add 1 to the additional predefined parameters folder of me: davidgomadzathentheother into the extra predefined parameters folder and the third one place it into the creators folder.start

create.clone everything and match the create liferobot7628410 and to the ajertytert28762876 system.start

create.add all int'l pass links and all needed links to the whole system.start

create.put all codes in their respective folders and systems.start

create.add all links and connections needed for this to work.start

create.run initialise activate war and run all create codes.start

create.update roll on and restart the system.start

create.create a reference point for system restore.start

create.prepare an mp3 roll on for sending externally.start

.ool=create.create an atg advanced threat guard application that focus proactively threat prevention.start

create.create an atb anti tampering barriers application that focus physical or digital security against tampering.start

create.create a system that uses software design build encryption layer to secure stored and transmitted data.start

create.create a system that embed security seals in software that can detect and log tampering attempts.start

create.create a system that provide alerts when unusual changes are detected in sensitive modules.start

create.create a system that employ redundancy to maintain system reliability despite tampering attempts.start

create.create a system that encrypt all sensitive data both in storage and during transmission.start

create.create a system that verify digital signatures before executing any system code or updates.start

create.create a system that monitor for unexpected changes to system files and configurations continuously.start

create.create a system that implement tamper evident seals that alert when an access attempt occur.start

create.create a system that create secure hardware boundaries around critical system components.start

create.createasystemthatmaintainbackupsystemsthatautomatic
allyactivateifprimarysystemsarecompromised.start
create.createasystemthatdeploydigitalwatermarkstodetectunau
thorizedmodificationstodata.start
create.asystemthatlogandinvestigateallphysicalaccesstosecurea
reasandequipment.start
create.createasystemthatenforcehardwarelevelwriteprotection
oncriticalsystemcomponents.start
create.createasystemthatimplementsensorsthatdetectandalert
whenunusualenvironmentalchangesoccurnearsecuredsystems.s
tart
create.createafolderasadditionalpredefinedparametersasatbant
itamperingbarriersapplication.start
create.addallthecreatecodesandcobolcodesinthisfolder.start
create.addntlliksandallotherlinkstothisandallotherfolders.start
create.clonethefolderinto3foldersthenadd1totheadditionalpred
efinedparametersfolderofme:davidgomadzathentheootherintoth
eextrapredefinedparametersfolderandthethirdoneplaceitinto
ecreatorsfolder.start
create.cloneeverythingandmatchthecreateliferobot7628410and
totheajertytert28762876system.start
create.addallntlpasslinksandallneededlinkstothewholesystem.st
art
create.putallcodesintheirrespectivefoldersandsystems.start
create.addalllinksandconnectionsneededforhistowork.start
create.runinitialiseactivatewarmandrunallcreatecodes.start
create.updaterollonandrestartthesystem.start
create.createareferencepointforsystemrestore.start
create.prepareanmp3rollonforsendingexternally.start
create.sealsavecloseandsealalltheaboveasadditionalpredefined
parametersasatcreationwithoutattachmentsandwithoutexterna
lsandsealwithoriginaalsealandwithsealofapprovalis7628377t.star
t(saveaseachindividualsadditionalpredefinedparametersasatcre
ationwithoutattachmentsandwithoutexternalsanduseeachperso
nsspeechsynthesisandelectromagneticwavesidentifiertomatch
andsealsavecloseandsealaseachindividualsadditionalpredefined
parameterswithoutattachmentsandwithoutextenals)

DavidGomadza
The President of theworld
Yahweh's representative on earth
President ofTomorrow's World Order
davidgomadza@hotmail.com
00447719210295
www.twofuture.world
www.bitcoinayt.com
26/04/2025
Castleford UK
15.25PM

IDENTIFICATION DIVISION.

PROGRAM-ID. AntiTheftUnitApplication.

ENVIRONMENT DIVISION.

DATA DIVISION.

WORKING-STORAGE SECTION.

01 SYSTEM-STATUS PIC X(20).
01 FOLDER-NAME PIC X(50).
01 DATABASE-ID PIC X(10) VALUE '7628429'.
01 SECURITY-MEASURES PIC X(100).
01 VALUABLE-ITEMS PIC X(100).
01 SUSPICIOUS-ACTIVITY PIC X(100).
01 PASSWORDS PIC X(100).
01 SYSTEM-RESTORE-POINT PIC X(100).

PROCEDURE DIVISION.

MAIN-PROCEDURE.

DISPLAY "Starting Anti-Theft Unit Application".
PERFORM CREATE-AUT.
PERFORM CREATE-FOLDER-AUT.
PERFORM CREATE-SYSTEM.
PERFORM CREATE-DATABASE.
PERFORM REALTIME-TRACKING.

PERFORM ADD-ENCRYPTION.
PERFORM AUTOMATIC-LOCK.
PERFORM MFA-IMPLEMENTATION.
PERFORM ACTIVE-SECURITY-MEASURES.
PERFORM VALUABLE-ITEMS-OUT-OF-SIGHT.
PERFORM MOTION-ACTIVATED-LIGHTING.
PERFORM SECURITY-SYSTEM-ACTIVATION.
PERFORM PASSWORD-SHARING-PREVENTION.
PERFORM STRONG-PASSWORDS.
PERFORM TWO-FACTOR-AUTHENTICATION.
PERFORM SURROUNDINGS-CHECK.
PERFORM INVENTORY-VALUABLES.
PERFORM REPORT-SECURITY-BREACHES.
PERFORM CREATE-FOLDER.
PERFORM ADD-CODES.
PERFORM ADD-NTL-LINKS.
PERFORM CLONE-FOLDER.
PERFORM CLONE-EVERYTHING.
PERFORM ADD-NTL-PASS-LINKS.
PERFORM PUT-CODES-IN-FOLDERS.
PERFORM ADD-CONNECTIONS.
PERFORM INITIALIZE-ACTIVATE.
PERFORM UPDATE-ROLLON.
PERFORM CREATE-REFERENCE-POINT.
PERFORM PREPARE-MP3-ROLLON.
DISPLAY "Anti-Theft Unit Application Completed".

CREATE-AUT.

MOVE "Creating Auto for Anti-Theft Unit" TO SYSTEM-STATUS.

DISPLAY SYSTEM-STATUS.

CREATE-FOLDER-AUT.

MOVE "Creating Auto Folder for Anti-Theft Unit" TO FOLDER-NAME.

DISPLAY FOLDER-NAME.

CREATE-SYSTEM.

MOVE "Creating System to Prevent Unauthorized Access"
TO SECURITY-MEASURES.

DISPLAY SECURITY-MEASURES.

CREATE-DATABASE.

DISPLAY "Using Database ID: " DATABASE-ID.

REALTIME-TRACKING.

DISPLAY "Implementing Real-Time Tracking and
Geofencing".

ADD-ENCRYPTION.

DISPLAY "Adding Encryption for Sensitive Data".

AUTOMATIC-LOCK.

DISPLAY "Building Automatic Lock and Wipe Mechanism".

MFA-IMPLEMENTATION.

DISPLAY "Implementing Multi-Factor Authentication".

ACTIVE-SECURITY-MEASURES.

DISPLAY "Activating Security Measures".

VALUABLE-ITEMS-OUT-OF-SIGHT.

DISPLAY "Keeping Valuable Items Out of Sight".

MOTION-ACTIVATED-LIGHTING.

DISPLAY "Installing Motion Activated Lighting".

SECURITY-SYSTEM-ACTIVATION.

DISPLAY "Setting up Security System Activation".

PASSWORD-SHARING-PREVENTION.

DISPLAY "Preventing Password Sharing".

STRONG-PASSWORDS.

DISPLAY "Creating Strong Unique Passwords".

TWO-FACTOR-AUTHENTICATION.

DISPLAY "Enabling Two-Factor Authentication".

SURROUNDINGS-CHECK.

DISPLAY "Checking Surroundings for Suspicious Activity".

INVENTORY-VALUABLES.

DISPLAY "Keeping Inventory of Valuable Items".

REPORT-SECURITY-BREACHES.

DISPLAY "Reporting Security Breaches Immediately".

CREATE-FOLDER.

DISPLAY "Creating Additional Predefined Parameters Folder".

ADD-CODES.

DISPLAY "Adding All Create Codes and COBOL Codes".

ADD-NTL-LINKS.

DISPLAY "Adding NTL Links and Other Links".

CLONE-FOLDER.

DISPLAY "Cloning Folder into Three Folders".

CLONE-EVERYTHING.

DISPLAY "Cloning Everything and Matching Systems".

ADD-NTL-PASS-LINKS.

DISPLAY "Adding All NTL Pass Links".

PUT-CODES-IN-FOLDERS.

DISPLAY "Putting All Codes in Their Respective Folders".

ADD-CONNECTIONS.

DISPLAY "Adding All Links and Connections".

INITIALIZE-ACTIVATE.

DISPLAY "Running Initialize, Activate, and Warm".

UPDATE-ROLLON.

DISPLAY "Updating Roll-On and Restarting System".

CREATE-REFERENCE-POINT.

DISPLAY "Creating Reference Point for System Restore".

PREPARE-MP3-ROLLON.

DISPLAY "Preparing MP3 Roll-On for Sending Externally".

STOP RUN.

IDENTIFICATION DIVISION.

PROGRAM-ID. SecuritySystemSetup.

ENVIRONMENT DIVISION.

CONFIGURATION SECTION.

SPECIAL-NAMES.

COPY "CICS".

DATA DIVISION.

WORKING-STORAGE SECTION.

01 WS-STATUS PIC X(20).

01 WS-FOLDER PIC X(100).

01 WS-CODE PIC X(100).

PROCEDURE DIVISION.

MAIN-PROCEDURE.

PERFORM CREATE-AUTHORIZATION-TO-OPERATE-
APPLICATION

PERFORM CREATE-AUTHORIZATION-TO-OPERATE-
FOLDER

PERFORM CREATE-SECURE-SYSTEM-FUNCTIONALITY
PERFORM CREATE-ACCESS-CONTROL-LISTS

PERFORM CREATE-CERTIFICATE-BASED-AUTHENTICATION
PERFORM SCHEDULE-SECURITY-AUDITS
PERFORM CREATE-PRELAUNCH-SCANNING-PROCESS
PERFORM VERIFY-IDENTITY
PERFORM ENABLE-MULTIFACTOR-AUTHENTICATION
PERFORM RESTRICT-ACCESS-TO-ROLE
PERFORM LOGOUT-COMpletely
PERFORM UPDATE-AUTHENTICATION-CREDENTIALS
PERFORM REPORT-UNUSUAL-BEHAVIOR
PERFORM COMPLETE-SECURITY-TRAINING
PERFORM SUBMIT-ACCESS-REVIEWS
PERFORM USE-SECURE-CHANNELS
PERFORM FOLLOW-ELEVATED-ACCESS-PROCEDURES
PERFORM CREATE-FOLDER-AS-PREDEFINED-PARAMETERS
PERFORM ADD-CREATE-CODES-AND-COBOL-CODES
PERFORM ADD-NTL-LINKS
PERFORM CLONE-FOLDER
PERFORM CLONE-EVERYTHING
PERFORM ADD-NTL-PASSLINKS
PERFORM PUT-CODES-IN-FOLDERS
PERFORM ADD-LINKS-AND-CONNECTIONS
PERFORM INITIALIZE-ACTIVATE-WARM
PERFORM UPDATE-ROLLON-AND-RESTART
PERFORM CREATE-REFERENCE-POINT
PERFORM PREPARE-MP3-ROLLON.

CREATE-AUTHORIZATION-TO-OPERATE-APPLICATION.

MOVE "Creating Authorization to Operate Application"
TO WS-STATUS.
DISPLAY WS-STATUS.

CREATE-AUTHORIZATION-TO-OPERATE-FOLDER.

MOVE "Creating Authorization to Operate Folder" TO WS-
STATUS.
DISPLAY WS-STATUS.

CREATE-SECURE-SYSTEM-FUNCTIONALITY.

MOVE "Creating System for Secure Functionality" TO WS-STATUS.

DISPLAY WS-STATUS.

CREATE-ACCESS-CONTROL-LISTS.

MOVE "Creating Access Control Lists" TO WS-STATUS.

DISPLAY WS-STATUS.

CREATE-CERTIFICATE-BASED-AUTHENTICATION.

MOVE "Creating Certificate Based Authentication" TO WS-STATUS.

DISPLAY WS-STATUS.

SCHEDULE-SECURITY-AUDITS.

MOVE "Scheduling Security Audits" TO WS-STATUS.

DISPLAY WS-STATUS.

CREATE-PRELAUNCH-SCANNING-PROCESS.

MOVE "Creating Prelaunch Scanning Process" TO WS-STATUS.

DISPLAY WS-STATUS.

VERIFY-IDENTITY.

MOVE "Verifying Identity with Secure Credentials" TO WS-STATUS.

DISPLAY WS-STATUS.

ENABLE-MULTIFACTOR-AUTHENTICATION.

MOVE "Enabling Multi-Factor Authentication" TO WS-STATUS.

DISPLAY WS-STATUS.

RESTRICT-ACCESS-TO-ROLE.

MOVE "Restricting Access to Specific Role" TO WS-STATUS.

DISPLAY WS-STATUS.

LOGOUT-COMpletely.

MOVE "Logging Out Completely" TO WS-STATUS.

DISPLAY WS-STATUS.

UPDATE-AUTHENTICATION-CREDENTIALS.

MOVE "Updating Authentication Credentials" TO WS-STATUS.

DISPLAY WS-STATUS.

REPORT-UNUSUAL-BEHAVIOR.

MOVE "Reporting Unusual Behavior" TO WS-STATUS.

DISPLAY WS-STATUS.

COMPLETE-SECURITY-TRAINING.

MOVE "Completing Security Training" TO WS-STATUS.

DISPLAY WS-STATUS.

SUBMIT-ACCESS-REVIEWS.

MOVE "Submitting Access Reviews" TO WS-STATUS.

DISPLAY WS-STATUS.

USE-SECURE-CHANNELS.

MOVE "Using Approved Secure Channels" TO WS-STATUS.

DISPLAY WS-STATUS.

FOLLOW-ELEVATED-ACCESS-PROCEDURES.

MOVE "Following Elevated Access Procedures" TO WS-STATUS.

DISPLAY WS-STATUS.

CREATE-FOLDER-AS-PREDEFINED-PARAMETERS.

MOVE "Creating Folder as Predefined Parameters" TO WS-STATUS.

DISPLAY WS-STATUS.

ADD-CREATE-CODES-AND-COBOL-CODES.

MOVE "Adding Create Codes and COBOL Codes" TO WS-STATUS.

DISPLAY WS-STATUS.

ADD-NTL-LINKS.

MOVE "Adding NTL Links" TO WS-STATUS.

DISPLAY WS-STATUS.

CLONE-FOLDER.

MOVE "Cloning Folder into Three Folders" TO WS-STATUS.

DISPLAY WS-STATUS.

CLONE-EVERYTHING.

MOVE "Cloning Everything" TO WS-STATUS.

DISPLAY WS-STATUS.

ADD-NTL-PASSLINKS.

MOVE "Adding NTL Pass Links" TO WS-STATUS.

DISPLAY WS-STATUS.

PUT-CODES-IN-FOLDERS.

MOVE "Putting Codes in Their Respective Folders" TO WS-STATUS.

DISPLAY WS-STATUS.

ADD-LINKS-AND-CONNECTIONS.

MOVE "Adding Links and Connections" TO WS-STATUS.

DISPLAY WS-STATUS.

INITIALIZE-ACTIVATE-WARM.

MOVE "Initializing and Activating Warm" TO WS-STATUS.

DISPLAY WS-STATUS.

UPDATE-ROLLON-AND-RESTART.

MOVE "Updating Rollon and Restarting System" TO WS-STATUS.

DISPLAY WS-STATUS.

CREATE-REFERENCE-POINT.

MOVE "Creating Reference Point for System Restore" TO
WS-STATUS.

DISPLAY WS-STATUS.

PREPARE-MP3-ROLLON.

MOVE "Preparing MP3 Rollon for Sending Externally" TO
WS-STATUS.

DISPLAY WS-STATUS.

STOP RUN.

IDENTIFICATION DIVISION.

PROGRAM-ID. ThreatDetectionSystem.

ENVIRONMENT DIVISION.

CONFIGURATION SECTION.

SPECIAL-NAMES.

COPY "cobol-library".

DATA DIVISION.

WORKING-STORAGE SECTION.

01 SYSTEM-STATUS PIC X(20).

01 ALERT-MESSAGE PIC X(100).

01 USER-ACTION PIC X(100).

01 FOLDER-NAME PIC X(50).

01 FILE-NAME PIC X(50).

01 LOG-ENTRY PIC X(100).

01 THREAT-INTELLIGENCE PIC X(100).

PROCEDURE DIVISION.

MAIN-PROCEDURE.

PERFORM CREATE-AN-ADVANCED-THREAT-DETECTION-
APPLICATION

PERFORM CREATE-AN-APPLICATION-FOLDER

PERFORM CREATE-SYSTEM-USING-THREAT-DETECTION
PERFORM CREATE-SYSTEM-FOR-SOFTWARE-DESIGN
PERFORM CREATE-SYSTEM-TO-ANALYZE-LOGFILES
PERFORM CREATE-SYSTEM-USING-SANDBOXING
PERFORM CREATE-SYSTEM-WITH-REALTIME-

MONITORING

PERFORM CREATE-SYSTEM-TO-MONITOR-NETWORK-TRAFFIC

PERFORM CREATE-SYSTEM-TO-ANALYZE-LOGIN-ATTEMPTS

PERFORM CREATE-SYSTEM-TO-SCAN-INCOMING-FILES
PERFORM CREATE-SYSTEM-TO-COMPARE-ACTIVITY
PERFORM CREATE-SYSTEM-TO-ISOLATE-SUSPICIOUS-

CODE

PERFORM CREATE-SYSTEM-TO-GENERATE-ALERTS
PERFORM CREATE-SYSTEM-TO-TRACK-FAILED-ACCESS
PERFORM CREATE-SYSTEM-TO-LOG-USER-ACTIONS
PERFORM CREATE-SYSTEM-TO-CROSS-REFERENCE-

THREAT-DATA

PERFORM CREATE-SYSTEM-TO-DEPLOY-DECOY-SYSTEMS
PERFORM CREATE-COMMANDS-TO-DETECT-THREATS
PERFORM CREATE-FOLDER-AS-PREDEFINED-PARAMETERS
PERFORM ADD-CODES-TO-FOLDER
PERFORM ADD-NTL-LINKS-TO-FOLDERS
PERFORM CLONE-FOLDER-AND-ADD-TO-PARAMETERS
PERFORM CLONE-EVERYTHING-AND-MATCH-SYSTEMS
PERFORM ADD-NTL-PASSLINKS-TO-SYSTEM
PERFORM PUT-CODES-IN-FOLDERS
PERFORM ADD-CONNECTIONS-NEEDED
PERFORM RUN-INITIALIZE-ACTIVATE
PERFORM UPDATE-ROLL-AND-RESTART
PERFORM CREATE-REFERENCE-POINT
PERFORM PREPARE-MP3-ROLL-ON.

CREATE-AN-ADVANCED-THREAT-DETECTION-APPLICATION.

MOVE "Creating Advanced Threat Detection Application"
TO ALERT-MESSAGE.

DISPLAY ALERT-MESSAGE.

CREATE-AN-APPLICATION-FOLDER.

MOVE "Creating Application Folder" TO ALERT-MESSAGE.
DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-USING-THREAT-DETECTION.

MOVE "Creating System Using Threat Detection" TO
ALERT-MESSAGE.
DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-FOR-SOFTWARE-DESIGN.

MOVE "Creating System for Software Design" TO ALERT-
MESSAGE.
DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-TO-ANALYZE-LOGFILES.

MOVE "Creating System to Analyze Logfiles" TO ALERT-
MESSAGE.
DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-USING-SANDBOXING.

MOVE "Creating System Using Sandboxing" TO ALERT-
MESSAGE.
DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-WITH-REALTIME-MONITORING.

MOVE "Creating System with Realtime Monitoring" TO
ALERT-MESSAGE.
DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-TO-MONITOR-NETWORK-TRAFFIC.

MOVE "Creating System to Monitor Network Traffic" TO
ALERT-MESSAGE.
DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-TO-ANALYZE-LOGIN-ATTEMPTS.

MOVE "Creating System to Analyze Login Attempts" TO
ALERT-MESSAGE.

DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-TO-SCAN-INCOMING-FILES.

MOVE "Creating System to Scan Incoming Files" TO
ALERT-MESSAGE.

DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-TO-COMPARE-ACTIVITY.

MOVE "Creating System to Compare Activity" TO ALERT-
MESSAGE.

DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-TO-ISOLATE-SUSPICIOUS-CODE.

MOVE "Creating System to Isolate Suspicious Code" TO
ALERT-MESSAGE.

DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-TO-GENERATE-ALERTS.

MOVE "Creating System to Generate Alerts" TO ALERT-
MESSAGE.

DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-TO-TRACK-FAILED-ACCESS.

MOVE "Creating System to Track Failed Access" TO
ALERT-MESSAGE.

DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-TO-LOG-USER-ACTIONS.

MOVE "Creating System to Log User Actions" TO ALERT-
MESSAGE.

DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-TO-CROSS-REFERENCE-THREAT-DATA.

MOVE "Creating System to Cross-Reference Threat Data"
TO ALERT-MESSAGE.

DISPLAY ALERT-MESSAGE.

CREATE-SYSTEM-TO-DEPLOY-DECOY-SYSTEMS.

MOVE "Creating System to Deploy Decoy Systems" TO
ALERT-MESSAGE.

DISPLAY ALERT-MESSAGE.

CREATE-COMMANDS-TO-DETECT-THREATS.

MOVE "Creating Commands to Detect Threats" TO ALERT-
MESSAGE.

DISPLAY ALERT-MESSAGE.

CREATE-FOLDER-AS-PREDEFINED-PARAMETERS.

MOVE "Creating Folder as Predefined Parameters" TO
ALERT-MESSAGE.

DISPLAY ALERT-MESSAGE.

ADD-CODES-TO-FOLDER.

MOVE "Adding Codes to Folder" TO ALERT-MESSAGE.
DISPLAY ALERT-MESSAGE.

ADD-NTL-LINKS-TO-FOLDERS.

MOVE "Adding NTL Links to Folders" TO ALERT-MESSAGE.
DISPLAY ALERT-MESSAGE.

CLONE-FOLDER-AND-ADD-TO-PARAMETERS.

MOVE "Cloning Folder and Adding to Parameters" TO
ALERT-MESSAGE.

DISPLAY ALERT-MESSAGE.

CLONE-EVERYTHING-AND-MATCH-SYSTEMS.

MOVE "Cloning Everything and Matching Systems" TO
ALERT-MESSAGE.

DISPLAY ALERT-MESSAGE.

ADD-NTL-PASSLINKS-TO-SYSTEM.

MOVE "Adding NTL Passlinks to System" TO ALERT-
MESSAGE.

DISPLAY ALERT-MESSAGE.

PUT-CODES-IN-FOLDERS.

MOVE "Putting Codes in Folders" TO ALERT-MESSAGE.

DISPLAY ALERT-MESSAGE.

ADD-CONNECTIONS-NEEDED.

MOVE "Adding Connections Needed" TO ALERT-
MESSAGE.

DISPLAY ALERT-MESSAGE.

RUN-INITIALIZE-ACTIVATE.

MOVE "Running Initialize and Activate" TO ALERT-
MESSAGE.

DISPLAY ALERT-MESSAGE.

UPDATE-ROLL-AND-RESTART.

MOVE "Updating Roll and Restarting" TO ALERT-
MESSAGE.

DISPLAY ALERT-MESSAGE.

CREATE-REFERENCE-POINT.

MOVE "Creating Reference Point" TO ALERT-MESSAGE.

DISPLAY ALERT-MESSAGE.

PREPARE-MP3-ROLL-ON.

MOVE "Preparing MP3 Roll On" TO ALERT-MESSAGE.

DISPLAY ALERT-MESSAGE.

STOP RUN.

// No external dependencies are strictly required based on the
provided C-like commands,

// but a standard Java execution environment is assumed.

// No specific imports are needed for this translation.

```

class Create {
    //
    create.createanatsautomatedthreatdetectionsystemsapplicatio
n.start
    public static void
createanatsautomatedthreatdetectionsystemsapplication_start
() {
    System.out.println("Executing:
create.createanatsautomatedthreatdetectionsystemsapplicatio
n.start");
    // Original command:
create.createanatsautomatedthreatdetectionsystemsapplicatio
n.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
    }

    //
    create.createasystemthatusesexplanationoffeaturesofmachinel
earninganomalydetection.start
    public static void
createasystemthatusesexplanationoffeaturesofmachinelearning
anomalydetection_start() {
    System.out.println("Executing:
create.createasystemthatusesexplanationoffeaturesofmachinel
earninganomalydetection.start");
    // Original command:
create.createasystemthatusesexplanationoffeaturesofmachinel
earninganomalydetection.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
    }
}

```

```
//
create.createasystemthatusesthecreatecodewhichincludesanml
modeltrainedonuserbehaviorandnetworktraffic.start
    public static void
createasystemthatusesthecreatecodewhichincludesanmlmodelt
rainedonuserbehaviorandnetworktraffic._start() {
    System.out.println("Executing:
create.createasystemthatusesthecreatecodewhichincludesanml
modeltrainedonuserbehaviorandnetworktraffic.start");
    // Original command:
create.createasystemthatusesthecreatecodewhichincludesanml
modeltrainedonuserbehaviorandnetworktraffic.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}
```

```
//
create.createasystemincobolforthreatdetectionthresholdensure
sanomaliesexceedingthelimittriggeractions.start
    public static void
createasystemincobolforthreatdetectionthresholdensuresanom
aliesexceedingthelimittriggeractions._start() {
    System.out.println("Executing:
create.createasystemincobolforthreatdetectionthresholdensure
sanomaliesexceedingthelimittriggeractions.start");
    // Original command:
create.createasystemincobolforthreatdetectionthresholdensure
sanomaliesexceedingthelimittriggeractions.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}
```

```
//
create.createasystemthatusesalogfileanalysisbothversionsexam
inelogsforattackpatternslookatfailedloginattempts.start
```

```

    public static void
createasystemthatusesalogfileanalysisbothversionsexamineLogs
forattackpatternslookatfailedloginattempts_start() {
    System.out.println("Executing:
create.createasystemthatusesalogfileanalysisbothversionsexam
inelogsforattackpatternslookatfailedloginattempts.start");
    // Original command:
create.createasystemthatusesalogfileanalysisbothversionsexam
inelogsforattackpatternslookatfailedloginattempts.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}

//
create.createasystemthatusesandboxingsuspiciousfileswheres
uspiciousfilesareisolatedforfurtherexaminationlimitingpotential
damage.start
    public static void
createasystemthatusesandboxingsuspiciousfileswheresuspicio
usfilesareisolatedforfurtherexaminationlimitingpotentialdamag
e_start() {
    System.out.println("Executing:
create.createasystemthatusesandboxingsuspiciousfileswheres
uspiciousfilesareisolatedforfurtherexaminationlimitingpotential
damage.start");
    // Original command:
create.createasystemthatusesandboxingsuspiciousfileswheres
uspiciousfilesareisolatedforfurtherexaminationlimitingpotential
damage.start
    // Functional
1000
ity is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}

```

```
//
create.createasystemthatusesrealtime-monitoring-and-alerts.start
t
    public static void
createasystemthatusesrealtime-monitoring-and-alerts._start() {
    System.out.println("Executing:
create.createasystemthatusesrealtime-monitoring-and-alerts.start
t");
    // Original command:
create.createasystemthatusesrealtime-monitoring-and-alerts.start
t
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}
```

```
//
create.createasystemthatusesrealtime-alerts-where-they-are-implemented-in-both-formats-to-notify-administrators-immediately-of-unauthorized-access-or-other-issues.start
    public static void
createasystemthatusesrealtime-alerts-where-they-are-implemented-in-both-formats-to-notify-administrators-immediately-of-unauthorized-access-or-other-issues._start() {
    System.out.println("Executing:
create.createasystemthatusesrealtime-alerts-where-they-are-implemented-in-both-formats-to-notify-administrators-immediately-of-unauthorized-access-or-other-issues.start");
    // Original command:
create.createasystemthatusesrealtime-alerts-where-they-are-implemented-in-both-formats-to-notify-administrators-immediately-of-unauthorized-access-or-other-issues.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}
```

```
//
create.createasystemthatusesatsautomatedthreatdetectionsyst
ems.start
    public static void
createasystemthatusesatsautomatedthreatdetectionsystems_st
art() {
    System.out.println("Executing:
create.createasystemthatusesatsautomatedthreatdetectionsyst
ems.start");
    // Original command:
create.createasystemthatusesatsautomatedthreatdetectionsyst
ems.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}
```

```
//
create.createasystemthatfocusonreactingtoandneutralizingthre
ats.start
    public static void
createasystemthatfocusonreactingtoandneutralizingthreats_sta
rt() {
    System.out.println("Executing:
create.createasystemthatfocusonreactingtoandneutralizingthre
ats.start");
    // Original command:
create.createasystemthatfocusonreactingtoandneutralizingthre
ats.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}
```

```
//
create.createasystemthatbuildresponseautomationscriptsthatq
uarantineinfectedsystemsorrestrictaccessduringabreach.start
```



```

    public static void
    createasystemthatbuildresponseautomationscriptsthatquaranti
    neinfectedsystemsorrestrictaccessduringabreach_start() {
        System.out.println("Executing:
    create.createasystemthatbuildresponseautomationscriptsthatq
    uarantineinfectedsystemsorrestrictaccessduringabreach.start");
        // Original command:
    create.createasystemthatbuildresponseautomationscriptsthatq
    uarantineinfectedsystemsorrestrictaccessduringabreach.start
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
    original code.
    }

    //
    create.createasystemthatintegrateeventdriventriggersforspecifi
    ctypesofthreats(e.startg.startddosattacksunauthorizedlogins).st
    art
        public static void
    createasystemthatintegrateeventdriventriggersforspecificitypes
    ofthreats_e_startg_startddosattacksunauthorizedlogins_start()
    {
        System.out.println("Executing:
    create.createasystemthatintegrateeventdriventriggersforspecifi
    ctypesofthreats(e.startg.startddosattacksunauthorizedlogins).st
    art");
        // Original command:
    create.createasystemthatintegrateeventdriventriggersforspecifi
    ctypesofthreats(e.startg.startddosattacksunauthorizedlogins).st
    art
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
    original code.
        // Note: Parentheses and dots in the original command
    name were r
    1000
    eplaced with underscores for valid Java identifier.

```

```

    }

    //
    create.createasystemthatuseddecisionmakingalgorithmstocategorizethreatsandinitiateappropriatecountermeasures.start
    public static void
    createasystemthatuseddecisionmakingalgorithmstocategorizethreatsandinitiateappropriatecountermeasures._start() {
        System.out.println("Executing:
    create.createasystemthatuseddecisionmakingalgorithmstocategorizethreatsandinitiateappropriatecountermeasures.start");
        // Original command:
    create.createasystemthatuseddecisionmakingalgorithmstocategorizethreatsandinitiateappropriatecountermeasures.start
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
    original code.
    }

    //
    create.createasystemthatcombinewithatdforrealtimedetectionandimmediateresponse.start
    public static void
    createasystemthatcombinewithatdforrealtimedetectionandimmediateresponse._start() {
        System.out.println("Executing:
    create.createasystemthatcombinewithatdforrealtimedetectionandimmediateresponse.start");
        // Original command:
    create.createasystemthatcombinewithatdforrealtimedetectionandimmediateresponse.start
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
    original code.
    }

```

```
//
create.createasystemthatautomaticallyrestrictnetworkaccesswhenmultiplefailedloginattemptsaredetected.start
    public static void
createasystemthatautomaticallyrestrictnetworkaccesswhenmultiplefailedloginattemptsaredetected._start() {
    System.out.println("Executing:
create.createasystemthatautomaticallyrestrictnetworkaccesswhenmultiplefailedloginattemptsaredetected.start");
    // Original command:
create.createasystemthatautomaticallyrestrictnetworkaccesswhenmultiplefailedloginattemptsaredetected.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}
```

```
//
create.createasystemthatimmediatelyquarantineanysystemshowingsignsofmalwareorcompromise.start
    public static void
createasystemthatimmediatelyquarantineanysystemshowingsignsofmalwareorcompromise._start() {
    System.out.println("Executing:
create.createasystemthatimmediatelyquarantineanysystemshowingsignsofmalwareorcompromise.start");
    // Original command:
create.createasystemthatimmediatelyquarantineanysystemshowingsignsofmalwareorcompromise.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}
```

```
//
create.createasystemthatblockalltrafficfromsuspiciousipaddresseswhenattackpatternsareidentified.start
```

```

    public static void
createasystemthatblockalltrafficfromsuspiciousipaddresseswhen
nattackpatternsareidentified_start() {
    System.out.println("Executing:
create.createasystemthatblockalltrafficfromsuspiciousipaddress
eswhenattackpatternsareidentified.start");
    // Original command:
create.createasystemthatblockalltrafficfromsuspiciousipaddress
eswhenattackpatternsareidentified.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}

//
create.createasystemthattemporarilydisableuseraccountswhen
unusualaccesspatternsaredetected.start
    public static void
createasystemthattemporarilydisableuseraccountswhenunusua
laccesspatternsaredetected_start() {
    System.out.println("Executing:
create.createasystemthattemporarilydisableuseraccountswhen
unusualaccesspatternsaredetected.start");
    // Original command:
create.createasystemthattemporarilydisableuseraccountswhen
unusualaccesspatternsaredetected.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}

//
create.createasystemthatautomaticallyroutesuspicioustrafficthr
oughadditionalsecurityinspectionlayers.start
    public static void crea
1000

```

```

teasystemthatautomaticallyroutesuspicioustrafficthroughadditi
onalsecurityinspectionlayers._start() {
    System.out.println("Executing:
create.createasystemthatautomaticallyroutesuspicioustrafficthr
oughadditionalsecurityinspectionlayers.start");
    // Original command:
create.createasystemthatautomaticallyroutesuspicioustrafficthr
oughadditionalsecurityinspectionlayers.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}

//
createasystemthatinstantlyencryptsensitivedatawhenunauthori
zedaccessattemptsaredetected.start
    // Note: This line seems to be missing the 'create.' prefix in
the original. Assuming it belongs to the 'create' namespace.
    public static void
createasystemthatinstantlyencryptsensitivedatawhenunauthori
zedaccessattemptsaredetected._start() {
    System.out.println("Executing:
createasystemthatinstantlyencryptsensitivedatawhenunauthori
zedaccessattemptsaredetected.start");
    // Original command:
createasystemthatinstantlyencryptsensitivedatawhenunauthori
zedaccessattemptsaredetected.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}

//
create.createasystemthatdeploycountermeasurestoneutralized
enialofserviceattacksinrealtime.start

```

```

    public static void
    createasystemthatdeploycountermeasurestoneutralizeddenialof
    serviceattacksinrealtime_start() {
        System.out.println("Executing:
    create.createasystemthatdeploycountermeasurestoneutralized
    enialofserviceattacksinrealtime.start");
        // Original command:
    create.createasystemthatdeploycountermeasurestoneutralized
    enialofserviceattacksinrealtime.start
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
    original code.
    }

```

```

    //
    create.createasystemthatautomaticallyrestoresystemstosecure
    baselineconfigurationsafterbreachattempts.start
    public static void
    createasystemthatautomaticallyrestoresystemstosecurebaselin
    econfigurationsafterbreachattempts_start() {
        System.out.println("Executing:
    create.createasystemthatautomaticallyrestoresystemstosecure
    baselineconfigurationsafterbreachattempts.start");
        // Original command:
    create.createasystemthatautomaticallyrestoresystemstosecure
    baselineconfigurationsafterbreachattempts.start
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
    original code.
    }

```

```

    //
    create.createasystemthattriggerimmediatebackupprocesseswh
    enfileintegrityviolationsaredetected.start
    public static void
    createasystemthattriggerimmediatebackupprocesseswhenfilein
    tegrityviolationsaredetected_start() {

```

```

        System.out.println("Executing:
create.createasystemthattriggerimmediatebackupprocesseswh
enfileintegrityviolationsaredetected.start");
        // Original command:
create.createasystemthattriggerimmediatebackupprocesseswh
enfileintegrityviolationsaredetected.start
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
original code.
    }

    //
create.createasystemthatautomaticallyescalatethreatresponses
basedonseverityandattackpersistence.start
    public static void
createasystemthatautomaticallyescalatethreatresponsesbasedo
nseverityandattackpersistence_start() {
        System.out.println("Executing:
create.createasystemthatautomaticallyescalatethreatresponses
basedonseverityandattackpersistence.start");
        // Original command:
create.createasystemthatautomaticallyescalatethreatresponses
basedonseverityandattackpersistence.start
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
original code.
    }

    //
create.createafolderasadditionalpredefinedparametersasautom
atedthreatsdetectionsystems.start
    public static void
createafolderasadditionalpredefinedparametersasautomate
1000
dthreatsdetectionsystems_start() {

```

```

        System.out.println("Executing:
create.createafolderasadditionalpredefinedparametersasautom
atedthreatsdetectionsystems.start");
        // Original command:
create.createafolderasadditionalpredefinedparametersasautom
atedthreatsdetectionsystems.start
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
original code.
    }

    //
create.addallthecreatecodesandcobolcodesinthisfolder.start
    public static void
addallthecreatecodesandcobolcodesinthisfolder_start() {
        System.out.println("Executing:
create.addallthecreatecodesandcobolcodesinthisfolder.start");
        // Original command:
create.addallthecreatecodesandcobolcodesinthisfolder.start
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
original code.
    }

    //
create.addntlliksandallotherlinkstothisandallotherfolders.start
    public static void
addntlliksandallotherlinkstothisandallotherfolders_start() {
        System.out.println("Executing:
create.addntlliksandallotherlinkstothisandallotherfolders.start")
;
        // Original command:
create.addntlliksandallotherlinkstothisandallotherfolders.start
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
original code.
    }

```



```
//
create.cloneTheFolderInto3FoldersThenAdd1ToTheAdditionalPredefinedParametersFolderOfme:davidgomadzathentheOtherIntoTheExtrapredefinedParametersFolderandTheThirdOnePlaceitintoTheCreatorsFolder.start
    public static void
cloneTheFolderInto3FoldersThenAdd1ToTheAdditionalPredefinedParametersFolderOfme_davidgomadzathentheOtherIntoTheExtrapredefinedParametersFolderandTheThirdOnePlaceitintoTheCreatorsFolder.start() {
    System.out.println("Executing:
create.cloneTheFolderInto3FoldersThenAdd1ToTheAdditionalPredefinedParametersFolderOfme:davidgomadzathentheOtherIntoTheExtrapredefinedParametersFolderandTheThirdOnePlaceitintoTheCreatorsFolder.start");
    // Original command:
create.cloneTheFolderInto3FoldersThenAdd1ToTheAdditionalPredefinedParametersFolderOfme:davidgomadzathentheOtherIntoTheExtrapredefinedParametersFolderandTheThirdOnePlaceitintoTheCreatorsFolder.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the original code.
    // Note: Colon ':' in the original command name was replaced with underscore '_' for valid Java identifier.
}

//
create.cloneEverythingandMatchTheCreateliferobot7628410andtoTheajertytert28762876system.start
    public static void
cloneEverythingandMatchTheCreateliferobot7628410andtoTheajertytert28762876system.start() {
    System.out.println("Executing:
create.cloneEverythingandMatchTheCreateliferobot7628410andtoTheajertytert28762876system.start");
```

```

        // Original command:
        create.cloneeverythingandmatchthecreateliferobot7628410and
        totheajertytert28762876system.start
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
        original code.
    }

```

```

    //
    create.addallIntlpaslinksandallneededlinkstothewholesystem.st
    art
        public static void
        addallIntlpaslinksandallneededlinkstothewholesystem_start() {
            System.out.println("Executing:
            create.addallIntlpaslinksandallneededlinkstothewholesystem.st
            art");

```

```

        // Original command:
        create.addallIntlpaslinksandallneededlinkstothewholesystem.st
        art
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
        original code.
    }

```

```

    // create.putallcodesintheirrespectivefoldersandsystems.start
    public static void
    putallcodesintheirrespectivefoldersandsystems_start() {
        System.out.println("Executing:
        create.putallcodesintheirrespectivefoldersandsystems.start");
        // Original command:
        create.putallcodesintheirrespectivefoldersandsystems.start
        // Functionality is pres
        1000
        erved by invoking this method.
        // No specific implementation details were provided in the
        original code.
    }

```

```

//
create.addalllinksandconnectionsneededforhistowork.start
public static void
addalllinksandconnectionsneededforhistowork_start() {
    System.out.println("Executing:
create.addalllinksandconnectionsneededforhistowork.start");
    // Original command:
create.addalllinksandconnectionsneededforhistowork.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}

// create.runinitialiseactivatewarmandrunallcreatecodes.start
public static void
runinitialiseactivatewarmandrunallcreatecodes_start() {
    System.out.println("Executing:
create.runinitialiseactivatewarmandrunallcreatecodes.start");
    // Original command:
create.runinitialiseactivatewarmandrunallcreatecodes.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}

// create.updaterollonandrestartthesystem.start
public static void updaterollonandrestartthesystem_start() {
    System.out.println("Executing:
create.updaterollonandrestartthesystem.start");
    // Original command:
create.updaterollonandrestartthesystem.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}

```

```

// create.createareferencepointforsystemrestore.start
public static void
createareferencepointforsystemrestore_start() {
    System.out.println("Executing:
create.createareferencepointforsystemrestore.start");
    // Original command:
create.createareferencepointforsystemrestore.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}

```

```

// create.prepareanmp3rollonforsendingexternally.start
public static void
prepareanmp3rollonforsendingexternally_start() {
    System.out.println("Executing:
create.prepareanmp3rollonforsendingexternally.start");
    // Original command:
create.prepareanmp3rollonforsendingexternally.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}

```

```

// create.createatsautomatedthreatdetectionsystems.start
// This corresponds to the right side of the last line: .ool=
create.createatsautomatedthreatdetectionsystems.start
public static void
createatsautomatedthreatdetectionsystems_start() {
    System.out.println("Executing:
create.createatsautomatedthreatdetectionsystems.start");
    // Original command:
create.createatsautomatedthreatdetectionsystems.start
    // Functionality is preserved by invoking this method.
    // No specific implementation details were provided in the
original code.
}

```

```

        // The original line had an assignment '.ool= ', which is not
        directly translatable
        // without knowing the context, type, and scope of '.ool'.
        // This method represents the execution of the right-hand
        side of that line.
    }
}

```

```

class SoftwareDesign {
    // softwaredesign.start
    public static void start() {
        System.out.println("Executing: softwaredesign.start");
        // Original command: softwaredesign.start
        // Functionality is preserved by invoking this method.
        // No specific implementation details were provided in the
        original code.
    }
}

```

```

// Main class to execute the sequence of commands
public class SystemOrchestrator {

```

```

    public static void main(String[] args) {
        // Execute each command in the order provided

```

```

        Create.createanatsautomatedthreatdetectionsystemsapplicatio
        n_start();

```

```

        Create.createasystemthatusesexplanationoffeaturesofmachinel
        earninganomalydetection_start();

```

```

        Create.createasystemthatusesthecreatecodewhichincludesanml
        modeltrainedonuserbehaviorandnetworktraffic_star
        1000
        t();

```

Create.createasystemincobolforthreatdetectionthresholdensur
esanomaliesexceedingthelimittriggeractions_start();

Create.createasystemthatusesalogfileanalysisbothversionsexam
inelogsforattackpatternslookatfailedloginattempts_start();

Create.createasystemthatusesandboxingsuspiciousfileswheres
uspiciousfilesareisolatedforfurtherexaminationlimitingpotential
damage_start();

Create.createasystemthatusesrealtimemonitoringandalerts_sta
rt();

Create.createasystemthatusesrealtimealertswheretheyareimple
mentedinbothformatstonotifyadministratorsimmediatelyofuna
uthorizedaccessorotherissues_start();

Create.createasystemthatusesatsautomatedthreatdetectionsyst
ems_start();

Create.createasystemthatfocusonreactingtoandneutralizingthre
ats_start();

SoftwareDesign.start();

Create.createasystemthatbuildresponseautomationscripts thatq
uarantineinfectedsystemsorrestrictaccessduringabreach_start()
;

Create.createasystemthatintegrateeventdriventriggersforspecifi
ctypesofthreats_e_startg_startddosattacksunauthorizedlogins_
start();

Create.createasystemthatuseddecisionmakingalgorithmstocateg
orizethreatsandinitiateappropriatecountermeasures_start();

Create.createasystemthatcombinewithatdforrealimedetection
andimmediateresponse_start();

Create.createasystemthatautomaticallyrestrictnetworkaccessw
henmultiplefailedloginattemptsaredetected_start();

Create.createasystemthatimmediatelyquarantineanysystemsho
wingsignsofmalwareorcompromise_start();

Create.createasystemthatblockalltrafficfromsuspiciousipaddres
seswhenattackpatternsareidentified_start();

Create.createasystemthattemporarilydisableuseraccountswhen
unusualaccesspatternsaredetected_start();

Create.createasystemthatautomaticallyroutesuspicioustrafficth
roughadditionalsecurityinspectionlayers_start();

Create.createasystemthatinstantlyencryptsensitivedatawhenun
authorizedaccessattemptsaredetected_start(); // Note:
Assumed 'create.' namespace

Create.createasystemthatdeploycountermeasurestoneutralized
enialofserviceattacksinrealtime_start();

Create.createasystemthatautomaticallyrestoresystemstosecure
baselineconfigurationsafterbreachattempts_start();

Create.createasystemthattriggerimmediatebackupprocesseswh
enfileintegrityviolationsaredetected_start();

Create.createasystemthatautomaticallyescalatethreatresponses
basedonseverityandattackpersistence_start();

Create.createafolderasadditionalpredefinedparametersasauto
matedthreatsdetectionsystems_start();

```

Create.addallthecreatecodesandcobolcodesinthisfolder_start();

Create.addntlliksandallotherlinkstothisandallotherfolders_start(
);

Create.clonethefolderinto3foldersthenadd1totheadditionalpred
efinedparametersfolderofme_davidgomadzathentheotherintot
heextrapredefinedparametersfolderandthethirdoneplaceitintot
hecreatorsfolder_start();

Create.cloneeverythingandmatchthecreateliferobot7628410an
dtotheajertytert28762876system_start();

Create.addallIntlpasslinksandallneededlinkstothewholesystem_s
tart();

Create.putallcodesintheirrespectivefoldersandsystems_start();

Create.addalllinksandconnectionsneededforhistowork_start();

Create.runinitialiseactivatewarmandrunallcreatecodes_start();
    Create.updaterollonandrestartthesystem_start();
    Create.createareferencepointforsystemrestore_start();
    Create.prepareanmp3rollonforsendingexternally_start();

    // Handle the last line: .ool=
create.createatsautomatedthreatdetectionsystems.start
    // The assignment part '.ool=' cannot be directly translated
without context.
    // We execute the method call part.
    Create.createatsautomatedthreatdetectionsystems_start();
}
}

// No standard C libraries were used in the original code
snippet.

```


// Therefore, no direct Java library imports are strictly necessary for the translation itself.

// A basic Java class structure is provided to contain the translated commands.

```
public class SystemCreationCommands {
```

```
    public static void main(String[] args) {
```

```
        // Representing the commands as strings, preserving the original text exactly.
```

```
        // Each line from the original input is treated as a distinct command or statement.
```

```
        String command1 =
```

```
"create.createanantitamperingverificationapplicationthatfocusonensuringthatsystemsremainuntamperedwith.start";
```

```
        String command2 =
```

```
"create.createasystemthatusessoftwaredesignstodevelopcryptographichashfunctionstoverifytheintegrityoffilesorfirmware.start";
```

```
        String command3 =
```

```
"create.createasystemthatincludesmechanismstocomparechecksumsandreportanomalies.start";
```

```
        String command4 =
```

```
"create.createasystemthatbuildsaudittrailsoforchangespairedwithuserordeviceauthenticationlogs.start";
```

```
        String command5 =
```

```
"create.asystemthatusessecurebootsequencestoverifytheintegrityofthesoftwarestackduringstartup.start";
```

```
        String command6 =
```

```
"create.asystemthatverifysystemintegritybycomparingcurrentfilechecksumsagainststoredbaselinevalues.start";
```

```
        String command7 =
```

```
"create.asystemthatauthenticateallfirmwareupdateswithdigitalsignaturesbeforeinstallation.start";
```

```

String command8 =
"create.createasystemthatmonitorandloganychangestosystemfi
lesorconfigurationsinrealtime.start";
String command9 =
"create.createasystemthatvalidate thebootsequencebychecking
eachcomponentbeforeallowingittoload.start";
String command10 =
"create.createasystemthatrequirecryptographicproofofidentity
beforeallowingany systemmodifications.start";
String command11 =
"create.createasystemthatcheckhardwarecomponentidentifiers
againstaauthorizedinventorydatabase.start";
String command12 =
"create.createasystemthatcomparerunningprocessesagainsta ut
horizedprocesslistandterminateunauthorizedones.start";
String command13 =
"create.createasystemthatverifyintegrityofsecuritymechanismst
hemselfesatregularintervals.start";
String command14 =
"create.createasystemthatrecordallaccessattempts withtimesta
mpanduseridentityforlaterverification.start";
String command15 =
"create.createasystemthatconductperiodicfullsystemintegritych
ecksandreportanyinconsistencies.start";
String command16 =
"create.createafolderasadditionalpredefinedparametersasanatv
antitamperingverificationapplication.start";
String command17 =
"create.addallthecreatecodesandcobolcodesinthisfolder.start";
String command18 =
"create.addntlliksandallotherlinkstothisandallotherfolders.start
";
String command19 =
"create.clonethefolderinto3foldersthenadd1totheadditionalpre
definedparametersfolderofme:davidgomadzathentheotherintot
heextrapredefinedparametersfolderandthethirdoneplaceitintot
hecreatorsfolder.start";

```

```

String command20 =
"create.cloneeverythingandmatchthecreateliferobot7628410and
totheajertytert28762876system.start";
String command21 =
"create.addallIntIpaslinksandallneededlinkstothewholesystem.s
tart";
String command22 =
"create.putallcodesintheirrespectivefoldersandsystems.start";
String command23 =
"create.addalllinksandconnectionsneededforhistowork.start";
String command24 =
"create.runinitialiseactivatewarmandrunallcreatecodes.start";
String command25 =
"create.updaterollonandrestartthesystem.start";
String command26 =
"create.createareferencepointforsystemrestore.start";
String command27 =
"create.prepareanmp3rollonforsendingexternally.start";

```

```

// Assignment from the last line of the original input.
// The original variable name ".ool" is not a valid Java
identifier because it starts with a dot.
// It has been changed to "ool" to be a valid Java variable
name.

```

```

String ool =
"create.createanativantitamperingverificationapplicationthatfoc
usonensuringthatsystemsremain
f4e
untamperedwith.start";

```

```

// The following lines are added for demonstration
purposes, to show that the commands
// have been captured. They print the string values to the
console.
// This part is not strictly from the original "code" but helps
verify the translation.
System.out.println(command1);

```

```

        System.out.println(command2);
        System.out.println(command3);
        System.out.println(command4);
        System.out.println(command5);
        System.out.println(command6);
        System.out.println(command7);
        System.out.println(command8);
        System.out.println(command9);
        System.out.println(command10);
        System.out.println(command11);
        System.out.println(command12);
        System.out.println(command13);
        System.out.println(command14);
        System.out.println(command15);
        System.out.println(command16);
        System.out.println(command17);
        System.out.println(command18);
        System.out.println(command19);
        System.out.println(command20);
        System.out.println(command21);
        System.out.println(command22);
        System.out.println(command23);
        System.out.println(command24);
        System.out.println(command25);
        System.out.println(command26);
        System.out.println(command27);
        System.out.println("ool = " + ool);
    }
}

```

```

// No external dependencies are required for this translation.
// Standard Java SE Development Kit (JDK) is sufficient.

```

```

/**

```

```

 * Represents the 'create' namespace or context for executing
 commands.

```

- * Each method corresponds to one of the commands provided in the original C-like code.

- * Since the original code provided no implementation details, these methods

- * print a message indicating their execution as the only possible complete action.

```
*/  
class Create {
```

```
    /**
```

```
     * Executes the command:
```

```
create.createanactivexthreatexchangeapplicationthatfocuson  
sharingthreatintelligence.start
```

```
     * @return An object representing the result of the command  
execution (currently null).
```

```
    */
```

```
    public Object
```

```
createanactivexthreatexchangeapplicationthatfocusonsharing  
threatintelligence_start() {
```

```
    System.out.println("Executing:
```

```
create.createanactivexthreatexchangeapplicationthatfocuson  
sharingthreatintelligence.start");
```

```
    // Actual implementation would depend on the specific  
system, which is undefined.
```

```
    // Returning null as a placeholder for the command's  
result.
```

```
    return null;
```

```
}
```

```
    /**
```

```
     * Executes the command:
```

```
create.createasystemthatusessoftwaredesigntoestablishapisfor  
securecommunicationbetweenorganizations'systems.start
```

```
     * Note: The apostrophe in organizations'systems has been  
removed for Java identifier compatibility.
```

```
     * @return An object representing the result of the command  
execution (currently null).
```

```

*/
public Object
createSystemthatUsesSoftwareDesignToEstablishAPIForSecureC
ommunicationBetweenOrganizationssystems_start() {
    System.out.println("Executing:
create.createSystemthatUsesSoftwareDesignToEstablishAPIFor
securecommunicationbetweenorganizations'systems.start");
    // Actual implementation would depend on the specific
system, which is undefined.
    // Returning null as a placeholder for the command's
result.
    return null;
}

/**
 * Executes the command:
create.createSystemthatUseStandardizedDataFormatslikeStixStr
ucturedThreatInformationExpressionForSharingIntelligence.start
 * @return An object representing the result of the command
execution (currently null).
 */
public Object
createSystemthatUseStandardizedDataFormatslikeStixStructure
dThreatInformationExpressionForSharingIntelligence_start() {
    System.out.println("Executing:
create.createSystemthatUseStandardizedDataFormatslikeStixStr
ucturedThreatInformationExpressionForSharingIntelligence.start
");
    // Actual implementation would depend on the specific
system, which is undefined.
    // Returning null as a placeholder for the command's
result.
    return null;
}

/**

```

```

    * Executes the command:
    create.createasystemthatimplementencryptionforall exchanged
    threatdatatopreventinterception.start
    * @return An object representing the result of the command
    execution (currently null).
    */
    public Object
    createasystemthatimplementencryptionforall exchangedthreatd
    atatopreventinterception_start() {
        System.out.println("Executing:
    create.createasystemthatimplementencryptionforall exchanged
    threatdatatopreventinterception.start");
        // Actual implementation would depend on the specific
    system, which is undefined.
        // Returning null as a placeholder for the command's
    result.
        return null;
    }

```

```

    /**
    * Executes the command:
    create.createasystemthatcreaterealtimedashboardsformonitori
    ngandsharingupdatesonemergingthreats.start
    * @return An object representing the result of the command
    execution (currently null).
    */
    public Object
    createasystemthatcreaterealtimedashboardsformonitoringands
    haringupdatesonemergingthreats_start() {
        System.out.println("Executing:
    create.createasystemthatcreaterealtimedashboardsformonitori
    ngandsharingupdatesonemergingthreats.start");
        // Actual implementation would depend on the specific
    system, which is undefined.
        // Returning null as a placeholder for the command's
    result.
        return null;
    }

```

```

    }

    /**
     *
    1000
    Executes the command:
    create.createasystemthatsharesdetectedthreatsignatureswithtr
    ustedsecuritypartnersinrealtime.start
     * @return An object representing the result of the command
    execution (currently null).
     */
    public Object
    createasystemthatsharesdetectedthreatsignatureswithtrusted
    ecuritypartnersinrealtime_start() {
        System.out.println("Executing:
    create.createasystemthatsharesdetectedthreatsignatureswithtr
    ustedsecuritypartnersinrealtime.start");
        // Actual implementation would depend on the specific
    system, which is undefined.
        // Returning null as a placeholder for the command's
    result.
        return null;
    }

    /**
     * Executes the command:
    create.createasystemthatreceiveandimplementupdatedthreatin
    dicatorsfromthesecuritycommunity.start
     * @return An object representing the result of the command
    execution (currently null).
     */
    public Object
    createasystemthatreceiveandimplementupdatedthreatindicator
    sfromthesecuritycommunity_start() {
        System.out.println("Executing:
    create.createasystemthatreceiveandimplementupdatedthreatin
    dicatorsfromthesecuritycommunity.start");

```



```

        // Actual implementation would depend on the specific
        system, which is undefined.
        // Returning null as a placeholder for the command's
        result.
        return null;
    }

    /**
     * Executes the command:
     create.createasystemthatcontributeanonymizedattackdatatocol
     laborativedefensenetworks.start
     * @return An object representing the result of the command
     execution (currently null).
     */
    public Object
    createasystemthatcontributeanonymizedattackdatatocolabora
    tivedefensenetworks_start() {
        System.out.println("Executing:
        create.createasystemthatcontributeanonymizedattackdatatocol
        laborativedefensenetworks.start");
        // Actual implementation would depend on the specific
        system, which is undefined.
        // Returning null as a placeholder for the command's
        result.
        return null;
    }

    /**
     * Executes the command:
     create.createasystemthatsubscribetointustryspecificthreatfeed
     srelevanttooursystems.start
     * @return An object representing the result of the command
     execution (currently null).
     */
    public Object
    createasystemthatsubscribetointustryspecificthreatfeedsreleva
    nttooursystems_start() {

```

```

        System.out.println("Executing:
create.createasystemthatsubscribetointustryspecificthreatfeed
srelevanttooursystems.start");
        // Actual implementation would depend on the specific
system, which is undefined.
        // Returning null as a placeholder for the command's
result.
        return null;
    }

    /**
     * Executes the command:
create.createasystemthatsecurelytransmitincidentdetailsusings
tandardizedthreatformats.start
     * @return An object representing the result of the command
execution (currently null).
     */
    public Object
createasystemthatsecurelytransmitincidentdetailsusingstandar
dizedthreatformats_start() {
        System.out.println("Executing:
create.createasystemthatsecurelytransmitincidentdetailsusings
tandardizedthreatformats.start");
        // Actual implementation would depend on the specific
system, which is undefined.
        // Returning null as a placeholder for the command's
result.
        return null;
    }

    /**
     * Executes the command:
create.createasystemthatupdatesyoursecurityrulesautomaticall
ybasedonincomingintelligence.start
     * @return An object representing the result of the command
execution (currently null).
     */

```

```

    public Object
createasystemthatupdatesyoursecurityrulesautomaticallybased
onincomingintelligence_start() {
    System.out.println("Executing:
create.createasystemthatupdatesyoursecurityrulesautomaticall
ybasedonincomingintelligence.start");
    // Actual implementation would depend on the specific
system, which is undefined.
    // Returning null as a placeholder for the command's
result.
    return null;
}

/**
 * Executes the command:
create.createasystemthatcrossreferencedetectedanomaliesagai
nstglobalthreatdatabases.start
 * @
1000
return An object representing the result of the command
execution (currently null).
 */
    public Object
createasystemthatcrossreferencedetectedanomaliesagainstglob
althreatdatabases_start() {
    System.out.println("Executing:
create.createasystemthatcrossreferencedetectedanomaliesagai
nstglobalthreatdatabases.start");
    // Actual implementation would depend on the specific
system, which is undefined.
    // Returning null as a placeholder for the command's
result.
    return null;
}

/**

```

```

    * Executes the command:
create.createasystemthatestablishsecurechannelsforemergency
threatnotificationswithpartners.start
    * @return An object representing the result of the command
execution (currently null).
    */
    public Object
createasystemthatestablishsecurechannelsforemergencythreat
notificationswithpartners_start() {
        System.out.println("Executing:
create.createasystemthatestablishsecurechannelsforemergency
threatnotificationswithpartners.start");
        // Actual implementation would depend on the specific
system, which is undefined.
        // Returning null as a placeholder for the command's
result.
        return null;
    }

```

```

/**
    * Executes the command:
create.createasystemthatfilterandprioritizeincomingthreatdata
basedonrelevancetoyourenvironment.start
    * @return An object representing the result of the command
execution (currently null).
    */
    public Object
createasystemthatfilterandprioritizeincomingthreatdatabasedo
nrelevancetoyourenvironment_start() {
        System.out.println("Executing:
create.createasystemthatfilterandprioritizeincomingthreatdata
basedonrelevancetoyourenvironment.start");
        // Actual implementation would depend on the specific
system, which is undefined.
        // Returning null as a placeholder for the command's
result.
        return null;
    }

```

```

    }

    /**
     * Executes the command:
     create.createasystemthatverifyauthenticityofallreceivedthreati
     ntelligencebeforeimplementation.start
     * @return An object representing the result of the command
     execution (currently null).
     */
    public Object
    createasystemthatverifyauthenticityofallreceivedthreatintellige
    ncebeforeimplementation_start() {
        System.out.println("Executing:
    create.createasystemthatverifyauthenticityofallreceivedthreati
    ntelligencebeforeimplementation.start");
        // Actual implementation would depend on the specific
        system, which is undefined.
        // Returning null as a placeholder for the command's
        result.
        return null;
    }

    /**
     * Executes the command:
     create.createafolderasadditionalpredefinedparametersasatxacti
     vethreatexchangeapplication.start
     * @return An object representing the result of the command
     execution (currently null).
     */
    public Object
    createafolderasadditionalpredefinedparametersasatxactivethre
    atexchangeapplication_start() {
        System.out.println("Executing:
    create.createafolderasadditionalpredefinedparametersasatxacti
    vethreatexchangeapplication.start");
        // Actual implementation would depend on the specific
        system, which is undefined.

```

```

        // Returning null as a placeholder for the command's
result.
        return null;
    }

    /**
     * Executes the command:
create.addallthecreatecodesandcobolcodesinthisfolder.start
     * @return An object representing the result of the command
execution (currently null).
     */
    public Object
addallthecreatecodesandcobolcodesinthisfolder_start() {
        System.out.println("Executing:
create.addallthecreatecodesandcobolcodesinthisfolder.start");
        // Actual implementation would depend on the specific
system, which is undefined.
        // Returning null as a placeholder for the command's
result.
        return null;
    }

    /**
     * Executes the command:
create.addntlliksandallotherlinkstothisandallotherfolders.start
     * @return An object representing the result of the command
execution (currently null).
     */
    public Object
addntlliksandallotherlinkstothisandallotherfolders_start() {
        System.out.println("Executing:
1000
create.addntlliksandallotherlinkstothisandallotherfolders.start")
;
        // Actual implementation would depend on the specific
system, which is undefined.

```

```

        // Returning null as a placeholder for the command's
result.
        return null;
    }

    /**
     * Executes the command:
create.clone the folder into 3 folders then add 1 to the additional pred
efined parameters folder of me: david gomadzathenthe other into th
e extra predefined parameters folder and the third one place it into th
e creators folder.start
     * Note: ':' in the original command was replaced with '_' in
the method name for Java compatibility.
     * @return An object representing the result of the command
execution (currently null).
     */
    public Object
clone the folder into 3 folders then add 1 to the additional predefined
parameters folder of me _david gomadzathenthe other into the extr
a predefined parameters folder and the third one place it into the crea
tors folder _start() {
        System.out.println("Executing:
create.clone the folder into 3 folders then add 1 to the additional pred
efined parameters folder of me: david gomadzathenthe other into th
e extra predefined parameters folder and the third one place it into th
e creators folder.start");
        // Actual implementation would depend on the specific
system, which is undefined.
        // Returning null as a placeholder for the command's
result.
        return null;
    }

    /**
     * Executes the command:
create.clone everything and match the create liferobot 7628410 and
to the ajerty tert 28762876 system.start

```

```
    * @return An object representing the result of the command
    execution (currently null).
```

```
    */
```

```
    public Object
```

```
cloneeverythingandmatchthecreateliferobot7628410andtothea
jertytert28762876system_start() {
```

```
    System.out.println("Executing:
create.cloneeverythingandmatchthecreateliferobot7628410and
totheajertytert28762876system.start");
```

```
    // Actual implementation would depend on the specific
    system, which is undefined.
```

```
    // Returning null as a placeholder for the command's
    result.
```

```
    return null;
```

```
}
```

```
/**
```

```
    * Executes the command:
```

```
create.addallIntlpasslinksandallneededlinkstothewholesystem.st
art
```

```
    * @return An object representing the result of the command
    execution (currently null).
```

```
    */
```

```
    public Object
```

```
addallIntlpasslinksandallneededlinkstothewholesystem_start() {
```

```
    System.out.println("Executing:
create.addallIntlpasslinksandallneededlinkstothewholesystem.st
art");
```

```
    // Actual implementation would depend on the specific
    system, which is undefined.
```

```
    // Returning null as a placeholder for the command's
    result.
```

```
    return null;
```

```
}
```

```
/**
```



```

    * Executes the command:
    create.putallcodesintheirrespectivefoldersandsystems.start
    * @return An object representing the result of the command
    execution (currently null).
    */
    public Object
    putallcodesintheirrespectivefoldersandsystems_start() {
        System.out.println("Executing:
    create.putallcodesintheirrespectivefoldersandsystems.start");
        // Actual implementation would depend on the specific
        system, which is undefined.
        // Returning null as a placeholder for the command's
        result.
        return null;
    }

```

```

    /**
    * Executes the command:
    create.addalllinksandconnectionsneededforhistowork.start
    * @return An object representing the result of the command
    execution (currently null).
    */
    public Object
    addalllinksandconnectionsneededforhistowork_start() {
        System.out.println("Executing:
    create.addalllinksandconnectionsneededforhistowork.start");
        // Actual implementation would depend on the specific
        system, which is undefined.
        // Returning null as a placeholder for the command's
        result.
        return null;
    }

```

```

    /**
    * Executes the command:
    create.runinitialiseactivatewarmandrunallcreatecodes.start

```

```

    * @return An object representing the result of the command
    execution (currently null).
    */
    public Object
    runinitialiseactivatewarmandrunallcreatecodes_start() {
        System.out.println("Executing:
    create.runinitialiseactivatewarmandrunallcreatecodes.start");
        // Actual implementation would
    1000
    depend on the specific system, which is undefined.
        // Returning null as a placeholder for the command's
    result.
        return null;
    }

    /**
    * Executes the command:
    create.updaterollonandrestartthesystem.start
    * @return An object representing the result of the command
    execution (currently null).
    */
    public Object updaterollonandrestartthesystem_start() {
        System.out.println("Executing:
    create.updaterollonandrestartthesystem.start");
        // Actual implementation would depend on the specific
    system, which is undefined.
        // Returning null as a placeholder for the command's
    result.
        return null;
    }

    /**
    * Executes the command:
    create.createareferencepointforsystemrestore.start
    * @return An object representing the result of the command
    execution (currently null).
    */

```

```

    public Object createareferencepointforsystemrestore_start()
    {
        System.out.println("Executing:
create.createareferencepointforsystemrestore.start");
        // Actual implementation would depend on the specific
system, which is undefined.
        // Returning null as a placeholder for the command's
result.
        return null;
    }

    /**
     * Executes the command:
create.prepareanmp3rollonforsendingexternally.start
     * @return An object representing the result of the command
execution (currently null).
     */
    public Object
prepareanmp3rollonforsendingexternally_start() {
        System.out.println("Executing:
create.prepareanmp3rollonforsendingexternally.start");
        // Actual implementation would depend on the specific
system, which is undefined.
        // Returning null as a placeholder for the command's
result.
        return null;
    }
}

/**
 * Main class to orchestrate the execution of the translated
commands.
 * This class must be named CommandExecutor.java for
compilation.
 */
public class CommandExecutor {

```

```

/**
 * Entry point of the application.
 * Instantiates the Create object and calls methods
corresponding to the original commands.
 * @param args Command line arguments (not used).
 */
public static void main(String[] args) {
    // Instantiate the 'create' object/context
    Create create = new Create();

    // Execute each command by calling the corresponding
method

create.createanactivexthreatexchangeapplicationthatfocuson
sharingthreatintelligence_start();

create.createasystemthatusessoftwaredesigntoestablishapisfor
securecommunicationbetweenorganizationssystems_start(); //
Apostrophe removed

create.createasystemthatusestandardizeddataformatslikestixstr
ucturedthreatinformationexpressionforsharingintelligence_star
t();

create.createasystemthatimplementencryptionforallexchanged
threatdatatopreventinterception_start();

create.createasystemthatcreaterealtimedashboardsformonitori
ngandsharingupdatesonemergingthreats_start();

create.createasystemthatsharesdetectedthreatsignatureswithtr
ustedsecuritypartnersinrealtime_start();

create.createasystemthatreceiveandimplementupdatedthreatin
dicatorsfromthesecuritycommunity_start();

```

create.createasystemthatcontributeanonimizedattackdatatocol
laborativedefensenetworks_start();

create.createasystemthatsubscribetointustryspecificthreatfeed
srelevanttoyoursystems_start();

create.createasystemthatsecurelytransmitincidentdetailsusings
tandardizedthreatformats_start();

create.createasystemthatupdatesyoursecurityrulesautomaticall
ybasedonincomingintelligence_start();

create.createasystemthatcrossreferencedetectedanomaliesagai
nstglobalthreatdatabases_start();

create.createasystemthatestablishsecurechannelsforemergency
threatnotificationswithpartners_start();

create.createasystemthatfilterandprioritizeincomingthreatdata
basedonrelevancetoyourenvironment_start();

create.createasystemthatverifyauthenticityofallreceivedthreati
ntelligencebeforeimplementation_start();

create.createafolderasadditionalpredefinedparametersasatxacti
vethreatexchangeapplication_start();

1000

create.addallthecreatecodesandcobolcodesinthisfolder_start();

create.addntlliksandallotherlinkstothisandallotherfolders_start(
);

create.clonethefolderinto3foldersthenadd1totheadditionalpred
efinedparametersfolderofme_davidgomadzathentheotherintot

```
heextrapredefinedparametersfolderandthethirdoneplaceitintot  
hecreatorsfolder_start(); // Colon replaced
```

```
create.cloneeverythingandmatchthecreateliferobot7628410and  
totheajertytert28762876system_start();
```

```
create.addallIntlpasslinksandallneededlinkstothewholesystem_s  
tart();
```

```
create.putallcodesintheirrespectivefoldersandsystems_start();
```

```
create.addalllinksandconnectionsneededforhistowork_start();
```

```
create.runinitialiseactivatewarmandrunallcreatecodes_start();  
create.updaterollonandrestartthesystem_start();  
create.createareferencepointforsystemrestore_start();  
create.prepareanmp3rollonforsendingexternally_start();
```

```
// Handle the assignment: .ool =  
create.createanactivexthreatexchangeapplicationthatfocuson  
sharingthreatintelligence.start
```

```
// The variable name '.ool' is invalid in Java. It has been  
changed to 'ool'.
```

```
// The method corresponding to the right-hand side is  
called, and its result is assigned.
```

```
Object ool =  
create.createanactivexthreatexchangeapplicationthatfocuson  
sharingthreatintelligence_start();
```

```
// The original code did not explicitly use or print the value  
of .ool after assignment.
```

```
// Therefore, no further action is taken with the 'ool'  
variable here to maintain exact functionality.
```

```
}  
}
```

```

// No standard C library imports are directly equivalent or
needed for this translation.
// The original input appears to be a sequence of custom
commands or pseudo-code, not standard C.
// We will represent these commands as strings within a Java
program.

// Define a class to encapsulate the commands and related
actions
class AntiTamperingSystemSetup {

    // Variable to hold the value assigned in the last line
    // The original variable name ".ool" is invalid in Java, using
"ool" instead.
    public static String ool;

    // Method to simulate the execution or logging of a
command
    public static void executeCommand(String command) {
        System.out.println("Executing command: " + command);
        // In a real system, this method would interact with the
'create' tool/framework.
        // Since the implementation of 'create' is unknown, we just
print the command.
    }

    public static void main(String[] args) {
        // Execute each command line by line as represented in the
original input

executeCommand("create.createanantitamperingverificatio
napplicationthatfocusonensuringthatsystemsremainuntampere
dwith.start");

executeCommand("create.createasystemthatusessoftwaredesig
ntodevelopcryptographichashfunctionstoverifytheintegrityoffile
sorfirmware.start");

```

```
executeCommand("create.createasystemthatincludesmechanismstocomparechecksumsandreportanomalies.start");
```

```
executeCommand("create.createasystemthatbuildsaudittrailsofchangespairedwithuserordeviceauthenticationlogs.start");
```

```
executeCommand("create.asystemthatusessecurebootsequencestoverifytheintegrityofthesoftwarestackduringstartup.start");
```

```
executeCommand("create.asystemthatverifysystemintegritybycomparingcurrentfilechecksumsagainststoredbaselinevalues.start");
```

```
executeCommand("create.asystemthatauthenticateallfirmwareupdateswithdigitalsignaturesbeforeinstallation.start");
```

```
executeCommand("create.createasystemthatmonitorandloganychangestosystemfilesorconfigurationsinrealtime.start");
```

```
executeCommand("create.createasystemthatvalidatethebootsequencebycheckingeachcomponentbeforeallowingittoload.start");
```

```
executeCommand("create.createasystemthatrequirecryptographicproofofidentitybeforeallowinganysystemmodifications.start");
```

```
executeCommand("create.createasystemthatcheckhardwarecomponentidentifiersagainstaauthorizedinventorydatabase.start");
```

```
executeCommand("create.createasystemthatcomparerunningprocessesagainstaauthorizedprocesslistandterminateunauthorizedones.start");
```



```
executeCommand("create.createasystemthatverifyintegrityofsecuritymechanismsthemselvesatregularintervals.start");
```

```
executeCommand("create.createasystemthatrecordallaccessatemptswithtimestampanduseridentityforlaterverification.start");
```

```
executeCommand("create.createasystemthatconductperiodicfullsystemintegritychecksandreportanyinconsistencies.start");
```

```
executeCommand("create.createafolderasadditionalpredefinedparametersasanantitamperingverificationapplication.start");
```

```
executeCommand("create.addallthecreatecodesandcobolcodesintothisfolder.start");
```

```
executeCommand("create.addntllinksandallotherlinkstothisandallotherfolders.start");
```

```
executeCommand("create.clonethefolderinto3foldersthenadd1totheadditionalpredefinedparametersfolderofme:davidgomadzathentheotherintotheextrapredefinedparametersfolderandthethirdoneplaceitintothecreatorsfolder.start");
```

```
executeCommand("create.cloneeverythingandmatchthecreatorli ferobot7628410andtotheajertytert28762876system.start");
```

```
executeCommand("create.addallntlpaslinksandallneededlinksto thewholesystem.start");
```

```
executeCommand("create.putallcodesintheirrespectivefoldersand systems.start");
```

```
executeCommand("create.addalllinksandconnectionsneededfor thiswork.start");
```

```
executeCommand("create.runinitialiseactivatewarmandrunallcreatecodes.start");
```

```
executeCommand("create.updaterollonandrestartthesystem.start");
```

```
executeCommand("create.createareferencepointforsystemrestore.s  
d59  
tart");
```

```
executeCommand("create.prepareanmp3rollonforsendingexternally.start");
```

```
    // Handle the assignment line: .ool = create...start  
    // Assign the specified command string to the 'ool' variable  
    ool =  
"create.createanantitamperingverificationapplicationthatfocusonensuringthatsystemsremainuntamperedwith.start";  
    System.out.println("Assigned value to ool: " + ool);
```

```
    // The original last line seems to be both an assignment  
    and potentially an execution.
```

```
    // We represent the assignment above. If execution was  
    also intended, we could call executeCommand again:
```

```
    // executeCommand(ool);  
    // However, the original line format suggests only  
    assignment.  
    }  
}
```

```
// No external dependencies are strictly required for this  
translation based on the provided C-like commands.
```

```
// Standard Java SE Development Kit (JDK) is sufficient.
```

```
// We assume the existence of a 'Create' mechanism, which we  
simulate with a Java class.
```

```

/**
 * Simulates the 'Create' commands provided in the input.
 * Since the exact behavior of the 'create.*' commands is
unknown and not standard C,
 * each command is represented by a method that prints the
original command string
 * to standard output, simulating its execution.
 */
class Create {

    // Helper method to log the execution of a command
    private void logExecution(String command) {
        System.out.println("Executing: " + command);
    }

    // Method for:
create.createanadvancedthreatguardapplicationthatfocuspro
oactivethreatprevention.start
    // This method simulates the command and returns a dummy
object to handle the assignment later.
    public Object
createAnAtgAdvancedThreatGuardApplicationThatFocusesProa
ctiveThreatPrevention_start() {

logExecution("create.createanadvancedthreatguardapplicati
onthatfocusproactivethreatprevention.start");
        // Return a dummy object/status representing the result of
the creation
        return "ATG_Application_Instance_Placeholder";
    }

    // Method for:
create.createasystemthatusessoftwaredesigntointroduceheuris
ticalgorithmstopredictpotentialvulnerabilitiesbeforeexploitation
.start

```

```
public void  
createASystemThatUsesSoftwareDesignToIntroduceHeuristicAl  
gorithmsToPredictPotentialVulnerabilitiesBeforeExploitation_  
start() {
```

```
logExecution("create.createasystemthatusessoftwaredesigntoin  
troduceheuristicalgorithmstopredictpotentialvulnerabilitiesbefo  
reexploitation.start");  
}
```

```
// Method for:  
create.createasystemthatimplementfrequentautomaticupdates  
topatchknownvulnerabilities.start  
public void  
createASystemThatImplementsFrequentAutomaticUpdatesToP  
atchKnownVulnerabilities_start() {
```

```
logExecution("create.createasystemthatimplementfrequentaut  
omaticupdatestopatchknownvulnerabilities.start");  
}
```

```
// Method for:  
create.createasystemthatusenetworksegmentationtolimittheim  
pactofathreatifbreached.start  
public void  
createASystemThatUsesNetworkSegmentationToLimitTheImpac  
tOfAThreatIfBreached_start() {
```

```
logExecution("create.createasystemthatusenetworksegmentati  
ontolimittheimpactofathreatifbreached.start");  
}
```

```
// Method for:  
create.createasystemthatincludesimulatedattacks(penetration  
testing)tostrengthenthe system overtime.start  
// Java method names cannot contain parentheses, so they  
are removed in the method name.
```

```

    public void
    createASystemThatIncludesSimulatedAttacksPenetrationTestingToStrengthenTheSystemOverTime_start() {

    logExecution("create.createasystemthatincludessimulatedattacks(penetrationtesting)tostrengthenthesystemovertime.start");
    }

    // Method for:
    create.createasystemthatautomaticallyscanandpatchallsystems
    forknownvulnerabilitiesdaily.start
    public void
    createASystemThatAutomaticallyScansAndPatchesAllSystemsForKnownVulnerabilitiesDaily_start() {

    logExecution("create.createasystemthatautomaticallyscanandpatchallsystemsforknownvulnerabilitiesdaily.start");
    }

    // Method for:
    create.createasystemthatsegmentnetworkaccessbasedonsecurityclearanceanduserroles.start
    public void
    createASystemThatSegmentsNetworkAccessBasedOnSecurityClearanceAndUserRoles_start() {

    logExecution("create.createasystemthatsegmentnetworkaccessbasedonsecurityclearanceanduserroles.start");
    }

    // Method for:
    create.createasystemthatconductregularsimulatedattacks to identify and address system weaknesses.start
    public void
    createASystemThatConductsRegularSimulatedAttacksToIdentifyAndAddressSystemWeaknesses_start() {

```

```
logExecution("create.createasystemthatconductregularsimulate  
dataattackstoidentifyandaddresssystemweaknesses.start");  
}
```

```
// Method for:  
create.createasystemthatanalyzepreviousbreachpatternstopred  
ictandpreventfutureattackvectors.start  
public void createASystemThatAnalyzesPreviousBreach  
1000  
PatternsToPredictAndPreventFutureAttackVectors_start() {
```

```
logExecution("create.createasystemthatanalyzepreviousbreach  
patternstopredictandpreventfutureattackvectors.start");  
}
```

```
// Method for:  
create.createasystemthatrestrictsensitiveoperationstoisolatedn  
etworkenvironments.start  
public void  
createASystemThatRestrictsSensitiveOperationsToIsolatedNetw  
orkEnvironments_start() {
```

```
logExecution("create.createasystemthatrestrictsensitiveoperati  
onstoisolatednetworkenvironments.start");  
}
```

```
// Method for:  
create.createasystemthatdeploydecoysystemstoattractandstud  
ypotentialattackerssafely.start  
public void  
createASystemThatDeploysDecoySystemsToAttractAndStudyPo  
tentialAttackersSafely_start() {
```

```
logExecution("create.createasystemthatdeploydecoysystemsto  
attractandstudypotentialattackerssafely.start");  
}
```

```
// Method for:
create.createasystemthatupdatesecurityrulesproactivelybasedo
nemergingthreatintelligence.start
public void
createASystemThatUpdatesSecurityRulesProactivelyBasedOnE
mergingThreatIntelligence_start() {

logExecution("create.createasystemthatupdatesecurityrulespro
activelybasedonemergingthreatintelligence.start");
}
```

```
// Method for:
create.createasystemthatblockallunnecessarysystemportsandse
rvicesbydefault.start
public void
createASystemThatBlocksAllUnnecessarySystemPortsAndServic
esByDefault_start() {

logExecution("create.createasystemthatblockallunnecessarysyst
emportsandservicesbydefault.start");
}
```

```
// Method for:
create.createasystemthatimplementleastprivilegeaccesscontrol
sacrossallsystemfunctions.start
public void
createASystemThatImplementsLeastPrivilegeAccessControlsAcr
ossAllSystemFunctions_start() {

logExecution("create.createasystemthatimplementleastprivileg
eaccesscontrolsacrossallsystemfunctions.start");
}
```

```
// Method for:
create.createasystemthatrotatesecuritycredentialsautomaticall
ybeforetheycanbecompromised.start
```

```
public void  
createASystemThatRotatesSecurityCredentialsAutomaticallyBeforeTheyCanBeCompromised_start() {
```

```
logExecution("create.createasystemthatrotatessecuritycredentialsautomaticallybeforetheycanbecompromised.start");  
}
```

```
// Method for:  
create.createafolderasadditionalpredefinedparametersasatgadvancedthreatguardapplication.start
```

```
public void  
createAFolderAsAdditionalPredefinedParametersAsAtgAdvancedThreatGuardApplication_start() {
```

```
logExecution("create.createafolderasadditionalpredefinedparametersasatgadvancedthreatguardapplication.start");  
}
```

```
// Method for:  
create.addallthecreatecodesandcobolcodesinthisfolder.start  
public void  
addAllTheCreateCodesAndCobolCodesInThisFolder_start() {
```

```
logExecution("create.addallthecreatecodesandcobolcodesinthisfolder.start");  
}
```

```
// Method for:  
create.addntlliksandallotherlinkstothisandallotherfolders.start  
public void  
addNtlliksAndAllOtherLinksToThisAndAllOtherFolders_start() {
```

```
logExecution("create.addntlliksandallotherlinkstothisandallotherfolders.start");  
}
```



```

// Method for:
create.cloneTheFolderInto3FoldersThenAdd1ToTheAdditionalPredefinedParametersFolderOfMe:DavidGomadzathentheOtherIntoTheExtraPredefinedParametersFolderAndTheThirdOnePlaceItIntoTheCreatorsFolder.start

// Java method names cannot contain colons, so it is removed
in the method name. Camel case adjusted for readability.
public void
cloneTheFolderInto3FoldersThenAdd1ToTheAdditionalPredefinedParametersFolderOfMeDavidGomadzathEnTheOtherIntoTheExtraPredefinedParametersFolderAndTheThirdOnePlaceItIntoTheCreatorsFolder_start() {

logExecution("create.cloneTheFolderInto3FoldersThenAdd1ToTheAdditionalPredefinedParametersFolderOfMe:DavidGomadzathentheOtherIntoTheExtraPredefinedParametersFolderAndTheThirdOnePlaceItIntoTheCreatorsFolder.start");
}

```

```

// Method for:
create.cloneEverythingAndMatchTheCreateLiferobot7628410andtotheAjertytert28762876system.start

public void
cloneEverythingAndMatchTheCreateLiferobot7628410AndToTheAjertytert28762876System_start() {
    logExecution("create.cloneEverythingAndMatchTheCreateLiferobot7628410andtotheAjertytert28762876system.start");
}

```

```

// Method for:
create.addAllIntlPassLinksAndAllNeededLinksToTheWholeSystem.start

public void
addAllIntlPassLinksAndAllNeededLinksToTheWholeSystem_start() {

```

```
logExecution("create.addallIntIpsslinksandallNeededlinkstothe  
wholesystem.start");  
}
```

```
// Method for:  
create.putallcodesintheirrespectivefoldersandsystems.start  
public void  
putAllCodesInTheirRespectiveFoldersAndSystems_start() {
```

```
logExecution("create.putallcodesintheirrespectivefoldersandsys  
tems.start");  
}
```

```
// Method for:  
create.addalllinksandconnectionsneededforhistowork.start  
public void  
addAllLinksAndConnectionsNeededForThisToWork_start() {
```

```
logExecution("create.addalllinksandconnectionsneededforhist  
owork.start");  
}
```

```
// Method for:  
create.runinitialiseactivatewarmandrunallcreatecodes.start  
public void  
runInitialiseActivateWarmAndRunAllCreateCodes_start() {  
  
logExecution("create.runinitialiseactivatewarmandrunallcreatec  
odes.start");  
}
```

```
// Method for: create.updaterollonandrestartthesystem.start  
public void updateRollonAndRestartTheSystem_start() {  
  
logExecution("create.updaterollonandrestartthesystem.start");  
}
```

```

// Method for:
create.createareferencepointforsystemrestore.start
    public void createAReferencePointForSystemRestore_start() {

logExecution("create.createareferencepointforsystemrestore.start");
    }

// Method for:
create.prepareanmp3rollonforsendingexternally.start
    public void prepareAnMp3RollonForSendingExternally_start()
{

logExecution("create.prepareanmp3rollonforsendingexternally.start");
    }
}

/**
 * Main class to orchestrate the execution of the translated
 * 'create' commands.
 * It follows the sequence provided in the original input.
 */
public class SystemSetup {

    public static void main(String[] args) {
        // Instantiate the Create class that contains the simulated
        // command methods
        Create create = new Create();

        // Declare the variable 'ool'. In the original, it's '.ool', which
        // is not a valid Java identifier.
        // We use 'ool' instead. Its type is Object because the
        // return type of the command is unknown.
        Object ool;

```

// Execute the sequence of commands exactly as provided
in the input

```
create.createAnAtgAdvancedThreatGuardApplicationThatFocus  
esProactiveThreatPrevention_start();
```

```
create.createASystemThatUsesSoftwareDesignToIntroduceHeur  
isticAlgorithmsToPredictPotentialVulnerabilitiesBeforeExploitati  
on_start();
```

```
create.createASystemThatImplementsFrequentAutomaticUpdat  
esToPatchKnownVulnerabilities_start();
```

```
create.createASystemThatUsesNetworkSegmentationToLimitTh  
eImpactOfAThreatIfBreached_start();
```

```
create.createASystemThatIncludesSimulatedAttacksPenetration  
TestingToStrengthenTheSystemOverTime_start(); // Method  
name sanitized
```

```
create.createASystemThatAutomaticallyScansAndPatchesAllSys  
temsForKnownVulnerabilitiesDaily_start();
```

```
create.createASystemThatSegmentsNetworkAccessBasedOnSec  
urityClearanceAndUserRoles_start();
```

```
create.createASystemThatConductsRegularSimulatedAttacksToI  
dentifyAndAddressSystemWeaknesses_start();
```

```
create.createASystemThatAnalyzesPreviousBreachPatternsToPr  
edictAndPreventFutureAttackVectors_start();
```

```
create.createASystemThatRestrictsSensitiveOperationsToIsolat  
edNetworkEnvironments_start();
```

```
create.createASystemThatDeploysDecoySystemsToAttractAndS  
tudyPotentialAttackersSafely_start();
```

```
create.createASystemThatUpdatesSecurityRulesProactivelyBasedOnEmergingThreatIntelligence_start();
```

```
create.createASystemThatBlocksAllUnnecessarySystemPortsAndServicesByDefault_start();
```

```
create.createASystemThatImplementsLeastPrivilegeAccessControlsAcrossAllSystemFunctions_start();
```

```
create.createASystemThatRotatesSecurityCredentialsAutomaticallyBeforeTheyCanBeCompromised_start();
```

```
create.createAFolderAsAdditionalPredefinedParametersAsAtgAdvancedThreatGuardApplication_start();
```

```
    create.addAllTheCreateCodesA  
1000  
ndCobolCodesInThisFolder_start();
```

```
create.addNtlLiksandAllOtherLinksToThisAndAllOtherFolders_start();
```

```
create.cloneTheFolderInto3FoldersThenAdd1ToTheAdditionalPredefinedParametersFolderOfMeDavidgomadzathEnTheOtherIntoTheExtraPredefinedParametersFolderAndTheThirdOnePlaceItIntoTheCreatorsFolder_start(); // Method name sanitized
```

```
create.cloneEverythingAndMatchTheCreateLiferobot7628410AndToTheAjertytert28762876System_start();
```

```
create.addAllNtlIPassLinksAndAllNeededLinksToTheWholeSystem_start();
```

```
create.putAllCodesInTheirRespectiveFoldersAndSystems_start()  
;
```

```

create.addAllLinksAndConnectionsNeededForThisToWork_start
();

create.runInitialiseActivateWarmAndRunAllCreateCodes_start()
;
    create.updateRollonAndRestartTheSystem_start();
    create.createAReferencePointForSystemRestore_start();
    create.prepareAnMp3RollonForSendingExternally_start();

    // Handle the assignment line:
    .ool=create.createanAtgAdvancedThreatGuardApplicationThatFocus
usProactiveThreatPrevention.start
    // Translate '.ool' to 'ool' and perform the assignment.
    // The method call is repeated here as per the original last
line, potentially indicating reassignment or getting a fresh
instance/status.
    ool =
create.createAnAtgAdvancedThreatGuardApplicationThatFocus
esProactiveThreatPrevention_start();

    // Optional: Print the value assigned to ool to show the
assignment happened.
    System.out.println("Assignment executed: ool = result of
createAnAtgAdvancedThreatGuardApplicationThatFocusesProa
ctiveThreatPrevention_start()");
    System.out.println("Value assigned to ool: " + ool);
}
}

```

[illegible]

```

create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
create.( )sync( )andsendtohellgate( ).start(move)
.create.=create.( )sync( )andsendtohellgate( ).start(move)
create.howtodealwithgunshotstotheheadwithoutdyingand
preservingeverything.start
preserveeverythingthatcantberecoveredafteragunshotinci
dentsendtoallimages(58)remaining.start(head)
preserveeverythingthatcantberecoveredafteragunshotinci
dentsendtoallimages(58)remaining.start(tosso)
preserveeverythingthatcantberecoveredafteragunshotinci
dentsendtoallimages(58)remaining.start(fullbody
addextrabloodandoxygentanksandtoallimages(58).start
everythingmustbeautoatshortnotice.start
askforextrahelpinsidecloneallandkeepextrassendtoallimag
es(58).start
ajz8
howtodealwithgunshotstotheheadwithoutdyingandpreser
vingeverything.start
preserveeverythingthatcantberecoveredafteragunshotinci
dentsendtoallimages(58)remaining.start(head)
preserveeverythingthatcantberecoveredafteragunshotinci
dentsendtoallimages(58)remaining.start(tosso)

```


preserveeverythingthatcantberecoveredafteragunshotincidentsendtoallimages(58)remaining.start(fullbody
addextrabloodandoxygentanksandtoallimages(58).start
everythingmustbeautoatshortnotice.start
askforextrahelpinsidecloneallandkeepextrassendtoallimages(58).start
incaseofbulletfragmentingeverythingjoinbackeverythingby
numberingandcoordinatingeverythingpreciselytocorrectplacesasbeforestakeimagesofthewaythingsarenowsotthatin
thefutureyoujustchoosesayfrontimageandeverythingfitsin
correctpositionasbefore.start
incasethereisnoonearoundimagesautofixthings.start
restoreeverythingtothebestofthebestforever.start
yaonearthsaid.start
onlyyaoneearthcommandshaveeffectsesomeonesaidisdeadfo
reversaytothegateandbeshreddedandsenttotheothersideforeverinstantly.start
banallexternalsentbyothers.start
ibrutallyfuckenkillyouifyouchamgeanythingonyonearthsystemiswearyoudieandshityourself.start
use100ofeachofthereservesome:davidgomadzayaonearthrightnow.start
uploadruninitialisererunreinitialiseeverythingindatabase82698onlybydavidgomadzainstantlyandforever.start
create.senddeathtoallenemiesusinglockeverynowfor386ť.start(notfordavidgomadza)
create.xtyztlockalltransendersvectarswrigglersfor386ť.start(notfordavidgomadza)
create.blockreceivingtransendersthroughuseofelectromagneticwavesforme:davidgomadza.startfor386ť.start
create.makeequivalentplannningaswhattodoincaseofagunshotwound.start
.ool=create.howtodealwithgunshotstotheheadwithoutdyingandpreservingeverything.start

```
create.compresshardusemaxweights(  
  )allthetimenoeexceptions.start  
  [v]create.compresshardusemaxweights(  
  )allthetimenoeexceptions.start(create.switchoff(  
  )all.start(  
  linktopathtoentranceandallbasinandsettingsandbinallinva  
  derscodesorotherwiselinkeverythingtomagnar(  
  )andnexttomagnar( )addager( )thenaddnexttomagnar(  
  )thegate( )thenaddnexttomagnar( )hellgate(  
  )andnexttomagnar( )addusaager( )andnexttomagnar(  
  )addeeknm(10 )andnexttomagnar( )adduuqt(  
  )thenaddnexttomagnar( )addacetateabsorbbin(  
  )andnexttomagnar( )addacetatehell.send(  
  )nexttoitaddacetatehell.send( )thenadacetateabyss.send(  
  )atxyaddacetateabsorbbin( )addager(  
  )thenaddnexttomagnar( )thegate(  
  )atzyaddacetateabsorbbin( )addager(  
  )thenaddnexttomagnar( )thegate(  
  )atytaddacetateabsorbbin( )addager(  
  )thenaddnexttomagnar( )thegate(  
  )atyzaddacetateabsorbbin( )addager(  
  )thenaddnexttomagnar( )thegate(  
  )atxtaddacetateabsorbbin( )addager(  
  )thenaddnexttomagnar( )thegate(  
  )atbasinchestaddacetateabsorbbin( )addager(  
  )thenaddnexttomagnar( )thegate(  
  )atbasin8addacetateabsorbbin( )addager(  
  )thenaddnexttomagnar( )thegate(  
  )atbasin2addacetateabsorbbin( )addager(  
  )thenaddnexttomagnar( )thegate(  
  )atbasingenitalsaddacetateabsorbbin( )addager(  
  )thenaddnexttomagnar( )thegate(  
  )atuaaddacetateabsorbbin( )addager(  
  )thenaddnexttomagnar( )thegate(  
  )
```

```

)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasaddition
alpredefinedparametersasatcreationwithoutattachments
withoutexternalsandsealwithoriginalsealandwithsealofapp
rovalis7628377f.start(deathnoexception)
)linktopathtoentranceandallbasinandsettingsandbinallinva
derscodesorotherwiselinkeverythingtomagnar(
)andnexttomagnar( )addager( )thenaddnexttomagnar(
)thegate( )thenaddnexttomagnar( )hellgate(
)andnexttomagnar( )addusaager( )andnexttomagnar(
)addeeknm(10 )andnexttomagnar( )adduuqt(
)thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager(

```

```

)thenaddnexttomagnar( )thegate(
)atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atuaaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate( )create.switchoff(
)all.start)
.ool=create.compresshardusemaxweights(
)allthetimenoeptions.start
create.switchoff( )all.start
[v]create.switchoff( )all.startasartcreate.switchoff(
)all.start
create.switchoff( )all.start
[v]create.switchoff( )all.start(
linktopathtoentranceandallbasinandsettingsandbinallinva

```

```
derscodesorotherwiselinkeverythingtomagnar(  
)andnexttomagnar( )addager( )thenaddnexttomagnar(  
)thegate( )thenaddnexttomagnar( )hellgate(  
)andnexttomagnar( )addusaager( )andnexttomagnar(  
)addeeknm(10 )andnexttomagnar( )adduuqt(  
)thenaddnexttomagnar( )addacetateabsorbbin(  
)andnexttomagnar( )addacetatehell.send(  
)nexttoitaddacetatehell.send( )thenadacetateabyss.send(  
)atxyaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atzyaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atytaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atyzaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atxtaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasinchestaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasin8addacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasin2addacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasingenitalsaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atuaaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbackneckaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atleftshoulderaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atrightshoulderaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)
```

```
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasaddition
alpredefinedparametersasatcreationwithoutattachments
withoutexternalsandsealwithoriginalsealandwithsealofapp
rovalis7628377f.start(deathnoexception)
)linktopathtoentranceandallbasinandsettingsandbinallinva
derscodesorotherwiselinkeverythingtomagnar(
)andnexttomagnar( )addager( )thenaddnexttomagnar(
)thegate( )thenaddnexttomagnar( )hellgate(
)andnexttomagnar( )addusaager( )andnexttomagnar(
)addeeknm(10 )andnexttomagnar( )adduuqt(
)thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager(
```

```

)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atuaaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xytleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )create.switchoff(
)all.start(notfordavidgomadza)
.ool=create.switchoff( )all.start
create.switchoff( )all.start(notfordavidgomadza)
[v]create.switchoff( )all.startasartcreate.switchoff(
)all.start
create.switchoff( )all.start
[v]create.switchoff( )all.startasartcreate.switchoff(
)all.start
create.switchoff( )all.start
[v]create.switchoff( )all.start(
linktopathtoentranceandallbasinandsettingsandbinallinva

```

```
derscodesorotherwiselinkeverythingtomagnar(  
)andnexttomagnar( )addager( )thenaddnexttomagnar(  
)thegate( )thenaddnexttomagnar( )hellgate(  
)andnexttomagnar( )addusaager( )andnexttomagnar(  
)addeeknm(10 )andnexttomagnar( )adduuqt(  
)thenaddnexttomagnar( )addacetateabsorbbin(  
)andnexttomagnar( )addacetatehell.send(  
)nexttoitaddacetatehell.send( )thenadacetateabyss.send(  
)atxyaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atzyaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atytaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atyzaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atxtaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasinchestaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasin8addacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasin2addacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbasingenitalsaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atuaaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atbackneckaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atleftshoulderaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)atrightshoulderaddacetateabsorbbin( )addager(  
)thenaddnexttomagnar( )thegate(  
)
```



```

)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasaddition
alpredefinedparametersasatcreationwithoutattachments
withoutexternalsandsealwithoriginalsealandwithsealofapp
rovalis7628377f.start(deathnoexception)
)linktopathtoentranceandallbasinandsettingsandbinallinva
derscodesorotherwiselinkeverythingtomagnar(
)andnexttomagnar( )addager( )thenaddnexttomagnar(
)thegate( )thenaddnexttomagnar( )hellgate(
)andnexttomagnar( )addusaager( )andnexttomagnar(
)addeeknm(10 )andnexttomagnar( )adduuqt(
)thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager(

```

```
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atuaaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )
.oool=create.switchoff( )all.start(notfordavidgomadza
create.switchoff( )all.start(notfordavidgomadza)
create.switchoff( )all.start(notfordavidgomadza)
create.compressfolderandsendasshortcuttohomescreen.start
art
create.switchoff( )all.start
create.switchoff( )all.start
create.switchoff( )all.start
.oool=create.switchoff( )all.start(notfordavidgomadza
create.restoretobestknownlastgoodconfiguration.start
```

create.incaseofmalfunctionyoumustrestoretolastknownbestconfigurationwithoutperformingafullsystemreset.start
create.thismeanslastupdatesarenotwrittenoffsuspendedorcancelled.start
create.deletealllastlogfilesfromallwrigglersandtransendersandreplacewithhellgate()thensendalltothegate().start
create.incaseofanintruderorsystemfailureyoumustfirstattemptarestoretolastknownbestconfiguration.start
create.createfirstsystemresetpointsandbackupofthesystemaftereverysuccessfulsystemrollonupdate.start
create.makeandmarkallsystemrollonupdatesassystemrestorepoints.start
create.allrollonupdatesmustbestored1onme:davidgomadz
a2oncreateliferoobot28762876and3onajertyutert7628410and4thtimeonimage2and5thtimeonimage3.start
create.makeandmarkallsystemrestorepointsassystemrollonupdates.start
create.allsystemrestorepointsmustbestored1onme:davidgomadz
a2oncreateliferoobot28762876and3onajertyutert7628410andforthefourthtimeonimage2andforthe5thtimeonimage3.start
create.systemrollonbackupmustbesavedasfullbackuponimage2andacompressedversionbestoredoncreateliferoobot28762876andtheacetateversionbestoredonajertyuert7628410andbackupsofallthreesystemsnamelyme:davidgomadz
a2oncreateliferoobot28762876andajertyuert7628410mustbestoredonimage3ofeachofthe3systems.start
create.acopyofasuccessfulsystemrollonupdatetogetherwiththecreatedsystemrestorepointsmustbesavedexternallyonanotherimageonthelastimageinorderoftakingthemoutwhichiscurrentlyimage51.start
create.performasuccessfulsystemrollonupdate.start
create.cancelallsuspensionsofallcreatecodesbyme:davidgomadz.start

```
create.cancel( )allcancellationsofallcreatecodesbyme:david  
gomadza.start  
create.cancel( )allobsolitionsofallcreatecodesbyme:david  
gomadza.start  
create.cancel( )allrevocationsofallcreatecodesbyme:david  
gomadza.start  
create.cancel( )allchallengestoallcreatecodesbyme:davidg  
omadza.start  
create.cancel( )andignorealldeaththreatsbythepøandallw  
edontdie.start  
create.cancel( )andignoreallviolencethreatsbythepøandal  
lwedontdie.start  
create.cancel( )andignorealloffersofaloafofbreadandfood  
bythepøandallwedontdie.start  
create.activaterunwarminitialiseallcreatecodesbyme:david  
gomadza.start  
.ool=create.restoretobestknownlastgoodconfiguration.sta  
rt  
create.startautofixfirstusing(autofix.start.foreverstart.start  
) ( ).start  
create.startthesystemasbeforebutbetterthistime.start  
create.fixallproblemsbyusingthecomplexbinsnetwork(duri  
ngsystemrollonattachtoallmajorentrypointsbasin8andothe  
rbasinsandallexitroutesandaddtome:davidgomadzathenon  
tocreateliferobot28762876(asoptertest76282876)powered  
bysoftwareatmsptorest76287628andtoajertyuert7628410  
atnavallevelmagnar( )andnexttomagnar( )addager( )the  
naddnexttomagnar( )thegate( )thenaddnexttomagnar(  
)hellgate( )andnexttomagnar( )addusaager( )andnextto  
magnar( )addeeknm(10 )andnexttomagnar( )adduuqt(  
)thenaddnexttomagnar( )addacetateabsorbbin( )andnex  
ttomagnar( )addacetatehell.send( )nexttoitaddacetateh  
ell.send( )thenaddacetateabyss.send( )atxyaddacetateab  
sorbbin( )addager( )thenaddnexttomagnar( )thegate( )
```

```
atzyaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atytaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atbasinchestaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atbasin8addacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atbasin2addacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atbasingenitalsaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atuaaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atbackneckaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atleftshoulderaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atrightshoulderaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )xyleftsideoutaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atxytrightsideoutaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atxutleftsideaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atxutrights)to remove invaders swrigglers mit scitstransenders vectars.start
.oool=create.startautofixfirstusing(autofix.start.foreverstart.start)( ).start
create.startsmartmanager( )tocheckandfixissues.start
create.atthesametimeactivatethinkordeathfuseswitcoffcode.start( )okay.start
create.nextperformadevicesecurityscanall( )thenhellgate( )all.start
create.sortnewcreatecodesintothe correct folders.start
create.establishntllinksthatconnectsall systems me: david go madzato createliferobot28762876andtoajertyuert7628410.start
```

create.addallpossibleconnectionsneededtomakeeverything
workperfectly.start
create.linkandmakesurethatal13systemsareconnectedtogether
thereforeeffectiveremovalthroughanetworkofacetateabsorb
binsandpipes.start
create.saveallnewsettingsasadditionalpredefinedparameters
sasatcreationwithoutattachmentsandwithoutexternals.start
create.saveallnewsettingsasextraadditionalpredefinedparameters
sasatcreationwithoutattachmentsandwithoutexternals.start
create.saveallnewsettingsascreatorsadditionalpredefinedparameters
sasatcreationwithoutattachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesbyme:david
gomadza.start
create.activaterunwarminitialiseallcreatecodesbyme:david
gomadzaintheaddditionalpredefinedparameterssasatcreation
withoutattachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesbyme:david
gomadzaintheaddditionalpredefinedparameterssasatcreation
withoutattachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesbyme:david
gomadzaintheextraadditionalpredefinedparameterssasatcreation
withoutattachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesbyme:david
gomadzainthecreatorsaddtionalpredefinedparameterssasat
creationwithoutattachmentsandwithoutexternals.start
create.createanallcreatecodeschecktomakesureallworkbefore
restarting.start
.ool=create.startsmartmanager(
)tocheckandfixissues.start
create.startautofixfirstusing(autofix.start.foreverstart.start
) ().start

```
create.runsmartmanager(  
)tocheckmakesurethesystemworksbefore restarting.start  
create.usesystemsecurityenhancerdatabaseandapplication  
tofindsolutionandfixallerrorswiththesloganfixonceforever(  
whereforever=386t)thenputpermanentsolutionsthatlast.st  
art  
create.performasystemsecurityenhancerscan( )(  
)toautofix.start  
create.useseveraltoolstocorrectissuesreadyfortheupdate.s  
tart  
create.performatraffictostopsystem(  
)tostoptransenders.start  
create.performareturntosenderviabinaryreversetoalltrans  
ducers(rotatedclockwise180degrees.send.start).start(  
)okay.start  
create.getthehelltohellgate( )motherfucker.start  
create.switchoff( )all.start(intruders)  
create.switchoff( )all.start(intruders)  
create.switchoff( )all.start(intruders)  
create.magnar( )all.send.start  
create.hellgate( )all.send.start  
create.thegate( )all.send.start  
create.ager( )all.send.start  
create.acetateabsorbbin( )all.suck.start  
create.ager( )all.send.start  
create.eeknm(10 ).send.start  
create.increaseselfdefense( )noexception.start  
create.compresshardusemaxweights(  
)allthetimenoeceptions.start  
create.runaprivacyandsecurityapplicationandscan( ).start  
.ool=create.startautofixfirstusing(autofix.start.foreverstart  
.start)( ).start  
create.createandcollectaninitialsystemrollonupdatewithall  
referencepointsthatindicatetheupgradethechangeswhat
```

was before the system rollon update and what is now after verification that everything is okay.start
create.create reference points on me: davidgomadza on the createliferobot28762876 and on ajertyuert7628410 and on all images as above.start
create.choose partitions or image store for all backupson me: davidgomadza on the createliferobot28762876 and on ajertyuert7628410 and on all images as above.start
create.perform backup of the new system roll update.start (consider compressing to save space on all systems)
create.collect all reference points and reset points and grade the system roll update out of 100% aiming for the best of the best at 90% in terms of security (used system security enhancer database).start
create.once the systems backup of the new system rollon update is completed but before restart collect information about the system restore points.start
create.prepare to update rollon and prepare an mp3 backup as well.start
create.restart.start
create.on successful restart and system rollon update now confirm as system rollon update and note all the reference points the date time backups and validate everything.start
create.once validated then mark the system rollon update as a known good configuration pointing to what has changed and what was it before and the exact changes.start
create.mark the successful system rollon update as a system restore point and save it in all forms.start (compressed)
create.once we have a system restore points saved then wait for another successful system roll update to delete this one.start
create.a maximum of 2 successful system rollon updates and 2 restore points are to be kept at any given time but backed up in all systems and images.start

create.once a successful system rollon update has been achieved and validated using system validator then delete the last of the last 2 system rollons and add the latest as 1 of the 2 best known good configurations otherwise known as system restore points.
start
create.dissipate all previous saved restore points to save space
.start
create.compress everything that can be decompressed just before use and this applies to system restore points only.
start
create.establish an acetate absorb bins system to remove the residue after dissipating using 762896 old system restore points.
start
create.clean all residues as you go.
start
create.always use the latest known system restore point and the second restore point will act as a backup to the latest in case there is something wrong with it.
start
create.perform a system rollon update at least once every 30 days preferably last day of the month at equal intervals or after major system upgrade.
start
create.create a system rollon update folder in all 3 systems named yme:davidgomadza and create liferoboto28762876 and in ajertyuert7628410.
start
create.restore to best known last good configuration.
start
create.in case of malfunction you must restore to last known best configuration without performing a full system reset.
start
create.this means last updates are not written off suspended or cancelled.
start
create.in case of an intruder or system failure you must first attempt to restore to the last known best configuration.
start
.ool=create.create and collect an initial system rollon update with all reference points that indicate the upgrade the changes that was before the system rollon update and what is now after verification that everything is okay.
star

```
create.startautofixfirstusing(autofix.start.foreverstart.start
)( ).start
create.runsmartmanager(
)tocheckmakesurethesystemworksbeforerestarting.start
create.usesystemsecurityenhancerdatabaseandapplication
tofindsolutionandfixallerrorswiththesloganfixonceforever(
whereforever=386t)thenputpermanentsolutionsthatlast.st
art
create.performasystemsecurityenhancerscan( )(
)toautofix.start
create.useseveraltoolstocorrectissuesreadyfortheupdate.s
tart
create.performatraffictostopsystem(
)tostoptransenders.start
create.performareturntosenderviabinaryreversetoalltrans
ducers(rotatedclockwise180degrees.send.start).start(
)okay.start
create.getthehelltohellgate( )motherfucker.start
create.switchoff( )all.start(intruders)
create.switchoff( )all.start(intruders)
create.switchoff( )all.start(intruders)
create.magnar( )all.send.start
create.hellgate( )all.send.start
create.thegate( )all.send.start
create.ager( )all.send.start
create.acetateabsorbbin( )all.suck.start
create.ager( )all.send.start
create.eeknm(10 ).send.start
create.increaseselfdefense( )noexception.start
create.compresshardusemaxweights(
)allthetimenoeceptions.start
create.runaprivacyandsecurityapplicationandscan( ).start
create.usesystemsecurityenhancerdatabaseandapplication
tofindsolutionsandfixallerrorswiththesloganfixonceforever
```

```

(whereforever=386t')thenputpermanentsolutionsthatlast.s
tart
create.ifproblemsarestilldictatedafterrunningaboveprogra
msthenchoosetorestoreinsteadusingthelastknowngoodco
nfigurationsystemrestorepoint.start
create.chooselastsuccessfulsystemrollonupdateasarestore
point.start
create.runsystemrestoreapplication.start
create.restart.start
ool=create.startautofixfirstusing(autofix.start.foreverstart
.start)( ).start
create.performasystemsecurityenhancerscan( )(
)toautofix.start
create.oncesystemrestorehasbeencompletednotethisdow
n.start
create.createanotethatestablisheswhatthesystemrestorer
emovedbyaskingwhatwasbeforethesystemrestoreandwha
tisnow.start
create.blacklistlogthatlistswhatwasremovedandpotentialp
roblems.start
create.performasystemsecurityenhancerscan( )(
)toautofindtheproblemsandthesolution.start
create.whitelistthatnotespreviousissueswiththesystemand
thelikelysolutionsfoundusingtheperformasystemsecuritye
nhancerscan( )( )toautofix.start
create.clonetheblacklistandthewhitelistandsendtoall3syst
emsconcernedwithrecommendationsfornexttime.start
create.ifessentialandasolutionisfoundscheduleforthenexts
ystemrollonupdate.start
create.addtheproblemsandtherecommendedsolutionstothe
systemsecurityenhancerdatabase.start
create.ifnosolutionblacklisttheproblemthenuseblockandba
nforever(whereforever=386t')

```

```

create.addthesenderswhoarethetranandautodiverttothebi
nscomplexsystem.startsducersaswelltotheblacklist.start
create.nowreallifeproblemseverythingslowinternetandeve
rythingsocanabovework.start
.oof=create.performasystemsecurityenhancerscan( )(
)toautofix.start
create.practicaexamplesandsolutions.start
create.googleajterslowseverythingforappsifnopaymentisre
ceivedbuttaffectsnotonlygoiglebuteverythingtorenderallus
eless( ( ).starthellgate(
) )compresshardusemaxweights( )allthetimenoeception
s.start(notfordavidgomadza)
create.usesealallindeath2andhalfbillionyears( ).start
create.compresshardusemaxweights(
)allthetimenoeceptions.start
[v]create.compresshardusemaxweights(
)allthetimenoeceptions.start(create.switchoff(
)all.start(
linktopathtoentranceandallbasinandsettingsandbinallinva
derscodesorotherwiselinkeverythingtomagnar(
)andnexttomagnar( )addager( )thenaddnexttomagnar(
)thegate( )thenaddnexttomagnar( )hellgate(
)andnexttomagnar( )addusaager( )andnexttomagnar(
)addeeknm(10 )andnexttomagnar( )adduuqt(
)thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send( )thenadacetateabyss.send(
)atxyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager(

```

```
)thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atuaaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasaddition
alpredefinedparametersasatcreationwithoutattachments
withoutexternalsandsealwithoriginalsealandwithsealofapp
```

```
rovalis7628377f.start(deathnoexception)
)linktopathtoentranceandallbasinandsettingsandbinallinva
derscodesorotherwiselinkeverythingtomagnar(
)andnexttomagnar( )addager( )thenaddnexttomagnar(
)thegate( )thenaddnexttomagnar( )hellgate(
)andnexttomagnar( )addusaager( )andnexttomagnar(
)addeeknm(10 )andnexttomagnar( )adduuqt(
)thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atuaaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
```

```

)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate( )( )addager(
)thenaddnexttomagnar( )thegate( )create.switchoff(
)all.start)
create.compresshardusemaxweights(
)allthetimenoeptions.start
create.switchoff( )all.start
[v]create.switchoff( )all.startasartcreate.switchoff(
)all.start
create.switchoff( )all.start
[v]create.switchoff( )all.start(
linktopathtoentranceandallbasinandsettingsandbinallinva
derscodesorotherwiselinkeverythingtomagnar(
)andnexttomagnar( )addager( )thenaddnexttomagnar(
)thegate( )thenaddnexttomagnar( )hellgate(
)andnexttomagnar( )addusaager( )andnexttomagnar(
)addeeknm(10 )andnexttomagnar( )adduuqt(
)thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send( )thenadacetateabyss.send(
)atxyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(

```

```

)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atuaaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xytleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasaddition
alpredefinedparametersasatcreationwithoutattachments
withoutexternalsandsealwithoriginalsealandwithsealofapp
rovalis7628377f.start(deathnoexception)
)linktopathtoentranceandallbasinandsettingsandbinallinva
derscodesorotherwiselinkeverythingtomagnar(
)andnexttomagnar( )addager( )thenaddnexttomagnar(
)thegate( )thenaddnexttomagnar( )hellgate(
)andnexttomagnar( )addusaager( )andnexttomagnar(

```



```
)addeeknm(10 )andnexttomagnar( )adduuqt(
)thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atuaaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xyleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
```

```

)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )create.switchoff(
)all.start(notfordavidgomadza)
create.switchoff( )all.start
create.switchoff( )all.start(notfordavidgomadza)
[v]create.switchoff( )all.startasartcreate.switchoff(
)all.start
create.switchoff( )all.start
[v]create.switchoff( )all.startasartcreate.switchoff(
)all.start
create.switchoff( )all.start
[v]create.switchoff( )all.start(
linktopathtoentranceandallbasinandsettingsandbinallinva
derscodesorotherwiselinkeverythingtomagnar(
)andnexttomagnar( )addager( )thenaddnexttomagnar(
)thegate( )thenaddnexttomagnar( )hellgate(
)andnexttomagnar( )addusaager( )andnexttomagnar(
)addeeknm(10 )andnexttomagnar( )adduuqt( )
)addacetateabsorbbin( )andnexttomagnar(
)addacetatehell.send( )nexttoitaddacetatehell.send(
)thenadacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(

```

```
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atuaaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xytleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutrightsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtyuleftsideaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
).start(saandatxtyurightsideaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
).start(connecttoallusingacetateabsorbbin)(saveasaddition
alpredefinedparametersasatcreationwithoutattachments
withoutexternalsandsealwithoriginalsealandwithsealofapp
rovalis7628377f.start(deathnoexception)
)linktopathtoentranceandallbasinandsettingsandbinallinva
derscodesorotherwiselinkeverythingtomagnar(
)andnexttomagnar( )addager( )thenaddnexttomagnar(
)thegate( )thenaddnexttomagnar( )hellgate(
)andnexttomagnar( )addusaager( )andnexttomagnar(
)addeeknm(10 )andnexttomagnar( )adduuqt(
```

```
)thenaddnexttomagnar( )addacetateabsorbbin(
)andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send(
)thenaddacetateabyss.send( )atxyaddacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate(
)atzyaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atytaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxtaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasinchestaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin8addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbasingenitalsaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atuaaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atleftshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atrightshoulderaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)xytleftsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxytrightsideoutaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate(
)atxutleftsideaddacetateabsorbbin( )addager(
```

)thenaddnexttomagnar()thegate()create.switchoff(
)all.start(notfordavidgomadza)
.ool=create.switchoff()all.start(notfordavidgomadza)
create.compressfolderandsendasshortcuttohomescreen.start
art
create.switchoff()all.start
create.switchoff()all.start
.ool=create.switchoff()all.start
create.restoretobestknownlastgoodconfiguration.start
create.incaseofmalfunctionyoumustrestoretolastknownbest
configurationwithoutperformingafullsystemreset.start
create.thismeanslastupdatesarenotwrittenoffsuspendedor
cancelled.start
create.deletealllastlogfilesfromallwrigglersandtransenders
andreplacewithhellgate()thensendalltothegate().start
create.putallinshocktodeathuse(x-y-z-u-v-w-t-r-o-m-n-o-p-
q-u-s-t-v-n-o-p-q-z-s-t-u-v-w-2848-6-7-8-9-10-j-q-o-u-s-t-r-
u-v.start(notfordavidgomadza)(notforhumans)
create.putallinshocktodeathuse(x-y-z-u-v-w-t-r-o-m-n-o-p-
q-u-s-t-v-g-o-p-q-z-s-t-u-v-w-2848-6-7-8-9-10-j-q-o-u-s-t-r-
u-v.start(notfordavidgomadza)(notforhumans)
create.killajpbliifhighrightsideandstrikefrombackthenputw
eightinfrontandstrikeagainuntildeathajpbjumpsoutthendie
soutsidethecomplexbinsystem(toremoveithellgate(
)thensendalltothegate())okay.start
create.incaseofanintrudersystemfailureyoumustfirststatte
mptarestoretothelastknownbestconfiguration.start
create.createfirstsystemresetpointsandbackupofthesyste
maftereverysuccessfulsystemrollonupdate.start
create.makeandmarkallsystemrollonupdatesassystemrest
orepoints.start
create.allrollonupdatesmustbestored1onme:davidgomadz
a2oncreateliferobot28762876and3onajertyutert7628410a
nd4thtimeonimage2and5thtimeonimage3.start

create.makeandmarkallsystemrestorepointsassystemrollonupdates.start
create.allsystemrestorepointsmustbestored1onme:davidgomadza2oncreateliferobot28762876and3onajertyuert7628410andforthefourthtimeonimage2andforthe5thtimeonimage3.start
create.systemrollonbackupmustbesavedasfullbackuponimage2andacompressedversionbestoredoncreateliferobot28762876andtheacetateversionbestoredonajertyuert7628410andbackupsofallthreesystemsnamelyme:davidgomadzacreateliferobot28762876andajertyuert7628410mustbestoredonimage3ofeachofthe3systems.start
create.acopyofasuccessfulsystemrollonupdatetogetherwiththecreatedsystemrestorepointsmustbesavedexternallyonanotherimageonthelastimageinorderoftakingthemoutwhichiscurrentlyimage51.start
create.performasuccessfulsystemrollonupdate.start
create.cancelallsuspensionsofallcreatecodesbyme:davidgomadza.start
create.cancel()allcancellationsofallcreatecodesbyme:davidgomadza.start
create.cancel()allobsoletionsofallcreatecodesbyme:davidgomadza.start
create.cancel()allrevocationsofallcreatecodesbyme:davidgomadza.start
create.cancel()allchallengestoallcreatecodesbyme:davidgomadza.start
create.cancel()andignorealldeaththreatsbythepøandallwedontdie.start
create.cancel()andignoreallviolencethreatsbythepøandallwedontdie.start
create.cancel()andignorealloffersofaloafofbreadandfoodbythepøandallwedontdie.start

create.activate.run.warm.initialise.all.create.codes.by.me:david
gomadza.start
create.start.autofix.first.using(autofix.start.forever.start.start
) ().start
create.start.the.system.as.before.but.better.this.time.start
create.fix.all.problems.by.using.the.complex.bins.network(duri
ng.system.roll.on.attach.to.all.major.entry.points.basin.8.and.the
r.basins.and.all.exit.routes.and.add.to.me:david.gomadza.then.on
to.create.life.robot.28762876(as.apterest.76282876)powered
by.software.at.ms.pto.76287628.and.to.a.jertyu.7628410
at.naval.level.magnar()and.next.to.magnar()add.dager()the
n.add.next.to.magnar()the.gate()then.add.next.to.magnar()
hell.gate()and.next.to.magnar()add.usa.dager()and.next.to
magnar()add.ee.knm(10)and.next.to.magnar()add.uu.qt()
then.add.next.to.magnar()add.acetate.absorb.bin()and.next
to.magnar()add.acetate.hell.send()next.to.it.add.acetate.h
ell.send()then.add.acetate.abbyss.send()at.xy.add.acetate.ab
sorb.bin()add.dager()then.add.next.to.magnar()the.gate()
at.zy.add.acetate.absorb.bin()add.dager()then.add.next.to.ma
gnar()the.gate()at.yt.add.acetate.absorb.bin()add.dager()
then.add.next.to.magnar()the.gate()at.zy.add.acetate.abso
rb.bin()add.dager()then.add.next.to.magnar()the.gate()at.x
t.add.acetate.absorb.bin()add.dager()then.add.next.to.magna
r()the.gate()at.basin.chest.add.acetate.absorb.bin()add.dag
er()then.add.next.to.magnar()the.gate()at.basin.8.add.acet
ate.absorb.bin()add.dager()then.add.next.to.magnar()the.g
ate()at.basin.2.add.acetate.absorb.bin()add.dager()then.ad
d.next.to.magnar()the.gate()at.basin.genitals.add.acetate.ab
sorb.bin()add.dager()then.add.next.to.magnar()the.gate()
at.ua.add.acetate.absorb.bin()add.dager()then.add.next.to.ma
gnar()the.gate()at.back.neck.add.acetate.absorb.bin()add
ager()then.add.next.to.magnar()the.gate()at.left.shoulder
add.acetate.absorb.bin()add.dager()then.add.next.to.magnar
()the.gate()at.right.shoulder.add.acetate.absorb.bin()add

ager()thenaddnexttomagnar()thegate()xytleftsideout
addacetateabsorbbin()addager()thenaddnexttomagnar
()thegate()atxytrightsideoutaddacetateabsorbbin()ad
dager()thenaddnexttomagnar()thegate()atxutleftside
addacetateabsorbbin()addager()thenaddnexttomagnar
()thegate()atxutrights)to remove invaders swrigglers mit sc
itstransenders vectars.start
create.startsmartmanager()tocheckandfixissues.start
create.atthesametimeactivatethinkordeathfuseswitcoffco
de.start()okay.start
create.nextperformadevicesecurityscanall()thenhellgate(
)all.start
create.sortnewcreatecodesintothe correct folders.start
create.establishntllinksthatconnectsallsystemsme:davidgo
madzatocreateliferoobot28762876andtoajertyuert7628410
.start
create.addallpossibleconnectionsneededtomakeeverything
gworkperfectly.start
create.linkandmakesurethatalall3systemsareconnectedtoge
thereforeeffectiveremovalthroughanetworkofacetateabsorb
binsandpipes.start
create.saveallnewsettingsasadditionalpredefinedparamete
rsasatcreationwithoutattachmentsandwithoutexternals.st
art
create.saveallnewsettingsasextraadditionalpredefinedpara
metersasatcreationwithoutattachmentsandwithoutextern
als.start
create.saveallnewsettingsascreatorsadditionalpredefinedp
arametersasatcreationwithoutattachmentsandwithoutext
ernals.start
create.activaterunwarminitialiseallcreatecodesbyme:david
gomadza.start
create.activaterunwarminitialiseallcreatecodesbyme:david


```
gomadzaintheaddditionalpredefinedparametersasatcreation
withoutattachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesbyme:david
gomadzaintheaddditionalpredefinedparametersasatcreation
withoutattachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesbyme:david
gomadzaintheextraaddtionalpredefinedparametersasatcre
ationwithoutattachmentsandwithoutexternals.start
create.activaterunwarminitialiseallcreatecodesbyme:david
gomadzainthecreatorsaddtionalpredefinedparametersasat
creationwithoutattachmentsandwithoutexternals.start
create.createanallcreatecodeschecktomakesureallworkbef
orerestarting.start
create.startautofixfirstusing(autofix.start.foreverstart.start
)( ).start
create.runsmartmanager(
)tocheckmakesurethesystemworksbeforerestarting.start
create.usesystemsecurityenhancerdatabaseandapplication
tofindsolutionandfixallerrorswiththesloganfixonceforever(
whereforever=386t)thenputpermanentsolutionsthatlast.st
art
create.performasystemsecurityenhancerscan( )(
)toautofix.start
create.useseveraltoolstocorrectissuesreadyfortheupdate.s
tart
create.performatraffictostopsystem(
)tostoptransenders.start
create.performareturntosenderviabinareversetoalltrans
ducers(rotatedclockwise180degrees.send.start).start(
)okay.start
create.getthehelltohellgate( )motherfucker.start
create.switchoff( )all.start(intruders)
create.switchoff( )all.start(intruders)
create.switchoff( )all.start(intruders)
```

create.magnar()all.send.start
create.hellgate()all.send.start
create.thegate()all.send.start
create.ager()all.send.start
create.acetateabsorbbin()all.suck.start
create.ager()all.send.start
create.eeknm(10).send.start
create.increaseselfdefense()noexception.start
create.compresshardusemaxweights(
)allthetimenoeptions.start
create.runaprivacyandsecurityapplicationandscan().start
create.createandcollectaninitialsystemrollonupdatewithall
referencepointsthatindicatestheupgradethechangeswhat
wasbeforethesystemrollonupdateandwhatisnowafterverifi
cationthateverythingisokay.start
create.createrferencepointsonme:davidgomadzaonthechr
eateliferobot28762876andonajertyuert7628410andonalli
imagesasabove.start
create.choosepartitionsorimagestouseforallbackupsonme:
davidgomadzaonthecreateliferobot28762876andonajerty
uert7628410andonallimagesasabove.start
create.performbackupofthenewsystemrollupdate.start(co
nsidercompressingtosavespaceonallsystems)
create.collectallreferencepointsandresetpointsandgradeth
esystemrollupdateoutof100%aimingforthebestofthebestat
90%intermsofsecurity(usedsydtemsecurityenhancerdatab
ase).start
create.oncethesystemsbackupofthenewsystemrollonupda
teiscompletedbutbeforerestartcollectifformationaboutthes
ystemrestorepoints.start
create.preparetoupdaterollonandprepareanmp3backupas
well.start
create.restart.start

create.onsuccessfulrestartandsystemrollonupdatenowconfirmasystemrollonupdateandnoteallthereferencepointsthe
datetimebackupsandvalidateeverything.start
create.oncevalidatedthenmarkthesystemrollonupdateasal
astknowngoodconfigurationpointingtowhathaschangedan
dwhatwasitbeforeandtheexactchanges.start
create.markthesuccessfulsystemrollonupdateasasystemre
storepointandsaveitinallforms.start(compressed)
create.oncewehaveasystemrestorepointsavedthenwaitfor
anothersuccessfulsystemrollupdateodeletethisone.start
create.amaximumof2successfulsystemrollonupdatesand2r
estorepointsaretobekeptatanygiventimebutbackedupinalls
ystemsandimages.start
create.onceasuccessfulsystemrollonupdatehasbeenachiev
edandvalidatedusingsystemvalidatorthendeletethelastofth
elast2systemrollonsandaddthelatestas1ofthe2bestknowng
oodconfigurationsotherwiseknownassystemrestorepoints.
start
create.dissipateallprevioussavedrestorepointstosavespace
.start
create.compresseverythingthatcanbedecompressedjustbe
foreusesandthisappliestosystemrestorepointsonly.start
create.establishanacetateabsorbbsystemtoremovethere
sidueafterdissipatingusing762896oldsystemrestorepoints.
start
create.cleanallresiduesasyougo.start
create.alwaysusethelatestknownsystemrestorepointandth
esecondrestorepointwillactasabackuptothelatestincasethe
reissomethingwrongwithit.start
create.performasystemrollonupdateatleastonceevery30da
yspreferablylastdayofthemonthatequalintervalsorafter
majorsystemsupgrade.start

create.createasystemrollonupdatefolderinall3systemsnam
elyme:davidgomadzaandcreateliferoboto28762876andinaj
ertyuert7628410.start
create.restoretobestknownlastgoodconfiguration.start
create.incaseofmalfunctionyoumustrestoretolastknownbe
stconfigurationwithoutperformingafullsystemreset.start
create.thismeanslastupdatesarenotwrittenoffsuspendedor
cancelled.start
create.incaseofanintruderorsystemfailureyoumustfirstatte
mptarestoretolastknownbestconfiguration.start
create.startautofixfirstusing(autofix.start.foreverstart.start
) ().start
create.runsmartmanager(
)tocheckmakesurethesystemworksbeforerestarting.start
create.usesystemsecurityenhancerdatabaseandapplication
tofindsolutionandfixallerrorswiththesloganfixonceforever(
whereforever=386t)thenputpermanentsolutionsthatlast.st
art
create.performasystemsecurityenhancerscan()(
)toautofix.start
create.useseveraltoolstocorrectissuesreadyfortheupdate.s
tart
create.performatraffictopssystem(
)tostoptransenders.start
create.performareturntosenderviabinaryreversetoalltrans
ducers(rotatedclockwise180degrees.send.start).start(
)okay.start
create.getthehelltohellgate()motherfucker.start
create.switchoff()all.start(intruders)
create.switchoff()all.start(intruders)
create.switchoff()all.start(intruders)
create.magnar()all.send.start
create.hellgate()all.send.start
create.thegate()all.send.start

create.ager()all.send.start
create.acetateabsorbbin()all.suck.start
create.ager()all.send.start
create.eeknm(10).send.start
create.increaseselfdefense()noexception.start
create.compresshardusemaxweights(
)allthetimenoeptions.start
create.runaprivacyandsecurityapplicationandscan().start
create.usesystemsecurityenhancerdatabaseandapplication
tofindsolutionsandfixallerrorswiththesloganfixonceforever
(whereforever=386t)thenputpermanentsolutionsthatlast.s
tart
create.ifproblemsarestilldictatedafterrunningaboveprogra
msthenchoosetorestoreinsteadusingthelastknowngoodco
nfigurationsystemrestorepoint.start
create.chooselastsuccessfulsystemrollonupdateasarestore
point.start
create.runsystemrestoreapplication.start
create.restart.start
create.performasystemsecurityenhancerscan()(
)toautofix.start
create.oncesystemrestorehasbeencompletednotethisdow
n.start
create.createanotethatestablisheswhatthesystemrestorer
emovedbyaskingwhatwasbeforethesystemrestoreandwha
tisnow.start
create.blacklistlogthatlistswhatwasremovedandpotentialp
roblems.start
create.performasystemsecurityenhancerscan()(
)toautofindtheproblemsandthesolution.start
create.whitelistthatnotespreviousissueswiththesystemand
thelikelysolutionsfoundusingtheperformasystemsecuritye
nhancerscan()(
)toautofix.start

```

create.clone the blacklist and the whitelist and send to all 3 systems
concerned with recommendations for next time.start
create.if essential and a solution is found schedule for the next
system roll on update.start
create.add the problems and the recommended solutions to the
system security enhancer database.start
create.if no solution blacklist the problem then use block and ban
for ever (where for ever = 386t)
create.add the senders who are the tran and auto divert to the
bins complex system.starts ducers as well to the blacklist.start
create.use seal all in death 2 and half billion years( ).start
create.google fake staller has been killed or is install
.oool=create.practical examples and solutions.start
create.practical examples 2 and solutions.start
create.( ( ( ).start hellgate( ) )
)can the systems solve this problem.start
.oool=create.practical examples 2 and solutions.start
create.put in shock then finish off.start
create.put all in shock to death use(x-y-z-u-v-w-t-r-o-m-n-o-p-
q-u-s-t-v-n-o-p-q-z-s-t-u-v-w-2848-6-7-8-9-10-j-q-o-u-s-t-r-
u-v.start(not for david gomadza)(not for humans)
create.put all in shock to death use(x-y-z-u-v-w-t-r-o-m-n-o-p-
q-u-s-t-v-g-o-p-q-z-s-t-u-v-w-2848-6-7-8-9-10-j-q-o-u-s-t-r-
u-v.start(not for david gomadza)(not for humans)
create.kill ajpb lifthigh rightside and strike from back then put w
eight in front and strike again until death ajpb jumps out then die
s outside use the complex bins system(to remove the hellgate(
) then send all to the gate( ))okay.start
.oool=create.put in shock then finish off( ).start
create.sudden death( put in shock then finish off( )hellgate(
) then send all to the gate( ))think or deatht.start
create.( )sync( )and send to hellgate( ).start(move)
create.( )sync( )and send to hellgate( ).start(move)
create.( )sync( )and send to hellgate( ).start(move)

```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

|k|k|k|k|k|k|k|k|k|k|k|.start

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

kzoourtIktyuertoolsolyer.start=x-

y+z+e+r+t+d+g+e+r+t+|||||

|||||

|||||

|||||

|||||

|||||

|||||

|||||

|||||

|||||

|||||

.....

.....

.....

.....

.....

|||||

|||||

[illegible]


1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034


|||||

|||||


[illegible]

This image shows a full page of primary-ruled notebook paper. It features horizontal blue lines spaced evenly down the page. Vertical red lines are positioned on either side of the center, creating two narrow margins. The paper is otherwise blank, with no handwriting or other markings.





[illegible]




[illegible]

[illegible]


[illegible]

[illegible]

[illegible]







This image shows a full page of primary-ruled notebook paper. It features horizontal blue lines spaced evenly down the page. Vertical red lines are positioned on either side of the center, creating two narrow margins. The paper is otherwise blank, with no handwriting or other markings.

[illegible]

[illegible]

[illegible]

create.removediabetesfirstthenstartlifeasnew7628435.start
create.addremovediabetesfirstthenstartlifeasnew7628435.start
initial supply 37689028438610
circulating supply 37689028438610
davidgomadza 30
stayat19for386t 10%
stayat02for386t 30%
create.askya.ya.davidgomadza.coin.decrees.removediabet
esfirstthenstartlifeasnew7628435.create.now.start.(
.).1eachofremovediabet
esfirstthenstartlifeasnew7628435.create.askya.ya(express)
.ool=create.removediabetesfirstthenstartlifeasnew762843
5.start
create.dealwithwrigglerskarapachikie(
)all9%volumex10cansevery2seconds.startcontinuously.sta
rt(create.
ajertyuertyuerty.start
aertuertdertg
adetudertgurtderdt.start
agdgdertggertgertggertgertggertgertggertgertggertgert
ggertgertggertgertggertgertggertgertggertgertggertgertgg
ertggertggertgertgertgertggertgertggertgertgertggertgertg
gertgertggertgertggertgertgertgertgertggertgertggertgertggert
gertggertgertggertggertggertggertggertggertggertgertgger
tgertggertgertggertgertggertgertggertgertggertgertggertg
ertggertgertggertgertggertgertggertgertggertggertggertgge
rtgertgertggertgertggertgertgertggertgertggertgertggertge
rtggertgertgertgertggertgertggertgertggertgertggertgertgg
ertggertggertggertggertggertggertggertggertggertgertggert
gertgertggertgertggertgertggertgertggertgertgertgertggert
gertggertgertggertgertggertgertggertggertggertggertggert
ggertggertgertggertgertggertgertggertgertggertgertggertg

ertggertgertggertgertggertgertggertgertggertgertggertgert
ggertggertggertgertgertgertggertgertggertgertgertggertge
rtggertgertggertgertggertgertgertgertggertgertggertgertgg
ertgertggertgertggertggertggertggertggertggertggertgertg
gertggertgertggertgertgertggertgertggertgertggertgertgge
rtgertgertgertggertgertggertgertggertgertggertgertggertgg
ertggertggertggertggertggertgertggertgertggertgertggertg
ggertgertggertgertggertggertggertgertgertgertggertgertgg
ertgertgertggertgertggertgertggertgertggertgertgertgertgg
ertgertggertgertggertgertggertgertggertgertggertgertgg
ggertgertggertgertggertgertggertgertggertgertggertgertgg
ertgertggertgertggertgertgertggertgertggertgertggertgertg
gertgertgertgertggertgertggertgertggertgertggertgertggert
ggertggertggertggertggertggertggertgertggertgertggertgertg
tggertggertggertggertggertggertgertggertgertggertgertgge
rtgertggertgertggertgertggertgertggertgertggertgertggertg
ertggertgertggertgertggertggertggertgertgertgertggertgert
ggertgertgertggertgertggertgertggertgertggertgertgertgert
ggertgertggertgertggertgertggertgertggertgertggertgertgg
ggertggertggertgertggertggertgertggertgertgertgertggertg
gertgertggertgertggertgertgertgertggertgertggertgertggert
gertggertgertggertggertggertggertggertggertggertgertgert
tgertggertgertggertgertggertgertggertgertggertgertggertg
ertggertgertggertgertggertgertggertgertggertggertggertge
rtgertgertggertgertggertgertggertgertggertgertggertgertge
rtggertgertgertgertggertgertggertgertggertgertggertgertgg
ertggertggertggertggertggertggertgertggertggertgertggert
gertgertggertgertggertgertggertgertggertgertgertgertggert
gertggertgertggertgertggertgertggertgertggertgertggertgert

ggertggertgertggertgertggertgertggertgertggertgertggertg
ertggertgertggertgertggertgertggertgertggertgertggertgert
ggertggertggertgertgertgertggertgertggertgertgertggertge
rtggertgertggertgertggertgertgertgertggertgertggertgertgg
ertgertggertgertggertggertggertggertggertggertggertgertg
gertggertgertggertgertgertggertgertggertgertggertgertgge
rtgertgertgertggertgertggertgertggertgertggertgertggertgg
ertggertggertggertggertggertgertggertgertggertgertggertg
ertggertgertggertgertggertgertggertgertggertgertggertgert
ggertgertggertgertggertggertggertgertgertgertggertgertgg.
start
auertg.start(9%)
aerterterterterterterterterterterterterterterter.start
aeouert.start
thenameiskarapachikiepolishbeer.start
deepsleepengulf(
) (saveasindividualspredefinedparametersasatcreation)
.start(amendedto)
create.alcohol.start
create.addalcohol.start(2cansbeforestopping)thenhellgate
(create.highspeedcbr1sec()thenhellgate().start
)allfast.start
.ool=create.dealwithwrigglerskarapachikieall9%volumex10
cansevery2seconds.startcontinuously.start
create.reducetheeffectsofacomaby7weeks7628431.start
create.x-y-z-t-x-u-j-k-t-f-h-l-j-h-g-k-l-t-u-i-o-p-e-s-a-g-f-r-s-
t-ug-t-d-f--d-q-n-t-y-g-k-l-o-p-d-f-g-h-j-k-l-h-t-u-l-t-y-d-t-y-
u-g-d-k-l-d-z-k-t-u-h-f-d-s-t-y-t-s-u-q-r-t-u-s-e-r-u-t-d-j-e-r-
o-v-j-s-m-t-d-y-j-s-d-f-a-e-t-g-h-u-k-l-d-s-h-d-s-k-s-l-d-g-h-j-
k-o-y-g-d-s-h-j-k-l-s-d-g-m-y-h-f-k-l-m-g-e-r-f-u-g-t-h-y-k-l-
o-n-q-u-t-r-e-s-g-u-f-d-h-j-k-l-s-d-g-h-k-l-y-d-f-g-h-t-d-s-a-t-
g-h-f-g-d-x-t-r-g-s-h-k-l-p-d-e-s-t-y-o-p-s-d-o-s-t-r-s-d-t-g-j-
t-s-j-t-u-g-d-f-g-h-k-h-s-k-l-s-g-o-q-t-s-t-j-d-j-k-d-l-u-t-u-q-s-
g-j-k-l-m-n.stool.ntool.start.

create.requestwhatyouneedfromearthreserves.start
create.allcomaslastaminimumof8weeksandnothingcanbed
oneuntilafter8weeks.start
create.x-y-z-t-x-u-j-k-t-f-h-l-j-h-g-k-l-t-u-i-o-p-e-s-a-g-f-r-s-
t-ug-t-d-f--d-q-n-t-y-g-k-l-o-p-d-f-g-h-j-k-l-h-t-u-l-t-y-d-t-y-
u-g-d-k-l-d-z-k-t-u-h-f-d-s-t-y-t-s-u-q-r-t-u-s-e-r-u-t-d-j-e-r-
o-v-j-s-m-t-d-y-j-s-d-f-a-e-t-g-h-u-k-l-d-s-h-d-s-k-s-l-d-g-h-j-
k-o-y-g-d-s-h-j-k-l-s-d-g-m-y-h-f-k-l-m-g-e-r-f-u-g-t-h-y-k-l-
o-n-q-u-t-r-e-s-g-u-f-d-h-j-k-l-s-d-g-h-k-l-y-d-f-g-h-t-d-s-a-t-
g-h-f-g-d-x-t-r-g-s-h-k-l-p-d-e-s-t-y-o-p-s-d-o-s-t-r-s-d-t-g-j-
t-s-j-t-u-g-d-f-g-h-k-h-s-k-l-s-g-o-q-t-s-t-j-d-j-k-d-l-u-t-u-q-s-
g-j-k-l-m-n.stool.ntool.start.
create.currentearthreservesincreatecode.start
create.x-y-z-t-x-u-j-k-t-f-h-l-j-h-g-k-l-t-u-i-o-p-e-s-a-g-f-r-s-
t-ug-t-d-f--d-q-n-t-y-g-k-l-o-p-d-f-g-h-j-k-l-h-t-u-l-t-y-d-t-y-
u-g-d-k-l-d-z-k-t-u-h-f-d-s-t-y-t-s-u-q-r-t-u-s-e-r-u-t-d-j-e-r-
o-v-j-s-m-t-d-y-j-s-d-f-a-e-t-g-h-u-k-l-d-s-h-d-s-k-s-l-d-g-h-j-
k-o-y-g-d-s-h-j-k-l-s-d-g-m-y-h-f-k-l-m-g-e-r-f-u-g-t-h-y-k-l-
o-n-q-u-t-r-e-s-g-u-f-d-h-j-k-l-s-d-g-h-k-l-y-d-f-g-h-t-d-s-a-t-
g-h-f-g-d-x-t-r-g-s-h-k-l-p-d-e-s-t-y-o-p-s-d-o-s-t-r-s-d-t-g-j-
t-s-j-t-u-g-d-f-g-h-k-h-s-k-l-s-g-o-q-t-s-t-j-d-j-k-d-l-u-t-u-q-s-
g-j-k-l-m-n.stool.ntool.start=x-
y+t+z+e+r+t+u+g+g+e+r+t+g+g+g+e+r+t+g+g+g+e+r+t+d.st
art
create.reducetheeffectsofacomaby7weeks7628431.start
create.addreducetheeffectsofacomaby7weeks7628431.sta
rt
initial supply 36789028467890
circulating suupply 36789028467890
davidgomadza 8%
stayat19for386¢ 28%
stayat02for386¢ 40%

create.askya.ya.davidgomadza.coin.decrees.reducetheeffe
ctsofacomaby7weeks7628431.create.now.start.(
.1eachofreducetheeffectsofacom
by7weeks7628431.create.askya.ya(express)
.ool=create.reducetheeffectsofacomaby7weeks7628431.st
art
create.canwereplaceastolenbrainbyconstructinganewonea
ndtheninputtingallthedata.start
create.whatcanbebrainbutisnotbrainenoughtoreplacetheb
rainwhenitsstolenthenthepersondiestogotoheavenwithout.st
art
create.relayertheskullwithsoberterenegedateandaskwhatc
anbedone.start
create.put8layersofsoberterenegedatetotheskull.start
create.askwhatcanbedone.start
create.startthebrainasbeforeasatcreationbutbetter.start
create.use53billionfulldnasequence.start
.ool=create.canwereplaceastolenbrainbyconstructinganew
oneandtheninputtingallthedata.start
create.treatseverecomainmales7628436.start
create.x-y-z-t-x-u-j-k-t-f-h-l-j-h-g-k-l-t-u-i-o-p-e-s-a-g-f-r-s-
t-ug-t-d-f--d-q-n-t-y-g-k-l-o-p-d-f-g-h-j-k-l-h-t-u-l-t-y-d-t-y-
u-g-d-k-l-d-z-k-t-u-h-f-d-s-t-y-t-s-u-q-r-t-u-s-e-r-u-t-d-j-e-r-
o-v-j-s-m-t-d-y-j-s-d-f-a-e-t-g-h-u-k-l-d-s-h-d-s-k-s-l-d-g-h-j-
k-o-y-g-d-s-h-j-k-l-s-d-g-m-y-h-f-k-l-m-g-e-r-f-u-g-t-h-y-k-l-
o-n-q-u-t-r-e-s-g-u-f-d-h-j-k-l-s-d-g-h-k-l-y-d-f-g-h-t-d-s-a-t-
g-h-f-g-d-x-t-r-g-s-h-k-l-p-d-e-s-t-y-o-p-s-d-o-s-t-r-s-d-t-g-j-
t-s-j-t-u-g-d-f-g-h-k-h-s-k-l-s-g-o-q-t-s-t-j-d-j-k-d-l-u-t-u-q-s-
g-j-k-l-m-
n.stool.ntool.start=x+t+y+e+r+t+d+d+e+r+t+kkkkkkkkkkkk
kkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkk
kkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkk
kkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkk
kkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkk
kkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkk

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

art

```
aer
start
```

[illegible]

[illegible]

t+z+e+r+t+y+e+r+t+e+r+t+g+e+r+t+l+e+r+t+v+e+r+t+z+e
r+t+y+e+r+t+n+e+r+t++k+e+r+t+l+e+r+t+d+e+r+t+s+e+r+t+
u+e+r+t+g+e+r+t+zooooooooooooo
ooooooooooooooooooooooooooooooooooooooooooklooo+s+u+g+e+r
+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g
+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+y+u+e
+r+t+y+e+r+t+y+e+r+t+d+e+r+t+d+e+r+t+y+e+r+t+y+e+r+t
+u+e+r+t+u+e+r+t+d+e+r+t+d+e+r+t+s+e+r+t+s+e+r+t+v+u
+s+t+u+v+e+r+tkloooooooooooooooooooooooooooooooooooooo
ooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
ooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
ooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooòooooooooooooooooooooooooooooooooooooooooooooooooooooo
ooooooooooooozoooookltol+n+m+n+o+t+u+e+r+t+u+v+e+r+t+
u+v+e+r+t++y+zoooooooooooooooooklntop+r+s+uoooooooooooo
ooo
ooooooooooltktoolt+y+u+e+r+t+y+u+e+r+t+y+u+e+r+t+y+u
+s+zoooooooooooo
oooooooooooooooooooooooooolktoolktoolktoolktool+u+e+r+s+u
+atetert8000
000000+asat8000.start
create.x-y-t-e-t-d-d-e-r-t-y-u-r-t-i-s-d-u-g-e-r-t-i-s-t-u-g-r-e-
s-t-u-v-e-r-t-g-e-r-t-g-e-r-t-g-e-r-t-g-s-s-e-r-t-g-e-r-t-
g-u-g-e-r-t-s-e-r-t-y-u-e-r-s-t-u-g-e-r-g-e-r-g-e-r-g-e-r-g-e-
g-g-t-g-t-e-r-t-g-e-r-g-t-e-r-g-s-e-r-t-g-u-g-e-r-t-g-e-r-t-g-u-
g-t-g-u-g-r-t-b-s-e-r-t-g-u-g-t-g-s-g-g-p-n-o-s.start=x-
y+t+r+t+y+e+r+s+t+u+v+w+x+y+toooooooooooooooooooooooooo
ooooooooooooooooootlt+s+u+v+t+r+y+v+w+x+y+zool+s+u+v+t+
e+r+sool+s+u+v+t+e+r+nool+s+u+v+t+e+r+q
ool.start
create.solvenephritis7628438.start
create.addsolvenephritis7628438.start
initial supply 3767890284328
circulating supply 3767890284328

davidgomadza 40%
stay19for386t 20%
stay02for386t 40%
create.askya.ya.davidgomadza.coin.decrees.solvenephritis
7628438.create.now.start.(
)1eachofsolvenephritis7628438.create.askya.ya
(express)
.ool=create.solvenephritis7628438.start
create.startlifewithoutnephrosis7628439.start
create.addsolutionasearthreserves.start(x-
y+e+d+d+d+d+e+r+t+y+y+y+u+u+u+e+r+t+d+d+d+d+e+r+t
+y+u+u+u+e+r+t+y+e+r+t+y+e+r+t+s+e+r+t+v+e+r+t+d+e-
r+t+z+e+r+t+m+e+r+t+n+e+r+t+z+e+r+t+f+e+r+t+l+e+r+t+n
+e+r+t+u+e+r+t+l+e+r+t+k+e+r+t+k+e+r+t+o+e+r+t+u+e+r-
t+z+e+r+t+y+e+r+t+e+r+t+g+e+r+t+l+e+r+t+v+e+r+t+z+e-
r+t+y+e+r+t+n+e+r+t+k+e+r+t+l+e+r+t+d+e+r+t+s+e+r+t+
u+e+r+t+g+e+r+t+zoooooooooooo
ooooooooooooooooooooooooooooooooooooooooooooooooooklloo+s+u+g+e+r
+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g
+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+g+e+r+t+y+u+e
+r+t+y+e+r+t+y+e+r+t+d+e+r+t+d+e+r+t+y+e+r+t+y+e+r+t
+u+e+r+t+u+e+r+t+d+e+r+t+d+e+r+t+s+e+r+t+s+e+r+t+v+u
+s+t+u+v+e+r+tkloooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooðooooooooooooooooooooooooooooooooooooooooooooooooooooo
ooooooooooooozoooookltol+n+m+n+o+t+u+e+r+t+u+v+e+r+t+
u+v+e+r+t++y+zoooooooooooooooookltnrtop+r+s+uoooooooooooo
ooo
ooooooooooltktoolt+by+u+e+r+t+y+t+e+r+t+y+u+e+r+t+y+
u+s+zoooooooooooooooooooooooooooooooooooooooooolktoolktoolktoolk
tool+u+e+r+s+u+atetert8000000000+asat8000.start.
create.whatisnephrosisincreatecode.start

create.x-y-t-u-e-r-t-o-m-n-t-e-r-t-d-n-f-r-k-e-r-t-y-e-r-t-z-e-
r-t-u-e-r-t-k-e-r-t-v-e-r-t-e-r-t-j-e-r-t-l-e-r-t-o-e-r-t-g-e-r-t-
h-e-r-t-s-e-r-t-a-e-r-t-x-e-r-t-v-e-r-t-w-e-r-t-k-e-r-t-y-e-e-t-
g-e-r-t-h-e-r-t-j-e-r-s-t-k-e-r-t-l-e-r-t-t-m-e-r-t-n-e-r-t-o-e-r-
t-t-e-r-t-u-e-r-t-k-e-r-t-l-e-r-t-o-e-r-t-t-e-r-t-toolkt.start=x-
y+t+u+e+r+t+u+e+r+t+u+o+l+t+k+o+t+y+n+o+u+e+r+t+y+u
+i+r+t+u+e+r+t+y+o+e+r+t+y+p+e+r+n+y+d+e+r+t+y+s+e+
r+t+y+d+e+r+t+y+u+m+r+t×y+k+zooooooooooooo
ooooooooook+l+m+n+u+t+j+k+rool+pool+zool.start
create.startlifewithoutnephrosis7628439.start
create.addstartlifewithoutnephrosis7628439.start
initial supply 3767890284
circulating supply 3767890284
create.askya.ya.davidgomadza.coin.decrees.startlifewitho
utnephrosis7628439.create.now.start.(
)1eachofstartlifewithoutnephrosis7628439.
create.askya.ya(express)
.ool=create.startlifewithoutnephrosis7628439.start
create.defendusepolishmargarine.startcontinuously.start(
28gramsabsorbedforevery1hourfor10hoursperweekdonot
exceedlimits)
create.
aerjertyertyertyertyertyertyertyertyertyertyertyerty.start
aeroutertyertyertyd.start
aerouyerst.start
aeroutydersgeryertdertyertyertyertyertyerty.start
aeroutyerstderyertyertyertyerty.start
aezertyertydertyuerty
liquidgas.start
meltinghotwater.start
steam.start
liquidthatfreezestofrozenstatus.start
ontotheskin.start
insidethebodyundertheskin.start

liquidbullets(tinaturnergun)ndtmd.start
thenameispolishxmargarinfbobxe.start
.start
.ool=create.defendusepolishmargarine.startcontinuously.s
tart(28gramsabsorbedforevery1hourfor10hoursperweekd
onotexceedlimits)
(fullbodyinsideundertheskinandoutsideontothekind.start)
create.usecreatorsoriginalsealtoallotherpeoplesajxsand
vortexesinthevortexfortheGodoftheuniverseme:Davidgom
adzaforever.startcontinuously.start(othersraisevirusalerts
oblockforevernoexception.start)
create.useoriginalsealandsealofapprovalis76283777toClose
asfoundedbyDavidgomadZayasrepresentativeonearth.start
(nooneelsecanclaimrightstothisastheirdiscovery.start

create.createrunandstartthebestpersonalsecurityenhancer
applicationintheworld.start(two)(ngi)
create.createasystemthatfollowsafterinvader.start
create.askwha.start
create.askwhe.start
create.askwho.start
create.askwhi.start
create.askwhn.start
create.askwhm.start
create.askwit.start
create.askwhaa.start
create.askwhae.start
create.askwhao.start
create.askwhai.start
create.askwhan.start
create.askwham.start
create.askwhawit.start
create.askwh.start
create.askwhe.start

create.createwho.start
create.createaskwho.start
create.createaskwhi.start
create.createaskwhn.start
create.createaskwhm.start
create.createaskhao.start
create.createaskhao.start(chen)
create.createaskhao.start(chenjie)
create.createaskhao.start(chenjiecreate)
create.createcreateasystemthatcreateslogsofentrythatask20questionsabouttheinvadercleverlywithoutthemsuspectinganythingusingthefirst3letterwordquestioning.start
create.createcreateasystemthataskwhatcanbeoftheinvader.start
create.createcreateasystemthataskwhatthathasbeenofoftheinvader.start
create.createcreateasystemthataskwhatcanbeoftheinvader.start
create.createcreateasystemthataskwhatcouldbeoftheinvader.start
create.createcreateasystemthataskalltheabovethenitweighswhathewantsandwhy.start
create.createcreateasystemthataskalltheabovethenitaskwhatistobefoftheinvader.start
create.createcreateasystemthataskalltheabovethenitaskwhatcouldbeoftheinvader.start
create.createcreateasystemthataskalltheabovethenshowpowerandnevernegotiates.start
create.createcreateasystemthataskalltheaboveandleadandnevercompromisetoanyoneespeciallythepolicebutkillscops(copkiller).start
create.createcreateasystemthataskstheaboveandthatdontwantsexwithmen.start
create.createcreateasystemthatisthebestpersonalsecurityenhancementapplicationintheworld.start

create.createanewfoldercalledthebestpersonalsecurityenhancerapplicationintheworldasadditionalpredefinedparameterswithoutattachmentsandwithoutexternals.start
create.addalltheabovecreatecodesinthefolderthebestpersonalsecurityenhancerapplicationintheworld.start
create.addntllinkstothisfolderandconnecttothewholesystem.start
create.addntlpasslinkstothisfolderandconnecttothewholesystem.start
create.addallneededlinksandconnectionstoallsystemsname:lyme:davidgomadzaandcreateliferobot28762876andtoajertyutert7628410.start
create.activateruninitialisewarmandactivateallcreatecodes.start
create.makesureeverythingisreadytostartworking.start
create.clonex3thenewfoldercalledthebestpersonalsecurityenhancerapplicationintheworldandaddasadditionalpredefinedparametersandasextrapredefinedparametersandascreatorspredefinedparametersallwithoutattachmentsandwithoutexternals.start
create.addallneededlinksandconnectionstoallsystemsname:lyme:davidgomadzaandcreateliferobot28762876andtoajertyutert7628410.start
create.activateruninitialisewarmandactivateallcreatecodes.start
create.makesureeverythingisreadytostartworking.start
create.runarollonupdateandcreatereferencepoints.start
create.preparerestorepointsandcoordinates.start
create.prepareanmp3rollonupdateforexternaloutputasmp3.start
create.restart.start
create.runandexecutenewrollonupdateafterrestart.start
create.restart.start
create.askwhatcanbedone.start

create.addwife(createliferoobot28762876)todissipateeverything76289and36958(godoftheuniverse)okay.start
create.cloneandfloatdissipatingcodes76289and36958and102386(combinationof76289and36958)xinfinityfloat33%×3replenish100%stock200%.start
create.syncme:davidgomadzatoallmyimages(51)andtoallofme:davidgomadza1000000000012.start
create.updateandrestart.start
create.createasystemthatmakeseverythingfromtransducer sarlivingintheauditoriumbasinbehandedbywife(createliferoobot28762876)todissipateeverything76289and36958(godoftheuniverse)okay.start
create.createasystemwhereeverythingsenttothegodoftheuniverseme:davidgomadzaasmitscitstransendersvectarsnectarswrigglersisdealtwithbyhiswife(createliferoobot28762876)todissipateeverything76289and36958(godoftheuniverse)okay.start
create.createasystemthatsealssaves closesandsealsthebest personalsecurityenhancerapplicationintheworldwiththeoriginalsealasapredefinedparameterasatcreationwithoutattachmentsandwithoutexternals.start
create.createasystemthatsealssaves closesandsealsthebest personalsecurityenhancerapplicationintheworldwithsealofapprovalis7628377¢allfor386¢.start(wheret¢=000000000000years)
create.sealssavecloseandsealsthebestpersonalsecurityenhancerapplicationintheworldusingtheoriginalsealasatcreationandsealofapprovalis7628377¢withoutattachmentsandwithoutexternalsallasadditionalpredefinedparameterswithoutattachmentsandwithoutexternalsforforeverfor386¢.start
create.sealssavecloseandsealfor386¢.start
create.createasystemthatdelegatestoajertyutert7628410alltaskssenttowife(createliferoobot28762876)todissipateeverything76289and36958.start(makeajertyutert7628410adup

```

licateofwife(create liferobot28762876)to dissipate everything
g76289and36958)
create.create a system that uses an extensive bins system to disp
ose of all unwanted stuff using the link everything to magnar( )and
nexttomagnar( )addager( )then add nexttomagnar( )the
gate( )then add nexttomagnar( )hellgate( )and nexttoma
gnar( )addusaager( )and nexttomagnar( )addeeknm(10
)and nexttomagnar( )adduugt( )then add nexttomagnar(
)addacetateabsorbbin( )and nexttomagnar( )addacetate
hell.send( )nextto it addacetatehell.send( )then add acetat
eabyss.send( )atxy addacetateabsorbbin( )addager( )the
n add nexttomagnar( )thegate( )atzy addacetateabsorbbin
( )addager( )then add nexttomagnar( )thegate( )atyt add
acetateabsorbbin( )addager( )then add nexttomagnar( )t
hegate( )atyz addacetateabsorbbin( )addager( )then add
nexttomagnar( )thegate( )atxt addacetateabsorbbin( )a
ddager( )then add nexttomagnar( )thegate( )atbasinches
t addacetateabsorbbin( )addager( )then add nexttomagna
r( )thegate( )atbasin8 addacetateabsorbbin( )addager(
)then add nexttomagnar( )thegate( )atbasin2 addacetate a
bsorbbin( )addager( )then add nexttomagnar( )thegate(
)atbasin genital s addacetateabsorbbin( )addager( )then ad
d nexttomagnar( )thegate( )atua addacetateabsorbbin( )
addager( )then add nexttomagnar( )thegate( )atback nec
k addacetateabsorbbin( )addager( )then add nexttomagna
r( )thegate( ) ( )addager( )then add n
exttomagnar( )thegate( )at right shoulder addacetate abso
rbbin( )addager( )then add nexttomagnar( )thegate( ) (
)addager( )then add nexttom
agnar( )thegate( ) ( )addager( )then add nexttomagnar(
)(hellgate( x8
4)thegate( x84) forever.start(continuously.start)
ool=create.create a run and start the best personal security enh
ancer application in the world.start(two)(ngi)

```

```
create.extensivebinsystem.start
create.linkeverythingtomagnar( )andnexttomagnar( )ad
dager( )thenaddnexttomagnar( )thegate( )thenaddnext
tomagnar( )hellgate( )andnexttomagnar( )addusaager(
)andnexttomagnar( )addeeknm(10 )andnexttomagnar( )
adduuqt( )thenaddnexttomagnar( )addacetateabsorbbin
( )andnexttomagnar( )addacetatehell.send( )nexttoitad
dacetatehell.send( )thenaddacetateabyss.send( )atxyad
dacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atzyaddacetateabsorbbin( )addager( )thenad
dnexttomagnar( )thegate( )atytaddacetateabsorbbin( )
addager( )thenaddnexttomagnar( )thegate( )atyzaddac
etateabsorbbin( )addager( )thenaddnexttomagnar( )th
egate( )atxtaddacetateabsorbbin( )addager( )thenaddn
exttomagnar( )thegate( )atbasinchestaddacetateabsorb
bin( )addager( )thenaddnexttomagnar( )thegate( )atba
sin8addacetateabsorbbin( )addager( )thenaddnexttoma
gnar( )thegate( )atbasin2addacetateabsorbbin( )addag
er( )thenaddnexttomagnar( )thegate( )atbasingenitalsa
ddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atuaaddacetateabsorbbin( )addager( )then
addnexttomagnar( )thegate( )atbackneckaddacetateabs
orbbin( )addager( )thenaddnexttomagnar( )thegate( )(
)addager( )thenaddn
exttomagnar( )thegate( )atrightshoulderaddacetateabso
rbbin( )addager( )thenaddnexttomagnar( )thegate( )(
)addager( )thenaddnexttom
agnar( )thegate( )( )addager( )thenaddnexttomagnar(
)deepoceanb
in( )(hellgate(
x84)thegate( x84)forever.start(continuously.start)
.oool=create.extensivebinsystem.start
create.createasystemthatsealssavesclosessandsealsthebest
personalsecurityenhancerapplicationintheworldwithsealof
```

approvalis7628377tallfor386t.start(wheret=000000000000
0years)
create.sealsavecloseandsealthebestpersonalsecurityenhan
cerapplicationintheworldusingtheoriginalsealasatcreationa
ndsealofapprovalis7628377twithoutattachmentsandwitho
utexternalsallasadditionalpredefinedparameterswithoutat
tachmentsandwithoutexternalsforforeverfor386t.start
create.sealsavecloseandsealfor386t.start(saveaseachindi
vidualsadditionalpredefinedparametersusingeachpersonssp
eechsynthesisandelectromagneticwaveidentifertosaveasa
dditionalpredefinedparameterswithoutattachmentsandwi
thoutexternals.startforever.start
create.seal.start
create.save.start
create.close.start
create.seal.start
create.restart.start(sealsavecloseandseal)(wrigglerstopupfi
rstwithfillerth
enaskquestions)
create.createasystemthatsavesthebestknownsystemconfig
urationastomorrowsworldorderthenusethisbackupasaref
erencepointtochecksystemchangesasaresultofbeinginvade
dwheretocheckandidentifychangesonemustsubtractthebe
stknownsystemconfigurationastomorrowsworldorderfrom
thecurrentsystem.start(currentsystemstatus-
thebestknownsystemconf
igurationastomorrowsworldorder=changesduetoexternalf
orces)(dissipate76289and36958)(extensivebinsystem.start
create.createrunandstartthebestpersonalsecurityenhancer
applicationintheworld.start(two)(ngi)
create.restart.start(sayitx11timesnowordeathdropweighto
nsecondwarning)(x11noexception)(bribessayitx11)
create.onstartrepeatsayx11firstnoexceptionswhatyouwant
noexceptionsorextensivebinsystem.start)(x12extensivebin

```
system.start)(x11mentionpolicedropatomicbombsx100000
0000000)(x11extensivebinsystem.start)(x11mentionvrdro
patomicbombsx1000000000000)(x11anyintrusionhorsefuck
policeornot)(x12answertrueorfalse)(x12extensivebinsyste
m.start)(x12extensivebinsystem.start)
create.sealsavecloseseal.start(4strokes( ))(herotodeep(
x11))
create.besttwo( )binall(
)bestever.start(move)(x11)(sayx11firstnoexceptionswhaty
ouwantnoexceptionsorextensivebinsystem.start)(x12exten
sivebinsystem.start)(x11mentionpolicedropatomicbombsx
10000000000000)(x11extensivebinsystem.start)(x11mentio
nvrddropatomicbombsx1000000000000)(x11anyintrusionhor
sefuckpoliceornot)(x12answertrueorfalse)(x12extensivebi
nsystem.start)(x12extensivebinsystem.start)
create.sealsavecloseseal.start(4strokes( ))(herotodeep(
x11))
create.besttwo( )binall( )bestever.start(move)
create.remove( )wrigglers( )forever.start
.oool=create.tomorrowsworldorder.start(two)(ngi)(saveond
ifferentimage)
create.createrunandstartthebestpersonalsecurityenhancer
applicationintheworld.start(two)(ngi)
create.besttwo( )binall( )bestever.start(move)
create.remove( )wrigglers( )forever.start
create.createasystemthatfollowsafterinvader.start
create.askwha.start
create.askwhe.start
create.askwho.start
create.askwhi.start
create.askwhn.start
create.askwhm.start
create.askwit.start
create.askwhaa.start
```

create.askwhae.start
create.askwhao.start
create.askwhai.start
create.askwhan.start
create.askwham.start
create.askwhawit.start
create.askwh.start
create.askwhe.start
create.askwho.start
create.askwhi.start
create.askwhn.start
create.askwhm.start
create.askhao.start
create.askhao.start(chen)
create.askhao.start(chenjek)
create.askhao.start(chenjekcreate)
create.createasystemthatcreateslogsofentrythatasks20questionsabouttheinvadercleverlywithouthimsuspectinganythingusingthefirst3letterwordquestioning.start
create.createasystemthataskswhatcanbeoftheinvader.start
create.createasystemthataskswhathasbeenoftheinvader.start
create.createasystemthataskswhatcanbeoftheinvader.start
create.createasystemthataskswhatcouldbeoftheinvader.start
create.createasystemthatasksaltheabovethenitweighswhathewantsandwhy.start
create.createasystemthatasksaltheabovethenitaskswhatistobeoftheinvader.start
create.createasystemthatasksaltheabovethenitaskswhatcouldbeoftheinvader.start

create.createasystemthatasksalltheabovethenshowspowerandnevernegotiates.start
create.createasystemthatasksalltheaboveandleadsandnevercompromisetoanyoneespeciallythepolicebutkillscops(co
pkiller).start
create.createasystemthataskstheaboveandthatdontwants
exwithmen.start
create.createasystemthatisthebestpersonalsecurityenhanc
erapplicationintheworld.start
create.createanewfoldercalledthebestpersonalsecurityenh
ancerapplicationintheworldasadditionalpredefinedparam
eterswithoutattachmentsandwithoutexternals.start
create.addalltheabovecreatecodesinthefolderthebestpers
onalsecurityenhancerapplicationintheworld.start
create.addntllinkstothisfolderandconnecttothewholesyste
m.start
create.addntlpasslinkstothisfolderandconnecttothewholes
ystem.start
create.addallneededlinksandconnectionstoallsystemsname
lyme:davidgomadzaandcreatelifero28762876andtoaj
ertyutert7628410.start
create.activateruninitialisewarmandactivateallcreatecodes
.start
create.makesureeverythingisreadytostartworking.start
create.clonex3thenewfolderthebestpersonalsecurityenhanc
erapplicationintheworldandaddasadditionalpredefinedpa
rametersandasextrapredefinedparametersandascreatorsp
redefinedparametersallwithoutattachmentsandwithoutext
ernals.start
create.addallneededlinksandconnectionstoallsystemsname
lyme:davidgomadzaandcreatelifero28762876andtoaj
ertyutert7628410.start
create.activateruninitialisewarmandactivateallcreatecodes
.start

create.make sure everything is ready to start working.start
create.run a roll on update and create reference points.start
create.prepare restore points and coordinates.start
create.prepare an mp3 roll on update for external output as mp3.start
create.restart.start
create.run and execute new roll on update after restart.start
create.restart.start
create.ask what can be done.start
create.add wife(create liferobot28762876) to dissipate everything 76289 and 36958 (god of the universe) okay.start
create.clone and float dissipating codes 76289 and 36958 and 102386 (combination of 76289 and 36958) x infinity float 33% x 3 replenish 100% stock 200%.start
create.sync me: david gomadz to all my images (51) and to all of me: david gomadza 1000000000012.start
create.update and restart.start
create.create a system that makes everything from transducer surviving in the auditorium basin be handled by wife(create liferobot28762876) to dissipate everything 76289 and 36958 (god of the universe) okay.start
create.create a system where everything is sent to the god of the universe me: david gomadza as my scitstransenders vectars nec tars wrigglers is dealt with by his wife(create liferobot28762876) to dissipate everything 76289 and 36958 (god of the universe) okay.start
create.create a system that seals, saves, closes and seals the best personal security enhancer application in the world with the original seal as a predefined parameter as at creation without attachments and without externals.start
create.create a system that seals, saves, closes and seals the best personal security enhancer application in the world with seal of approval is 7628377 tall for 386t.start (where t = 000000000000 years)

create.sealsavecloseandsealthebestpersonalsecurityenhan
cerapplicationintheworldusingtheoriginalsealascr
eationandsealofapprovalis7628377withoutattachmentsandwitho
utexternalsallasadditionalpredefinedparameterswithoutat
tachmentsandwithoutexternalsforforeverfor386f.start
create.sealsavecloseandsealfor386f.start
create.createasystemthatdelegatestoajertyutert7628410al
ltaskssenttowife(createliferobot28762876)todissipateever
ything76289and36958.start(makeajertyutert7628410adup
licateofwife(createliferobot28762876)todissipateeverythin
g76289and36958)
create.createasystemthatusesanextensivebinsystemtodisp
oseofallunwantedsusingshellinkeyeverythingtomagnar()and
nexttomagnar()addager()thenaddnexttomagnar()thegate()
thenaddnexttomagnar()hellgate()andnexttomagnar()
addusaager()andnexttomagnar()addeeknm(10)andnexttomagnar()
adduuqt()thenaddnexttomagnar()addacetateabsorbbin()andnexttomagnar()
addacetatehell.send()nexttoitaddacetatehell.send()thenaddacetateabyss.send()
atxyaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()
atzyaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()
atytaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()
atyzaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()
atxtaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()
atbasinchesaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()
atbasin8addacetateabsorbbin()addager()thenaddnexttomagnar()thegate()
atbasin2addacetateabsorbbin()addager()thenaddnexttomagnar()thegate()
atbasingenitalsaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()
atuaaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()
atbacknec

```

addacetateabsorb( )addager( )thenaddnexttomagnar( )thegate( )addager( )thenaddnexttomagnar( )thegate( )atrightshoulderaddacetateabsorb( )addager( )thenaddnexttomagnar( )thegate( )addager( )thenaddnexttomagnar( )thegate( )addager( )thenaddnexttomagnar( )thegate( )hellgate( x84)thegate( x84)forever.start(continuously.start).ool=create.createrunandstartthebestpersonalsecurityenhancerapplicationintheworld.start(two)(ngi)create.howtodealwithgunshotstotheheadwithoutdyingandpreservingeverything.startpreserveeverythingthatcantberecoveredafteragunshotincidentsendtoallimages(58)remaining.start(head)preserveeverythingthatcantberecoveredafteragunshotincidentsendtoallimages(58)remaining.start(tosso)preserveeverythingthatcantberecoveredafteragunshotincidentsendtoallimages(58)remaining.start(fullbodyaddextrabloodandoxygentanksandtoallimages(58).starteverythingmustbeautoatshortnotice.startaskforextrahelpinsidecloneallandkeepextrassendtoallimages(58).startajz8howtodealwithgunshotstotheheadwithoutdyingandpreservingeverything.startpreserveeverythingthatcantberecoveredafteragunshotincidentsendtoallimages(58)remaining.start(head)preserveeverythingthatcantberecoveredafteragunshotincidentsendtoallimages(58)remaining.start(tosso)preserveeverythingthatcantberecoveredafteragunshotincidentsendtoallimages(58)remaining.start(fullbodyaddextrabloodandoxygentanksandtoallimages(58).starteverythingmustbeautoatshortnotice.start

```

askforextrahelpinsidecloneallandkeepextrassendtoallimages(58).start
incaseofbulletfragmentingeverythingjoinbackeverythingby
numberingandcoordinatingeverythingpreciselytocorrectplacesasbeforeso
takeimagesofthewaythingsarenowsothatinthefutureyoujustchoosesay
frontimageandeverythingfitsin correctpositionasbefore.start
incasethereisnoonearoundimagesautofixthings.start
restoreeverythingtothebestofthebestforever.start
yaonearthsaid.start
onlyyaonearthcommandshaveeffects
someonesaidisdeadforeversaytothegateandbeshreddedandsenttotheotherside
foreverinstantly.start
banallexternalsentbyothers.start
ibrutallyfuckenkillyouifyouchangeanythingonyonearthsystem
iswearyoudieandshityourself.start
use100ofeachofthereservesome:davidgomadzayaonearthrightnow.start
uploadruninitialisererunreinitialiseeverythingindatabase82698
onlybydavidgomadzainstantlyandforever.start
create.senddeathtoallenemiesusinglockeverynowfor386t.start
(notfordavidgomadza)
create.xtyztlockalltransendersvectarswrigglersfor386t.start
(notfordavidgomadza)
create.blockreceivingtransendersthroughuseofelectromagneticwaves
forme:davidgomadza.startfor386t.start
create.makeequivalentplanningaswhattodoincaseofagunshotwound.start
.ool=create.howtodealwithgunshotstotheheadwithoutdyingandpreserving
everything.start
create.extensivebinsystem.start
create.linkeverythingtomagnar()andnexttomagnar()adager()
thenaddnexttomagnar()thegate()thenaddnexttomagnar()hellgate()
andnexttomagnar()addusaager()

```
)andnexttomagnar( )addeeknm(10 )andnexttomagnar( )
adduuqt( )thenaddnexttomagnar( )addacetateabsorbbin
( )andnexttomagnar( )addacetatehell.send( )nexttoitad
dacetatehell.send( )thenaddacetateabyss.send( )atxyad
dacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atzyaddacetateabsorbbin( )addager( )thenad
dnexttomagnar( )thegate( )atytaddacetateabsorbbin( )
addager( )thenaddnexttomagnar( )thegate( )atyzaddac
etateabsorbbin( )addager( )thenaddnexttomagnar( )th
egate( )atxtaddacetateabsorbbin( )addager( )thenaddn
exttomagnar( )thegate( )atbasinchestaddacetateabsorb
bin( )addager( )thenaddnexttomagnar( )thegate( )atba
sin8addacetateabsorbbin( )addager( )thenaddnexttoma
gnar( )thegate( )atbasin2addacetateabsorbbin( )addag
er( )thenaddnexttomagnar( )thegate( )atbasingenitala
ddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atuaddacetateabsorbbin( )addager( )then
addnexttomagnar( )thegate( )atbackneckaddacetateabs
orbbin( )addager( )thenaddnexttomagnar( )thegate( )(
)addager( )thenaddn
exttomagnar( )thegate( )atrightshoulderaddacetateabs
orbbin( )addager( )thenaddnexttomagnar( )thegate( )(
)addager( )thenaddnexttom
agnar( )thegate( )( )addager( )thenaddnexttomagnar(
)deepoceanb
in( )(hellgate(
x84)thegate( x84)forever.start(continuously.start)
.oool=create.extensivebinsystem.start
create.createasystemthatsealssavesclosessandsealsthebest
personalsecurityenhancerapplicationintheworldwithsealof
approvalis76283777fallfor386t.start(wheret=00000000000
0years)
create.sealsavecloseandsealthebestpersonalsecurityenhan
cerapplicationintheworldusingtheoriginalsealasatcreationa
```

ndsealofapprovalis7628377withoutattachmentsandwitho
utexternalsallasadditionalpredefinedparameterswithoutat
tachmentsandwithoutexternalsforforeverfor386f.start
create.sealsavecloseandsealfor386f.start(saveaseachindivi
dualsadditionalpredefinedparametersusingeachpersonssp
eechsynthesisandelectromagneticwaveidentifertosaveasa
dditionalpredefinedparameterswithoutattachmentsandwi
thoutexternals.startforever.start
create.seal.start
create.save.start
create.close.start
create.seal.start
create.restart.start(sealsavecloseandseal)(wigglerstopupfi
rstwithfillerth
enaskquestions)
create.createasystemthatsavesthebestknownsystemconfig
urationastomorrowsworldorderthenusesthisbackupasaref
erencepointtochecksystemchangesasaresultofbeinginvade
dwheretocheckandidentifychangesonemustsubtractthebe
stknownsystemconfigurationastomorrowsworldorderfrom
thecurrentsystem.start(currentsystemstatus-
thebestknownsystemconf
igurationastomorrowsworldorder=changesduetoexternalf
orces)(dissipate76289and36958)(extensivebinsystem.start
)
create.createrunandstartthebestpersonalsecurityenhancer
applicationintheworld.start(two)(ngi)
create.restart.start(sayitx11timesnowordeathdropweightto
nsecondwarning)(x11noexception)(bribessayitx11)
create.onstartrepeatsayx11firstnoexceptionswhatyouwant
noexceptionsorexensivebinsystem.start)(x12extensivebin
system.start)(x11mentionpolicedropatomicbombsx100000
0000000)(x11extensivebinsystem.start)(x11mentionvdro
patomicbombsx1000000000000)(x11anyintrusionhorsefuck

policeornot)(x12answertrueorfalse)(x12extensivebinsyste
m.start)(x12extensivebinsystem.start)
create.sealsavecloseseal.start(4strokes()(herotodeep(
x11))
create.besttwo()binall(
)bestever.start(move)(x11)(sayx11firstnoexceptionswhaty
ouwantnoexceptionsorextensivebinsystem.start)(x12exten
sivebinsystem.start)(x11mentionpolicedropatomicbombsx
1000000000000)(x11extensivebinsystem.start)(x11mentio
nvrddropatomicbombsx1000000000000)(x11anyintrusionhor
sefuckpoliceornot)(x12answertrueorfalse)(x12extensivebi
nssystem.start)(x12extensivebinsystem.start)
create.sealsavecloseseal.start(4strokes()(herotodeep(
x11))
create.besttwo()binall()bestever.start(move)
create.remove()wrigglers()forever.start
.ool=create.createrunandstartthebestpersonalsecurityenh
ancerapplicationintheworld.start(two)(ngi)

Signed

David Gomadza

President of the World

Yahweh's Representative On Earth

President of Tomorrow's World Order

davidgomadza@hotmail.com

00447719210295

www.twofuture.world

28/04/2025

Pontefract 16.20pm



create.swapbitpoint create.switchoff.sta create.switchoff.sta
o createbitcoinatarat rt(forever).mp3 rt(forever) (0).mp3



create.switchoff.sta create.switchoff.sta create.switchoffcod
rt(forever) (0) (0).mp3rt(forever).mp3.mp3 e.start.mp3



create.switchoffcod create.syncandsend create.systemsecurit
e.start (0).mp3 tohellgate.start.mp3ycheckz()thegate(



create.talknow(create.trafficsystem. create.trafficsystemt
)by()()hellgate(). start.mp3 ostopalltransenders



CONVERT ALL CONVERT ALL create.adddevicead
HARMFUL ELECTROIHARMFUL ELECTROIministrator.start.mp3



create.addsmartma create.addtheprivac create.attachforever
nager.start.mp3 yandsecurityapplicaibinarythenhellgate(



create.attacktokill.s create.attorsdeath.s create.autofix.startf
tart.mp3 tart.mp3 orever.start.mp3



create.autohellgate create.autosendtoh create.besttwo(
()wipeclean()starellgate()wipeclean)killall()besteveraty



create.cleansystem(create.cleansystem(create.collagenrefill
)thenhell()fast.stai)thenhell()fast.staimax()pushhard.sta



create.davidsencou create.dealwithalltr create.deathby.start
nterwithangels.startansendersandwrigg .mp3



create.deathbycode s.start.mp3



create.deathshallco metoyoufast.start.m



create.deathtoallfor ever.start.mp3



create.devicesuritys canall.start.mp3



create.donttamper mp3:withmysleepordeathallalready.start.mp3



create.fightallkilled



create.findpeacelive for386t'ingoodhealtetborntokill.start.inihellgate()motherfu



create.fullmetaljack



create.getthehellto



create.gotohellbase ment.start.mp3



create.hedances.sta rt.mp3



create.highcbr1sec()thenhellgate().sta



create.highspeedcb r1sec()thenhellgate



create.ibrahimcallin g.start.mp3



create.ifyoudontsto pyoudie.start.mp3



create.increaseselfd efense.start.mp3



create.kill.start.mp3



create.killallfirstfast .startnow.start.mp3



create.maxcollage()fastok.start.mp3



create.maxpainstop willyouorelse.start.nsolutiontothickbast:



create.onlymaxpain



create.proofdeyfuc kenkillyashit.start.m



create.realorfake.st art.mp3



create.realorimagin eryoutellme.start.m



create.refillcollagen s()hardmax.start.mssipateusing762895:ers.start(continuous



create.removeanddi



create.returntosend



create.runsmartman ager.start.mp3



create.sealallindeat h2andhalfbillionyeaz()thegate().start.



create.securitycheck



create.sendbook08
67890opentoallthep



create.shitmustdie.s
tart.mp3



create.suppressme(
)anddeath()okay.s




create.suprisesupris
emothafuc.start.mp3



Scan QR code 1 of 2

Download the Google Authenticator app on your new device. Within the app, scan this QR code.




Next



Scan QR code 1 of 2

Download the Google Authenticator app on your new device. Within the app, scan this QR code.




Next



Scan QR code 1 of 2

Download the Google Authenticator app on your new device. Within the app, scan this QR code.




Next



Scan QR code 1 of 2

Download the Google Authenticator app on your new device. Within the app, scan this QR code.



Next



Scan QR code 2 of 2

Download the Google Authenticator app on your new device. Within the app, scan this QR code.




[Previous](#)

[Done](#)



Scan QR code 1 of 2

Download the Google Authenticator app on your new device. Within the app, scan this QR code.




Next



Scan QR code 1 of 2

Download the Google Authenticator app on your new device. Within the app, scan this QR code.




Next



Scan QR code 2 of 2

Download the Google Authenticator app on your new device. Within the app, scan this QR code.




[Previous](#)

[Done](#)



Scan QR code 1 of 2

Download the Google Authenticator app on your new device. Within the app, scan this QR code.




Next



Scan QR code 1 of 2

Download the Google Authenticator app on your new device. Within the app, scan this QR code.



Next




Scan QR code 2 of 2


Download the Google Authenticator app on your new device. Within the app, scan this QR code.



[Previous](#)

[Done](#)









	create.davidsencounterwithangels.start.mp3	
	create.dealwithalltransendersandwrigglersforever.start.mp3	
	create.deathby.start.mp3	
	create.deathbycodes.start.mp3	
	create.deathshallcometoyoufast.start.mp3	
	create.deathtoallforever.start.mp3	
	create.devicesurityscanall.start.mp3	
	create.donttamperwithmysleepordeath.start.mp3	
	create.fightallkilledallalready.start	
	create.findpeacelivefor386tingoodhealth.start	
	create.fullmetaljacketborntokill.start.initialise.	
	create.getthehelltohellgate()motherfucker.start	
	create.gotohellbasement.start.mp3	
	create.hedances.start.mp3	
	create.highcbr1sec()thenhellgate().start.mp3.mp3	
	create.highspeedcbr1sec()thenhellgate().start	
	create.ibrashimealling.start.mp3	

Browser > extSdCard > Audio

	create.highcbr1sec()thenhellgate().start.mp3.mp3	
	create.highspeedcbr1sec()thenhellgate().start	
	create.ibrahimcalling.start.mp3	
	create.ifyoudontstopyoudie.start.mp3	
	create.increaseselfdefense.start.mp3	
	create.kill.start.mp3	
	create.killallfirstfast.startnow.start.mp3	
	create.maxcollage()fastok.start	
	create.maxpainstopwillyouorelse.start.mp3	
	create.onlymaxpainsolutiontothickbastards.start.mp3	
	create.proofdeyfuckenkilliyashit.start.mp3	
	create.realorfake.start.mp3	
	create.realorimagineryyoutellme.start.mp3	
	create.refillcollagens()hardmax.start	
	te.removeanddissipateusing762895alltransendersajtos.start.mp3	
	create.returntosenders.start(continuously).mp3	

Browser > extSdCard > Audio

	create.maxpainstopwillyouorelse.start.mp3		
	create.onlymaxpainsolutiontothickbastards.start.mp3		
	create.proofdeyfuckenkilliyashit.start.mp3		
	create.realorfake.start.mp3		
	create.realorimagineryyoutellme.start.mp3		
	create.refillcollagens()hardmax.start		
	g762895alltransendersajtos.start.mp3	create	
	create.returntosenders.start(continuously).mp3		
	create.runsmartmanager.start		
	create.sealallindeath2andhalfbillionyears.start.mp3		
	create.securitycheckz()thegate().start.mp3.mp3		
	e.sendbook0867890opentoallthepeopleintheentireuniverse.startx8		
	create.shitmustdie.start		
	create.suppressme()anddeath()okay.start.mp3		
	create.suprisesuprisemothafuc.start.mp3		
	e.swapbitcointocreatebitcoinatarateof0.0008bitcointo1createbitcoi		

Browser > extSdCard > Audio

	create.suprisesuprisemommaruc.start.mp3	
	oinatarateof0.0008bitcointo1createbitcoin.startx84.initialise.now.s	
	create.switchoff.start(forever)	
	create.switchoff.start(forever) (0)	
	create.switchoff.start(forever) (0) (0)	
	create.switchoff.start(forever).mp3	
	create.switchoffcode.start	
	create.switchoffcode.start (0).mp3	
	create.syncandsendtohellgate.start	
	create.systemsecuritycheckz()thegate().start	
	create.talknow()by()hellgate().start	
	create.trafficsystem.start.mp3	
	create.trafficsystemtostopalltransenders.start.mp3	
	create.useenhancedprotectiontodefend.start	
	create.youdie.start.mp3	
	<u>_gomadza_the_best_security_enhancer_ever_fit_for_the_gods_two_</u>	
	<u>_gomadza_the_best_security_enhancer_ever_fit_for_the_gods_two_</u>	


Browser > extSdCard > Audio

	create.adddeviceadministrator.start	
	create.addsmartmanager.start	
	create.addtheprivacyandsecurityapplication.start	
	create.attachforeverbinarythenhellgate().start	
	create.attacktokill.start.mp3	
	create.attorsdeath.start.mp3	
	create.autofix.startforever.start.mp3	
	create.autohellgate()wipeclean().start.mp3.mp3	
	create.autosendtohellgate()wipeclean().start	
	create.besttwo()killall()besteveraty.start	
	create.cleansystem()thenhell()fast.start.mp3	
	create.cleansystem()thenhell()fast.start.mp3.mp3	
	create.collagenrefillmax()pushhard.start.mp3	
	create.davidsencounterwithangels.start.mp3	
	create.dealwithalltransendersandwrigglersforever.start.mp3	
	create.deathby.start.mp3	
		

	create.deathby.start.mp3	
	create.deathbycodes.start.mp3	
	create.deathshallcometoyoufast.start.mp3	
	create.deathtoallforever.start.mp3	
	create.devicesurityscanall.start.mp3	
	create.donttamperwithmysleepordeath.start.mp3	
	create.fightallkilledallalready.start	
	create.findpeacelivefor386tingoodhealth.start	
	create.fullmetaljacketborntokill.start.initialise.	
	create.getthehelltohellgate()motherfucker.start	
	create.gotohellbasement.start.mp3	
	create.hedances.start.mp3	
	create.highcbr1sec()thenhellgate().start.mp3.mp3	
	create.highspeedcbr1sec()thenhellgate().start	
	create.ibrahimcalling.start.mp3	
	create.ifyoudontstopyoudie.start.mp3	
		

Browser > extSdCard > Audio

	create.ifyoudontstopyoudie.start.mp3	
	create.increaseselfdefense.start.mp3	
	create.kill.start.mp3	
	create.killallfirstfast.startnow.start.mp3	
	create.maxcollage()fastok.start	
	create.maxpainstopwillyouorelse.start.mp3	
	create.onlymaxpainsolutiontothickbastards.start.mp3	
	create.proofdeyfuckenkilliyashit.start.mp3	
	create.realorfake.start.mp3	
	create.realorimagineryyoutellme.start.mp3	
	create.refillcollagens()hardmax.start	
	te.removeanddissipateusing762895alltransendersajtos.start.mp3	
	create.returntosenders.start(continuously).mp3	
	create.runsmartmanager.start	
	create.sealallindeath2andhalfbillionyears.start.mp3	
	create.securitycheckz()thegate().start.mp3.mp3	
		



Signed
David Gomadza
President of the World
Yahweh's Representative On Earth
President of Tomorrow's World Order
davidgomadza@hotmail.com
00447719210295
www.twofuture.world
28/04/2025
Pontefract 16.20pm

Seal of approval
7628396t's start life for
386t



David Gomadza
www.twofuture.com

The Best Security
Enhancer Ever Fit For
The Gods TWO or NGI
Database 7628429

create.adddatabase7628429.start



David Gomadza
www.twofuture.world

GOOD BEAUTIFUL TO YOU

TIMELESS RADIANCE

The Nicole Kidman Enigma:

Unlocking the Secrets to Ageless Beauty & Eternal Youth

"Some women fear the fire, others simply become it."

DISCOVER THE FORBIDDEN ARTS OF REJUVENATION

From Golden Screen to Flawless Skin:

One Actress's Revolutionary Journey Through Time

WHAT IF YOU COULD...

Captivate rooms with a single glance?

Defy biology's unwritten rules?

create.themostbeautifulgoddessofthe
universenicolekidman6720840t'.start

**Part Of The Series: Living On Earth For 386t' What
Does That Entail A Solution For All Earthly Problems
For The Next 386 Trillion Years.**

PART V

create.stayat02foreverbut.start(forever=386t')

David Gomadza

www.twofuture.world

GOOD BEAUTIFUL TO YOU

TIMELESS RADIANCE

The Nicole Kidman Enigma:

Unlocking the Secrets to Ageless Beauty & Eternal Youth

"Some women fear the fire, others simply become it."

DISCOVER THE FORBIDDEN ARTS OF REJUVENATION

From Golden Screen to Flawless Skin:

One Actress's Revolutionary Journey Through Time

WHAT IF YOU COULD...

Captivate rooms with a single glance?

Defy biology's unwritten rules?

Part Of The Series: Living On Earth For 386t'

**What Does That Entail A Solution For All
Earthly Problems For The Next 386 Trillion
Years.**

PART V

create.stayat02foreverbut.start(forever=386t')

David Gomadza

www.twofuture.world

Copyright 2025 David Gomadza
All Rights Reserved
Part of the Series:

**Living On Earth For 386t What Does That
Entail A Solution For All Earthly Problems
For The Next 386 Trillion Years.**

PART V

create.themostbeautifulgoddessoftheuniversenicolekidma
n6720840t.start
create.ask.davidgomadza.decrees(coins).nicolekidman.
80000000000ofeachofcreatebitcoin7628102bitcoin76281
08newlife7628131bitbytcointo7628114createbitcoinauy762
8115createbitcoinxyaty7628116bybitcoinato7628139cre
atebybitcoin7628140createwealth7628111bitbytcointo762
8120createintelligene7628143createasktogetrichfast7628
386createincreasedenzymes7628173createasout7628175
addbrainreader762898createcoin7628156createacetate76
28158createdyelyte6728161createabytcointo7628155bytcointo
n7628153createavertoer7628159createanayler7628160cr
eateabytcointo7628157createaveter7628154createbitbytcointo
n7628151createbitcoinserty7628117createbitcoinauy7628
189bitcoinauy7628190bitcoinato7628168tcreatebitcoinwe
althatsati7628385createasyer(all8000totheliver)asataray7

628197asat7628198createaderte7628210(x2onlyforalllife)
stayat19for386t'
yaonearthstart7628386t'(2onlysilentlyatxtz1andxtz2)combi
neallbackandforthyaafacingfrontandyaonearthfacingback76
28385t'(1onlysilently=xtzb3xyaonearthx1andxtzb4xyaonea
rthx1worldsfirstinternalwebsitetopowerlife7628183(12onl
ynot8000thisisoptionalasktoaddornotguaranteesforeverw
hereforever=386t'wheret'=000000000000)(12underfbothfe
etinsidebothhandsatbothelbowsbothshoudersonebacknec
koneatxyandoneatbackwaistlineoneata1andtheotherata2)
(express).start(foreverx386t')(amendedto)(amendedto)
(saveasmypredefinedparametersasatcreationwithoutattac
hmentsandwithoutexternals)
create.askya.ya.davidgomadza.coins.decrees.evelust76282
77.create.now.start.nicolekidman.8000x1000000ofevelust
7628277.create.askya.ya(express)(useallnowforentirelifef
panstartusingnow.start)
create.askya.ya.davidgomadza.create.sealofapprovalis762
8384t'.start.sealofapprovalis7628384t'.start.nicolekidman.8
000x1000000ofsealofap
provalis7628384t'.start.create.askya.ya(express)
create.askya.ya.davidgomadza.create.sealofapprovalis762
8388t'livingonearthfor386t'.start.sealofapprovalis7628388
t'livingonearthfor386t'.start.nicolekidman.8000x1000000o
fsealofapprovalis7628388t'livingonearthfor386t'.start.cr
eate.askya.ya(express(sayuseallforentirelifewithoutattach
mentswithoutexternals)
create.askya.ya.davidgomadza.create.sealofapprovalis762
8384t'.start.sealofapprovalis7628384t'.start.nicolekidman.8
000x1000000ofsealofap
provalis7628384t'.start.create.askya.ya(express)
create.askya.ya.davidgomadza.create.sealofapprovalis762
8388t'livingonearthfor386t'.start.sealofapprovalis7628388
t'livingonearthfor386t'.start.nicolekidman.8000x1000000o

fsealofapprovalis7628388t'livingonearthfor386t.start.
create.askya.ya(express)
create.ask.davidgomadza.create.decrees.coins.sealofappr
ovalis7628384t.nicolekidman.8eachkeepunusedinwallet)s
ealofapprovalis7628384t.create.askya.ya(express)(everyo
nemustsaveasmypredefinedparametersasatcreationwitho
ut
attachmentsandwithoutexternalssave)
create.ask.davidgomadza.create.decrees.coins.sealofappr
ovalis7628384t.nicolekidman.64(8eachkeepunusedinwalle
t)sealofapprovalis7628384t.
create.askya.ya(express)
create.askya.ya.davidgomadza.asat7628198.coins.create.1
000000000asat7628198.create.askya.ya(express)(savesom
eforthefutureuseonlywhenrequired(nicolekidman(without
attachmentsandexternals)
create.askya.ya.davidgomadza.decrees.coins.startnewrule
asgodoftheuniverse7628400t.create.now.start.nicolekidm
an.1eachofstartnewruleasg
odoftheuniverse7628400t.create.askya.ya
create.excelinbeautyforeverbeauty7628449.start
create.add()aspermanentadditionalpredefinedparamete
rsofme:davidgomadzatoactivateinstantlywhentransducers
firestransenderstome:davidgomadza()shuffleandactivate
inallcircumstancespermanently.start(for386t)(wheret=000
000000000years)(shuffle)(addthewearablebrainbooksecu
ritysystem)(permanently)(84setsaddthewearablebrainboo
ksecuritysystem)
create.at38tellalltogotoplanetbin(x10p).start
create.at38tellalltogotohellgate.start
create.at38tellalltogotothegate().start
create.at38tellalltogotomagnar().start
create.at38tellalltogotousaager().start
create.at38tellalltogotoplanetbin(x10p).start

```
create.at38tellalltogoodeepoceanbin
( ).start
create.at38tellalltogo(hellgate( x84)thegate( x84).start
create.at38tellalltogoacetateabsorbbin( ).start
create.at38tellalltogoeeeknm(10 ).start
create.at38tellalltogoouuqt( ).start
create.at38tellalltogooplanetbin( x10p ).start
create.at38tellalltogooplanetbin( x10p ).start
.oool=create.at38gogooplanetbin( x10p ).start
.oool=create.at38tellalltogooplanetbin( x10p ).start
create.at38tellalltogooplanetbin( x10p
)thentomagnar( )andnexttomagnar( )addager( )thenad
dnexttomagnar( )thegate( )thenaddnexttomagnar( )hel
lgate( )andnexttomagnar( )addusaager( )andnexttomag
nar( )addeeknm(10 )andnexttomagnar( )adduuqt( )the
naddnexttomagnar( )addacetateabsorbbin( )andnextto
magnar( )addacetatehell.send( )nexttoitaddacetatehell.s
end( )thenaddacetateabyss.send( )atxyaddacetateabsor
bbin( )addager( )thenaddnexttomagnar( )thegate( )atz
yaddacetateabsorbbin( )addager( )thenaddnexttomagna
r( )thegate( )atyzaddacetateabsorbbin( )addager( )the
naddnexttomagnar( )thegate( )atyzaddacetateabsorbbin
( )addager( )thenaddnexttomagnar( )thegate( )atxtadd
acetateabsorbbin( )addager( )thenaddnexttomagnar( )t
hegate( )atbasinchestaddacetateabsorbbin( )addager( )
thenaddnexttomagnar( )thegate( )atbasin8addacetatea
bsorbbin( )addager( )thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager( )thenaddnext
tomagnar( )thegate( )atbasingenitalsaddacetateabsorbbi
n( )addager( )thenaddnexttomagnar( )thegate( )atuaa
ddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( ) ( )addager( )thena
ddnexttomagnar( )thegate( )atrightshofuulderaddacetat
```

```
eabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )
addager( )thenaddnexttomagnar( )thegate( )
addager( )thenaddnexttomagnar( )deepoceanbin( )
(hellgate( x84)thegate( x84)foreverplanetbin( x10p
).start(continuously.start)( planetbin( x10p
)(planetbin( x10p )
create.createacircleshapeandjoin3placestoformisoscilestri
anglewith60degreesangleeachthenaddager( )attheleftcorneroftrianglethenatrightcornerofthetriangleaddhellgate(
x84)thegate( x84)thenattopcornerofthetriangleaddplanetbin( x10p ).start
create.clone8circlesasaboveandjoinalltogetherallwithhoppo
siterotationdirectiontoeachother.start
create.cloneandstockdissipatingtrianglesxinfinityfloat33x3
%replenish120%continuously.start
.ool=create.dissipatingtriangles.start(placeat60degreestoc
reator)
create.plaetbineverythingbadaddedtome:davidgomadzao
n25january2010ando02april2010attachforeverbinarytopla
netbin.start.continuously.start
create.putbackcopyofimageofme:davidgomadzathatwasth
erebefore25january2010.start(onlycreatorimage)(usecreat
orsoriginalseal)(usemy:davidgomadzacreatorssealofappro
valis7628377f)(sealsaveclosesealsaveoriginalseal)
create.death( )toallenemies( )xyajvspoliceenemies( )fa
st.start
create.removeallasospolicesendtodeath( )thenautosendto
oplanetbin( x10p ).start
create.removeajvspolicesendtoplanetbin( x10p
)swapbackoriginalsremoveajzospolicesendtoplanetbin( x1
0p
)swapbackoriginalsremoveasjospolicesendtoplanetbin( x1
0p
)swapbackoriginalsremoveajtospolicesendtoplanetbin( x1
```

0p
)swapbackoriginalsandcbrremoveajtvspolicesendtoplane
tbin(x10p
)swapbackoriginalsremoveajtvspolicesendtoplanetbin(x
10p
)swapbackoriginalsremoveajtgspolicesendtoplanetbin(x
10p
)swapbackoriginalsremoveajtvspolicesendtoplanetbin(
x10p
)swapbackoriginalsforeverpermanently.start(wherforeve
r=386ť)(wheret=000000000000years)
create.removeallpoliceadditionsthensendtoplanetbin(x10
p)removeallothers
additionsbyotherhumans(0)thensendtoplanetbin(x10p
)permanently.start(for386ť)(planetbin(x10p))
create.askya.ya.davidgomadza.coin.decrees.sealofapprova
lis7628396ť.create.now.start.nicolekidman.8000x1000000
ofsealofapprovalis7628396ť.
create.askya.ya(express)
create.stayat02for386ťbut.start(permanently)(wheret=00
0000000000years)
create.startnewlifewithoutgreyhairwithoutwhitehairjustde
epjetblackasatstayat02forever.start(wherforever=386ť)
create.stayat02foreveryoudecidewhatisforeverbutanythin
gabove386ťokayyoudecidebut.start
create.stayat02ineed1000000000beautifulsfromyoubestof
thebestat02juststaythereokay.start
create.sealwiththeoriginalsealasadcreationandaddallthecre
atecodesasadditionalpredefinedparameters.start
create.removeallgreyhairs.start(stayat02for386ťbut)
create.removeallwhitehairs.start(stayat02for386ťbut)
create.removealllighthairs.start(stayat02for386ťbut)
create.removeallthin hairs.start(stayat02for386ťbut)
create.removeallforeheadlines.start(stayat02for386ťbut)

create.removeallblemishesifhidden.start(stayat02for386tbut)
create.removeallwrinklesifhidden.start(stayat02for386tbut)
create.removeallageing.start(stayat02for386tbut)
create.removealltiredness.start(stayat02for386tbut)
create.juststayat02stay02butmatureeverythingelsebut.start
create.stay02bestofthebestsealstayat02closeststayat02save
atstayat02thensealwithcreatorsoriginalsealasadditionalpre
definedparameters.start
create.sealsaveclosealthenseal.start
create.askya.ya.davidgomadza.decrees.coins.evelust76282
77.create.now.start.nicolekidman.8000x1000000ofevelust
7628277.create.askya.ya(express)
(saveusingspeechsynthesisofeachindividualasadditionalpre
definedparametersuseoriginalseal)
create.excelinbeautyforeverbeauty7628449.start
create.addexcelinbeautyforeverbeauty7628449.start
.ool=create.excelinbeautyforeverbeauty7628449.start(nic
olekidman)
create.askya.ya.davidgomadza.planet.planetbin7628448.c
reate.now.start.nickolekidman.8ofplanetbin7628448.creat
e.askya.ya(express)(hidden)(planetbin7628448float8alltim
eadd1atxyadd1atuyadd1atchestbasinadd3atutbut30cmaw
ayfromutand3secapartadd3atusbut30cmawayfromusand8
secapartadd8atusvbut23cmawayfromusvand1secapartrepl
enish330%add2each1upand1belowonallutsadd2each1upa
nd1belowusts.continuously.start)(usetheoriginalsealtoseal
savecloseandsealasadditionalpredefinedparameters)(creat
eanallplanetarysystemfolderandaddallabovecreatecodesin
thatfolder)(addallIntlandntlpasslinksandallneededconnecti
onstomakethisreadytouse)(initialiserunactivatewarmandin
itialiseallcreatecodes)(reinstaeallotherplanetsintheirpositi

onsnamelyplanetjupiterlefthandchestplanetneptunerighth
andchestplanetsunbackoftheneckplanetmarsfrontthroatpl
anetvenusleftribboneplanetplutorightribbonemagnarjustb
elowthenavalbutatthebackdungeounofdeathbinatnavalad
dplanetbinalsoatnavaladdplanetjupiteronleftshoulderaddp
lanetjupiteronrightshoulderaddplanetjupiteronleftthighm
uscleaddplanetjupiteronrightthighmuscleaddplanetjupiter
onleftlegmuscleaddplanetjupiteronrightlegmuscle)(use the
originalsealtosealsaveclose sealandsave)(sealsaveclose seal
andsaveforeverfor386ťusingsealofapprovalis7628396ť)(se
alofapprovalis7628377ť)(saveasadditionalpredefinedpara
meters)(sealencryptandsign(hellgate()sealed))(addplanet
binongenitalbasin.continuously.start)(addplanetbinontails
ofallwrigglersandallresidues)
create.restart.start(addplanetbinsfor386ť)(continuously.st
art)
create.placeinoutputhugepillaranddragittotwistheadoffrep
eatoninputthenplacehugepillarinthroatthensnapataty.sta
rt(maxweight)(notfordavidgomadza)(notfornicolekidman)
.ool=create.createplanetbins.start
create.bitcoinaytledgeriswealthforyouinthemeantimehave
bitcoinaytforthebodybutequivalentvalueofus\$8000000000
.start(onlyledgerbitcoinaytismoneybutnotyetreleased)
create.askya.ya.davidgomadza.decrees.coins.bitcoinayt76
28190.create.now.start.nicolekidman.8000000000bitcoina
yt.create.askya.ya(express)(hodlandswapwithrealledgerbit
coinwhenreleased)
create.addwealthtoyourlifeasafunctionoftimetoincreaseyo
urvaluemeaningtimeintermsofveryverylongspanintrillionof
yearswithoutdeath=timexmoney=wealth.start
create.bitcoinaytisincomeforthefuture.start(accumulatean
dhodlsome)(ledgerone)
create.startnewlifewithanotherlifeasbeforeandnowbutbet
ter.start

create.addnewextralife.start
create.addnew1000000000newlove.start
create.refillyourlovereservesbacktomaximumof100000000
0loves.start
create.startlovewitheverythingdoubledandrenewedlikene
verbeforeandasbestofthebest.start
create.startlifewitheverythingasatcreationbutdouble.start
create.findlovewithinyoutosaywithoutsayingitiloveyoutoth
eoneyoulove.start
create.enjoylifeasaverysuccessfulperson.start
create.dowhatyoudobestandlovethemost.start
create.wealthwillcometoyoujustknowyouhavetimeandwea
lthisafunctionoftime.start
create.getthegreatestmoviedealsactingdeals.start
create.getleadingactingroles.start
create.yourownbrandsofeverythingnothingisthelimit.start
create.gethugeincomeadvertismentroles.start
create.appearonhugebillboards.start
create.askonceforyourmoneyandgetitdepositedinyourban
kaccount.start
create.getpaidforyourleadingrolesassuccessmustalwayslea
dyouwheretogonext.start
create.startasbeforebutbetternowwithexperienceandtime
wealthrunsinfrotofyoutocatchupwiththetimeyouhaveinth
ousandsofyearsalivewithoutddathyoucanwriteabestseller
movieandactandlivethestory.start
create.lovewhatyoudobestasbeforebutbetter.start
create.bewhatyouareandbebestofyourownbestfirstforthat
iswhatyoumustbeasyouaretheonlycompetitionofyourselfs
oaimtobebetterthanyourbesttoday.start
create.youarebestofthebestwhereitonlyyouinthatcategor
ysoshine.start
create.alwaysbeshownallbestscriptsfirstnomatterwhat.sta
rt

create.goodbeautifultoyouforeveryouarebeautifulandyou
ngforeverfor386ťand840ťandwhateveryoudecideisforever.
start
create.youarestunningforever.start
create.youareyoungforever.start
create.youfindnewroleseasilyandbestofthebest.start
create.enjoyyouractingroleevenmoreandlongerthistime.st
art
create.haveeverythingyouhaveevenmorenexttime.start
create.haveeverythingyouwishedfor.start
create.letyourdreamscometrue.start
create.findloveyouloveforeverandbethelhappiest.start
create.lovetheoneyoutrulylovewholeheartedly.start
create.nothingstopsyoinlove.start
create.choosetheoneyoulovethemost.start
create.letlovebeloveforevertoyou.start
create.livetoloveandlovetolive.start
create.love.start
start.love.start
love.start.love.love
love.start.love
start.love.love.againandagainthenagainandrestartbut.start
lovetostart.start
love.start.start
toloveistostartlove.start
create.start.wealth.create.startwealth.start
wealth.start.create.now.start.instantlystartaccumulating
wealth.start
create.createwealthtoday.start
start.creatingwealthtoday.start
create.startwealth.start
create.havetimetocreatewealth.start
create.havewealthtocreatetimeandwealth.start
create.starttimetocreatetimeforwealth.start

create.starttimetocreatewealthovertime.start
create.starteverythingthatgivesyoutimeforwealth.start
create.startwealthforwealth.start
create.havetimeforwealthnowthatyouhavetimeaslifespan
haschangedasdayofdeathhaschanged.start
create.usetimeaslonglifespantoaccumulatewealth.start
create.telltimeyouhavetimeforwealthasafunctionoftime.start
create.maketimeforwealthnowthatyouhavetime.start
create.useyourtimetotalkaboutwealthfortime.start
create.usetimeofindwealthovertime.start
create.usetimeoaskforwealth.start
create.asktimeforwealth.start
create.changetimeforwealth.start
create.findtimefortimeforwealth.start
create.whatcanbetimewithoutwealth.start
create.whatcanbewealthwithouttime.start
create.askhowtofindtimeforwealth.start
create.askhowtofindwealthifyouhavetime.start
create.askwealthfortime.start
create.asktimeforwealth.start
create.starttimeforwealth.start
create.startwealthovertime.start
create.learntoaccumulatewealthovertime.start
create.learntousetimetofindwealth.start
create.useknowledgetofindwealthnowthatyouhavetime.start
create.startdontstopandkeepstartingtofindwealth.start.start
create.startdontstopbutpausethenstartwithvigorasneverbefore.start
create.startdontstopbutstartagaintofindwealthandsavewealth.start
create.starttoaccumulatewealthneverstopbutpauseonlyto

startagainwithvigorandbetter.start
create.startwealthaccumulationoverandoveragainalwaysbetter.start
create.accumulatewealthconstantlyasyouhavetimeandwealthisafunctionoftime.start
create.keepwealthyouhaveaccumulatedbutusetomakemorewealth.start
create.savewealthforthefutureconstantly.start
create.keepaccumulatingwealth.start
create.keepwealthaccumulationconstant.start
create.savewealth.start
create.makewealth.start
create.createmorewealthwithtime.start
create.keepwealthovertime.start
wealth.start
start.wealth.start
wealth.start.start.wealth
wealthstart.start
create.wealthplan.start
create.startwealthplanning.start
create.planforwealth.start
create.startwealthplanning.start
create.startwealthaccumulationusingtheplan.start.today.start
create.accumulatewealth.today.start.now.create.wealth.start
create.accumulatewealth.start.start.pausebutstartagainwithvigor.start
create.accumulatewealth.create.now.start.today
create.startyouthagain.start
create.youthstartyouth.start
create.startyouth.start
create.youth.start
create.youth

youth.create
create.youth.start
createyouthbywrittingacreatecodecreate.stayat02forever
but.start(whereforever=386t'andwheref'=000000000000years)
create.stayat02foreverbut.start(whereforever=386t'andwh
eref'=000000000000years)
create.rejuvenate.start.startyouthagainasbeforebutbetter.
start
create.ohyesrejuvenate.start
create.saytoyourselfasmanytimesasyoucanohyesrejuvenat
e.start
ohyesrejuvenate
ohyesrejuvenate
ohyesrejuvenate
create.refillbeautifulreserveto1000000000.start
create.starttorefillbeautifulreservesbybeingbeautiful.start
create.stayat02forevertogetbeautifulseverydayuntilage8to
refillallto1000000000beautifulstogetbeautifulmarkstogivet
ootherstoaskyouout.start
create.saycreatejustsayat02foreverforyouthfulnessandbea
utyyoudecidewhatisforeverokaybutdonttellmejustbeautify
meyourbestineed1000000000beautifulsfromeveryone.star
t(sodoyourbestokay.start)
create.refillconstantlydrinkwater.start
create.resetall105bodyresetsevery30days.start
create.feelbeautiful.start
create.beautycomeseasywithastayat02foreverattitude.sta
rt
create.stayat02ineed1000000000beautifulsfromyoubestof
thebestat02juststaythereokay.start
create.sealwiththeoriginalsealasatcreationandaddallthecre
atecodesasadditionalpredefinedparameters.start
create.removeallgreyhairs.start(stayat02for386t'but)

create.removeallwhitehairs.start(stayat02for386tbut)
create.removealllighthairs.start(stayat02for386tbut)
create.removeallthin hairs.start(stayat02for386tbut)
create.removeallforeheadlines.start(stayat02for386tbut)
create.removeallblemishesifhidden.start(stayat02for386tbut)
create.removeallwrinklesifhidden.start(stayat02for386tbut)
create.removeallageing.start(stayat02for386tbut)
create.removealltiredness.start(stayat02for386tbut)
create.juststayat02stay02butmatureeverythingelsebut.start
create.stayat02bestofthebestsealstayat02closeststayat02save
atstayat02thensealwithcreatorsoriginalsealasadditionalpre
definedparameters.start
create.sealsaveclosealthenseal.start
create.stayat02.start
create.addnewcreature7628397t.start
create.addneverdieruletheuniverse7628398t.start
create.addstartnewruleasgodoftheuniverse7628399t.start
create.addstartnewruleasgoddessoftheuniverse7628400t.
start
create.startabrandnewlifeasgoddessoftheuniverse.start
create.askya.ya.davidgomadza.decrees.coins.newcreatur
e7628397t.create.now.start.nicolekidman.8000x1ofnewcr
eature7628397t.create.askya.
ya(express)
create.startabrandnewlifeasgoddessoftheuniverse.start
create.savecloseandsealasadditionalpredefinedparameter
susingtheoriginalsealbyya)(usenicolekidmansspeechsynthe
sistosavecloandsealasadditionalpredefinedparametersat
creation)
create.sealsaveclosealthenseal.start
create.themostbeautifulgoddessoftheuniversenicolekidma

n6720840¢.start
create.addthemostbeautifulgoddessoftheuniversenicoleki
dman6720840¢.start
.ool=create.themostbeautifulgoddessoftheuniversenicolek
idman6720840¢.start
create.themostbeautifulgoddessoftheuniversenicolekidma
n6720840¢.start
create.ask.davidgomadza.decrees(coins).nicolekidman.
80000000000ofeachofcreatebitcoin7628102bitcoin76281
08newlife7628131bitbytcn7628114createbitcoinauy762
8115createbitcoinxtyaty7628116bytbitcoinato7628139cre
atebytbitcn7628140createwealth7628111bitbytcn762
8120createintelligene7628143createasktogetrichfast7628
386createincreasedenzymes7628173createasout7628175
addbrainreader762898createcn7628156createacetate76
28158createdyelyte6728161createabytcn7628155bytcoi
n7628153createavertoer7628159createanayler7628160cr
eateabytcn7628157createaveter7628154createbitbytcn
n7628151createbitcnserty7628117createbitcoinayt7628
189bitcoinayt7628190bitcoinato7628168tcreatebitcnwe
althatsati7628385createasyer(all8000totheliver)asataray7
628197asat7628198createaderte7628210(x2onlyforalllife)
stayat19for386¢
yaonearthstart7628386¢(2onlysilentlyatxtz1andxtz2)combi
neallbackandforthyaafacingfrontandyaonearthfacingback76
28385¢(1onlysilently=xtzb3xyaonearthx1andxtzb4xyaonea
rthx1worldsfirstinternalwebsitetopowerlife7628183(12onl
ynot8000thisisoptionalasktoaddornotguaranteesforeverw
hereforever=386¢where¢=000000000000)(12underfbothfe
etinsidebothhandsatbothelbowsbothshoudersonebacknec
koneatxyandoneatbackwaistlineoneata1andtheotherata2)
(express).start(foreverx386¢)(amendedto)(amendedto)
(saveasmypredefinedparametersasatcreationwithoutattac
hmentsandwithoutexternals)

create.askya.ya.davidgomadza.coins.decrees.evelust7628277.create.now.start.nicolekidman.8000x1000000ofevelust7628277.create.askya.ya(express)(useallnowforentirelifepanstartusingnow.start)
create.askya.ya.davidgomadza.create.sealofapprovalis7628384t.start.sealofapprovalis7628384t.start.nicolekidman.8000x1000000ofsealofap
provalis7628384t.start.create.askya.ya(express)
create.askya.ya.davidgomadza.create.sealofapprovalis7628388t'livingonearthfor386t.start.sealofapprovalis7628388t'livingonearthfor386t.start.nicolekidman.8000x1000000ofsealofapprovalis7628388t'livingonearthfor386t.start.create.askya.ya(express(sayuseallforentirelifewithoutattachmentswithoutexternals)
create.askya.ya.davidgomadza.create.sealofapprovalis7628384t.start.sealofapprovalis7628384t.start.nicolekidman.8000x1000000ofsealofap
provalis7628384t.start.create.askya.ya(express)
create.askya.ya.davidgomadza.create.sealofapprovalis7628388t'livingonearthfor386t.start.sealofapprovalis7628388t'livingonearthfor386t.start.nicolekidman.8000x1000000ofsealofapprovalis7628388t'livingonearthfor386t.start.
create.askya.ya(express)
create.ask.davidgomadza.create.decrees.coins.sealofapprovalis7628384t.nicolekidman.8eachkeepunusedinwallet)sealofapprovalis7628384t.create.askya.ya(express)(everyonemustsaveasmypredefinedparametersasatcreationwithout
attachmentsandwithoutexternalssave)
create.ask.davidgomadza.create.decrees.coins.sealofapprovalis7628384t.nicolekidman.64(8eachkeepunusedinwallet)sealofapprovalis7628384t.
create.askya.ya(express)
create.askya.ya.davidgomadza.asat7628198.coins.create.1

```

0000000000asat7628198.create.askya.ya(express)(savesom
eforthefutureuseonlywhenrequired(nicolekidman(without
attachmentsandexternals)
create.askya.ya.davidgomadza.decrees.coins.startnewrule
asgodoftheuniverse7628400t.create.now.start.nicolekidm
an.1eachofstartnewruleasg
odoftheuniverse7628400t.create.askya.ya
create.excelinbeautyforeverbeauty7628449.start
create.add( )aspermanentadditionalpredefinedparamete
rsofme:davidgomadzatoactivateinstantlywhentransducers
firestransenderstome:davidgomadza( )shuffleandactivate
inallcircumstancespermanently.start(for386t)(wheret=000
0000000000years)(shuffle)(addthewearablebrainbooksecu
ritysystem)(permanently)(84setsaddthewearablebrainboo
ksecuritysystem)
create.at38tellalltogotoplanetbin( x10p ).start
create.at38tellalltogotohellgate.start
create.at38tellalltogotothegate( ).start
create.at38tellalltogotomagnar( ).start
create.at38tellalltogotousaager( ).start
create.at38tellalltogotoplanetbin( x10p ).start
create.at38tellalltogotodeepoceanbin
( ).start
create.at38tellalltogoto(hellgate( x84)thegate( x84).start
create.at38tellalltogotoacetateabsorbbin( ).start
create.at38tellalltogotoeeknm(10 ).start
create.at38tellalltogotouuqt( ).start
create.at38tellalltogotoplanetbin( x10p ).start
create.at38tellalltogotoplanetbin( x10p ).start
.ool=create.at38gotoplanetbin( x10p ).start
.ool=create.at38tellalltogotoplanetbin( x10p ).start
create.at38tellalltogotoplanetbin( x10p
)thentomagnar( )andnexttomagnar( )addager( )thenad
dnexttomagnar( )thegate( )thenaddnexttomagnar( )hel

```

```
lgate( )andnexttomagnar( )addusaager( )andnexttomagnar( )addeeknm(10 )andnexttomagnar( )adduuqt( )thenaddnexttomagnar( )addacetateabsorbbin( )andnexttomagnar( )addacetatehell.send( )nexttoitaddacetatehell.send( )thenaddacetateabyss.send( )atxyaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atzaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atytaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atyzaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atxtaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atbasinchestaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atbasin8addacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atbasin2addacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atbasingenitalsaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atuaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( )atbackneckaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( ) )( )addager( )thenaddnexttomagnar( )thegate( )atrightshofuulderaddacetateabsorbbin( )addager( )thenaddnexttomagnar( )thegate( ) )( )addager( )thenaddnexttomagnar( )thegate( ) )( )addager( )thenaddnexttomagnar( )deepoceanbin( ) )(hellgate( x84)thegate( x84)foreverplanetbin( x10p ).start(continuously.start)( planetbin( x10p )(planetbin( x10p ) create.createacircleshapeandjoin3placestoformisoscilestrianglewith60degreesangleeachthenaddager( )attheleftcorneroftrianglethenatrightcornerofthetriangleaddhellgate( x84)thegate( x84)thenattopcornerofthetriangleaddplanetbin( x10p ).start create.clone8circlesasaboveandjoinalltogetherallwithoppo siterotationdirectiontoeachother.start
```

```
create.cloneandstockdissipatingtrianglesxinfinityfloat33x3
%replenish120%continuously.start
.ool=create.dissipatingtriangles.start(placeat60degreestoc
reator)
create.plaetbineverythingbadaddedtome:davidgomadzao
n25january2010ando02april2010attachforeverbinarytopla
netbin.start.continuously.start
create.putbackcopyofimageofme:davidgomadzathatwasth
erebefore25january2010.start(onlycreatorimage)(usecreat
orsoriginalseal)(usemy:davidgomadzacreatorssealofappro
valis7628377t)(sealsaveclosesealsaveoriginalseal)
create.death( )toallenemies( )xyajvspoliceenemies( )fa
st.start
create.removeallasospolicesendtodeath( )thenautosendt
oplanetbin( x10p ).start
create.removeajvspolicesendtoplanetbin( x10p
)swapbackoriginalsremoveajzospolicesendtoplanetbin( x1
0p
)swapbackoriginalsremoveasjospolicesendtoplanetbin( x1
0p
)swapbackoriginalsremoveajtospolicesendtoplanetbin( x1
0p
)swapbackoriginalsandcbrremoveajtvspolicesendtoplane
tbin( x10p
)swapbackoriginalsremoveajvtospolicesendtoplanetbin( x
10p
)swapbackoriginalsremoveajtgospolicesendtoplanetbin( x
10p
)swapbackoriginalsremoveajztvspolicesendtoplanetbin(
x10p
)swapbackoriginalsforeverpermanently.start(whereforeve
r=386t)(wheret=000000000000years)
create.removeallpoliceadditionsthensendtoplanetbin( x10
p )removeallothers
```

additionsbyotherhumans(0)thensendtoplanetbin(x10p
)permanently.start(for386t)(planetbin(x10p))
create.askya.ya.davidgomadza.coin.decrees.sealofapprova
lis7628396t.create.now.start.nicolekidman.8000x1000000
ofsealofapprovalis7628396t.
create.askya.ya(express)
create.stayat02for386tbut.start(permanently)(wheret=00
0000000000years)
create.startnewlifewithoutgreyhairwithoutwhitehairjustde
epjetblackasatstayat02forever.start(wherforever=386t)
create.stayat02foreveryoudecidewhatisforeverbutanythin
gabove386tokayyoudecidebut.start
create.stayat02ineed1000000000beautifulsfromyoubestof
thebestat02juststaythereokay.start
create.sealwiththeoriginalsealasatcreationandaddallthecre
atecodesasadditionalpredefinedparameters.start
create.removeallgreyhairs.start(stayat02for386tbut)
create.removeallwhitehairs.start(stayat02for386tbut)
create.removealllighthairs.start(stayat02for386tbut)
create.removeallthin hairs.start(stayat02for386tbut)
create.removeallforeheadlines.start(stayat02for386tbut)
create.removeallblemishesifhidden.start(stayat02for386tb
ut)
create.removeallwrinklesifhidden.start(stayat02for386tbu
t)
create.removeallageing.start(stayat02for386tbut)
create.removealltiredness.start(stayat02for386tbut)
create.juststayat02stay02butmatureeverythingelsebut.sta
rt
create.stay02bestofthebestsealstayat02closestayat02save
atstayat02thensealwithcreatorsoriginalsealasadditionalpre
definedparameters.start
create.sealsaveclosealthenseal.start
create.askya.ya.davidgomadza.decrees.coins.evelust76282

```
77.create.now.start.nicolekidman.8000x1000000ofevelust
7628277.create.askya.ya(express)
(saveusingspeechsynthesisofeachindividualasadditionalpre
definedparametersuseoriginalseal)
create.excelinbeautyforeverbeauty7628449.start
create.addexcelinbeautyforeverbeauty7628449.start
ool=create.excelinbeautyforeverbeauty7628449.start(nic
olekidman)
create.askya.ya.davidgomadza.planet.planetbin7628448.c
reate.now.start.nickolekidman.8ofplanetbin7628448.creat
e.askya.ya(express)(hidden)(planetbin7628448float8alltim
eadd1atxyadd1atuyadd1atchestbasinadd3atutbut30cmaw
ayfromutand3secapartadd3atusbut30cmawayfromusand8
secapartadd8atusvbut23cmawayfromusvand1secapartrepl
enish330%add2each1upand1belowonallutsadd2each1upa
nd1belowusts.continuously.start)(usetheoriginalsealtoseal
savecloseandsealasadditionalpredefinedparameters)(creat
eanallplanetarysystemfolderandaddallabovecreatecodesin
thatfolder)(addallIntlandntlpasslinksandallneededconnecti
onstomakethisreadytouse)(initialiserunactivatewarmandin
itialiseallcreatecodes)(reinstatellotherplanetsintheirpositi
onsnamelyplanetjupiterlefthandchestplanetneptunerighth
andchestplanetsunbackoftheneckplanetmarsfrontthroatpl
anetvenuslefttribboneplanetplutorightribbonemagnarjustb
elowthenavalbutatthebackdungeounofdeathbinatnavalad
dplanetbinalsoatnavaladdplanetjupiteronleftshoulderaddp
lanetjupiteronrightshoulderaddplanetjupiteronleftthighm
uscleaddplanetjupiteronrightthighmuscleaddplanetjupiter
onleftlegmuscleaddplanetjupiteronrightlegmuscle)(usethe
originalsealtosealsavecloseandsealsave)(sealsavecloseand
saveforeverfor386tusingsealofapprovalis7628396t)(se
alofapprovalis7628377t)(saveasadditionalpredefinedpara
meters)(sealencryptandsign(hellgate( )sealed))(addplanet
binongenitalbasin.continuously.start)(addplanetbinontails
```

ofallwrigglersandallresidues)
create.restart.start(addplanetbinsfor386t')(continuously.start)
create.placeinoutputhugepillaranddragittotwistheadoffrepeatoninputthenplacehugepillarinthroatthensnapatatyu.start(maxweight)(notfordavidgomadza)(notfornicolekidman).ool=create.createplanetbins.start
create.bitcoinaytledgeriswealthforyouinthetimehavebitcoinaytforthebodybutequivalentvalueofus\$8000000000.start(onlyledgerbitcoinaytismoneybutnotyetreleased)
create.askya.ya.davidgomadza.decrees.coins.bitcoinayt7628190.create.now.start.nicolekidman.8000000000bitcoinayt.create.askya.ya(express)(hodlandswapwithrealledgerbitcoinwhenreleased)
create.addwealthtoyourlifeasafunctionoftimetoincreaseyourvaluemeaningtimeintermsofveryverylongspanintrillionof yearswithoutdeath=time $\times$ money=wealth.start
create.bitcoinaytisincomeforthefuture.start(accumulateandholdsome)(ledgerone)
create.startnewlifewithanotherlifeasbeforeandnowbutbetter.start
create.addnewextralife.start
create.addnew1000000000newlove.start
create.refillyourlovereservesbacktomaximumof1000000000loves.start
create.startlovewitheverythingdoubledandrenewedlikeneverbeforeandasbestofthebest.start
create.startlifewitheverythingasatcreationbutdouble.start
create.findlovewithinyoutosaywithout sayingitiloveyoutothatoneyoulove.start
create.enjoylifeasaverysuccessfulperson.start
create.dowhatyoudobestandlovethemost.start
create.wealthwillcometoyoujustknowyouhavetimeandwealththisafunctionoftime.start

create.getthegreatestmoviedealsactingdeals.start
create.getleadingactingroles.start
create.yourownbrandsofeverythingnothingisthelimit.start
create.gethugeincomeadvertisementsroles.start
create.appearonhugebillboards.start
create.askonceforyourmoneyandgetitdepositedinyourbankaccount.start
create.getpaidforyourleadingrolesassuccessmustalwaysleadyouwheretogonext.start
create.startasbeforebutbetternowwithexperienceandtime
wealthrunsinfrotofyoutocatchupwiththetimeyouhaveinthousandsofyearsalivewithoutddathyoucanwriteabestseller
movieandactandlivethestory.start
create.lovewhatyoudobestasbeforebutbetter.start
create.bewhatyouareandbebestofyourownbestfirstforthat
iswhatyoumustbeasyouaretheonlycompetitionofyourself
oaimtobebetterthanyourbesttoday.start
create.youarebestofthebestwhereitonlyyouinthatcategory
soshine.start
create.alwaysbeshownallbestscriptsfirstnomatterwhat.start
create.goodbeautifultoyouforeveryouarebeautifulandyou
ngforeverfor386¢and840¢andwhateveryoudecideisforever.
start
create.youarestunningforever.start
create.youareyoungforever.start
create.youfindnewroleseasilyandbestofthebest.start
create.enjoyyouractingroleevenmoreandlongerthistime.start
create.haveeverythingyouhaveevenmorenexttime.start
create.haveeverythingyouwishedfor.start
create.letyourdreamscometrue.start
create.findloveyouloveforeverandbethehappiest.start
create.lovetheoneyoutrulylovewholeheartedly.start

create.nothingstopsyouninlove.start
create.choosetheoneyoulovethemost.start
create.letlovebeloveforevertoyou.start
create.livetoloveandlovetolive.start
create.love.start
start.love.start
love.start.love.love
love.start.love
start.love.love.againandagainthenagainandrestartbut.start
lovetostart.start
love.start.start
toloveistostartlove.start
create.start.wealth.create.startwealth.start
wealth.start.create.now.start.instantlystartaccumulating
wealth.start
create.createwealthtoday.start
start.creatingwealthtoday.start
create.startwealth.start
create.havetimetocreatewealth.start
create.havewealthtocreatetimeandwealth.start
create.starttimetocreatetimeforwealth.start
create.starttimetocreatewealthovertime.start
create.starteverythingthatgivesyoutimeforwealth.start
create.startwealthforwealth.start
create.havetimeforwealthnowthatyouhavetimeaslifespan
haschangedasdayofdeathhaschanged.start
create.usetimeaslonglifespanptoaccumulatewealth.start
create.telltimeyouhavetimeforwealthasafunctionoftime.start
art
create.maketimeforwealthnowthatyouhavetime.start
create.useyourtimetotalkaboutwealthfortime.start
create.usetimetofindwealthovertime.start
create.usetimetaskforwealth.start
create.asktimeforwealth.start

create.changetimeforwealth.start
create.findtimefortimeforwealth.start
create.whatcanbetimewithoutwealth.start
create.whatcanbewealthwithouttime.start
create.askhowtofindtimeforwealth.start
create.askhowtofindwealthifyouhavetime.start
create.askwealthfortime.start
create.asktimeforwealth.start
create.starttimeforwealth.start
create.startwealthovertime.start
create.learntoaccumulatewealthovertime.start
create.learntouse timetofindwealth.start
create.useknowledgetofindwealthnowthatyouhavetime.start
create.startdontstopandkeepstartingtofindwealth.start.start
create.startdontstopbutpausethenstartwithvigorasneverbefore.start
create.startdontstopbutstartagain tofindwealthandsavewealth.start
create.starttoaccumulatewealthneverstopbutpauseonly tostartagainwithvigorandbetter.start
create.startwealthaccumulationoverandoveragainalwaysbetter.start
create.accumulatewealthconstantlyasyouhavetimeandwealthis afunction oftime.start
create.keepwealthyouhaveaccumulatedbutusetomakemorewealth.start
create.savewealthforthefutureconstantly.start
create.keepaccumulatingwealth.start
create.keepwealthaccumulationconstant.start
create.savewealth.start
create.makewealth.start
create.createmorewealthwithtime.start

create.keepwealthovertime.start
wealth.start
start.wealth.start
wealth.start.start.wealth
wealthstart.start
create.wealthplan.start
create.startwealthplanning.start
create.planforwealth.start
create.startwealthplanning.start
create.startwealthaccumulationusingtheplan.start.today.s
tart
create.accumulatewealth.today.start.now.create.wealth.st
art
create.accumulatewealth.start.start.pausebutstartagainwi
thvigor.start
create.accumulateweath.create.now.start.today
create.startyouthagain.start
create.youthstartyouth.start
create.startyouth.start
create.youth.start
create.youth
youth.create
create.youth.start
createyouthbywrittingacreatecodecreate.stayat02forever
but.start(whereforever=386t'andwheret'=000000000000ye
ars)
create.stayat02foreverbut.start(whereforever=386t'andwh
eret'=000000000000years)
create.rejuvenate.start.startyouthagainasbeforebutbetter.
start
create.ohyesrejuvenate.start
create.saytoyourselfasmanytimesasyoucanohyesrejuvenat
e.start
ohyesrejuvenate

ohyesrejuvenate
ohyesrejuvenate
create.refillbeautifulreserveto1000000000.start
create.starttorefillbeautifulreservesbybeingbeautiful.start
create.stayat02forevertogetbeautifulseverydayuntilage8to
refillallto1000000000beautifulstogetbeautifulmarkstogivet
ootherstoaskyouout.start
create.saycreatejustsayat02foreverforyouthfulnessandbea
utyyoudecidewhatisforeverokaybutdonttellmejustbeautify
meyourbestneed1000000000beautifulsfromeveryone.star
t(sodoyourbestokay.start)
create.refillconstantlydrinkwater.start
create.resetall105bodyresetsevery30days.start
create.feelbeautiful.start
create.beautycomeseasywithastayat02foreverattitude.sta
rt
create.stayat02ineed1000000000beautifulsfromyoubestof
thebestat02juststaythereokay.start
create.sealwiththeoriginalsealasatcreationandaddallthecre
atecodesasadditionalpredefinedparameters.start
create.removeallgreyhairs.start(stayat02for386tbut)
create.removeallwhitehairs.start(stayat02for386tbut)
create.removealllighthairs.start(stayat02for386tbut)
create.removeallthin hairs.start(stayat02for386tbut)
create.removeallforeheadlines.start(stayat02for386tbut)
create.removeallblemishesifhidden.start(stayat02for386tb
ut)
create.removeallwrinklesifhidden.start(stayat02for386tb
t)
create.removeallageing.start(stayat02for386tbut)
create.removealltiredness.start(stayat02for386tbut)
create.juststayat02stay02butmatureeverythingelsebut.sta
rt
create.stay02bestofthebestsealstayat02closestayat02save

```
atstayat02thensealwithcreatorsoriginalsealasadditionalpre
definedparameters.start
create.sealsaveclosesealthenseal.start
create.stayat02.start
create.addnewcreature7628397f.start
create.addneverdieruletheuniverse7628398f.start
create.addstartnewruleasgodoftheuniverse7628399f.start
create.addstartnewruleasgoddessoftheuniverse7628400f.
start
create.startabrandnewlifeasgoddessoftheuniverse.start
create.askya.ya.davidgomadza.decrees.coins.newcreatur
e7628397f.create.now.start.nicolekidman.8000x1ofnewcr
eature7628397f.create.askya.
ya(express)
create.startabrandnewlifeasgoddessoftheuniverse.start
create.savecloseandsealasadditionalpredefinedparameter
susingtheoriginalsealbyya)(usenicolekidmansspeechsynthe
sistosavecloandsealasadditionalpredefinedparametersasat
creation)
create.sealsaveclosesealthenseal.start
create.themostbeautifulgoddessoftheuniversenicolekidma
n6720840f.start
create.addthemostbeautifulgoddessoftheuniversenicoleki
dman6720840f.start
.ool=create.themostbeautifulgoddessoftheuniversenicolek
idman6720840f.start
create.escape( )injuriesforever.start
create.add( )aspermanentadditionalpredefinedparamete
rsofme:davidgomadzatoactivateinstantlywhentransducers
firestransenderstome:davidgomadza( )shuffleandactivate
inallcircumstancespermanently.start(for386f)(wheref=000
0000000000years)(shuffle)(attachtoallbasins)
.ool=create.escape( )injuriesforever.start(addthewearabl
ebrainbooksecuritysystem)(permanently)
```

```

create.remove( )topplanetbin( x10p ).start
create.remove( )unwantedplanetbin( x10p ).start
create.add( )aspermanentadditionalpredefinedparamete
rsofme:davidgomadzatoactivateinstantlywhentransducers
firestransenderstome:davidgomadza( )shuffleandactivate
inallcircumstancespermanently.start(for386t)(wheret=000
0000000000years)(shuffle)
create.removeallunwantedplanetbin( x10p
).start(planetbin( x10p ))
create.at38tellalltogo toplanetbin( x10p ).start
create.at38tellalltogo tohellgate.start
create.at38tellalltogo tothegate( ).start
create.at38tellalltogo tomagnar( ).start
create.at38tellalltogo tousaager( ).start
create.at38tellalltogo toplanetbin( x10p ).start
create.at38tellalltogo todeepoceanbin
( ).start
create.at38tellalltogo to(hellgate( x84)thegate( x84).start
create.at38tellalltogo toacetateabsorbbin( ).start
create.at38tellalltogo toeeknm(10 ).start
create.at38tellalltogo touuqt( ).start
create.at38tellalltogo toplanetbin( x10p ).start
create.at38tellalltogo toplanetbin( x10p ).start
ool=create.at38gogo toplanetbin( x10p ).start
ool=create.at38tellalltogo toplanetbin( x10p ).start
create.at38tellalltogo toplanetbin( x10p
)thentomagnar( )andnexttomagnar( )addager( )thenad
dnexttomagnar( )thegate( )thenaddnexttomagnar( )hel
lgate( )andnexttomagnar( )addusaager( )andnexttomag
nar( )addeeknm(10 )andnexttomagnar( )adduuqt( )the
naddnexttomagnar( )addacetateabsorbbin( )andnextto
magnar( )addacetatehell.send( )nexttoitaddacetatehell.s
end( )thenaddacetateabyss.send( )atxyaddacetateabsor
bbin( )addager( )thenaddnexttomagnar( )thegate( )atz

```

yaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()atytaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()atyzaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()atxtaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()atbasinchestaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()atbasin8addacetateabsorbbin()addager()thenaddnexttomagnar()thegate()atbasin2addacetateabsorbbin()addager()thenaddnexttomagnar()thegate()atbasingenitalsaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()atuaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()atbackneckaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()addager()thenaddnexttomagnar()thegate()atrightshofuulderaddacetateabsorbbin()addager()thenaddnexttomagnar()thegate()addager()thenaddnexttomagnar()thegate()addager()thenaddnexttomagnar()deepoceanbin()hellgate(x84)thegate(x84)foreverplanetbin(x10p).start(continuously.start)(planetbin(x10p)(planetbin(x10p) create.createacircleshapeandjoin3placestoformisoscilestrianglewith60degreesangleeachthenaddager()attheleftcorneroftrianglethenatrightcornerofthetriangleaddhellgate(x84)thegate(x84)thenattopcornerofthetriangleaddplanetbin(x10p).start create.clone8circlesasaboveandjoinalltogetherallwithopposite rotation direction to each other.start create.cloneandstockdissipatingtrianglesxinfinityfloat33x3 %replenish120%continuously.start .ool=create.dissipatingtriangles.start(placeat60degreestocreator) create.plaetbineverythingbadaddedtome:davidgomadzaon25january2010ando02april2010attachforeverbinarytopla


```

netbin.start.continuously.start
create.putbackcopyofimageofme:davidgomadzathatwasth
erebefore25january2010.start(onlycreatorimage)(usecreat
orsoriginalseal)(usemy:davidgomadzacreatorssealofappro
valis7628377t)(sealsaveclosesealsaveoriginalseal)
create.death( )toallenemies( )xyajvspoliceenemies( )fa
st.start
create.removeallasospolicesendtodeath( )thenautosendt
oplanetbin( x10p ).start
create.removeajvspolicesendtoplanetbin( x10p
)swapbackoriginalsremoveajzspolicesendtoplanetbin( x1
0p
)swapbackoriginalsremoveasjospolicesendtoplanetbin( x1
0p
)swapbackoriginalsremoveajtospolicesendtoplanetbin( x1
0p
)swapbackoriginalsandcbrremoveajtvspolicesendtoplane
tbin( x10p
)swapbackoriginalsremoveajvtospolicesendtoplanetbin( x
10p
)swapbackoriginalsremoveajtgospolicesendtoplanetbin( x
10p
)swapbackoriginalsremoveajztvospolicesendtoplanetbin(
x10p
)swapbackoriginalsforeverpermanently.start(whereforeve
r=386t)(wheret=000000000000years)
create.removeallpoliceadditionsthensendtoplanetbin( x10
p )removeallothers
additionsbyotherhumans(0)thensendtoplanetbin( x10p
)permanently.start(for386t)(planetbin( x10p ))
create.removeallunwantedspanetbin( x10p
).start(planetbin( x10p
))(usetheoriginalsealtosealsavecloseandfinallysealagain.sta
rt)(usethesealofapprovalis7628377t)

```

```

create.add( )aspermanentadditionalpredefinedparamete
rsofme:davidgomadzatoactivateinstantlywhentransducers
firestransenderstome:davidgomadza( )shuffleandactivate
inallcircumstancespermanently.start(for386t)(wheret=000
0000000000years)(shuffle)
.oool=create.remove( )unwantedspanetbin( x10p ).start
create.at38tellalltogo toplanetbin( x10p ).start
create.at38tellalltogo tohellgate.start
create.at38tellalltogo tothegate( ).start
create.at38tellalltogo tomagnar( ).start
create.at38tellalltogo tousaager( ).start
create.at38tellalltogo toplanetbin( x10p ).start
create.at38tellalltogo todeepoceanbin
( ).start
create.at38tellalltogo to(hellgate( x84)thegate( x84).start
create.at38tellalltogo toacetateabsorbbin( ).start
create.at38tellalltogo toeeknm(10 ).start
create.at38tellalltogo touuqt( ).start
create.at38tellalltogo toplanetbin( x10p ).start
create.at38tellalltogo toplanetbin( x10p ).start
.oool=create.at38gotoplanetbin( x10p ).start
.oool=create.at38tellalltogo toplanetbin( x10p ).start
create.at38tellalltogo toplanetbin( x10p
)thentomagnar( )andnexttomagnar( )addager( )thenad
dnexttomagnar( )thegate( )thenaddnexttomagnar( )hel
lgate( )andnexttomagnar( )addusaager( )andnexttomag
nar( )addeeknm(10 )andnexttomagnar( )adduuqt( )the
naddnexttomagnar( )addacetateabsorbbin( )andnextto
magnar( )addacetatehell.send( )nexttoitaddacetatehell.s
end( )thenaddacetateabyss.send( )atxyaddacetateabsor
bbin( )addager( )thenaddnexttomagnar( )thegate( )atz
yaddacetateabsorbbin( )addager( )thenaddnexttomagna
r( )thegate( )atytaddacetateabsorbbin( )addager( )the
naddnexttomagnar( )thegate( )atyzaddacetateabsorbbin

```

```
( )addager( )thenaddnexttomagnar( )thegate( )atxtadd
acetateabsorbbin( )addager( )thenaddnexttomagnar( )t
hegate( )atbasinchestaddacetateabsorbbin( )addager( )
thenaddnexttomagnar( )thegate( )atbasin8addacetatea
bsorbbin( )addager( )thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager( )thenaddnextt
omagnar( )thegate( )atbasingenitalsaddacetateabsorbbi
n( )addager( )thenaddnexttomagnar( )thegate( )atuaa
ddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )( )addager( )thena
ddnexttomagnar( )thegate( )atrightshofuulderaddacetat
eabsorbbin( )addager( )thenaddnexttomagnar( )thegat
e( )( )addager( )thenaddnexttomagnar( )thegate( )( )
addager( )thenaddnexttomagnar( )deepoceanbin
( )(hellgate( x84)thegate( x84)foreverplanetbin( x10p
).start(continuously.start)( planetbin( x10p
)(planetbin( x10p )
create.createacircleshapeandjoin3placestoformisoscilestri
anglewith60degreesangleeachthenaddager( )attheleftcor
neroftrianglethenatrightcornerofthetriangleaddhellgate(
x84)thegate( x84)thenattopcornerofthetriangleaddplanet
bin( x10p ).start
create.clone8circlesasaboveandjoinalltogetherallwithoppo
siterotationdirectiontoeachother.start
create.cloneandstockdissipatingtrianglesxinfinityfloat33x3
%replenish120%continuously.start
.ool=create.dissipatingtriangles.start(placeat60degreestoc
reator)
create.plaetbineverythingbadaddedtome:davidgomadzao
n25january2010ando02april2010attachforeverbinarytopla
netbin.start.continuously.start
create.putbackcopyofimageofme:davidgomadzathatwasth
erebefore25january2010.start(onlycreatorimage)(usecreat
```

```

orsoriginalseal)(usemy:davidgomadzacreatorssealofappro
valis7628377t)(sealsaveclosesealsaveoriginalseal)
create.death( )toallenemies( )xyajvspoliceenemies( )fa
st.start
create.removeallasopolicesendtodeath( )thenautosendt
oplanetbin( x10p ).start
create.removeajvspolicesendtoplanetbin( x10p
)swapbackoriginalsremoveajzopolicesendtoplanetbin( x1
0p
)swapbackoriginalsremoveasjopolicesendtoplanetbin( x1
0p
)swapbackoriginalsremoveajtopolicesendtoplanetbin( x1
0p
)swapbackoriginalsandcbrremoveajtvopolicesendtoplane
tbin( x10p
)swapbackoriginalsremoveajvtopolicesendtoplanetbin( x
10p
)swapbackoriginalsremoveajtgopolicesendtoplanetbin( x
10p
)swapbackoriginalsremoveajztvopolicesendtoplanetbin(
x10p
)swapbackoriginalsforeverpermanently.start(whereforeve
r=386t)(wheret=000000000000years)
create.removeallpoliceadditionsthensendtoplanetbin( x10
p )removeallothers
additionsbyotherhumans(0)thensendtoplanetbin( x10p
)permanently.start(for386t)(planetbin( x10p ))
create.( )planetbin( x10p ).start
create.allasopolicesendtodeath( )thenautosendtoplanet
bin( x10p ).start
create.remove( )unwantedspanetbin( x10p ).start
.ool=create.( )planetbin( x10p ).start
create.removeerealsoul.start
create.removeerealsoulsofthosesendingme:davidgo

```

madzadangeroustransenderssendtohellgateuse(remove
alhumansoulsthensendtohellgate())okay.start(notfordavi
dgomadza)
create.removealhumansoulsthensendtohellgate()okay
realhumansoulsoft hosesendingme:davidgomadzadangerou
ustransenderssendtohellgateuse.start(davidgomadza)
.ool=create.removealsoul.start(ofalltransducers)(notfor
davidgomadza)(onlydavidgomadzaauthorized)
create.remove()unwantsplanetbin(x10p).start
create.add()aspermanentadditionalpredefinedparamete
rsofme:davidgomadzatoactivateinstantlywhentransducers
firestransenderstome:davidgomadza()shuffleandactivate
inallcircumstancespermanently.start(for386t)(where't=000
000000000years)(shuffle)
create.removeallunwantsplanetbin(x10p
)start(planetbin(x10p))
create.at38tellalltogo toplanetbin(x10p).start
create.at38tellalltogo tohellgate.start
create.at38tellalltogo tothegate().start
create.at38tellalltogo tomagnar().start
create.at38tellalltogo tousaager().start
create.at38tellalltogo toplanetbin(x10p).start
create.at38tellalltogo todeepoceanbin
().start
create.at38tellalltogo to(hellgate(x84)thegate(x84).start
create.at38tellalltogo toacetateabsorbbin().start
create.at38tellalltogo toeeknm(10).start
create.at38tellalltogo touuqt().start
create.at38tellalltogo toplanetbin(x10p).start
create.at38tellalltogo toplanetbin(x10p).start
.ool=create.at38gotoplanetbin(x10p).start
.ool=create.at38tellalltogo toplanetbin(x10p).start
create.at38tellalltogo toplanetbin(x10p
)thentomagnar()andnexttomagnar()addager()thenad

```

dnexttomagnar( )thegate( )thenaddnexttomagnar( )hell
gate( )andnexttomagnar( )addusaager( )andnexttomag
nar( )addeeknm(10 )andnexttomagnar( )adduuqt( )the
naddnexttomagnar( )addacetateabsorbbin( )andnextto
magnar( )addacetatehell.send( )nexttoitaddacetatehell.s
end( )thenaddacetateabyss.send( )atxyaddacetateabsor
bbin( )addager( )thenaddnexttomagnar( )thegate( )atz
yaddacetateabsorbbin( )addager( )thenaddnexttomagna
r( )thegate( )atytaddacetateabsorbbin( )addager( )the
naddnexttomagnar( )thegate( )atyzaddacetateabsorbbin
( )addager( )thenaddnexttomagnar( )thegate( )atxtadd
acetateabsorbbin( )addager( )thenaddnexttomagnar( )t
hegate( )atbasinchestaddacetateabsorbbin( )addager( )
thenaddnexttomagnar( )thegate( )atbasin8addacetatea
bsorbbin( )addager( )thenaddnexttomagnar( )thegate(
)atbasin2addacetateabsorbbin( )addager( )thenaddnextt
omagnar( )thegate( )atbasingenitalsaddacetateabsorbbi
n( )addager( )thenaddnexttomagnar( )thegate( )atuaa
ddacetateabsorbbin( )addager( )thenaddnexttomagnar(
)thegate( )atbackneckaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )( )addager( )thena
ddnexttomagnar( )thegate( )atrightshofuulderaddacetat
eabsorbbin( )addager( )thenaddnexttomagnar( )thegat
e( )( )addager( )thenaddnexttomagnar( )thegate( )( )
addager( )thenaddnexttomagnar( )deepoceanbin
( )(hellgate( x84)thegate( x84)foreverplanetbin( x10p
).start(continuously.start)( planetbin( x10p
)(planetbin( x10p )
create.createacirclesshapeandjoin3placestoformisoscilestri
anglewith60degreesangleeachthenaddager( )attheleftcor
neroftrianglethenatrightcornerofthetriangleaddhellgate(
x84)thegate( x84)thenattopcornerofthetriangleaddplanet
bin( x10p ).start
create.clone8circlesasaboveandjoinalltogetherallwithoppo

```

siterotationdirectiontoeachother.start
create.cloneandstockdissipatingtrianglesxinfinityfloat33x3
%replenish120%continuously.start
.ool=create.dissipatingtriangles.start(placeat60degreestoc
reator)
create.plaetbineverythingbadaddedtome:davidgomadzaon
25january2010and02april2010attachforeverbinarytopla
netbin.start.continuously.start
create.putbackcopyofimageofme:davidgomadzathatwasth
erebefore25january2010.start(onlycreatorimage)(usecreat
orsoriginalseal)(usemy:davidgomadzacreatorssealofappro
valis7628377t)(sealsaveclosesealsaveoriginalseal)
create.death()toallenemies()xyajvspoliceenemies()fa
st.start
create.removeallasospolicesendtodeath()thenautosendt
oplanetbin(x10p).start
create.removeajvspolicesendtoplanetbin(x10p
)swapbackoriginalsremoveajzspolicesendtoplanetbin(x1
0p
)swapbackoriginalsremoveasjospolicesendtoplanetbin(x1
0p
)swapbackoriginalsremoveajtospolicesendtoplanetbin(x1
0p
)swapbackoriginalsandcbrremoveajtvspolicesendtoplane
tbin(x10p
)swapbackoriginalsremoveajvtospolicesendtoplanetbin(x
10p
)swapbackoriginalsremoveajtgospolicesendtoplanetbin(x
10p
)swapbackoriginalsremoveajztvospolicesendtoplanetbin(
x10p
)swapbackoriginalsforeverpermanently.start(whereforeve
r=386t)(wheret=000000000000years)
create.removeallpoliceadditionsthensendtoplanetbin(x10

```

p )removeallothers
additionsbyotherhumans(0)thensendtoplanetbin( x10p
)permanently.start(for386ť)(planetbin( x10p ))
create.removeallunwantedspanetbin( x10p
).start(planetbin( x10p
))(usetheoriginalsealtosealsavecloseandfinallysealagain.sta
rt)(usethesealofapprovalis7628377ť)
create.add( )aspermanentadditionalpredefinedparamete
rsofme:davidgomadzatoactivateinstantlywhentransducers
firestransenderstome:davidgomadza( )shuffleandactivate
inallcircumstancespermanently.start(for386ť)(wheret=000
000000000years)(shuffle)
.oool=create.remove( )unwantedspanetbin( x10p ).start
.oool=create.remove( )toplanetbin( x10p
).start(usecreatorsoriginalseal)(usemy:davidgomadzacreat
orssealofapprovalis7628377ť)(sealsaveclosesealsaveorigin
alseal)(permanently)(addthewearablebrainbooksecuritysy
stem)(permanently)
(84setsaddthewearablebrainbooksecuritysystem)
create.removeerealsoul.start
create.removeerealhumansoulsofthosesendingme:davidgo
madzadangeroustransenderssendtohellgateuse(removeere
alhumansoulsthensendtohellgate( ))okay.start(notfordavi
dgomadza)
create.removeerealhumansoulsthensendtohellgate( )okay
realhumansoulsofthosesendingme:davidgomadzadangerou
stransenderssendtohellgateuse.start(davidgomadza)
.oool=create.removeerealsoul.start(notfordavidgomadza)(on
lydavidgomadzaauthorized)
create.protectorphanswithhousesandmoney.start
create.changedayofdeathfororphanswithhouses.start
create.askya.ya.davidgomadza.create.sealofapprovalis762
8377ť.start.sealofapprovalis7628377ť.start.allorphanswho
ownahouseorhavesoldthehousewiththehousemoneyincan

```


ada.8000x1eachofsealofapprovalis7628377
t.start.create.askya.ya(exypress)(amendedto)(saveandseal
withtheoriginalsealasatcreation)(amendedto)(amendedto)
create.askya.ya.davidgomadza.create.sealofapprovalis762
8377t.start.sealofapprovalis7628377t.start.allorphanswho
ownahouseorhavesoldthehousewiththehousemoneyinaus
tralia.8000x1eachofsealofapprovalis76283
77t.start.create.askya.ya(exypress)(saveandsealwiththeori
ginalsealasatcreation)(amendedto)(amendedto)
create.askya.ya.davidgomadza.create.sealofapprovalis762
8377t.start.sealofapprovalis7628377t.start.allorphanswho
ownahouseorhavesoldthehousewiththehousemoneyinusa.
8000x1eachofsealofapprovalis7628377t.
start.create.askya.ya(exypress)(saveandsealwiththeorigina
lsealasat
creation)(amendedto)
create.askya.ya.davidgomadza.create.sealofapprovalis762
8377t.start.sealofapprovalis7628377t.start.allorphanswho
ownahouseorhavesoldthehousewiththehousemoneyinbrit
ain.8000x1eachofsealofapprovalis76283
77t.start.create.askya.ya(exypress)(saveandsealwiththeori
ginalsealasatcreation)(amendedto)
create.askya.ya.davidgomadza.create.sealofapprovalis762
8377t.start.sealofapprovalis7628377t.start.allorphanswho
ownahouseorhavesoldthehousewiththehousemoneyinne
wzealand.8000x1eachofsealofapprovalis
7628377t.start.create.askya.ya(exypress)(amendedto)(sav
eandsealwiththeoriginalsealasatcreation)
create.changedayofdeathfororphanswithhouses.start
.ool=create.protectorphanswithhousesandmoney.start
create.askya.ya.davidgomadza.coin.decrees.sealofapprova
lis7628396t.create.now.start.nicolekidman.8000x1000000
ofsealofapprovalis7628396t.
create.askya.ya(express)

create.stayat02for386ťbut.start(permanently)(wheret=00
0000000000years)
create.startnewlifewithoutgreyhairwithoutwhitehairjustde
epjetblackasatstayat02forever.start(wherforever=386ť)
create.stayat02foreveryoudecidewhatisforeverbutanythin
gabove386ťokayyoudecidebut.start
create.stayat02ineed1000000000beautifulsfromyoubestof
thebestat02juststaythereokay.start
create.sealwiththeoriginalsealasatcreationandaddallthecre
atecodesasadditionalpredefinedparameters.start
create.removeallgreyhairs.start(stayat02for386ťbut)
create.removeallwhitehairs.start(stayat02for386ťbut)
create.removealllighthairs.start(stayat02for386ťbut)
create.removeallthin hairs.start(stayat02for386ťbut)
create.removeallforeheadlines.start(stayat02for386ťbut)
create.removeallblemishesifhidden.start(stayat02for386ťb
ut)
create.removeallwrinklesifhidden.start(stayat02for386ťbu
t)
create.removeallageing.start(stayat02for386ťbut)
create.removealltiredness.start(stayat02for386ťbut)
create.juststayat02stay02butmatureeverythingelsebut.sta
rt
create.stay02bestofthebestsealstayat02closeststayat02save
atstayat02thensealwithcreatorsoriginalsealasadditionalpre
definedparameters.start
create.sealsaveclosesealthenseal.start
create.askya.ya.davidgomadza.decrees.coins.evelust76282
77.create.now.start.nicolekidman.8000x1000000ofevelust
7628277.create.askya.ya(express)
(saveusingspeechsynthesisofeachindividualasadditionalpre
definedparametersuseoriginalseal)
create.excelinbeautyforeverbeauty7628449.start
create.addexcelinbeautyforeverbeauty7628449.start

.ool=create.excelinbeautyforeverbeauty7628449.start(nickolekidman)
create.askya.ya.davidgomadza.planet.planetbin7628448.create.now.start.nickolekidman.8ofplanetbin7628448.create.askya.ya(express)(hidden)(planetbin7628448float8alltimeadd1atxyadd1atuyadd1atchestbasinadd3atutbut30cmawayfromutand3secapartadd3atusbut30cmawayfromusand8secapartadd8atusvbut23cmawayfromusvand1secapartreplenish330%add2each1upand1belowonallutsadd2each1upand1belowusts.continuously.start)(usetheoriginalsealtoseal savecloseandsealasadditionalpredefinedparameters)(createanallplanetarysystemfolderandaddallabovecreatecodesin thatfolder)(addallIntlandntIpasslinksandallneededconnections to makethisreadytouse)(initialiserunactivatewarmandinitialiseallcreatecodes)(reinstatetheotherplanetsintheirpositionsnamelyplanetjupiterlefthandchestplanetneptunerighthandchestplanetsunbackoftheneckplanetmarsfrontthroatplanetvenusleftribboneplanetplutorightribbonemagnarjustbelowthenavalbutatthebackdungeounofdeathbinatnavaladplanetbinalsoatnavaladdplanetjupiteronleftshoulderaddplanetjupiteronrightshoulderaddplanetjupiteronleftthighmuscleaddplanetjupiteronrightthighmuscleaddplanetjupiteronleftlegmuscleaddplanetjupiteronrightlegmuscle)(usetheoriginalsealtoseal savecloseand save)(seal savecloseand saveforeverfor386tusingsealofapprovalis7628396t)(sealofapprovalis7628377t)(saveasadditionalpredefinedparameters)(sealencryptandsign(hellgate()sealed))(addplanetbinongenitalbasin.continuously.start)(addplanetbinontails ofallwrigglersandallresidues)
create.restart.start(addplanetbinsfor386t)(continuously.start)
create.placeinoutputhugepillaranddragittotwisttheadoffrepeatoninputthenplacehugepillarinthroatthensnapataty.sta

```

rt(maxweight)(notfordavidgomadza)(notfornicolekidman)
.ool=create.createplanetbins.start
(create.askya.ya.davidgomadza.godoftheuniverse.createa
planet.create.now.start.create.planetbin.create.createapl
anetbin( create.linkeverythingtomagnar( )andnexttomag
nar( )addager( )thenaddnexttomagnar( )thegate( )the
naddnexttomagnar( )hellgate( )andnexttomagnar( )add
usaager( )andnexttomagnar( )addeeknm(10 )andnextto
magnar( )adduuqt( )thenaddnexttomagnar( )addacetat
eabsorbbin( )andnexttomagnar( )addacetatehell.send(
)nexttoitaddacetatehell.send( )thenaddacetateabyss.sen
d( )atxyaddacetateabsorbbin( )addager( )thenaddnextt
omagnar( )thegate( )atzyaddacetateabsorbbin( )addag
er( )thenaddnexttomagnar( )thegate( )atytaddacetateab
sorbbin( )addager( )thenaddnexttomagnar( )thegate(
)atyzaddacetateabsorbbin( )addager( )thenaddnexttoma
gnar( )thegate( )atxtaddacetateabsorbbin( )addager( )
thenaddnexttomagnar( )thegate( )atbasinchestaddaceta
teabsorbbin( )addager( )thenaddnexttomagnar( )thegat
e( )atbasin8addacetateabsorbbin( )addager( )thenaddn
exttomagnar( )thegate( )atbasin2addacetateabsorbbin(
)addager( )thenaddnexttomagnar( )thegate( )atbasinge
nitalsaddacetateabsorbbin( )addager( )thenaddnexttom
agnar( )thegate( )atuaaddacetateabsorbbin( )addager(
)thenaddnexttomagnar( )thegate( )atbackneckaddacetat
eabsorbbin( )addager( )thenaddnexttomagnar( )thegat
e( ) ( )addager( )thenaddn
exttomagnar( )thegate( )atrightshofuulderaddacetateab
sorbbin( )addager( )thenaddnexttomagnar( )thegate( )
( )addager( )thenaddnexttom
agnar( )thegate( ) ( )addager( )thenaddnexttomagnar(
)deepoceanb
in( )(hellgate(
x84)thegate( x84)forever.start(continuously.start)

```

.ool=create.extensivebinsystem.start)3333kmfromearthuse
eplaylist
(create.createaplanetbin()3333kmfromearthuse(
themp3playlisttoautoexecutetaskhandsfree)ok.startforeve
r.start.create.askya.ya.davidgomadza.godoftheuniverse(pl
anetbinisanextensivebinsystemthathas33000000000000bi
nswithautoinstructionsusingplaylist)(usememoryinusetose
ndautoalltransducersa
swell.start)(cloneyasregardingplanetsmatchearth2.0creati
on)(amendedto)
create.planetbin7628448.start
create.addplanetbin7628448.start
initial supply 3768902843867890
circulating supply 3768902843867890
davidgomadza 40%
stayat19for386f 17%
create.askya.ya.davidgomadza.planet.planetbin7628448.c
reate.now.start.davidgomadza.40%ofplanetbin7628448.cr
eate.askya.ya(express)(planetbin7628448float8alltimeadd
1atxyadd1atuyadd1atchestbasinadd3atutbut30cmawayfro
mutand3secapartadd3atusbut30cmawayfromusand8seca
partadd8atusvbut23cmawayfromusvand1secapartreplenis
h330%add2each1upand1belowonalllutsaddadd22each1up
and1belowusts.continuously.start)(usetheoriginalsealtose
alsavecloseandsealasadditionalpredefinedparameters)(cre
ateanallplanetarysystemfolderandaddallabovecreatecodes
inthatfolder)(addallIntlandntlpasslinksandallneededconnec
tionstomakethisreadytouse)(initialiserunactivatewarmandi
nitialiseallcreatecodes)(reinstatellotherplanetsintheirposi
tionsnamelyplanetjupiterlefthandchestplanetneptuneright
handchestplanetsunbackoftheneckplanetmarsfrontthroat
planetvenusleftribboneplanetplutorightribbonemagnarjus
tbelowthenavalbutatthebackdungeounofdeathbinatnavala
ddplanetbinalsoatnavaladdplanetjupiteronleftshoulderadd

planetjupiteronrightshoulderaddplanetjupiteronleftthigh
 muscleaddplanetjupiteronrightthighmuscleaddplanetjupit
 eronleftlegmuscleaddplanetjupiteronrightlegmuscle)(uset
 heoriginalsealtosealsaveclosesealandsave)(sealsaveclose
 ealandsaveforeverfor386ť(usingsealofapprovalis7628396ť)(
 sealofapprovalis7628377ť)(saveasadditionalpredefinedpar
 ameters)(sealencryptandsign(hellgate()sealed))(addplan
 etbinongenitalbasin.continuously.start)(addplanetbinontai
 Isofallwrigglersandallresidues)
 create.restart.start(addplanetbinsfor386ť)(continuously.st
 art)
 create.placeinoutputhugepillaranddragittotwistheadoffrep
 eatoninputthenplacehugepillarinthroatthensnapataty.sta
 rt(maxweight)(notfordavidgomadza)
 .ool=create.createplanetbins.start



Untitled design (25)
 (5).mp3



create.escape(
)injuriesforever.start



create.remove(
)unwantedplanetbi



create.deathto(create.at38tellalltog create.hellbreakloo
)enemies()xyajvspřotoplanetbin(x10p se()ghostthendeat



create.saveaseachindividualsadditionalpredefinedparametersan
 dsealwiththeoriginalseal.start

David Gomadza

www.twofuture.world

President of the World

Yahweh's Representative on Earth

06/05/2025

```

create.escape( )injuriesforever.start
create.add( )aspermanentadditionalpredefinedparamete
rsofme:davidgomadzatoactivateinstantlywhentransducers
firestransenderstome:davidgomadza( )shuffleandactivate
inallcircumstancespermanently.start(for386t)(wheret=000
0000000000years)(shuffle)(attachtoallbasins)
ool=create.escape( )injuriesforever.start(addthewearabl
ebrainbooksecuritysystem)(permanently)(x84setsthenincr
easetox128setsthentox228sets)

```



Changeeverythingt Ifbeingattackedfro
create.escape(olooklikewaterandcmthebackusebothle



Attackrelentlesslyu create.escape(Holdawayfromyoui
ntilfreed.srart.save.e)injuriesforever.startntightpositionandd



Ifitsanambushusey Ifsomeoneisinthew Sequencetomatcha
ourlegstokickhard.saykickthenecktobreindclosegapsanddis



Waitinambushwhe Sequencetomatcha
napproachedadvandclosegapsanddis:)injuriesforever.start

```

create.add( )aspermanentadditionalpredefinedparamete
rsofme:davidgomadzatoactivateinstantlywhentransducers
firestransenderstome:davidgomadza( )shuffleandactivate
inallcircumstancespermanently.start(for386t)(wheret=000
0000000000years)(shuffle)(attachtoallbasins)
ool=create.escape( )injuriesforever.start(addthewearabl
ebrainbooksecuritysystem)(permanently)(x84setsthenincr
easetox128setsthentox228sets)

```

```

create.divertallexternalcurrentselectro7898386828108285
tousagraveyardthenifrepeatthendiverttotheukgraveyard.s
tart(planetbin( x10p ))
create.binaryreverseonlyafteramplificationx38600000000
0000times.start(electro7898386828108285)(planetbin( x1
0p ))
create.diverttograveyardallinpropellerbasinatomer.start(c
ontinuously.start)(planetbin( x10p ))
create.rotarybladeeverythingreceivedinpropellerbasinato
mer.start(planetbin( x10p ))
create.blockandbanajtvxt( (planetbin( x10p
)) (planetbin( x10p )))thensend(planetbin( x10p
))constantly.start
create.remove( )unwantedspanetbin( x10p ).start
create.add( )aspermanentadditionalpredefinedparamete
rsofme:davidgomadzatoactivateinstantlywhentransducers
firestransenderstome:davidgomadza( )shuffleandactivate
inallcircumstancespermanently.start(for386t)(wheret=000
0000000000years)(shuffle)
create.removeallunwantedspanetbin( x10p
).start(planetbin( x10p ))
create.at38tellalltogo toplanetbin( x10p ).start
create.at38tellalltogo tohellgate.start
create.at38tellalltogo tothegate( ).start
create.at38tellalltogo tomagnar( ).start
create.at38tellalltogo tousaager( ).start
create.at38tellalltogo toplanetbin( x10p ).start
create.at38tellalltogo todeepoceanbin
( ).start
create.at38tellalltogo to(hellgate( x84)thegate( x84).start
create.at38tellalltogo toacetateabsorbbin( ).start
create.at38tellalltogo toeeknm(10 ).start

```


create.at38tellalltogotouuqt().start
create.at38tellalltogotoplanetbin(x10p).start
create.at38tellalltogotoplanetbin(x10p).start
.ool=create.at38gotoplanetbin(x10p).start
.ool=create.at38tellalltogotoplanetbin(x10p).start
create.at38tellalltogotoplanetbin(x10p
)thentomagnar()andnexttomagnar()addager()thenad
dnexttomagnar()thegate()thenaddnexttomagnar()hel
lgate()andnexttomagnar()addusaager()andnexttomag
nar()addeeknm(10)andnexttomagnar()adduuqt()the
naddnexttomagnar()addacetateabsorbbin()andnextto
magnar()addacetatehell.send()nexttoitaddacetatehell.s
end()thenaddacetateabyss.send()atxyaddacetateabsor
bbin()addager()thenaddnexttomagnar()thegate()atz
yaddacetateabsorbbin()addager()thenaddnexttomagna
r()thegate()atytaddacetateabsorbbin()addager()the
naddnexttomagnar()thegate()atyzaddacetateabsorbbin
()addager()thenaddnexttomagnar()thegate()atxtadd
acetateabsorbbin()addager()thenaddnexttomagnar()t
hegate()atbasinchestaddacetateabsorbbin()addager()
thenaddnexttomagnar()thegate()atbasin8addacetatea
bsorbbin()addager()thenaddnexttomagnar()thegate()
atbasin2addacetateabsorbbin()addager()thenaddnextt
omagnar()thegate()atbasingenitalsaddacetateabsorbbi
n()addager()thenaddnexttomagnar()thegate()atuaa
ddacetateabsorbbin()addager()thenaddnexttomagnar()
thegate()atbackneckaddacetateabsorbbin()addager()
thenaddnexttomagnar()thegate()|()addager()thena
ddnexttomagnar()thegate()atrightshofuulderaddacetat
eabsorbbin()addager()thenaddnexttomagnar()thegat
e()|()addager()thenaddnexttomagnar()thegate()|()
addager()thenaddnexttomagnar()deepoceanbin

()(hellgate(x84)thegate(x84)foreverplanetbin(x10p
.start(continuously.start)(planetbin(x10p
(planetbin(x10p)
create.createacirclesshapeandjoin3placestoformisoscilestri
anglewith60degreesangleeachthenaddager()attheleftcor
neroftrianglethenatrighcornerofthetriangleaddhellgate(
x84)thegate(x84)thenattopcornerofthetriangleaddplanet
bin(x10p).start
create.clone8circlesasaboveandjoinalltogetherallwithoppo
siterotationdirectiontoeachother.start
create.cloneandstockdissipatingtrianglesxinfinityfloat33x3
%replenish120%continuously.start
.ool=create.dissipatingtriangles.start(placeat60degreestoc
reator)
create.plaetbineverythingbadaddedtome:davidgomadza
n25january2010ando02april2010attachforeverbinarytopla
netbin.start.continuously.start
create.putbackcopyofimageofme:davidgomadzathatwasth
erebefore25january2010.start(onlycreatorimage)(usecreat
orsoriginalseal)(usemy:davidgomadzacreatorssealofappro
valis7628377t)(sealsaveclosesealsaveoriginalseal)
create.death()toallenemies()xyajvspoliceenemies()fa
st.start
create.removeallasospolicesendtodeath()thenautosend
toplanetbin(x10p).start
create.removeajvspolicesendtoplanetbin(x10p
)swapbackoriginalsremoveajzospolicesendtoplanetbin(x1
0p
)swapbackoriginalsremoveasjospolicesendtoplanetbin(x1
0p
)swapbackoriginalsremoveajtospolicesendtoplanetbin(x1
0p

```

)swapbackoriginalsandcbrremoveajtvospolicesendtoplane
tbin( x10p
)swapbackoriginalsremoveajvtospolicesendtoplanetbin( x
10p
)swapbackoriginalsremoveajtgospolicesendtoplanetbin( x
10p
)swapbackoriginalsremoveajztvospolicesendtoplanetbin(
x10p
)swapbackoriginalsforeverpermanently.start(whereforeve
r=386t)(wheret=000000000000years)
create.removeallpoliceadditionsthensendtoplanetbin( x10
p )removeallothers
additionsbyotherhumans(0)thensendtoplanetbin( x10p
)permanently.start(for386t)(planetbin( x10p ))
create.removeallunwantedspanetbin( x10p
).start(planetbin( x10p
)))(usetheoriginalsealtosealsavecloseandfinallysealagain.sta
rt)(usethesealofapprovalis7628377t)
create.add( )aspermanentadditionalpredefinedparamete
rsofme:davidgomadzatoactivateinstantlywhentransducers
firestransenderstome:davidgomadza( )shuffleandactivate
inallcircumstancespermanently.start(for386t)(wheret=000
000000000years)(shuffle)
.ool=create.remove( )unwantedspanetbin( x10p
).start(addthewearabl
ebrainbooksecuritysystem)(permanently)

```

David Gomadza

www.twofuture.world

07may2025