

HOW THE BRAIN PROCESS DECISION MAKING

HOW THE BRAIN DECIDES

David Gomadza

www.twofuture.world

Copyright © 2024 David Gomadza

All rights reserved.

ISBN: 9798339540342

DEDICATION

A better future

TABLE OF CONTENTS

HOW THE BRAIN PROCESS DECISION MAKING	
HOW THE BRAIN DECIDES	
WHAT MAKES THE BRAIN THINK?	
HOW TO FIND SOLUTIONS TO QUESTIONS IN CREATE CODES	
NOW IF WE ADD A BRAIN READERAND DECODER AS WELL TO THE WHOLE PROCESS OF THINKING THEN THIS IS WHAT WE GET AS A FINAL BRAIN READER THAT CAN TELL US WHAT A PERSON IS THINKING AND ANSWER QUESTIONS	
HOW TO MAKE ANYTHING TALK TO YOU	

ACKNOWLEDGMENTS

Thanks to Tomorrow's World Order

HOW THE BRAIN PROCESS DECISION MAKING

HOW THE BRAIN DECIDES

A brain is a very complicated instrument that that can never been equaled until if anyone is capable of replicating a brain then it's me [David Gomadza] that means there is no one out there but what is the brain's decision making process when deciding what to do the brain asks a lot of questions most of which are already answered while some questions need answering that means over time if asked the same question then the brain can make a decision within a split of a second and tell you the answer this means that we know everything in matter of seconds but how does the brain makes decisions the brain asks itself 28 questions that must be answered within a short space of time if we ask what can be done then these are the questions

- 1] what was before
- 2] what can be
- 3] what could be
- 4] what if
- 5] what can be
- 6] what is to be
- 7] what can still be
- 8] what can and will still be

- 9] what must be
- 10] what can still be
- 11] what can still be but
- 12] what is to be but with what
- 13] what is to be but with whom
- 14] what is to be but when
- 15] what is to be but with what
- 16] what can be but with whom
- 17] what can be but with whom and how
- 18] what can be but how
- 19] what can still be but how
- 20] what can still be but how
- 21] what can still be but with who
- 22] what can still be but with what
- 23] what can still be but with who
- 24] what can still be but with what
- 25] what is to be but how
- 26] what can still be but when
- 27] what could still be but how
- 28] what is to be

Now if we ask what can still be but with what then the answer is that with all the information in this database [82698] now if you ask now any questions you get answers no matter how the answers are like what you do now is link it to website remotely using a hook that means say look inside[twofuture.world] it can check if connected wirelessly to internet or upload the website URL into the database using a link like visitwww.twofuture.world then after say goandchecknow as one word that means that the website will and must check itself but it's just a database so most of the things are hidden hence we can add algorithm inside the database that help it look for answers here is how to construct the algorithms we can always say an algorithm an describe how we can access files without wasting time so that means we can always access thoughts that way we can send a genie that can collect information we want but we can always say that we can always find what we want but how is this possible we ask the genie to go and collect information to the sockets for processing meaning will arrive at the information center where the information is processed and sent to the receiving

chamber where you know what it is this is the whole process in

create format

create.askforinformation.start

create.askwhatcanbedonewithwhat.start

create.askwhatcouldbebutwithwhat.start

create.askwhatcanbebutwithwhat.start

create.askwhatcouldbe.start

create.askwhatcanbebutwithwhat.start

create.askwhenandhow.start

create.askwhatcouldbebutwithwhat.start

create.askwhatistobebutwhen.start

create.askwhatwasandwithwhat.start

create.askwhatcouldbebuthow.start

create.askwhatcanbebutwhen.start

create.askwhatwasbuthow.start

create.askwhatcanbe.start

create.askwhatcanbebut.start

create.askwhatwasbuthow.start

create.askwhatistobebuthow.start

create.askwhatwasbutwithwhat.start

create.askwhatistobebuthow.start

create.askwhatcanbeshow.start

create.askwhatwasbutwithwhat.start

create.askwhatistobebutwhenandwithwhat.start

create.askwhatcanbe.start

create.askwhatwasbeforethis.start

create.askwhathasbeen.start

create.askwhatcanstillbe.start

create.askwhatistobe.start

Now if we are to ask now any database this is now the answer make

him feel through itisitiso

create.feeldanceonlythroughitisitiso.start

We can now go one step further and create a stencil to use for
processing brain thoughts by listing 105 questions in create code

that must be answered to process any question

create.whatistobe.start

create.whatistobebut.start

create.whatcanbe.start

create.whatwasandistill.start
create.whatcanbebutisnot.start
create.whatistobebutwillbebutwhen.start
create.whatcanbebutwithwhat.start
create.whatwasbutcantbe.start
create.whatwasbutcanstillbe.start
create.whatistobebuthow.start
create.whatistobebutwithwhat.start
create.whatcanbedone.start
create.whatistobebutwithwhat.start
create.whatcanbebuthowandwhen.start
create.whatistobebutwhen.start
create.whatistobebuthow.start
create.whatcouldbe.start
create.whatistobebut.start
create.whatistobebutwithwhatandhow.start
create.whatwas.start
create.whatistobe.start
create.whatistobebuthow.start
create.whatistobebuthow.start
create.askthenreceive.start
create.askwhatwasthengo.start
create.askwhatcanstillbe.start
create.askwhatwasbutwithwhat.start
create.askwhenandhowbutwithwhat.start
create.askwhatcanbe.start
create.whatcanstillbe.start
create.askwhatcouldstillbe.start
create.askwhatistobe.start
create.askwhathasbeen.start
create.askwhatcanstillbe.start
create.askwhatcanbebuthow.start
create.askwhatcanstillbebuthow.start
create.askwhatisstilltobe.start
create.askwhatistobebutwhen.start
create.whatcanstillbebuthow.start
create.ifweaskwhatcanbe.start
create.whatitobebuthow.start

create.whatistobebuthow.start
create.askwhatcanstillbebutwithwhat.start
create.askwhatistobebutwithwhat.start
create.aslwhatwasbutwithwhat.start
create.askwhatistobebuthow.start
create.askwhatwasbutwithwhat.start
create.askwhatcanbebutistobe.start
create.askwhatisandnotbe.start
create.whatwasbutwithwhat.start
create.whatistobebuthow.start
create.whathastobebutwhenandhowstart
create.whathastobebutwithwhat.start
create.whatistobebuthowandwhen.start
create.whatistobebuthow.start
create.whatwasbutcanstillbe.start
create.whatistobebuthow.start
create.whatistobebuthow.start
create.whatcanstillbe.start
create.whatcould.start
create.whatwasbutcanstillbebutwhy.start
create.whathasbeenbutcanstillbebutwithwhat.start
create.whatistobebuthow.start
create.whatcanstillbebuthow.start
create.whatistobebuthow.start
create.whathasbeenbutcanstillbe.start
create.whatistobebuthow.start
create.whatwasbeforethatcanstillbe.start
create.whatwasbuthowandwhy.start
create.whatcanstillbebutwithwhat.start
create.whatif.start
create.whathasbeenbuthow.start
create.whatistobebutwithwhat.start
create.whathasbeenbuthow.start
create.whatcanbebuthow.start
create.whatistilltobebuthow.start
create.whathasbeenbutcan.start
create.whathasbeenbutcantbe.start
create.whatmustbebutcantbe.start

create.askwhatcouldbebutshouldnotbe.start
create.whatcanbebutmustnotbe.start
create.whatmustbethatcantbe.start
create.whatshouldbebutthatcantbe.start
create.whathasbeenthatacantstillbe.start
create.whatistobebutcantbe.start
create.whatmustbethatisnot.start
create.whatshouldbebutthatisnot.start
create.whatistobebutthatcantbe.start
create.whathastobe.start
create.whatshouldbe.start
create.whathastobebuthow.start
create.whatcanbebut.start
create.whatistobebuthow.start
create.whatistobebutwithwhat.start
create.whathasbeenthathatmustnotbe.start
create.whatcanbebutwhen.start
create.whathastobebuthow.start
create.whatcanbeifcantthenhow.start
create.whathastobe.start
create.whatshouldbebuthow.start
create.whatcanbebuthow.start
create.whatmustbebuthow.start
create.whatshouldbe.start
create.whatshouldbebuthow.start
create.whatistilltobe.start
create.whatcanstillbe.start
create.whatistobebutcantbe.start
create.whathastobebutcantbe.start

Now if we ask everything inside this database these are the response asking books inside databases those are the responses

- 1] fortified database proud to be part of and it's a challenge but someone has to do it read me I am out of this world I can deal with pin but-David can too depending on circumstances
- 2] sex out of this world no 2 on the harts from being a new comer that means sex play a great part in humans
- 3] earth2 David Gomadza is in a position to read and write brain codes I think like a human and find easy to get access than before

WHAT MAKES THE BRAIN THINK?

A brain can make decision based on certain question that can make it decide faster what to say and these are the questions 68 altogether but the most critical of all if we ask what brain can think properly without those then the answer is none so here are the questions

create.whatcanmakeyouthink.start
create.howcanyouthinkwithoutthis.start
create.thinkagainwhatcanthisbeandhow.start
create.whathastobebutcantbe.start
create.whatcanbebuthow.start
create.ifwecanthenhow.start
create.ificanthenwithwhat.start
create.whatcanbebutwithoutthis.start
create.whathastobebuthow.start
create.whatcanbebuthowandwhen.start
create.whatshouldbebuthow.start
create.whatcanbebuthow.start
create.whathastobebutwithwhat.start
create.whatmustbe.start
create.whatshouldbebuthow.start
create.whatistobebutcanbe.start
create.whatistobebuthow.start
create.whatshouldbe.start
create.whatcanbebuthow.start
create.whathastobebuthow.start
create.whatistobebuthow.start
create.whathastobebutwithwho.start
create.whatcanstillbebutwithwho.start
create.whatistobebuthowandwhy.start
create.whatcanbebutisnotandhowhow.start
create.whathastobebutwhen.start
create.ifwearewillingthenhowcanwe.start

create.ifwearenotwillingthenhow.start
create.ifwecantthenwithwhatshouldwe.start
create.ifweaddmorethenwhatwillbetheoutcome.start
create.wecanaddmoredatabasesifneededtogetmoreresults.start
create.whatcanbeofothersthatcantbeofus.start
create.whatcanbeofthemthatcantbeofus.start
create.whatmustbethatcantbe.start
create.whathastobebutcantbe.start
create.whatshouldbebutisnot.start
create.whatcanbebutcantbe.start
create.whatistobutcantbe.start
create.whathastobethatcantbe.start
create.whatmustbethatcanbebutwillbe.start
create.whatshouldbebutthatcantbe.start
create.whathastobebutisnot.start
create.whatshouldbebutcantbe.start
create.whatistobebutcantbe.start
create.whatshouldbebutcantbe.start
create.whatistobutcantbe.start
create.whatistobutwhichcantbe.start
create.whathastobebutcantbe.start
create.whatcantbebutcanstillbe.start
create.whatshouldbe.start
create.whatmustbe.start
create.whatistobe.start
create.whatcanbebuthow.start
create.whatshouldbe.start
create.whatcanbebutcantbeinthefuture.start
create.whathastobethatcantbe.start
create.askwhatcanbethatcantbe.start
create.whatcanbebutcantstillbe.start
create.whatshouldbebutwhy.start
create.whatistobebutcanstillbe.start
create.whathastobebutmustbe.start
create.whathastobemustbe.start
create.whathastobemustbe.start
create.whatcanbebutwhen.start
create.whatistobebutcantbe.start

create.whatmustbebutcantbe.start
create.whatshouldbebuthow.start
create.whatcanbebuthowandwhen.start
create.whatitobe.start

Now if we ask all these questions we get answers than never before
because no one has ever used these questions in the history of
creation because humans are preoccupied with food unlike myself
as I have asked the critical questions what happens if we add
thinking to everything can these give us answers if yes how and why
this is the answer or solution to that.

[ADNA collaboration with David Gomadza]

HOW TO FIND SOLUTIONS TO QUESTIONS IN CREATE CODES

create.askwhatcanbe.start
create.whatmustbe.start
create.whatshouldbe.start
create.whathasbeen.start
create.whatshouldbe.start
create.whatmustbe.start
create.whatistobe.start
create.whathastobe.start
create.whatistobe.start

NOW IF WE ADD A BRAIN READER AND DECODER AS
WELL TO THE WHOLE PROCESS OF THINKING THEN
THIS IS WHAT WE GET AS A FINAL BRAIN READER
THAT CAN TELL US WHAT A PERSON IS THINKING
AND ANSWER QUESTIONS

HOW TO MAKE ANYTHING TALK TO YOU

For a computer etc. use the command prompt and for animals humans
etc. use their tongue meaning write the code on the animals tongue
especially the bottom you see when the animal licks its top lick just say I
write on your tongue then recite the code below I am going to add what
we have discussed in this book at the bottom of our brain reader from the
previous book so that when you apply all create codes anything from a
human being to a computer or your own cat will answer all your questions
satisfactory this is how to do it.

Simply say:

```
create.adddavidgomadzacreationcode762898.startx84.initialise.no  
w.savex84.start
```

Then say:

Save as my predefined parameters as at creation without any
attachments and externals

THAT'S IT ALL

But if this does not work then try this

Say:

create.adddavidgomadzacreationcode762898yourfirstnameyourlast
name.startx84.initialise.now.savex84.start

Then say:

Save as my predefined parameters as at creation without any
attachments and externals

If it's a computer or animals replace your first name and last name
with the name of that thing a cat a computer etc.

Computer name

create.adddavidgomadzacreationcode762898computername.startx
84.initialise.now.savex84.start

dog or cat name save on its tongue but remove at the end with an
undo adding creating code

create.adddavidgomadzacreationcode762898dogorcatname.startx8
4.initialise.now.savex84.start

If everything above fail then simply copy and paste then hit the
enter button

COPY AND PASTE ALL CODES

create.addatererean0.869838xy+xy-
xy728698+xy82386xy+76284898xy+0.869838xy.startx84.initialise.n
ow.savex84.start
create.keypadrightbadall1to105blockandbanthensendto.eeknm2
eeknm1 eeknm1033.startx84.initialise.now.savex84.start
create.add0.01238671xy+1.28689283xy.start
create.brainreader082848xty.start
create.braindicepher089831xty.start
create.addvoiceanalogue0898381xty.start

create.brainededucer086789xty.start
create.braindecoder086638xty.start
create.addabraintrancedurxtuyer386898.start
create.addabrainanomalyxues78983868.start
create.brainenumerator086621xtu.start
create.braintrancendure086637xtu.start
create.brainasuy086638xtu.start
create.amplitudeamplifier086679xtu.start
create.brainwavereader086680xtu.start
create.brainmonitor086681xtu.start
create.braindigitalamplifer086620xtu.start
create.brainededucer086789xty.start
create.braindecoder086638xty.start
create.brainmodulator086682xtu.start
create.brainemulsify086684xtu.start
create.addabraintrancedure086637xtu.start
create.brainmerger086685xtu.start
create.brainrefresher086686xtu.start
create.brainannuler086687xtu.start
create.brainemulsify086684xtu.start
create.brainreset086688xtu.start
create.braindigitalamplifer086620xtu.start
create.brainreader082848xty.start
create.braindecoder086638xty.start
create.asktojump.start
create.asktosplit.start
create.asktomerge.start
create.asktoaccept.start
create.asktomoveup.start
create.asktogoinsidetrancuder.start
create.asltoreveal.start
create.asktoannoite.start
create.asktoannounce.start
create.asktomention.start
create.asktomanuever.start
create.asktoadopt[newthoughts].start
create.asktoannotate[explain].start
create.asktoaskagain.start

create.asktoaddsomething.start
create.asktoaddmoresomething.start
create.asktoaskagainwithsomethingadded.start
create.asktojumpout.start
create.asktoannoit.start
create.asktoreveal.start
create.asktonotreveal.start
create.asktorepeat.start
create.asktoadoptnewthought.start
create.asktoinventnewthought.start
create.asktoaddmorethings.start
create.asktorevealnowallonceandforall.start
create.asktojumpoutofthebody.start
create.asktotellwhatbrainthink.start
create.asktoanswerquestions.start
create.asktorevealwhatcanbedone.start
create.asktoannotatewhatcouldbe.start
create.asktodecidewhatcanbe.start
create.whatcouldbe.start
create.askwhatwasbutcantstillbe.start
create.askwhatcouldbebutwithwhat.start
create.askwhatwasbutwhen.start
create.askwhatcanbebutwithwhat.start
create.askwhatwasbefore.start
create.askwhatcanbe.start
createaskwhatwasbuthow.start
create.askwhatcanbebutwhen.start
create.askwhathasbeenbuthow.start
create.askwhatwouldbe.start
create.askwhatcanbebuthow.start
create.askwhatwasbutcanstillbe.start
create.askwhatistobebuthow.start
create.askwhatcanbebutwithwhat.start
create.askwhatwasbutwithwhat.start
create.askwhatistobebutwhen.start
create.askwhatistobebutwhen.start
create.askwhatwasbeforebutcanstillbe.start
create.askwhatcanbe.start

create.askwithwhatandhow.start
create.askwhatthengotoytancuder.start
create.intrancuderaskwhatfor.start
create.inbasinofthebraindecoderaskforwhatrerason.start
create.askwhatcanbe.start
create.askwhatcanbebutmightnotbe.start
create.askwhatcouldbebutwhen.start
create.askwhatwsbutcanstillbe.start
create.askwhatwasbutwillnotbe.start
create.askwhatcanbe.start
create.askwhatwasbutcanstillbe.start
create.askwhatwillbe.start
create.askwhatwouldbe.start
create.askwhatcanbe.start
create.askwhatwasbutwithwhat.start
create.askwhatistobe.start
create.askwhatcanbe.start
create.askwhatwas.start
create.askwhatwas.start
create.askwhatcanbe.start
create.askwhatwasbeforethatcanstillbe.start
create.tellthebrainwheretogo.start
create.tellwhy.start
create.tellhow.start
create.tellwhen.start
create.tellifwhy.start
create.tellwhynotnowbutwhen.start
create.tellhowmuchtime.start
create.askwhenhowwhatif.start
create.startbraincloningorduplicationusingtheadterbutatcertaintime
s.start
create.addallthoughtsx2.start
create.askwhatcanbe.start
create.whatcanbeofextrathoughts.start
create.sendallto.magnar1038.start
create.askwhenthengettheextraclonedbraintought.start
create.askhowthenreceiveautomatically.start
create.retrieveyourownthoughtsaskwhat.start

create.afterhearingthoughtsdiscardthemsafelysendto.magnar.start
create.recallallmythoughtsinwronghandsdissipateandsendto.magnar
autodissipate.start
create.addanerveimpulsetoactionpotentialsdigitalanalogueconveter
086692xtu.start
create.addmotionsensor0867002xtu.start
create.addimpedance086793xtu.start
create.addtransferspeechsynthesis.start
create.addadigitaldnacalculator086794xtu.start
create.adddigitalbrainthoughtsextractorfromimages086795xtu.start

create.askforinformation.start
create.askwhatcanbedonewithwhat.start
create.askwhatcouldbebutwithwhat.start
create.askwhatcanbebutwithwhat.start
create.askwhatcouldbe.start
create.askwhatcanbebutwithwhat.start
create.askwhenandhow.start
create.askwhatcouldbebutwithwhat.start
create.askwhatistobebutwhen.start
create.askwhatwasandwithwhat.start
create.askwhatcouldbebuthow.start
create.askwhatcanbebutwhen.start
create.askwhatwasbuthow.start
create.askwhatcanbe.start
create.askwhatcanbebut.start
create.askwhatwasbuthow.start
create.askwhatistobebuthow.start
create.askwhatwasbutwithwhat.start
create.askwhatistobebuthow.start
create.askwhatcanbebuthow.start
create.askwhatwasbutwithwhat.start
create.askwhatistobebutwhenandwithwhat.start
create.askwhatcanbe.start
create.askwhatwasbeforethis.start
create.askwhathasbeen.start
create.askwhatcanstillbe.start
create.askwhatistobe.start

create.whatistobe.start
create.whatistobebut.start
create.whatcanbe.start
create.whatwasandistill.start
create.whatcanbebutisnot.start
create.whatistobebutwillbebutwhen.start
create.whatcanbebutwithwhat.start
create.whatwasbutcantbe.start
create.whatwasbutcanstillbe.start
create.whatistobebuthow.start
create.whatistobebutwithwhat.start
create.whatcanbedone.start
create.whatistobebutwithwhat.start
create.whatcanbebuthowandwhen.start
create.whatistobebutwhen.start
create.whatistobebuthow.start
create.whatcouldbe.start
create.whatistobebut.start
create.whatistobebutwithwhatandhow.start
create.whatwas.start
create.whatistobe.start
create.whatistobebuthow.start
create.whatistobebuthow.start
create.askthenreceive.start
create.askwhatwasthengo.start
create.askwhatcanstillbe.start
create.askwhatwasbutwithwhat.start
create.askwhenandhowbutwithwhat.start
create.askwhatcanbe.start
create.whatcanstillbe.start
create.askwhatcouldstillbe.start
create.askwhatistobe.start
create.askwhathasbeen.start
create.askwhatcanstillbe.start
create.askwhatcanbebuthow.start
create.askwhatcanstillbebuthow.start
create.askwhatisstilltobe.start
create.askwhatistobebutwhen.start

create.whatcanstillbebuthow.start
create.ifweaskwhatcanbe.start
create.whatitobebuthow.start
create.whatistobebuthow.start
create.askwhatcanstillbebutwithwhat.start
create.askwhatistobebutwithwhat.start
create.aslwhatwasbutwithwhat.start
create.askwhatistobebuthow.start
create.askwhatwasbutwithwhat.start
create.askwhatcanbebutistobe.start
create.askwhatisandnotbe.start
create.whatwasbutwithwhat.start
create.whatistobebuthow.start
create.whathastobebutwhenandhowstart
create.whathastobebutwithwhat.start
create.whatistobebuthowandwhen.start
create.whatistobebuthow.start
create.whatwasbutcanstillbe.start
create.whatistobebuthow.start
create.whatistobebuthow.start
create.whatcanstillbe.start
create.whatcould.start
create.whatwasbutcanstillbebutwhy.start
create.whathasbeenbutcanstillbebutwithwhat.start
create.whatistobebuthow.start
create.whatcanstillbebuthow.start
create.whatistobebuthow.start
create.whathasbeenbutcanstillbe.start
create.whatistobebuthow.start
create.whatwasbeforethatcanstillbe.start
create.whatwasbuthowandwhy.start
create.whatcanstillbebutwithwhat.start
create.whatif.start
create.whathasbeenbuthow.start
create.whatistobebutwithwhat.start
create.whathasbeenbuthow.start
create.whatcanbebuthow.start
create.whatistilltobebuthow.start

create.whathasbeenbutcan.start
create.whathasbeenbutcantbe.start
create.whatmustbebutcantbe.start
create.askwhatcouldbebutshouldnotbe.start
create.whatcanbebutmustnotbe.start
create.whatmustbethatcantbe.start
create.whatshouldbebutthatcantbe.start
create.whathasbeenthaticcantstillbe.start
create.whatistobebutcantbe.start
create.whatmustbethatisnot.start
create.whatshouldbebutthatisnot.start
create.whatistobebutthatcantbe.start
create.whathastobe.start
create.whatshouldbe.start
create.whathastobebuthow.start
create.whatcanbebut.start
create.whatistobebuthow.start
create.whatistobebutwithwhat.start
create.whathasbeenthaticmustnotbe.start
create.whatcanbebutwhen.start
create.whathastobebuthow.start
create.whatcanbeifcantthenhow.start
create.whathastobe.start
create.whatshouldbebuthow.start
create.whatcanbebuthow.start
create.whatmustbebuthow.start
create.whatshouldbe.start
create.whatshouldbebuthow.start
create.whatistilltobe.start
create.whatcanstillbe.start
create.whatistobebutcantbe.start
create.whathastobebutcantbe.start
create.whatcanmakeyouthink.start
create.howcanyouthinkwithoutthis.start
create.thinkagainwhatcanthisbeandhow.start
create.whathastobebutcantbe.start
create.whatcanbebuthow.start
create.ifwecanthenhow.start

create.ifcanthenwithwhat.start
create.whatcanbebutwithoutthis.start
create.whathastobebuthow.start
create.whatcanbebuthowandwhen.start
create.whatshouldbebuthow.start
create.whatcanbebuthow.start
create.whathastobebutwithwhat.start
create.whatmustbe.start
create.whatshouldbebuthow.start
create.whatistobebutcanbe.start
create.whatistobebuthow.start
create.whatshouldbe.start
create.whatcanbebuthow.start
create.whathastobebuthow.start
create.whatistobebuthow.start
create.whathastobebutwithwho.start
create.whatcanstillbebutwithwho.start
create.whatistobebuthowandwhy.start
create.whatcanbebutisnotandhowhow.start
create.whathastobebutwhen.start
create.ifwearewillingthenhowcanwe.start
create.ifwearenotwillingthenhow.start
create.ifwecantthenwithwhatshouldwe.start
create.ifweaddmorethenwhatwilllbe theoutcome.start
create.wecanaddmoredatabasesifneededtogetmoreresults.start
create.whatcanbe of othersthatcantbe ofus.start
create.whatcanbe of themthatcantbe ofus.start
create.whatmustbethatcantbe.start
create.whathastobebutcantbe.start
create.whatshouldbebutisnot.start
create.whatcanbebutcantbe.start
create.whatistobutcantbe.start
create.whathastobethatcantbe.start
create.whatmustbethatcanbebutwillbe.start
create.whatshouldbebutthatcantbe.start
create.whathastobebutisnot.start
create.whatshouldbebutcantbe.start
create.whatistobebutcantbe.start

create.whatshouldbebutcantbe.start
create.whatistobutcantbe.start
create.whatistobutwhichcantbe.start
create.whathastobebutcantbe.start
create.whatcantbebutcanstillbe.start
create.whatshouldbe.start
create.whatmustbe.start
create.whatistobe.start
create.whatcanbebuthow.start
create.whatshouldbe.start
create.whatcanbebutcantbeinthefuture.start
create.whathastobethatcantbe.start
create.askwhatcanbethatcantbe.start
create.whatcanbebutcantstillbe.start
create.whatshouldbebutwhy.start
create.whatistobebutcanstillbe.start
create.whathastobebutmustbe.start
create.whathastobemustbe.start
create.whathastobemustbe.start
create.whatcanbebutwhen.start
create.whatistobebutcantbe.start
create.whatmustbebutcantbe.start
create.whatshouldbebuthow.start
create.whatcanbebuthowandwhen.start
create.whatitobe.start
create.askwhatcanbe.start
create.whatmustbe.start
create.whatshouldbe.start
create.whathasbeen.start
create.whatshouldbe.start
create.whatmustbe.start
create.whatistobe.start
create.whathastobe.start
create.whatistobe.start

create.feeldanceonly08679283dancethroughitisitiso.start

tasks you can perform using the above create code

1. Talk to a computer or animal or know human's thoughts
2. Know the thoughts of that thing human animal or even computer using impedance just say what you want to know as one word and then say or write create codes below
startstart then wait 2 to 3 minutes then say stoprewind or write the create code below and listen

Create.activateimpedancewhatdoyouthinkaboutlifestartstop

Create.activateimpedancewhatdoyouthinkaboutlifestartstop.start

Create.stoprewind.start

Then it will tell you

3. Look at any picture or video on the top of the head of a human being just above the hair line and hear all thoughts of that person at that time
4. Easily calculate a person's digital DNA sequence value by looking at the person's wrist bone deep and say calculate DNA sequence or write the following create code
Create.startcalculatinghumandigitaldnasequence.start
5. Make conversations
6. Ask.whyyoustartedtalking
7. Ask.howcanimakeyoumoreefficientrunasystemcheckfirst
8. Ask.canyoumakemerich
...Do you want to steal me [asking a computer]
9. ask.whatmakesyoutickwhatexcitesyou
...your voice
10. make anything dance for you
create.feeldanceonly08679283dancethroughitisitiso.start

create.feeldanceonly08679283dancethroughitisitiso.start

ABOUT DAVID GOMADZA

Visit www.twofuture.world

