



PORTLAND PRODUCTS
GROUP

PPG Product Catalog



Table of Contents

Page 1, Table of Contents/Foreword, PPG Introduction.

Page 2, Warranty, Installation, and Custom Blocks, Warranty, install instructions, Custom Block services

Page 3, Non-Block Products, PreCut Head Flashing, PPG Fiber Cement Primer Paint, Inside Corners

Page 4, Prepackaged Products, Description of the prepack products with or without flashing.

Page 5, Light Block, Introduction , R&R 3-5/8", N/C 3-7/8", 3 main light blocks-small, medium, large, Off-set Light Block, and the Large Square Block.

Page 6, Receptacle Blocks, R&R Single Gang, Large Single Gang, N/C Single Gang. Small Double gang, and the Large Double Gang Block.

Page 7, Pipe Blocks, R&R Split-Mount, Gas line Split-Mount, Bib Block, Pipe Blocks, Double Pipe Blocks

Page 8, Vent Blocks, R&R 4.25" Vent Block, N/C 6.25" Vent Block, Kitchen Vent ,and Foundation vent.

House vent, Small Gable Vent, and Large Gable Vent Blocks.

Page 9, A/C and Comm. Blocks, A/C line set Block, A/C Disconnect Block, Communication Blocks, and the Foundation Block.

Page 10, Colored Blocks, Introduction to Colored Blocks, and the PPG product i/d #'s with SKUS reference sheet.

Foreword

The main design element for the PPG Fiber Cement Mounting block was to accommodate the need for a complete fiber cement home exterior package.

The PPG Fiber Cement Mounting blocks creation, was based on the size and cost of the currently utilized wood or vinyl mounting blocks in the market today. This is for ease of conversions, for maintaining Industry standards, and for providing a superior product that will hold up over longer periods of time.

This manual should provide all the necessary information required to completely understand the PPG products use in the different construction sectors (i.e. Multi-Family, Remodeling, and New Construction.)

All products can be used in all three styles of residential builds but only a few N/C Blocks will work with the Quickflash weather proofing panels.

N/C is referenced in this manual as a New construction Product or the classification of the i/d of 3-7/8" in the light blocks section.

R&R is referenced as a remodeling product or the classification of the i/d of 3-5/8" in the light blocks section.

Multi-family is referenced to apartment or condo style builds.

All PPG Block products are available in a smooth or a rustic grain option and are sold in quantities of 10 blocks to a case.

warranty

PPG INC. FIBER CEMENT MOUNTING BLOCK

15 YEAR LIMITED WARRANTY

EFFECTIVE JANUARY 1, 2016



We Stand Behind All of Our Products Here at Portland Products Group Inc.

Limited Warranty, Portland Products Group warranties for a period of fifteen years (15) (The limited warranty period) from the date of purchase of all PPG INC. mounting blocks

(Must Be Installed Per Manufacturer Specifications)

* To see all of the warranty details go to the PPG web site: www.PortlandProductsGroup.com

Installation

Recommended to coat all edges with the PPG Fiber Cement Primer before installing the PPG Fiber Cement Mounting Block.

All blocks get installed on top of the house wrap with the penetration points cut out of the wrap and nailed in all 4 corners with a 16 gauge 2" pin nail.

Head Flashing is required to be installed on top of the block with the 4" high back tucked under the house wrap.

Once the siding is installed around the block with a 1/8" gap left on the bottom and both sides of the block, a 3/8" bead of caulking is required for proper sealant installation.

Attach the fixture with a foam or rubber sealing gasket.

Custom Block Services

PPG offers custom block services. It only makes sense to have PPG produce the quality custom blocks you require to save time, money, and labor. From large multi-family jobs to single residential builds, we've got you covered.

Costs 33% less than on site production. (Study was performed by PPG—Based on labor, materials, materials waste disposal, safety equipment, tools, and cutting accessories.)

Backed by a 15 year PPG manufacture limited warranty.

Produced with zero hazardous exposure.

Environmentally safe products.

Expedited lead times of 1-2 weeks on all custom orders.

Proudly Made in the USA.



Non-Block Products

PPG Fiber Cement Primer

Size; 16 ounce spray paint can

Use; Recommended to coat all cuts of any fiber cement product produced on a job site.

Recommended to coat all edges of the PPG fiber cement mounting Block before install.

Can be used as a primer on metal, wood, and all fiber cement products.

For use in any application of construction.



PPG Pre-cut Head Flashing

Size; 3 sizes that were designed to fit the 5.5", 7.25", and the 9.25" PPG Blocks. All flashings have a 4" high back and a hemmed drip edge.

Use; The Head flashing is required For water penetration protection on all blocks.

Pre cut head flashing saves time for the installers while providing uniformed consistency with rounded edges for safety.



PPG Fiber Cement Inside Corners

Size: Roughly 1.5" x 1.5" x 144"

Use: This is used to provide a sealing point at the intersection of two walls when installing siding.

Inside corners are available in primed smooth fiber cement only.



Prepackaged Blocks with out Flashing

Portland Products Group Inc. has produced a prepackaged option of our top selling blocks.

All prepackaged blocks, come with a descriptive backer attached for ease of product understanding in a retail environment.

The installation instructions are provided with all blocks on the back side of the backers.

All prepackaged products are sold in a white perforated cardboard box for shelf display.

All cases of prepackaged products are sold in quantities of 10 -heat shrunk wrapped blocks.

All prepackaged blocks have a upc for cases as well as for individual products.

Prepackaged Blocks with Pre-cut Head Flashing

PPG Inc. has an additional option of our prepackaged blocks that includes the PPG pre-cut head flashing.

The flashing is heat shrunk wrapped with the block product along with a descriptive backer that has the installation instructions on the back for all pieces included.


All prepackaged blocks with flashing are sold in quantities of 10 per case.

* Works with the QuickFlash Weather Proofing Products



Available Products with Flashing:

***Small Light Block, *Medium Light Block, * Large Light Block, Split-Mount Block, *Receptacle Block, Vent Block, and the Bib Block #1.**



Light Blocks

PPG Fiber Cement Light blocks were created with two particular styles in mind.

First, we created an i/d of 3-5/8 (R&R) to allow for a great edge seal of the mainly used 4" light fixture. This block is mostly used in remodels.


Second, is an i/d of 3-7/8 (N/C) to accommodate the QuickFlash Weather proofing panels used in new construction applications.



Three main light block sizes

Size; Small- 7.25" x 7.25", Medium- 7.25" x 9.25",
Large- 7.25" x 11.25"

Use; Attaching light fixtures in Remodeling, Multi-family, and New Construction



Offset light block

Size: o/d 7.25" x 11.25" i/d 3-5/8", 3-7/8"

Use: Designed to be used with tall, sconce style light fixtures.

For new construction, multi-family and remodels.




Large Square light block

Size; o/d 11.25" x 11.25" i/d 4"i/d

Use; This is used for large commercial style light fixtures, typically it is used with light fixtures containing a ballast.

For new construction, multi-family and remodels.



Receptacle Blocks

R&R Receptacle Block

Size; o/d 5.50" x 7.50" i/d 2-5/16" x 4"

Use; Fits with most single gang electrical boxes

For New Construction, Multi-Family builds and Residential Remodeling.



Large Receptacle Block

Size; o/d 7.25" x 7.25" i/d 2-5/16" x 4"

Use; Fits with most single gang electrical boxes, made with a larger mounting surface for larger covers.

For New Construction, Multi-Family builds and Residential Remodeling.



N/C Receptacle Block

Size; o/d 5.50" x 7.50" i/d 2-5/8" x 4"

Use; Designed to be used with the Quickflash Receptacle panel.

Mainly for New Construction and Multi-Family builds.




Small Double Receptacle Block

Size; o/d 7.25" x 7.25" i/d 4-1/8" x 4-1/8"

Use; This is used with double gang electrical boxes or square light mounting boxes. This block provides a smaller foot print option when space is limited.

Used in New Construction, Multi-Family builds and Residential Remodeling.




Large Double Receptacle Block

Size; o/d 9.25" x 9.25" i/d 4-1/8" x 4-1/8"

Use; This is used with double gang electrical boxes or square light mounting boxes. This larger block is used when a larger mounting surface is required.

Used in New Construction, Multi-Family builds and Residential Remodeling.



Pipe Blocks

Gas line Split mount

Size: o/d 5.5" x 7.50" i/d 2.0" Comes with a 45° weather cut.

Use: Natural Gas lines or pipes with a maximum o/d of 2"

Mainly for remodeling with existing Pipes.




R&R Split mount

Size: o/d 5.5" x 7.50" i/d 1.50" Comes with a 45° weather cut.

Use: Sillcock hose bib or with pipes that can not be removed and have a max o/d of up to 1.5"

Used in remodeling with existing pipes.




Bib Blocks

Size: o/d 5.5" x 5.5" i/d 1", 1.25", 1.5", 2"

Use: Bib block #1 and #2 are for Sillcock hose bibs or pipes with a max o/d of up to 1.5" Bib block # 3 is for Pex plumbing and Bib block #4 is for Natural Gas Lines.

Bib Blocks are mainly used in New Construction or Multi-Family Construction Builds.




Pipe Blocks

Size: o/d 7.25" x & 7.25" i/d 2", 2.50", or 3"

Use: With any pipe that penetrates the exterior of a wall with a max O/D of up to 3"

For New Construction, Multi-Family builds and Residential Remodeling.




Double Pipe Blocks

Size: o/d 5.5" x 9.25", 5.5" x 11.5", 5.5" x 17.25"

3 spacing sizes 1.5", 4", and 12" with an i/d of 2) 2.5" penetrations.

Use: Natural Gas Furnace Fresh Air Intake and Exhaust Pipes.

For New Construction, Multi-Family builds and Residential Remodeling.



Vent Blocks

R & R Vent Block

Size; o/d 7.25" x 9.25" i/d 4.25"

Use; To be used with most 4" vent pipes with hood.

For New Construction, Multi-Family builds and Residential Remodeling.



N/C Large Vent Block

Size; o/d 9.25" x 11.25" i/d 6.25"

Use; To be used with most 6" vent pipes with hood.

For New Construction, Multi-Family builds and Residential Remodeling.



House Vent W/Screen

Size; o/d 9.25" x 16.0" 3) 48.5 degree slots 1"x 12"

Use; used as wall vents, gable vents, or pony wall foundation vents.

For New Construction, Multi-Family builds and Residential Remodeling.



Small Gable Vent W/Screen

Size; o/d 11.25" x 11.25" 4) 48.5 degree slots

Use; Mainly used as a gable vent, this can also be used anywhere a vent is required.

For New Construction, Multi-Family builds and Residential Remodeling.



Large Gable Vent W/Screen

Size; o/d 11.25" x 16.0" 6) 48.5 degree slots

Use; Mainly used as a gable vent, for venting the attic space.

For New Construction, Multi-Family builds and Residential Remodeling.



Miscellaneous Blocks

A/C line set block

Size; o/d 9.25" x 13.50" custom fit

Use; Designed to be used with the Quickflash A/C line set panel for copper compressor lines.

For new construction, multi-family and remodels.



A/C Disconnect Block

Size; o/d 7.25" x 11.50" i/d 1.75"

Use; Designed to be used with an electrical disconnect panel with a conduit and larger wires.

For new construction, multi-family and remodels.




Communication Blocks

Size; o/d Small- 5.5" x 8" Large 7.25" x 10.25" both sizes have an i/d 0.75"

Use; For security camera mounts, irrigation panels, and communication boxes. Small wires

New Construction, Multi-Family and Remodels.




Foundation Block w/Screen

Size; o/d 9.25" x 16.0" i/d 2) 5.75" x 5.75"

Use; foundation venting.

For New Construction, Multi-Family builds and Residential Remodeling.



Colored Block Product Id. #s and SKUs

The list below is for a quick reference sheet when ordering any of the 4 main Blocks in 10 different colors; The R&R Receptacle Block, 3-5/8" Medium Light Block, 4.25" Vent Block, and the R&R Split-Mount Block.

All blocks can be produced in a smooth or rustic grain option.

10 blocks to a case.

For any other non-listed color plus blocks send as a custom order.

Up to 2 week lead times on custom color block orders.

<i>SKU</i>	<i>Product I/D</i>	<i>color</i>	<i>style</i>	<i>SKU</i>	<i>Product I/D</i>	<i>color</i>	<i>style</i>
705911997530	kbr148bb	khaki brown	rustic bib	705911997134	awr108bb	arctic white	rustic bib
705911997547	kbr149eb	khaki brown	rustic elect	705911997141	awr109eb	arctic white	rustic elect
705911997554	kbr150lb	khaki brown	rustic light	705911997158	awr110lb	arctic white	rustic light
705911997561	kbr151vb	khaki brown	rustic vent	705911997165	awr111vb	arctic white	rustic vent
705911997578	kbs152bb	khaki brown	smooth bib	705911997172	aws112bb	arctic white	smooth bib
705911997585	kbs153eb	khaki brown	smooth elect	705911997189	aws113eb	arctic white	smooth elect
705911997592	kbs154lb	khaki brown	smooth light	705911997196	aws114lb	arctic white	smooth light
705911997608	kbs155vb	khaki brown	smooth vent	705911997202	aws115vb	arctic white	smooth vent
705911997615	csr156bb	cobble stone	rustic bib	705911997219	scr116bb	sail cloth	rustic bib
705911997622	csr157eb	cobble stone	rustic elect	705911997226	scr117eb	sail cloth	rustic elect
705911997639	csr158lb	cobble stone	rustic light	705911997233	scr118lb	sail cloth	rustic light
705911997646	csr159vb	cobble stone	rustic vent	705911997240	scr119vb	sail cloth	rustic vent
705911997653	css160bb	cobble stone	smooth bib	705911997257	scs120bb	sail cloth	smooth bib
705911997660	css161eb	cobble stone	smooth elect	705911997264	scs121eb	sail cloth	smooth elect
705911997677	css162lb	cobble stone	smooth light	705911997271	scs122lb	sail cloth	smooth light
705911997684	css163vb	cobble stone	smooth vent	705911997288	scs123vb	sail cloth	smooth vent
705911997691	mtr164bb	monterey taupe	rustic bib	705911997295	nbr124bb	navajo beige	rustic bib
705911997707	mtr165eb	monterey taupe	rustic elect	705911997301	nbr125eb	navajo beige	rustic elect
705911997714	mtr166lb	monterey taupe	rustic light	705911997318	nbr126lb	navajo beige	rustic light
705911997721	mtr167vb	monterey taupe	rustic vent	705911997325	nbr127vb	navajo beige	rustic vent
705911997738	mts168bb	monterey taupe	smooth bib	705911997332	nbs128bb	navajo beige	smooth bib
705911997745	mts169eb	monterey taupe	smooth elect	705911997349	nbs129eb	navajo beige	smooth elect
705911997752	mts170lb	monterey taupe	smooth light	705911997356	nbs130lb	navajo beige	smooth light
705911997769	mts171vb	monterey taupe	smooth vent	705911997363	nbs131vb	navajo beige	smooth vent
705911997776	wsr172bb	woodstock brown	rustic bib	705911997370	sbr132bb	sandstone beige	rustic bib
705911997783	wsr173eb	woodstock brown	rustic elect	705911997387	sbr133eb	sandstone beige	rustic elect
705911997790	wsr174lb	woodstock brown	rustic light	705911997394	sbr134lb	sandstone beige	rustic light
705911997806	wsr175vb	woodstock brown	rustic vent	705911997400	sbr135vb	sandstone beige	rustic vent
705911997813	wss176bb	woodstock brown	smooth bib	705911997417	sbs136bb	sandstone beige	smooth bib
705911997820	wss177eb	woodstock brown	smooth elect	705911997424	sbs137eb	sandstone beige	smooth elect
705911997837	wss178lb	woodstock brown	smooth light	705911997431	sbs138lb	sandstone beige	smooth light
705911997844	wss179vb	woodstock brown	smooth vent	705911997448	sbs139vb	sandstone beige	smooth vent
705911997851	tbr180bb	timber bark	rustic bib	705911997455	atr140bb	autumn tan	rustic bib
705911997868	tbr181eb	timber bark	rustic elect	705911997462	atr141eb	autumn tan	rustic elect
705911997875	tbr182lb	timber bark	rustic light	705911997479	atr142lb	autumn tan	rustic light
705911997882	tbr183vb	timber bark	rustic vent	705911997486	atr143vb	autumn tan	rustic vent
705911997899	tbs184bb	timber bark	smooth bib	705911997493	ats144bb	autumn tan	smooth bib
705911997905	tbs185eb	timber bark	smooth elect	705911997509	ats145eb	autumn tan	smooth elect
705911997912	tbs186lb	timber bark	smooth light	705911997516	ats146lb	autumn tan	smooth light
705911997929	tbs187vb	timber bark	smooth vent	705911997523	ats147vb	autumn tan	smooth vent

Product description	Product i/d Rustic	upc rustic	Product i/d Smooth	upc smooth	Weights
light blocks					Lbs. per case
R & R small light block 7.25" x 7.25" 3-5/8 id	pr188lbs	705911996236	ps189lbs	705911996014	17.5
R & R med light block 7.25" x 9.25" 3-5/8 id	pr102lb	705911996649	ps106lb	705911996458	18.5
R & R lrg. Light block 7.25" x 11.25" 3-5/8 id	pr190lbl	705911996243	ps191lbl	705911996021	34.5
R & R lrg. offset Light block 7.25" x 11.25" 3-5/8 id	pr427oll	705911996984	ps428oll	705911996991	34.5
N/C small Light block 7.25" x 7.25" 3-7/8 id	ncpr201ls	705911996250	ncps200ls	705911996038	17.5
N/C med. Light block 7.25" x 9.25" 3-7/8 id	ncpr203ms	705911996274	ncps202lm	705911996045	18.5
N/C lrg. Light block 7.25" x 11.25" 3-7/8 id	ncpr205ll	705911996274	ncps204ll	705911996052	34.5
N/C lrg. Offset Light block 7.25" x 11.25" 3-7/8 id	ncpr429oll	705911997004	ncps430oll	705911997011	34.5
N/C xl lrg. Light block 9.25" x 16.25" 3-7/8 id	ncpr205xll	705911996281	ncps204xll	705911996069	43.7
N/C lrg. Square Light Block 11.25" x 11.25" 4"i/d	pr435lslb	705911997066	ps436lslb	705911997073	43.7
vent blocks					
R & R Vent Block 7.25" x 9.25" 4.25" i/d	pr103vb	705911996670	ps107vb	705911996465	18.5
N/C lrg Vent block 9.25" x 11.25" 6.25" i/d	ncpr227lv	705911996298	ncps226lv	705911996076	23.8
House vent 9.25"x 16" 3) 1"x 12" slits	pr408hv	705911996762	ps409hv	705911996779	38.6
Gable vent small 11.25"x11.25" 4) 1"x 8.75" i/d	pr304gv	705911996434	ps305gv	705911996212	40.7
Gable vent large 11.25"x 16" 6) 1"x 8.75" i/d	pr232gvl	705911997080	ps233gvl	705911997097	56.6
Foundation Vent 9.25"x 16" 2) 5.75"x 5.75"	ncpr217fv	705911996403	ncps216fv	705911996182	23.9
Square Kitchen vent 9.25" x14" 3-5/8"x10-3/8 i/d	ncpr228kv	705911996595	ncps229kv	705911996588	22.5
bib / pipe blocks					
R&R split mount 5.5"x7.5" 1.5" i/d	pr100bb	705911996663	ps104bb	705911996472	16.4
Gas line split mount 5.5"x7.5" 2" i/d	pr421gs	705911996922	ps422gs	705911996939	16.4
N/C Bib block1 5.5" x 5.5" 1.25" i/d	ncpr207b1	705911996304	ncps206b1	705911996083	11.7
N/C Bib block2 5.5" x 5.5" 1.5" i/d	ncpr209b2	705911996311	ncps210b2	705911996090	11.5
N/C Bib block3 5.5" x 5.5" 1" i/d	ncpr414b3	705911996823	ncps415b3	705911996830	11.5
N/C Bib block4 5.5" x 5.5" 2" i/d	ncpr425b4	705911996960	ncps426b4	705911996977	11.5
N/C Pipe block1 7.25" x 7.25" 2" i/d	ncpr211p1	705911996328	ncps212p1	705911996106	16.1
N/C Pipe block2 7.25" x 7.25" 2.5" i/d	ncpr213p2	705911996335	ncps214p2	705911996113	13.8
N/C Pipe block3 7.25" x 7.25" 3" i/d	ncpr227p3	705911996342	ncps226p3	705911996120	12.7
N/C Dbl.Pipe block 5.5 x 9.25 2) 2.5" i/d 1.5" space	ncpr219dp	705911996359	ncps218dp	705911996137	15.3
N/C Dbl.Pipe block 5.5 x 17.5 2) 2.5" i/d 12"space	ncpr223dp2	705911996366	ncps222dp2	705911996144	37.1
N/C Dbl.Pipe block 5.5 x 11.5 2) 2.5" i/d 4"space	ncpr431dp3	705911997028	ncps432dp3	705911997035	23.5
Receptacle Block					
R&R receptacle block 5.5x7.5 2-5/16x4" i/d	pr101eb	705911996656	ps105eb	705911996489	13.3
R&R lrg receptacle block 7.25"x7.25" 2-5/16x4" i/d	pr420lr	705911996915	ps419lr	705911996908	13.3
N/C receptacle block 5.5x7.5 2-5/8x4" i/d	ncpr221rb	705911996373	ncps220rb	705911996151	12.2
N/C Dbl.receptical block 9.25x9.25 3-7/8x3-7/8" i/d	ncpr224dr	705911996380	ncps225dr	705911996168	22.3
small Dbl.receptical block 7.25x7.25 4-1/8x4-1/8" i/d	ncpr433sdr	705911997042	ncps434sdr	705911997059	13.3
Misc.Blocks					
Inside corner 1.5x1.5x14"	n/a	n/a	psa308ic	705911996496	each 13.46
A/C Quick Flash Line Set Panel Block custom fit	ncpr215ac	705911996397	ncps214ac	705911996175	36.7
A/C Disconnect/irrigation block 7.25"x11.5" 1.75" i/d	pr423db	705911996946	ps424db	705911996953	25.5
comm. Block 5/4"x5.5"x8" .75"i/d	pr410cbs	705911996786	ps411cbs	705911996793	16.4
comm. Block 5/4"x7.25"x10.25" .75"i/d	pr412cbl	705911996816	ps413cbl	705911996830	18.5
1" Z Metal Flashing 4" High Back Fits 5.5" Blocks	hf416	705911996847	case upc	705911996878	47.3
1" Z Metal Flashing 4" High Back Fits 7.25" Blocks	hf417	705911996854	case upc	705911996885	48.2
1" Z Metal Flashing 4" High Back Fits 9.25" Blocks	hf418	705911996861	case upc	705911996892	51
PPG Fiber Cement Primer Spray Paint	sp500gp	852607008602	case upc	852607008619	3.5
Address Block					
custom address block	prb306xl	705911996441	psb307xl	705911996229	n/a
prepackaged blocks		indv. upc rustic		indv. upc smooth	
R&R split mount 5.5"x7.5" 1.5" i/d	ppr300bb	860951000302	pps304bb	705911996502	16.6
N/C Gas line split mount 5.5"x7.5" 2" i/d	ppr330gs	852607008008	pps309gs	705911997936	16.4
R&R receptacle block 5.5"x7.5" 2-5/16x4" i/d	ppr301eb	860951000319	pps305eb	705911996519	13.5
Small Dbl.receptical block 7.25"x7.25 4-1/8x4-1/8" i/d	ppr317drs	852607008022	pps318drs	852607008046	11.6
R&R small light block 7.25"x7.25" 3-5/8" i/d	ppr230lbs	705911996625	pps231lbs	705911996601	17.5
R & R med light block 7.25" x 9.25" 3-5/8" id	ppr302lb	860951000326	pps306lb	705911996526	18.6
R & R lrg light block 7.25" x 11.25" 3-5/8" id	ppr325lbl	852607008060	pps326lbl	852607008084	32.3
R & R Vent Block 7.25" x 9.25" 4.25" i/d	ppr303vb	860951000333	pps307vb	705911996533	18.7
N/C lrg Vent block 9.25" x 11.25" 6.25" i/d	ppr327vbl	852607008107	pps310lv	705911997950	23.8
House vent 9.25"x 16" 3) 1"x 12" slits	ppr336hv	852607008565	pps337hv	852607008589	46.2
Gable vent small 11.25"x11.25" 4) 1"x 8.75" i/d	ppr315gvs	852607008121	pps316gvs	852607008145	40.7
Gable vent large 11.25"x 16" 6) 1"x 8.75" i/d	ppr313gvl	852607008169	pps314gvl	852607008183	56.6
Foundation Vent 5/4x 9.25"x16" 2) 5.75"x 5.75" i/d	ppr321fv	852607008206	pps322fv	852607008220	28.2
N/C Bib block1 5.5" x 5.5" 1.25" i/d	ppr328b1	852607008244	pps311b1	705911997974	11.5
N/C Bib block2 5.5" x 5.5" 1.50" i/d	ppr319b2	852607008268	pps320b2	852607008282	11.5
N/C Bib block4 5.5" x 5.5" 2" i/d	ppr329b4	852607008305	pps312b4	705911997998	11.5
Comm. Block 5/4" x 5.5"x 8" .75"i/d	ppr323cbs	852607008329	pps324cbs	852607008343	16.4
R&R split mount w/flashing 5.5"x7.5" 1.5" i/d	ppr325swf	852607008367	pps326swf	852607008466	17.2
N/C receptacle block w/flashing 5.5x7.5 2-5/8x4" i/d	ppr329ncrwf	852607008381	pps331ncrwf	852607008503	16.9
N/C sm. Light block w/flashing 7.25" x 7.25 3-7/8 id	ppr338ncslwf	852607008626	pps339ncslwf	852607008640	17.5
N/C med. Light block w/flashing 7.25" x 9.25 3-7/8 id	ppr327ncmlwf	852607008404	pps328ncmlwf	852607008480	19.1
N/C lrg. Light block w/flashing 7.25" x 11.25 3-7/8 id	ppr340ncllwf	852607008664	pps341ncllwf	852607008688	32.3
R & R Vent Block w/flashing 7.25" x 9.25" 4.25 i/d	ppr332vwf	852607008428	pps333vwf	852607008527	19.2
N/C Bib block1 w/flashing 5.5" x 5.5" 1.25" i/d	ppr334b1wvf	852607008442	pps335b1wvf	852607008541	12.0

For any questions or comments please contact us at the following Email:

Info@PortlandProductsGroup.com or call us at (971) 713-2976

Send all Purchase Orders to your local Boise Cascade location.

Vancouver 1-800-621-8896

Woodinville 1-800-342-2299



Boise Cascade