

1. Product and Company Identification

Product Name Professional LYSOL® Brand II Disinfectant (Kills 99.9% of Viruses & Bacteria)
Toilet Bowl Cleaner Advanced Deep Cleaning Power


CAS # Mixture

Product use Toilet bowl cleaner

Distributed by Reckitt Benckiser
Morris Corporate Center IV
399 Interpace Parkway
P.O. Box 225
Parsippany, NJ 07054-0225
In Case of Emergency: 1-800-338-6167
Transportation Emergencies: 24 Hour Number:
North America: CHEMTREC: 1-800-424-9300
Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	* 3
Flammability	0
Physical Hazard	1
Personal Protection	D



2. Hazards Identification

Emergency overview

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

DANGER
CORROSIVE
Causes irreversible eye damage and skin burns.
Harmful if swallowed.
Do not get in eyes, on skin or on clothing.
Wear protective eyewear (safety glasses/goggles), protective gloves and protective clothing.
Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using toilet.
Remove and wash contaminated clothing before reuse.
DO NOT breathe vapor or fumes.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure

Eye, Skin contact, Inhalation, Ingestion.

Eyes

Severely corrosive to eyes. Direct contact with the eyes can cause irreversible damage, including blindness.

Skin

Severely corrosive to skin. Causes burns.

Inhalation

May cause respiratory tract irritation or chemical burns.

Ingestion

Harmful or fatal if swallowed. May cause burns to mouth, throat and stomach.

Target organs

Eyes. Respiratory system. Skin.

Chronic effects

Prolonged or repeated exposure to dilutions can cause drying, defatting and dermatitis.

Signs and symptoms

The product causes burns of eyes, skin and mucous membranes.

OSHA Regulatory Status

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential environmental effects

See section 12.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Hydrogen chloride	7647-01-0	10 - 20
Alcohols, C12-16, ethoxylated	68551-12-2	1 - 2.5
Ethoxylated aliphatic amines	61791-26-2	1 - 2.5

4. First Aid Measures

First aid procedures

Eye contact	If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.
Inhalation	If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	If swallowed, call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Notes to physician If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Treat the affected person appropriately.

General advice If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties	Not flammable by OSHA criteria.
Extinguishing media	
Suitable extinguishing media	Dry chemical. Water spray. Foam.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Hydrogen chloride. Oxides of carbon.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters. Inform the relevant authorities if the product has caused environmental pollution.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use. Large Spills: Wet down with water and dike for later disposal. After removal flush contaminated area thoroughly with water.

7. Handling and Storage

Handling	Ensure adequate ventilation. Use good industrial hygiene practices in handling this material. Do not get this material in your eyes, on your skin, or on your clothing. DO NOT breathe vapor or fumes. Do not ingest.
Storage	Do not contaminate water, food or feed by storage and disposal. Store in original container in a cool, well-ventilated area, inaccessible to children. Keep securely closed.
	It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

8. Exposure Controls / Personal Protection

Exposure limits Ingredient(s)	Exposure Limits
Alcohols, C12-16, ethoxylated	ACGIH-TLV Not established OSHA-PEL Not established
Ethoxylated aliphatic amines	ACGIH-TLV Not established OSHA-PEL Not established
Hydrogen chloride	ACGIH-TLV Ceiling: 2 ppm OSHA-PEL Ceiling: 5 ppm
Engineering controls	General ventilation normally adequate.
Personal protective equipment	
Eye / face protection	Wear chemical goggles. Emergency responders should wear full eye and face protection.
Hand protection	Rubber gloves. Confirm with a reputable supplier first. Emergency responders should wear impermeable gloves.
Skin and body protection	Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Appearance	Clear
Color	Blue
Form	Liquid
Odor	Characteristic
Odor threshold	Not available
Physical state	Liquid
pH	< 1
Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available

Flash point	> 199.94 °F (> 93.3 °C)
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	1.025 - 1.045
Octanol/water coefficient	Not available
Solubility (H2O)	Complete
Viscosity	Dynamic: 90 - 300 mPas (90 - 300 cP)

10. Stability and Reactivity

Reactivity	Corrosive to metals.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with chlorine bleach or other chemicals. Fumes are corrosive to metal. Keep away from extreme heat. Keep from freezing. Exposure to moisture.
Incompatible materials	Bases. Reducing agents. Metals. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Hydrogen chloride.

11. Toxicological Information

Acute effects	Acute LD50: 1350 mg/kg, Rat, Oral Acute LD50: 2000 mg/kg, Rabbit, Dermal
----------------------	-----------------------------------------------------------------------------

Component analysis - LC50

Ingredient(s)	LC50
Alcohols, C12-16, ethoxylated	Not available
Ethoxylated aliphatic amines	Not available
Hydrogen chloride	554 ppm mouse

Component analysis - Oral LD50

Ingredient(s)	LD50
Alcohols, C12-16, ethoxylated	1380 mg/kg rat
Ethoxylated aliphatic amines	620 mg/kg rat
Hydrogen chloride	900 mg/kg rabbit; 700 mg/kg rat

Effects of acute exposure

Eye	Severely corrosive to eyes. Direct contact with the eyes can cause irreversible damage, including blindness.
Skin	Severely corrosive to skin. Causes burns.
Inhalation	May cause respiratory tract irritation or chemical burns.
Ingestion	Harmful or fatal if swallowed. May cause burns to mouth, throat and stomach.
Sensitization	The finished product is not expected to have chronic health effects.
Chronic effects	The finished product is not expected to have chronic health effects.
Carcinogenicity	The finished product is not expected to have chronic health effects.

ACGIH - Threshold Limit Values - Carcinogens

Hydrogen chloride 7647-01-0 A4 - Not Classifiable as a Human Carcinogen

IARC - Group 3 (Not Classifiable)

Hydrogen chloride 7647-01-0 Monograph 54 [1992]

Mutagenicity The finished product is not expected to have chronic health effects.

Reproductive effects The finished product is not expected to have chronic health effects.

Teratogenicity The finished product is not expected to have chronic health effects.

12. Ecological Information

Ecotoxicity	Bulk quantities, if spilled, may be toxic to aquatic organisms, fish, birds and mammals. Control and clean up all exterior spills and prevent liquid from entering any streams, rivers, lakes and all other bodies of water.
Ecotoxicity - Freshwater Fish - Acute Toxicity Data	
Hydrogen chloride	7647-01-0 96 Hr LC50 Gambusia affinis: 282 mg/L [static]
Persistence / degradability	Not available
Bioaccumulation / accumulation	Not available
Mobility in environmental media	Not available
Environmental effects	Not available
Aquatic toxicity	Not available
Partition coefficient	Not available
Chemical fate information	Not available

13. Disposal Considerations

Disposal instructions	Dispose in accordance with all applicable regulations. PESTICIDE DISPOSAL: Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. To avoid waste, use all material in this container according to label directions. IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local waste agency for disposal instructions.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN1760, Corrosive liquids, N.O.S. (Hydrogen chloride, hydroxyethyl alkylamine), Class 8, PG II, Limited Quantity

Transportation of Dangerous Goods (TDG - Canada)

UN1760, CORROSIVE LIQUID, N.O.S. (Hydrogen chloride, hydroxyethyl alkylamine), Class 8, PG II, Limited Quantity

IMDG (Marine Transport)

UN1760, CORROSIVE LIQUID, N.O.S. (Hydrogen chloride, hydroxyethyl alkylamine), Class 8, PG II, Limited Quantity

IATA/ICAO (Air)

UN1760, Corrosive liquid, N.O.S. (Hydrogen chloride, hydroxyethyl alkylamine), Class 8, PG II

15. Regulatory Information

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Product Registration: Registered with EPA, EPA Reg. No. 777-104-675

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Hydrogen chloride 7647-01-0 5000 Lb final RQ; 2270 kg final RQ

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

Hydrogen chloride 7647-01-0 5000 Lb EPCRA RQ (gas only)

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

Hydrogen chloride 7647-01-0 500 Lb TPQ (gas only)

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Hydrogen chloride 7647-01-0 1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

U.S. - CWA (Clean Water Act) - Hazardous Substances

Hydrogen chloride 7647-01-0 Present

CERCLA (Superfund) reportable quantity

Hydrogen chloride: 5000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Hazardous substance

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Hydrogen chloride 7647-01-0 Present

U.S. - Illinois - Toxic Air Contaminants

Hydrogen chloride 7647-01-0 Present (aerosol)

U.S. - Louisiana - Reportable Quantity List for Pollutants

Hydrogen chloride 7647-01-0 5000 Lb final RQ; 2270 kg final RQ

U.S. - Massachusetts - Right To Know List

Hydrogen chloride 7647-01-0 Extraordinarily hazardous

U.S. - Minnesota - Hazardous Substance List

Hydrogen chloride 7647-01-0 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Hydrogen chloride 7647-01-0 sn 1012

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

Hydrogen chloride 7647-01-0 5000 Lb RQ (air); 100 lb RQ (land/water)

U.S. - North Carolina - Control of Toxic Air Pollutants

Hydrogen chloride 7647-01-0 0.7 mg/m3 (acute irritants)

U.S. - Ohio - Extremely Hazardous Substances - Threshold Quantities

Hydrogen chloride 7647-01-0 500 Lb TQ (gas only)

U.S. - Pennsylvania - RTK (Right to Know) List

Hydrogen chloride 7647-01-0 Environmental hazard

U.S. - Rhode Island - Hazardous Substance List

Hydrogen chloride 7647-01-0 Toxic; Flammable

U.S. - Texas - Tier II Chemical Reporting - Extremely Hazardous Substances - Reportable Quantities

Hydrogen chloride 7647-01-0 5000 Lb RQ

U.S. - Texas - Tier II Chemical Reporting - Extremely Hazardous Substances - Threshold Planning Quantities

Hydrogen chloride 7647-01-0 500 Lb TPQ (gas)

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer	This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.
Further information	Professional LYSOL® Brand II Disinfectant (Kills 99.9% of Viruses & Bacteria) Toilet Bowl Cleaner Advanced Advanced Deep Cleaning Power, 32 fl oz. - 0371900v1.0
Issue date	02-Aug-2012
Effective date	01-Aug-2012
Prepared by	Reckitt Benckiser Regulatory Department 800-333-3899
Other information	For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.