SDS Number SB201 Revision Date 04/12/2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Solution B2

Product Use Description Detergent Mixture

Company Identification HOW 2 Platforms

8465 W Sahara Ave Suite 111-599

Las Vegas, NV 89117-8902

Telephone 952 237 5480 Corporate

Emergency telephone number 952 237 5480

2. HAZARDS IDENTIFICATION

GHS HAZARD CLASSIFICATION:

Physical Hazards

Flammable Liquids: No hazard statement

Health Hazards

Acute Toxicity (Oral): Category 4 - Harmful if swallowed, in contact with skin, inhaled

Skin Corrosion/Irritation: Catagory 2 - Causes skin irritation

Serious Eye Damage/Irritation: Catagory 2A - Causes eye irritation

WARNING LABEL ITEMS INCLUDING PRECAUTIONARY STATEMENTS:

Pictograms:



SDS Number SB201 Revision Date 04/12/2022

SIGNAL WORD: WARNING!

GHS HAZARD AND PRECAUTIONARY STATEMENTS:

Hazards

Combustible liquid.

Causes skin and eye irritation.

Precautionary statements Prevention

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Wash skin thoroughly after handling.

Wear protective gloves/ eye protection/ face protection.

Response

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/ attention.

If eye irritation persists: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage

Store in a well-ventilated place. Keep cool.

Disposal

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Concentration (Weight)
Citric Acid	77-92-9	35% - 45 %
1-Butoxy-2-propanol	5131-66-8	25% - 35%
Water	7732-18-5	25% - 35%

SDS Number SB201 Revision Date 04/12/2022

4. FIRST AID MEASURES

Description of first aid measures General advice:

Description of first aid measures General advice:

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air; if effects occur, consult a physician.

Inhalation: Move person to fresh air; if effects occur, consult a physician.

Skin contact: Wash off with plenty of water. Suitable emergency safety shower facility should be available in work area.

Skin contact: Wash off with plenty of water. Suitable emergency safety shower facility should be available in work area.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Alcohol-resistant foam. Carbon dioxide (CO2).

Dry chemical. Dry sand.

Limestone powder.

Specific hazards

Incomplete combustion may form carbon monoxide. Burning produces noxious

and toxic fumes. Downwind personnel must be evacuated.

Special protective equipment

for fire-fighters

Use personal protective equipment. Wear self contained breathing apparatus for

fire fighting if necessary.

Page 3 of 12 HOW 2 Platforms Solution B2

SDS Number SB201 Revision Date 04/12/2022

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Isolate area. Refer to section 7, Handling, for additional precautionary measures. Keep unnecessary and unprotected personnel from entering the area. No smoking in area. Keep personnel out of low areas. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Small spills: Absorb with materials such as: Sand. Vermiculite. Collect in suitable and properly labeled containers. Large spills: Contain spilled material if possible. Pump into suitable and properly labeled containers. See Section 13, Disposal Considerations, for additional information.

7. HANDLING AND STORAGE

Precautions for safe handling: Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Containers, even those that have been emptied, can contain vapors. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. Keep away from heat, sparks and flame. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Spills of these organic materials on hot fibrous insulations may lead to lowering of the autoignition temperatures possibly resulting in spontaneous combustion.

Storage Temperature : 45 - 100 °F (7.22 - 37.77 °C)

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

Component	Regulation	Type of listing	Value/Notation
1-Butoxy-2-propanol	Dow IHG	TWA	50 ppm

Exposure controls

Engineering controls: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Page 4 of 12 HOW 2 Platforms Solution B2

SDS Number SB201 Revision Date 04/12/2022

Individual protection measures

Eye/face protection: Use chemical goggles. If exposure causes eye discomfort, use a fullface respirator.

Skin protection

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber

("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Other protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

The following should be effective types of air-purifying respirators: Organic vapor cartridge.

SDS Number SB201 Revision Date 04/12/2022

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Yellow, Clear

Odor : Mild.

Odor threshold : No data available.

pH : 2

Melting point/range : n/a

Boiling point/range $: > 212 \, ^{\circ}\text{F} \, (> 100 \, ^{\circ}\text{C})$

Flash point : > 140 °F

Evaporation rate : No data available.

Flammability (solid, gas) : Not applicable.

Upper/lower

explosion/flammability limit

: Not applicable.

Vapor pressure : No data available.

Water solubility

missible.

Relative vapor density

: Not applicable.

4/9

Relative density : 1.2

Partition coefficient (noctanol/water)

: No data available.

Auto-ignition temperature : No data available.

Decomposition temperature : No data available.

Viscosity : 50 mPa.s at 100 °F (37.77 °C)

Molecular Weight : No data available.

10. STABILITY AND REACTIVITY

Chemical Stability : Stable under normal conditions.

Conditions to avoid : No data available.

Page 6 of 12 HOW 2 Platforms Solution B2

SDS Number SB201 Revision Date 04/12/2022

Materials to avoid : Reactive metals (e.g. sodium, calcium, zinc etc.).

Materials reactive with hydroxyl compounds.

Copper alloys Strong acids.

Oxidizing agents.

Hazardous decomposition

products

: Carbon monoxide.

Carbon dioxide (CO2).

Aldehydes

Flammable hydrocarbon fragments.

Possibility of hazardous

Reactions/Reactivity

: No data available.

11. TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.

Acute toxicity Acute oral toxicity

Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

LD50, Rat, male and female, 3,300 mg/kg

Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

LD50, Rat, male and female, > 2,000 mg/kg No deaths occurred at this concentration.

Acute inhalation toxicity

Brief exposure (minutes) is not likely to cause adverse effects. Based on the available data, respiratory irritation was not observed.

LCO, Rat, 4 Hour, vapour, > 3.5 mg/l No deaths occurred at this concentration.

Skin corrosion/irritation

Brief contact may cause moderate skin irritation with local redness.

SDS Number SB201 Revision Date 04/12/2022

Serious eye damage/eye

irritation May cause moderate eye irritation.

May cause slight corneal injury.

Effects are likely to heal readily.

Vapor may cause eye irritation experienced as mild discomfort and redness.

Sensitization

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:

No relevant data found.

Specific Target Organ Systemic Toxicity (Single Exposure)

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Specific Target Organ Systemic Toxicity (Repeated Exposure)

Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

Carcinogenicity

For similar material(s): Did not cause cancer in laboratory animals.

Teratogenicity

Did not cause birth defects or any other fetal effects in laboratory animals.

Reproductive toxicity

For similar material(s): In animal studies, did not interfere with reproduction.

Mutagenicity

In vitro genetic toxicity studies were negative.

Aspiration Hazard

SDS Number SB201 Revision Date 04/12/2022

Based on physical properties, not likely to be an aspiration hazard

12. ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

Toxicity Acute toxicity to fish

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

LC50, Poecilia reticulata (guppy), static test, 96 Hour, > 560 - 1,000 mg/l, OECD Test Guideline 203 or Equivalent

Acute toxicity to aquatic invertebrates

EC50, Daphnia magna (Water flea), static test, 48 Hour, > 1,000 mg/l, OECD Test Guideline 202 or Equivalent

Acute toxicity to algae/aquatic plants

EC50, Pseudokirchneriella subcapitata (green algae), static test, 96 Hour, Growth inhibition (cell density reduction), > 1,000 mg/l, OECD Test Guideline 201 or Equivalent

NOEC, Pseudokirchneriella subcapitata (green algae), static test, 96 Hour, Growth inhibition (cell density reduction), 560 mg/l, OECD Test Guideline 201 or Equivalent

Toxicity to bacteria

EC50, Bacteria, static test, 3 Hour, > 1,000 mg/l

Persistence and degradability

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. 10-day Window: Pass

Biodegradation: 90 % **Exposure time:** 28 d **Method:** OECD Test Guideline 301E or Equivalent

Theoretical Oxygen Demand: 2.42 mg/mg

Biological oxygen demand (BOD)

Incubation Time	BOD
5 d	1.1 - 1.6 %
15 d	6.6 - 33.3 %

SDS Number SB201 Revision Date 04/12/2022

Bioaccumulative potential

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3). **Partition coefficient:** n-octanol/water(log Pow): 1.2 at 20 °C Measured

Mobility in soil

Potential for mobility in soil is very high (Koc between 0 and 50). **Partition coefficient (Koc):** 1.3 - 6.0 Estimated.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused

products

: Contact supplier if guidance is required.

Contaminated packaging :

: Dispose of container and unused contents in accordance

with federal, state, and local requirements.

14. TRANSPORT INFORMATION

DOT

Not dangerous goods

IATA

Not dangerous goods

IMDG

Not dangerous goods

TDG

Not dangerous goods

7/9

Further Information

Not classified as dangerous in the meaning of transport regulations. The transportation information is not intended to convey all specific regulatory data relating to this material. For complete transportation information, contact customer service.

Page 10 of 12 HOW 2 Platforms Solution B2

SDS Number SB201 Revision Date 04/12/2022

15. REGULATORY INFORMATION

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Flammable (gases, aerosols, liquids, or solids)

Skin corrosion or irritation

Serious eye damage or eye irritation

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Pennsylvania Worker and Community Right-To-Know Act:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

United States TSCA Inventory (TSCA)

All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

SDS Number SB201 Revision Date 04/12/2022

16. OTHER INFORMATION

HMIS Rating

Health Flammability : 1 Physical hazard : 0

REVISION NOTES

Prepared by **HOW 2 Platforms**

Telephone : 952 237 5480 Corporate

Preparation Date : 4/12/2022

HOW 2 Platforms Solution B2 Page **12** of **12**