

## CERTIFICATE OF ANALYSIS



### SAMPLE INFORMATION

Sample Name: SGCC: Mandarin Orange      Sample Matrix: Edible  
Sample Id: 124769      Batch Id: SGCC:PM.M0-001  
Collected: 08/06/2019 10:58      Received: 08/06/2019 12:50  
Serving Size: 1 scoop      Servings Per Pkg: 20  
Batch Size: 132 units      Sample Size: 3 units  
Overall Result: **Pass**

### DISTRIBUTOR INFO

Business Name: Monex Place Wellness Inc DBA MNG Distribution  
Street Address: 724 East Dyer Rd.      City: Santa Ana  
State: CA      Zip Code: 92705  
License: C11-0000701-LIC

### MANUFACTURER INFO

Business Name: Stone Service Inc. DBA Sweet Greens Edibles  
Street Address: 300 E. San Antonio Dr.      City: King City  
State: CA      Zip Code: 93930  
License: CDPH - 10002786

## CANNABINOID ANALYSIS

**i** Total THC,CBD value(s) have been decarboxylated.

TOTAL THC: 4.744 mg per serving (0.4744 mg/g) (0.0474 %), 94.88 mg per package  
TOTAL CBD: ND per serving (ND) (ND), ND per package  
TOTAL CANNABINOIDS: 4.744 mg per serving (0.4744 mg/g) (0.0474 %)

TEST TYPE RESULT: N/A  
UNIT OF MEASUREMENT: Milligrams per Gram(mg/g)

ANALYTE	RESULT	LOD	LLOQ	ANALYTE	RESULT	LOD	LLOQ
D9THC	0.4744 mg/g (0.0474 %)	0.0100	0.0250	D8THC	ND	0.0100	0.0250
CBG	ND	0.0100	0.0250	CBC	ND	0.0100	0.0250
THCv	ND	0.0100	0.0250	CBD	ND	0.0100	0.0250
CBN	ND	0.0100	0.0250	CBDv	ND	0.0100	0.0250
THCa	ND	0.0100	0.0250	CBGa	ND	0.0100	0.0250
CBDa	ND	0.0100	0.0250				

### ADDITIONAL INFORMATION

Method: SOP-TECH-001  
Instrument: UPLC-DAD

Sample Prepped 08/07/2019 17:15  
Sample Analyzed 08/07/2019 17:18

Sample Approved 08/08/2019 19:25



CERTIFICATE OF ANALYSIS

 CHEMICAL RESIDUE ANALYSIS

TEST TYPE RESULT: **Pass**  
 UNIT OF MEASUREMENT: **Micrograms per Gram(ug/g)**

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL
Abamectin	ND	0.0200	0.0400	0.3000 <b>Pass</b>	Acephate	ND	0.0200	0.0400	5.000 <b>Pass</b>
Acequinocyl	ND	0.0200	0.0400	4.000 <b>Pass</b>	Acetamiprid	ND	0.0200	0.0400	5.000 <b>Pass</b>
Aldicarb	ND	0.0200	0.0400	0.0 <b>Pass</b>	Azoxystrobin	ND	0.0200	0.0400	40.00 <b>Pass</b>
Bifenazate	ND	0.0200	0.0400	5.000 <b>Pass</b>	Bifenthrin	ND	0.0200	0.0400	0.5000 <b>Pass</b>
Boscalid	ND	0.0200	0.0400	10.00 <b>Pass</b>	Carbaryl	ND	0.0200	0.0400	0.5000 <b>Pass</b>
Carbofuran	ND	0.0200	0.0400	0.0 <b>Pass</b>	Chlorantranilprole	ND	0.0200	0.0400	40.00 <b>Pass</b>
Chlorfenapyr	ND	0.0200	0.0400	0.0 <b>Pass</b>	Chlorpyrifos	ND	0.0200	0.0400	0.0 <b>Pass</b>
Clofentezine	ND	0.0200	0.0400	0.5000 <b>Pass</b>	Coumaphos	ND	0.0200	0.0400	0.0 <b>Pass</b>
Cyfluthrin	ND	0.1000	0.2000	1.000 <b>Pass</b>	Cypermethrin	ND	0.0400	0.1000	1.000 <b>Pass</b>
Daminozide	ND	0.0200	0.0400	0.0 <b>Pass</b>	Diazinon	ND	0.0200	0.0400	0.2000 <b>Pass</b>
Dichlorvos	ND	0.0200	0.0400	0.0 <b>Pass</b>	Dimethoate	ND	0.0200	0.0400	0.0 <b>Pass</b>
Dimethomorph	ND	0.0099	0.0198	20.00 <b>Pass</b>	Ethoprophos	ND	0.0200	0.0400	0.0 <b>Pass</b>
Etofenprox	ND	0.0200	0.0400	0.0 <b>Pass</b>	Etoxazole	ND	0.0200	0.0400	1.500 <b>Pass</b>
Fenhexamid	ND	0.0200	0.0400	10.00 <b>Pass</b>	Fenoxycarb	ND	0.0200	0.0400	0.0 <b>Pass</b>
Fenpyroximate	ND	0.0200	0.0400	2.000 <b>Pass</b>	Fipronil	ND	0.0200	0.0400	0.0 <b>Pass</b>
Fonicamid	ND	0.0200	0.0400	2.000 <b>Pass</b>	Fludioxonil	ND	0.0200	0.0400	30.00 <b>Pass</b>
Hexythiazox	ND	0.0200	0.0400	2.000 <b>Pass</b>	Imazalil	ND	0.0200	0.0400	0.0 <b>Pass</b>
Imidacloprid	ND	0.0200	0.0400	3.000 <b>Pass</b>	KresoximMethyl	ND	0.0200	0.0400	1.000 <b>Pass</b>
Malathion	ND	0.0200	0.0400	5.000 <b>Pass</b>	Metalaxyl	ND	0.0200	0.0400	15.00 <b>Pass</b>
Methiocarb	ND	0.0200	0.0400	0.0 <b>Pass</b>	Methomyl	ND	0.0200	0.0400	0.1000 <b>Pass</b>
Mevinphos	ND	0.0200	0.0400	0.0 <b>Pass</b>	Myclobutanil	ND	0.0200	0.0400	9.000 <b>Pass</b>
Naled	ND	0.0200	0.0400	0.5000 <b>Pass</b>	Oxamyl	ND	0.0200	0.0400	0.2000 <b>Pass</b>
Paclobutrazol	ND	0.0200	0.0400	0.0 <b>Pass</b>	Permethrins	ND	0.0200	0.0400	20.00 <b>Pass</b>
Phosmet	ND	0.0200	0.0400	0.2000 <b>Pass</b>	PiperonylButoxide	ND	0.0200	0.0400	8.000 <b>Pass</b>
Prallethrin	ND	0.0200	0.0400	0.4000 <b>Pass</b>	Propiconazole	ND	0.0200	0.0400	20.00 <b>Pass</b>
Propoxur	ND	0.0200	0.0400	0.0 <b>Pass</b>	Pyrethrins	ND	0.0178	0.0356	1.000 <b>Pass</b>
Pyridaben	ND	0.0200	0.0400	3.000 <b>Pass</b>	Spinetoram	ND	0.0200	0.0400	3.000 <b>Pass</b>
Spinosad	ND	0.0200	0.0400	3.000 <b>Pass</b>	Spiromesifen	ND	0.0200	0.0400	12.00 <b>Pass</b>
Spirotetramat	ND	0.0200	0.0400	13.00 <b>Pass</b>	Spiroxamine	ND	0.0200	0.0400	0.4000 <b>Pass</b>
Tebuconazole	ND	0.0200	0.0400	2.000 <b>Pass</b>	Thiacloprid	ND	0.0200	0.0400	0.0 <b>Pass</b>
Thiamethoxam	ND	0.0200	0.0400	4.500 <b>Pass</b>	Trifloxystrobin	ND	0.0200	0.0400	30.00 <b>Pass</b>

ADDITIONAL INFORMATION

Method: SOP-TECH-002  
 Instrument: LC-MS/MS

Sample Prepped 08/09/2019 13:22  
 Sample Analyzed 08/09/2019 14:48

Sample Approved 08/12/2019 14:35



# CERTIFICATE OF ANALYSIS

## CHEMICAL RESIDUE GC ANALYSIS

TEST TYPE RESULT: **Pass**  
UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL
Captan	ND	0.1000	0.2000	5.000 <b>Pass</b>	Chlordane	ND	0.0400	0.1000	0.0 <b>Pass</b>
MethylParathion	ND	0.0400	0.1000	0.0 <b>Pass</b>	PCNB	0.0476 ug/g	0.0200	0.0400	0.2000 <b>Pass</b>

### ADDITIONAL INFORMATION

Method: SOP-TECH-010      Sample Prepped 08/07/2019 07:27      Sample Approved 08/08/2019 16:15  
Instrument: GC-MS/MS      Sample Analyzed 08/07/2019 11:55

## RESIDUAL SOLVENT ANALYSIS

TEST TYPE RESULT: **Pass**  
UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL
Acetone	5.606 ug/g	2.500	5.000	5000 <b>Pass</b>	Acetonitrile	ND	0.5000	1.000	410.0 <b>Pass</b>
Benzene	ND	0.5000	1.000	1.000 <b>Pass</b>	Butane	ND	24.00	48.00	5000 <b>Pass</b>
Chloroform	ND	0.5000	1.000	1.000 <b>Pass</b>	Ethanol	2.649 ug/g	1.000	2.500	5000 <b>Pass</b>
Ethyl Acetate	ND	2.500	5.000	5000 <b>Pass</b>	Ethyl Ether	ND	10.00	50.00	5000 <b>Pass</b>
Ethylene oxide	ND	0.5000	1.000	1.000 <b>Pass</b>	Heptane	ND	0.2500	0.5000	5000 <b>Pass</b>
Hexane	ND	0.2500	0.5000	290.0 <b>Pass</b>	Isopropyl Alcohol	ND	0.2500	0.5000	5000 <b>Pass</b>
Methanol	1583 ug/g	1.000	2.500	3000 <b>Pass</b>	Methylene chloride	ND	0.2500	0.5000	1.000 <b>Pass</b>
Pentane	ND	1.000	2.500	5000 <b>Pass</b>	Propane	ND	5.000	10.00	5000 <b>Pass</b>
Toluene	ND	0.2500	0.5000	890.0 <b>Pass</b>	Xylenes	ND	0.5000	1.000	2170 <b>Pass</b>
Trichloroethylene	ND	0.2500	0.5000	1.000 <b>Pass</b>	1,2-Dichloroethane	ND	0.2500	0.5000	1.000 <b>Pass</b>

### ADDITIONAL INFORMATION

Method: SOP-TECH-021      Sample Prepped 08/07/2019 12:35      Sample Approved 08/08/2019 16:53  
Instrument: HS-GC-MS/FID      Sample Analyzed 08/07/2019 12:41



# CERTIFICATE OF ANALYSIS

## MICROBIAL ANALYSIS

TEST TYPE RESULT: **Pass**  
 UNIT OF MEASUREMENT: Cycle Threshold (Ct)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL		ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	
A.fumigatus	ND	33.00	0.0	0.0	Pass	A. flavus	ND	33.00	0.0	0.0	Pass
A. niger	ND	33.00	0.0	0.0	Pass	A. terreus	ND	33.00	0.0	0.0	Pass
STEC	ND	33.00	0.0	0.0	Pass	Salmonella spp	ND	33.00	0.0	0.0	Pass

### ADDITIONAL INFORMATION

Method: SOP-TECH-016, SOP-TECH-022  
 Instrument: qPCR  
 Sample Prepped 08/07/2019 07:01  
 Sample Analyzed 08/07/2019 10:01  
 Sample Approved 08/07/2019 14:30

## FILTH & FOREIGN MATERIAL

TEST TYPE RESULT: **Pass**  
 UNIT OF MEASUREMENT: Filth and Foreign Matter (%)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL		ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	
IF RH ME	ND	0.0	0.0	3.000	Pass	IFM	ND	0.0	0.0	25.00	Pass
Mold	ND	0.0	0.0	25.00	Pass	SSCD	ND	0.0	0.0	25.00	Pass

### ADDITIONAL INFORMATION

Method: SOP-TECH-009  
 Instrument: Visual Inspection  
 Sample Prepped 08/07/2019 11:53  
 Sample Analyzed 08/07/2019 12:01  
 Sample Approved 08/07/2019 18:51

## HEAVY METALS

TEST TYPE RESULT: **Pass**  
 UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL		ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	
Arsenic	ND	0.0	0.0050	1.500	Pass	Cadmium	<LLOQ	0.0	0.0050	0.5000	Pass
Lead	0.0420 ug/g	0.0	0.0050	0.5000	Pass	Mercury	<LLOQ	0.0	0.0050	3.000	Pass

### ADDITIONAL INFORMATION

Method: SOP-TECH-013  
 Instrument: ICP-MS  
 Sample Prepped 08/08/2019 10:58  
 Sample Analyzed 08/08/2019 11:58  
 Sample Approved 08/08/2019 17:40



# CERTIFICATE OF ANALYSIS

## MYCOTOXINS

TEST TYPE RESULT: **Pass**  
UNIT OF MEASUREMENT: **Micrograms per Kilogram(ug/kg)**

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL
Aflatoxin B1	ND	1.000	2.000	N/A	Aflatoxin B2	ND	2.000	5.000	N/A
Aflatoxin G1	ND	2.000	5.000	N/A	Aflatoxin G2	ND	5.000	2.000	N/A
Total Aflatoxins	ND	10.00	14.00	20.00 <b>Pass</b>	Ochratoxin A	ND	1.000	2.000	20.00 <b>Pass</b>

### ADDITIONAL INFORMATION

Method: SOP-TECH-020      Sample Prepped 08/07/2019 07:27      Sample Approved 08/08/2019 15:59  
Instrument: LC-MS/MS      Sample Analyzed 08/07/2019 11:54

## WATER ACTIVITY

TEST TYPE RESULT: **Pass**  
UNIT OF MEASUREMENT: **Water Activity Units(aw)**

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL
AW	0.4033 aw	0.0	0.0	0.8501 <b>Pass</b>					

### ADDITIONAL INFORMATION

Method: SOP-TECH-018      Sample Prepped 08/07/2019 16:30      Sample Approved 08/07/2019 18:52  
Instrument: Water Activity Meter      Sample Analyzed 08/07/2019 17:08

This report applies to the sample investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. This report provides technical results for a specific sample and the report shall not be altered, modified, supplemented, or abstracted in any manner. Any violation of these conditions renders the report and its results void.

All LQC samples required by state regulations were performed and met the acceptance criteria.

## DATA REVIEWED AND APPROVED BY



08/12/2019

Swetha Kaul, PhD  
Chief Scientific Officer

Date

