

CERTIFICATE OF ANALYSIS



SAMPLE INFORMATION

Sample Name: VVS Skywalker OG 1g C-Cell Cart
 Sample Matrix: Concentrate
 Batch Id: SKY1GCART
 Received: 07/08/2019 17:06
 Sample Size: 18 units

Sample Id: 122667
 Collected: 07/08/2019 12:34
 Batch Size: 200 units
 Overall Result: **Pass**

DISTRIBUTOR INFO

Business Name: Monex Place Wellness Inc. DBA MNG Distribution
 Street Address: 724 E Dyer Rd
 State: CA
 License: C11-18-0000730-TEMP

City: Santa Ana
 Zip Code: 92705

MANUFACTURER INFO

Business Name: Stone Service Inc DBA Mr. Nice Guy
 Street Address: 300 E San Antonio Dr
 State: CA
 License: CDPH - 10002786

City: King City
 Zip Code: 93930

CANNABINOID ANALYSIS

! Total THC,CBD value(s) have been decarboxylated.

TOTAL THC: 860.4 mg/g (86.04 %), 860.4 mg per package
 TOTAL CBD: ND (ND), ND per package
 TOTAL CANNABINOIDS: 900.7 mg/g (90.07 %)

TEST TYPE RESULT: N/A
 UNIT OF MEASUREMENT: Milligrams per Gram(mg/g)

| ANALYTE | RESULT | LOD | LLOQ | ANALYTE | RESULT | LOD | LLOQ |
|---------|-----------------------|--------|--------|---------|--------|--------|--------|
| D9THC | 860.4 mg/g (86.04 %) | 0.5000 | 1.0000 | D8THC | ND | 0.5000 | 1.0000 |
| CBG | 24.16 mg/g (2.416 %) | 0.5000 | 1.0000 | CBC | ND | 0.5000 | 1.0000 |
| THCv | 3.771 mg/g (0.3771 %) | 0.5000 | 1.0000 | CBD | ND | 0.5000 | 1.0000 |
| CBN | 12.40 mg/g (1.240 %) | 0.5000 | 1.0000 | CBDv | ND | 0.5000 | 1.0000 |
| THCa | ND | 0.5000 | 1.0000 | CBGa | ND | 0.5000 | 1.0000 |
| CBDa | ND | 0.5000 | 1.0000 | | | | |

ADDITIONAL INFORMATION

Method: SOP-TECH-001
 Instrument: UPLC-DAD

Sample Prepped 07/09/2019 20:15
 Sample Analyzed 07/09/2019 20:15

Sample Approved 07/10/2019 15:28



CERTIFICATE OF ANALYSIS

CHEMICAL RESIDUE ANALYSIS

TEST TYPE RESULT: **Pass**
 UNIT OF MEASUREMENT: **Micrograms per Gram(ug/g)**

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL |
|---------------|--------|--------|--------|--------------------|--------------------|--------|--------|--------|--------------------|
| Abamectin | ND | 0.0200 | 0.0400 | 0.1000 Pass | Acephate | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Acequinocyl | ND | 0.0200 | 0.0400 | 0.1000 Pass | Acetamiprid | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Aldicarb | ND | 0.0200 | 0.0400 | 0.0 Pass | Azoxystrobin | ND | 0.0200 | 0.0400 | 0.2000 Pass |
| Bifenazate | ND | 0.0200 | 0.0400 | 0.1000 Pass | Bifenthrin | ND | 0.0200 | 0.0400 | 3.000 Pass |
| Boscalid | ND | 0.0200 | 0.0400 | 0.1000 Pass | Carbaryl | ND | 0.0200 | 0.0400 | 0.5000 Pass |
| Carbofuran | ND | 0.0200 | 0.0400 | 0.0 Pass | Chlorantranilprole | ND | 0.0200 | 0.0400 | 10.00 Pass |
| Chlorfenapyr | ND | 0.0200 | 0.0400 | 0.0 Pass | Chlorpyrifos | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Clofentezine | ND | 0.0200 | 0.0400 | 0.1000 Pass | Coumaphos | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Cyfluthrin | ND | 0.1000 | 0.2000 | 2.000 Pass | Cypermethrin | ND | 0.0400 | 0.1000 | 1.000 Pass |
| Daminozide | ND | 0.0200 | 0.0400 | 0.0 Pass | Diazinon | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Dichlorvos | ND | 0.0200 | 0.0400 | 0.0 Pass | Dimethoate | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Dimethomorph | ND | 0.0099 | 0.0198 | 2.000 Pass | Ethoprophos | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Etofenprox | ND | 0.0200 | 0.0400 | 0.0 Pass | Etoxazole | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Fenhexamid | ND | 0.0200 | 0.0400 | 0.1000 Pass | Fenoxycarb | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Fenpyroximate | ND | 0.0200 | 0.0400 | 0.1000 Pass | Fipronil | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Fonicamid | ND | 0.0200 | 0.0400 | 0.1000 Pass | Fludioxonil | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Hexythiazox | ND | 0.0200 | 0.0400 | 0.1000 Pass | Imazalil | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Imidacloprid | ND | 0.0200 | 0.0400 | 5.000 Pass | KresoximMethyl | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Malathion | ND | 0.0200 | 0.0400 | 0.5000 Pass | Metalaxyl | ND | 0.0200 | 0.0400 | 2.000 Pass |
| Methiocarb | ND | 0.0200 | 0.0400 | 0.0 Pass | Methomyl | ND | 0.0200 | 0.0400 | 1.000 Pass |
| Mevinphos | ND | 0.0200 | 0.0400 | 0.0 Pass | Myclobutanil | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Naled | ND | 0.0200 | 0.0400 | 0.1000 Pass | Oxamyl | ND | 0.0200 | 0.0400 | 0.5000 Pass |
| Paclobutrazol | ND | 0.0200 | 0.0400 | 0.0 Pass | Permethrins | ND | 0.0200 | 0.0400 | 0.5000 Pass |
| Phosmet | ND | 0.0200 | 0.0400 | 0.1000 Pass | PiperonylButoxide | ND | 0.0200 | 0.0400 | 3.000 Pass |
| Prallethrin | ND | 0.0200 | 0.0400 | 0.1000 Pass | Propiconazole | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Propoxur | ND | 0.0200 | 0.0400 | 0.0 Pass | Pyrethrins | ND | 0.0178 | 0.0356 | 0.5000 Pass |
| Pyridaben | ND | 0.0200 | 0.0400 | 0.1000 Pass | Spinetoram | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Spinosad | ND | 0.0200 | 0.0400 | 0.1000 Pass | Spiromesifen | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Spirotetramat | ND | 0.0200 | 0.0400 | 0.1000 Pass | Spiroxamine | ND | 0.0200 | 0.0400 | 0.4000 Pass |
| Tebuconazole | ND | 0.0200 | 0.0400 | 0.1000 Pass | Thiacloprid | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Thiamethoxam | ND | 0.0200 | 0.0400 | 5.000 Pass | Trifloxystrobin | ND | 0.0200 | 0.0400 | 0.1000 Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-002
 Instrument: LC-MS/MS

Sample Prepped 07/10/2019 07:57
 Sample Analyzed 07/10/2019 08:14

Sample Approved 07/12/2019 14:07



CERTIFICATE OF ANALYSIS

CHEMICAL RESIDUE GC ANALYSIS

TEST TYPE RESULT: **Pass**
UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL |
|-----------------|--------|--------|--------|--------------------|-----------|--------|--------|--------|--------------------|
| Captan | ND | 0.1000 | 0.2000 | 0.7000 Pass | Chlordane | ND | 0.0400 | 0.1000 | 0.0 Pass |
| MethylParathion | ND | 0.0400 | 0.1000 | 0.0 Pass | PCNB | ND | 0.0200 | 0.0400 | 0.1000 Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-010 Sample Prepped 07/10/2019 08:00 Sample Approved 07/11/2019 16:55
Instrument: GC-MS/MS Sample Analyzed 07/10/2019 08:15

RESIDUAL SOLVENT ANALYSIS

TEST TYPE RESULT: **Pass**
UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL |
|-------------------|--------|--------|--------|-------------------|--------------------|------------|--------|--------|-------------------|
| Acetone | ND | 2.500 | 5.000 | 5000 Pass | Acetonitrile | ND | 0.5000 | 1.000 | 410.0 Pass |
| Benzene | ND | 1.000 | 2.500 | 1.000 Pass | Butane | ND | 24.00 | 48.00 | 5000 Pass |
| Chloroform | ND | 1.000 | 2.500 | 1.000 Pass | Ethanol | ND | 1.000 | 2.500 | 5000 Pass |
| Ethyl Acetate | ND | 2.500 | 5.000 | 5000 Pass | Ethyl Ether | ND | 10.00 | 50.00 | 5000 Pass |
| Ethylene oxide | ND | 0.5000 | 1.000 | 1.000 Pass | Heptane | ND | 0.2500 | 0.5000 | 5000 Pass |
| Hexane | <LLOQ | 0.2500 | 0.5000 | 290.0 Pass | Isopropyl Alcohol | 2.397 ug/g | 0.2500 | 0.5000 | 5000 Pass |
| Methanol | ND | 1.000 | 2.500 | 3000 Pass | Methylene chloride | ND | 0.2500 | 0.5000 | 1.000 Pass |
| Pentane | ND | 1.000 | 2.500 | 5000 Pass | Propane | ND | 5.000 | 10.00 | 5000 Pass |
| Toluene | ND | 0.2500 | 0.5000 | 890.0 Pass | Xylenes | ND | 0.5000 | 1.000 | 2170 Pass |
| Trichloroethylene | ND | 0.2500 | 0.5000 | 1.000 Pass | 1,2-Dichloroethane | ND | 0.2500 | 0.5000 | 1.000 Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-021 Sample Prepped 07/12/2019 16:39 Sample Approved 07/15/2019 11:08
Instrument: HS-GC-MS/FID Sample Analyzed 07/12/2019 16:40



CERTIFICATE OF ANALYSIS

MICROBIAL ANALYSIS

TEST TYPE RESULT: **Pass**
 UNIT OF MEASUREMENT: Cycle Threshold (Ct)

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL |
|-------------|--------|-------|------|-----------------|----------------|--------|-------|------|-----------------|
| A.fumigatus | ND | 33.00 | 0.0 | 0.0 Pass | A. flavus | ND | 33.00 | 0.0 | 0.0 Pass |
| A. niger | ND | 33.00 | 0.0 | 0.0 Pass | A. terreus | ND | 33.00 | 0.0 | 0.0 Pass |
| STEC | ND | 33.00 | 0.0 | 0.0 Pass | Salmonella spp | ND | 33.00 | 0.0 | 0.0 Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-016, SOP-TECH-022 Sample Prepped 07/10/2019 06:00 Sample Approved 07/10/2019 14:53
 Instrument: qPCR Sample Analyzed 07/10/2019 06:05

FILTH & FOREIGN MATERIAL

TEST TYPE RESULT: **Pass**
 UNIT OF MEASUREMENT: Filth and Foreign Matter (%)

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL |
|----------|--------|-----|------|-------------------|---------|--------|-----|------|-------------------|
| IF RH ME | ND | 0.0 | 0.0 | 3.000 Pass | IFM | ND | 0.0 | 0.0 | 25.00 Pass |
| Mold | ND | 0.0 | 0.0 | 25.00 Pass | SSCD | ND | 0.0 | 0.0 | 25.00 Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-009 Sample Prepped 07/10/2019 16:11 Sample Approved 07/10/2019 17:27
 Instrument: Visual Inspection Sample Analyzed 07/10/2019 16:14

HEAVY METALS

TEST TYPE RESULT: **Pass**
 UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL |
|---------|-------------|-----|--------|--------------------|---------|--------|-----|--------|--------------------|
| Arsenic | ND | 0.0 | 0.0050 | 0.2000 Pass | Cadmium | <LLOQ | 0.0 | 0.0050 | 0.2000 Pass |
| Lead | 0.0800 ug/g | 0.0 | 0.0050 | 0.5000 Pass | Mercury | ND | 0.0 | 0.0050 | 0.1000 Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-013 Sample Prepped 07/10/2019 09:26 Sample Approved 07/11/2019 06:34
 Instrument: ICP-MS Sample Analyzed 07/10/2019 09:42



CERTIFICATE OF ANALYSIS

 **MYCOTOXINS**

TEST TYPE RESULT: **Pass**
UNIT OF MEASUREMENT: **Micrograms per Kilogram(ug/kg)**

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL |
|------------------|--------|-------|-------|-------------------|--------------|--------|-------|-------|-------------------|
| Aflatoxin B1 | ND | 1.000 | 2.000 | N/A | Aflatoxin B2 | ND | 2.000 | 5.000 | N/A |
| Aflatoxin G1 | ND | 2.000 | 5.000 | N/A | Aflatoxin G2 | ND | 5.000 | 2.000 | N/A |
| Total Aflatoxins | ND | 10.00 | 14.00 | 20.00 Pass | Ochratoxin A | ND | 1.000 | 2.000 | 20.00 Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-020
Instrument: LC-MS/MS

Sample Prepped 07/10/2019 07:57
Sample Analyzed 07/10/2019 08:15

Sample Approved 07/11/2019 18:19

This report applies to the sample investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. This report provides technical results for a specific sample and the report shall not be altered, modified, supplemented, or abstracted in any manner. Any violation of these conditions renders the report and its results void.

All LQC samples required by state regulations were performed and met the acceptance criteria.

DATA REVIEWED AND APPROVED BY

07/15/2019

Swetha Kaul, PhD
Chief Scientific Officer

Date

