

#### EDUCATIONAL TELECONSULTATION SERVICES™

1-800-838-4268 info@sonopath.com SonoPath.com











#### **PATIENT**

Feline

**BREED** 

**SEX** 

**AGE** 

2 Years

Maine Coon

Intact Female

## PRESENTING CLINICAL SIGNS

Nymphadora Heppner

\* No abnormal findings or previous diagnoses. \* These are purely screening echocardiograms.

# ULTRASONOGRAPHIC EXAMINATION OF THE HEART SPECIES

FELINE CARDIAC PARAMETERS	BODY WEIGHT (kg)	HR (BPM)	IVSd (cm)	LVIDd (cm)	LVWd (cm)	FS (%)	<b>EF</b> (%)
NORMAL PARAMETER		150-240	0.3-0.6	1.0-2.1	0.25-0.6	35-67	80-100
PATIENT		191	0.39	2.0	0.38	42	76
FELINE CARDIAC PARAMETERS	LA/AO (Boon)	LA/AO HEART BASE (Sisson)	LA 2D 4-chamber long axis AS to FW (Sisson) (cm)		LVOT VEL. (m/s)	RVOT VEL. (m/s)	IVRT (m/)
NORMAL PARAMETER	<1.5	0.88-1.79	0.7-1.7		<1.6	<1.3	40-60
PATIENT		1.25			1.31	1.0	NM

Adapted from June Boon, Veterinary Echocardiography, 1998 Sisson D et al. JVIM 1991; 5: 232, Jacobs et al. Am J Vet Res 1985; 46:1705

**WEIGHT** 

Unknown

#### Cardiac Presentation

The echocardiogram in this patient demonstrated normal left atrial size based on 3 separate LA measurements. The cranial and caudal mitral valve leaflets presented normal linear structure and kinetics.. The left ventricle presented normal thicknesses with linear contour and was not dilated nor restricted. The myocardium presented normal echogenicity without subjective evidence of significant fibrotic or ischemic disease. Contractility of the ventricular walls was adequate and in normal range for this patient evidenced by the fractional shortening measurement and subjective evaluation of the different regions and angles of the myocardium. The left ventricular outflow tract demonstrated normal laminar flow and subjective structural integrity. The right atrium and auricle revealed normal size, structure and content. No evidence of masses was noted or chamber overload. Tricuspid valvular assessment demonstrated adequate linear morphology and kinetics. The right ventricle was of normal size (1/3 diameter of LV), chordae structure, myocardial echogenicity and thickness. Pulmonic tract assessment revealed normal valve structure, laminar flow, and diameter (approx.1:1 pa/ao ratio). No visible pericardial or free pleura fluid was noted or extra cardiac pathology in the visible planes. The cranial mediastinum and pericardial regions were free of masses in the visible window.

## **INTERPRETED BY**

**Eric Lindquist**, DMV, DABVP, Cert. IVUSS

# IMAGING PERFORMED BY

Jenna Walsh, CVT

## **HOSPITAL NAME**

Abiqua Animal Clinic

#### **REFERRING VET**

Dr. Varney

## **ULTRASONOGRAPHIC FINDINGS**

• Normal echocardiogram for this breed

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

#### DATE

No evidence of pathology.

1/11/22

#### **INVOICE**

34133



#### EDUCATIONAL TELECONSULTATION SERVICES™

1-800-838-4268 🥥 info@sonopath.com 🕥 SonoPath.com











## **PATIENT**

Nymphadora Heppner

## **SPECIES**

Feline

## **BREED**

Maine Coon

#### **SEX**

Intact Female

## **AGE**

2 Years

## **WEIGHT**

Unknown

## **INTERPRETED BY**

Eric Lindquist, DMV, DABVP, Cert. IVUSS

## **IMAGING PERFORMED BY**

Jenna Walsh, CVT

## **HOSPITAL NAME**

Abiqua Animal Clinic

#### **REFERRING VET**

Dr. Varney

**DATE** 

Eric Lindquist, DMV, DABVP, Cert. IVUSS

can be of any further assistance please contact me.

CEO of Sonopath.com

**INVOICE** 

Eric.Lindquist@SonoPath.com 34133

-12-2022 03:49:28 ABIOUAAC FELMAINECOON. 1-12-2022 03:51:39 9% MI 0.4 TIS 1.1





The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I

1/11/22