





**EVOLUTION
CONCRETE
AND CONSTRUCTION**

Color Charts




PROLINE DURA COLORS


**ALL COLORS AVAILABLE IN THESE THREE PRODUCTS:
Color Hardener | Antique Release | EZ-Tique**




ADOBE BEIGE 602 CREAM BUFF 601 ARIZONA BUFF 623 COCONUT CREME 621 MISSION BEIGE 631




BEIGE CREME 650 SUMMER SAND 645 LIGHT COPPER 642 CHEYENNE 624 KILN RED 637




SADDLE SOAP 632 AVALON 646 GEORGIA CLAY 628 ROSEWOOD 633 RED BRICK 640



BONSALL BEIGE 627 BUCKWHEAT 644 SALTILLO TILE 649 PUEBLO 630 TILE RED 638




OCEANSIDE 612 NAVAJO 606 SUEDE 608 ESPRESSO 622 MOJAVE 605



SOFT GRAY 613 SAGE 607 SAND CANYON 603 EL PASO 625 MOCHA 610



ROCK GRAY 614 ASHEVILLE SLATE 647 SYCAMORE 604 PECAN 643 WALNUT 641




MIDNIGHT GRAY 615 SANTA FE 609 JADE 618 TERRA COTTA 629 JAVA 635

WWW.PROLINESTAMPS.COM



proline
decorative concrete
systems

DURA-COLOR CHART
EZ-Accent Water-Based Acrylic Stain



Also available in AC-700 Black and AC-800 White

Proline Duracolor EZ-Accent is a water-based acrylic stain that is specially formulated to accent any decorative concrete surface. EZ-Accent is quickly and easily applied to decorative concrete flatwork, vertical surfaces and rockscapes for accent colors and natural-looking variations. There are 18 standard EZ-Accent colors, but any of the 18 colors can be mixed together for customized results.

The colors shown are approximate, and as close as possible, to represent concrete with flat trowel finish and sealed with Dura Seal HG Sealer. Proline Dura Products is not responsible for application methods, finishing techniques, job site conditions, curing methods, and other conditions and therefore cannot guarantee an exact match. Various texturing and finishing techniques such as troweling or brooming, the use of sealers, and color variations in raw materials can produce variations in colors. Proline Dura Products highly recommends a representative job sample be done for each product.

WWW.PROLINESTAMPS.COM




proline
decorative concrete
systems

DURA-STAIN

CONCRETE CHEMICAL ACID STAIN

(Colors show Dura-Stain over white concrete and Dura-Stain over gray concrete)

















This color guide is designed to show a representation of Proline Dura-Stain Acid Stains when applied to natural gray concrete or white overlayment. It does not guarantee that the final color will be an exact match. Color effects produced will vary when applied over stampable overlays, microtoppings and integrally pigmented substrates, and may differ from colors shown on chart. Colors produced will rely heavily on skill, practice and experimentation as each concrete slab will react differently. Application methods and age of the concrete will result in different tones or hues and in the case of very old concrete, the stain may have little or no reaction. Test sections should be done to verify the suitability and appearance prior to general application.

See back side for additional information...

**UNI-MIX® Integral
Concrete Colorant**


 UCP U10 Sonoran Tan	 UCP U11 Autumn Oak	 UCP U26 Lanon Stone	 UCP U20 Smoke
 UCP U21 Sandstone	 UCP U12 Sunset Beige	 UCP U13 Millstone	 UCP U31 Weathered Terra Cotta
 UCP U18 Gull Gray	 UCP U22 Salt Marsh Gray	 UCP U35 Shadow Slate	 UCP U51 Clary Sage
 UCP U24 Georgia Clay	 UCP U15 Coral Buff	 UCP U16 Harvest Wheat	 UCP U37 Sienna
 UCP U27 Mocha Brown	 UCP U25 Santa Fe Buff	 UCP U33 Hampshire Red	 UCP U34 Brick Red
 UCP U14 Pewter	 UCP U29 Soapstone	 UCP U28 Charcoal	 UCP U49 Deep Charcoal

**Elements Transparent
Concrete Stain**

 ELE-110 White	 ELE-129 Brown		
 ELE-123 Yellow	 ELE-124 Red*	 ELE-125 Blue	 ELE-126 Black
 ELE-127 Purple*	 ELE-128 Gray	 ELE-113 Verdigris	 ELE-111 Tannin
 ELE-112 Balkan Amber	 ELE-116 Caribbean	 ELE-115 Stygian	 ELE-118 Weathered Bronze
 ELE-114 Cordovan Leather	 ELE-122 Taupe	 ELE-117 Lichen	 ELE-119 Kona Brown

BUTTERFIELD®
COLOR

Sierra Stain® Reactive Acid Stain



BAS-11 Tannin



BAS-12 Balkan Amber




BAS-13 Verdigris*




BAS-19 Kona Brown




BAS-16 Caribbean*



BAS-14 Cordovan
Leather



BAS-18 Weathered
Bronze*



BAS-15 Stygian



BAS-22 Taupe



115 Limestone	115 Shell (IRS 56)	238 Thyme (SRI 44)	238 Doeskin (SRI 41)	242 Sandstone (SRI 36)	242 Sahara (SRI 46)
115 Yellow (IRS 44)	115 Safety Yellow* *4% loading in white cement	238 Buttercup (SRI 44)	238 Marigold	242 Sandalwood (SRI 24)	242 Nutmeg
288 Rosemary	288 Ginger (SRI 41)	306 Canvas (SRI 37)	306 Toffee (SRI 29)	338 Earthen	338 Rawhide (SRI 25)
288 Bamboo (SRI 41)	288 Straw (SRI 48)	306 Burlap (SRI 29)	306 Cinnamon	338 Buckskin (SRI 24)	338 Leather
385 Taupe (SRI 29)	385 Lava (SRI 23)	413 Colony Red	413 Clay (SRI 50)	417 Rose	417 Brick Red (SRI 40)
385 Buffalo (SRI 20)	385 Bark (SRI 16)	413 Fox Red (SRI 37)	413 Terra Cotta (SRI 48)	417 Paver Red	417 Apple Red
467 Ash	467 Oyster (SRI 15)	489 Dusty Rose	489 Light Plum (SRI 24)	492 Mauve	492 Merlot
467 Orchid (SRI 13)	467 Rustique	489 Redwood (SRI 22)	489 Dark Redwood	492 Lilac	492 Garnet

750 Desert Tan (SRI 45)	750 Salmon (SRI 45)	211 Tawny - 6.4% loading	258 Pecos Sand - 4.4% loading	298 Sandy Buff - 4.4% loading
750 Prairie Tan	750 Peach	317 Hickory - 7% loading	326 Tarragon - 4.4% loading	350 Portabella - 4.4% loading
755 Trail Dust	755 Driftwood (SRI 40)	376 Smokey Beige - 4.4% loading	380 Rust Belt - 4.4% loading	395 Walnut - 7% loading
755 Spice (SRI 41)	755 Apricot	398 Pine Cone - 4.4% loading	435 Sunbaked Clay - 4.7% loading	440 Russet - 4.4% loading
775 Sand (SRI 46)	775 Cedar (SRI 45)	474 Barn Red - 4.4% loading		
920 Slate (SRI 22)	920 Smoke			
920 Charcoal	920 Onyx			

Metallic Epoxy Colors



Standard Epoxy Colors



Standard Color Selection for Integral Colors



Standard Color Selection for Integral Colors



LICENSED • BONDED • INSURED



**EVOLUTION
CONCRETE**
AND CONSTRUCTION

PO Box 241 | Newton Falls, Ohio 44444

ph **330.281.3533**

visit **Evolution-Concrete.com**

email **EvolutionConcrete@gmail.com**



Angie's list.

