

NOVA WALL SYSTEM



NOVA WALL SYSTEM

Benefits Of Bamboo Crystal Wall Panels



Contemporary Design

Bamboo Crystal wall panels is ideal for a wide range of uses, especially for interior decoration. With a Variety of Colours and Patterns, residential or commercial buildings



Thermal Insulation

Bamboo Crystal wall panels provides excellent Insulation against external heat sources, preserving the Comfort of your living space.



Water proof

Bamboo Crystal wall panels is Waterproof and Resistant to mould and mildew.



Environment Friendly

Bamboo Crystal wall panels consists of Natural bamboo, wood and Crystal Powders . It is Formaldehyde-free and VOC-free, thus it is not only safe to the workers but also safe for owners who live inside



Termite Resistant

Bamboo Crystal wall panels provides great Peace of mind by keeping your dream home to yourself only, without the worrying problems caused by the Pest inhabitants.



Acoustic Insulation

Bamboo Crystal wall panels has a reflecting surface that causes Diffuse Reflection, in which the acoustical waves are spread out to different directions when reflected. It buffers the sound energy and therefore is able to Reduce Noise vibrations



Fire Retardant

Bamboo Crystal wall panels Reduces the Flammability and Delays the Combustion thus protecting life and homes from Fire Disasters



Minimal Maintenance

Bamboo Crystal Panel is very Durable and it's designed to Lasts at least 20-30 years. And we promise to give a 10 years warranty on the panel itself, and if our panel has any Defect, we'll change 1-on-1 for you for free.



Fast Installation

Bamboo Crystal Panel is designed to Speed up the Renovation Process. The panels can be Install Directly onto the bare wall using Structural Sealants and use of Aluminium profiles.


NOVALITE

REFORM PERFORM TRANSFORM

NOVA WALL SYSTEM



TRIM PANEL



Name: Nova wall panel

Material: Bamboo crystal / Bamboo charcoal / Bamboo wood

Width and length:

1220*2440/2600/2800/3000(mm)


1220*Customlength(mm)

Thickness: 5mm & 8mm


Environmental protection grade: ENF

Performance: waterproof & bendable

PHYSICAL PHOTOS



Thickness: 5mm&8mm



Bending and shaping




Waterproof and moisture-proof

1. Putty and leveling
2. Apply structural adhesive and Double-sided tape on the back
3. Install wall panels on the wall
4. Metal profile connection
(If the wall is flat, skip the first step)




Effect of PVC wall panel slotting to wrap columns



Corner slotting and bending

1. Slotting of trimming machine
2. Hot air gun heating bending
3. Apply structural adhesive on the back of the wall panel



Metal profile connections can also be used at corners

NOVALITE

REFORM PERFORM TRANSFORM




COLOUR - PET Marble series

KB8056-1A+B

8056-1A

8056-1B



NOVALITE
REFORM PERFORM TRANSFORM




COLOUR - PET Marble series

8045A+B

8045-A

8045-B



NOVALITE
REFORM PERFORM TRANSFORM




COLOUR - PET Marble series

8038A+B

8038-A

8038-B



NOVALITE
REFORM PERFORM TRANSFORM



COLOUR - PET Marble series

8041A+B

8041-A

8041-B



NOVALITE

REFORM PERFORM TRANSFORM



COLOUR - PET Marble series

8037



NOVALITE
REFORM PERFORM TRANSFORM



COLOUR - PET Marble series

KB8053-2A+B


8053-2A



8053-2B



NOVALITE
REFORM PERFORM TRANSFORM



COLOUR - PET Marble series

KB8053-1A+B

8053-1A

8053-1B



NOVALITE
REFORM PERFORM TRANSFORM



COLOUR - PET Marble series

8047 A+B

8047-A



8047-B



NOVALITE
REFORM PERFORM TRANSFORM




COLOUR - PET Marble series


8224



KB-8224-Y25



KB-8224-Y25-2



KB-8224-Y25-1



COLOUR - PET Marble series

KB-8040

KB-8040-1

KB-8040




NOVALITE
REFORM PERFORM TRANSFORM



COLOUR - PET Marble series

KB-8039



NOVALITE
REFORM PERFORM TRANSFORM



COLOUR - PET Marble series

KB-8035



NOVALITE

REFORM PERFORM TRANSFORM



COLOUR - PET Marble series

8025

8025


8025-1





COLOUR-PET Marble Series


8024



8024



8024-2



8024-1



8024-4

NOVALITE
REFORM PERFORM TRANSFORM




COLOUR - PET Marble series

8022

8022

8022-1



NOVALITE

REFORM PERFORM TRANSFORM




COLOUR-PET Marble Series


8021



8021



8021-2



8021-1



8021-4

NOVALITE
REFORM PERFORM TRANSFORM



COLOUR - PET Marble series


8020






COLOUR-PET Marble Series


8019




8019



8019-3



8019-1




8019-4



COLOUR-PET Marble Series


8018




8018



8018-3



8018-1



8018-4



COLOUR-PET Marble Series

8017




8017



8017-2



8017-1



8017-3



COLOUR-PET Marble Series


8016



8016-1



8016-3



8016-2



8016-4




COLOUR - PET Marble series

8015



8015



8015-1



8015-2

NOVALITE
REFORM PERFORM TRANSFORM



COLOUR - PET Marble series


8014



8014



8014-1




8014-2

NOVALITE
REFORM PERFORM TRANSFORM



COLOUR - PET Marble series

8013





COLOUR-PET Marble Series


8012




8012



8012-2



8012-1




8012-3




COLOUR-PET Marble Series


8011




8011




8011-2



8011-1



8011-3



COLOUR - PET Marble series

8010

8010

8010-1



NOVALITE
REFORM PERFORM TRANSFORM



COLOUR - PET Marble series

8009



8009



8009-1




8009-2




COLOUR - PET Marble series

8008



8008



8008-1



8008-2

NOVALITE
REFORM PERFORM TRANSFORM



COLOUR - PET Marble series

8007

8007-2

8007-3



NOVALITE
REFORM PERFORM TRANSFORM



COLOUR - PET Marble series

8006

8006

8006-1





COLOUR - PET Marble series

8005



8005



8005-1




8005-2



COLOUR - PET Marble series

8004



8004



8004-1




8004-2




COLOUR-PET Marble Series

8003



8003



8003-2



8003-1




8003-3

NOVALITE
REFORM PERFORM TRANSFORM




COLOUR-PET Marble Series

8002



8002



8002-1



8002-2

NOVALITE
REFORM PERFORM TRANSFORM




COLOUR-PET Marble Series

8001



8001-1



8001-2



8001-3



COLOUR - PET Marble series

YSB-3701



YSB3701

KB3701-1




COLOUR - Mirror series







SILVER



GOLDEN



ROSE GOLD



BLUE



BLACK

COLOUR - Metal series






PET Metal 01



PET Metal 02



PET Metal 03



PET Metal 04



PET Metal 05



PET Mosaic Silver




PET Mosaic Golden




PET Mosaic Rose




PET Mosaic Grey




PET Laser




LS1001




LS1002



LS1003



LS1009




LS1010




LS1004




LS1005



LS1006



LS1007



LS1008



Novalite Limited



BANGALORE : MUMBAI ; CHENNAI



www.novalite.co.in

COLOUR - Wood grain series





LS9041



LS9042



LS9043



LS9044



LS9045



LS9046



LS9047



LS9048




LS9049



LS9001



LS9002



LS9003



LS9005



LS9006




LS9007



LS9010



LS9011



LS9012



LS9014



LS9015



LS9016



LS9017



LS9018



LS9019



LS9025



LS9029



LS9030




LS9035



LS9036



LS9021



LS9022



LS9037



LS9038

COLOUR - Solid color series







LS7019




LS7001




LS7002




LS7005



LS7006



LS7007



LS7003




LS7016



LS7009




LS7010




LS7015




LS7017



LS7012



LS7011



LS7018




LS7013

Warm color luxury stone



Novalite Limited

BANGALORE : MUMBAI ; CHENNAI



www.novalite.co.in



LS8001



LS8002



LS8003



LS8004



LS8007




LS8008

NOVALITE
REFORM PERFORM TRANSFORM




COLOUR-PET Marble Series




LS5001



LS5002



LS5003



LS5004

NOVALITE
REFORM PERFORM TRANSFORM



COLOUR - Stone series




LS6001





LS6002



LS6003



LS6004



1. PET layer

2. 3D inkjet layer

3. Bamboo wood /bamboo charcoal substrate



Real-time waterproof



Live bending

Name: 3D background wall

Length and width:

2440*1220mm/1220*3000mm

Single piece size within 1200 * 3000mm can be customized

Thickness: 8mm

Surface process: bright or matte

Environmental protection grade: ENF

Fire rating: B1

Texture left and right infinite connection



Bending installation process





FLUTED WALL PANEL

The wooden grid based on nano bamboo and wood fiber replaces the traditional wooden grid, which is more environmental friendly, moisture-proof and does not deform.

The traditional wooden grid will be moldy and deformed after it is used for a long time. The cost is very high and is not environmental friendly.

Now, the advantages of using nano bamboo and wood fiber material are: environmental protection, waterproof, moisture-proof, mildew proof, moth proof, no deformation, various colors, light, installed, clean, firm, durable and nice appearance.

It is very popular by lots of customers as soon as it accesses to the domestic and overseas market!

NOVALITE
REFORM PERFORM TRANSFORM



Waterproof



Insect prevention



Environmental protection




Flame-retardant

HOLLOW GRID PLATE



Name: 155*17 Hollow fluted wall panel



Size: 155*17*Custom length(mm)

20Pcs/Packages

Weight:600g/m



Name: 158*17circular hole wall panel




Size: 158*17*Custom length(mm)

20Pcs/Packages

Weight:680g/m




Name: 170*18 Hollow fluted wall panel




Size: 170*18*Custom length(mm)

18Pcs/Packages

Weight:660g/m



Name: 168*24 Hollow fluted wall panel



Size: 168*24*Custom length(mm)

16Pcs/Packages

Weight:830g/m



Name: 170*18 Six groove wall panel



Size: 170*18*Custom length(mm)

18Pcs/Packages

Weight:780g/m



Name: 210*20 Hollow fluted wall panel



Size: 210*20*Custom length(mm)

14Pcs/Packages


Weight:880g/m

NOVALITE
REFORM PERFORM TRANSFORM




Installation effect

Fluted wall panel




HOLLOW GRID PLATE




Name: 158*15 Arc fluted wall panel



Size: 158*15*Custom length(mm)
15Pcs/Packages
Weight:740g/m




Name: 159*15 Inner arc wall panel



Size: 159*15*Custom length(mm)
16Pcs/Packages
Weight:710g/m



Name: 200*10 Inner arc wall panel



Size: 210*10*Custom length(mm)
15Pcs/Packages
Weight:820g/m



Name: 200*15 Wave fluted wall panel



Size: 200*15*Custom length (mm)
15Pcs/Packages
Weight:1000g/m



SOLID GRID PLATE




Name: 148*17 Solid wood wall panel



Size: 148*17*2750/3000(mm)

12Pcs/Packages

Weight:900g/m




Name: 150 * 8 Solid fluted wall panel




Size: 150*8*Custom length(mm)

18Pcs/Packages

Weight:680g/m




Name: 50 Inner arc solid grille




Size: 50*14*Custom length(mm)

40Pcs/Packages

Weight:330g/m



Name: 80 Inner arc solid grille



Size: 80*14*Custom length(mm)


26Pcs/Packages

Weight:530g/m





1. Puttying and leveling or use wooden board as the base layer
2. Apply structural adhesive on the back
3. Male and female slot splicing or metal clip splicing



1. Puttying and leveling
2. Apply structural adhesive on the back
3. Male and female slot splicing or metal clip splicing

COLOUR - Wood grain series








Aluminum alloy wallboard profile

5/8mm

Wall Panel Aluminum Alloy Fitting

NOVA WALL SYSTEM

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	color	Weight (KG/Piece)	Packing (PCS/CTN)	Price (\$/Piece)
Outside the line				3m	black golden silvery rose		100PCS	
Inner corner line				3m	black golden silvery rose		100PCS	
Single line				3m	black golden silvery rose		200PCS	
Binding off line				3m	black golden silvery rose		200PCS	
Duplex line				3m	black golden silvery rose		100PCS	
Duplex light band				3m	black golden silvery rose		100PCS	
Binding off line band				3m	black golden silvery rose		100PCS	
Top line				3m	black golden silvery rose		200PCS	
20*20 L border				3m	black golden silvery rose		200PCS	

NOVALITE

REFORM PERFORM TRANSFORM

NOVA WALL SYSTEM

Visit us

Novalite Limited
Ganesh Krupa
240/1, 18th Cross
Sadashivnagar
BANGALORE 560 080
INDIA

Ph: +91 80 3121 1558

info@novalite.co.in

www.novalite.co.in

Novalite Products LLP
207 Kalpataru Plaza
Chincholi Bunder Road
Malad West
MUMBAI 400 064
INDIA

Phone : +91 22 3521 8821

info@novalite.in

www.novalite.in