

EVERBAMBOO®

A perfect replica of natural bamboo

TAKEGAKI

Natural bamboo and traditional craftsmanship







SPRING

The gentle fragrance of a flower beginning to open in the garden, spring is already here.

SUMMER

Breeze is like peace, a swaying song it sings, drifting away in the summer wind, dancing across green fields.



AUTUMN

Time is filled with a hurried dusk. The trees begin to colour and foretell the deeper seasons.



WINTER

Trees spread their roots to the earth and people expand their minds to the new season.





ARTPORT® - Carports



Entrance area & front garden

ment of the "5th R00M", from the entrance area to façade and fence elements or rooms in the garden to the atmospheric lighting, all 5 senses of residents and quests are addressed. This creates an atmosphere that invites people to

Concepts and products for your building and garden

spend time there by day and by night and fosters a state of well-being.

Inspired by Japanese garden culture with the meaning of the seasons and the elements of wind, light, water and greenery, Takasho has developed a range of matching products for this purpose, which can be ideally combined with each other, especially in the combination of building and garden design.

Takasho supports architects, planners and end customers from the very beginning in the development of suitable harmonious overall concepts to the execution of elegant solutions.

The product series

EVER ART WOOD®

Laminated aluminium profiles

EVER ART BOARD®

Laminated aluminium composite panels

EVER BAMB00®

A perfect replica of natural bamboo

TAKE **GAKI**

Traditional craftsmanship & premium quality

Extra-low-voltage lighting system

for garden & exterior

ARTPORT®

Aluminium in wood design for the carport

... offer tailor-made solutions for

- → Facade, ceiling or wall claddings
- → Room solutions for terraces and garden canopies
- → Fences & visual protection
- → Garden & outdoor lighting
- → Gates, entrance areas and enclosures
- → Carports
- → A wide range of accessories

Product specifications



Products with single-sided design



Products with double-sided design



For indoor and outdoor use




For indoor use only


Material labels




Products made from Acrylonitrile styrene acrylate



Styrene acrylonitrile Products made of weather-resistant







Products made from natural materials



Products made from Polypropylene



Products made from polypropylene



ALU Products made from Aluminium



FRP Fibre-reinforced plastic



Products made from ceramic materials



Through the harmonious arrange-



Garden rooms





Fences and visual protection

Terrace roofing


Japanese garden culture

Atmospheric lighting






Garden & Exterior










EVERBAMBOO®


Create an atmosphere where you feel comfortable and want to spend time. Perfectly balanced concepts and elegant solutions for home and garden with the EVER series products.

Emphasis and texture

Transform your garden into an environment with an impressive atmosphere in traditional Japanese style. EVER **BAMB00**® was created for this purpose, following the highest quality standards.




















Public gardens (Commercial)









EVER BAMBOO® combines the benefits of the latest technology and materials with the proven techniques of traditional craftsmanship. This gives the panels made of specially reinforced ASA resin numerous advantages that enable a wide range of applications. At the same time, the atmosphere of natural bamboo is preserved.



The high quality of EVER **BAMB00**° ensures that the finish of the surfaces is not affected by temperature changes, rain and sunlight.



The three-dimensional structure creates subtle shadows and a surface that is close to nature.



The strong material guarantees maximum stability and lasting weather resistance.



The finishing touches are perfected by hand without any compromise on detail.





Takasho's careful attention to detail is thoroughly demonstrated in the shape, form, and colour tones of our bamboo. In particular, the multihued colour tones of the bamboo add a sense of subdued refinement known as "Wabi-Sabi." Takasho is proud of the techniques that we have refined and perfected over many years, culminating in the most realistic bamboo reproductions available on the market.


EVER **BAMBOO**® will never compromise



Distinctive yet delicate young bamboo shoots have been woven together to create beautiful shadows that resonate with depth of colour. From whichever angle you view the panels, the three dimensional

shape of the carefully wickered bamboo emits soft shadows and subtly changing colours, to create a feeling of unique elegance and luxury. Our Ajiro panels are a faithful reproduction of this ornate pattern with all its subtleties.






Kenninji Standard Panels





Kenninji Traditional Panels




Dimensions (mm)











ASA 🛼

26

ASA 🛼 Kenninji Deluxe Panels EV-04 EV-153 EV-154 EV-193 EV-194 Dimensions (mm) Kenninji Panels =Tab Cross bars арргох. 73 - 76




28 | 29

ASA 🛼 Ajiro Panels




Dimensions (mm)






Bamboo Stick Panels




Bamboo Pole Panels













ECO BAMBOO DELUXE











Artisan Yellow

Ivory Exposed

Olive Green

Code: KTR-07

Diameter 22 mm Default length 3660/4000 mm


Deluxe Yellow

Ivory

Code: KTY-07

ECO BAMBOO







Split Bamboo Sticks Yellow Sesame Yellow Light Brown Dark Brown Green Yellow Sesame Yellow Light Brown Dark Brown Green W 25 mm

ASW-40Y	ASW-40N	ASW-401	ASW-4	OS AIA-40B	ASW-25Y	ASW-25N	ASW-25T	ASW-25S	AIA-25B
Yellow	Light Brown	Dark Brown	Black	Sesame Yellow	Yellow	Light Bro	wn Dark E	Brown Ses	same Yellov
•	•	•	•	•					
•	•	•	•	•	•	•	•)	•
•	•	•	•	•	•	•	•)	•
ASH-"Ø"Y	ASH-"Ø"S	ASH-"Ø"T	ASH-"Ø"K	ASH-"Ø"N	ASC-"Ø"Y	ABC-"Øʻ	'S ABC-	"Ø"T A	ASC-"Ø"N



W 40 mm ASW-25T ASW-25S AIA-25B Ø 50 mm Ø 63 mm Ø 80 mm Diameter Ø 25 - 80 mm Default length 3660 mm

SAN ABS

Connecting pieces



Ø 18 mm × L 90 mm

Ø 22 mm × L 100 mm

Ø 26 mm × L 110 mm

ECO BAMBOO Connector

PJ - 22

PJ - 26

PJ - 30




Aluminium pipe for reinforcement

AMP - 20 S	Ø 15 mm × L 3700 mm
AMP-22S	Ø 17,5 mm × L 3700 mm
AMP-26S	Ø 21 mm × L 3700 mm
AMP-30S	Ø 24 mm × L 3700 mm
AMP-38S	Ø 33 mm × L 3700 mm
AMP-50S	Ø 44 mm × L 3700 mm
AMP-63S	Ø 56 mm × L 3700 mm
AMP-80S	Ø 72,5 mm × L 3700 mm

Shuro ropes UV-resistant and weatherproof























for Ø 20 mm

for Ø 22 mm

for Ø 26 mm

for Ø 30 mm

for Ø 38 mm for Ø 50 mm for Ø 63 mm

for Ø 80 mm







Ø 4 mm × 250 m rope



Code	
STF-315	Ø 3 mm × 15 m rope
STF-415	Ø 4 mm × 15 m rope



ABS


Pre-tied Knots

















Size		<u>~</u>
for 2 Sticks of Ø 26 mm		
for Ø 55 mm	_	
for Ø 63 mm	_	




One-Touch Knots

Code	Size
OS - 09	for 2 Sticks of Ø 22 mm
OS - 08	for Ø 50 mm
OS-07	for Ø 55 mm



EVER BAMBOO®

We have carried on the timeless techniques of tradition Kyoto craftsmen to create elegant product solutions that replicate the look of the natural bamboo fences and decorations.



All inclusive assembly kit

All components needed to create a fantastic bamboo fence are processed and packed as a set.

Modular system

Depending on your needs, mounting sets are available for two different module types: The 'base' type, with two posts, is suitable for installation as a free stand-alone fence element, while the 'extension' type is used to expand your fence to the desired length. We offer a choice of single or double panelled versions for the modules. Select the type that best suits your design.

Visible & covered posts


Select from either visible posts or covered posts in accordance with the spatial clarity and continuity of your fence design.

System

Basic module Extension module Visible posts Covered posts


Assembly

BAMB00 Modular units




- Positioning the posts
- The pre-assembled bamboo panels are mounted on the posts

UNI BAMB00




- 1. Positioning the posts
- The horizontal sections build up a frame
- 3. The bamboo panels are mounted to the frame
- 4. Finally, the One-Touch Shuro knots are attached

Default Panels



- 1. Positioning the posts
- 2. The horizontal sections build up a frame
- The panels or sticks are mounted on the frame
- The covers and crossbars are attached
- Finally, the classic knots of Shuro rope are fastened




Tube panels

Kenninji Standard Panels

















covered posts

Kenninji Deluxe Panels




































Kenninji Traditional Panels

























ALU ASA 🔊

Ajiro Panels






















ALU ASA 🔊

Kyo-an Panels

Type 21

Type 23

Yellow

Panels Colours & Designs

Exposed





EVER BAMB00® Set - Type 23 visible posts Basic module: W1920xH1800 mm Extension: W1860xH1800 mm


















Available as single or double-sided

40

Kyo-an Grid Panels













Basic module: W1920xH1800 mm Extension: W1860xH1800 mm

EVER BAMB00® Set - Type 26 covered posts

Basic module: W1800 x H1800 mm Extension: W1800xH1800 mm Bronze colour posts



Panels Colours & Designs
















Misu Panels











EVER BAMB00® Set - Type 3 Basic module: W1920xH1800 mm


EVER BAMB00® Set - Type 4 covered posts

Extension: W1860xH1800 mm

Basic module: W1800xH1800 mm Extension: W1800xH1800 mm Bronze colour posts



Panels Colours & Designs






















Square Square Available as single or Antique Bronze double-sided model.

Misu Standard Sticks







EVER BAMB00® Set - Type 5 visible posts

Basic module: W1920xH1800 mm Extension: W1860xH1800 mm

EVER BAMBOO® Set - Type 6 covered posts Basic module: W1800 x H1800 mm Extension: W1800xH1800 mm

Bronze colour posts



Panels Colours & Designs



Green Antique

















Misu Deluxe Sticks



ALU ASA SAN







covered posts Basic module: W1800xH1800 mm Extension: W1800 x H1800 mm Bronze colour posts

Column choice













Otsu Standard Sticks





EVER BAMBOO® Set - Type 19 Basic module: W1950xH1800 mm

Extension: W1875xH1800 mm



Panels Colours & Designs




Type 19











ALU ASA 🔊

UNI BAMBOO Panels





UNI BAMB00 Set - Type 1 visible posts Basic module: W1920xH1800 mm Extension: W1860xH1800 mm UNI BAMB00 Set - Type 2 covered posts

Basic module: W1800xH1800 mm

Extension: W1800xH1800 mm

Bronze colour posts



Panels Colours & Designs



Renlica that can be installed in one step









Available as single or double-sided

42

Misugaki / Kinkakuji / Ryoanji fences





ECO BAMBOO Misugaki fence, Ivory-Exposed

Basic module: W1940 × H600/900 mm





Misugaki fence, Yellow

Basic module: W1940 × H600/900 mm





e-Kinkakuji fence

Basic module: W 1940 × H 600/900 mm





Kinkakuji fence

Basic module: W1940 × H600/900 mm





Kinkakuji fence, customised design

Kinkakuji fence, Sesame Brown

Basic module: W1940 × H600/900 mm







ECO BAMBOO Deluxe ECO BAMBOO

ECO BAMB00 and ECO BAMB00 Deluxe are true-to-the-original reproductionsof the surface texture and natural qualities of bamboo. At the same time, the materials used are environmentally friendly and long-lasting.





Misugaki fence, Yellow, customised design

ECO BAMBOO Misugaki fence, Light-Brown

Basic module: W 1940 × H 600 / 900 mm





e-Ryoanji fence

Basic module: W 1940 × H 600/900 mm



towards the front of the fence.





Ryoanji fence

Basic module: W1940 × H600/900 mm





Ryoanji fence, customised design

Ryoanji fence, Sesame Brown

Basic module: W1940 × H600/900 mm

Low fence units



EVER Lattice fence

Basic module: W1940 × H600/900 mm









Basic module: W1940 × H600/900 mm



e-Otsu fence















Shimizu fence

Basic module: W1940 × H600/900 mm





Privacy screen units

Further models available on request





GO-22 with natural dark branches Default dimensions:



GO-66 Dark Brown with natural dark branches and roof Default dimensions:

W 600 - 900 x H 1700 mm W 600 - 900 x H 1700 mm



GO-81 Sesame Brown Default dimensions:



GO-12 with bamboo sheathing

Default dimensions: W 600 - 900 x H 1700 mm

TAKE GAKI PRODUCT SERIES



TAKEGAKI

Traditional techniques and craftsmanship create individual products of unique beauty from natural bamboo.



The fusion of carefully selected natural materials and traditional craftsmanship produces products of unique beauty in premium quality.



The noble surface with its special expressiveness is created piece by piece in meticulous manual work by our craftsmen in Japan.



Already single modules are perfectly suitable as accents in the landscape of your garden. All TAKE **GAKI** products can be ordered from just one unit, while configurations according to your wishes are always possible.

Material and colours


















Colour variance and deviations may occur


Cedar wood

Modular system




Modular construction for easy assembly

The panels, which are prefabricated by hand, can be simply attached to the end, connecting or corner posts required in each case



Available in 3 standard heights

With the three available versions in 1200, 1500 and 1800 mm, the fence can be optimally adapted to the



Posts made of natural wood or aluminium

The material should be chosen to complement the atmosphere of the property and the surroundings.

Kenninji Natural Bamboo Panels







Kenninji


Default dimensions: W1800 mm × H1200 - 1800 mm Available as single or double-sided model

The single-sided version is available with or without rear cladding.

















Misu Natural Bamboo Panels





light twigs

Misu Simon Bamboo

Default dimensions: W 1800 mm × H 1200 - 1800 mm

Light twigs

Only available as double-sided



Misu Dark Bamboo

Default dimensions W 1800 mm × H 1200 - 1800 mm

Only available as double-sided

TAKE GAKI PRODUCT SERIES

Roofs, garden gates and doors for fences

Available regular sizes on request



The fence canopy is attached via a connection with an L-shaped angle.



Kenninji-Garden door SNG - 2: W 700 × H 1500 mm



Kuroho-Garden door SNG - 1: W 700 × H 1500 mm

ASA ALU 🌱





Well-balanced combination of modern cylinder locks with a traditional construction

SAN ALU

SAN ALU

Copper post covers

The Antibacterial effect of copper protects the natural wood from rotting.



W 90 × D 90 × H 45 mm



W90×D90×H300mm



Funagata-Gates W 1515 × H 2603 mm

KYH - 05, Natural material: HNM - 02, with aluminium posts: approx. W 1550 × H 2610 mm

Dimensions may vary slightly

Torii-Gates TRM-01,

with aluminium frame: $W920 \times H2342 \, mm$

TRM - 02, with aluminium frame: W 920 × H 2370 mm



HGM - 03, double-winged: W2130 × D700 × H2600 mm



HGM-05, single-winged: W1750 × D700 × H2600 mm



HGM-01, without wings:



HGM-01N, Gate frame: W1370 × D700 × H2600 mm W1370 × D700 × H2600 mm




Available in three designs: without wings, single-winged and double-winged Alternatively, Fuga gates are also available in our UV-resistant and weatherproof EVER BAMBOO® material.

Privacy screen units

Available sizes on request




Natural & Aluminium Hybrid Fence Fence modules for space division



TAKE GAKI PRODUCT SERIES


Natural Koetsuji fence





Natural Kuzuryu fence





Natural Kuzuryu-fence


Default dimensions: W1800 - 3000 × H800 - 1300 mm Exact dimensions and individual sizes available on request.

Kuzuryu-fence (parent and child type) with embedding

Default dimensions: W 1800 - 3000 × H 600 - 1000 mm Exact dimensions and individual sizes available on request.

Bamboo & Wood Garden Doors





Bamboo branch garden doors

Default dimensions: W 600 - 750 × H 1050 mm Exact dimensions and individual sizes available on request.




CDA - N09T

Bamboo and wood garden doors

Default dimensions: W 600 - 750 × H 900 - 1300 mm Exact dimensions and individual sizes available on request.

Low garden fences











Natural Kinkakuji fence


Default dimensions: W1800 × H600/900 mm



Natural Ryoanji fence

Default dimensions: W1800 × H600/900 mm








Natural Yotsume fence

Default dimensions: W1800 × H600/900 mm

Room dividers





Default dimensions: W1200 × H1200 × D200 mm Individual dimensions available on request.





WUT - 29

ECO BAMBOO room divider

Default dimensions: W900 × H1500 × D300 mm Individual dimensions available on request.



Room dividers made of black bamboo create a noble atmosphere and are also very suitable for decorating the room.

Black natural bamboo room divider Default dimensions: W900 × H1500 × D300 mm

Individual dimensions available on request.





aluminium with natural durability and gives a natural impression.



Room divider made of natural bamboo twigs with aluminium frame

Default dimensions: W 900 × H 1200 × D 250 mm Individual dimensions available on request.

50

SUKIYA MON PRODUCT SERIES



SUKIYAMON

Majestic beauty created by the finest materials and craftsmanship



Refined with copper or coloured steel sheet. Brick tops provide an elegant look



Materials of the highest quality and the design with invisible fittings give the gates their authentic



The fine latticework in particular reflects the sophisticated technique and beauty of traditional Japanese architecture.



Polished natural granite convey a feeling of high value and give the door a prestigious impression.



Foundation / Plinth

The height adjustment facility integrated into the foundation ensures easy installation and alignment of the base.



Sukiya Gate Type 1 Basic Version



To this day, the sukiya-zukuri are made from carefully selected natural wood using traditional techniques. With balanced shapes and proven methods, impressive structures are created by master craftsmen in the style of classical Japanese architecture.

The front is made in a special way so that large bolts and connecting fittings are not visible. This elaborate construction makes each gate a gem of form, function and durability.

Only red cedar wood of exquisite quality without knotholes is used for the construction of the pillars, gate wings and frames, which ensures that the material will not crack or twist. This provides each gate with a structure that is resistant to the influences of the

Customised manufacturing based on your wishes





Each Sukiya gate is unique in its own way and is crafted with care and skill by the hands of a master craftsman. In the process the conditions of the location and individual wishes are taken into account. So you can choose the size, the design of the roof, the type of gate wings as well as the colour of the wood for your specimen, according to your imagination.




Sukiya Gate Type 2


Sukiya Gate Type 2


Roof & ridge: coloured copper plate Gate door wings: Senbon lattice with ribbon

Dimensions and styles

Door wing options










Door leaf made from

Boards with bars

Options for roofs








Copper plates

with tile roof ridge



Coloured copper plates, roof ridge clad with coloured copper

Copper plates and tiles

Colours

There is a choice of two colour tones for the material.

As a standard colour, red cedar brings out the original character of the wood best.

The traditional Mingei colour has a dark wood tone with a calm aura.








EVER BAMBOO® DECORATION







Kakehi


54

Just like all EVER BAMB00® products, our Kakehi made of SAN resin are particularly durable and resistant to weathering or discolouration.






Shishiodoshi



Code	Size in mm	Code	Size in mm	
3S - 1	W300 × H630	ES - 11	W 270 × H 600	
Material: Bamboo.	Hinoki (Japanese cypress)	Material: SAN		

W 200 × H 475 Material: SAN, wood

Hisyaku



Benches



Code	Size in mm	Code	Size in mm	Code
HE-02	W1500 × H430 × D440	YE - 150	W1470 × H400 × D450	FB-4
Material: al	uminium	Material: al	uminium	FB-5

Code	Size in mi	m	Code
FB-4	W 1200 × I	H 450 × D 350	B-9
FB-5	W 1500 × H	H 450 × D 400	Material: nat
M + . I CAN			

W1200 × H350 × D400

EVER BAMBOO® DECORATION

FRP Stones & Rocks (replicas made of fibre-reinforced plastic)













The FRP stones are particularly well suited for interiors or for green roofs, where low weight is important. Of course, they are also particularly resistant to weathering.

OZA-K1B approx. W350×D300×H200 2,5 OZA-K3B approx. W380 × D320 × H150 1,5 OZA-K4B approx. W 600 × D 400 × H 430 4,2 Further shapes and sizes on request



Stepping stones



OZA-B3R



Code	Size (mm)	Weight (kg)
OZA-B1R	approx. Ø 350 × H 100	1,4
OZA-B3R	approx. Ø 550 × H 150	4,0
OZA-B4B	approx. W $450 \times D400 \times H100$	2,5

UZA-B4B approx. W 45U × D 4UU × H 1UU 2,5				2,5
	OZA-B4B approx. W 450 × D 400 × H 100 2,5	Further sha	pes and sizes on request	

Code	Size (mm)	Weight (kg)
OZA-T1B	approx. W 500 × D 280 × H 500	3,0
OZA-T3B	approx. W 650 \times D 600 \times H 700	6,5
Further sha	pes and sizes on request	

	Weight (kg)	Code
500 × D 280 × H 500	3,0	OZA-
650 × D 600 × H 700	6,5	OZA-
s on request		Furthe

Code	Size (mm)	Weight (kg)
OZA-T4B	approx. W 600 × D 370 × H 820	8,4
OZA-T7R	approx. W 900 × D 450 × H 900	12,0

Shigeraki pots with lighting



The combination of light and softly rippling water supports a pleasant and friendly environment.



Code	Size (mm)	Weight (kg)
TEH-40	Ø 370 × H 175	6,0
TEH-50	Ø 475 × H 215	10,0
A i -	c. lomp (10W)	, ,

1 submersible pump, number of required sockets: 1











Code	Size (mm)	Weight (kg)
SK-13	Ø 285 × H 385	6,0
SK-15	Ø 390 × H 510	12,0
SK-20	Ø 470 × H 620	22,0
	1014() 1 :11	1 (: 1 1 1 1

Shigeraki water bowls



31

18



Ø410×H160

Material: Shigeraki ceramic







Shigeraki Tsukubai sets (Kakehi/Hisyaku/Tsukubai)

WK-19S



WK-MB90 Ø900×H165

WK-MB70 Ø700×H170

WK-MB60 Ø600×H140 Material: Shigeraki ceramic



TSU - 10







Ø 400 × H 130 (Dimension of the ceramic bowl) Ø 310 × H 130 (Dimension of the ceramic bowl) Ø 250 × H 120 (Dimension of the ceramic bowl)

Material: Kakehi - SAN / Hisyaku - SAN / Tsukubai - Shigeraki ceramics

The gentle lapping of the water supports a pleasant, relaxed atmosphere.

Stone **Tsukubai** 🗹 🖭 🛃 Japanese garden lanterns











OZA - C2



OZA - R4







Code	Size (mm)	Weight (kg)
DZA - C1	approx. W300 × D 270 × H 150	1,4 / 0,4
OZA - C2	approx. W 450 × D 350 × H 330	3,5


Material: Hisyaku - Natural Bamboo / Tsukubai - FRP

OZA-C1

Code	Size (mm)	Weight (kg)
OZA - R4	approx. W 500 × D 500 × H 430	4,8
OZA - R2	approx. W 600 × D 600 × H 600	7,4
OZA - R3	approx. W $450 \times D450 \times H700$	4,8
OZA-R1	approx. W 460 × D 460 × H 1250	9,0
M EDD		

Material: FRF







Default length for W40×H40 mm, W60×H60 mm:

Connecting pieces







*** with guide rails
*** three-chamber reinforcement



Round column connector Column \emptyset 60 mm \rightarrow Brace \emptyset 40/60 mm



Square column connector Square column \rightarrow Brace 20 \times 40 mm Square column \rightarrow Brace 30 \times 60 mm

Square column \rightarrow Brace 60 × 60 mm



Connector ECO BAMBOO Column \emptyset 60 mm \rightarrow Brace \emptyset 22 - 50 mm

End cap



ABS Bamboo leaves



Matching end caps are available for all profile sizes, décors and colours.









True to original, material: ABS



GN-14G L800

GN-08G L1200 GN 11 L 400

*For indoor use only

Diameter Ø 22 - 30 mm

Diameter Ø 40 mm

Diameter Ø 60 - 90 mm


EVER ART **BOARD**® MATERIAL
























Our EVER ART BOARD® is made with a high quality laminate that ensures high weather resistance to rain and sun, preventing corrosion or fading of colours. The easy handling during processing and assembly make the aluminium composite panels the ideal material for flexible and individual projects indoors and outdoors.

Natural touch surface (embossing texture)











Default Dimensions



End cover strip 22×15×3650 mm



Centre cover strip $22 \times 15 \times 3650 \, \text{mm}$



Available profile types






Nature-like décors replicate wood surfaces true to the original and offer numerous design options for elegant projects in and around the building.

EVER ART WOOD®






JAPANESE LIGHTING

Materials and designs that harmonize with nature and soft light create a

comfortable rhythm in the darkness, by creating a taste of the oriental garden.

LEDIUS EXTRA-LOW VOLTAGE LIGHTING







NATURAL CANDLELIGHT

• 12 V • 24 V



Colour temperature:

3200 K

*Further models in the **LEDIUS** catalogue or

 ϵ_2



Takasho Co.,Ltd.

20-1, Minami-akasaka, Kainan, Wakayama, 642-0017, Japan

phone: +81-(0)73-486-2533 fax: +81-(0)73-486-2563

e-mail: takasho-global@takasho.co.jp web: https://takasho.co.jp



Takasho Co., Ltd. Zweigniederlassung EU

Sulzbacher Str. 199, 71522 Backnang, Germany

Tel: +49 (0)7191-96933-0 Fax: +49 (0)7191-96933-20 E-Mail: contact@takasho.eu Web: https://takasho.eu https://alu-artport.de



Takasho Garden Living India Pte. Ltd.

E-17, Siddhi Vinayak Towers, Behind DCP Office, Off. S. G. Highway, Makarba, Ahmedabad 380 051Gujarat, India phone: +91-79-4898-251

e-mail: customerservice@takasho.in web: https://takasho.in



Takasho Vietnam Office

The 4C floor of 86 Xuan Thuy St. Thao Dien Ward,
District 2, HCMC, Vietnam
phone: +84-[0]8-6656-1648
fax: +84-[0]8-6656-1648



Takasho Shanghai Office

Flat 25G, No379, Pudong(S) Rd., Shanghai China, 200120 phone: +86-21-3383-1280

fax: +86-21-3383-1279



VegTrug Limited

2B Wyncolls Road Colchester Business Park Colchester, Essex, CO4 9HU, United Kindom

phone: +44-1206-230025 web: https://www.vegtrug.com

₩

Takasho Australasia Pty. Ltd.

32, Mickle Street Dandenong South Victoria 3175, Australia phone: +61-3-9706-4438 fax: +61-3-9706-4439

e-mail: ahogg@takasho.com.au web: https://takasho.com.au



Takasho Korea Branch Office

19-66 Kyodonggil, Yangseung-myeon Anseong-si, Gyeonggi-do, Korea

phone: +82-31-674-6150 fax: +82-31-674-6152

e-mail: takasho-global@takasho.co.jp web: http://takasho.co.kr



Hongkong Takasho Holdings Co., Ltd.

8/F., Richmond Comm. Bldg.109 Argyle St., Mong Kok, Kowloon, Hong Kong phone: +86 792-481-5673



Jiangxi Takasho Import-Export Trade Co.,Ltd. Jiujiang Takasho Gardening Product Co.,Ltd.

South Garden, Gold Industry Garden, Ruichang City, Jiangxi Province, China, 332200 phone: +86-[0]792-4815788 fax: +86-[0]792-4815675



VegTrug USA Inc.

208 Progress Drive Montgomeryville PA 18936 United States of America phone: +1-(888)-908-2008