



Mokan Labs, LLC
14215 Metcalf Avenue, Overland Park, KS 66223
Phone: (913) 624-9005
Fax: (913) 261-9117
Laboratory Director: Ning Liu, PhD
CLIA#: 17D2273601
www.MokanLabs.com

Sexually Transmitted Infection (STI) Panel

Patient Information

Name: John Doe
DOB: 05.14.1985
Gender: M

Specimen Information

Accession Number: 001384
Date Collected: 10.24.2023
Date Received: 10.25.2023
Report Date: 10.25.2023
Sample Type: Urine

Facility Information

Facility Name: House Account
Provider Name: Test Provider
Address:

Panel: Sexually Transmitted Infection (STI) Panel

Organism(s) Detected

Mycoplasma hominis
Neisseria gonorrhoeae

Results

Detected
Detected

Tested Organisms and Results

Panel: Sexually Transmitted Infection (STI) Panel

Organism	Results
Chlamydia trachomatis	Not Detected
Gardnerella vaginalis	Not Detected
Mycoplasma genitalium	Not Detected
Mycoplasma hominis	Detected
Neisseria gonorrhoeae	Detected
Trichomonas vaginalis	Not Detected
Ureaplasma urealyticum	Not Detected

Processing and Detection Methodology:

Microbes are detected through multiplex PCR. Pathogens are reported as detected or not detected.

Disclaimer: This test was developed and its performance characteristics determined by Mokan Labs, LLC. It has not been cleared or approved by the US Food and Drug Administration (FDA). The FDA has determined that such clearance or approval is not necessary. This test is used for clinical purposes. It should not be regarded as investigational or for research. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA 88) as qualified to perform high complexity clinical testing. Urine or swab specimens received and/or processed greater than 5 days post-collection may give unreliable results due to overgrowth of microorganism(s). A negative report does not rule out the presence of pathogens below the level of detection of this assay or in the presence of inhibitors.