

## Eco-Duo Coupling Reducer

Coupling Reducer 22mm x 15mm (10 Pack)  
 Coupling Reducer 28mm x 22mm (10 Pack)  
 Coupling Reducer 28mm x 15mm (10 Pack)  
 Coupling Reducer 35mm x 28mm (10 Pack)  
 Coupling Reducer 42mm x 35mm (10 Pack)  
 Coupling Reducer 54mm x 42mm (Single)

## SKU

**W8350 CP**

## RRP EX VAT

**| £228.60**
**W8351 CP**
**| £531.00**
**W8352 CP**
**| £430.90**
**W8353 CP**
**| £706.70**
**W8354 CP**
**| £1426.80**
**W1652 CP**
**| £47.21**


## Weight KG / Fitting - Single

Coupling Reducer 22mm x 15mm - **0.05 KG**  
 Coupling Reducer 28mm x 22mm - **0.07 KG**  
 Coupling Reducer 28mm x 15mm - **0.07 KG**  
 Coupling Reducer 35mm x 28mm - **0.09 KG**  
 Coupling Reducer 42mm x 35mm - **0.14 KG**  
 Coupling Reducer 54mm x 42mm - **0.21 KG**

## Details

### Finishing Options:

Copper CP

### Max Pressure:

16 Bar

### Designer:

Maxwell Bridges

### Material Type:

Main Body: Copper

Separators: 316 Stainless Steel

## Features and Benefits


- Patented Pipe-in-a-pipe technology
- Saves 50% energy costs (tested by BRE)
- Maintains temperatures across the whole building.
- Halves installation time and costs
- 50% reduction in pipe fixings and insulation
- No special installation require
- Pipework can be cut as normal
- Helps to reduce the risk of Legionella and other water borne pathogens
- Can be used on hot and cold potable water systems

## Notes:

- Only for use with potable water (not closed heating systems)
- Only for use with pumped recirculated water

SKU	Description	l1	d1	D1	es1	z1	l2	d2	D2	es2	z2	DN1	DN2
W1549 CP	22 x 15mm	28	22	31	21	7	25	15	23	20	5	DN20	DN12
W1649 CP	28 x 15mm	35	28	37	23	12	23	15	23	20	3	DN25	DN12
W1550 CP	28 x 22mm	29	28	37	23	6	26	22	31	21	5	DN25	DN20
W1650 CP	35 x 28mm	33	35	44	26	7	28	28	37	23	5	DN32	DN25
W1651 CP	42 x 35mm	37	42	53	30	7	31	35	44	26	5	DN40	DN32
W1652 CP	54 x 42mm	46	54	65	35	11	34	42	53	30	4	DN50	DN40

SKU'S shown above pertain to the respective fittings single units SKU



## Water Kinetics Eco-Duo Guarantee - Terms and Conditions

Products are subject to a guarantee that is between Water Kinetics, registered at Lomond House 7 Greenbank Road, Darvel, East Ayrshire, United Kingdom, KA17 0NN, Company No: SC632550, VAT: GB 350 116 837, and the final purchaser of the product.

When correctly assembled with the stated tubes and pipe the length of guarantee is as follows:

### **25 Years**

The Eco-Duo Copper and Stainless ranges are guaranteed for a period of 25 years commencing on the date of purchase when installed in conjunction with Eco-Duo fittings and components.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the purchaser may have in law.

The guarantee covers manufacturing or material defects when installed in accordance with our instructions on specified tube materials and applications and does not cover instances of normal wear and tear).

This product range has been designed for the use of domestic and commercial applications and therefore the guarantee is subject to the product being properly selected for their intended service conditions.

The guarantee is not applicable where the product is fitted contrary to the conditions contained within the fitting instructions.

Provided Eco-Duo is installed correctly and receives adequate preventative maintenance it should give years of trouble-free service.

Abusive behaviour, and accidental damage to the product are not covered by this guarantee.

The extent of any liability from this guarantee is limited to the cost of the replacement of the defective item and not to installation or consequential damages.

## **Eco-Duo is a trademark of Water Kinetics Ltd**

Water Kinetics Ltd makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.

