

Eco-Duo Tap Connector 1/2 BSP Female - 15mm	<u>SKU</u>	<u>RRP EX VAT</u>
Tap Connector 1/2" BSP Female 70mm tail (Single)	W1597 BL	£10.73
Tap Connector 1/2" BSP Female 90mm tail (Single)	W1598 BL	£11.08
Tap Connector 1/2" BSP Female 100mm tail (Single)	W1617 BL	£12.10
Tap Connector 1/2" BSP Female 130mm tail (Single)	W1618 BL	£12.73
Tap Connector 1/2" BSP Female 150mm tail (Single)	W1619 BL	£13.10

# Weight KG / Fittings

Continuous Isolation Valve for 70mm	- 0.10KG
Continuous Isolation Valve for 90mm	- 0.10KG
Continuous Isolation Valve for 100mm	- 0.10KG
Continuous Isolation Valve for 130mm	- 0.10KG
Continuous Isolation Valve for 150mm	- 0 10KG



# **Details**

# **Finishing Options:**

Copper CP

### **Max Pressure**

16 Bar up to 30°C

# **Designer:**

Maxwell Bridges

## **Material Type:**

Main Body: BRASS Pipes: COPPER

Separators: 316 STAINLESS STEEL

## **Features and Benefits**

- Continues to Circulate water even when Valve is closed
- · Patented Pipe-in-a-pipe technology
- Saves 50% energy costs (tested by BRE)
- Maintains temperatures across the whole building.
- · Halves installation time and costs
- 50% reduction in pipe fixings and insulation
- · No special installation required
- · Pipework can be cut as normal
- Helps to reduce the risk of Legionella and other water borne pathogens
- Can be used on hot and cold potable water systems


### **Notes:**

- Only for use with potable water (not closed heating systems)
- Only for use with pumped recirculated water





Description	Α	В	С	D
15mm	25	50	15	70
15mm	25	50	15	90
15mm	25	50	15	100
15mm	25	50	15	130
15mm	25	50	15	150
	15mm 15mm 15mm 15mm	15mm 25 15mm 25 15mm 25 15mm 25	15mm 25 50   15mm 25 50   15mm 25 50   15mm 25 50	15mm 25 50 15   15mm 25 50 15   15mm 25 50 15   15mm 25 50 15   15mm 25 50 15





#### Water Kinetics Eco-Duo Guarantee - Terms and Conditions

Products are subject to a guarantee that is between Water Kinetics, registered at Lomond House 7 Greenbank Road, Darvel, East Ayrshire, United Kingdom, KA17 0NN, Company No: SC632550, VAT: GB 350 116 837, and the final purchaser of the product.

When correctly assembled with the stated tubes and pipe the length of guarantee is as follows:

### 25 Years

The Eco-Duo Copper and Stainless ranges are guaranteed for a period of 25 years commencing on the date of purchase when installed in conjunction with Eco-Duo fittings and components.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the purchaser may have in law.

The guarantee covers manufacturing or material defects when installed in accordance with our instructions on specified tube materials and applications and does not cover instances of normal wear and tear).

This product range has been designed for the use of domestic and commercial applications and therefore the guarantee is subject to the product being properly selected for their intended service conditions.

The guarantee is not applicable where the product is fitted contrary to the conditions contained within the fitting instructions.

Provided Eco-Duo is installed correctly and receives adequate preventative maintenance it should give years of trouble—free service.

Abusive behaviour, and accidental damage to the product are not covered by this quarantee.

The extent of any liability from this guarantee is limited to the cost of the replacement of the defective item and not to installation or consequential damages.

#### Eco-Duo is a trademark of Water Kinetics Ltd

Water Kinetics Ltd makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.

\* All Weights are accurate to +/- 0.01KG