

## Eco-Duo - Commissioning Fitting

### Commissioning Fitting

Eco-Duo Commissioning Fitting 22mm	W1605 BR
Eco-Duo Commissioning Fitting 28mm	W1606 BR
Eco-Duo Commissioning Fitting 35mm	W1607 BR
Eco-Duo Commissioning Fitting 42mm	W1608 BR



### Finishing Options:

Brass BR

### Material Type

Main Body : BRASS  
Pipes: COPPER  
Separators: 316 STAINLESS STEEL

### Weight

Eco-Duo Commissioning Fitting 22mm - 0.45KG  
Eco-Duo Commissioning Fitting 28mm - 0.69KG  
Eco-Duo Commissioning Fitting 35mm - 0.89KG  
Eco-Duo Commissioning Fitting 42mm - 1.62KG

### Max Pressure Details

16 Bar

Designer : Maxwell Bridges


### Features and Benefits

- Patented Pipe-in-a-pipe technology
- Saves 50% energy costs (tested by BRE)
- Maintains temperatures across the whole building.
- Halves installation time and costs
- 50% reduction in pipe fixings and insulation
- No special installation required
- Pipework can be cut as normal
- Helps to reduce the risk of Legionella and other water borne pathogens
- Can be used on hot and cold potable water systems

### Notes:

- Only for use with potable water (not closed heating systems)
- Only for use with pumped recirculated water

SKU	Description	A	B
W1605BR	22mm	85	54
W1606BR	28mm	100	57
W1607BR	35mm	120	62
W1608BR	42mm	135	77



### **Water Kinetics Eco-Duo Guarantee - Terms and Conditions**

Products are subject to a guarantee that is between Water Kinetics and the final purchaser of the product. When correctly assembled with the stated tubes and pipe the length of guarantee is as follows:

#### **5 Years**

The Eco-Duo Copper and Stainless ranges are guaranteed for 25 years when installed along with Eco-Duo fittings and components.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the consumer may have in law.

The guarantee covers manufacturing or material defects when installed in accordance with our instructions on specified tube materials and applications, and does not cover parts subject to normal wear and tear.

This product range has been designed for the use of domestic and commercial applications and therefore the Guarantee is subject to the product being properly selected for their intended service conditions.

The guarantee is not applicable where the product is fitted contrary to the conditions in the fitting instructions.

Provided Eco-Duo is installed correctly and receives adequate preventative maintenance it should give years of trouble-free service.

Abusive behaviour and accidental damage to the product are not covered by this guarantee. The extent of this liability is limited to the cost of the replacement of the defective item and not to installation or consequential damages.

#### **Eco-Duo is a trademark of Water Kinetics Ltd**

Water Kinetics Ltd makes every effort to ensure that the information provided on its website is accurate. However we cannot guarantee this, and accept no liability for any information or advice given via its website.

