

Eco-Duo - Coupler Street Reducer Data Sheet 3

Coupler Street Reducer

Eco-Duo Coupler Street Reducer 108mm x 42mm	W8386 CP
Eco-Duo Coupler Street Reducer 108mm x 54mm	W8387 CP
Eco-Duo Coupler Street Reducer 108mm x 66.7mm	W8389 CP
Eco-Duo Coupler Street Reducer 108mm x 76.1mm	W8390 CP

(See Data Sheet 1 and 2 for smaller sizes)



Finishing Options:

Copper CP

Material Type

Main Body : COPPER
Separators: 316 STAINLESS STEEL

Weight

Eco-Duo Coupler Street Reducer 108mm x 42mm	0.93 KG
Eco-Duo Coupler Street Reducer 108mm x 54mm	0.94 KG
Eco-Duo Coupler Street Reducer 108mm x 66.7mm	1.05 KG
Eco-Duo Coupler Street Reducer 108mm x 76.1mm	1.10 KG

Max Pressure Details

16 Bar

Designer : Maxwell Bridges

Features and Benefits

- Patented Pipe-in-a-pipe technology
- Saves 50% energy costs (tested by BRE)
- Maintains temperatures across the whole building.
- Halves installation time and costs
- 50% reduction in pipe fixings and insulation
- No special installation required
- Pipework can be cut as normal
- Helps to reduce the risk of Legionella and other water borne pathogens
- Can be used on hot and cold potable water systems


Notes:

- Only for use with potable water (not closed heating systems)
- Only for use with pumped recirculated water



Dimensions

SKU	Description	l1	d1	D1	es1	z1	l2	d2	D2	es2	z2	DN1	DN2
W8386 CP	108mm x 42mm	47	42	53	30	17	106	108	-	67	39	DN40	DN100
W8387 CP	108mm x 54mm	54	54	65	34	20	102	108	-	67	29	DN50	DN100
W8389 CP	108mm x 66.7mm	70	67	83	50	20	96	108	-	67	25	DN65	DN100
W8390 CP	108mm x 76.1 mm	70	76	94	50	20	92	108	-	67	25	DN65	DN100



Water Kinetics Eco-Duo Guarantee - Terms and Conditions

Products are subject to a guarantee that is between Water Kinetics and the final purchaser of the product. When correctly assembled with the stated tubes and pipe the length of guarantee is as follows:

25 Years

The Eco-Duo Copper and Stainless ranges are guaranteed for 25 years when installed along with Eco-Duo fittings and components.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the consumer may have in law.

The guarantee covers manufacturing or material defects when installed in accordance with our instructions on specified tube materials and applications, and does not cover parts subject to normal wear and tear.

This product range has been designed for the use of domestic and commercial applications and therefore the Guarantee is subject to the product being properly selected for their intended service conditions.

The guarantee is not applicable where the product is fitted contrary to the conditions in the fitting instructions.

Provided Eco-Duo is installed correctly and receives adequate preventative maintenance it should give years of trouble-free service.

Abusive behaviour and accidental damage to the product are not covered by this guarantee. The extent of this liability is limited to the cost of the replacement of the defective item and not to installation or consequential damages.

Eco-Duo is a trademark of Water Kinetics Ltd

Water Kinetics Ltd makes every effort to ensure that the information provided on its website is accurate. However we cannot guarantee this, and accept no liability for any information or advice given via its website.

* All Weights are accurate to +/- 0.01KG

