

Eco-Duo - Tee Reduced Branch 2

Tee Reduced Branch

Eco-Duo Tee Reduced Branch 108x108x54mm	W1594 CP
Eco-Duo Tee Reduced Branch 108x108x66.7mm	W1595 CP
Eco-Duo Tee Reduced Branch 108x108x76.1mm	W1596 CP

(See Data Sheet 1 for smaller sizes)

Finishing Options:

Copper CP

Material Type

Main Body: COPPER
 Separators: 316 STAINLESS STEEL

Weight

Eco-Duo Tee Reduced Branch 108x108x54mm - 3.05 KG
 Eco-Duo Tee Reduced Branch 108x108x66.7mm - 3.23 KG
 Eco-Duo Tee Reduced Branch 108x108x76.1mm - 3.23KG

Max Pressure Details

16 Bar

Designer : Maxwell Bridges



Features and Benefits

- Patented Pipe-in-a-pipe technology
- Saves 50% energy costs (tested by BRE)
- Maintains temperatures across the whole building.
- Halves installation time and costs
- 50% reduction in pipe fixings and insulation
- No special installation required
- Pipework can be cut as normal
- Helps to reduce the risk of Legionella and other water borne pathogens
- Can be used on hot and cold potable water systems


Notes:

- Only for use with potable water (not closed heating systems)
- Only for use with pumped recirculated water



Dimensions

SKU	Description	I1	d1	D1	es1	z1	I2	d2	D2	es2	z2	I3	I4	d3	D3	es3	z3	DN1	DN2	DN3
W1594 CP	108 X 108 X 54mm	109	108	133	67	125	125	54	65	34	91	109	114	108	133	67	125	-	-	-
W1595 CP	108 x 108 x 66.7mm	117	108	133	67	46	141	67	83	50	96	117	122	108	133	67	50	-	-	-
W1596 CP	108 x 108 x 76.1mm	120	108	133	67	52	139	76	94	50	52	120	125	108	133	67	53	-	-	-



Water Kinetics Eco-Duo Guarantee - Terms and Conditions

Products are subject to a guarantee that is between Water Kinetics and the final purchaser of the product. When correctly assembled with the stated tubes and pipe the length of guarantee is as follows:

25 Years

The Eco-Duo Copper and Stainless ranges are guaranteed for 25 years when installed along with Eco-Duo fittings and components.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the consumer may have in law.

The guarantee covers manufacturing or material defects when installed in accordance with our instructions on specified tube materials and applications, and does not cover parts subject to normal wear and tear.

This product range has been designed for the use of domestic and commercial applications and therefore the Guarantee is subject to the product being properly selected for their intended service conditions.

The guarantee is not applicable where the product is fitted contrary to the conditions in the fitting instructions.

Provided Eco-Duo is installed correctly and receives adequate preventative maintenance it should give years of trouble-free service.

Abusive behaviour and accidental damage to the product are not covered by this guarantee. The extent of this liability is limited to the cost of the replacement of the defective item and not to installation or consequential damages.

Eco-Duo is a trademark of Water Kinetics Ltd

Water Kinetics Ltd makes every effort to ensure that the information provided on its website is accurate. However we cannot guarantee this, and accept no liability for any information or advice given via its website.

* All Weights are accurate to +/- 0.01KG

