Asphalt Opportunities - November 20, 2026

For Planholder information, visit: https://gacontractorsupportiveservices.com/planholders

Proposal	County	Line	Item	Qty	Unit	Work Description
B1CBA2602662-0	Sumter	120	402-3102	94	TN	RECYCLED ASPH CONC 9.5 MM SUPERPAVE, TYPE II, BLEND 1, INCL BITUM MATL & H I
B1CBA2602662-0	Sumter	125	402-3121	167	TN	RECYCLED ASPH CONC 25 MM SUPERPAVE, GP 1 OR 2, INCL BITUM MATL & H LIME
B1CBA2602662-0	Sumter	130	402-3190	148	TN	RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2,INCL BITUM MATL & H LIME
B1CBA2602662-0	Sumter	135	413-0750	142	GL	TACK COAT
B1CBA2602665-0	Chatham	90	402-3190	559	TN	RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2,INCL BITUM MATL & H LIME
B1CBA2602665-0	Chatham	95	413-0750	136	GL	TACK COAT
B1CBA2602667-0	Troup	20	402-3113	3515	TN	RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL BITUM MATL & H LIME
B1CBA2602667-0	Troup	25	413-0750	109	GL	TACK COAT
B1CBA2602669-0	Crisp, Dooly	20	407-0020	56793	LF	ASPHALT-RUBBER JOINT AND CRACK SEAL, TP S
B1CBA2602669-0	Crisp, Dooly	25	423-1000	66867	SY	SURFACING FOR SHOULDER TREATMENT, INCL BITUM AND/OR CEMENTITIOUS
B1CBA2602670-0	Twiggs	20	402-3130	24551	TN	RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 2 ONLY, INCL BITUM MATL & H LIME
B1CBA2602670-0	Twiggs	25	407-0020	321508	LF	ASPHALT-RUBBER JOINT AND CRACK SEAL, TP S
B1CBA2602670-0	Twiggs	30	413-0750	20831	GL	TACK COAT
B1CBA2602670-0	Twiggs	40	432-5010	297587	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B1CBA2602672-0	Coffee	25	402-1802	100	TN	RECYCLED ASPH CONC PATCHING, INCL BITUM MATL & H LIME
B1CBA2602672-0	Coffee	30	402-1812	7444	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B1CBA2602672-0	Coffee	35	402-3130	25504	TN	RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 2 ONLY, INCL BITUM MATL & H LIME
B1CBA2602672-0	Coffee	40	413-0750	40588	GL	TACK COAT
B1CBA2602672-0	Coffee	45	432-5010	39961	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B1CBA2602676-0	Dougherty, Lee	20	402-1802	500	TN	RECYCLED ASPH CONC PATCHING, INCL BITUM MATL & H LIME
B1CBA2602676-0	Dougherty, Lee	25	402-1812	2676	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B1CBA2602676-0	Dougherty, Lee	30	402-3130	25984	TN	RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 2 ONLY, INCL BITUM MATL & H LIME
B1CBA2602676-0	Dougherty, Lee	35	413-0750	28858	GL	TACK COAT
B1CBA2602676-0	Dougherty, Lee	40	432-5010	192027	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B1CBA2602677-0	Pickens	5	402-1812	4245	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B1CBA2602677-0	Pickens	10	424-5107	107855	SY	SINGLE SURFACE TRTMT, STN SIZE 7 , GP 2 ONLY
B1CBA2602677-0	Pickens	15	413-0750	7990	GL	TACK COAT
B1CBA2602677-0	Pickens	20	415-5000	5495	TN	ASPHALTIC CONCRETE OPEN GRADED CRACK RELIEF INTERLAYER, GP 2 ONLY, INCL BIT
B1CBA2602677-0	Pickens	25	402-1812	4245	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B1CBA2602677-0	Pickens	30	420-0030	107855	SY	BITUMINOUS SCRUB SEAL TYPE C
B1CBA2602677-0	Pickens	55	402-1802	1050	TN	RECYCLED ASPH CONC PATCHING, INCL BITUM MATL & H LIME
B1CBA2602677-0	Pickens	60	402-3103	7281	TN	RECYCLED ASPH CONC 9.5 MM SUPERPAVE, TYPE II, GP 2 ONLY, INCL BITUM MATL & I

Proposal	County	Line	Item	Qty	Unit	Work Description
B1CBA2602677-0	Pickens	65	402-3190	461	TN	RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2,INCL BITUM MATL & H LIME
B1CBA2602677-0	Pickens	70	413-0750	7260	GL	TACK COAT
B1CBA2602677-0	Pickens	75	432-5010	14078	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B1CBA2602681-0	White	25	402-1802	3000	TN	RECYCLED ASPH CONC PATCHING, INCL BITUM MATL & H LIME
B1CBA2602681-0	White	30	402-1812	4016	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B1CBA2602681-0	White	35	402-3130	13930	TN	RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 2 ONLY, INCL BITUM MATL & H LIME
B1CBA2602681-0	White	40	413-0750	16505	GL	TACK COAT
B1CBA2602681-0	White	45	420-0030	120181	SY	BITUMINOUS SCRUB SEAL TYPE C
B1CBA2602681-0	White	50	432-5010	23886	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B1CBA2602683-0	Floyd	5	402-1812	5986	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B1CBA2602683-0	Floyd	10	424-5107	127978	SY	SINGLE SURFACE TRTMT, STN SIZE 7 , GP 2 ONLY
B1CBA2602683-0	Floyd	15	402-1812	5986	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B1CBA2602683-0	Floyd	20	420-0030	127978	SY	BITUMINOUS SCRUB SEAL TYPE C
B1CBA2602683-0	Floyd	35	402-1802	566	TN	RECYCLED ASPH CONC PATCHING, INCL BITUM MATL & H LIME
B1CBA2602683-0	Floyd	40	402-3130	10559	TN	RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 2 ONLY, INCL BITUM MATL & H LIME
B1CBA2602683-0	Floyd	45	413-0750	17917	GL	TACK COAT
B1CBA2602683-0	Floyd	50	432-5010	127978	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B1CBA2602685-0	Jeff Davis	15	402-1802	400	TN	RECYCLED ASPH CONC PATCHING, INCL BITUM MATL & H LIME
B1CBA2602685-0	Jeff Davis	20	402-3130	31415	TN	RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 2 ONLY, INCL BITUM MATL & H LIME
B1CBA2602685-0	Jeff Davis	25	413-0750	25632	GL	TACK COAT
B1CBA2602685-0	Jeff Davis	30	432-5010	366169	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B3CBA2602664-0	Banks	85	402-1812	58	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B3CBA2602664-0	Banks	90	402-3102	108	TN	RECYCLED ASPH CONC 9.5 MM SUPERPAVE, TYPE II, BLEND 1, INCL BITUM MATL & H I
B3CBA2602664-0	Banks	95	402-3121	196	TN	RECYCLED ASPH CONC 25 MM SUPERPAVE, GP 1 OR 2, INCL BITUM MATL & H LIME
B3CBA2602664-0	Banks	100	402-3190	131	TN	RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2,INCL BITUM MATL & H LIME
B3CBA2602664-0	Banks	105	413-0750	269	GL	TACK COAT
B3CBA2602668-0	Calhoun	5	402-1812	5736	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B3CBA2602668-0	Calhoun	10	424-5107	134960	SY	SINGLE SURFACE TRTMT, STN SIZE 7 , GP 2 ONLY
B3CBA2602668-0	Calhoun	15	413-0750	10797	GL	TACK COAT
B3CBA2602668-0	Calhoun	20	415-5000	6747	TN	ASPHALTIC CONCRETE OPEN GRADED CRACK RELIEF INTERLAYER, GP 2 ONLY, INCL BIT
B3CBA2602668-0	Calhoun	25	402-1812	5736	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B3CBA2602668-0	Calhoun	30	420-0030	134960	SY	BITUMINOUS SCRUB SEAL TYPE C
B3CBA2602668-0	Calhoun	55	402-1802	500	TN	RECYCLED ASPH CONC PATCHING, INCL BITUM MATL & H LIME
B3CBA2602668-0	Calhoun	60	402-3103	10847	TN	RECYCLED ASPH CONC 9.5 MM SUPERPAVE, TYPE II, GP 2 ONLY, INCL BITUM MATL & I
B3CBA2602668-0	Calhoun	65	413-0750	14862	GL	TACK COAT

Proposal	County	Line	Item	Qty	Unit	Work Description
B3CBA2602668-0	Calhoun	70	432-5010	12641	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B3CBA2602671-0	Bryan	15	402-1802	800	TN	RECYCLED ASPH CONC PATCHING, INCL BITUM MATL & H LIME
B3CBA2602671-0	Bryan	20	402-3130	18718	TN	RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 2 ONLY, INCL BITUM MATL & H LIME
B3CBA2602671-0	Bryan	25	413-0750	15595	GL	TACK COAT
B3CBA2602671-0	Bryan	30	432-5010	226884	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B3CBA2602673-0	Gordon	15	402-1802	1660	TN	RECYCLED ASPH CONC PATCHING, INCL BITUM MATL & H LIME
B3CBA2602673-0	Gordon	20	402-1812	23	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B3CBA2602673-0	Gordon	25	402-3103	22500	TN	RECYCLED ASPH CONC 9.5 MM SUPERPAVE, TYPE II, GP 2 ONLY, INCL BITUM MATL & I
B3CBA2602673-0	Gordon	30	413-0750	17450	GL	TACK COAT
B3CBA2602673-0	Gordon	35	432-5010	214613	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B3CBA2602674-0	Treutlen	5	402-1812	8555	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B3CBA2602674-0	Treutlen	10	424-5107	201304	SY	SINGLE SURFACE TRTMT, STN SIZE 7 , GP 2 ONLY
B3CBA2602674-0	Treutlen	15	413-0750	16104	GL	TACK COAT
B3CBA2602674-0	Treutlen	20	415-5000	10065	TN	ASPHALTIC CONCRETE OPEN GRADED CRACK RELIEF INTERLAYER, GP 2 ONLY, INCL BIT
B3CBA2602674-0	Treutlen	25	402-1812	8555	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B3CBA2602674-0	Treutlen	30	420-0030	201304	SY	BITUMINOUS SCRUB SEAL TYPE C
B3CBA2602674-0	Treutlen	55	402-1802	950	TN	RECYCLED ASPH CONC PATCHING, INCL BITUM MATL & H LIME
B3CBA2602674-0	Treutlen	60	402-3103	14442	TN	RECYCLED ASPH CONC 9.5 MM SUPERPAVE, TYPE II, GP 2 ONLY, INCL BITUM MATL & I
B3CBA2602674-0	Treutlen	65	402-3190	6376	TN	RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2,INCL BITUM MATL & H LIME
B3CBA2602674-0	Treutlen	70	413-0750	14275	GL	TACK COAT
B3CBA2602674-0	Treutlen	80	432-5010	2616	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B3CBA2602675-0	Bibb	25	402-1802	2100	TN	RECYCLED ASPH CONC PATCHING, INCL BITUM MATL & H LIME
B3CBA2602675-0	Bibb	30	402-3130	17807	TN	RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 2 ONLY, INCL BITUM MATL & H LIME
B3CBA2602675-0	Bibb	35	413-0750	14026	GL	TACK COAT
B3CBA2602675-0	Bibb	45	432-5010	90216	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B3CBA2602678-0	Tattnall	15	402-1802	500	TN	RECYCLED ASPH CONC PATCHING, INCL BITUM MATL & H LIME
B3CBA2602678-0	Tattnall	20	402-3130	27939	TN	RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 2 ONLY, INCL BITUM MATL & H LIME
B3CBA2602678-0	Tattnall	25	413-0750	23706	GL	TACK COAT
B3CBA2602678-0	Tattnall	35	432-5010	338651	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B3CBA2602679-0	Muscogee	85	402-1812	25	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B3CBA2602679-0	Muscogee	90	402-3121	82	TN	RECYCLED ASPH CONC 25 MM SUPERPAVE, GP 1 OR 2, INCL BITUM MATL & H LIME
B3CBA2602679-0	Muscogee	95	402-3190	771	TN	RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2,INCL BITUM MATL & H LIME
B3CBA2602679-0	Muscogee	100	402-4510	637	TN	RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 2 ONLY, INCL POLYMER-MODIFIED B
B3CBA2602679-0	Muscogee	105	413-0750	572	GL	TACK COAT
B3CBA2602679-0	Muscogee	115	432-5010	7174	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH

Proposal	County	Line	Item	Qty	Unit	Work Description
B3CBA2602679-0	Muscogee	145	446-1100	325	LF	PVMT REINF FABRIC STRIPS, TP 2, 18 INCH WIDTH
B3CBA2602680-0	Fulton	110	402-1812	40	TN	RECYCLED ASPH CONC LEVELING, INCL BITUM MATL & H LIME
B3CBA2602680-0	Fulton	115	402-3121	2164	TN	RECYCLED ASPH CONC 25 MM SUPERPAVE, GP 1 OR 2, INCL BITUM MATL & H LIME
B3CBA2602680-0	Fulton	120	402-3190	433	TN	RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2,INCL BITUM MATL & H LIME
B3CBA2602680-0	Fulton	125	402-4510	325	TN	RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 2 ONLY, INCL POLYMER-MODIFIED B
B3CBA2602680-0	Fulton	130	413-0750	826	GL	TACK COAT
B3CBA2602680-0	Fulton	135	432-5010	214	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH
B3CBA2602680-0	Fulton	150	446-1100	1922	LF	PVMT REINF FABRIC STRIPS, TP 2, 18 INCH WIDTH
B3CBA2602682-0	Gwinnett	10	402-1802	5000	TN	RECYCLED ASPH CONC PATCHING, INCL BITUM MATL & H LIME
B3CBA2602682-0	Gwinnett	15	402-4510	36905	TN	RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 2 ONLY, INCL POLYMER-MODIFIED B
B3CBA2602682-0	Gwinnett	20	413-0750	31312	GL	TACK COAT
B3CBA2602682-0	Gwinnett	25	432-5010	447308	SY	MILL ASPH CONC PVMT, VARIABLE DEPTH