



CANON  
STROKE &  
VASCULAR  
RESEARCH CENTER  
UNIVERSITY AT BUFFALO

## Published Work

A, S., SV, S. N., C, I., DR, B., & S, R. (2021). Characterization of velocity patterns produced by pulsatile and constant flows using 1000 fps high-speed angiography (HSA). *Proceedings of SPIE--the International Society for Optical Engineering*, 11600. doi:10.1117/12.2580888

A, S., SVS, N., C, I., DR, B., & S, R. (2021). Evaluation of methods to derive blood flow velocity from 1000 fps high-speed angiographic sequences (HSA) using optical flow (OF) and computational fluid dynamics (CFD). *Proceedings of SPIE--the International Society for Optical Engineering*, 11595. doi:10.1117/12.2580881

Alker, G. J., Leslie, E. V., Banna, M., Pallie, W., Rudin, S., Bednarek, D. R., & Oh, Y. S. (1981). Computed tomography of the orbit. *Crit Rev Diagn Imaging*, 15(1), 27-93.

AR, P., MM, S. B., & CN, I. (2021a). CT artifact correction for sparse and truncated projection data using generative adversarial networks. *Medical physics*, 48(2). doi:10.1002/mp.14504

AR, P., MM, S. B., & CN, I. (2021b). Investigation of the efficacy of a data-driven CT artifact correction scheme for sparse and truncated projection data for intracranial hemorrhage diagnosis. *Proceedings of SPIE--the International Society for Optical Engineering*, 11595. doi:10.1117/12.2580899

Balasubramoniam, A., Bednarek, D. R., Rudin, S., & Ionita, C. N. (2016). Sensitivity evaluation of DSA-based parametric imaging using Doppler ultrasound in neurovascular phantoms. *Proc SPIE Int Soc Opt Eng*, 9788. doi:10.1117/12.2216907

Bednarek, D. R., Barbarits, J., Rana, V. K., Nagaraja, S. P., Josan, M. S., & Rudin, S. (2011). Verification of the performance accuracy of a real-time skin-dose tracking system for interventional fluoroscopic procedures. *Proc SPIE Int Soc Opt Eng*, 7961(796127). doi:10.1117/12.877677

Bednarek, D. R., & Rudin, S. (1991). Blurred-mask density compression for improved reproduction of radiographs. *Invest Radiol*, 26(4), 358-363. doi:10.1097/00004424-199104000-00014

Bednarek, D. R., & Rudin, S. (1996). Increasing the utility of the mammographic phantom image. *Radiology*, 201(2), 572-573. doi:10.1148/radiology.201.2.8888262

Bednarek, D. R., & Rudin, S. (2000). Comparison of two dose-area-product ionization chambers with different conductive surface coating for over-table and under-table tube configurations. *Health Phys*, 78(3), 316-321. doi:10.1097/00004032-200003000-00010

Bednarek, D. R., & Rudin, S. (2001). Computer-aided bootstrap generation of characteristic curves for radiographic imaging systems. *Med Phys*, 28(4), 515-520. doi:10.1118/1.1354625

- Bednarek, D. R., Rudin, S., & Wong, R. (1982). An optical density comparator. *Radiology*, 142(2), 533-534. doi:10.1148/radiology.142.2.7054851
- Bednarek, D. R., Rudin, S., & Wong, R. (1983a). Artifacts produced by moving grids. *Radiology*, 147(1), 255-258. doi:10.1148/radiology.147.1.6828740
- Bednarek, D. R., Rudin, S., & Wong, R. (1983b). Assessment of patient exposure for barium enema examinations. *Invest Radiol*, 18(5), 453-458. doi:10.1097/00004424-198309000-00010
- Bednarek, D. R., Rudin, S., & Wong, R. (1991). Luminance range compression for video film digitizers. *Med Phys*, 18(2), 198-205. doi:10.1118/1.596707
- Bednarek, D. R., Rudin, S., Wong, R., & Andres, M. L. (1983). Reduction of fluoroscopic exposure for the air-contrast barium enema. *Br J Radiol*, 56(671), 823-828. doi:10.1259/0007-1285-56-671-823
- Bednarek, D. R., Rudinger, G., & Rudin, S. (1988). Slit design considerations for rotating-aperture, scanning-beam radiography. *Med Phys*, 15(1), 29-35. doi:10.1118/1.596157
- Berg, P., Voß, S., Janiga, G., Saalfeld, S., Bergersen, A. W., Valen-Sendstad, K., . . . Beuing, O. (2019). Multiple Aneurysms AnaTomy CHallenge 2018 (MATCH)-phase II: rupture risk assessment. *Int J Comput Assist Radiol Surg*, 14(10), 1795-1804. doi:10.1007/s11548-019-01986-2
- Berg, P., Voß, S., Saalfeld, S., Janiga, G., Bergersen, A. W., Valen-Sendstad, K., . . . Beuing, O. (2018). Multiple Aneurysms AnaTomy CHallenge 2018 (MATCH): Phase I: Segmentation. *Cardiovasc Eng Technol*, 9(4), 565-581. doi:10.1007/s13239-018-00376-0
- Binning, M. J., Orion, D., Yashar, P., Webb, S., Ionita, C. N., Jain, A., . . . Levy, E. I. (2011). Use of the microangiographic fluoroscope for coiling of intracranial aneurysms. *Neurosurgery*, 69(5), 1131-1138. doi:10.1227/NEU.0b013e3182299814
- Bramlet, R. C., Rudin, S., Bardfeld, P. A., & Hart, H. E. (1972). Magnifying collimators. *J Nucl Med*, 13(7), 574.
- Chepelev, L., Wake, N., Ryan, J., Althobaity, W., Gupta, A., Arribas, E., . . . Printing, R. S. I. G. f. D. (2018). Radiological Society of North America (RSNA) 3D printing Special Interest Group (SIG): guidelines for medical 3D printing and appropriateness for clinical scenarios. *3D Print Med*, 4(1), 11. doi:10.1186/s41205-018-0030-y
- Chityala, R., Hoffmann, K. R., Bednarek, D. R., & Rudin, S. (2004). Region of Interest (ROI) Computed Tomography. *Proc SPIE Int Soc Opt Eng*, 5368(2), 534-541. doi:10.1117/12.534568
- Chityala, R., Hoffmann, K. R., Rudin, S., & Bednarek, D. R. (2005a). Artifact reduction in truncated CT using Sinogram completion. *Proc SPIE Int Soc Opt Eng*, 5747(3), 2110-2117. doi:10.1117/12.595450
- Chityala, R., Hoffmann, K. R., Rudin, S., & Bednarek, D. R. (2005b). Region of interest (ROI) computed tomography (CT): Comparison with full field of view (FFOV) and truncated CT for a human head phantom. *Proc SPIE Int Soc Opt Eng*, 5745(1), 583-590. doi:10.1117/12.595430
- Damiano, R. J., Tutino, V. M., Lamooki, S. R., Paliwal, N., Dargush, G. F., Davies, J. M., . . . Meng, H. (2019). Improving accuracy for finite element modeling of endovascular coiling of intracranial aneurysm. *PLoS One*, 14(12), e0226421. doi:10.1371/journal.pone.0226421

Damiano, R. J., Tutino, V. M., Paliwal, N., Ma, D., Davies, J. M., Siddiqui, A. H., & Meng, H. (2017). Compacting a Single Flow Diverter versus Overlapping Flow Diverters for Intracranial Aneurysms: A Computational Study. *AJNR Am J Neuroradiol*, 38(3), 603-610. doi:10.3174/ajnr.A5062

Damiano, R. J., Tutino, V. M., Paliwal, N., Patel, T. R., Waqas, M., Levy, E. I., . . . Meng, H. (2019). Aneurysm characteristics, coil packing, and post-coiling hemodynamics affect long-term treatment outcome. *J Neurointerv Surg*. doi:10.1136/neurintsurg-2019-015422

Dmytriw, A. A., Kapadia, A., Enriquez-Marulanda, A., Parra-Fariñas, C., Kühn, A. L., Nicholson, P. J., . . . Griessenauer, C. J. (2020). Vertebral artery aneurysms and the risk of cord infarction following spinal artery coverage during flow diversion. *J Neurosurg*, 1-10. doi:10.3171/2020.1.JNS193293

Dohatcu, A., Ionita, C. N., Paciorek, A., Bednarek, D. R., Hoffmann, K. R., & Rudin, S. (2008). Endovascular image-guided treatment of in-vivo model aneurysms with asymmetric vascular stents (AVS): evaluation with time-density curve angiographic analysis and histology. *Proc SPIE Int Soc Opt Eng*, 6916, 6916OP. doi:10.1117/12.769504

Dossani, R., Waqas, M., Agyei, J. O., Tso, M. K., Rajah, G. B., Setlur Nagesh, S. V., & Davies, J. M. (2020). Use of a neck-bridging device for endovascular coiling of a wide-necked middle cerebral artery aneurysm. *J Neurointerv Surg*, 12(5), 536. doi:10.1136/neurintsurg-2019-015639

E, P., & CN, I. (2021). Challenges in hemodynamics assessment in complex neurovascular geometries using computational fluid dynamics and benchtop flow simulation in 3D printed patient specific phantoms. *Proceedings of SPIE--the International Society for Optical Engineering*, 11600. doi:10.1117/12.2582169

E, P., M, W., V, S., A, S., K, S., J, D., . . . M, M. (2021). Factors Associated With Decreased Accuracy of Modified Thrombolysis in Cerebral Infarct Scoring Among Neurointerventionalists During Thrombectomy. *Stroke*, 52(11). doi:10.1161/STROKEAHA.120.033372

Fennell, V. S., Setlur Nagesh, S. V., Meess, K. M., Gutierrez, L., James, R. H., Springer, M. E., & Siddiqui, A. H. (2018). What to do about fibrin rich 'tough clots'? Comparing the Solitaire stent retriever with a novel geometric clot extractor in an in vitro stroke model. *J Neurointerv Surg*, 10(9), 907-910. doi:10.1136/neurintsurg-2017-013507

Fletcher, L. M., Rudin, S., & Bednarek, D. R. (1996). Method for image equalization of ROI fluoroscopic images using mask localization, selection and subtraction. *Comput Med Imaging Graph*, 20(2), 89-103. doi:10.1016/0895-6111(96)00028-6

Florin, E., Rangwala, H. S., & Rudin, S. (2007). Method to rotate an endovascular device around the axis of a vessel using an external magnetic field. *Med Phys*, 34(1), 328-333. doi:10.1118/1.2404641

Ganguly, A., Rudin, S., Bednarek, D. R., & Hoffmann, K. R. (2003). Micro-angiography for neuro-vascular imaging. II. Cascade model analysis. *Med Phys*, 30(11), 3029-3039. doi:10.1118/1.1617550

Ganguly, A., Rudin, S., Bednarek, D. R., Hoffmann, K. R., & Kyprianou, I. S. (2003). Micro-angiography for neuro-vascular imaging. I. Experimental evaluation and feasibility. *Med Phys*, 30(11), 3018-3028. doi:10.1118/1.1617549

Granger, W. E., Bednarek, D. R., & Rudin, S. (1997). Primary beam exposure outside the fluoroscopic field of view. *Med Phys*, 24(5), 703-707. doi:10.1118/1.598077

Guo, C., Xiong, Z., Vijayan, S., Rudin, S., & Bednarek, D. R. (2018). Developing a database of 3-D scattered radiation distributions for a c-arm fluoroscope as a function of exposure parameters and phantom. *Proc SPIE Int Soc Opt Eng*, 10573. doi:10.1117/12.2293788

Gupta, S., Huang, Y., Jain, A., Bednarek, D., & Rudin, S. (2012). SU-D-218-04: Evaluation of the Performance of the Solid State X-Ray Image Intensifier (SSXII) Using Generalized Metrics. *Med Phys*, 39(6Part3), 3622. doi:10.1118/1.4734707

Gupta, S. K., Jain, A., Bednarek, D. R., & Rudin, S. (2011). Evaluation and Comparison of High-Resolution (HR) and High-Light (HL) Phosphors in the Micro-Angiographic Fluoroscope (MAF) using Generalized Linear Systems Analyses (GMTF, GDQE) that include the Effect of Scatter, Magnification and Detector Characteristics. *Proc SPIE Int Soc Opt Eng*, 7961, 79614S79611-79614S79610. doi:10.1117/12.877714

Gupta, S. K., Jain, A., Bednarek, D. R., & Rudin, S. (2012). Overcoming x-ray tube small focal spot output limitations for high-resolution region of interest imaging. *Proc SPIE Int Soc Opt Eng*, 8313. doi:10.1117/12.910791

H, A., A, S., N, V., El, L., H, M., & I, B. (2020). A Simple Flow Classification Parameter Can Discriminate Rupture Status in Intracranial Aneurysms. *Neurosurgery*, 87(5). doi:10.1093/neuros/nyaa189

Hackenberg, K. A. M., Rajabzadeh-Oghaz, H., Dreier, R., Buchholz, B. A., Navid, A., Rocke, D. M., . . . Etmnan, N. (2020). Collagen Turnover in Relation to Risk Factors and Hemodynamics in Human Intracranial Aneurysms. *Stroke*, 51(5), 1624-1628. doi:10.1161/STROKEAHA.120.029335

Hamwi, H., Lee, J. W., Hoffmann, K. R., Rudin, S., & Verevkin, A. (2008). Distortion, Orientation, and Translation Corrections of Tiled EMCCD Detectors for the New Solid State X-ray Image Intensifier (SSXII). *Proc SPIE Int Soc Opt Eng*, 6913, 69133T. doi:10.1117/12.769633

Hart, H. E., & Rudin, S. (1977). Three-dimensional imaging of multimillimeter sized cold lesions by focusing collimator coincidence scanning (FCCS). *IEEE Trans Biomed Eng*, 24(2), 169-177. doi:10.1109/TBME.1977.326122

Hoffmann, K. R., Dmochowski, J., Nazareth, D. P., Miskolczi, L., Nemes, B., Gopal, A., . . . Bednarek, D. R. (2003). Vessel size measurements in angiograms: manual measurements. *Med Phys*, 30(4), 681-688. doi:10.1118/1.1562491

Hoffmann, K. R., Nazareth, D. P., Miskolczi, L., Gopal, A., Wang, Z., Rudin, S., & Bednarek, D. R. (2002). Vessel size measurements in angiograms: a comparison of techniques. *Med Phys*, 29(7), 1622-1633. doi:10.1118/1.1488603

Hoi, Y., Ionita, C. N., Tranquebar, R. V., Hoffmann, K. R., Woodward, S. H., Taulbee, D. B., . . . Rudin, S. (2006). Flow modification in canine intracranial aneurysm model by an asymmetric stent: studies using digital subtraction angiography (DSA) and image-based computational fluid dynamics (CFD) analyses. *Proc SPIE Int Soc Opt Eng*, 6143, 61430J. doi:10.1117/12.650624

Huang, Y., Qu, B., Sharma, P., Kuhls-Gilcrist, A., Wang, W., Titus, A. H., . . . Rudin, S. (2010). Component Level Modular Design of a Solid State X-ray Image Intensifier for an M×N Array. *IEEE Nucl Sci Symp Conf Rec (1997)*, 2010, 2714-2717. doi:10.1109/NSSMIC.2010.5874284

Ionita, C., Loughran, B., Nagesh, S. S., Jain, A., Bednarek, D., & Rudin, S. (2012). SU-E-I-26: Estimation of Micro-Angiographic Fluoroscope (MAF) Gain Settings for Digital Subtraction Angiography (DSA) Based on the Fluoroscopic Exposure. *Med Phys*, 39(6Part4), 3630-3631. doi:10.1118/1.4734741

Ionita, C. N., Bednarek, D. R., & Rudin, S. (2012). Investigation of metrics to assess vascular flow modifications for diverter device designs using hydrodynamics and angiographic studies. *Proc SPIE Int Soc Opt Eng*, 8317, 83170F. doi:10.1117/12.915675

Ionita, C. N., Bednarek, D. R., & Rudin, S. (2013). Evaluation of embolic deflection device using optical particle tracking. *Proc SPIE Int Soc Opt Eng*, 8672. doi:10.1117/12.2004319

Ionita, C. N., Dohatcu, A., Jain, A., Keleshis, C., Hoffmann, K. R., Bednarek, D. R., & Rudin, S. (2009). Modification of the NEMA XR21-2000 cardiac phantom for testing of imaging systems used in endovascular image guided interventions. *Proc SPIE Int Soc Opt Eng*, 7258, 72584R. doi:10.1117/12.813533

Ionita, C. N., Dohatcu, A., Sinelnikov, A., Sherman, J., Keleshis, C., Paciorek, A. M., . . . Rudin, S. (2009). Angiographic analysis of animal model aneurysms treated with novel polyurethane asymmetric vascular stent (P-AVS): feasibility study. *Proc SPIE Int Soc Opt Eng*, 7262, 72621H72621-72621H72610. doi:10.1117/12.812628

Ionita, C. N., Garcia, V. L., Bednarek, D. R., Snyder, K. V., Siddiqui, A. H., Levy, E. I., & Rudin, S. (2014). Effect of injection technique on temporal parametric imaging derived from digital subtraction angiography in patient specific phantoms. *Proc SPIE Int Soc Opt Eng*, 9038, 90380L. doi:10.1117/12.2041347

Ionita, C. N., Hoffmann, K. R., Bednarek, D. R., Chityala, R., & Rudin, S. (2008). Cone-beam micro-CT system based on LabVIEW software. *J Digit Imaging*, 21(3), 296-305. doi:10.1007/s10278-007-9024-9

Ionita, C. N., Hoi, Y., Meng, H., & Rudin, S. (2004). Particle image velocimetry (PIV) evaluation of flow modification in aneurysm phantoms using asymmetric stents. *Proc SPIE Int Soc Opt Eng*, 5369, 295. doi:10.1117/12.534274

Ionita, C. N., Jain, A., Loughran, B., Vasan S N, S., Bednarek, D. R., Levy, E., . . . Rudin, S. (2012). Evaluation of intracranial aneurysm coil embolization in phantoms and patients using a high-resolution Microangiographic Fluoroscope (MAF). *Proc SPIE Int Soc Opt Eng*, 8313. doi:10.1117/12.911333

Ionita, C. N., Keleshis, C., Patel, V., Yadava, G., Hoffmann, K. R., Bednarek, D. R., . . . Rudin, S. (2008). Implementation of a high-sensitivity Micro-Angiographic Fluoroscope (HS-MAF) for in-vivo endovascular image guided interventions (EIGI) and region-of-interest computed tomography (ROI-CT). *Proc SPIE Int Soc Opt Eng*, 6918, 69181I. doi:10.1117/12.770297

Ionita, C. N., Loughran, B., Jain, A., Swetadri Vasan, S. N., Bednarek, D. R., Levy, E., . . . Rudin, S. (2012). New head equivalent phantom for task and image performance evaluation representative for

neurovascular procedures occurring in the Circle of Willis. Proc SPIE Int Soc Opt Eng, 8313, 83130Q. doi:10.1117/12.911351

Ionita, C. N., Mokin, M., Varble, N., Bednarek, D. R., Xiang, J., Snyder, K. V., . . . Rudin, S. (2014). Challenges and limitations of patient-specific vascular phantom fabrication using 3D Polyjet printing. Proc SPIE Int Soc Opt Eng, 9038, 90380M. doi:10.1117/12.2042266

Ionita, C. N., Natarajan, S. K., Wang, W., Hopkins, L. N., Levy, E. I., Siddiqui, A. H., . . . Rudin, S. (2011). Evaluation of a second-generation self-expanding variable-porosity flow diverter in a rabbit elastase aneurysm model. AJNR Am J Neuroradiol, 32(8), 1399-1407. doi:10.3174/ajnr.A2548

Ionita, C. N., Paciorek, A. M., Dohatcu, A., Hoffmann, K. R., Bednarek, D. R., Kolega, J., . . . Mocco, J. D. (2009). The asymmetric vascular stent: efficacy in a rabbit aneurysm model. Stroke, 40(3), 959-965. doi:10.1161/STROKEAHA.108.524124

Ionita, C. N., Paciorek, A. M., Hoffmann, K. R., Bednarek, D. R., Yamamoto, J., Kolega, J., . . . Mocco, J. (2008). Asymmetric vascular stent: feasibility study of a new low-porosity patch-containing stent. Stroke, 39(7), 2105-2113. doi:10.1161/STROKEAHA.107.503862

Ionita, C. N., Rudin, S., Hoffmann, K. R., & Bednarek, D. R. (2005). Microangiographic Image Guided Localization of a New Asymmetric Stent for Treatment of Cerebral Aneurysms. Proc SPIE Int Soc Opt Eng, 5744(1), 354-365. doi:10.1117/12.594789

Ionita, C. N., Suri, H., Nataranjian, S., Siddiqui, A., Levy, E., Hopkins, N. L., . . . Rudin, S. (2011). Angiographic imaging evaluation of patient-specific bifurcation-aneurysm phantom treatment with pre-shaped, self-expanding, flow-diverting stents: feasibility study. Proc SPIE Int Soc Opt Eng, 7965, 79651H79651-79651H79659. doi:10.1117/12.877675

Ionita, C. N., Wang, W., Bednarek, D. R., & Rudin, S. (2010). Assessment of contrast flow modification in aneurysms treated with closed-cell self-deploying asymmetric vascular stents (SAVS). Proc SPIE Int Soc Opt Eng, 7626. doi:10.1117/12.844327

Izzo, R. L., O'Hara, R. P., Iyer, V., Hansen, R., Meess, K. M., Nagesh, S. V. S., . . . Ionita, C. N. (2016). 3D Printed Cardiac Phantom for Procedural Planning of a Transcatheter Native Mitral Valve Replacement. Proc SPIE Int Soc Opt Eng, 9789. doi:10.1117/12.2216952

J, A., M, W., M, Y., M, M., VM, T., HH, R., . . . AH, S. (2021). Mapping access to endovascular stroke care in the USA and implications for transport models. Journal of neurointerventional surgery. doi:10.1136/neurintsurg-2020-016942

J, C., S, S., C, G., A, P., S, R., & DR, B. (2021). Estimation of Patient Eye-Lens Dose During Neuro-Interventional Procedures using a Dense Neural Network (DNN). Proceedings of SPIE--the International Society for Optical Engineering, 11595. doi:10.1117/12.2580723

J, K., KE, P., HW, L., LC, G., SS, V., AH, S., . . . VM, T. (2021). Identification of intima-to-media signals for flow-induced vascular remodeling using correlative gene expression analysis. Scientific reports, 11(1). doi:10.1038/s41598-021-95403-x

J, T., RS, D., S, R., & DR, B. (2021). Using a convolutional neural network for human recognition in a staff dose management software for fluoroscopic interventional procedures. Proceedings of SPIE--the International Society for Optical Engineering, 11595. doi:10.1117/12.2580727

J, T., S, R., & DR, B. (2021). Estimating Compton scatter distributions with a regressional neural network for use in a real-time staff dose management system for fluoroscopic procedures. Proceedings of SPIE--the International Society for Optical Engineering, 11595. doi:10.1117/12.2580733

Jain, A., Bednarek, D., & Rudin, S. (2012). SU-E-I-25: Performance Evaluation of a Proposed CMOS-Based X-Ray Detector Using Linear Cascade Model Analysis. Med Phys, 39(6Part4), 3630. doi:10.1118/1.4734740

Jain, A., Bednarek, D. R., Ionita, C., & Rudin, S. (2011a). A theoretical and experimental evaluation of the microangiographic fluoroscope: A high-resolution region-of-interest x-ray imager. Med Phys, 38(7), 4112-4126. doi:10.1118/1.3599751

Jain, A., Bednarek, D. R., Ionita, C., & Rudin, S. (2011b). Erratum: "A theoretical and experimental evaluation of the microangiographic fluoroscope: A high-resolution region-of-interest x-ray imager" [Med. Phys. 38, 4112-4126 (2011)]. Med Phys, 38(8), 4903. doi:10.1118/1.3615056

Jain, A., Bednarek, D. R., & Rudin, S. (2013a). Evaluation of the microangiographic fluoroscope (MAF) using generalized system performance metrics. Med Phys, 40(3), 031915. doi:10.1118/1.4792460

Jain, A., Bednarek, D. R., & Rudin, S. (2013b). Theoretical performance analysis for CMOS based high resolution detectors. Proc SPIE Int Soc Opt Eng, 8668. doi:10.1117/12.2006217

Jain, A., Bednarek, D. R., & Rudin, S. (2014a). Experimental and theoretical performance analysis for a CMOS-based high resolution image detector. Proc SPIE Int Soc Opt Eng, 9033, 90333P. doi:10.1117/12.2043053

Jain, A., Bednarek, D. R., & Rudin, S. (2014b). Scatter reduction for high resolution image detectors with a region of interest attenuator. Proc SPIE Int Soc Opt Eng, 9033, 903364. doi:10.1117/12.2043061

Jain, A., Kuhls-Gilcrist, A., Bednarek, D. R., & Rudin, S. (2009). Improved contrast and spatial resolution with Single Photon Counting (SPC) for an area x-ray imager, the newly developed high-resolution Micro-Angiographic Fluoroscopic (MAF) detector. IEEE Nucl Sci Symp Conf Rec (1997), 2009, 3012-3016. doi:10.1109/NSSMIC.2009.5401587

Jain, A., Kuhls-Gilcrist, A. T., Gupta, S. K., Bednarek, D. R., & Rudin, S. (2010). Generalized two-dimensional (2D) linear system analysis metrics (GMTF, GDQE) for digital radiography systems including the effect of focal spot, magnification, scatter, and detector characteristics. Proc SPIE Int Soc Opt Eng, 7622(76220K). doi:10.1117/12.845293

Jain, A., Panse, A., Bednarek, D. R., & Rudin, S. (2014). Focal spot measurements using a digital flat panel detector. Proc SPIE Int Soc Opt Eng, 9033(90335F). doi:10.1117/12.2043057

Jain, A., Panse, A., Ionita, C., Bednarek, D., & Rudin, S. (2012). SU-E-I-27: Effect of Focal Spot Choice on the System Performance of a High- Resolution Micro-Angiographic Fluoroscope (MAF) Detector. Med Phys, 39(6Part4), 3631. doi:10.1118/1.4734742

Jain, A., Takemoto, H., Silver, M. D., Nagesh, S. V., Ionita, C. N., Bednarek, D. R., & Rudin, S. (2015). Region-of-interest cone beam computed tomography (ROI CBCT) with a high resolution CMOS detector. *Proc SPIE Int Soc Opt Eng*, 9412. doi:10.1117/12.2081450

Jiang, K., Poppenberg, K. E., Wong, L., Chen, Y., Borowitz, D., Goetz, D., . . . Jarvis, J. N. (2019). RNA sequencing data from neutrophils of patients with cystic fibrosis reveals potential for developing biomarkers for pulmonary exacerbations. *J Cyst Fibros*, 18(2), 194-202. doi:10.1016/j.jcf.2018.05.014

KA, W., AR, P., MMS, B., RA, R., KN, S., & CN, I. (2021). The Aneurysm Occlusion Assistant, an AI platform for real time surgical guidance of intracranial aneurysms. *Proceedings of SPIE--the International Society for Optical Engineering*, 11601. doi:10.1117/12.2581003

Kaczmarek, R. G., Bednarek, D. R., Wong, R., Kaczmarek, R. V., Rudin, S., & Alker, G. (1986). Potential radiation hazards to personnel during dynamic CT. *Radiology*, 161(3), 853. doi:10.1148/radiology.161.3.3786746

KAM, H., H, R.-O., R, D., BA, B., A, N., DM, R., . . . N, E. (2020). Collagen Turnover in Relation to Risk Factors and Hemodynamics in Human Intracranial Aneurysms. *Stroke*, 51(5). doi:10.1161/STROKEAHA.120.029335

Kan, P., Yashar, P., Ionita, C. N., Jain, A., Rudin, S., Levy, E. I., & Siddiqui, A. H. (2013). Endovascular coil embolization of a very small ruptured aneurysm using a novel microangiographic technique: technical note. *J Neurointerv Surg*, 5(2), e2. doi:10.1136/neurintsurg-2011-010154

Kaplan, A. L., Agarwal, N., Setlur, N. P., Tan, H. J., Niedzwiecki, D., McLaughlin, N., . . . Saigal, C. S. (2015). Measuring the cost of care in benign prostatic hyperplasia using time-driven activity-based costing (TDABC). *Healthc (Amst)*, 3(1), 43-48. doi:10.1016/j.hjdsi.2014.09.007

Kaplan, A. L., Klein, M. P., Tan, H. J., Setlur, N. P., Agarwal, N., Steinberg, K., & Saigal, C. S. (2014). Use of patient ethnography to support quality improvement in benign prostatic hyperplasia. *Healthc (Amst)*, 2(4), 263-267. doi:10.1016/j.hjdsi.2014.10.004

Keleshis, C., Hoffmann, K., Lee, J., Hamwi, H., Wang, W., Ionita, C., . . . Rudin, S. (2009). Real-time implementation of distortion corrections for a tiled EMCCD-based Solid State X-ray Image Intensifier (SSXII). *Proc SPIE Int Soc Opt Eng*, 7258, 72583B72581-72583B72511. doi:10.1117/12.813603

Keleshis, C., Ionita, C., Yadava, G., Patel, V., Bednarek, D., Hoffmann, K., . . . Rudin, S. (2008). LabVIEW Graphical User Interface for a New High Sensitivity, High Resolution Micro-Angio-Fluoroscopic and ROI-CBCT System. *Proc SPIE Int Soc Opt Eng*, 6913, 69134A. doi:10.1117/12.769630

Kezerashvili, M., Bednarek, D. R., & Rudin, S. (1997). Automatic system for measuring dose-area product (DAP) in ROI fluoroscopy. *Phys Med Biol*, 42(4), 613-623. doi:10.1088/0031-9155/42/4/001

Kezerashvili, M., Rudin, S., & Bednarek, D. (1997). Automatic filter placement device for region of interest (ROI) fluoroscopy. *Health Phys*, 72(1), 141-146. doi:10.1097/00004032-199701000-00020

Khobragade, P., Jain, A., Setlur Nagesh, S. V., Andreana, S., Dziak, R., Sunkara, S. K., . . . Ionita, C. N. (2015). Micro-Computed tomography (CT) based assessment of dental regenerative therapy in the canine mandible model. *Proc SPIE Int Soc Opt Eng*, 9417. doi:10.1117/12.2082173



Kilian-Meneghin, J., Xiong, Z., Guo, C., Rudin, S., & Bednarek, D. R. (2018). Evaluation of Methods of Displaying the Real-Time Scattered Radiation Distribution during Fluoroscopically-Guided Interventions for Staff Dose Reduction. *Proc SPIE Int Soc Opt Eng*, 10573. doi:10.1117/12.2294575

Kilian-Meneghin, J., Xiong, Z., Oines, A., Rudin, S., & Bednarek, D. R. (2017). Evaluation of Methods to Produce an Image Library for Automatic Patient Model Localization for Dose Mapping During Fluoroscopically-Guided Procedures. *Proc SPIE Int Soc Opt Eng*, 10132. doi:10.1117/12.2254693

Kim, M., Ionita, C., Tranquebar, R., Hoffmann, K. R., Taulbee, D. B., Meng, H., & Rudin, S. (2006). Evaluation of an asymmetric stent patch design for a patient specific intracranial aneurysm using Computational Fluid Dynamic (CFD) calculations in the Computed Tomography (CT) derived lumen. *Proc SPIE Int Soc Opt Eng*, 6143. doi:10.1117/12.651773

KN, S., MMS, B., M, M., & CN, I. (2021). Evaluation of challenges and limitations of mechanical thrombectomy using 3D printed neurovascular phantoms. *Proceedings of SPIE--the International Society for Optical Engineering*, 11601. doi:10.1117/12.2580962

KN, S., MMS, B., V, T., A, S., J, D., K, S., . . . CN, I. (2021). Use of patient specific 3D printed neurovascular phantoms to simulate mechanical thrombectomy. *3D printing in medicine*, 7(1). doi:10.1186/s41205-021-00122-8

KN, S., V, I., KK, K., RA, R., & CN, I. (2020). Method to simulate distal flow resistance in coronary arteries in 3D printed patient specific coronary models. *3D printing in medicine*, 6(1). doi:10.1186/s41205-020-00072-7

Krebs, J., Shankar, A., Bednarek, D. R., & Rudin, S. (2018). Gantry rotational motion-induced blur in cone-beam computed tomography. *Proc SPIE Int Soc Opt Eng*, 10573. doi:10.1117/12.2293580

Krebs, J. M., Shankar, A., Setlur Nagesh, S. V., Davies, J. M., Snyder, K. V., Levy, E. I., . . . Rudin, S. (2019). Flow-Pattern Details in an Aneurysm Model Using High-Speed 1000-Frames-per-Second Angiography. *AJNR Am J Neuroradiol*, 40(7), 1197-1200. doi:10.3174/ajnr.A6090

Krishnakumar, S. B., Podgorsak, A. R., Nagesh, S. S., Jain, A., Rudin, S., Bednarek, D. R., & Ionita, C. N. (2016). Investigation of Noise and Contrast Sensitivity of an Electron Multiplying Charge-Coupled Device (EMCCD) based Cone Beam Micro-CT System. *Proc SPIE Int Soc Opt Eng*, 9783. doi:10.1117/12.2216794

Kuhls, A. T., Patel, V., Ionita, C., Noël, P. B., Walczak, A. M., Rangwala, H. S., . . . Rudin, S. (2006). New microangiography system development providing improved small vessel imaging, increased contrast to noise ratios, and multi-view 3D reconstructions. *Proc SPIE Int Soc Opt Eng*, 6142. doi:10.1117/12.653654

Kuhls, A. T., Yadava, G., Patel, V., Bednarek, D. R., & Rudin, S. (2007). Progress in electron-multiplying CCD (EMCCD) based, high-resolution, high-sensitivity x-ray detector for fluoroscopy and radiography. *Proc SPIE Int Soc Opt Eng*, 6510(1), 65101C. doi:10.1117/12.713140

Kuhls-Gilcrist, A., Bednarek, D. R., & Rudin, S. (2009). Component analysis of a new Solid State X-ray Image Intensifier (SSXII) using photon transfer and Instrumentation Noise Equivalent Exposure (INEE) measurements. *Proc SPIE Int Soc Opt Eng*, 7258, 7258171-72581710. doi:10.1117/12.813957

Kuhls-Gilcrist, A., Bednarek, D. R., & Rudin, S. (2010). A method for the determination of the two-dimensional MTF of digital radiography systems using only the noise response. *Proc SPIE Int Soc Opt Eng*, 7622(76224W), 76224W-76244W76229. doi:10.1117/12.843918

Kuhls-Gilcrist, A., Jain, A., Bednarek, D. R., Hoffmann, K. R., & Rudin, S. (2010). Accurate MTF measurement in digital radiography using noise response. *Med Phys*, 37(2), 724-735. doi:10.1118/1.3284376

Kuhls-Gilcrist, A., Jain, A., Bednarek, D. R., & Rudin, S. (2010a). Performance Trade-Off Analysis Comparing Different Front-End Configurations for a Digital X-ray Imager. *IEEE Nucl Sci Symp Conf Rec (1997)*, 2010, 2491-2494. doi:10.1109/NSSMIC.2010.5874235

Kuhls-Gilcrist, A., Jain, A., Bednarek, D. R., & Rudin, S. (2010b). The Solid State X-ray Image Intensifier (SSXII) in Single Photon Counting (SPC) mode. *Proc SPIE Int Soc Opt Eng*, 7622(76221P). doi:10.1117/12.843785

Kuhls-Gilcrist, A., Jain, A., Bednarek, D. R., & Rudin, S. (2011). Measuring the presampled MTF from a reduced number of flat-field images using the Noise Response (NR) method. *Proc SPIE Int Soc Opt Eng*, 7961(79614G). doi:10.1117/12.877890

Kuhls-Gilcrist, A., Yadava, G., Patel, V., Jain, A., Bednarek, D. R., & Rudin, S. (2008). The Solid-State X-Ray Image Intensifier (SSXII): An EMCCD-Based X-Ray Detector. *Proc SPIE Int Soc Opt Eng*, 6913, 69130K. doi:10.1117/12.772724

Kyprianou, I. S., Ganguly, A., Rudin, S., Bednarek, D. R., Gallas, B. D., & Myers, K. J. (2005). Efficiency of the Human Observer Compared to an Ideal Observer Based on a Generalized NEQ Which Incorporates Scatter and Geometric Unsharpness: Evaluation with a 2AFC Experiment. *Proc SPIE Int Soc Opt Eng*, 5749, 251-262. doi:10.1117/12.595870

Kyprianou, I. S., Rudin, S., Bednarek, D. R., & Hoffmann, K. R. (2004). Study of the Generalized MTF and DQE for a New Microangiographic System. *Proc SPIE Int Soc Opt Eng*, 5368, 349-360. doi:10.1117/12.533512

Lamooki, S. R., Tutino, V. M., Paliwal, N., Damiano, R. J., Waqas, M., Nagesh, S. S. V., . . . Meng, H. (2020). Evaluation of Two Fast Virtual Stenting Algorithms for Intracranial Aneurysm Flow Diversion. *Curr Neurovasc Res*, 17(1), 58-70. doi:10.2174/1567202617666200120141608

Liu, R. R., Rudin, S., & Bednarek, D. R. (1999). Super-global distortion correction for a rotational C-arm x-ray image intensifier. *Med Phys*, 26(9), 1802-1810. doi:10.1118/1.598684

Liu, Z., Yuan, X., Fernandes, G., Dziak, R., Ionita, C. N., Li, C., . . . Yang, S. (2017). The combination of nano-calcium sulfate/platelet rich plasma gel scaffold with BMP2 gene-modified mesenchymal stem cells promotes bone regeneration in rat critical-sized calvarial defects. *Stem Cell Res Ther*, 8(1), 122. doi:10.1186/s13287-017-0574-6

Loughran, B., Ionita, C., Bednarek, D., & Rudin, S. (2012). SU-E-I-31: Evaluating Brain Imaging Material (BIM) as a Brain Tissue Surrogate for Use in Neuro-Endovascular Imaged Guided Intervention (EIGI) Research. *Med Phys*, 39(6Part4), 3632. doi:10.1118/1.4734746

Loughran, B., Singh, V., Bednarek, D., & Rudin, S. (2012). SU-E-I-113: Alignment and Assembly of Small Field of View Pre-Clinical Images Taken with a Micro-Solid State X-Ray Imaging Detector. *Med Phys*, 39(6Part5), 3651. doi:10.1118/1.4734830

Loughran, B., Swetadri Vasani, S. N., Singh, V., Ionita, C. N., Jain, A., Bednarek, D. R., & Rudin, S. (2014). Detector system comparison using relative CNR for specific imaging tasks related to neuro-endovascular image-guided interventions (neuro-EIGs). *Proc SPIE Int Soc Opt Eng*, 9033, 903321. doi:10.1117/12.2042332

Loughran, B., Swetadri Vasani, S. N., Singh, V., Ionita, C. N., Jain, A., Bednarek, D. R., . . . Rudin, S. (2013). Design considerations for a new, high resolution Micro-Angiographic Fluoroscope based on a CMOS sensor (MAF-CMOS). *Proc SPIE Int Soc Opt Eng*, 8668. doi:10.1117/12.2006430

M, M., M, W., F, C., H, R., J, S., A, S., . . . AH, S. (2021). Semi-automated measurement of vascular tortuosity and its implications for mechanical thrombectomy performance. *Neuroradiology*, 63(3). doi:10.1007/s00234-020-02525-6

M, W., AD, G., BR, L., RH, D., K, V., JM, C., . . . EI, L. (2021a). Is Endovascular Therapy for Stroke Cost-Effective Globally? A Systematic Review of the Literature. *Journal of stroke and cerebrovascular diseases : the official journal of National Stroke Association*, 30(4). doi:10.1016/j.jstrokecerebrovasdis.2020.105557

M, W., AD, G., BR, L., RH, D., K, V., JM, C., . . . EI, L. (2021b). Is Endovascular Therapy for Stroke Cost-Effective Globally? A Systematic Review of the Literature. *Journal of stroke and cerebrovascular diseases : the official journal of National Stroke Association*, 30(4). doi:10.1016/j.jstrokecerebrovasdis.2020.105557

Mahajan, S. D., Tutino, V. M., Redae, Y., Meng, H., Siddiqui, A., Woodruff, T. M., . . . Alexander, J. J. (2016). C5a induces caspase-dependent apoptosis in brain vascular endothelial cells in experimental lupus. *Immunology*, 148(4), 407-419. doi:10.1111/imm.12619

Maragos, G. A., Dmytriw, A. A., Salem, M. M., Tutino, V. M., Meng, H., Cognard, C., . . . Mendes Pereira, V. (2020). Overview of Different Flow Diverters and Flow Dynamics. *Neurosurgery*, 86(Supplement\_1), S21-S34. doi:10.1093/neuros/nyz323

Massoumzadeh, P., Rudin, S., & Bednarek, D. R. (1998). Filter material selection for region of interest radiologic imaging. *Med Phys*, 25(2), 161-171. doi:10.1118/1.598191

McDougall, R. S., & Rudin, S. (1970). Thermoluminescent dosimetry of aluminum oxide. *Health Phys*, 19(2), 281-283. doi:10.1097/00004032-197008000-00006

McLaughlin, N., Burke, M. A., Setlur, N. P., Niedzwiecki, D. R., Kaplan, A. L., Saigal, C., . . . Kaplan, R. S. (2014). Time-driven activity-based costing: a driver for provider engagement in costing activities and redesign initiatives. *Neurosurg Focus*, 37(5), E3. doi:10.3171/2014.8.FOCUS14381

Meess, K. M., Izzo, R. L., Dryjski, M. L., Curl, R. E., Harris, L. M., Springer, M., . . . Ionita, C. N. (2017). 3D Printed Abdominal Aortic Aneurysm Phantom for Image Guided Surgical Planning with a Patient Specific Fenestrated Endovascular Graft System. *Proc SPIE Int Soc Opt Eng*, 10138. doi:10.1117/12.2253902

Meng, H., Tutino, V. M., Xiang, J., & Siddiqui, A. (2014). High WSS or low WSS? Complex interactions of hemodynamics with intracranial aneurysm initiation, growth, and rupture: toward a unifying hypothesis. *AJNR Am J Neuroradiol*, 35(7), 1254-1262. doi:10.3174/ajnr.A3558

Mitsouras, D., Lee, T. C., Liacouras, P., Ionita, C. N., Pietilla, T., Maier, S. E., & Mulkern, R. V. (2017). Three-dimensional printing of MRI-visible phantoms and MR image-guided therapy simulation. *Magn Reson Med*, 77(2), 613-622. doi:10.1002/mrm.26136

MMS, B., KV, S., M, W., M, M., RA, R., AR, P., . . . CN, I. (2021). Use of biplane quantitative angiographic imaging with ensemble neural networks to assess reperfusion status during mechanical thrombectomy. *Proceedings of SPIE--the International Society for Optical Engineering*, 11597. doi:10.1117/12.2580358

Mokin, M., Ionita, C. N., Nagesh, S. V., Rudin, S., Levy, E. I., & Siddiqui, A. H. (2015). Primary stentriever versus combined stentriever plus aspiration thrombectomy approaches: in vitro stroke model comparison. *J Neurointerv Surg*, 7(6), 453-457. doi:10.1136/neurintsurg-2014-011148

Mokin, M., Setlur Nagesh, S. V., Ionita, C. N., Levy, E. I., & Siddiqui, A. H. (2015). Comparison of modern stroke thrombectomy approaches using an in vitro cerebrovascular occlusion model. *AJNR Am J Neuroradiol*, 36(3), 547-551. doi:10.3174/ajnr.A4149

Mokin, M., Setlur Nagesh, S. V., Ionita, C. N., Mocco, J., & Siddiqui, A. H. (2016). Stent retriever thrombectomy with the Cover accessory device versus proximal protection with a balloon guide catheter: in vitro stroke model comparison. *J Neurointerv Surg*, 8(4), 413-417. doi:10.1136/neurintsurg-2014-011617

Mokin, M., Waqas, M., Setlur Nagesh, S. V., Karkhanis, N. V., Levy, E. I., Ionita, C. N., & Siddiqui, A. H. (2019). Assessment of distal access catheter performance during neuroendovascular procedures: measuring force in three-dimensional patient specific phantoms. *J Neurointerv Surg*, 11(6), 619-622. doi:10.1136/neurintsurg-2018-014468

Mowla, A., Doyle, J., Lail, N. S., Rajabzadeh-Oghaz, H., Deline, C., Shirani, P., . . . Sawyer, R. N. (2017). Delays in door-to-needle time for acute ischemic stroke in the emergency department: A comprehensive stroke center experience. *J Neurol Sci*, 376, 102-105. doi:10.1016/j.jns.2017.03.003

Mowla, A., Kamal, H., Lail, N. S., Vaughn, C., Shirani, P., Mehla, S., . . . Sawyer, R. N. (2017). Intravenous Thrombolysis for Acute Ischemic Stroke in Patients with Thrombocytopenia. *J Stroke Cerebrovasc Dis*, 26(7), 1414-1418. doi:10.1016/j.jstrokecerebrovasdis.2017.03.021

Nagesh, S. V., Khobragade, P., Ionita, C., Bednarek, D. R., & Rudin, S. (2015). A Combination of Spatial and Recursive Temporal Filtering for Noise Reduction when Using Region of Interest (ROI) Fluoroscopy for Patient Dose Reduction in Image Guided Vascular Interventions with Significant Anatomical Motion. *Proc SPIE Int Soc Opt Eng*, 9412. doi:10.1117/12.2081465

Nagesh, S. V. S., Hinaman, J., Sommer, K., Xiong, Z., Ionita, C. N., Bednarek, D. R., & Rudin, S. (2018). A simulation platform using 3D printed neurovascular phantoms for clinical utility evaluation of new imaging technologies. *Proc SPIE Int Soc Opt Eng*, 10578. doi:10.1117/12.2293630

Nagesh, S. V. S., Rana, R., Bednarek, D. R., & Rudin, S. (2018). Anti-scatter grid artifact elimination for high-resolution x-ray imaging detectors without a prior scatter distribution profile. *Proc SPIE Int Soc Opt Eng*, 10573. doi:10.1117/12.2293660

Nagesh, S. V. S., Rana, R., Russ, M., Ionita, C. N., Bednarek, D. R., & Rudin, S. (2016). Focal Spot Deblurring for High Resolution Direct Conversion X-ray Detectors. *Proc SPIE Int Soc Opt Eng*, 9783. doi:10.1117/12.2216916

Nagesh, S. V. S., Russ, M., Ionita, C. N., Bednarek, D., & Rudin, S. (2017). Use of patient specific 3D printed neurovascular phantoms to evaluate the clinical utility of a high resolution x-ray imager. *Proc SPIE Int Soc Opt Eng*, 10137. doi:10.1117/12.2254390

Nagesh, S. V. S., Shankar, A., Krebs, J., Hinaman, J., Bednarek, D. R., & Rudin, S. (2018). Initial investigations of a special high-definition (Hi-Def) zoom capability in a new detector system for neuro-interventional procedures. *Proc SPIE Int Soc Opt Eng*, 10573. doi:10.1117/12.2294535

O'Hara, R. P., Chand, A., Vidiyala, S., Arechavala, S. M., Mitsouras, D., Rudin, S., & Ionita, C. N. (2016). Advanced 3D Mesh Manipulation in Stereolithographic Files and Post-Print Processing for the Manufacturing of Patient-Specific Vascular Flow Phantoms. *Proc SPIE Int Soc Opt Eng*, 9789. doi:10.1117/12.2217036

Paliwal, N., Damiano, R. J., Varble, N. A., Tutino, V. M., Dou, Z., Siddiqui, A. H., & Meng, H. (2017). Methodology for Computational Fluid Dynamic Validation for Medical Use: Application to Intracranial Aneurysm. *J Biomech Eng*, 139(12). doi:10.1115/1.4037792

Paliwal, N., Jaiswal, P., Tutino, V. M., Shallwani, H., Davies, J. M., Siddiqui, A. H., . . . Meng, H. (2018). Outcome prediction of intracranial aneurysm treatment by flow diverters using machine learning. *Neurosurg Focus*, 45(5), E7. doi:10.3171/2018.8.FOCUS18332

Paliwal, N., Tutino, V. M., Shallwani, H., Beecher, J. S., Damiano, R. J., Shakir, H. J., . . . Meng, H. (2019). Ostium Ratio and Neck Ratio Could Predict the Outcome of Sidewall Intracranial Aneurysms Treated with Flow Diverters. *AJNR Am J Neuroradiol*, 40(2), 288-294. doi:10.3174/ajnr.A5953

Panse, A., Ionita, C. N., Wang, W., Natarajan, S. K., Jain, A., Bednarek, D. R., & Rudin, S. (2010). The Micro-Angiographic Fluoroscope (MAF) in High Definition (HD) Mode for Improved Contrast-to-Noise Ratio and Resolution in Fluoroscopy and Roadmapping. *IEEE Nucl Sci Symp Conf Rec (1997)*, 3217-3220. doi:10.1109/NSSMIC.2010.5874398

Panse, A. S., Jain, A., Wang, W., Yao, R., Bednarek, D. R., & Rudin, S. (2010). High Resolution Emission and Transmission Imaging Using the Same Detector. *IEEE Nucl Sci Symp Conf Rec (1997)*, 2010. doi:10.1109/NSSMIC.2010.5874431

Panse, A. S., Swetadri Vasan, S. N., Jain, A., Bednarek, D. R., & Rudin, S. (2012). Dose reduction by moving a region of interest (ROI) beam attenuator to follow a moving object of interest. *Proc SPIE Int Soc Opt Eng*, 8313, 831355. doi:10.1117/12.911136

Patel, V., Chityala, R. N., Hoffmann, K. R., Ionita, C. N., Bednarek, D. R., & Rudin, S. (2009). Self-calibration of a cone-beam micro-CT system. *Med Phys*, 36(1), 48-58. doi:10.1118/1.3026615

- Patel, V., Hoffmann, K. R., Ionita, C. N., Keleshis, C., Bednarek, D. R., & Rudin, S. (2008). Rotational micro-CT using a clinical C-arm angiography gantry. *Med Phys*, 35(10), 4757-4764. doi:10.1118/1.2989989
- Patel, V., Kuhls, A. T., Noël, P. B., Walczak, A., Ionita, C. N., Chityala, R., . . . Rudin, S. (2006). Experimental comparison of cone beam CT (CBCT) reconstruction and multi-view reconstruction (MVR) for microangiography (MA) detector system. *Proc SPIE Int Soc Opt Eng*, 6142. doi:10.1117/12.653845
- Podgorsak, A. R., Krishnakumar, S. B., Nagesh, S. S., Bednarek, D. R., Rudin, S., & Ionita, C. N. (2016). Investigation of signal thresholding to reduce the effects of instrument noise of an EMCCD based micro-CT system. *Proc SPIE Int Soc Opt Eng*, 9788. doi:10.1117/12.2216272
- Podgorsak, A. R., Nagesh, S. S., Bednarek, D. R., Rudin, S., & Ionita, C. N. (2017). Implementation of material decomposition using an EMCCD and CMOS-based micro-CT system. *Proc SPIE Int Soc Opt Eng*, 10137. doi:10.1117/12.2253892
- Podgorsak, A. R., Nagesh, S. V. S., Bednarek, D., Rudin, S., & Ionita, C. N. (2018). Use of a CMOS-based micro-CT system to validate a ring artifact correction algorithm on low-dose image data. *Proc SPIE Int Soc Opt Eng*, 10573. doi:10.1117/12.2292581
- Podgorsak, A. R., Rava, R. A., Shiraz Bhurwani, M. M., Chandra, A. R., Davies, J. M., Siddiqui, A. H., & Ionita, C. N. (2020). Automatic radiomic feature extraction using deep learning for angiographic parametric imaging of intracranial aneurysms. *J Neurointerv Surg*, 12(4), 417-421. doi:10.1136/neurintsurg-2019-015214
- Podgorsak, A. R., Venkataraman, A. C., Nagesh, S. V. S., Bednarek, D. R., Rudin, S., Siddiqui, A., & Ionita, C. N. (2018). Use of material decomposition in the context of neurovascular intervention using standard flat panel and a high-resolution CMOS detector. *Proc SPIE Int Soc Opt Eng*, 10578. doi:10.1117/12.2292564
- Poppenberg, K. E., Jiang, K., Tso, M. K., Snyder, K. V., Siddiqui, A. H., Kolega, J., . . . Tutino, V. M. (2019). Epigenetic landscapes suggest that genetic risk for intracranial aneurysm operates on the endothelium. *BMC Med Genomics*, 12(1), 149. doi:10.1186/s12920-019-0591-7
- Qu, B., Huang, Y., Wang, W., Cartwright, A. N., Titus, A. H., Bednarek, D. R., & Rudin, S. (2011). Image geometric corrections for a new EMCCD-based dual modular x-ray imager. *Conf Proc IEEE Eng Med Biol Soc*, 2011, 2634-2637. doi:10.1109/IEMBS.2011.6090726
- Qu, B., Huang, Y., Wang, W., Sharma, P., Kuhls-Gilcrist, A. T., Cartwright, A. N., . . . Rudin, S. (2010). Optical Demonstration of a Medical Imaging System with an EMCCD-Sensor Array for Use in a High Resolution Dynamic X-ray Imager. *IEEE Nucl Sci Symp Conf Rec (1997)*, 2010, 2607-2609. doi:10.1109/NSSMIC.2010.5874260
- Qu, B., Kuhls-Gilcrist, A. T., Huang, Y., Wang, W., Cartwright, A. N., Titus, A. H., . . . Rudin, S. (2010). Quantum Performance Analysis of an EMCCD-based X-ray Detector Using Photon Transfer Technique. *IEEE Nucl Sci Symp Conf Rec (1997)*, 2010, 3438-3441. doi:10.1109/NSSMIC.2010.5874445

- RA, R., AR, P., M, W., KV, S., EI, L., JM, D., . . . CN, I. (2021). Use of a convolutional neural network to identify infarct core using computed tomography perfusion parameters. *Proceedings of SPIE--the International Society for Optical Engineering*, 11596. doi:10.1117/12.2579753
- RA, R., AR, P., M, W., KV, S., M, M., EI, L., . . . CN, I. (2021). Investigation of convolutional neural networks using multiple computed tomography perfusion maps to identify infarct core in acute ischemic stroke patients. *Journal of medical imaging (Bellingham, Wash.)*, 8(1). doi:10.1117/1.JMI.8.1.014505
- RA, R., BA, P., SE, S., KV, S., M, M., M, W., . . . CN, I. (2021). Validation of an artificial intelligence-driven large vessel occlusion detection algorithm for acute ischemic stroke patients. *The neuroradiology journal*. doi:10.1177/1971400921998952
- RA, R., SE, S., KV, S., M, W., JM, D., EI, L., . . . CN, I. (2021). Automated Collateral Flow Assessment in Patients with Acute Ischemic Stroke Using Computed Tomography with Artificial Intelligence Algorithms. *World neurosurgery*, 155. doi:10.1016/j.wneu.2021.08.136
- RA, R., SE, S., ME, L., BA, P., KV, S., M, M., . . . CN, I. (2021a). Assessment of an Artificial Intelligence Algorithm for Detection of Intracranial Hemorrhage. *World neurosurgery*, 150. doi:10.1016/j.wneu.2021.02.134
- RA, R., SE, S., ME, L., BA, P., KV, S., M, M., . . . CN, I. (2021b). Assessment of an Artificial Intelligence Algorithm for Detection of Intracranial Hemorrhage. *World neurosurgery*. doi:10.1016/j.wneu.2021.02.134
- Rajabzadeh-Oghaz, H., Firoozabadi, B., Saidi, M. S., Monjezi, M., Navabi Shirazi, M. A., & Malakan Rad, E. (2017). Pulsatile blood flow in total cavopulmonary connection: a comparison between Y-shaped and T-shaped geometry. *Med Biol Eng Comput*, 55(2), 213-224. doi:10.1007/s11517-016-1499-4
- Rajabzadeh-Oghaz, H., van Ooij, P., Veeturi, S. S., Tutino, V. M., Zwanenburg, J. J., & Meng, H. (2020). Inter-patient variations in flow boundary conditions at middle cerebral artery from 7T PC-MRI and influence on Computational Fluid Dynamics of intracranial aneurysms. *Comput Biol Med*, 120, 103759. doi:10.1016/j.compbimed.2020.103759
- Rajabzadeh-Oghaz, H., Varble, N., Davies, J. M., Mowla, A., Shakir, H. J., Sonig, A., . . . Meng, H. (2017). Computer-Assisted Adjuncts for Aneurysmal Morphologic Assessment: Toward More Precise and Accurate Approaches. *Proc SPIE Int Soc Opt Eng*, 10134. doi:10.1117/12.2255553
- Rajabzadeh-Oghaz, H., Varble, N., Shallwani, H., Tutino, V. M., Mowla, A., Shakir, H. J., . . . Meng, H. (2018). Computer-Assisted Three-Dimensional Morphology Evaluation of Intracranial Aneurysms. *World Neurosurg*, 119, e541-e550. doi:10.1016/j.wneu.2018.07.208
- Rajabzadeh-Oghaz, H., Wang, J., Varble, N., Sugiyama, S. I., Shimizu, A., Jing, L., . . . Meng, H. (2019). Novel Models for Identification of the Ruptured Aneurysm in Patients with Subarachnoid Hemorrhage with Multiple Aneurysms. *AJNR Am J Neuroradiol*, 40(11), 1939-1946. doi:10.3174/ajnr.A6259
- Rana, R., Jain, A., Shankar, A., Bednarek, D. R., & Rudin, S. (2016). Scatter estimation and removal of anti-scatter grid-line artifacts from anthropomorphic head phantom images taken with a high resolution image detector. *Proc SPIE Int Soc Opt Eng*, 9783. doi:10.1117/12.2216833

Rana, R., Loughran, B., Swetadri Vasan, S. N., Pope, L., Ionita, C. N., Siddiqui, A., . . . Rudin, S. (2014). Workflow for the use of a high-resolution image detector in endovascular interventional procedures. *Proc SPIE Int Soc Opt Eng*, 9033, 90335S. doi:10.1117/12.2043087

Rana, R., Nagesh, S. V. S., Bednarek, D. R., & Rudin, S. (2017). Real time implementation of anti-scatter grid artifact elimination method for high resolution x-ray imaging CMOS detectors using Graphics Processing Units (GPUs). *Proc SPIE Int Soc Opt Eng*, 10132. doi:10.1117/12.2254120

Rana, R., Singh, V., Jain, A., Bednarek, D. R., & Rudin, S. (2015). Anti-scatter grid artifact elimination for high resolution x-ray imaging CMOS detectors. *Proc SPIE Int Soc Opt Eng*, 9412. doi:10.1117/12.2081430

Rana, V., Bednarek, D., Wu, J., & Rudin, S. (2012). SU-E-I-28: Development of Graphic Patient Models for a Real-Time Skin Dose Tracking System (DTS) for Fluoroscopic Interventional Procedures. *Med Phys*, 39(6Part4), 3631. doi:10.1118/1.4734743

Rana, V., Gill, K., Rudin, S., & Bednarek, D. R. (2012). Significance of Including Field Non-Uniformities Such as the Heel Effect and Beam Scatter in the Determination of the Skin Dose Distribution during Interventional Fluoroscopic Procedures. *Proc SPIE Int Soc Opt Eng*, 8313. doi:10.1117/12.911528

Rana, V., Rudin, S., & Bednarek, D. R. (2012). Use of a graphics processing unit (GPU) to facilitate real-time 3D graphic presentation of the patient skin-dose distribution during fluoroscopic interventional procedures. *Proc SPIE Int Soc Opt Eng*, 8313, 831343. doi:10.1117/12.911344

Rana, V. K., Rudin, S., & Bednarek, D. R. (2013). Updates in the real-time Dose Tracking System (DTS) to improve the accuracy in calculating the radiation dose to the patients skin during fluoroscopic procedures. *Proc SPIE Int Soc Opt Eng*, 8668, 86683Z. doi:10.1117/12.2007706

Rana, V. K., Rudin, S., & Bednarek, D. R. (2014). Improved-Resolution, Real-Time Skin-Dose Mapping for Interventional Fluoroscopic Procedures. *Proc SPIE Int Soc Opt Eng*, 9033(903340). doi:10.1117/12.2042519

Rana, V. K., Rudin, S., & Bednarek, D. R. (2015). A Real-Time Skin Dose Tracking System for Biplane Neuro-Interventional Procedures. *Proc SPIE Int Soc Opt Eng*, 9412. doi:10.1117/12.2081700

Rana, V. K., Rudin, S., & Bednarek, D. R. (2016). A tracking system to calculate patient skin dose in real-time during neurointerventional procedures using a biplane x-ray imaging system. *Med Phys*, 43(9), 5131. doi:10.1118/1.4960368

Rangwala, H. S., Ionita, C. N., Rudin, S., & Baier, R. E. (2009). Partially polyurethane-covered stent for cerebral aneurysm treatment. *J Biomed Mater Res B Appl Biomater*, 89(2), 415-429. doi:10.1002/jbm.b.31229

Rava, R. A., Mokin, M., Snyder, K. V., Waqas, M., Siddiqui, A. H., Davies, J. M., . . . Ionita, C. N. (2020). Performance of angiographic parametric imaging in locating infarct core in large vessel occlusion acute ischemic stroke patients. *J Med Imaging (Bellingham)*, 7(1), 016001. doi:10.1117/1.JMI.7.1.016001

Rava, R. A., Snyder, K. V., Mokin, M., Waqas, M., Allman, A. B., Senko, J. L., . . . Ionita, C. N. (2020). Assessment of a Bayesian Vitrea CT Perfusion Analysis to Predict Final Infarct and Penumbra Volumes in Patients with Acute Ischemic Stroke: A Comparison with RAPID. *AJNR Am J Neuroradiol*, 41(2), 206-212. doi:10.3174/ajnr.A6395



- Rava, R. A., Snyder, K. V., Mokin, M., Waqas, M., Zhang, X., Podgorsak, A. R., . . . Ionita, C. N. (2020). Assessment of computed tomography perfusion software in predicting spatial location and volume of infarct in acute ischemic stroke patients: a comparison of Sphere, Vitrea, and RAPID. *J Neurointerv Surg*. doi:10.1136/neurintsurg-2020-015966
- Rider, K. L., Rudin, S., & Hart, H. E. (1972). Resolution characteristics of tomographic rotating collimator systems. *IEEE Trans Biomed Eng*, 19(3), 186-193. doi:10.1109/TBME.1972.324116
- Rudin, S. (1979). Measurement of filtration in fluoroscopic systems. *Health Phys*, 36(2), 199-201.
- Rudin, S., & Bardfeld, P. A. (1971). New system for replacing Polaroid with rapidly processed 35 mm film for radioisotope scan display. *Radiology*, 100(1), 180-182. doi:10.1148/100.1.180
- Rudin, S., Bardfeld, P. A., & Hart, H. (1971). Use of magnifying multihole colimators in the gamma-ray camera system. *J Nucl Med*, 12(12), 831-834.
- Rudin, S., & Bednarek, D. (2012). SU-E-E-05: An Educational Physical Environment Concept with Close Research and Clinical Collaborations. *Med Phys*, 39(6Part4), 3624. doi:10.1118/1.4734714
- Rudin, S., & Bednarek, D. R. (1980). Improved contrast in special procedures using a rotating aperture wheel (RAW) device. *Radiology*, 137(2), 505-510. doi:10.1148/radiology.137.2.7433683
- Rudin, S., & Bednarek, D. R. (1992a). Minimizing radiation dose to patient and staff during fluoroscopic, nasoenteral tube insertions. *Br J Radiol*, 65(770), 162-166. doi:10.1259/0007-1285-65-770-162
- Rudin, S., & Bednarek, D. R. (1992b). Region of interest fluoroscopy. *Med Phys*, 19(5), 1183-1189. doi:10.1118/1.596792
- Rudin, S., Bednarek, D. R., Guterman, L. R., Hopkins, L. N., Wakhloo, A. K., Fletcher, L. M., & Massoumzadeh, P. (1995). Implementation of region-of-interest fluoroscopy by using the road mapping mode of a real-time digital radiographic unit. *Radiographics*, 15(6), 1465-1470. doi:10.1148/radiographics.15.6.8577969
- Rudin, S., Bednarek, D. R., & Hoffmann, K. R. (2008). Endovascular image-guided interventions (EIGIs). *Med Phys*, 35(1), 301-309. doi:10.1118/1.2821702
- Rudin, S., Bednarek, D. R., Kezerashvili, M., Granger, W. E., Serghany, J. E., Guterman, L. R., . . . Loftus, R. J. (1996). Clinical application of region-of-interest techniques to radiologic imaging. *Radiographics*, 16(4), 895-902. doi:10.1148/radiographics.16.4.8835978
- Rudin, S., Bednarek, D. R., & Miller, J. A. (1991). Dose reduction during fluoroscopic placement of feeding tubes. *Radiology*, 178(3), 647-651. doi:10.1148/radiology.178.3.1994396
- Rudin, S., Bednarek, D. R., & Wong, R. (1982a). Artifact patterns in multiple scanning beam radiography. *Med Phys*, 9(3), 394-400. doi:10.1118/1.595060
- Rudin, S., Bednarek, D. R., & Wong, R. (1982b). Design of rotating aperture cones for radiographic scatter reduction. *Med Phys*, 9(3), 385-393. doi:10.1118/1.595224
- Rudin, S., Bednarek, D. R., & Wong, R. (1991a). Accurate characterization of image intensifier distortion. *Med Phys*, 18(6), 1145-1151. doi:10.1118/1.596623

Rudin, S., Bednarek, D. R., & Wong, R. (1991b). Computer frame freezing of fluoroscopic images. *Radiol Technol*, 62(5), 369-373.

Rudin, S., Bednarek, D. R., & Wong, R. (1991c). Improving fluoroscopic image quality with continuously variable zoom magnification. *Med Phys*, 18(5), 972-977. doi:10.1118/1.596612

Rudin, S., Bednarek, D. R., & Yang, C. Y. (1999). Real-time equalization of region-of-interest fluoroscopic images using binary masks. *Med Phys*, 26(7), 1359-1364. doi:10.1118/1.598631

Rudin, S., Guterman, L. R., Granger, W. E., Bednarek, D. R., & Hopkins, L. N. (1996). Application of region-of-interest imaging techniques to neurointerventional radiology. *Radiology*, 199(3), 870-873. doi:10.1148/radiology.199.3.8638020

Rudin, S., Kuhls, A. T., Yadava, G. K., Josan, G. C., Wu, Y., Chityala, R. N., . . . Bednarek, D. R. (2006). New light-amplifier-based detector designs for high spatial resolution and high sensitivity CBCT mammography and fluoroscopy. *Proc SPIE Int Soc Opt Eng*, 6142(61421R). doi:10.1117/12.649501

Rudin, S., Rider, K. L., & Hart, H. E. (1972). A tomographic magnifying collimator system for the gamma camera. *Radiology*, 102(2), 371-373. doi:10.1148/102.2.371

Rudin, S., Wakhloo, A. K., Lieber, B. B., Granger, W., Divani, A. A., Bednarek, D. R., & Hopkins, L. N. (1999). Microdroplet tracking using biplane digital subtraction angiography for cerebral arteriovenous malformation blood flow path and velocity determinations. *AJNR Am J Neuroradiol*, 20(6), 1110-1114.

Rudin, S., Wang, Z., Kyprianou, I., Hoffmann, K. R., Wu, Y., Meng, H., . . . Hopkins, L. N. (2004). Measurement of flow modification in phantom aneurysm model: comparison of coils and a longitudinally and axially asymmetric stent--initial findings. *Radiology*, 231(1), 272-276. doi:10.1148/radiol.2311021741

Russ, M., O'Hara, R., Setlur Nagesh, S. V., Mokin, M., Jimenez, C., Siddiqui, A., . . . Ionita, C. (2015). Treatment Planning for Image-Guided Neuro-Vascular Interventions Using Patient-Specific 3D Printed Phantoms. *Proc SPIE Int Soc Opt Eng*, 9417. doi:10.1117/12.2081997

Russ, M., Shankar, A., Jain, A., Setlur Nagesh, S. V., Ionita, C. N., Scott, C., . . . Rudin, S. (2016). Quantitative comparison using Generalized Relative Object Detectability (G-ROD) metrics of an amorphous selenium detector with high resolution Microangiographic Fluoroscopes (MAF) and standard flat panel detectors (FPD). *Proc SPIE Int Soc Opt Eng*, 9783. doi:10.1117/12.2216733

Russ, M., Shankar, A., Setlur Nagesh, S. V., Ionita, C. N., Bednarek, D. R., & Rudin, S. (2017a). A CMOS-based high resolution fluoroscope (HRF) detector prototype with 49.5. *Proc SPIE Int Soc Opt Eng*, 10132. doi:10.1117/12.2253745

Russ, M., Shankar, A., Setlur Nagesh, S. V., Ionita, C. N., Bednarek, D. R., & Rudin, S. (2017b). Focal spot size reduction using asymmetric collimation to enable reduced anode angles with a conventional angiographic x-ray tube for use with high resolution detectors. *Proc SPIE Int Soc Opt Eng*, 10132. doi:10.1117/12.2253724

Russ, M., Singh, V., Loughran, B., Bednarek, D. R., & Rudin, S. (2015). New Family of Generalized Metrics for Comparative Imaging System Evaluation. *Proc SPIE Int Soc Opt Eng*, 9412. doi:10.1117/12.2082014

S, S., M, Z., M, M., S, R., D, P., & J, Q. (2021). Potential Neuroprotective Mechanisms of Methamphetamine Treatment in Traumatic Brain Injury Defined by Large-Scale IonStar-Based Quantitative Proteomics. *International journal of molecular sciences*, 22(5). doi:10.3390/ijms22052246

Schafer, S., Hoffmann, K. R., Noël, P. B., Ionita, C. N., & Dmochowski, J. (2008). Evaluation of guidewire path reproducibility. *Med Phys*, 35(5), 1884-1892. doi:10.1118/1.2903430

Setlur Nagesh, S. V., Fennel, V., Krebs, J., Ionita, C., Davies, J., Bednarek, D. R., . . . Rudin, S. (2019). High-Definition Zoom Mode, a High-Resolution X-Ray Microscope for Neurointerventional Treatment Procedures: A Blinded-Rater Clinical-Utility Study. *AJNR Am J Neuroradiol*, 40(2), 302-308. doi:10.3174/ajnr.A5922

Setlur Nagesh, S. V., Vakharia, K., Waqas, M., Fennell, V. S., Atwal, G. S., Shallwani, H., . . . Siddiqui, A. H. (2019). High-Definition Zoom Mode: A High Resolution X-ray Microscope for Neurointerventional Treatment Procedures. *J Neuroimaging*, 29(5), 565-572. doi:10.1111/jon.12652

Setlur Nagesh, S. V., Vakharia, K., Waqas, M., Munich, S. A., Bednarek, D. R., Davies, J. M., . . . Siddiqui, A. H. (2020). Single-center experience of using high definition (Hi-Def) imaging during neurointervention treatment of intracranial aneurysms using flow diverters. *J Neurointerv Surg*. doi:10.1136/neurintsurg-2019-015551

SH, S., S, R., & DR, B. (2021a). A parametric fitting technique for rapid determination of a skin-dose correction factor for angle of beam incidence during image-guided endovascular procedures. *Proceedings of SPIE--the International Society for Optical Engineering*, 11595. doi:10.1117/12.2582019

SH, S., S, R., & DR, B. (2021b). Comparison of skin dose calculated by the dose tracking system (DTS) with a beam angular correction factor and that calculated by Monte-Carlo. *Proceedings of SPIE--the International Society for Optical Engineering*, 11595. doi:10.1117/12.2580938

SH, S., S, R., & DR, B. (2021c). The effect of underlying bone on the beam angular correction in calculating the skin dose of the head in neuro-interventional imaging. *Proceedings of SPIE--the International Society for Optical Engineering*, 11595. doi:10.1117/12.2580992

Shankar, A., Krebs, J., Bednarek, D. R., & Rudin, S. (2018a). Evaluation of a new photon-counting imaging detector (PCD) with various acquisition modes. *Proc SPIE Int Soc Opt Eng*, 10573. doi:10.1117/12.2294629

Shankar, A., Krebs, J., Bednarek, D. R., & Rudin, S. (2018b). Spectroscopy with a CdTe-based photon-counting imaging detector (PCD) having charge sharing correction capability. *Proc SPIE Int Soc Opt Eng*, 10573. doi:10.1117/12.2294632

Shankar, A., Russ, M., Vijayan, S., Bednarek, D. R., & Rudin, S. (2017). Comparison of High Resolution X-Ray detectors with Conventional FPDs using Experimental MTFs and Apodized Aperture Pixel Design for Reduced Aliasing. *Proc SPIE Int Soc Opt Eng*, 10132. doi:10.1117/12.2254402

Sharma, P., Swetadri Vasan, S. N., Titus, A. H., Cartwright, A. N., Bednarek, D. R., & Rudin, S. (2012a). A 2x2 array of EMCCD-based solid state x-ray detectors. *Conf Proc IEEE Eng Med Biol Soc*, 2012, 5983-5986. doi:10.1109/EMBC.2012.6347357

- Sharma, P., Swetadri Vasan, S. N., Titus, A. H., Cartwright, A. N., Bednarek, D. R., & Rudin, S. (2012b). Implementation of digital multiplexing for high resolution X-ray detector arrays. *Conf Proc IEEE Eng Med Biol Soc*, 2012, 5979-5982. doi:10.1109/EMBC.2012.6347356
- Sharma, P., Titus, A. H., Qu, B., Huang, Y., Wang, W., Kuhls-Gilcrist, A., . . . Rudin, S. (2010). Novel Multiplexer to Enable Multiple-Module Imaging with Adjustable High Spatial Resolution and Predetermined Display Bandwidth for Array Medical Imaging Systems. *IEEE Nucl Sci Symp Conf Rec (1997)*, 2134-2137. doi:10.1109/NSSMIC.2010.5874157
- Sharma, P., Vasan, S. N., Cartwright, A. N., Titus, A. H., Bednarek, D. R., & Rudin, S. (2012). Two dimensional extensible array configuration for EMCCD-based solid state x-ray detectors. *Proc SPIE Int Soc Opt Eng*, 8313, 83135A. doi:10.1117/12.911354
- Sharma, P., Vasan, S. N., Jain, A., Panse, A., Titus, A. H., Cartwright, A. N., . . . Rudin, S. (2011). EMCCD-based high resolution dynamic x-ray detector for neurovascular interventions. *Conf Proc IEEE Eng Med Biol Soc*, 2011, 7787-7790. doi:10.1109/IEMBS.2011.6091919
- Shepard, L., Sommer, K., Izzo, R., Podgorsak, A., Wilson, M., Said, Z., . . . Ionita, C. N. (2017). Initial Simulated FFR Investigation Using Flow Measurements in Patient-specific 3D Printed Coronary Phantoms. *Proc SPIE Int Soc Opt Eng*, 10138. doi:10.1117/12.2253889
- Shepard, L. M., Sommer, K. N., Angel, E., Iyer, V., Wilson, M. F., Rybicki, F. J., . . . Ionita, C. N. (2019). Initial evaluation of three-dimensionally printed patient-specific coronary phantoms for CT-FFR software validation. *J Med Imaging (Bellingham)*, 6(2), 021603. doi:10.1117/1.JMI.6.2.021603
- Sherman, J., Rangwala, H., Ionita, C., Dohatcu, A., Lee, J., Bednarek, D., . . . Rudin, S. (2008). Investigation of new flow modifying endovascular image-guided interventional (EIGI) techniques in patient-specific aneurysm phantoms (PSAPs) using optical imaging. *Proc SPIE Int Soc Opt Eng*, 6918, 69181v. doi:10.1117/12.772583
- Shiraz Bhurwani, M. M., Waqas, M., Podgorsak, A. R., Williams, K. A., Davies, J. M., Snyder, K., . . . Ionita, C. N. (2019). Feasibility study for use of angiographic parametric imaging and deep neural networks for intracranial aneurysm occlusion prediction. *J Neurointerv Surg*. doi:10.1136/neurintsurg-2019-015544
- Singh, V., Jain, A., Bednarek, D. R., & Rudin, S. (2014a). Limitations of anti-scatter grids when used with high resolution image detectors. *Proc SPIE Int Soc Opt Eng*, 9033, 903362. doi:10.1117/12.2043063
- Singh, V., Jain, A., Bednarek, D. R., & Rudin, S. (2014b). Relative object detectability (ROD): a new metric for comparing x-ray image detector performance for a specified object of interest. *Proc SPIE Int Soc Opt Eng*, 9033, 90335I. doi:10.1117/12.2043504
- Singh, V., Loughran, B., Jain, A., Sharma, P., Bednarek, D., & Rudin, S. (2012). SU-E-I-99: An Ultra-High Resolution Small Field-Of-View Solid State X-Ray Imaging Detector Based on an Electron Multiplying CCD. *Med Phys*, 39(6Part5), 3647-3648. doi:10.1118/1.4734816
- Singh, V., Loughran, B., Pope, L., Bednarek, D., & Rudin, S. (2012). SU-E-I-112: Pre-Clinical Imaging with an Ultra-High Resolution X-Ray Detector. *Med Phys*, 39(6Part5), 3651. doi:10.1118/1.4734829

Singh, V., Swetadri Vasan, S. N., Jain, A., Sharma, P., Bednarek, D. R., & Rudin, S. (2013). Intrinsic and total system performance evaluation for a newly developed Solid State X-ray Image Intensifier (SSXII) detector. *Proc SPIE Int Soc Opt Eng*, 8668. doi:10.1117/12.2006451

Sommer, K., Izzo, R. L., Shepard, L., Podgorsak, A. R., Rudin, S., Siddiqui, A. H., . . . Ionita, C. N. (2017). Design Optimization for Accurate Flow Simulations in 3D Printed Vascular Phantoms Derived from Computed Tomography Angiography. *Proc SPIE Int Soc Opt Eng*, 10138. doi:10.1117/12.2253711

Sommer KN, B. M., Mokin M, Ionita CN. (2021). Evaluation of challenges and limitations of mechanical thrombectomy using 3D printed neurovascular phantoms. In (pp. 11601:116010B). *Proc SPIE Int Soc Opt Eng*.

Sommer, K. N., Shepard, L., Karkhanis, N. V., Iyer, V., Angel, E., Wilson, M. F., . . . Ionita, C. N. (2018). 3D Printed Cardiovascular Patient Specific Phantoms Used for Clinical Validation of a CT-derived FFR Diagnostic Software. *Proc SPIE Int Soc Opt Eng*, 10578. doi:10.1117/12.2292736

Sonig, A., Setlur Nagesh, S. V., Fennell, V. S., Gandhi, S., Rangel-Castilla, L., Ionita, C. N., . . . Levy, E. I. (2018). A Patient Dose-Reduction Technique for Neuroendovascular Image-Guided Interventions: Image-Quality Comparison Study. *AJNR Am J Neuroradiol*, 39(4), 734-741. doi:10.3174/ajnr.A5552

SS, V., H, R.-O., NK, P., M, W., DM, H., KV, S., . . . VM, T. (2021). Aneurysm risk metrics and hemodynamics are associated with greater vessel wall enhancement in intracranial aneurysms. *Royal Society open science*, 8(11). doi:10.1098/rsos.211119

Suri, H., Ionita, C. N., Baier, R. E., & Rudin, S. (2011). New variable porosity flow diverter (VPOD) stent design for treatment of cerebrovascular aneurysms. *Conf Proc IEEE Eng Med Biol Soc*, 2011, 1105-1108. doi:10.1109/IEMBS.2011.6090258

SVS, N., DR, B., & S, R. (2021). Investigation of the need for an x-ray scatter-reduction grid during neurointerventional procedures. *Proceedings of SPIE--the International Society for Optical Engineering*, 11595. doi:10.1117/12.2580866

Swetadri Vasan, S. N., Ionita, C., Bednarek, D. R., & Rudin, S. (2014). A novel Region of Interest (ROI) imaging technique for biplane imaging in interventional suites: high-resolution small field-of-view imaging in the frontal plane and dose-reduced, large field-of-view standard-resolution imaging in the lateral plane. *Proc SPIE Int Soc Opt Eng*, 9033, 90332F. doi:10.1117/12.2043460

Swetadri, V. S., Sharma, P., Singh, V., Jain, A., Ionita, C. N., Titus, A. H., . . . Rudin, S. (2013). Quantitative analysis of an enlarged area Solid State X-ray Image Intensifier (SSXII) detector based on Electron Multiplying Charge Coupled Device (EMCCD) technology. *Proc SPIE Int Soc Opt Eng*, 8668. doi:10.1117/12.2006286

Takemura, A., Hoffmann, K. R., Suzuki, M., Wang, Z., Rangwala, H. S., Harauchi, H., . . . Umeda, T. (2008). An algorithm for tracking microcatheters in fluoroscopy. *J Digit Imaging*, 21(1), 99-108. doi:10.1007/s10278-007-9016-9

Tino, R., Moore, R., Antoline, S., Ravi, P., Wake, N., Ionita, C. N., . . . Chepelev, L. L. (2020). COVID-19 and the role of 3D printing in medicine. *3D Print Med*, 6(1), 11. doi:10.1186/s41205-020-00064-7

TR, P., M, W., SMMJ, S., Z, R., CV, B., R, D., . . . VM, T. (2021). Revascularization Outcome Prediction for A Direct Aspiration-First Pass Technique (ADAPT) from Pre-Treatment Imaging and Machine Learning. *Brain sciences*, 11(10). doi:10.3390/brainsci11101321

TR, P., N, P., SMMJ, S., AH, S., VM, T., & H, R.-O. (2021). Automated Cerebral Vessel Segmentation of Magnetic Resonance Imaging in Patients with Intracranial Atherosclerotic Diseases. Annual International Conference of the IEEE Engineering in Medicine and Biology Society. IEEE Engineering in Medicine and Biology Society. Annual International Conference, 2021. doi:10.1109/EMBC46164.2021.9630626

TR, P., S, F., M, W., M, T., AA, D., M, M., . . . VM, T. (2021). Increased Perviousness on CT for Acute Ischemic Stroke is Associated with Fibrin/Platelet-Rich Clots. *AJNR. American journal of neuroradiology*, 42(1). doi:10.3174/ajnr.A6866

Tutino, V. M., Liaw, N., Spernyak, J. A., Ionita, C. N., Siddiqui, A. H., Kolega, J., & Meng, H. (2016). Assessment of Vascular Geometry for Bilateral Carotid Artery Ligation to Induce Early Basilar Terminus Aneurysmal Remodeling in Rats. *Curr Neurovasc Res*, 13(1), 82-92. doi:10.2174/1567202612666151027143149

Tutino, V. M., Mandelbaum, M., Choi, H., Pope, L. C., Siddiqui, A., Kolega, J., & Meng, H. (2014). Aneurysmal remodeling in the circle of Willis after carotid occlusion in an experimental model. *J Cereb Blood Flow Metab*, 34(3), 415-424. doi:10.1038/jcbfm.2013.209

Tutino, V. M., Mandelbaum, M., Takahashi, A., Pope, L. C., Siddiqui, A., Kolega, J., & Meng, H. (2015). Hypertension and Estrogen Deficiency Augment Aneurysmal Remodeling in the Rabbit Circle of Willis in Response to Carotid Ligation. *Anat Rec (Hoboken)*, 298(11), 1903-1910. doi:10.1002/ar.23205

Tutino, V. M., Poppenberg, K. E., Jiang, K., Jarvis, J. N., Sun, Y., Sonig, A., . . . Meng, H. (2018). Circulating neutrophil transcriptome may reveal intracranial aneurysm signature. *PLoS One*, 13(1), e0191407. doi:10.1371/journal.pone.0191407

Tutino, V. M., Poppenberg, K. E., Li, L., Shallwani, H., Jiang, K., Jarvis, J. N., . . . Meng, H. (2018). Biomarkers from circulating neutrophil transcriptomes have potential to detect unruptured intracranial aneurysms. *J Transl Med*, 16(1), 373. doi:10.1186/s12967-018-1749-3

Tutino, V. M., Rajabzadeh-Oghaz, H., Chandra, A. R., Gutierrez, L. C., Schweser, F., Preda, M., . . . Kolega, J. (2018). 9.4T Magnetic Resonance Imaging of the Mouse Circle of Willis Enables Serial Characterization of Flow-Induced Vascular Remodeling by Computational Fluid Dynamics. *Curr Neurovasc Res*, 15(4), 312-325. doi:10.2174/1567202616666181127165943

Vakharia, K., Munich, S. A., Waqas, M., Setlur Nagesh, S. V., & Levy, E. I. (2019). Deployment of distal posterior cerebral artery flow diverter in tortuous anatomy. *Neurosurg Focus*, 46(Suppl\_1), V9. doi:10.3171/2019.1.FocusVid.18481

Varble, N., Kono, K., Rajabzadeh-Oghaz, H., & Meng, H. (2018). Rupture Resemblance Models May Correlate to Growth Rates of Intracranial Aneurysms: Preliminary Results. *World Neurosurg*, 110, e794-e805. doi:10.1016/j.wneu.2017.11.093

Varble, N., Rajabzadeh-Oghaz, H., Wang, J., Siddiqui, A., Meng, H., & Mowla, A. (2017). Differences in Morphologic and Hemodynamic Characteristics for "PHASES-Based" Intracranial Aneurysm Locations. *AJNR Am J Neuroradiol*, 38(11), 2105-2110. doi:10.3174/ajnr.A5341

Varble, N., Tutino, V. M., Yu, J., Sonig, A., Siddiqui, A. H., Davies, J. M., & Meng, H. (2018). Shared and Distinct Rupture Discriminants of Small and Large Intracranial Aneurysms. *Stroke*, 49(4), 856-864. doi:10.1161/STROKEAHA.117.019929

Vasan, S. N., Ionita, C. N., Titus, A. H., Cartwright, A. N., Bednarek, D. R., & Rudin, S. (2012). Graphics Processing Unit (GPU) implementation of image processing algorithms to improve system performance of the Control, Acquisition, Processing, and Image Display System (CAPIDS) of the Micro-Angiographic Fluoroscope (MAF). *Proc SPIE Int Soc Opt Eng*, 8313, 83134C. doi:10.1117/12.911272

Vasan, S. N., Panse, A., Jain, A., Sharma, P., Ionita, C. N., Titus, A. H., . . . Rudin, S. (2012). Dose Reduction Technique Using a Combination of a Region of Interest (ROI) Material X-Ray Attenuator and Spatially Different Temporal Filtering for Fluoroscopic Interventions. *Proc SPIE Int Soc Opt Eng*, 8313, 831357. doi:10.1117/12.910945

Vasan, S. N., Pope, L., Ionita, C. N., Titus, A. H., Bednarek, D. R., & Rudin, S. (2013). Dose Reduction in Fluoroscopic Interventions Using a Combination of a Region of Interest (ROI) X-Ray Attenuator and Spatially-Different, Temporally-Variable Temporal Filtering. *Proc SPIE Int Soc Opt Eng*, 8668, 86683Y. doi:10.1117/12.2006277

Vasan, S. N., Sharma, P., Ionita, C. N., Titus, A. H., Cartwright, A. N., Bednarek, D. R., & Rudin, S. (2011). Spatially different, real-time temporal filtering and dose reduction for dynamic image guidance during neurovascular interventions. *Conf Proc IEEE Eng Med Biol Soc*, 2011, 6192-6195. doi:10.1109/IEMBS.2011.6091529

Vasan, S. N., Sharma, P., Ionita, C. N., Titus, A. H., Cartwright, A. N., Bednarek, D. R., & Rudin, S. (2013). Image acquisition, geometric correction and display of images from a 2x2 x-ray detector array based on Electron Multiplying Charge Coupled Device (EMCCD) technology. *Proc SPIE Int Soc Opt Eng*, 8668. doi:10.1117/12.2006280

Vijayan, S., Rana, V. K., Rudin, S., & Bednarek, D. R. (2015). Incorporating Corrections for the Head-Holder and Compensation Filter when Calculating Skin Dose during Fluoroscopically-Guided Interventions. *Proc SPIE Int Soc Opt Eng*, 9412, 94122I. doi:10.1117/12.2082292

Vijayan, S., Xiong, Z., Guo, C., Troville, J., Islam, N., Rudin, S., & Bednarek, D. R. (2018). Calculation of Forward Scatter Dose Distribution at the skin entrance from the patient table for fluoroscopically guided interventions using a pencil beam convolution kernel. *Proc SPIE Int Soc Opt Eng*, 10573. doi:10.1117/12.2294920

Vijayan, S., Xiong, Z., Rudin, S., & Bednarek, D. R. (2016). A system to track skin dose for neuro-interventional cone-beam computed tomography (CBCT). *Proc SPIE Int Soc Opt Eng*, 9783. doi:10.1117/12.2216931

Vijayan, S., Xiong, Z., Rudin, S., & Bednarek, D. R. (2017). Calculation of the entrance skin dose distribution for fluoroscopically guided interventions using a pencil beam backscatter model. *J Med Imaging (Bellingham)*, 4(3), 031203. doi:10.1117/1.JMI.4.3.031203

Vijayan, S., Xiong, Z., Shankar, A., Rudin, S., & Bednarek, D. R. (2017). Skin dose mapping for non-uniform x-ray fields using a backscatter point spread function. *Proc SPIE Int Soc Opt Eng*, 10132. doi:10.1117/12.2254257

VM, T., H, R.-O., SS, V., KE, P., M, W., M, M., . . . J, K. (2021). Endogenous animal models of intracranial aneurysm development: a review. *Neurosurgical review*, 44(5). doi:10.1007/s10143-021-01481-w

VM, T., HR, Z., H, R.-O., L, C., AA, D., AH, S., . . . KE, P. (2021). RNA Sequencing Data from Human Intracranial Aneurysm Tissue Reveals a Complex Inflammatory Environment Associated with Rupture. *Molecular diagnosis & therapy*, 25(6). doi:10.1007/s40291-021-00552-4

VM, T., KE, P., RJ, D., TR, P., M, W., AA, D., . . . JN, J. (2020). Characterization of Long Non-coding RNA Signatures of Intracranial Aneurysm in Circulating Whole Blood. *Molecular diagnosis & therapy*, 24(6). doi:10.1007/s40291-020-00494-3

VM, T., S, F., K, F., TR, P., A, M., HH, R., . . . AH, S. (2021). Isolation of RNA from Acute Ischemic Stroke Clots Retrieved by Mechanical Thrombectomy. *Genes*, 12(10). doi:10.3390/genes12101617

VM, T., Y, L., D, I., KE, P., H, R.-O., AH, S., & DM, H. (2021). Aberrant Whole Blood Gene Expression in the Lumen of Human Intracranial Aneurysms. *Diagnostics (Basel, Switzerland)*, 11(8). doi:10.3390/diagnostics11081442

Wakhloo, A. K., Lieber, B. B., Rudin, S., Fronckowiak, M. D., Mericle, R. A., & Hopkins, L. N. (1998). A novel approach to flow quantification in brain arteriovenous malformations prior to embucilate embolization: use of insoluble contrast (Ethiodol droplet) angiography. *J Neurosurg*, 89(3), 395-404. doi:10.3171/jns.1998.89.3.0395

Wang, W., Ionita, C., Huang, Y., Qu, B., Panse, A., Jain, A., . . . Rudin, S. (2012). Region-of-Interest Micro-Angiographic Fluoroscope Detector Used in Aneurysm and Artery Stenosis Diagnoses and Treatment. *Proc SPIE Int Soc Opt Eng*, 8313. doi:10.1117/12.910771

Wang, W., Ionita, C., Kuhls-Gilcrist, A., Huang, Y., Qu, B., Gupta, S. K., . . . Rudin, S. (2011). Graphical User Interface for a Dual-Module EMCCD X-ray Detector Array. *Proc SPIE Int Soc Opt Eng*, 7961. doi:10.1117/12.877588

Wang, W., Ionita, C. N., Bednarek, D. R., & Rudin, S. (2011). Study of Stent Deployment Mechanics Using a High-Resolution X-ray Imaging Detector. *Proc SPIE Int Soc Opt Eng*, 7965(79651G). doi:10.1117/12.877710

Wang, W., Ionita, C. N., Keleshis, C., Kuhls-Gilcrist, A., Jain, A., Bednarek, D., & Rudin, S. (2010). Progress in the Development of a new Angiography Suite including the High Resolution Micro-Angiographic Fluoroscope (MAF), a Control, Acquisition, Processing, and Image Display System (CAPIDS), and a New Detector Changer Integrated into a Commercial C-Arm Angiography Unit to Enable Clinical Use. *Proc SPIE Int Soc Opt Eng*, 7622(76225I). doi:10.1117/12.844909

Wang, Z., Ionita, C., Rudin, S., Hoffmann, K. R., Paxton, A. B., & Bednarek, D. R. (2004). Angiographic analysis of blood flow modification in cerebral aneurysm models with a new asymmetric stent. *Proc SPIE Int Soc Opt Eng*, 5369. doi:10.1117/12.535347



Wang, Z., Rudin, S., Bednarek, D. R., & Miskolczi, L. (2002). Improved method of magnification factor calculation for the angiographic measurement of neurovascular lesion dimensions. *J Appl Clin Med Phys*, 3(3), 255-259. doi:10.1120/jacmp.v3i3.2573

Wang, Z. J., Hoffmann, K. R., Wang, Z., Rudin, S., Guterman, L. R., & Meng, H. (2005). Contrast settling in cerebral aneurysm angiography. *Phys Med Biol*, 50(13), 3171-3181. doi:10.1088/0031-9155/50/13/014

Waqas, M., Chin, F., Rajabzadeh-Oghaz, H., Gong, A. D., Rai, H. H., Mokin, M., . . . Siddiqui, A. H. (2020). Size of ruptured intracranial aneurysms: a systematic review and meta-analysis. *Acta Neurochir (Wien)*, 162(6), 1353-1362. doi:10.1007/s00701-020-04291-z

Waqas, M., Mokin, M., Lim, J., Vakharia, K., Springer, M. E., Meess, K. M., . . . Siddiqui, A. H. (2020). Design and Physical Properties of 3-Dimensional Printed Models Used for Neurointervention: A Systematic Review of the Literature. *Neurosurgery*. doi:10.1093/neuros/nyaa134

Waqas, M., Rajabzadeh-Oghaz, H., Tutino, V. M., Vakharia, K., Poppenberg, K. E., Mowla, A., . . . Siddiqui, A. H. (2019). Morphologic Parameters and Location Associated with Rupture Status of Intracranial Aneurysms in Elderly Patients. *World Neurosurg*, 129, e831-e837. doi:10.1016/j.wneu.2019.06.045

Wood, R. P., Khobragade, P., Ying, L., Snyder, K., Wack, D., Bednarek, D. R., . . . Ionita, C. N. (2015). Initial testing of a 3D printed perfusion phantom using digital subtraction angiography. *Proc SPIE Int Soc Opt Eng*, 9417. doi:10.1117/12.2081471

Wu, Y., Rudin, S., & Bednarek, D. R. (2005). A Prototype Micro-Angiographic Fluoroscope and Its Application in Animal Studies. *Proc SPIE Int Soc Opt Eng*, 5745, 1066-1077. doi:10.1117/12.589232

Xiang, J., Tutino, V. M., Snyder, K. V., & Meng, H. (2014). CFD: computational fluid dynamics or confounding factor dissemination? The role of hemodynamics in intracranial aneurysm rupture risk assessment. *AJNR Am J Neuroradiol*, 35(10), 1849-1857. doi:10.3174/ajnr.A3710

Xiong, Z., Rudin, S., & Bednarek, D. R. (2020). Assessment of Eye Lens Dose Reduction when using Lateral Lead Shields on the Patient's Head During NeuroInterventional Fluoroscopic Procedures and Cone-beam Computed Tomography (CBCT) Scans. *Health Phys*. doi:10.1097/HP.0000000000001232

Xiong, Z., Vijayan, S., Guo, C., Rudin, S., & Bednarek, D. R. (2018). Investigation of organ dose variation with adult head size and pediatric age for neuro-interventional projections. *Proc SPIE Int Soc Opt Eng*, 10573. doi:10.1117/12.2293958

Xiong, Z., Vijayan, S., Rana, V., Jain, A., Rudin, S., & Bednarek, D. R. (2016). Lens of the eye dose calculation for neuro-interventional procedures and CBCT scans of the head. *Proc SPIE Int Soc Opt Eng*, 9783. doi:10.1117/12.2216504

Xiong, Z., Vijayan, S., Rudin, S., & Bednarek, D. R. (2017a). Assessment of organ and effective dose when using region-of-interest attenuators in cone-beam CT and interventional fluoroscopy. *J Med Imaging (Bellingham)*, 4(3), 031210. doi:10.1117/1.JMI.4.3.031210

Xiong, Z., Vijayan, S., Rudin, S., & Bednarek, D. R. (2017b). Monte Carlo investigation of backscatter point spread function for X-ray imaging examinations. *Proc SPIE Int Soc Opt Eng*, 10132. doi:10.1117/12.2254064

Xiong, Z., Vijayan, S., Rudin, S., & Bednarek, D. R. (2017c). Organ and effective dose reduction for region-of-interest (ROI) CBCT and fluoroscopy. *Proc SPIE Int Soc Opt Eng*, 10132. doi:10.1117/12.2254061

Yadava, G. K., Kuhls-Gilcrist, A. T., Rudin, S., Patel, V. K., Hoffmann, K. R., & Bednarek, D. R. (2008). A practical exposure-equivalent metric for instrumentation noise in x-ray imaging systems. *Phys Med Biol*, 53(18), 5107-5121. doi:10.1088/0031-9155/53/18/017

Yadava, G. K., Kyprianou, I. S., Rudin, S., Bednarek, D. R., & Hoffmann, K. R. (2005). Generalized Performance Evaluation of X-ray Image Intensifier compared with a Microangiographic System. *Proc SPIE Int Soc Opt Eng*, 5745(1), 419-429. doi:10.1117/12.594593

Yadava, G. K., Rudin, S., Kuhls-Gilcrist, A. T., & Bednarek, D. R. (2008). Generalized Objective Performance Assessment of a New High-Sensitivity Microangiographic Fluoroscopic (HSMAF) Imaging System. *Proc SPIE Int Soc Opt Eng*, 6913, 69130U. doi:10.1117/12.769808

Yoganand, A., Wood, R. P., Jimenez, C., Siddiqui, A., Snyder, K., Nagesh, S. V., . . . Ionita, C. N. (2015). Angiographic analysis for phantom simulations of endovascular aneurysm treatments with a new fully retrievable asymmetric flow diverter. *Proc SPIE Int Soc Opt Eng*, 9417. doi:10.1117/12.2082079

Yuan, X., Smith, R. J., Guan, H., Ionita, C. N., Khobragade, P., Dziak, R., . . . Yang, S. (2016). Hybrid Biomaterial with Conjugated Growth Factors and Mesenchymal Stem Cells for Ectopic Bone Formation. *Tissue Eng Part A*, 22(13-14), 928-939. doi:10.1089/ten.TEA.2016.0052