

EQUIPOS DE SOLDADURA

CÀTALAGO



**SOLDADURA DE ALUMINIO
ALLOY 26
MARCA HARRIS
3/32", 1/8" Y 5/32"**



**SOLDADURA DE HIERRO
COLADO
ARCALOY 550 ESAB
1/8" Y 5/32"**



**NICKEL 141 SPECIAL
METALS
3/32", 1/8" , 5/32"**

CARRETE Y VARILLA DE SOLDADURA





CODIGO	MIL-907-322-01-2 MIKKERMTIC 252
PROCESO	MIG, FLUX CORED
CONEXIÓN	220/ 440 V /1 Ø / 60 Hz
RANGO DE SALIDA	30-300 Amp.
PESO	94 Kg



CODIGO	MIL-903-431 INVISION 352 MPA
PROCESO	MIG, PLUSED MIG, FLUX CORED, AIR CARBON ARC CUTTINGAND GOUGING.
CONEXIÓN	220 / 440 V / 3 Ø / 60 Hz.
RANGO DE SALIDA	5-425 Amp. / 38 V, 100 % CICLO DE TRABAJO
PESO	55.3 KG



CODIGO	MIL-907-617 DIMENSION 650
PROCESO	MIG, FLUX CORED, SUMERGED ARC, STICK, TIG, AIR CARBON ARC CUTTING AND GOUGING.
CONEXIÓN	380 / 440 V / 3 Ø / 60 Hz
RANGO DE SALIDA	15 – 815 Amp. / 10- 65 V,
PESO	71.7 KG



CODIGO	MIL-907-782 SINCROWAVE 30
PROCESO	TIAG AC, TIG DC, PULSED TIG, STICK.
CONEXIÓN	208 – 480 V / 1 Y 3 Ø / 60 Hz.
RANGO DESALIDA	3 – 300 Amp.
PESO	80 KG.



CODIGO	MIL-907-717-001 DYNASTY 400 TIGRUNNER
PROCESO	TIG, PLUSED TIG, STICK, AIR CARBON ARC
CONEXIÓN	380 / 575 V / 3 Ø / 60 Hz
RANGO DE SALIDA	3- 400 Amp.
PESO	61 KG.



CODIGO	MIL-907-792-001 BOB CAT 260
PROCESO	STICK, FLUX CORED, MIG, DC TIG, AIR CARBON ARC.
CONEXIÓN	GASOLINA / KHOLER
RANGO DE SALIDA	40 – 260 Amp.
PESO	227 KG.



74 S 74 D 74 MPa	24 VAC, 10 A, 50/60 Hz.	50-780 imp (1.3-19.8 m/min)	.023 – 5/64in (0.6-2.0 mm) .035- 1/16” in (0.9 – 1.6 mm)	MIL-300-616 MIL- 300-617 MIL-300-577



ESPECIFICACIONES	HANDY ARC 132 i DV	HANDY Arc 162 i
Tensión de red	12TV	220 V + 10 %
Peso	3.5 kg	3.7 Kg


This image displays a variety of tools used for measuring and marking angles in carpentry and construction. The tools include:


- Four metal angle finders with circular scales and adjustment screws, arranged in a row at the top.
- A metal angle finder mounted on a black L-shaped base.
- A metal angle finder mounted on a black L-shaped base, oriented vertically.
- A metal angle finder mounted on a black L-shaped base, oriented diagonally.
- A yellow plastic angle finder with a triangular shape and a central circular scale.



Material Integral Athid SA de CV.
Ing. Adalberto Cantú Garza// Administración
admin@miass.mx // 8120393194
<http://miass.mx>

Material Integral Athid SA de CV.
IEA Jose Rivera
8130440982
Ventas Industriales





EQUIPOS DE SOLDADURA

Manejamos más modelos
en existencia
pide tu cotización.