



JK PAPER LTD.
Creating lasting impressions

Nehru House, 3rd Floor, 4 Bahadur Shah Zafar Marg, New Delhi-110002, India,
Tel.: 91-11-6600-1112, 6600-1132
marketing@jkmail.com

www.jkpaper.com | [f /jkpaperindia](https://www.facebook.com/jkpaperindia) | [t /jkpaperindia](https://www.twitter.com/jkpaperindia)



**WIDEST
RANGE OF
COPIER &
VALUE ADDED
PRODUCTS
FROM**

JK



Aerial view of
Raygada Plant, Unit-JKPM

ABOUT JK PAPER

Established in 1962, JK Paper is the leading player in Office papers, Coated papers and Packaging boards. It has two integrated Pulp and Paper Mills viz; Unit JKPM at Rayagada (Odisha) near the Eastern coast of India and Unit CPM, Songadh (Gujarat) on the Western coast. In August 2018, JK Paper has acquired Sirpur Paper Mills Ltd- located in Telangana. With this acquisition, the company's capacity is now 591,000 TPA. From being the pioneer of branded paper in India, the Company today is a leading exporter of Branded Copier Papers and Packaging Boards exporting to over 60 countries covering USA, Middle-east, South-east Asia, SAARC and African countries.

We offer a wide range of high-quality products under the following categories:

• Office Paper • Packaging Board • Printing & Writing Paper • Specialty Paper

As part of a larger commitment & respect for the environment, the company has sustained its efforts for increasing the green cover via our Social Farm Forestry program. We have helped in greening over 1,75,000 Hectare of land through this program, in turn providing livelihood to marginal farmers.



**OUR
WIDE RANGE OF
COPIER PAPER**



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

Ultra-smooth, high bulk paper suitable for high-end application

Stands out from other day-to-day papers used for regular jobs

High whiteness & brightness with excellent properties

No fadeout or reversion - acid-free long lasting paper

Presents ultra-sharp text and real life colour images on printing

Manufactured from Plantation Wood Pulp : 100% ECF

Colorlok Technology for bolder black, vivid colour & faster drying

USAGE/USERS ►

Ideal for impressive color printing

Excellent for brochures and high-end presentations, where impressive printing matters

Suitable for various digital, xerography and desktop printers

AVAILABILITY ►

Available in A4 & A3


GSM- 100

500 sheets pack

★ ULTRA PREMIUM ★

TECHNICAL SPECIFICATIONS

SL. NO	PARTICULARS	UNIT	JK CEDAR 100
1	Substance	GSM	100+/- 2.5%
2	Caliper	Micron	120+/- 2
3	Breaking Length	Metre	4500 ± 500
4	Tear Factor	--	65 ± 5
5	Sizing (Cobb) (Max)	GSM	28 ± 2
6	Moisture	%	4.0 ± 0.5
7	Roughness (Max)	ML./Min.	70
8	Wax Pick (Min)	No.	14A
9	Brightness	% ISO	96 ± 1
10	Opacity (Min)	% ISO	94



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

Ultra Premium office paper, smooth runnability and excellent printing

Suitable for double-side photocopy, inkjet and digital printing

Manufactured from Plantation Wood Pulp : 100% ECF

High whiteness & brightness, acid-free long lasting paper

Colorlok Technology to provide bolder black, vivid colour & faster drying

USAGE/USERS ►

Big Corporates

Government Offices

People looking for high quality paper

AVAILABILITY ►

Available in A4 & FS sizes

GSM- 75 / 80

500 sheets pack

★ ULTRA PREMIUM ★

TECHNICAL SPECIFICATIONS

SL. NO	PARTICULARS	UNIT	JKC PLUS 75	JKC PLUS 80
1	Substance	GSM	75+/- 1.5	80+/- 2.5%
2	Caliper	Micron	102+/- 2	108+/- 2
3	Breaking Length	Metre	4500 ± 500	4500 ± 500
4	Tear Factor	--	65 ± 5	65 ± 5
5	Sizing (Cobb) (Max)	GSM	28 ± 2	28 ± 2
6	Moisture	%	4.0 ± 0.5	4.0 ± 0.5
7	Roughness (Max)	MI./Min.	250	250
8	Wax Pick (Min)	No.	14A	14A
9	Brightness	% ISO	94 +/- 1	94 ± 1
10	Opacity (Min)	% ISO	92	94



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

Premium Multipurpose Office Paper

Manufactured from Plantation Wood Pulp : 100% ECF

High whiteness & brightness - acid-free long lasting paper

Colorlok Technology to provide bolder black, vivid colour & faster drying

Highly automated manufacturing technology with TWT

Suitable for any job on office printer
(Xerography, inkjet, laserjet, fax)

Ideal for impressive colour printing, training manuals
and assignments

USAGE/USERS ►

Large Corporates

Government Offices

Home Usage

Hospitals

AVAILABILITY ►

Available in A4, A3, FS & A5 sizes


GSM- 75 / 80

500 sheets pack



TECHNICAL SPECIFICATIONS

SL. NO	PARTICULARS	UNIT	JKC 75	JKC 80
1	Substance	GSM	75+/- 1.5	80+/- 2.5%
2	Caliper	Micron	102+/- 2	108+/- 2
3	Breaking Length	Meter	4500 ± 500	4500 ± 500
4	Tear Factor	--	65 ± 5	65 ± 5
5	Sizing (Cobb) (Max)	GSM	28 ± 2	28 ± 2
6	Moisture	%	4.0 ± 0.5	4.0 ± 0.5
7	Roughness (Max)	ML./Min.	250	250
8	Wax Pick (Min)	No.	14A	14A
9	Brightness	% ISO	93 +/- 1	93 ± 1
10	Opacity (Min)	% ISO	92	92



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

Premium Multipurpose Office Paper

Excellent for double side photocopy and digital printing.

Acid-free long lasting paper

Colorlok Technology to provide bolder black, vivid colour & faster drying

Highly automated manufacturing technology with TWT

USAGE/USERS ►

Large Corporates

Government Offices

Home Usage

Hospitals

AVAILABILITY ►

Available in A4, A3 & FS sizes

GSM- 70


500 sheets pack

PREMIUM

★★★★

TECHNICAL SPECIFICATIONS

SL. NO	PARTICULARS	UNIT	JK EASY COPIER 70
1	Substance	GSM	70+/- 2.5%
2	Caliper	Micron	98+/- 2
3	Breaking Length	Metre	4500 ± 500
4	Tear Factor	--	60 ± 5
5	Sizing (Cobb) (Max)	GSM	28 ± 2
6	Moisture	%	4.0 ± 0.5
7	Roughness (Max)	MI./Min.	250
8	Wax Pick (Min)	No.	13A
9	Brightness	% ISO	89 ± 1
10	Opacity (Min)	% ISO	90



100
SHEET
ZIPLOCK
PACK



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

Premium high brightness printing paper

Crisp image formation with superior photo imaging

Colorlok Technology to provide bolder black, vivid colour
& faster drying

USAGE/USERS ►

Home Buyers

Students

AVAILABILITY ►

Available in A4 sizes

GSM- 75

100 sheets pack



TECHNICAL SPECIFICATIONS

SL. NO	PARTICULARS	UNIT	COPIER SLIMS 75
1	Substance	GSM	75+/- 2.5%
2	Caliper	Micron	102+/- 2
3	Breaking Length	Metre	4500 ± 500
4	Tear Factor	--	65 ± 5
5	Sizing (Cobb) (Max)	GSM	28 ± 2
6	Moisture	%	4.0 ± 0.5
7	Roughness (Max)	ML./Min.	250
8	Wax Pick (Min)	No.	14A
9	Brightness	% ISO	93 +/- 1
10	Opacity (Min)	% ISO	92



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

High quality with at reasonable Price

Suitable for both side copying & printing

Manufactured from Plantation Wood pulp : 100% ECF

High brightness, acid-free long lasting paper

Colorlok Technology for bolder black, vivid colour & faster drying

Ideal for high quality and high speed photocopy & printing

USAGE/USERS ►

Jobbers

Small Offices & Home Offices

Hotel, Restaurant & Catering

Small Hospitals

AVAILABILITY ►

Available in A4, A3 & FS sizes

GSM- 70

500 sheets pack



TECHNICAL SPECIFICATIONS

SL. NO	PARTICULARS	UNIT	JK SPARKLE 70
1	Substance	GSM	70+/- 2.5%
2	Caliper	Micron	98+/- 2
3	Breaking Length	Metre	4500 ± 500
4	Tear Factor	--	60 ± 5
5	Sizing (Cobb) (Max)	GSM	28 ± 2
6	Moisture	%	4.0 ± 0.5
7	Roughness (Max)	MI./Min.	250
8	Wax Pick (Min)	No.	13A
9	Brightness	% ISO	92 +/- 1
10	Opacity (Min)	% ISO	88



FEATURES ▶

- A5 copier size (½ A4 size), meeting customer needs
- Assures impressive printing
- Manufactured from Plantation Wood pulp : 100% ECF
- Acid-free long lasting paper with Colorlok Technology

USAGE/USERS ▶


Small Hotels, Restaurant & Cafes
Small Businesses

AVAILABILITY ▶

- Available in A5 size
- GSM- 70
- 500 sheets pack

TECHNICAL SPECIFICATIONS

SL. NO	PARTICULARS	UNIT	JK SPARKLE 70
1	Substance	GSM	70+/- 2.5%
2	Caliper	Micron	98+/- 2
3	Breaking Length	Metre	4500 ± 500
4	Tear Factor	--	60 ± 5
5	Sizing (Cobb) (Max)	GSM	28 ± 2
6	Moisture	%	4.0 ± 0.5
7	Roughness (Max)	ML./Min.	250
8	Wax Pick (Min)	No.	13A
9	Brightness	% ISO	92 +/- 1
10	Opacity (Min)	% ISO	88





ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

Superior quality Copier Paper at optimum cost

Excellent for double side photocopy and digital printing

Manufactured from Plantation Wood Pulp : 100% ECF

Acid-free long lasting paper with Colorlok Technology

High brightness with attractive shade

USAGE/USERS ►

Jobbers

Small Offices & Home Offices

Hotel, Restaurant & Catering

Small Hospitals

AVAILABILITY ►

Available in A4, A3 & FS sizes.

GSM- 75

500 sheets pack



TECHNICAL SPECIFICATIONS

Sl. No	Particulars	Unit	JK SPARKLE 75
1	Substance	GSM	75+/- 2.5%
2	Caliper	Micron	102+/- 2
3	Breaking Length	Metre	4500 ± 500
4	Tear Factor	--	65 ± 5
5	Sizing (Cobb) (Max)	GSM	28 ± 2
6	Moisture	%	4.0 ± 0.5
7	Roughness (Max)	MI./Min.	250
8	Wax Pick (Min)	No.	13A
9	Brightness	% ISO	92 +/- 1
10	Opacity (Min)	% ISO	92



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

- High GSM copier for impressive printing applications
- High brightness with attractive shade
- Manufactured from Plantation Wood Pulp : 100% ECF
- Acid-free / alkaline / paper
- Colorlok Technology to provide bolder black, vivid colour & faster drying
- Made using Twin Wire Technology

USAGE/USERS ►

- Jobbers
- Small Offices & Home Offices
- Hotel, Restaurant & Catering
- Small Hospitals


AVAILABILITY ►

- Available in A4 size
- GSM- 80
- 500 sheets pack



TECHNICAL SPECIFICATIONS

SL. NO	PARTICULARS	UNIT	JK SPARKLE 80
1	Substance	GSM	80+/- 2.5%
2	Caliper	Micron	108+/- 2
3	Breaking Length	Metre	4500 ± 500
4	Tear Factor	--	65 ± 5
5	Sizing (Cobb) (Max)	GSM	28 ± 2
6	Moisture	%	4.0 ± 0.5
7	Roughness (Max)	MI./Min.	250
8	Wax Pick (Min)	No.	14
9	Brightness	% ISO	92 +/- 1
10	Opacity (Min)	% ISO	94



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

- Product which provides quality at optimum cost
- Pure white with high brightness
- Jam free performance
- Suitable for double side photocopy and digital printing
- Manufactured from Plantation Wood pulp : 100% ECF
- Acid-free long lasting paper

USAGE/USERS ►

- Jobbers
- Small Offices & Home Offices
- Hotel, Restaurant & Catering
- Small Hospitals


AVAILABILITY ►

- Available in A4, A3 & FS sizes
- GSM- 70
- Available in 500 sheets pack



TECHNICAL SPECIFICATIONS

SL. NO	PARTICULARS	UNIT	JK A COPIER 70
1	Substance	GSM	70+/- 2.5%
2	Caliper	Micron	98+/- 2
3	Breaking Length	Metre	4500 ± 500
4	Tear Factor	--	60 ± 5
5	Sizing (Cobb) (Max)	GSM	28 ± 2
6	Moisture	%	4.0 ± 0.5
7	Roughness (Max)	ML./Min.	300
8	Wax Pick (Min)	No.	13A
9	Brightness	% ISO	88 ± 1
10	Opacity (Min)	% ISO	88



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

- Product which provides quality at optimum cost
- Pure white with high brightness
- Jam free performance
- Suitable for double side photocopy and digital printing
- Manufactured from Plantation Wood pulp : 100% ECF
- Acid-free long lasting paper

USAGE/USERS ►

- Jobbers
- Small Offices & Home Offices
- Hotel, Restaurant & Catering
- Small Hospitals


AVAILABILITY ►

- Available in A4, A3 & FS sizes
- GSM- 75
- Available in 500 sheets pack



TECHNICAL SPECIFICATIONS

SL. NO	PARTICULARS	UNIT	JK A COPIER 75
1	Substance	GSM	75+/- 2.5%
2	Caliper	Micron	102+/- 2
3	Breaking Length	Meter	4500 ± 500
4	Tear Factor	--	65 ± 5
5	Sizing (Cobb) (Max)	GSM	28 ± 2
6	Moisture	%	4.0 ± 0.5
7	Roughness (Max)	ML./Min.	300
8	Wax Pick (Min)	No.	14A
9	Brightness	% ISO	88 +/- 1
10	Opacity (Min)	% ISO	90



FEATURES ►

- Consistent print quality
- Double side printability
- Jam free
- Value for money

USAGE/USERS ►

Fighter brand to target economy segment Jobbers & Printers

AVAILABILITY ►

Available in A4 size
GSM- 70



TECHNICAL SPECIFICATIONS

SL. NO	TEST PARAMETERS	UNIT	70 GSM
1	Substance	g/m2	70±3%
2	Caliper	Microns	100±4
3	Breaking Length	Meters	4000±200
4	Tear Factor	-	50/55
5	Sizing (Cobb) (Max)	g/m2	30.0
6	Moisture	%	4.0±0.5
7	Roughness (Max)	ml/min	300
8	Wax Pick (Min)	No	12A
9	Brightness	% ISO	87±1
10	Opacity (Min)	% ISO	90



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

- Consistent print quality
- Double side printability
- Jam free
- Value for money

USAGE/USERS ►

Fighter brand to target economy
segment Jobbers & Printers

AVAILABILITY ►

Available in A4 size
GSM- 75



TECHNICAL SPECIFICATIONS

SL. NO	TEST PARAMETERS	UNIT	75 GSM
1	Substance	g/m2	75±3%
2	Caliper	Microns	105±4
3	Breaking Length	Meters	4000±200
4	Tear Factor	-	50/55
5	Sizing (Cobb) (Max)	g/m2	30.0
6	Moisture	%	4.0±0.5
7	Roughness (Max)	ml/min	300
8	Wax Pick (Min)	No	12A
9	Brightness	% ISO	87±1
10	Opacity (Min)	% ISO	91



OUR VALUE ADDED PRODUCTS



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

Superfine and ultra-white
(96+% ISO) water-marked
bond paper

Long lasting whiteness

Excellent stiffness

USAGE/USERS ►

Screen Printers

Doctors

Corporates (for letterheads,
brochure & high end stationery)

Government Offices

Legal Documents

AVAILABILITY ►


Available in A4 sizes

GSM- 70 / 80 / 85 / 90 / 100

Available in 100 Sheets
(90 GSM only) &
500 sheets pack

TECHNICAL SPECIFICATIONS

Sl.No	Particulars	Unit	JK Excel Bond 70	JK Excel Bond 80	JK Excel Bond 85	JK Excel Bond 90	JK Excel Bond 100
1	Substance	GSM	70+/- 2.5%	80 +/- 2.5%	85 +/- 2.5%	90+/- 2.5%	100 +/- 2.5%
2	Caliper (Min)	Microns	95	108	115	120	130
3	Breaking Length (MD / CD)	Meter	4500/ 2500	4500/ 2500	4500/ 2500	4500/ 2500	4500/ 2500
4	Tear factor	----	65+/-5	65+/-5	65+/-5	65+/-5	65+/-5
5	Cobb-60 (Sizing)	GSM	22 ± 3	22 ± 3	22 ± 3	22 ± 3	22 ± 3
6	Moisture	%	4.5 +/- 0.5	4.5 +/- 0.5	4.5 +/- 0.5	4.5 +/- 0.5	4.5 +/- 0.5
7	Smoothness (Bendtsen)	MI / min	250	250	250	250	250
8	Wax Pick	Nos.	14A	14A	14A	14A	14A
9	Brightness	% ISO	96 +/- 1	96 +/- 1	96 +/- 1	96 +/- 1	96 +/- 1
10	Opacity	% ISO	88	90	91	92	94
11	Stiffness (MD/CD)	Taber	2.4 /1.2	3.0 /1.5	3.4 /1.7	4.0 /2.0	5.5 /2.7
12	Water mark		JK Excel Bond	JK Excel Bond	JK Excel Bond	JK Excel Bond	JK Excel Bond



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

- Longer shelf life
- Laid marked paper
- Uniform smooth surface
- Compatible with all kinds of offset, laser & inkjet printers

USAGE/USERS ►

- Perfect for legal documents
- Exclusive media for correspondence, manuscripts
- Record keeping needs of government offices, banks, Legal documents etc.

AVAILABILITY ►

- Available in A4 & FS sizes
- GSM- 70 / 80 / 90
- 500 sheets pack

TECHNICAL SPECIFICATIONS

SL. NO	TEST PARAMETERS	UNIT		JK LEDGER 70	JK LEDGER 80	JK LEDGER 90
1	Grammage	g/m2		70 ± 2.5%	80 ± 2.5%	90 ± 2.5%
2	Caliper	Microns		91 ± 2.5%	104 ± 2.5%	117 ± 2.5%
3	Bulk	cc/g		1.30	1.30	1.30
4	Moisture	%		4.0 ± 0.5	4.0 ± 0.5	4.0 ± 0.5
5	Smoothness	MI / min	WS	160 ± 20	160 ± 20	180 ± 20
6	Breaking Length	Meter	MD			
7	Tear Factor	-	CD	55 ± 5	55 ± 5	55 ± 5
8	Cobb Value	g/m2	TS	25 ± 2	25 ± 2	25 ± 2
9	Opacity (Min)	% ISO		90	92	92



GLOSS

HP Indigo
Certified



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

Fully coated super smooth paper

Sharper images and more intensive solid colours

Clear crisp text comparable to offset print quality

Compatible with inkjet / laserjet printing systems

USAGE/USERS ►

Printers (For digital printing of brochures, annual reports, menus, cover, flyers, direct mail and postcards etc.)

AVAILABILITY ►


Available in gloss finish in standard sizes 12" x 18" & 13" x 19"

GSM- 130 / 170 / 220 / 250 / 300

Available in 100 & 150 sheets pack

TECHNICAL SPECIFICATIONS (Gloss)

SL. NO	PARTICULARS GRADE	UNIT	CEDAR DIGITAL PREMIUM (GLOSS)				
			170	200	220	250	300
1	Substance +/- %	GSM	170+/-3%	200+/-3%	220+/-3	250+/-3%	300+/-3%
2	Bulk (Min)	cc/gm	0.85	0.85	0.85	0.85	0.85
3	PPS (Min)	Microns	1.25	1.5	1.5	1.5	1.5
4	Smoothness (Min)	Mi/Min	75	75	75	75	75
5	Gloss (Min)	%	70	70	70	70	70
6	IGT Dry Pick (Min)	cm/sec	200	200	200	200	200
7	Cobb 60	GSM	35+/-5	35+/-5	35+/-5	35+/-5	35+/-5
8	Brightness	% ISO	88	88	88	88	88
9	Burst Index (Min)	kPa.m2/g	0.8	0.8	0.8	0.8	0.8
10	Stiffness (Min) MD	gm.cm	10	14	18	30	45
11	Stiffness (Min) CD	Taber	6	7	9	20	30
12	Surface pH	-	6-8	6-8	6-8	6-8	6-8



MATT

HP Indigo
Certified



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

Fully coated paper in Matt finish

Sharper images and more intensive solid colours

Clear crisp text comparable to offset print quality

Compatible with inkjet / laserjet printing systems

USAGE/USERS ►

Printers (For digital printing of brochures, annual reports, menus, cover, flyers, direct mail and postcards etc.)

AVAILABILITY ►


Available in matt finish in standard sizes 12" x 18" & 13" x 19"

GSM- 130 / 170 / 220 / 250 / 300

Available in 100 & 150 sheets pack

TECHNICAL SPECIFICATIONS (Matt)

SL. NO	PARTICULARS GRADE	UNIT	CEDAR DIGITAL PREMIUM (GLOSS)				
			170	200	220	250	300
1	Substance +/- %	GSM	170+/-3%	200+/-3%	220+/-3%	250+/-3%	300+/-3%
2	Bulk (Min)	cc/gm	1.0	1.0	1.0	1.0	1.0
3	PPS (Min)	Microns	2.5	2.5	2.5	2.5	2.5
4	Smoothness (Min)	Mi/Min	75	75	75	75	75
5	Gloss (Min)	%	35+/-2	35+/-2	35+/-2	35+/-	35+/-2
6	IGT Dry Pick (Min)	cm/sec	200	200	200	200	200
7	Cobb 60	GSM	35+/-5	35+/-5	35+/-5	35+/-5	35+/-5
8	Brightness	% ISO	88	88	88	88	88
10	Stiffness (Min) MD	gm.cm	10	20	24	35	50
11	Stiffness (Min) CD	Taber	6	13	16	20	30
12	Surface pH	-	6-8	6-8	6-8	6-8	6-8



ISO 9001, 14001 & 45001
Certified Company

FEATURES ►

Eco-friendly

Bio-degradable

High quality colour copier paper

Compatible with inkjet / laserjet
printing systems

USAGE/USERS ►

Students (stationery & craft)

Printers (flyer printing)

Jobbers (photo copying)

AVAILABILITY ►

Available in A4 size

GSM- 75



TECHNICAL SPECIFICATIONS

SL. NO	PARTICULARS GRADE	UNIT	75 GSM
1	Substance Nominal	gm/m2	75±3%
2	Breaking Length-MD/CD	Meter	4000/2000
3	Tear Factor-MD/CD	-	50/55
4	Cobb	gm/m2	28±3
5	Bulk	cc/gm	1.45
6	Roughness (Max)	MI/min	350



ISO 9001, 14001 & 45001
Certified Company

KEEPS FOOD WARM & FRESH:

JK Pac Fresh, locks the freshness of the food & keeps it warm. You can pack anything from Rotis- Parathas to Burgers & Fries



KEEPS FOOD HEALTHY:

JK Pac Fresh does not transfer toxicity to your food like other food packing materials.



U.S. FDA CERTIFIED:

U.S. FDA Certification is the mark of highest quality and safety.



MICROWAVE AND OVEN SAFE:

Food packed in JK Pac Fresh can be directly heated in a microwave or an oven.



AVAILABILITY ►

Available in 25 Meter X 28 Cm

TECHNICAL SPECIFICATIONS

SL. NO	PARTICULARS	UNIT	JK PACFRESH 40
1	Substance	Gsm	40 +/- 1.5
2	Caliper	Micron	50 +/- 2
3	Smoothness	MI/Min	150 +/-30
4	Porosity (Max)	MI/Min	200
5	Burst Factor (Min)	No.	30
6	Breaking Length - MD / CD (Min)	Meter	7500 / 4500
7	Tear Factor - CD (Min)	-	60
8	Cobb Sizing (Max)	Gsm	22
9	Wax Pick	No.	14 A
10	Moisture	%	4.0 +/- 0.5
11	Shade	-	Natural

NOTE