

1 5 5 0	1 6 5 0	1 5 5 5	1 6 5 5	Part No.	Description	Note
10 - Sheet Metal Hardware Kits						
☒	☐	☐	☐	W451	Hardware Kit, Sheet Metal	knob screws not included
☐	☒	☐	☐	W452	Hardware Kit, Sheet Metal	knob screws not included
☐	☐	☒	☐	W461	Hardware Kit, Sheet Metal	knob screws not included
☐	☐	☐	☒	W462	Hardware Kit, Sheet Metal	knob screws not included
11 - Sheet Metal Parts						
☒	☒	☒	☒	W456	166205A Side Panel Knob Screw	knob screw & retainer
☒	☒	☒	☒	1099	Clip Nut, Hood 5/16 - 18	replace missing weldnut
☒	☒	☒	☒	1122	Washer, 5/16 Flat Nylon	protects paint under hood screw
☒	☒	☒	☒	1123	Washer, 1/4 Flat Nylon	protects paint under hood screw
☒	☐	☐	☐	106104A	Bumper, Rubber	Side Panel
☒	☒	☒	☒	107320A SS	Screw, No. 8 - 32 x 3/4 Pan Hd - stainless	4D grille emblem and dash panels
☒	☒	☐	☐	W437	Grille emblem hardware (SS screw)	#8 screw 107320A and speed nut 105203A; included with sheet met
☒	☒	☒	☒	S2978	Screw, Drive No. 6 x 1/4 Rd Hd Brass	nameplate, SS
☒	☒	☒	☒	1364	Seal, Expanding Foam 1" x 1 x 20' roll	
☒	☒	☒	☒	1355	Seal, Expanding Foam 1" x 1-1/2" x 15' roll	156756A, 156762A, 156763A radiator, 30-3023164 fuel tank
12 - Truss Head Screws						
☒	☒	☒	☒	1196	Screw, 1/4 - 20 x 1/2 Truss Hd Slot	hood and side panel mounting
☒	☒	☒	☒	1197	Screw, 1/4 - 20 x 3/4 Truss Hd Slot	hood and side panel mounting
☒	☒	☒	☒	1110	Screw, 5/16 - 18 x 1/2 Truss Hd Slot	hood and side panel mounting
☒	☒	☒	☒	1145	Screw, 5/16 - 18 x 3/4 Truss Hd Slot	hood and side panel mounting
13 - Button Plugs						
☒	☒	☒	☒	1216	Plug, Button 3/4 Dia. Hole	hydraulic valve;
☒	☐	☒	☐	1221	Plug, Button 9/16 Dia. Hole	MM light switch hole
☒	☒	☒	☒	1236	Plug, Button 1-1/16 Dia. Hole	Dash panel side (2)
☒	☒	☒	☒	1228	Plug, Button 2 Dia. Hole	PTO, hood (tractors with manual steering); MM: dash support, diese
☒	☒	☒	☒	1222	Plug, Button 11/16 Dia. Hole	'00 & '50 dash
14 - Grommets						
☒	☐	☒	☐	106055A	Grommet, Clutch Release Bearing Tube	
☒	☒	☒	☒	106332A	Grommet, Rubber 11/16 OD x 7/16 ID; 1/16 Gr x	hydraelectric lever
☒	☒	☒	☒	155238A	Grommet, Rubber 2-1/4 OD x 1-5/8 ID x 5/32 Gr	2-1/4 OD x 1-5/8 ID; Fuel Tank Front Support
☒	☒	☒	☒	166158A	Grommet, Side Panel	5/8 OD x 1/4 ID x 1/16 GR
☒	☒	☒	☒	1E769	Grommet, Steering Column 2-1/8 OD x 1-1/2 ID	steering column, PS reservoir; 2-1/8 OD, 1-1/2 ID, 7/16 thk
☒	☐	☐	☒	1K2068	Grommet, Hydraelectric 1-1/2 OD x 1 ID x 1/8 Gr	hydraelectric, hydropower
☐	☒	☐	☒	B7364	Grommet, Rubber 1-3/8 OD x 3/4 ID x 1/16 Gr	lights
20 - Fenders, Platform, Seat						
☒	☒	☒	☒	100611A	Vibration Isolator	fender fuel tank (4/tank), S55 (2) & 550 (5) sheet metal, FWA shield
☒	☒	☒	☒	E849	Bumper, Rubber	fender fuel tank - 8/tank; 1800 & 1900 platform door (1); S55 & 550 (
☒	☒	☒	☒	100612A	Washer, Vib Isolator (3/8x1.63x12GA hvy fender)	rubber mount, grab handle
☒	☒	☒	☒	106259A	Washer, Hvy Fender 3/8 x 1-5/8 x 7GA	fender mounting, 6 per fender
☒	☒	☒	☒	159471A	Handle, Grab	long handle; fender
☒	☒	☒	☒	S451	Hardware Kit, Fender Fuel Tank Trim	for two fenders
☒	☒	☒	☒	105220A	Clamp, Light Domed	3D printed
☒	☒	☒	☒	E6781	Spring	fender light mounting, hydraelectric

1 5 5 0	1 6 5 0	1 5 5 5	1 6 5 5	Part No.	Description	Note
☒	☒	☒	☒	4002	Plug, Hole 2.50" plastic	platform; replaces 935146
☒	☒	☒	☒	S452	Hardware Kit, Fender Fuel Tank Rubber Mount 1	rubber mount, 7/16 bolt, large washer; 4 per fender
☐	☒	☒	☒	1314	159828A Spring Washer, 1/2"	replacement for 159828A for seat roller, one pre roller
☒	☒	☒	☒	159813A	Bearing, Torsion Bar Suspension, 2 per seat	delrin material
☒	☒	☒	☒	159815A	Bearing, Flanged Bronze	T-bar seat suspension
☒	☒	☒	☒	159827A	Roller, Seat Slide	Torsion bar suspension, 4 per seat; includes wave washer; 3D print
☒	☒	☒	☒	159829A	Roller, Suspension	Torsion bar suspension, 2 per seat
☒	☒	☒	☒	159838A	Bumper, Seat Suspension	Torsion-bar suspension, 2 per seat; w/ mounting hardware
☒	☒	☒	☒	159873A	Bolt, Shoulder 3/8 X 1/4, 5/16 - 18 thd, 7/8 long	includes nut and lock washer 5/16"
☒	☒	☐	☐	T441	Hardware Kit, Seat early 4-digit	early 4-digit models; black coated
☒	☒	☒	☒	T451	Hardware Kit, Seat Cushion - '50, '55 Series	includes shoulder bolt 159873A (2)
☒	☒	☒	☒	T453	159838A Bumper, Seat Suspension	Torsion-bar suspension, 2 per seat; w/ mounting hardware
☒	☒	☒	☒	T454	159838A Bumper, Seat Suspension	3D printed
21 - Control Knobs & Grips						
☒	☒	☒	☒	102307A	Knob, 1-1/4" Round	3/8-24 thd, throttle, 2-speed, 3-speed, FWA, TPH, hydraulics
☒	☒	☒	☒	103098A	Knob, Lever	transmission, PTO
☒	☒	☒	☒	104567A	Knob, Hydra-lectric	hydraulic levers
☒	☒	☒	☒	158398A	Grip, Lever	PTO and park brake
☒	☒	☒	☒	167020A	Knob, 1-1/8 Oval	3/8-24 thread, hydraulics
☒	☒	☒	☒	1255	Grip, PTO Lever - Molded Rubber	replaces 158398A
30 - Engine						
☒	☒	☒	☒	101585A	Clip, Precleaner Screen	
☒	☒	☒	☒	B167	Plug, Oil Drain 7/8-18 UNS Hex Hd	engine oil drain
☒	☒	☒	☒	B168	Seal, Oil Drain Plug 7/8	\$3.00 Steel, \$4.50 Alum
☒	☒	☒	☒	156339A	Seal, 7/16" Waukesha Oil Filter	reuseable dual o-ring/crush seal
☒	☒	☒	☒	160145AS	Indicator, Air Filter	with fitting; also MM 10A30518
☒	☒	☒	☒	157990A	Valve, Vacuator	3", MM 10P4074
☒	☐	☒	☐	C273	Rod End Kit, 1/4-28 Yoke Adjusting	Throttle linkage; kit includes clevis pin, cotter pin, jam nut
☒	☒	☒	☒	102566A	Washer, Governor Control	
☒	☒	☒	☒	30-3164721	Sleeve, Governor Control	
☒	☒	☒	☒	1330	Cable, Choke and Shutoff - 84" long	Made in USA, 0.187 covered conduit, 0.062 SS core, upper & lower
☒	☒	☒	☒	1H432	Nut, Hex Brass 3/8 - 24 UNF	gas manifold
33 - Engine Exhaust Clamps						
☒	☒	☒	☐	SSC2620	Clamp, Exhaust 2.38 (2.420-2.620) - 2620	muffler; single bolt, pulls around for best seal
☐	☒	☐	☒	SSC3280	Clamp, Exhaust 3.00 (3.080-3.280) - 3280	muffler; single bolt, pulls around for best seal
34 - Engine Exhaust Rain Caps						
☒	☒	☒	☒	1165	Rain Cap, 2-1/2" (2.50")	Donaldson: zinc, silencer
40 - Drive Train						
☒	☒	☒	☒	1172	Plug, 1/2 - 14 NPTF Sq. Hd. Magnetic Ceramic D	S1929, 2-speed, 3-speed, and transfer case oil drain
☒	☒	☒	☒	BA916A	Boot, Gear Shift Lever	3D printed from TPU
☒	☒	☒	☒	1C298	Gasket, Filler Cap	aluminum; transmission and open center hydraulic filler cap
☒	☒	☒	☒	1170	Sight Gauge, 1/2" NPT	rear end
☒	☒	☒	☒	105488A	Breather Vent, 3/8 NPT	filtered; upgrade for all models
☒	☒	☒	☒	155321A	Breather Vent, 1/8 NPT Sht	FWA axle differential
☒	☒	☒	☒	155339A	Valve, Relief 1/8 NPT Sht	FWA axle planetary

1 5 5 0	1 6 5 0	1 5 5 5	1 6 5 5	Part No.	Description	Note
☒	☒	☒	☒	107486A	Bushing, Control Rod	hydropower, transfer case
50 - Hydraulics, Hitch						
☒	☒	☒	☒	165411A	Clamp, Cooler Mounting (72161048)	3D printed
☒	☒	☒	☒	1302	Male Dust Cap, 1/2" Hydraulic Coupler	
☒	☒	☒	☒	1303	Female Dust Cap, 1/2" Hydraulic Coupler black	
☒	☒	☒	☒	P441	Hardware Kit, TPH Implement Latch	4 - 1/4" screws & lock washers
☒	☒	☒	☒	1KSA2241	Switch Assy, Micro	hydra-lectric cylinders
☒	☒	☒	☒	1K2240A	Boot, Hydralectric Switch	3D printed
☒	☒	☒	☒	104452A	Switch, Hydra-lectric Hand Lever	
☒	☒	☒	☒	1E3318	Pin, Clinch	
☒	☒	☒	☒	K2072	Clip, Cylinder End Pin	
60 - Electrical, Lighting						
☒	☒	☒	☒	O441	Switch, Neutral Start	105498A NC & 30-3017095 NO w/hardware
☒	☒	☒	☒	105232AS	Switch, Ignition	Includes keys and terminal nuts & lock washers; 10-32
☒	☒	☒	☒	30-3106306	Key, Ignition - set of 2	
☐	☒	☐	☒	105373A	Knob, Light Switch	3D printed; includes mounting hardware
☒	☒	☒	☒	O442	Hardware Kit, Light Switch Mtg	4-digit light switch
☒	☒	☒	☒	105372A-F	Socket - Instrument Light - 1 bulb	Ford socket, includes LED bulb
☒	☒	☒	☒	106766A-F	Socket - Instrument Light - 2 bulbs	Ford socket, includes LED bulb
☒	☒	☒	☒	1210	Bulb, LED	instrument lamp
☒	☒	☒	☒	1174	Housing, Lighter	Replaces 158152AS
☒	☒	☒	☒	1175	Cap, Lighter Housing	
☒	☒	☒	☒	1176	Plug, Lighter	Replaces 158447AS
☒	☒	☒	☒	159666A	Boot, Lighter	
☒	☒	☒	☒	1206	Socket, Implement Light	MM 10A4974, OL 101726A, 1K-7365, 1KA7365
☒	☐	☒	☐	101521A	Buzzer, Warning	oil pressure
☒	☒	☒	☒	1247	Flasher, 2 Terminal	replaces 164181A
☒	☒	☒	☒	1124	Battery Mat, 8"x14"	protects battery tray, absorbs & neutralizes acid
☒	☒	☒	☒	1306	Spring Guide, Light	fuel tank fender lights
61 - Fuses						
☒	☒	☒	☒	103427AS	Holder, Fuse - 10" wire, 14GA	instruments
☒	☒	☒	☒	105118AS	Holder, Fuse - 6" wire, 14GA	lights and hydra-lectric
☒	☒	☒	☒	106366A	Cap, Fuse Holder	
63 - Battery Bolts						
☒	☒	☒	☒	108021A	Bolt, Battery Box 1/4-20 x 4 J-Hd	elastic nut
☒	☒	☐	☐	K1394	Bolt, Battery Holddown 5/16-18 x 9-5/8 J-Hd	USS washer, wing nut
70 - Steering						
☒	☒	☒	☒	156516A	Nut, 5/16 - 24 Steering Shaft Lock Knob (SS)	'00, '50 series telescope knob
☒	☒	☒	☒	1E1567	O-ring, Steering Wheel Emblem (1/8 x 1-7/8 ID)	w/o telescoping column on 4-digit models
☒	☒	☒	☒	915093	Nut, 1-1/8 - 12 Hex Jam UNF	row crop steering spindle
☒	☒	☒	☒	915095	Nut, 1-3/8 - 12 Hex Jam UNF	row crop front axle wishbone
☒	☒	☒	☒	S269	Lock Washer, 1-3/8 Light	row crop front axle wishbone
71 - Steering Wheel Nuts						
☒	☒	☒	☒	915089	Nut, 5/8 - 18 Hex Jam UNF	steering wheel
☒	☒	☒	☒	915090	Nut, 3/4 - 16 Hex Jam UNF	steering wheel

1 5 5 0	1 6 5 0	1 5 5 5	1 6 5 5	Part No.	Description	Note
80 - Frame, Wheels						
☒	☒	☒	☒	A432	Chain Hook, Front Frame 3/8 GR 70	chain tiedown, attaches to frt frame pads, incl. bracket, hook, hardw
☐	☒	☐	☒	915369	Nut, 3/4 - 10 Hvy Hex Zn	wheel nut; 70922686
☒	☒	☒	☒	156106A	Bolt, Rear Wheel Hub 5/8-11 UNC x 1-1/8 G5 He	coarse thread bolt for stamped rear wheel; 9 per; \$58.50 (10% disc)
☒	☒	☒	☒	1300	Paint, Oliver Meadow Green	12 oz. spray can
☒	☒	☒	☒	1301	Paint, Oliver Clover White	12 oz. spray can
82 - Lube, Filters						
☐	☒	☐	☒	1087	Filter, Oil Amsoil Eao26	Oliver 155618A engine filter; synthetic media 99% efficient @ 20 mic
☒	☒	☒	☒	1088	Filter, Oil Amsoil Eao42	2/3-speed; OEM length; synthetic media 99% efficient @ 20 micron
☒	☒	☒	☒	1094	Flush, Engine & Transmission - Amsoil 16-oz.	diesel & gas engines, transmissions
98 - Merchandise						
☒	☒	☒	☒	1202	Flag, Oliver Garden shield & keystone	One flag with emblem on each side; outdoor usage; 12" x 18"
☒	☒	☒	☒	1232	Flag, Oliver - Shield "Finest in Farm Machinery"	3' x 5' indoor use
☒	☒	☒	☒	1233	Flag, Oliver - Keystone	3' x 5' indoor use
☒	☒	☒	☒	1251	Flag, Hart Parr	3' x 5' indoor use
☒	☒	☒	☒	1263	Flag, Oliver, Sales & Service	3' x 5' indoor use
☒	☒	☒	☒	1284	Flag, Oliver Classic 3x5 double sided	outdoor, Oliver Shield both sides, yellow background
☒	☒	☒	☒	1285	Flag, Oliver 3x5 double sided	outdoor, Oliver Shield & Keystone, white background
☒	☒	☒	☒	1252	Flag, WFE	3' x 5' indoor use
☒	☒	☒	☒	1250	Stocking Cap, Oliver Shield	
☒	☒	☒	☒	1203	Switch Plate, Oliver Single Toggle 4D	4D strg wheel logo - powder coated, UV printed, 16 ga. Metal, black
☒	☒	☒	☒	1204	Switch Plate, Oliver Double Toggle (4D grille logo	4D grille logo - powder coated, UV printed, 16 ga. Metal, black scre
☒	☒	☒	☒	1276	Switch Plate, Oliver Single Toggle - 2D shield log	powder coated, UV printed, 16 ga. Metal, black screws
☒	☒	☒	☒	1286	Spinner, Oliver 12"	shield and keystone logos
☒	☒	☒	☒	1257	Padfolio, Oliver Log 7"x9" with 5"x8" pad	Proceeds from padfolio go to the Northern Lights Oliver Collectors cl
☒	☒	☒	☒	1288	Nameplate, Oliver Finest	