



CLASSIC TRACTOR HARDWARE

- Specializing in hardware, rubber, electrical, control, and hard to find parts plus some unique merchandise.
- Serving Oliver, White, M-M, and Town & Country
- Helping restore your tractor to factory original condition, parts made in the USA to original specs.

Bill Martinson

1423 10th Ave E,
Unit 304
West Fargo ND 58078

701-238-1143

tractorhardware@gmail.com

www.oliverhardware.com

Table of Contents

Group	Title	Group	Title
10	Sheet Metal Restoration Hardware Kits	50	Hydraulics, Hitch
11	Sheet Metal Parts	60	Electrical, Lighting
12	Sheet Metal Screws	61	Fuses
13	Button Plugs	62	Light Sockets
14	Grommets	63	Battery Bolts
20	Fenders, Platform, Seat	70	Steering
21	Control Knobs and Grips	71	Steering Wheel Nuts
30	Engine	80	Frame, Wheels
33	Exhaust Clamps	82	Lube, Filters
40	Drive Train	90	Cab
41	Drain Plugs	91	Merchandise

10 - Sheet Metal Hardware Kits			Oliver	White	MM
W411	Hardware Kit, Sheet Metal		60		
☒ Zn ☐ SS					
W412	Hardware Kit, Sheet Metal		70		
☒ Zn ☐ SS					
W413	Hardware Kit, Sheet Metal		80		
☒ Zn ☐ SS					
W414	Hardware Kit, Sheet Metal		90		
☒ Zn ☐ SS					
W421	Hardware Kit, Sheet Metal		S44, 440		
☒ Zn ☐ SS					
W422	Hardware Kit, Sheet Metal		S55		
☒ Zn ☐ SS					
W424	Hardware Kit, Sheet Metal		66, 77, 88 Fleetline		
☒ Zn ☒ SS					
W425	Hardware Kit, Sheet Metal		S66, S77, S88, 660		
☒ Zn ☒ SS					
W426	Hardware Kit, Sheet Metal		S99, S99GM		
☒ Zn ☐ SS					
W433	Hardware Kit, Sheet Metal		550 (3-digit)		
☒ Zn ☐ SS	3-digit grille				
W434	Hardware Kit, Sheet Metal		550 (4-digit)		
☒ Zn ☐ SS	4-digit checkerboard grille				
W435	Hardware Kit, Sheet Metal		770, 880		
☒ Zn ☒ SS					
W436	Hardware Kit, Sheet Metal		950, 990, 995		
☒ Zn ☐ SS					
W442	Hardware Kit, Sheet Metal		1600		
☒ Zn ☒ SS					
W443	Hardware Kit, Sheet Metal		1800, 1900		
☒ Zn ☒ SS					
W451	Hardware Kit, Sheet Metal		1550		
☒ Zn ☒ SS	knob screws not included				
W452	Hardware Kit, Sheet Metal		1650		
☒ Zn ☒ SS	knob screws not included				
W453	Hardware Kit, Sheet Metal		1750, 1850, 1950		
☒ Zn ☒ SS	knob screws not included				
W454	Hardware Kit, Sheet Metal		1950T, 2050, 2150		
☒ Zn ☒ SS	knob screws not included				
W461	Hardware Kit, Sheet Metal		1555, MM G550		
☒ Zn ☒ SS	knob screws not included				
W462	Hardware Kit, Sheet Metal		1655, 2-78, MM: G750		
☒ Zn ☒ SS	knob screws not included				

10 - Sheet Metal Hardware Kits			Oliver	White	MM
W463	Hardware Kit, Sheet Metal		1755, 1855, 1955, G850, G940 MM: G850, G940		
☒ Zn ☒ SS	knob screws not included				
W464	Hardware Kit, Sheet Metal		2255		
☒ Zn ☒ SS					
W511	Hardware Kit, Sheet Metal			2-70	
☒ Zn ☐ SS					
W512	Hardware Kit, Sheet Metal			2-85, 2-105 early	
☒ Zn ☐ SS	2-85 S/N 263341 to 281301; 2-105 S/N 255216 to 276761				
W513	Hardware Kit, Sheet Metal			2-85, 2-105 late	
☒ Zn ☐ SS	2-85 S/N 281302 and later; 2-105 S/N 276762 and later				
W514	Hardware Kit, Sheet Metal			2-150	
☒ Zn ☐ SS	late models				
W522	Hardware Kit, Sheet Metal			2-88, 2-110	
☒ Zn ☐ SS					
W523	Hardware Kit, Sheet Metal			2-135, 2-155	
☒ Zn ☐ SS					
W525	Hardware Kit, Sheet Metal			2-180	
☒ Zn ☐ SS					
W524	Hardware Kit, Sheet Metal			2-135, 2-155, 2-180 Series 3	
☒ Zn ☐ SS	Series 3				
W526	Hardware Kit, Sheet Metal			2-180 Series 3	
☒ Zn ☐ SS	Series 3				
W531	Hardware Kit, Sheet Metal			100, 120	
☒ Zn ☐ SS					
W312	Hardware Kit, Sheet Metal				Z
☐ Zn ☐ SS	Z				
W322	Hardware Kit, Sheet Metal				ZB
☒ Zn ☐ SS					
W323	Hardware Kit, Sheet Metal				UB
☒ Zn ☐ SS					
W324	Hardware Kit, Sheet Metal				GB
☒ Zn ☐ SS					
W331	Hardware Kit, Sheet Metal				335, 445
☒ Zn ☐ SS					
W333	Hardware Kit, Sheet Metal				Jet Star, 4 Star, 4 Star Super
☒ Zn ☐ SS					
W334	Hardware Kit, Sheet Metal				5-Star
☒ Zn ☐ SS					
W335	Hardware Kit, Sheet Metal				Gvi
☒ Zn ☐ SS	Gvi				
W342	Hardware Kit, Sheet Metal				M5
☒ Zn ☐ SS					

10 - Sheet Metal Hardware Kits		Oliver	White	MM
W343	Hardware Kit, Sheet Metal			M602, M604
☒ Zn ☐ SS				
W344	Hardware Kit, Sheet Metal			G704, G705, G706
☒ Zn ☐ SS				
W345	Hardware Kit, Sheet Metal			G707, G708
☒ Zn ☐ SS				
W351	Hardware Kit, Sheet Metal			JetStar3, JetStar3 Super
☒ Zn ☐ SS				
W352	Hardware Kit, Sheet Metal			U302
☒ Zn ☐ SS				
W353	Hardware Kit, Sheet Metal			M670
☒ Zn ☐ SS				
W354	Hardware Kit, Sheet Metal			M670 Super
☐ Zn ☐ SS	M670 Super			
W355	Hardware Kit, Sheet Metal			G900, G1000
☒ Zn ☐ SS				
W356	Hardware Kit, Sheet Metal			G1000 Vista
☒ Zn ☐ SS				
W363	Hardware Kit, Sheet Metal			G950, G1050, G1350, 2155
☒ Zn ☐ SS				
W364	Hardware Kit, Sheet Metal			A4T, 2655
☒ Zn ☐ SS				
W374	Hardware Kit, Sheet Metal			MM G955, G1355; Oliver 1870, 2270
☒ Zn ☐ SS	G955/1870, G1355/2270			

11 - Sheet Metal Parts		Oliver	White	MM
100619A	Grommet, Hood - Fuel Tank	all models	all Field Boss and Workhorse	
☒ Zn ☐ SS	2.44 ID			
107320A SS	Screw, No. 8 - 32 x 3/4 Pan Hd - stainless	1600-1900; 1550-2150, 1555, 1655	2-70	
☐ Zn ☐ SS	4D grille emblem and dash panels			
1122	Washer, 5/16 Flat Nylon	66-88, S66-S88, 660-880, 1600-1900, 1550-2150, 1555-2255, G550-		G900
☐ Zn ☐ SS	protects paint under hood screw			
1123	Washer, 1/4 Flat Nylon	66-88, S66-S88, 660-880, 1600-1900, 1550-2150, 1555-2255, G550-		G900
☐ Zn ☐ SS	protects paint under hood screw			
W456	166205A Side Panel Knob Screw	'50 & '55 Series; G550, G750, G850, G940		
☒ Zn ☐ SS	knob screw & retainer			
W466	166205A Side Panel Knob Screw w/spring	1755, 1855, 1955, G850, G940		
☒ Zn ☐ SS	knob screw, retainer, spring, clip ring			
166192A	Latch Assy, 55 Series Side Panel	1755, 1855, 1955, G850, G940		
☐ Zn ☐ SS	side panel center knob screw			
1099	Clip Nut, Hood 5/16 - 18	4-digit		
☐ Zn ☐ SS	replace missing weldnut			
106104A	Bumper, Rubber	1600, 1800, 1900, 1550		
☒ Zn ☐ SS	Side Panel			
S2563A	Blind Nut, Instrument Panel 5/16"	66-88, S66-S88, 660-880		
☒ Zn ☐ SS	blind nut at rear of clutch side panel; substitute for S2563 Simmons fastener			
155950A	Spacer - Upper (S/N 60501 -)	550, 4D grille		
☒ Zn ☐ SS	4D grille, short spacer			
155951A	Spacer - Lower (S/N 60501 -)	550, 4D grille		
☒ Zn ☐ SS	4D grille, long spacer			
W437	Grille emblem hardware (SS screw)	3- digit (2); '00 & '50 series (4)		
☒ Zn ☒ SS	#8 screw 107320A and speed nut 105203A; included with sheet metal hardware			
1198	Screw, 1/4 - 20 x 1 Slotted Rd Hd. - Stainless	66 thru Super 88		
☐ Zn ☐ SS	2D grille strip, 2 per			
909092	Screw, 3/8 - 16 x 2-1/2 Slot Rd. Hd. Mach	S99, S99GM		
☐ Zn ☐ SS	99 grille strip, 2 per tractor; included with sheet metal hardware kit			
W438	Wing Bolt & Nut Kit, Grille	950, 990, 995		
☒ Zn ☐ SS	wing bolt and speed nut for upper grille mounting; 2/tractor; incl. with sheet metal hardware			
W467	Dash Screw Kit	1755, 1855, 1955, 2255, G850, G940, G955, G1355		
☒ Zn ☐ SS	#8 screws, dash & steering column boot			
W429	Hardware Kit, Rubber Mount 100611A - S55 & 550	Super 55, 550		
☒ Zn ☐ SS	one mount with hardware; S55 & 550 radiator shell (2), 550 Hood (3)			
1357	Foam Strip, Hood w/PSA (bulk 3/16" x 1")	Super 55, 550		
☐ Zn ☐ SS	1E813A & 1E813B on early S55; 1E813C & 1E813D; sold by the foot			
S2978	Screw, Drive No. 6 x 1/4 Rd Hd Brass	all models		
☐ Zn ☐ SS	nameplate, SS			
677613A	Pad, Radiator Lid 1465	1465		
☐ Zn ☐ SS				

11 - Sheet Metal Parts		Oliver	White	MM
1364	Seal, Expanding Foam 1" x 1 x 20' roll	all 4-digit models radiator; 1755-2255 fuel tank	2-85-2-150 fuel tank	
☐ Zn ☐ SS				
1355	Seal, Expanding Foam 1-1/4" x 1-1/2" x 15' roll	all 4-digit models radiator; 1755-2255 fuel tank	2-85-2-150 fuel tank	
☐ Zn ☐ SS	156756A, 156762A, 156763A radiator, 30-3023164 fuel tank			
W516	Dash Screw Kit	G955, G1355	2-85, 2-105, 2-150	G955, G1355
☒ Zn ☐ SS				
30-3126528	Bracket, Rubber Hook		2-135, 2-155, 2-180, 4WD models	
☒ Zn ☐ SS	side panel mounting			
30-3126536	Hook, Rubber		2-135, 2-155, 2-180 - both series, 4-150, 4-180, 4-270	
☐ Zn ☐ SS	4/tractor on 2WD; 6/tractor on 4-150 180; 2/tractor 4-270			
30-3191753	Isolator, Rubber		all Field Boss 2WD & 4WD, all Workhorse	
☒ Zn ☐ SS	includes 1/4 x 1 capscREW and flat washer; 4 per tractor			
30-3200035	Bumper, Rubber - Side Panel		2-70, 2-85 (277182-), 2-105 (276762-), 100, 120	
☒ Zn ☐ SS	incl. #10 mounting screw; 4 per tractor			
30-3210596	Bumper, Side Panel		2-88, 2-135, 2-155, 2-180, 100, 120	
☒ Zn ☐ SS	includes 5/16 mounting nut			
30A1807	Catch, Removable Hood			U302, M5, M670,
☒ Zn ☐ SS	for latch 10A23225; includes mounting hardware			
10A23225	Latch, Hood to Panel			U302, M670, G900, G1000, G1000V
☒ Zn ☐ SS	includes #6 mounting hardware			
TM1983A	Latch, Spring Draw			letter models
☒ Zn ☐ SS	includes #10 mounting hardware			
10A23417	Receptacle, Stud Assy Quarter Turn			U302 (27601301 & up), M670 (29901892 & up), G707, G708, G900,
☒ Zn ☐ SS	grille screen: receptacle and lock nut			
10A23419	Stud Assy, Quarter Turn			U302 (27601301 & up), M670 (29901892 & up), G707, G708, G900,
☒ Zn ☐ SS	grille screen: stud, lock washer, nylon shim			
10A10106	Bumper, Rubber - Grille			335, 445, 5 Star, JetStr
☒ Zn ☐ SS	use 106104A			
W359	Isolator, Side Panel - M670			M670
☐ Zn ☐ SS				

12 - Sheet Metal Screws		Oliver	White	MM
1196	Screw, 1/4 - 20 x 1/2 Truss Hd Slot	all Oliver hood and side panels		
☐ Zn ☐ SS	hood and side panel mounting			
1197	Screw, 1/4 - 20 x 3/4 Truss Hd Slot	all Oliver hood and side panels		
☐ Zn ☐ SS	hood and side panel mounting			
1110	Screw, 5/16 - 18 x 1/2 Truss Hd Slot	all Oliver hood and side panels		
☐ Zn ☐ SS	hood and side panel mounting			
1145	Screw, 5/16 - 18 x 3/4 Truss Hd Slot	all Oliver hood and side panels		
☐ Zn ☐ SS	hood and side panel mounting			
51A2633	Screw, 5/16 - 18 x 3/4 Unslotted Indented HWH			U302 thru G1350
☐ Zn ☐ SS	regular thread			
50A2633	Screw, 5/16 - 18 x 3/4 HWH Typ F (GM172455)	MM		U302 thru G1350
☐ Zn ☐ SS	sheet metal			
50A2634	Screw, 5/16 - 18 x 1 HWH Typ F	MM		U302 thru G1350
☐ Zn ☐ SS	sheet metal			
50A4705	Screw, 5/16 x 1-1/4 Self Tapping HWH Typ F		ROPS	M670, G707/8
☐ Zn ☐ SS				

13 - Button Plugs		Oliver	White	MM
1216	Plug, Button 3/4 Dia. Hole	1550, 1650, 1555, 1655, 1755, 1855, 1955, 2255; G850, G940, G955,	2-70, 2-85, 2-105, 2-150, 2-180, 2-180/S3, 2-135, 2-155, 2-	G955, G1355
☐ Zn ☐ SS	hydraulic valve;			
1214	Plug, Button 5/8 Dia. Hole	550, 1800, 1900	2-135/S3, 2-155/S3, 2-180/S3	Gvi
☐ Zn ☐ SS	FWA shifter			
1226	Plug, Button 1 Dia. Hole	S99, S99GM, 950, 990, 995	2-85, 2-105, 2-150, 2-180, 2-180/S3, 2-180/S3, 2-135, 2-155,	MM
☐ Zn ☐ SS	plated steel			
1220	Plug, Button 9/16 Dia. Hole	1755, 1855, 1955, 2255 dash - 4WD shifter		G955, G1355
☐ Zn ☐ SS	instrument panel			
1215	Plug, Button 3/4 Dia. Hole			G955, G1355
☐ Zn ☐ SS				
1212	Plug, Button 15/32 Dia. Hole	1755-2255 cab	2-88, 2-110	
☐ Zn ☐ SS	plated steel			
1213	Plug, Button 1/2 Dia. Hole	1755-2255 cab	2-135/S3, 2-155/S3, 2-180, 2-180/S3	
☐ Zn ☐ SS	MM light switch hole			
1221	Plug, Button 9/16 Dia. Hole	1550, 1555, 1750, 1850, 1950, 1950T, 2050, 2150		
☐ Zn ☐ SS	MM light switch hole			
1222	Plug, Button 11/16 Dia. Hole	1600, 1800, 1900, 1650, 1750, 1850, 1950	2-70	
☐ Zn ☐ SS	'00 & '50 dash			
1317	Plug, Button 5/8 Hole Dia.			
☐ Zn ☐ SS				
1223	Plug, Button 11/16 Dia. Hole	1755, 1855, 1955, 2255		G955, G1355
☐ Zn ☐ SS	instrument panel			
1224	Plug, Button 7/8 Dia. Hole	1755, 1855, 1955, 2255		G955, G1355
☐ Zn ☐ SS				
1211	Plug, Button 13/32 Dia. Hole	1800, 1900		
☐ Zn ☐ SS	Diesel (1800 RC, WHT, IND)			
1236	Plug, Button 1-1/16 Dia. Hole	1550, 1555, 1650, 1655, 1950T, 2050, 2150, G550, G750		
☐ Zn ☐ SS	Dash panel side (2)			
1231	Plug, Button 1-3/16 Dia. Hole	S99, S99GM, 950, 990, 995		
☐ Zn ☐ SS	brake dust shield			
1227	Plug, Button 1-1/4 Dia. Hole	550, 66, S66, 77, S77, 88, S88, 770, 880		
☐ Zn ☐ SS	plated steel			
1228	Plug, Button 2 Dia. Hole	550, 770, 880, 1850, 2655		G950, G1050, G1350, A4T, 2155, 2655
☐ Zn ☐ SS	PTO, hood (tractors with manual steering); MM: dash support, diesels (2),			
1225	Plug, Button 7/8 Dia. Hole (Alt 935107)	S55, 88, S88		
☐ Zn ☐ SS				
30-3173585	Plug, Button 9/32 Dia. Hole		2-135, 2-155, 2-180, 2-88, 2-110, 2-135/S3, 2-155/S3, 2-180/S3	
☐ Zn ☐ SS	wiper holes, door			
30-3173593	Plug, Button 9/16 Dia. Hole			
☐ Zn ☐ SS				
935109	Plug, Button 15/16" Dia. Hole		2-135, 2-155, 2-135/S3, 155/S3, 2-180, 2-180/S3	
☐ Zn ☐ SS				

13 - Button Plugs		Oliver	White	MM
1218	Plug, Button 7/8 Hole		2-88, 2-110; 2-135/S3, 2-155/S3, 2-180/S3	
☐ Zn ☐ SS	black plastic prong, w/o lighter			
1219	Plug, Button 3/8 Dia. Hole			G950, G1050, G1350, A4T, 2655, 2155
☐ Zn ☐ SS	instrument panel			

14 - Grommets		Oliver	White	MM
102860A	Grommet, Rubber - grille 1 OD x 5/16 ID x 1/16 Gr		2-70 2-85 & 2-105 later version with grille lights; 2-88, 2-	
☐ Zn ☐ SS	grille mounting 6/tractor; 1 OD x 5/16 ID			
106332A	Grommet, Rubber 11/16 OD x 7/16 ID; 1/16 Gr x 3/16 hole	950, 990, 995, 4-digit hydraulc	2-70 hydraulc	
☐ Zn ☐ SS	hydraulc lever			
155238A	Grommet, Rubber 2-1/4 OD x 1-5/8 ID x 5/32 Gr	1600, 1550, 1650, 1555, 1655, G550, G750, 1950T, 2050, 2150	2-70	
☐ Zn ☐ SS	2-1/4 OD x 1-5/8 ID; Fuel Tank Front Support			
1B7362B	Grommet, Rubber 5/8 OD x 3/8 ID X 1/8 Gr	6, 7, 8's w/o hydraulc	2-85, 2-105, 2-135, 2-155 warning light	
☐ Zn ☐ SS	hydraulc			
1K848	Grommet, Rubber	early 2D w/belt pulley	2-85 & 2-105 w/o cab	
☒ Zn ☐ SS	dash pulley control; White draft control			
1B7362	Grommet, Rubber 5/8 OD x 1/4 ID x 1/16 Gr	6, 7, 8's wiring		
☐ Zn ☐ SS	1/4" SAE Std			
1CD7362	Grommet,			
☐ Zn ☐ SS				
101537A	Grommet, 13/16" OD X 3/8" ID			
☐ Zn ☐ SS	990 wiring			
157614A	Grommet, Rubber PS Reservoir	550 4D		
☐ Zn ☐ SS	power steering reservoir, E769			
166158A	Grommet, Side Panel	1550-1950, 2050, 2150, 1555-1955		
☐ Zn ☐ SS	5/8 OD x 1/4 ID x 1/16 GR			
1A7362	Grommet, Rubber 7/8 OD x 3/8 ID x 1/16 Gr	6, 7, 8's wiring		
☐ Zn ☐ SS	wiring			
1B7362A	Grommet, Rubber 5/8 OD x 5/16 ID	6, 7, 8's wiring		
☐ Zn ☐ SS	wiring			
1B7364	Grommet, Rubber 1-3/8 OD x 3/4 ID x 1/16 Gr	S55, 550 lights		
☐ Zn ☐ SS	wiring			
1B7364A	Grommet, Rubber 5/8 OD x 1/4 ID x 1/4 Gr			
☐ Zn ☐ SS				
1CD7364	Grommet, Rubber 1-3/8 OD x 3/4 ID X 5/32 Gr	6, 7, 8's wiring		
☐ Zn ☐ SS	wiring			
1D7362	Grommet, Rubber 1-1/8 x 5/8 x 1/16 Gr	550 lights		
☐ Zn ☐ SS	warning lamp mounting			
1E769	Grommet, Steering Column 2-1/8 OD x 1-1/2 ID x 1/16 Gr	S55, 550, 770, 880, 1600-1900, 1550, 1555, 1650, 1655, 1750		
☐ Zn ☐ SS	steering column, PS reservoir; 2-1/8 OD, 1-1/2 ID, 7/16 thk			
1H237	Grommet, Rubber 7/8 OD x 1/2 ID x 1/16 Gr	6, 7, 8's ignition cable		
☐ Zn ☐ SS	ignition cable			
1K2068	Grommet, Hydraulc 1-1/2 OD x 1 ID x 1/8 Gr	6, 7, 8's hydraulc		
☐ Zn ☐ SS	hydraulc, hydropower			
7A7362	Grommet, Rubber 11/16 OD x 3/8 ID; 1/16 Gr x 1/2 hole			
☐ Zn ☐ SS				
B7364	Grommet, Rubber 1-3/8 OD x 3/4 ID x 1/16 Gr	6, 7, 8's electrical		
☐ Zn ☐ SS	lights			

14 - Grommets		Oliver	White	MM
168700A	Grommet, Hood - Air Cleaner	1950T, 1855, 1955		
☐ Zn ☐ SS	3.75" ID			
30-3355721	Grommet, Instr Wiring Harness		2-88, 2-110, 2-135, 2-155, 2-180	
☐ Zn ☐ SS				
10A4813	Grommet, 1"OD x 5/16"ID			M670 fender
☐ Zn ☐ SS	1"OD, 5/15"ID, 3/16" Gr, 3/4" hole, 7/16 thk			
50A4803	Grommet, 1/4" ID			
☐ Zn ☐ SS				
GM117974	Grommet, Rubber 3/8" ID (58A4810)			Gvi, UB
☐ Zn ☐ SS				
10A10110	Grommet, 1-1/8 OD x 5/8 ID x 1/16 Gr (No. 9)			Gvi, R, Z, U
☐ Zn ☐ SS	spark plug wires, 2 or 3 per tractor			
10A14357	Grommet, Panel Support			G704-G708
☒ Zn ☐ SS	2 per tractor			

20 - Fenders, Platform, Seat		Oliver	White	MM
100611A	Vibration Isolator	'50, '55 series; S55, 550 1550-2150 1555-2255	2-70, 2-85, 2-105, 2-150	G850, G940, G955, G1355
☐ Zn ☐ SS	fender fuel tank (4/tank), S55 (2) & 550 (5) sheet metal, FWA shield (2)			
E849	Bumper, Rubber	S55, 550 battery tray; 1800 & 1900 platform door; 1550-2150; 1555-		G950, G1050, G1350, G955, G1355
☐ Zn ☐ SS	fender fuel tank - 8/tank; 1800 & 1900 platform door (1); S55 & 550 (6) platfor			
106259A	Washer, Hvy Fender 3/8 x 1-5/8 x 7GA	4-digit Oliver, White		G550, G750, G850, G940, G955, G1355
☐ Zn ☐ SS	fender mounting, 6 per fender			
30-3042340	Handle, Mounting Instr Panel	1755, 1855, 1955, 2255, G850, G940, G955/1870, G1355/2270	2-85, 2-105, 2-150	
☒ Zn ☐ SS	'55 series; black powder coated, w/ mounting hardware			
30-3016463	Pad, Vibration Dampener 2-3/4" OD x 3/4" ID	1755, 1855, 1955, 2255, G850, G940, G955, G1355	2-85, 2-105	G955, G1355
☐ Zn ☐ SS	platform mount replace by 30-3161757 (3"OD)			
30-3016692	Sleeve, Dampener 3/4 ID x 9/16 long	1755, 1855, 1955, 2255	2-85, 2-105, 2-150	G850, G940, G955, G1355
☒ Zn ☐ SS				
S452	Hardware Kit, Fender Fuel Tank Rubber Mount 100611A	fender tank (4); White lower tank (3)		G950, G1050, G1350, G955, G1355
☒ Zn ☐ SS	rubber mount, 7/16 bolt, large washer; 4 per fender			
1314	159828A Spring Washer, 1/2"			G550 G750, G850, G940, G955, G1355
☐ Zn ☐ SS	replacement for 159828A for seat roller, one pre roller			
159813A	Bearing, Torsion Bar Suspension, 2 per seat	1550-2150; 1555-2255; G955, G1355	2-70-2-150	G550 G750, G850, G940, G955, G1355
☐ Zn ☐ SS	delrin material			
159815A	Bearing, Flanged Bronze	1550-2150; 1555-2255	G85, G105, G150	G550 G750, G850, G940, G955, G1355
☐ Zn ☐ SS	T-bar seat suspension			
T451	Hardware Kit, Seat Cushion - '50, '55 Series	1550-2150; 1555-2255; G550-G940	2-70, 2-85, 2-105, 2-150	G955, G1355
☒ Zn ☐ SS	includes shoulder bolt 159873A (2)			
159470A	Handle, IP Grab	1650-2150, 1555, 1655, G550, G750	2-70, 2-85, 2-105, 2-150	
☐ Zn ☐ SS	short handle; Oliver dash, White side panel; e-coated			
1264	Clinch Stud, 5/16 - 28 x 3/4 Flush Head	1755-2255; G955, G1355	2-85, 2-105, 2-150	
☐ Zn ☐ SS	left and right platform sections			
4002	Plug, Hole 2.50" plastic			
☐ Zn ☐ SS	platform; replaces 935146			
159827A	Roller, Seat Slide	1550-2150: 1555-2255; 2-78-2-150; G955, G13555	2-70, 2-85, 2-105, 2-150	
☒ Zn ☐ SS	Torsion bar suspension, 4 per seat; includes wave washer; 3D printed			
159838A	Bumper, Seat Suspension (set of 2)	1550-2150; 1555-2255	2-7-, 2-85, 2-105, 2-150	G955, G1355
☒ Zn ☐ SS	Torsion-bar suspension, 2 per seat; w/ mounting hardware			
159873A	Bolt, Shoulder 3/8 X 1/4, 5/16 - 18 thd, 7/8 long	1550-2150; 1555-2255; G550-G940	2-70, 2-85, 2-105, 2-150	G955, G1355
☒ Zn ☐ SS	includes nut and lock washer 5/16"			
30-3087778	Bumper, Seat	1755, 1855, 1955, 2255	2-70, 2-85, 2-105, 2-150	
☒ Zn ☐ SS	3D printed; later T-bar suspension			
159471A	Handle, Grab	1600-1900, 1550-2150, 1555-2255; G550, G750, G850, G940		G550, G750, G850, G940, G955, G1355
☒ Zn ☐ SS	long handle; fender; ecoated			
S451	Hardware Kit, Fender Fuel Tank Trim	'50 & '55 series		G550-G1350, G955, G1355
☒ Zn ☒ SS	for two fenders			
30-3161757	Pad, Vibration Dampener 3" OD x 3/4" ID		2-85, 2-105, 2-150	
☐ Zn ☐ SS	3" OD x 3/4" ID			

20 - Fenders, Platform, Seat		Oliver	White	MM
159829A	Roller, Suspension	1550-2150: 1555-2255; 2-78-2-150; G955, G13555	2-70-2-150	G550 G750, G850, G940, G955, G1355
☒ Zn ☐ SS	Torsion bar suspension, 2 per seat			
S401	Hardware Kit, Fenders & Lights	4-Digit Models (1550- 2255)		
☒ Zn ☐ SS	one bolt 3/8 x 2-1/2", nut, and lock washer			
100612A	Washer, Vib Isolator (3/8x1.63x12GA hvy fender)	S55, 550 hood mount; fender fuel tank; dash grab handle	grab handle, firewall spacer	M670
☒ Zn ☐ SS	rubber mount, grab handle			
S412	Hardware Kit, Fender Extension 70	60, 70		
☒ Zn ☐ SS				
S413	Hardware Kit, RC Fender & Extension	80		
☒ Zn ☐ SS				
S421	Hardware Kit, Fender Extension 2-3D	66-88, S55-S88, 660-880		
☒ Zn ☐ SS	per fender			
105220A	Clamp, Light Domed	all 4D models		
☒ Zn ☐ SS	3D printed			
E6781	Spring	all '50 and '55 series models		
☐ Zn ☐ SS	fender light mounting, hydraulic			
O451	Spring Nut Kit, FFT Light	all '50 and '55 series models		
☒ Zn ☐ SS	fender fuel tank light spring loaded nut			
1318	Bushing, Fender Mount 1465			
☒ Zn ☐ SS				
2975	Plug, Hole Pryout 2.50"	1600, 1650, 1655/G750, 1550, 1555/G550		
☐ Zn ☐ SS	platform; replaces 935146			
S422	Hardware Kit, Platform Splash Panels 7's & 8's	77, 88, S77, S88, 770, 880		
☒ Zn ☐ SS				
T441	Hardware Kit, Seat early 4-digit	1600, 1800, 1900, 1550, 1650		
☒ Zn ☐ SS	early 4-digit models; black coated			
T453	159838A Bumper, Seat Suspension			
☒ Zn ☐ SS	Torsion-bar suspension, 2 per seat; w/ mounting hardware			
1K942	Bumper, Seat	2 & 3 digit models		
☐ Zn ☐ SS				
S502	Hardware Kit, Fender Fuel Tank Trim		2-85, 2-105, 2-150	
☒ Zn ☐ SS	White			
S501	Hardware Kit, White Fender Trim w/o cab		2-85, 2-105, 2-150	
☒ Zn ☐ SS	non cab			
30-3154718	Pad, Vibration Dampener 3" OD x 1-3/16" ID		2-85, 2-105, 2-150, 2- 88, 2-110, 2-135, 2- 155, 2-180	
☐ Zn ☐ SS				
30-3151654	Sleeve, Cab Mount - 1-1/8 ID X 1-5/8 OD X 3/8 Lg		2-88, 2-110, 2-135, 2- 155, 2-180, Workhorse models	
☐ Zn ☐ SS				
30-3161749	Washer, Vibration Dampeners			
☐ Zn ☐ SS	13/16" hole			
30-3201783	Washer, Vibration Dampeners		2-88 to end of line	
☐ Zn ☐ SS	1-3/16" hole			

20 - Fenders, Platform, Seat		Oliver	White	MM
10A18106	Grommet, Wheel Guard			G1000, G900, M670, U302, Jet Star 3
☒ Zn ☐ SS	3D printed			
10A20260	Grille, Wheel Guard - no hole			G1000V, G1000, G900, M670, U302, Jet Star 3
☒ Zn ☐ SS	black powder coat painted			
10A20261	Grille, Fender - one hole			G1000V, G1000, G900, M670, U302, Jet Star 3
☒ Zn ☐ SS	black powder coat painted			
10A20224	Grille, Fender - two holes			G1000V, G1000, G900, M670, U302, Jet Star 3
☒ Zn ☐ SS	black powder coat painted			
50A5095	Screw, No. 10 - 24 x 3/8 HWH Tapping Typ F			G1000V, G1000, G900, M670, U302, Jet Star 3
☒ Zn ☐ SS	MM fender panel, 8 per; sold in pack of 8; black powder coated			
50A5095-P	Screw, No. 10 - 24 x 3/8 HWH Tapping Typ F			G1000V, G1000, G900, M670, U302, Jet Star 3
☒ Zn ☐ SS	MM fender panel, 8 per; sold in pack of 8; black powder coated			
10A22024	Mount, Rubber			M670, M670S, U302
☒ Zn ☐ SS	seat and fuel tank mounting			
10A22392	Mounting, Flexible 5/16			M670
☐ Zn ☐ SS				
10A26507	Mount, Rubber 3/8" studs			M670, M6, 70S
☐ Zn ☐ SS				

21 - Control Knobs & Grips		Oliver	White	MM
103098A	Knob, Lever	all models	2-70, 2-85, 2-105, 2-150	all but Vista
☐ Zn ☐ SS	transmission, PTO			
102307A	Knob, 1-1/4" Round	all '00 and '50 series		
☐ Zn ☐ SS	3/8-24 thd, throttle, 2-speed, 3-speed, FWA, TPH, hydraulics			
1255	Grip, PTO Lever - Molded Rubber	1550-2150, 1555/G550, 1655/G750	2-70	
☐ Zn ☐ SS	replaces 158398A			
158398A	Grip, Lever	1550-2150, 1555-2255; G550-G940	2-70	G955, G1355
☐ Zn ☐ SS	PTO and park brake			
167020A	Knob, 1-1/8 Oval	1550-2150; 1555, 1655	2-70	
☐ Zn ☐ SS	3/8-24 thread, hydraulics			
169306A	Knob, Throttle - black	1755-2255	2-70	G850, G940, G955, G1355
☒ Zn ☐ SS	unthreaded - throttle, O/U; 3D printed soft			
30-3099261	Knob, Hydraulic	1755-2255	2-85 thru 2-180	G955, G1355
☒ Zn ☐ SS	alternate to 30-3020940; 3D printed from TPU			
30-3217639	Knob, Throttle - red	1755-2255	2-70	G850, G940, G955, G1355
☒ Zn ☐ SS	soft unthreaded - throttle, O/U; 3D printed			
10A7402	Knob, Hand Lever	Super 55, 550		335, 445, JetStar, JetStar 3, 5 Star, M602/604, M670,
☒ Zn ☐ SS	throttle, 3D printed			
1358	Knob, Teardrop special			
☒ Zn ☐ SS	3/8-24 thread			
104567A	Knob, Hydra-lectric	1600-1900/ 1550-2150		
☒ Zn ☐ SS	hydraulic levers			
1360	Knob, Teardrop 1.25 x 2.00			
☐ Zn ☐ SS	3/8-24; throttle			
30-3020940	Knob, Hydraulic	1755-2255, S44, 440		
☒ Zn ☐ SS	3D printed hi detail			
16515	Grip, Cletrac Lever	Cletrac		
☒ Zn ☒ SS				
1086	Knob, White RBY small			
☒ Zn ☐ SS				
1087	Knob, White Transmission alt lg			
☐ Zn ☐ SS				
30-3217655	Knob, PTO yellow		2-85, 2-105, 2-150	
☐ Zn ☐ SS				
30-3384233	Knob, Throttle O/U		2-88, 2-110, 2-135, 2-155, 2-180, Workhorse,	
☐ Zn ☐ SS	red, Agco 72161003			
30-3384241	Knob, PTO		2-88, 2-110, 2-135, 2-155, 2-180, Workhorse,	
☐ Zn ☐ SS	yellow, Agco 72161004			
30-3384268	Knob, Hydraulic		2-88, 2-110, 2-135, 2-155, 2-180, Workhorse,	
☐ Zn ☐ SS	black, Agco 72161005			
30-3385116	Knob, Gear Shift		White SIII	
☐ Zn ☐ SS	Agco			

21 - Control Knobs & Grips		Oliver	White	MM
30-3207730	Knob, Transmissioin		2-85, 2-105. 2-135, 2-155	
☐ Zn ☐ SS	red			
35A5411	Knob, Lever			G705, G706, G707, G708 hydraulic
☐ Zn ☐ SS	3/8-16, 1-1/4" diameter;			
10A13578	Knob, Shift Lever			335, 445, 5Star, JetStar, 4Star
☒ Zn ☐ SS	also 10A7077			
10A14759	Grip - Hand Lever, Rubber			Gvi, G704, G705, G706 hydraulic
☐ Zn ☐ SS	5/8 ID, hydraulic lever			
10A24804	Grip, Control Lever 3/4" (PTO, A/T)			many
☒ Zn ☐ SS	SEBS 4W50: 2hr38min, 31gm			
10A7714	Hand Grip, Hydraulic			335, 445, JetStar, JetStar 3, 5 Star, M602/604, M670,
☒ Zn ☐ SS	3D printed; also 30-3020940			
10A8795	Grip, Hand Control Lever			335, 445, 5 Star, Jet Star, 4 Star, U302, M5, M602, M670, G900,
☒ Zn ☐ SS	PTO & A/T; 3D printed from TPR			
1256	Grip, PTO - Molded Vinyl			all non-letter models
☐ Zn ☐ SS	for PTO and 2-speed; replaces 10A24804 and 10A8795			
1273	Grip. Hand Clutch			U and G
☐ Zn ☐ SS	U & G			
15A9581	Grip, Hand Lever (clutch)			Gvi thru G708 clutch; Gvi-G1350 FWA
☒ Zn ☐ SS	hand clutch, 3D printed from TPR			
UT223	Knob, Shift Lever			many
☐ Zn ☐ SS				

30 - Engine		Oliver	White	MM
☐ C273	Rod End Kit, 1/4-28 Yoke Adjusting	S44, 440; diesels: 66, 77, 88, S55, S66, S77, S88, S99, 550, 660, 770,		Letter models
☒ Zn ☐ SS	Throttle linkage; kit includes clevis pin, cotter pin, jam nut			
☐ 102566A	Washer, Governor Control	'00 Series C, '50 Series, 1555, 1655	2-70	G550, G750
☐ Zn ☐ SS				
☐ 30-3164721	Sleeve, Governor Control	'00 Series C, '50 Series, '55 Series	2-70, 2-85, 2-105, 2-150	G550, G750, G850, G940, G955, G1355
☐ Zn ☐ SS				
☐ 30-3157121	Washer, Governor Control	1755-2255	2-85, 2-105, 2-150	G850, G940, G955, G1355
☐ Zn ☐ SS	1-1/4" OD, print is -1/2"			
☐ 1330	Cable, Choke and Shutoff - 84" long			
☐ Zn ☐ SS	Made in USA, 0.187 covered conduit, 0.062 SS core, upper & lower seals, mu			
☐ 160145AS	Indicator, Air Filter	1550, 1650, 1750, 1850, 1950, 1555, 1655	2-70	
☒ Zn ☐ SS	with fitting; also MM 10A30518			
☐ 157990A	Valve, Vacuator	1550-1950; 1555-1955	2-70, 2-85, 2-105	
☐ Zn ☐ SS	3", MM 10P4074			
☐ B452	163293A Link, Governor 1850	1850	2-85, 2-105, 2-110	
☒ Zn ☐ SS	1/4" ends; also 158695A			
☐ 169334A	Insulation, Fuel Tank	1755-2255	2-85, 2-105, 2-150	G955, G1355
☒ Zn ☐ SS	ceramic fiber, original factory part may contain asbestos			
☐ 101585A	Clip, Precleaner Screen	all 4 digit models exc 2255		
☐ Zn ☐ SS				
☐ 30-3090604	Valve, Vacuator	2255		
☐ Zn ☐ SS	2"			
☐ B411	H888 Governor Link - 6, 7, 8	60, 70, 66, 77, 88, S66, S77, S88, 660, 770, 880		
☒ Zn ☐ SS	governor link kit			
☐ B422	E888 Governor Link - S55 550 gas	S55 gas & diesel, 550 gas		
☒ Zn ☐ SS	governor link kit, 5-3/16;			
☐ B423	105146A Governor Link short - 550 diesel	550 diesel >110015		
☒ Zn ☐ SS	governor link kit, 4-7/16			
☐ 1K1934	Nut, 1/4" Flared Union			
☐ Zn ☐ SS	SAE 45° Flare Long Nut Brass; LPG fitting			
☐ 30-3093077	Fan Blast Baffle, 2255-2WD	2255		
☒ Zn ☐ SS	includes mounting hardware			
☐ M536	Crank, Starting			
☐ Zn ☐ SS	also 1J536			
☐ 1E514	Strip, Radiator Mounting	S55		
☒ Zn ☐ SS	two halves			
☐ 450381A1	Pad, Radiator	S44, 440		
☒ Zn ☐ SS	S44 & 440, 2 per tractor; sold as set of 2			
☐ 450381A2	Pad, Fuel Tank Mount	440		
☒ Zn ☐ SS	S44 & 440, 3 per tractor			
☐ 35A5887	Bushing, Rubber 3/8 x 1-3/8 OD		2-85 (6), 2-105 (6), 2-150 (12)	JS3 (4), U302 (4), M670 (6), G900 (4), G1000 (4), G1000V (4), G950
☐ Zn ☐ SS	radiator mounting			

30 - Engine		Oliver	White	MM
30-3411222	Mount, Radiator		4-225	
☐ Zn ☐ SS	1-3/8" OD x 5/8" thk; 5/16"x5/8" studs; 4 per tractor			
30-3305414	Strip, Fuel Tank		All Field Boss and Workhorse White models except 2-70;	
☐ Zn ☐ SS	tank cushion, 2" x 14", PSA			
30-3215032	Switch, Pressure			
☐ Zn ☐ SS	4psi, NC			
30-3305341	Thermocouple, Exhaust Temp		4-270	
☐ Zn ☐ SS	Call Donald Diller 315-730-1091			
10A28707	Grommet, Fuel Tank			G950, G1050, G1350, A4T
☐ Zn ☐ SS				
1254	Spring, Hydraulic Linkage UB			UB
☐ Zn ☐ SS				

33 - Engine Exhaust Clamps		Oliver	White	MM
SSC3280	Clamp, Exhaust 3.00 (3.080-3.280) - 3280	1650D, 1750, 1800, 1655, 1755, 1850G, 1855G, G750D, G850,	2-70, 2-85	
☐ Zn ☐ SS	muffler; single bolt, pulls around for best seal			
SSC3780	Clamp, Exhaust 3.50 (3.580-3.780) - 3780	S99GM, 990, 995, 1900, 1950, 2255	2-105, 2-110, 2-135	
☐ Zn ☐ SS	muffler; single bolt, pulls around for best seal			
SSC2030	Clamp, Exhaust 1.88 (1.830-2.030) - 2030	S55 & 550 extension		Jet Star (early), Jet Star 3
☐ Zn ☐ SS	extension for S55, 550			
SSC2530	Clamp, Exhaust 2.25 (2.330-2.530) - 2530	S44, 440		335, 445
☐ Zn ☐ SS	muffler; single bolt, pulls around for best seal			
SSC1730	Clamp, Exhaust 1.50 (1.530-1.730) - 1730	60		
☐ Zn ☐ SS	muffler; single bolt, pulls around for best seal			
SSC1920	Clamp, Exhaust 1.75 (1.720-1.920) - 1920	66, 77, & 88 extension		
☐ Zn ☐ SS	muffler extension			
SSC2280	Clamp, Exhaust 2.00 (2.080-2.280) - 2280	70, S55, 550		
☐ Zn ☐ SS	muffler; single bolt, pulls around for best seal			
SSC2620	Clamp, Exhaust 2.38 (2.420-2.620) - 2620	66-88, S66-S88, S99, 660-880, 950, 1600, 1550, 1650G, 1555,		
☐ Zn ☐ SS	muffler; single bolt, pulls around for best seal			
SSC3530	Clamp, Exhaust 3.25 (3.330-3.530) - 3530	1850D, 1950T, 1955, 2050, 2150		
☐ Zn ☐ SS	muffler; single bolt, pulls around for best seal			
166408A	Clamp, Band 11GA x 7/8" wide x 3-3/8 ID	1950T, 1955		
☐ Zn ☐ SS	muffler extension			
158681A	Clamp, Hose 3" ID - #44	17xx & 18xx extension	2-70, 2-85 extension w/o aspirator	
☐ Zn ☐ SS	muffler extension			
SSC4280	Clamp, Exhaust 4.00 (4.080-4.280) - 4280		2-180	2155, 2655, G705, G706, G900, G1000, G950, G1050, G1350,
☐ Zn ☐ SS	muffler; single bolt, pulls around for best seal			
950207	Clamp, Hose 4-1/4" - #64		2-85 extension w/aspirator	
☐ Zn ☐ SS	muffler extension			
SSC2780	Clamp, Exhaust 2.50 (2.580-2.780) - 2780			R, Z, M-5, M602, M670
☐ Zn ☐ SS	muffler; single bolt, pulls around for best seal			
SSC3030	Clamp, Exhaust 2.75 (2.830-3.030) - 3030			Z, U, G, Gvi, 5 Star, Jet Star (late)
☐ Zn ☐ SS	muffler; single bolt, pulls around for best seal			

40 - Drive Train		Oliver	White	MM
30-3176835	PVC Closure, PTO Valve 2-3/8 ID	1755, 1855, 1955, 2255, G850, G940	2-85, 2-105, 2-150	G955, G1355
☐ Zn ☐ SS				
BA916A	Boot, Gear Shift Lever	all, exc 9's series	2-70, 2-85, 2-105, 2-150	
☒ Zn ☐ SS	3D printed from TPU			
1C298	Gasket, Filler Cap	6's, 7's, 8's, 1600, 1550, 1650, 1555, 1655	2-70	
☐ Zn ☐ SS	aluminum; transmission and open center hydraulic filler cap			
105488A	Breather Vent, 3/8 NPT	S99, S99GM, 950, 990, 995, 1800, 1900		
☐ Zn ☐ SS	filtered; upgrade for all models			
155321A	Breather Vent, 1/8 NPT Sht	FWA	FWA	FWA
☐ Zn ☐ SS	FWA axle differential			
155339A	Valve, Relief 1/8 NPT Sht	FWA		FWA
☐ Zn ☐ SS	FWA axle planetary			
155468A	Breather Vent, 3/8 NPT	2050, 2150		
☐ Zn ☐ SS	baffled nonfiltered			
943148	Bushing, Pipe 1 x 3/8 Reducer			
☐ Zn ☐ SS	PTO breather; rear end breather upgrade for 17xx models and up			
7A916	Cover, Shift Lever	9's		
☒ Zn ☐ SS	SEBS40: 8hr30min, 90gm			
156958A	Bushing, HPD Control	4D w/HPD	2-70	
☒ Zn ☐ SS				
31-2901837	Boot, Fiat Shifter	1465		
☒ Zn ☐ SS				
30-3329100	Bumper, Brake Pedal		2-88, 2-110, 2-135 S3, 2-155 S3, 2-180	
☒ Zn ☐ SS	1.75" long			
30-3394220	Bumper - Clutch Pedal - 1/2 ID x 1-1/8 Long		2-88, 2-110, 2-135 S3, 2-155 S3, 2-180	
☒ Zn ☐ SS	1-1/8" long			
30-3217507	Boot, 3-way		2-135, 2-155	
☐ Zn ☐ SS				
10A19825	Cap, Shift Lever Boot			JS3 and up
☒ Zn ☐ SS				
GM196644	Plug - Pipe, Ctsk. Sq. Head, 1-1/4"			335, 445, 5-Star, Jet Star
☐ Zn ☐ SS	transmission filler plug			
10A14520	Spring, Parking Latch			Gvi, G704-G708
☐ Zn ☐ SS				
50A770	O-ring, Clutch Adjusting Plug 1-1/2" OD			U302, M670, G900, G1090, G1000V, G950-G1350, A4T
☐ Zn ☐ SS				
15A9215	Ring, Retaining			M670, M5
☐ Zn ☐ SS	0.25 thk x 3.00 OD shaft			

41 - Drain Plugs		Oliver	White	MM
1172	Plug, 1/2 - 14 NPTF Sq. Hd. Magnetic Ceramic Disc	1800 thru 2255; G550 thru G940	2-70 thru 2-180	50A4441 engine oil drain early models; G955, G1355
☐ Zn ☐ SS	S1929, 2-speed, 3-speed, and transfer case oil drain			
1173	Plug, 3/4 -14 NPTF Sq. Recess Magnetic Ceramic Disc	all models	all models 30-3117391	G955, G1355
☐ Zn ☐ SS	106866A; transmission drain			
30-3000419	Plug, Oil Drain 1/2 - 14 NPT Ctsk. Hex Skt. Steel	1800, 1900, 1750-2150, 1755-2255, G850, G940	2-85-2-150, 2-88, 2-110	G955, G1355
☐ Zn ☐ SS	PTO/Rear End check plug			
S2698	Plug, Pipe 2" Ctsk. Hex NPT	1800, 1900, 1750-2150, 1755-2255	2-85, 2-105, 2-150	G955, G1355
☐ Zn ☐ SS	PTO adjustment hole			
1170	Sight Gauge, 1/2" NPT	4-digit models	2-85, 2-105, 2-150	G955, G1355
☐ Zn ☐ SS	rear end			
B167	Plug, Oil Drain 7/8-18 UNS Hex Hd	all except 1850 diesel and 2255	2-70, 2-150	G1355
☐ Zn ☐ SS	engine oil drain			
B168	Seal, Oil Drain Plug 7/8	most Oliver's except 1850	2-70, 2-150	G1355
☐ Zn ☐ SS	\$3.00 Steel, \$4.50 Alum			
1331	Plug, 1/8 - 27 NPT Brass	2 & 3 digit gas models		
☐ Zn ☐ SS	carburetor drain plug			
1171	Sight Gauge, 3/4" NPT	2 & 3 digit models		
☐ Zn ☐ SS				
1181	Sight Gauge, 3/8" NPT	S55, 550		
☐ Zn ☐ SS	transmission oil level plug			
106035A	Seal, Oil Filter GM 3/4"	S99GM, 990, 995, 1900, 1950, 1850		
☐ Zn ☐ SS	GM oil filters, Perkins oil drain plug; reuseable dual o-ring/crush seal			
156339A	Seal, 7/16" Waukesha Oil Filter	1650, 1655, 1750, 1755, 1855, 1955, G750, G850, G940 oil filter		
☐ Zn ☐ SS	reuseable dual o-ring/crush seal			
165951A	Seal, Oil Filter 1/2"	1955		
☐ Zn ☐ SS	Waukesha 310 bypass oil filter			
10A26068	Plug, Pipe, Hex Hd., 1/4 - 18 NPT		4-210, 60/80 American, Workhorse 160, 185, 4-225	G
☐ Zn ☐ SS	transmission drain			
941038	Plug, Pipe 3/8 - 18 Hex Hd			
☐ Zn ☐ SS	White trans. Drain			
10A25496	Plug, Drain 3/8" - 18 NPT, Magnetic Sq. Hd.			G1000V, M670
☐ Zn ☐ SS	transmission drain			
10A26069	Plug, Drain 1/2 - 14 NPT Hex Hd			MM G models
☐ Zn ☐ SS	Magnetic engine oil drain			

50 - Hydraulics, Hitch		Oliver	White	MM
104616A	Pin, Linch			
☐ Zn ☐ SS				
P461	167019A Knob, Servo Valve Stop TPH	1755/G950, 1855/G940, 1955, 2255	2-85, 2-105, 2-150	G955, G1355
☒ Zn ☐ SS	Replaces 167019A; includes knob, 1/4--20 carriage bolt, flat washer			
164267A	Retainer, TPH Lift Arm			
☐ Zn ☐ SS	weld to TPH lift arm			
1E3318	Pin, Clinch	all 4-digit models	all models up to 2-135	G550 G750, G850, G940, G955, G1355
☐ Zn ☐ SS	White 30-3391086			
30-3319997	Strap, Rubber			
☐ Zn ☐ SS	TPH, replaces spring			
920016	Washer, 7/8 Plain SAE			
☐ Zn ☐ SS	TPH lift link pin, 2 per pin			
1302	Male Dust Cap, 1/2" Hydraulic Coupler			many
☐ Zn ☐ SS				
1303	Female Dust Cap, 1/2" Hydraulic Coupler black			many
☐ Zn ☐ SS				
30-3017982	Sleeve, Tube 3/8" x 2"	1755-2255, G850, G940, G955, G1355	2-85, 2-105, 2-150, 2-88, 2-110	G955, G1355
☐ Zn ☐ SS				
30-3017990	Sleeve, Tubing 1/2" x 2-1/2"	1755-2255; G840, G940, G955, G1355	2-85 - 2-180	G955, G1355
☒ Zn ☐ SS				
30-3032663	Sleeve, Tube 1/4" x 2"	1755-2255, G850, G940	2-85, 2-105, 2-150	
☐ Zn ☐ SS				
70923379	AS568-115 Buna-N 70 Durometer X-Ring (941564)	1755-2255	all but 2-70	G850, G940, G955, G1355
☐ Zn ☐ SS	3/32 x 11/16 ID; two sealing surfaces, recessed parting line			
P441	Hardware Kit, TPH Implement Latch	all 4-digit	2-85, 2-105, 2-150, 2-88, 2-110	G955, G1355
☒ Zn ☐ SS	4 - 1/4" screws & lock washers			
K2072	Clip, Cylinder End Pin			
☐ Zn ☐ SS				
165411A	Clamp, Cooler Mounting (72161048)	'50, '55 series w/ O/U		
☒ Zn ☐ SS	3D printed			
F461	O-ring Kit, Remote Valve	1755-2255	all except 2-70	G850, G940, G955, G1355
☒ Zn ☐ SS	4 o-rings for sealing between valve bodies, CC systems; Buna-N, 70 duromete			
F462	O-ring Kit, Servo Valve	1755-2255	all except 2-70	G850, G940, G955, G1355
☒ Zn ☐ SS	4 o-rings for sealing servo valve, CC systems; Buna-N, 70 durometer, quad-ri			
1K2060A	Boot, Hydraulic Control Lever	2D hydraulic lever		
☒ Zn ☐ SS				
E3332	Clevis, Chain 5/16"	Super 44, 440, Super 55, 550		
☐ Zn ☐ SS	TPH sway chain, 4 per tractor			
E3333	Pin, Clevis 3/8 x 1-1/4			
☒ Zn ☐ SS	includes cotter pin			
720552A	Seal, Oil Filter Body	Super 44, 440		
☐ Zn ☐ SS	Square o-ring			

50 - Hydraulics, Hitch		Oliver	White	MM
104452A	Switch, Hydra-lectric Hand Lever			
☒ Zn ☐ SS				
1K2240A	Boot, Hydraelectric Switch	1600-1900; 1550-2150; 1555, 1655; hydra-lectric cylinders		
☒ Zn ☐ SS	3D printed			
1KSA2241	Switch Assy, Micro	hydra-lectric cylinders: 1600-1900; 1550-2150; 1555. 1655, G550, G750		
☐ Zn ☐ SS	hydra-lectric cylinders			
30A1070	Pin, Chain 1/2 x 1-7/8			
☐ Zn ☐ SS				
10P3982	Plug, Vickers VTM42 Power Steering Pump			G900, G1000, G1000Vista, G950, G1050, G1350
☐ Zn ☐ SS	Vickers 375094			

60 - Electrical, Lighting		Oliver	White	MM
O441	Switch, Neutral Start	all 4 digit models	2-70	G550 G750, G850, G940, G955, G1355
☒ Zn ☐ SS	105498A NC & 30-3017095 NO w/hardware			
30-3022633	Switch, Park Brake	1755, 1855, 1955, 2255, G850, G940, G955, G1355	2-85, 2-105, 2-150	G955, G1355
☒ Zn ☐ SS	micro switch, long lever			
30-3106306	Key, Ignition - set of 2	all 4 digit		G550 G750, G850, G940, G955, G1355
☐ Zn ☐ SS				
105373A	Knob, Light Switch	all 4-digit models	all Field Boss models	Charles City built models
☒ Zn ☐ SS	3D printed; includes mounting hardware			
1174	Housing, Lighter			many
☐ Zn ☐ SS	Replaces 158152AS			
1175	Cap, Lighter Housing			many
☐ Zn ☐ SS				
1176	Plug, Lighter			many
☐ Zn ☐ SS	Replaces 158447AS			
1205	Lighter Assy			many
☐ Zn ☐ SS				
159666A	Boot, Lighter	4-digit models	all	
☒ Zn ☐ SS				
1247	Flasher, 2 Terminal	1550-2150, 1555, 1655	2-70, 2-85, 1-105, 2-150	G950, G1050, G1350, M670, G1000 Vista
☐ Zn ☐ SS	replaces 164181A			
1124	Battery Mat, 8"x14"			many
☐ Zn ☐ SS	protects battery tray, absorbs & neutralizes acid			
105232AS	Switch, Ignition			
☒ Zn ☐ SS	Includes keys and terminal nuts & lock washers; 10-32			
O442	Hardware Kit, Light Switch Mtg	all 4-digit models	2-70, 2-85, 2-105, 2-150, 2-135, 2-155, 2-180	
☒ Zn ☐ SS	4-digit light switch			
1206	Socket, Implement Light			many
☐ Zn ☐ SS	MM 10A4974, OL 101726A, 1K-7365, 1KA7365			
101637A	Switch, Neutral Start SPDT	550, 770, 880		
☒ Zn ☐ SS	includes mounting hardware			
100650A	Nut, Starter & Ignition Switch 9/16 - 18 Jam UNF	S44, 440, S66 S77, S88, 660, 770, 880		
☐ Zn ☐ SS				
S3300	Lock Washer, 9/16 Int/Ext	S44, 440, S66, S77, S88, 660, 770, 880		
☐ Zn ☐ SS	electrical switch mounting			
S710	SEMS Unit, No. 8 - 32 x 3/8 Rd Hd Slot	S44, 440, S66, S77, S88, 660, 950, 990, 995		
☐ Zn ☐ SS	electrical terminals, 2-digit; also S2553			
101521A	Buzzer, Warning	550, 770, 880, 1600, 1800, 1900. 1550, 1555		
☐ Zn ☐ SS	oil pressure			
1306	Spring Guide, Light	'50 and '55 series		
☐ Zn ☐ SS	fuel tank fender lights			
157012A	Tray Assy, Battery	1800C, 1900C, 1750, 1850, 1950		
☐ Zn ☐ SS	dash			

60 - Electrical, Lighting		Oliver	White	MM
1272	Switch, Neutral Start - pedal	2155, 2655	2-85, 2-105, 2-150, 2-88, 2-110, 2-135, 20-155, 2-180	U302, G1000V, M670, G950, G1050, G1350, A4T
☐ Zn ☐ SS	clutch, O/U, brake			
10A22064	Switch, Neutral Start			G900, G1000
☐ Zn ☐ SS				
10A23729	Switch, Neutral Start			U302, G900, G1000, M670, JS3S, U302
☐ Zn ☐ SS				
35A5283	Switch, Neutral Start			Jet Star 3, U302
☐ Zn ☐ SS				

61 - Fuses		Oliver	White	MM
106366A	Cap, Fuse Holder	4 digit		
☐ Zn ☐ SS				
1159	Fuse, 1/4 x1-1/4 AGC			U302, G900
☐ Zn ☐ SS	3, 15, 20, 30 amps			
169295AS	Holder, Fuse - 6" wire, 12GA	1755-2255	2-85, 2-105, 2-150	
☒ Zn ☐ SS	instruments and lights			
169295AS-3	Holder, Fuse - 6" wire, 14GA	1755-2255	2-85, 2-105, 2-150	
☒ Zn ☐ SS	instruments			
103427AS	Holder, Fuse - 10" wire, 14GA	950-995; 1600, 1800C, 1900C; 1550-2150; 1555, 1655	2-70	
☒ Zn ☐ SS	instruments			
105118AS	Holder, Fuse - 6" wire, 14GA	1600-1900; 1550-2150; 1555, 1655	2-70	
☒ Zn ☐ SS	lights and hydra-lectric			
105385AS	Holder, Fuse - 6" wire, 14GA	1800, 1900, 1850, 1950		
☒ Zn ☐ SS	lights and hydra-lectric			
10A21880	MM Holder, Fuse - 12" 14 GA Wires			U302, G900
☒ Zn ☐ SS	no terminals			

62 - Light Sockets		Oliver	White	MM
105372A-F	Socket - Instrument Light - 1 bulb	all 4-digit	2-70, 2-85, 2-105, 1-150	
☒ Zn ☐ SS	Ford socket, includes LED bulb			
105372A-G	Socket - Instrument Light - 1 bulb	all 4-digit	2-70, 2-85, 2-105, 1-150	
☒ Zn ☐ SS	GM socket, includes LED bulb			
106766A-F	Socket - Instrument Light - 2 bulbs	all 4-digit	2-70, 2-85, 2-105, 1-150	
☒ Zn ☐ SS	Ford socket, includes LED bulb			
106766A-G	Socket - Instrument Light - 2 bulbs	all 4-digit	2-70, 2-85, 2-105, 1-150	
☒ Zn ☐ SS	GM socket, includes LED bulb			
1210	Bulb, LED			
☐ Zn ☐ SS	instrument lamp			
101729A-F	Socket - Instrument Light - 3 bulbs	1755, 1855, 1955		G850, G940
☒ Zn ☐ SS	w/LED bulbs			
102977A	Socket, Indicator Light - 1-bulb, 2-wire	770, 880		
☒ Zn ☐ SS	w/LED bulb			
O351	Socket Assy, Gauge Light			later MM models with backlite gauges
☐ Zn ☐ SS	generic, with LED bulb			

63 - Battery Bolts		Oliver	White	MM
108021A	Bolt, Battery Box 1/4-20 x 4 J-Hd	1600-1900; 1550-1950T; 1555, 1655	2-70	G550, G750
☒ Zn ☐ SS	elastic nut			
S1529	Bolt, Battery 5/16 - 18 x 10 Hex Hd	66-88 diesel; 1755-2255; G955, G1355	2-85-2-150	G955, G1355
☒ Zn ☐ SS	30-3054519 and S1529; USS flat washer			
30-3054519	Bolt, Battery Holddown 5/16-18 x 10 Hex Hd	1755 - 2255; G955 - G1355; 2-85 - 2-150		
☒ Zn ☐ SS	lock washer, nut			
S1550	Bolt, 1/4 - 20 x 8 Hex Hd Machine	S55 (all diesel, gas to 46000), 550 diesel		
☒ Zn ☒ SS	SS; SAE flat washer, wing nut			
S1551	Bolt, 5/16 - 18 x 9 Hex Hd Mach	66, 77, 88		
☐ Zn ☐ SS	cut from S1529 (SS)			
S1544	Bolt, 5/16 - 18 x 9-1/2 Hex Hd Mach	88		
☐ Zn ☐ SS	cut from S1529 (SS)			
K1394	Bolt, Battery Holddown 5/16-18 x 9-5/8 J-Hd	66, 77, 88, S55 (gas 46001-), S66, S77, S88, 550 gas, 660, 770 gas,		
☒ Zn ☐ SS	USS washer, wing nut	550 diesel		
100431A	Rod, Battery Clamp 3/8 - 16 x 10-3/4 J-Hd	66-88, S66-S88, 660-880		
☒ Zn ☐ SS	USS washer, wing nut			

70 - Steering		Oliver	White	MM
915093	Nut, 1-1/8 - 12 Hex Jam UNF	66-88, S66-S88, 660-880, 1600, 1800, 1550-1950T, 1555-1955	2-70, 2-85, 2-105	
☐ Zn ☐ SS	row crop steering spindle			
915095	Nut, 1-3/8 - 12 Hex Jam UNF	66-88, S66-S88, 660-880, 1600, 1800, 1550-1950T, 1555-1955	2-70	
☐ Zn ☐ SS	row crop front axle wishbone			
156516A	Nut, 5/16 - 24 Steering Shaft Lock Knob (SS)	'00 and '50 series		
☐ Zn ☐ SS	'00, '50 series telescope knob			
1E1567	O-ring, Steering Wheel Emblem (1/8 x 1-7/8 ID)	770, 880, 950, 990, 995; all '00 & '50 series w/o telescoping column		
☐ Zn ☐ SS	w/o telescoping column on 4-digit models			
1E635	O-ring, Steering Wheel Emblem (1/8 x 1-7/16 ID)	770, 880		
☐ Zn ☐ SS				
1H727	Thrust Bearing, Steering Knuckle Shaft	60, 66, S66, 660		
☐ Zn ☐ SS				
S269	Lock Washer, 1-3/8 Light	66-88, S66-S88, 660-880, 1600, 1800, 1550-1950T, 1555-1955	2-70	
☐ Zn ☐ SS	row crop front axle wishbone			
941582	O-ring, 3/32 x 1-13/16 ID		2-88, 2-110, 2-180 w/o cab	
☐ Zn ☐ SS	steering wheel emblem			
941656	O-ring, 1/8 x 2-3/4 ID		series 1 & 3: 2-135, 2-155, 2-180	
☐ Zn ☐ SS	steering wheel cap			
10A14477	O-ring, Steering Wheel Emblem Seal 2-3/8" OD			M670, G900, G1000, G1000V, G950, G1050, G1350
☐ Zn ☐ SS				

71 - Steering Wheel Nuts		Oliver	White	MM
10A31498	Nut, Steering Wheel 13/16 - 20 Jam UNEF	1755, 1855, 1955, 2255, 2155, 2655	2-85, 2-105, 2-150, 2-135, 2-155, 2-180	G900, G1000, G1000V, G950, G1050, G1350, G955, G1355, A4T
☐ Zn ☐ SS	steering wheel;			
915090	Nut, 3/4 - 16 Hex Jam UNF	60-90; S55, 550; 66-88, S66-S88, 660-880; manual steering: 1550	2-88, 2-110, 2-135 & 2-155 S3, 2-180 S3	335 thru M670
☐ Zn ☐ SS	steering wheel			
915087	Nut, 1/2 - 20 Hex Jam UNF	550		
☐ Zn ☐ SS	steering wheel			
915089	Nut, 5/8 - 18 Hex Jam UNF	power steering: 1550-2150; 1555, 1655, 1855		
☐ Zn ☐ SS	steering wheel			
S170	Nut, 3/4" - 16 UNF Hex Jam			
☐ Zn ☐ SS	steering wheel			
30P561	Nut, Acorn - steering wheel			G, R, Avery models
☐ Zn ☐ SS				
GM114500	Nut, 7/8 - 14 Hex UNF			letter model steering wheel
☐ Zn ☐ SS	steering wheel			
GM219753	Nut, 3/4 - 16 Hex Jam (915090)			335 thru M670
☐ Zn ☐ SS	steering wheel			

80 - Frame, Wheels		Oliver	White	MM
A432	Chain Hook, Front Frame 3/8 GR 70	3/4" frame hole, all except 4's & 5's models	2-70, 2-85, 2-105, 2-88, 2-110	
☒ Zn ☐ SS	chain tiedown, attaches to frt frame pads, incl. bracket, hook, hardware			
156106A	Bolt, Rear Wheel Hub 5/8-11 UNC x 1-1/8 G5 Hex Taper	770, 880, 1600, 1550, 1650, 1555, 1655	2-70	
☐ Zn ☐ SS	coarse thread bolt for stamped rear wheel; 9 per; \$58.50 (10% disc)			
1K736	Bolt, Frt Wheel Rim 1/2-20, 90 deg, Hex Taper, 1" thd	Super 44, Super 55, Super 77, Super 88, 440, 550, 66, 660, 77, 60, 70, 1800, 1900		10A863
☐ Zn ☐ SS	13/16 hex head; MM 10A863, White 1K1669			
1H706A	Bolt, Frt Wheel (9/16 - 18 x 1-5/32, 1-19/32) Hex Taper			10A7573
☐ Zn ☐ SS	7/8" hex, 45 deg taper			
1K706	Bolt, Wheel 9/16 - 18 x 2-1/16			
☐ Zn ☐ SS				
915369	Nut, 3/4 - 10 Hvy Hex Zn	1650-2150; 1655-2255		
☐ Zn ☐ SS	wheel nut; 70922686			
900888	Bolt, 1/2 - 13 x 3-1/2 Sq. Hd. Mach., plain			
☐ Zn ☐ SS	non stock item			
1300	Paint, Oliver Meadow Green			
☐ Zn ☐ SS	12 oz. spray can			
1301	Paint, Oliver Clover White			
☐ Zn ☐ SS	12 oz. spray can			
915437	Nut, 1/2 - 13 Hvy Hex			
☐ Zn ☐ SS	zinc			

82 - Lube, Filters		Oliver	White	MM
Eao26	Filter, Oil Amsoil Eao26	Engine: 1600, 1650G, 1655G, 1750G, 1755G, 1855G; 2 & 3-speed:	2-70G	
☐ Zn ☐ SS	Oliver 155618A engine filter; synthetic media 99% efficient @ 20 micron			
1193	Filter, Engine Oil 30-3068145	2050, 2150	2-135, 2-155	
☐ Zn ☐ SS	Donaldson; cellulose media 99% efficient @ 40 micron			
1137	Oil, ATF Amsoil OE Synthetic	all	all	G955, G1355
☐ Zn ☐ SS	2/3 speed; 6 quarts			
Eao42	Filter, Oil Amsoil Eao42	1600-1900; 1550-2150; 1555-2255; G550, G750, G850, G940, G955,	all	G955, G1355
☐ Zn ☐ SS	2/3-speed; OEM length; synthetic media 99% efficient @ 20 micron			
1194	Filter, Transmission 156513A	1800C to 2255	all	G955, G1355
☐ Zn ☐ SS	Donaldson; cellulose media 99% efficient @ 40 micron			
1094	Flush, Engine & Transmission - Amsoil 16-oz.	all	all	G955, G1355
☐ Zn ☐ SS	diesel & gas engines, transmissions			
7A5507	Filter, Engine Oil - 3-71 GM	S99GM, 950, 990, 995		
☐ Zn ☐ SS	99% efficient @ 20 micron			
1195	Filter, Engine Oil 105256AS	1900, 1950		
☐ Zn ☐ SS	Donaldson; cellulose media 99% efficiency @ 30 micron			

90 - Cab		Oliver	White	MM
1283	Weatherstrip, Inline Self Seal Glass	1755-2255		
☐ Zn ☐ SS	90' per '55 series cab; sold in 50' rolls; 20-000371			
1274	Seal, Cab Door - per foot			
☐ Zn ☐ SS	'55 Series: 20-7000443 61" & 20-7000442 82"/door=24'; White: 30-3182940 1			
1327	Seal, Openable Windows			
☐ Zn ☐ SS	price per foot, includes PSA			
30-3091899	Door Bottom Gasket	1755-2255		G950-G1350; G955, G1355
☒ Zn ☐ SS	1/2" x 1" x 12" w/PSA			
1287	Moulding, Edge Trim (per foot)	1755-2255 cab; 2255 side panel		G950, G1050, G1350, G955, G1355
☐ Zn ☐ SS	2255, cab door			
20-0005871	Mount, Rubber Cab	2655	all articulated models	A4T, Oliver 2655
☐ Zn ☐ SS				
30-3182940	Seal, Cab Door			
☒ Zn ☐ SS				
30-3174239	Latch, Cab Filter		early models: 2-85, 2-105, 2-150	
☐ Zn ☐ SS				

98 - Merchandise		Oliver	White	MM
1263	Flag, Oliver, Sales & Service			
☐ Zn ☐ SS	3' x 5' indoor use			
1284	Flag, Oliver Classic 3x5 double sided			
☐ Zn ☐ SS	outdoor, Oliver Shield both sides, yellow background			
1203	Switch Plate, Oliver Single Toggle 4D			
☐ Zn ☐ SS	4D strg wheel logo - powder coated, UV printed, 16 ga. Metal, black screws			
1204	Switch Plate, Oliver Double Toggle (4D grille logo)			
☐ Zn ☐ SS	4D grille logo - powder coated, UV printed, 16 ga. Metal, black screws			
1276	Switch Plate, Oliver Single Toggle - 2D shield logo			
☐ Zn ☐ SS	powder coated, UV printed, 16 ga. Metal, black screws			
1286	Spinner, Oliver 12"			
☐ Zn ☐ SS	shield and keystone logos			
1257	Padfolio, Oliver Log 7"x9" with 5"x8" pad			
☐ Zn ☐ SS	Proceeds from padfolio go to the Northern Lights Oliver Collectors club			
1232	Flag, Oliver - Shield "Finest in Farm Machinery"			
☐ Zn ☐ SS	3' x 5' indoor use			
1251	Flag, Hart Parr			
☐ Zn ☐ SS	3' x 5' indoor use			
1333	Flag, Oliver Diesel Power			
☐ Zn ☐ SS	3' x 5' indoor use			
1334	Flag, Oliver Merger Ccompanies			
☐ Zn ☐ SS	3' x 5' indoor use			
1343	Flag, Oliver Keystone garden			
☐ Zn ☐ SS	12" x 18" garden flag			
1344	Flag, Oliver Shield			
☐ Zn ☐ SS	12" x 18" garden flag			
1345	Flag, Oliver Finest			
☐ Zn ☐ SS	12" x 18" garden flag			
1253	Flag, MM			
☐ Zn ☐ SS	3' x 5' indoor use			
1335	Flag, MM Finest			
☐ Zn ☐ SS	3' x 5' indoor use			
1279	Switch Plate, MM Single Toggle			
☐ Zn ☐ SS	powder coated, UV printed, 16 ga. Metal, black screws			
1280	Switch Plate, MM Double Toggle			
☐ Zn ☐ SS	powder coated, UV printed, 16 ga. Metal, black screws			