OI	Diver Catalog: 1755, 1855, 1955, 2255 Tractors				5, 1855, 1955, 2255 Tractors	Classic Tractor Hardware
1 7	1 8	1 9	2			
5	5	5	5 5	Part No.	Description	Note
			eet Metal Hardware Kits		are Kits	
V		V		W463	Hardware Kit, Sheet Metal	knob screws not included
			₩464 Hardware Kit, Sheet Metal			
11	- Sh	neet	: Me	etal Parts		
	V			W456	166205A Side Panel Knob Screw	knob screw & retainer
	V			W466	166205A Side Panel Knob Screw w/spring	knob screw, retainer, spring, clip ring
✓	V	☑ 166192A Latch Assy, 55 Series Side Panel side panel center knob screw		side panel center knob screw		
			✓	1123	Washer, 1/4 Flat Nylon	protects paint under hood screw
			✓	1099	Clip Nut, Hood 5/16 - 18	replace missing weldnut
	V		✓	1122	Washer, 5/16 Flat Nylon	protects paint under hood screw
	V		✓	W467	Dash Screw Kit	#8 screws, dash & steering column boot
	V	V	✓	S2978	Screw, Drive No. 6 x 1/4 Rd Hd Brass	nameplate, SS
✓	V	✓	✓	1364	Seal, Expanding Foam 1" x 1 x 20' roll	
✓	V	✓	✓	1355	Seal, Expanding Foam 1" x 1-1/2" x 15' roll	156756A, 156762A, 156763A radiator, 30-30231
12	- Tr	ันรร	Не	ad Screws		
✓	\	\	✓	1196	Screw, 1/4 - 20 x 1/2 Truss Hd Slot	hood and side panel mounting
✓	V			hood and side panel mounting		
✓	\			hood and side panel mounting		
✓	V	✓	✓	1145	Screw, 5/16 - 18 x 3/4 Truss Hd Slot	hood and side panel mounting
13	- Bı	ıtto	tton Plugs			
✓	V	V	✓	1216	Plug, Button 3/4 Dia. Hole	hydraullic valve;
✓	V	✓	✓	1228	Plug, Button 2 Dia. Hole	PTO, hood (tractors with manual steering); MM:
✓	\	V	✓	1220	Plug, Button 9/16 Dia. Hole	instrument panel
✓	V	V	✓	1223	Plug, Button 11/16 Dia. Hole	instrument panel
✓	V	✓	✓	1224	Plug, Button 7/8 Dia. Hole	<u> </u>
14	- Gr	Grommets				
V	V	✓		166158A	Grommet, Side Panel	5/8 OD x 1/4 ID x 1/16 GR
V	✓			warning lamp mounting		
20				Platform, S		
✓	\	V		E849	Bumper, Rubber	fender fuel tank - 8/tank; 1800 & 1900 platform
V	V	V		100611A	Vibration Isolator	fender fuel tank (4/tank), S55 (2) & 550 (5) she
V	V	✓		100612A	Washer, Vib Isolator (3/8x1.63x12GA hvy fender)	rubber mount, grab handle
	V	✓		159471A	Handle, Grab	long handle; fender
	V	✓		30-3042340	Handle, Mounting Instr Panel	'55 series; black powder coated, w/ mounting ha
	V	✓		106259A	Washer, Hvy Fender 3/8 x 1-5/8 x 7GA	fender mounting, 6 per fender
V	V	✓		S451	Hardware Kit, Fender Fuel Tank Trim for two fenders	
	V	✓		105220A		
	V	✓		E6781		
	V		Clinch Stud, 5/16 - 28 x 3/4 Flush Head left and right platform sections		left and right platform sections	
V	V	✓		30-3016692 Sleeve, Dampener 3/4 ID x 9/16 long		
✓	V	✓		30-3016463	Pad, Vibration Dampener 2-3/4" OD x 3/4" ID	platform mount replace by 30-3161757 (3"OD)
✓	V	✓		S452	Hardware Kit, Fender Fuel Tank Rubber Mount 10	rubber mount, 7/16 bolt, large washer; 4 per fe
✓	\	V		1314	159828A Spring Washer, 1/2"	replacement for 159828A for seat roller, one pre
✓	Image: Second of the properties o		delrin material			

1 7	1 8	1 9					
5 5	5	5	5	Part No.	Description	Note	
V	S	✓	V	159815A	Bearing, Flanged Bronze	T-bar seat suspension	
V	✓	✓	✓	159827A	Roller, Seat Slide	Torsion bar suspension, 4 per seat; includes wav	
	✓	✓	✓	159829A	Roller, Suspension	Torsion bar suspension, 2 per seat	
✓	✓		✓	159838A	Bumper, Seat Suspension	Torsion-bar suspension, 2 per seat; w/ mounting	
	✓		✓	30-3087778	Bumper, Seat	3D printed; later T-bar suspension	
	✓		✓	T451	ardware Kit, Seat Cushion - '50, '55 Series includes shoulder bolt 159873A (2)		
	✓		✓	T453	159838A Bumper, Seat Suspension	Torsion-bar suspension, 2 per seat; w/ mounting	
V	✓		✓	T454	159838A Bumper, Seat Suspension	3D printed	
	✓		✓	159873A	olt, Shoulder 3/8 X 1/4, 5/16 - 18 thd, 7/8 long includes nut and lock washer 5/16"		
21	- Co	ontr	ol k	(nobs & Gr			
V	✓		✓	103098A	Knob, Lever	transmission, PTO	
✓	✓	✓	✓	158398A	Grip, Lever	PTO and park brake	
✓	✓	✓	✓	169306A	Knob, Throttle - black	unthreaded - throttle, O/U; 3D printed soft	
✓	✓	✓	\checkmark	30-3020940	Knob, Hydraulic	3D printed hi detail	
✓	✓	✓	✓	30-3099261	Knob, Hydraulic	alternate to 30-3020940; 3D printed from TPU	
	✓		✓	30-3217639	Knob, Throttle - red	soft unthreaded - throttle, O/U; 3D printed	
30	- Er	ngin	е				
~	✓	✓		101585A	Clip, Precleaner Screen		
V	✓	✓		B167	Plug, Oil Drain 7/8-18 UNS Hex Hd	engine oil drain	
✓	✓	✓		B168	Seal, Oil Drain Plug 7/8	\$3.00 Steel, \$4.50 Alum	
	✓	☑		165951A	Seal, Oil Filter 1/2"	Waukesha 310 bypass oil filter	
✓	✓	✓		156339A	Seal, 7/16" Waukesha Oil Filter	reuseable dual o-ring/crush seal	
			✓	30-3090604	Valve, Vacuator	2"	
V	✓	✓		157990A	Valve, Vacuator	3", MM 10P4074	
			✓	30-3093077	Fan Blast Baffle, 2255-2WD	includes mounting hardware	
V	✓	✓	✓	30-3164721	Sleeve, Governor Control		
	✓	☑	✓	30-3157121	Washer, Governor Control	1-1/.2" OD	
V	✓	✓		1330	Cable, Choke and Shutoff - 84" long	Made in USA, 0.187 covered conduit, 0.062 SS c	
	✓	☑	✓	169334A	nsulation, Fuel Tank ceramic fiber, original factory part may co		
V	✓			1H432	Nut, Hex Brass 3/8 - 24 UNF gas manifold		
33	- Er	ngin	e E	xhaust Cla	mps		
V	✓			SSC3280	Clamp, Exhaust 3.00 (3.080-3.280) - 3280	muffler; single bolt, pulls around for best seal	
				SSC3530	Clamp, Exhaust 3.25 (3.330-3.530) - 3530	muffler; single bolt, pulls around for best seal	
			✓	SSC3780	Clamp, Exhaust 3.50 (3.580-3.780) - 3780 muffler; single bolt, pulls around for b		
				166408A	Clamp, Band 11GA x 7/8" wide x 3-3/8 ID	muffler extension	
V	✓			158681A	Clamp, Hose 3" ID - #44 muffler extension		
		✓		1032	Clamp, Hose #60 muffler extension		
34				xhaust Rai			
V	✓			1165	Rain Cap, 2-1/2" (2.50")	Donaldson: zinc, silencer	
	V		✓	1168	Rain Cap, 3-1/2" (3.50")	Donaldson: zinc plated; nylon stop for quiet ope	
		rive					
V	V			1172		scS1929, 2-speed, 3-speed, and transfer case oil d	
	V			30-3000419	Plug, Oil Drain 1/2 - 14 NPT Ctsk. Hex Skt. Steel	PTO/Rear End check plug	
V	V			BA916A	Boot, Gear Shift Lever	3D printed from TPU	
	✓		✓	1170	Sight Gauge, 1/2" NPT rear end		

1 7	1 8	1 9	2 2			
5 5	5 5	5 5	5 5	Part No.	Description	Note
✓	V	V		155321A	Breather Vent, 1/8 NPT Sht	FWA axle differential
	✓	✓	✓	155339A	Valve, Relief 1/8 NPT Sht	FWA axle planetary
✓	✓	✓	V	105488A	Breather Vent, 3/8 NPT	filtered; upgrade for all models
	✓		✓	943148	Bushing, Pipe 1 x 3/8 Reducer	PTO breather; rear end breather upgrade for 17
✓	✓	✓	✓	30-3176835	PVC Closure, PTO Valve 2-3/8 ID	
V	✓	✓	✓	1027	Clamp, Hose #40	PTO valve closure
				cs, Hitch		
✓	✓		V			
	✓	✓		165411A	Clamp, Cooler Mounting (72161048)	3D printed
V	V					
✓	✓	✓			Female Dust Cap, 1/2" Hydraulic Coupler black	
	V	V		167019A	Knob, Servo Valve Stop TPH	knob, carriage bolt, flat washer
	V	V		P461	167019A Knob, Servo Valve Stop TPH	Replaces 167019A; includes knob, 1/420 carria
V	V	V		P441	Hardware Kit, TPH Implement Latch	4 - 1/4" screws & lock washers
V	V	V		K2072	Clip, Cylinder End Pin	
V	V	V		1E3318	Pin, Clinch	
	V	V			Sleeve, Tube 3/8" x 2"	
	V	V			Sleeve, Tubing 1/2" x 2-1/2"	
	V	V			Sleeve, Tube 1/4" x 2"	
V	V	V		F461	O-ring Kit, Remote Valve	4 o-rings for sealing between valve bodies, CC s
				F462	O-ring Kit, Servo Valve	4 o-rings for sealing servo valve, CC systems; B
				I, Lighting	Curitale Noutral Chart	10E400A NC 9, 20, 201700E NO w/handware
		V		0441	Switch, Neutral Start Switch, Park Brake	105498A NC & 30-3017095 NO w/hardware
	>	>		105232AS	Switch, Ignition	micro switch, long lever Includes keys and terminal nuts & lock washers;
					Key, Ignition - set of 2	includes keys and terminal fluts & lock washers,
				105373A	Knob, Light Switch	3D printed; includes mounting hardware
		V		O442	Hardware Kit, Light Switch Mtg	4-digit light switch
V		V		101729A-F	Socket - Instrument Light - 3 bulbs	w/LED bulbs
✓	V	V		105372A-F	Socket - Instrument Light - 1 bulb	Ford socket, includes LED bulb
		✓		106766A-F	Socket - Instrument Light - 2 bulbs	Ford socket, includes LED bulb
✓	<u>✓</u>	<u>✓</u>		1210	Bulb, LED	instrument lamp
✓	✓ ✓ 1174 Housing, Lighter Replaces 158152AS		-			
✓	✓	✓				
✓	V	V	✓ 1176 Plug, Lighter Replaces 158447AS		Replaces 158447AS	
✓	V	✓		159666A	Boot, Lighter	
✓	✓	✓	V	1206	Socket, Implement Light MM 10A4974, OL 101726A, 1K-7	
✓	✓	✓	V	1247	Flasher, 2 Terminal	replaces 164181A
✓	✓	✓	✓	1306	Spring Guide, Light	fuel tank fender lights
61	- Fu	ises	•			
$\overline{\mathbf{V}}$	✓	✓	V	169295AS	Holder, Fuse - 6" wire, 12GA	instruments and lights
✓	✓	✓	✓	169295AS-3	Holder, Fuse - 6" wire, 16GA	instruments and lights
✓	✓	✓	✓	106366A	Cap, Fuse Holder	
63	- Ba	atte	ry E	Bolts		
✓	✓	V	✓	S1529	Bolt, Battery 5/16 - 18 x 10 Hex Hd	30-3054519 and S1529; USS flat washer

1	1	1	2			
7 5	8	9 5	2 5			
5	5	5	5	Part No.	Description	Note
V	V	V		30-3054519	Bolt, Battery Holddown 5/16-18 x 10 Hex Hd	lock washer, nut
70	- St	eer	ing			
V				915093	Nut, 1-1/8 - 12 Hex Jam UNF	row crop steering spindle
✓	✓ ✓ □ 915095 Nut, 1-3/8 - 12 Hex Jam UNF row crop front axle wishbone		row crop front axle wishbone			
V	✓	✓		S269	Lock Washer, 1-3/8 Light	row crop front axle wishbone
71	- St	eer	ing	Wheel Nuts	S	
	\			915089	Nut, 5/8 - 18 Hex Jam UNF	steering wheel
✓		✓	✓	10A31498	Nut, Steering Wheel 13/16 - 20 Jam UNEF	steering wheel
80	- Fr	Frame, Wheels				
✓	✓	✓	✓	A432	Chain Hook, Front Frame 3/8 GR 70	chain tiedown, attaches to frt frame pads, incl. b
✓			✓	915369	Nut, 3/4 - 10 Hvy Hex Zn	wheel nut; 70922686
✓	✓	✓	✓	1300	Paint, Oliver Meadow Green	12 oz. spray can
V			✓	1301	Paint, Oliver Clover White	12 oz. spray can
82	- Lube, Filters					
✓	✓			1087	Filter, Oil Amsoil Eao26	Oliver 155618A engine filter; synthetic media 99
V	✓			1088	Filter, Oil Amsoil Eao42	2/3-speed; OEM length; synthetic media 99% ef
V	✓			1194	Filter, Transmission 156513A	Donaldson; cellulose media 99% efficient @ 40
V		✓ ✓ 1094 Flush, Engine & Transmission - Amsoil 16-oz. diesel & gas engines, transmissions				
	- Ca					
V	✓			1283	Weatherstrip, Inline Self Seal Glass	90' per '55 series cab; sold in 50' rolls; 20-00037
V	✓			1274	Seal, Cab Door - 25' roll	25' for '55 series cab doors (143"/door); 168" for
✓	✓	✓		30-3091899	Door Bottom Gasket	1/2" x 1" x 12" w/PSA
V	✓			1287	Moulding, Edge Trim (per foot)	2255, cab door
✓	✓		✓	1327	Seal, Openable Windows	price per foot, includes PSA

Tuesday, December 24, 2024 www.oliverhardware.com Page 4 of 4