

White Catalog

2	2	2	2	Sections 30 and up search under the Oliver tab		
-	-	-	-			
7	8	1	1			
0	5	0	5			
		5	0	Part No.	Description	Note

10 - Sheet Metal Hardware Kits

☒	☐	☐	W511	Hardware Kit, Sheet Metal	
☐	☒	☐	W512	Hardware Kit, Sheet Metal	2-85 S/N 263341 to 281301; 2-105 S/N 255216 to 27
☐	☒	☐	W513	Hardware Kit, Sheet Metal	2-85 S/N 281302 and later; 2-105 S/N 276762 and lat
☐	☐	☒	W514	Hardware Kit, Sheet Metal	late models

11 - Sheet Metal Parts

☒	☐	☐	107320A SS	Screw, No. 8 - 32 x 3/4 Pan Hd - stainless	4D grille emblem and dash panels
☐	☒	☒	W516	Dash Screw Kit	
☒	☐	☐	W429	Hardware Kit, Rubber Mount 100611A - S55 & 550	one mount with hardware; S55 & 550 radiator shell (2
☒	☒	☐	30-3200035	Bumper, Rubber - Side Panel	incl. #10 mounting screw; 4 per tractor
☒	☒	☐	30-3191753	Isolator, Rubber	includes 1/4 x 1 capscrew and flat washer; 4 per tract
☐	☒	☒	1364	Seal, Expanding Foam 1" x 1 x 20' roll	
☐	☒	☒	1355	Seal, Expanding Foam 1" x 1-1/2" x 15' roll	156756A, 156762A, 156763A radiator, 30-3023164 f

13 - Button Plugs

☒	☒	☒	1216	Plug, Button 3/4 Dia. Hole	hydraulic valve;
☐	☒	☐	1221	Plug, Button 9/16 Dia. Hole	MM light switch hole
☐	☒	☒	1226	Plug, Button 1 Dia. Hole	plated steel
☒	☐	☐	1222	Plug, Button 11/16 Dia. Hole	'00 & '50 dash
☐	☒	☐	1215	Plug, Button 3/4 Dia. Hole	
☒	☒	☐	1224	Plug, Button 7/8 Dia. Hole	

14 - Grommets

☒	☐	☐	155238A	Grommet, Rubber 2-1/4 OD x 1-5/8 ID x 5/32 Gr	2-1/4 OD x 1-5/8 ID; Fuel Tank Front Support
☒	☐	☐	106332A	Grommet, Rubber 11/16 OD x 7/16 ID; 1/16 Gr x 3/16	hydraelectric lever
☐	☒	☐	1B7362B	Grommet, Rubber 5/8 OD x 3/8 ID X 1/8 Gr	hydraelectric
☒	☒	☐	102860A	Grommet, Rubber - grille 1 OD x 5/16 ID x 1/16 Gr	grille mounting 6/tractor; 1 OD x 5/16 ID

20 - Fenders, Platform, Seat

☐	☒	☒	100611A	Vibration Isolator	fender fuel tank (4/tank), S55 (2) & 550 (5) sheet met
☒	☒	☒	E849	Bumper, Rubber	fender fuel tank - 8/tank; 1800 & 1900 platform door (
☒	☒	☒	100612A	Washer, Vib Isolator (3/8x1.63x12GA hvy fender)	rubber mount, grab handle
☐	☒	☒	30-3042340	Handle, Mounting Instr Panel	'55 series; black powder coated, w/ mounting hardwa
☒	☒	☒	106259A	Washer, Hvy Fender 3/8 x 1-5/8 x 7GA	fender mounting, 6 per fender
☐	☒	☒	S502	Hardware Kit, Fender Fuel Tank Trim	White
☐	☒	☒	S501	Hardware Kit, White Fender Trim w/o cab	non cab
☐	☒	☒	30-3154718	Pad, Vibration Dampener 3" OD x 1-3/16" ID	
☐	☒	☒	30-3161757	Pad, Vibration Dampener 3" OD x 3/4" ID	3" OD x 3/4" ID

2 - 7 0	2 - 8 5	2 - 1 0 5	2 - 1 5 0	Sections 30 and up search under the Oliver tab		
				Part No.	Description	Note
☐	☒	☒		30-3016463	Pad, Vibration Dampener 2-3/4" OD x 3/4" ID	platform mount replace by 30-3161757 (3"OD)
☐	☒	☒		30-3016692	Sleeve, Dampener 3/4 ID x 9/16 long	
☐	☒	☒		1264	Clinch Stud, 5/16 - 28 x 3/4 Flush Head	left and right platform sections
☒	☐	☐		4002	Plug, Hole 2.50" plastic	platform; replaces 935146
☒	☒	☒		S452	Hardware Kit, Fender Fuel Tank Rubber Mount 1006	rubber mount, 7/16 bolt, large washer; 4 per fender
☒	☒	☒		30-3087778	Bumper, Seat	3D printed; later T-bar suspension
☒	☒	☒		1314	159828A Spring Washer, 1/2"	replacement for 159828A for seat roller, one pre rolle
☒	☒	☒		159829A	Roller, Suspension	Torsion bar suspension, 2 per seat
☒	☒	☒		159827A	Roller, Seat Slide	Torsion bar suspension, 4 per seat; includes wave w
☒	☒	☒		159815A	Bearing, Flanged Bronze	T-bar seat suspension
☒	☐	☒		159813A	Bearing, Torsion Bar Suspension, 2 per seat	delrin material
☒	☒	☒		159873A	Bolt, Shoulder 3/8 X 1/4, 5/16 - 18 thd, 7/8 long	includes nut and lock washer 5/16"
☒	☒	☒		159838A	Bumper, Seat Suspension	Torsion-bar suspension, 2 per seat; w/ mounting hard
☒	☐	☐		T441	Hardware Kit, Seat early 4-digit	early 4-digit models; black coated
☒	☒	☒		T451	Hardware Kit, Seat Cushion - '50, '55 Series	includes shoulder bolt 159873A (2)

21 - Control Knobs & Grips

☐	☒	☒	30-3217655	Knob, PTO yellow	
☐	☒	☐	30-3207730	Knob, Transmissioin	red
☒	☐	☐	167020A	Knob, 1-1/8 Oval	3/8-24 thread, hydraulics
☒	☒	☒	158398A	Grip, Lever	PTO and park brake
☐	☒	☒	169306A	Knob, Throttle - black	unthreaded - throttle, O/U; 3D printed soft
☐	☒	☒	30-3020940	Knob, Hydraulic	3D printed hi detail
☐	☒	☒	30-3217639	Knob, Throttle - red	soft unthreaded - throttle, O/U; 3D printed
☒	☒	☒	103098A	Knob, Lever	transmission, PTO
☐	☒	☒	30-3099261	Knob, Hydraulic	alternate to 30-3020940; 3D printed from TPU
☒	☐	☐	102307A	Knob, 1-1/4" Round	3/8-24 thd, throttle, 2-speed, 3-speed, FWA, TPH, hy
☒	☐	☐	1255	Grip, PTO Lever - Molded Rubber	replaces 158398A

30 - Engine

☒	☐	☒	B167	Plug, Oil Drain 7/8-18 UNS Hex Hd	engine oil drain
☒	☐	☒	B168	Seal, Oil Drain Plug 7/8	\$3.00 Steel, \$4.50 Alum
☒	☐	☐	160145AS	Indicator, Air Filter	with fitting; also MM 10A30518
☒	☒	☐	157990A	Valve, Vacuator	3", MM 10P4074
☒	☒	☐	C273	Rod End Kit, 1/4-28 Yoke Adjusting	Throttle linkage; kit includes clevis pin, cotter pin, jam
☐	☒	☐	B452	163293A Link, Governor 1850	1/4" ends; also 158695A
☒	☒	☒	30-3164721	Sleeve, Governor Control	
☒	☒	☒	30-3157121	Washer, Governor Control	1-1/2" OD
☐	☒	☐	20-7000937	Clamp, Hose 3-1/4" - #52	muffler extension

2 - 7 0	2 - 8 5	2 - 1 0 5	2 - 1 5 0	Sections 30 and up search under the Oliver tab		
				Part No.	Description	Note
☐	☒	☒		35A5887	Bushing, Rubber 3/8 x 1-3/8 OD	radiator mounting
☒	☐	☐		1330	Cable, Choke and Shutoff - 84" long	Made in USA, 0.187 covered conduit, 0.062 SS core,
☐	☒	☒		169334A	Insulation, Fuel Tank	ceramic fiber, original factory part may contain asbest

33 - Engine Exhaust Clamps

☒	☐	☐	SSC3280	Clamp, Exhaust 3.00 (3.080-3.280) - 3280	muffler; single bolt, pulls around for best seal
☐	☒	☐	SSC3780	Clamp, Exhaust 3.50 (3.580-3.780) - 3780	muffler; single bolt, pulls around for best seal
☒	☒	☐	158681A	Clamp, Hose 3" ID - #44	muffler extension
☐	☒	☐	950207	Clamp, Hose 4-1/4" - #64	muffler extension

34 - Engine Exhaust Rain Caps

☐	☒	☐	1168	Rain Cap, 3-1/2" (3.50")	Donaldson: zinc plated; nylon stop for quiet operatio
☒	☒	☐	1165	Rain Cap, 2-1/2" (2.50")	Donaldson: zinc, silencer
☐	☐	☒	1169	Rain Cap, 4" (4.00")	Donaldson: zinc plated; nylon stop for quiet operatio

40 - Drive Train

☐	☒	☒	30-3000419	Plug, Oil Drain 1/2 - 14 NPT Ctsk. Hex Skt. Steel	PTO/Rear End check plug
☒	☒	☒	1172	Plug, 1/2 - 14 NPTF Sq. Hd. Magnetic Ceramic Disc	S1929, 2-speed, 3-speed, and transfer case oil drain
☒	☒	☒	1173	Plug, 3/4" NPTF Sq. Recess Magnetic Ceramic Disc	106866A; transmission drain
☒	☒	☒	BA916A	Boot, Gear Shift Lever	3D printed from TPU
☒	☐	☐	1C298	Gasket, Filler Cap	aluminum; transmission and open center hydraulic fill
☒	☒	☒	1170	Sight Gauge, 1/2" NPT	rear end
☒	☒	☒	155339A	Valve, Relief 1/8 NPT Sht	FWA axle planetary
☒	☒	☒	155321A	Breather Vent, 1/8 NPT Sht	FWA axle differential
☒	☒	☒	105488A	Breather Vent, 3/8 NPT	filtered; upgrade for all models
☐	☒	☒	S2698	Plug, Pipe 2" Ctsk. Hex NPT	PTO adjustment hole
☐	☒	☐	30-3176835	PVC Closure, PTO Valve 2-3/8 ID	
☐	☒	☒	1027	Clamp, Hose #40	PTO valve closure
☐	☒	☐	1K848	Grommet, Rubber	dash pulley control; White draft control
☒	☐	☐	107486A	Bushing, Control Rod	hydropower, transfer case
☐	☒	☐	106726A	Yoke, Rod End Adjusting 3/8-24 x 5"	450533A, 50A4278

50 - Hydraulics, Hitch

☐	☒	☒	Open		
☒	☒	☒	165411A	Clamp, Cooler Mounting (72161048)	3D printed
☒	☒	☒	1302	Male Dust Cap, 1/2" Hydraulic Coupler	
☒	☒	☒	1303	Female Dust Cap, 1/2" Hydraulic Coupler black	
☐	☒	☒	P461	167019A Knob, Servo Valve Stop TPH	Replaces 167019A; includes knob, 1/4--20 carriage b
☐	☒	☒	167019A	Knob, Servo Valve Stop TPH	knob, carriage bolt, flat washer
☒	☒	☒	P441	Hardware Kit, TPH Implement Latch	4 - 1/4" screws & lock washers

2 - 7 0	2 - 8 5	2 - 1 0 5	2 - 1 5 0	Sections 30 and up search under the Oliver tab		
				Part No.	Description	Note
☒	☒	☒		K2072	Clip, Cylinder End Pin	
☒	☒	☒		1E3318	Pin, Clinch	
☐	☒	☒		30-3032663	Sleeve, Tube 1/4" x 2"	
☐	☒	☒		30-3017982	Sleeve, Tube 3/8" x 2"	
☐	☒	☒		30-3017990	Sleeve, Tubing 1/2" x 2-1/2"	
☐	☒	☒		F462	O-ring Kit, Servo Valve	4 o-rings for sealing servo valve, CC systems; Buna-
☐	☒	☒		F461	O-ring Kit, Remote Valve	4 o-rings for sealing between valve bodies, CC syste

60 - Electrical, Lighting

☒	☐	☐	O441	Switch, Neutral Start	105498A NC & 30-3017095 NO w/hardware
☐	☒	☒	30-3022633	Switch, Park Brake	micro switch, long lever
☒	☒	☒	105232AS	Switch, Ignition	Includes keys and terminal nuts & lock washers; 10-3
☒	☒	☒	30-3106306	Key, Ignition - set of 2	
☒	☒	☒	O442	Hardware Kit, Light Switch Mtg	4-digit light switch
☒	☒	☒	105373A	Knob, Light Switch	3D printed; includes mounting hardware
☒	☒	☒	105372A-F	Socket - Instrument Light - 1 bulb	Ford socket, includes LED bulb
☒	☒	☒	106766A-F	Socket - Instrument Light - 2 bulbs	Ford socket, includes LED bulb
☒	☒	☒	1210	Bulb, LED	instrument lamp
☒	☒	☒	159666A	Boot, Lighter	
☒	☒	☒	1176	Plug, Lighter	Replaces 158447AS
☒	☒	☒	1175	Cap, Lighter Housing	
☒	☒	☒	1174	Housing, Lighter	Replaces 158152AS
☒	☒	☒	1247	Flasher, 2 Terminal	replaces 164181A
☒	☐	☐	1124	Battery Mat, 8"x14"	protects battery tray, absorbs & neutralizes acid

61 - Fuses

☒	☐	☐	103427AS	Holder, Fuse - 10" wire, 14GA	instruments
☒	☐	☐	105118AS	Holder, Fuse - 6" wire, 14GA	lights and hydra-lectric
☒	☒	☒	169295AS	Holder, Fuse - 6" wire, 12GA	instruments and lights
☒	☒	☒	169295AS-3	Holder, Fuse - 6" wire, 16GA	instruments and lights
☒	☒	☒	106366A	Cap, Fuse Holder	
☒	☒	☒	1159	Fuse, 1/4 x1-1/4 AGC	3, 15, 20, 30 amps

63 - Battery Bolts

☐	☒	☒	S1529	Bolt, Battery 5/16 - 18 x 10 Hex Hd	30-3054519 and S1529; USS flat washer
☐	☒	☒	30-3054519	Bolt, Battery Holddown 5/16-18 x 10 Hex Hd	lock washer, nut
☒	☐	☐	108021A	Bolt, Battery Box 1/4-20 x 4 J-Hd	elastic nut

70 - Steering

☒	☒	☐	915093	Nut, 1-1/8 - 12 Hex Jam UNF	row crop steering spindle
-------------------------------------	-------------------------------------	--------------------------	--------	-----------------------------	---------------------------

2 - 7 0	2 - 8 5	2 - 1 0 5	2 - 1 5 0	Sections 30 and up search under the Oliver tab		
				Part No.	Description	Note
☒	☐	☐		915095	Nut, 1-3/8 - 12 Hex Jam UNF	row crop front axle wishbone
☒	☐	☐		S269	Lock Washer, 1-3/8 Light	row crop front axle wishbone
71 - Steering Wheel Nuts						
☒	☒	☒		10A31498	Nut, Steering Wheel 13/16 - 20 Jam UNEF	steering wheel
80 - Frame, Wheels						
☒	☒	☒		A432	Chain Hook, Front Frame 3/8 GR 70	chain tiedown, attaches to frt frame pads, incl. bracke
☒	☐	☐		156106A	Bolt, Rear Wheel Hub 5/8-11 UNC x 1-1/8 G5 Hex Ta	coarse thread bolt for stamped rear wheel; 9 per; \$58
82 - Lube, Filters						
☒	☒	☒		1088	Filter, Oil Amsoil Eao42	2/3-speed; OEM length; synthetic media 99% efficient
☐	☒	☒		1194	Filter, Transmission 156513A	Donaldson; cellulose media 99% efficient @ 40 micro
☒	☒	☐		1094	Flush, Engine & Transmission - Amsoil 16-oz.	diesel & gas engines, transmissions
90 - Cab						
☒	☒	☒		30-3182940	Seal, Cab Door	
☒	☒	☒		1283	Weatherstrip, Inline Self Seal Glass	90' per '55 series cab; sold in 50' rolls; 20-000371
☒	☒	☒		1274	Seal, Cab Door - 25' roll	25' for '55 series cab doors (143"/door); 168" for Whit
☐	☒	☒		1327	Seal, Openable Windows	price per foot, includes PSA
98 - Merchandise						
☐	☒	☒		1285	Flag, Oliver 3x5 double sided	outdoor, Oliver Shield & Keystone, white background
☒	☐	☐		1252	Flag, WFE	3' x 5' indoor use
☒	☒	☒		1291	Stocking Cap, Oliver 3D Emblem	
☒	☒	☒		1258	Stocking Cap, White	
☒	☒	☒		1290	Stocking Cap, MM	
☒	☒	☒		1286	Spinner, Oliver 12"	shield and keystone logos