



CERTIFICATE

Issued to:

ORGANIZATION

Atlantic Produce Growers LLC

1910 82nd Ave. Suite 204 Vero Beach, Florida 32966, United States

OPERATION

Atlantic Produce Growers LLC

7735 Country Road 512 Fellsmere, Florida 32948, United States

Operation type: FARM

PRELIMINARY AUDIT SCORE:

99%

CERTIFICATE VALID FROM:

May 15, 2024 To May 14, 2025

FINAL AUDIT SCORE:

99%

Primus Auditing Operations certifies that this operation has complied with the applicable requirements of PrimusGFS Version 3.2

[See subsequent certificate page\(s\) for audit executive summary](#)



Primus Auditing Operations | 2811 Airpark Dr | Santa Maria
California 93455 United States |
primusgfsqa@primusauditingops.com | 805.623.5563 | 805.352.1364

Authorized by:
President
Javier Sollozo



CERTIFICATE VALID FROM:

May 15, 2024 To May 14, 2025

AUDIT TYPE:

Announced Audit

AUDIT EXECUTIVE SUMMARY:

A farm audit growing Watermelons with an extension of approximately 166 acres, planted over plastic mulch layer. The active season is between Feb (planting: 02.05.24) and May (end of the season with the final harvest). There is a map referring to the traceability system indicating the lot (extension/lot), neighbors. The water source used in the growing operation comes from well (spraying applications) and canals (pumped, filtered and drip irrigated/and fertigation: method of nutrient application in which fertilizers are injected through an irrigation system). There was no activity observed during the inspection. The auditor performed a perimeter inspection, the neighbors consist fallow land, tree line and main roads. Also review documentation/logs such as: SOPs, training attendees, suppliers, microbial analysis, fertilizer/crop protection applications, among others.

Addendum(s)/Module(s) included in the audit:

Not Applicable

Product information for each product

Product Group/Product Name	Observed Product	Seasonality	Country of destination for product
Watermelons	Observed on the day of audit	From: April To: May	United States