

# Sri Meghna



## MeghnaGroupofcompanies



LaundryTextileChemicals&GuestAmenities

Housekeeping,kitchenhygieneproducts&StainRemoverProducts

Laundry,Garments,FinishingEquipments &Spares

Dry&WetCleaningLaundry

## Company Profile

Sri Meghna Enterprises established in Hyderabad in the year 2004. We are the distributors of comprehensive range of international standard Laundry detergents and chemicals and stain removing agents. And we are emerged as good distributor among laundry detergents and chemicals supplies. We are suppliers these products to all hotels, restaurants, Pharma companies and hospitals.

Apart from our laundry chemicals we are also dealing with wide range of house keeping chemicals and guest amenities which cater the needs of hotels, restaurants, corporate offices, showrooms, dinning halls and hospitals with our brand name Neaten

Taking a further step we have established our sister concern company Sri Meghna This is started by a group of qualified engineers who are well known the needs of laundry industry. The basic idea is to provide high quality, cost effective equipment at a reasonable cost to the clients. We have our own manufacturing unit in hyderabad with all updated modern infrastructure we manufacture all full range of laundry and garment machines including boiler and softner. We deal and supply all genuine spares related to laundry and garment equipment in reasonable price.

We meghna has got high quality and dedicated manpower that place fabulous role in ensuring the growth of company and this is the success mantra of our organization growth. We have gained rich dividends and good will for the responsible supply and customer care. We prefer to achive goodwill by delivering the best market value products and services. And our vision is to establish itself as the largest and most respectable company in southern states of india by catering the needs of all supplies and services related to hotel, hospital, commercial laundries and institutions.



**Capacity**  
15,25,35,50,60Kgs

## Washer Extractor

- Feather touch, programmable computer control system which is fully automatic, safe, stable and shock proof.
- The latest world class suspension structure is adopted to reduce shock replace the original shock design by liquid pressure buffer with springs.
- This will ensure an ideal shock proof effect even on higher floors.
- The drum without compartment and a single door make loading and unloading easier reduces labour workload.

## Washing Machine (Vertical Front Loading)


- Epoxy coated hot dipped galvanized iron bottom frame and stainless steel machine.
- Sampling port with toughened glass provided on the main door.
- High load capacity.
- Manual and automatic mode for selecting the programme. Equipped with fully automatic control panel Reduction pulley and V-belt drive mechanism.



**Capacity**  
15,25,35,50 & 60Kgs



**Capacity: 20 & 30Kgs**



**Capacity**  
25,35,50,75,100 & 150Kgs

## Washing Machine (Horizontal Top Loading)

- Stainless steel for control panel, outer drum end plates, inner basket and safety guards.
- Smooth and soft drive ensured by gearbox with pulley.
- Easy to operate fully automatic panel. Better loading ratio as the door height is above the center of the drum.
- Hot forged end flange shafts with long life. Water level can be controlled by calibrated level indicator.
- Quick release of water by cast iron drainage ensures minimum maintenance.

## Hydroextractor(DirectDrive)



Capacity  
25,35&50Kgs



Capacity  
10Kgs

- Both inner and outer drums are of stainless steel
- Inner Basket is mounted on the motor
- Door locks provided
- Continuous current braking system to ensure simple and safe operation.
- Suspended motor with thermal and anti-humidity insulation.

## Tumble Dryer

- Inner stainless steel basket.
- Logic programmer with auto controls.
- Close grain cast iron pulley drive with V belts.
- Mineral wool held by fine aluminum sheet backing on loaded spring hooked ties ensures double insulation.
- High load capacity ratings and faster drying time.
- CMC designed stainless steel paddle fitted to inner stainless steel basket ensures smooth tumbling effect.



Capacity  
15,25,35,50&75Kgs

## Flat Work Ironer Electrical/Steam/Gas



- It is a high speed, energy saving, compact size, well built, user friendly machine with safety and reliability.
- Both temperature and the speed can be controlled automatically according to the different materials ironed.



These Machines are compact and occupy small area. It is one of the most efficient machines with lowest power consumption. The Ironing Chest is nickel plated to protect from rusting. The moving chest is self aligning. Equipped with adjustable automatic / manual timer controller Padded roller, Piston supported chest, Powerful suction to remove excess moisture.




## FlatBedPress



Flat Bed Press Suitable for Table Covers, Pillow Covers, Napkins, Kitchen Linen and staff uniform. The suction feature, quality padding and teflon lining on heat guarantee fine finishing.

## OilFired/EcofuelBoilers

These machines are equipped with several safety features like water level controller, pressure controller, Temperature controller, Pressure releasing valve, Safety Alarms, Safety Lockout features and visual indicators. The inner shell is constructed with strong seamless Pipes and fully tested for maximum Pressure holding capacity to ensure operator safety. Fitted with Imported Eco flame Burners and control system. In other model we can save fuel cost by 50% of the regular cost by using eco fuel.



## ElectricalSteamGenerators



These machines are equipped with several safety features like water level controller, pressure controller, Temperature controller, Pressure releasing valve and visual indicators. Fitted with Stainless Steel immersion heaters that can be easily replaced. These are very compact and easy to install and maintain.

## PercDry-CleaningMachine



It is fully automatic, all bottom tanks are made of stainless steel. There are three solvent storage tanks and one distillation tank. Out of three, one is for clean, one is for dirty, one is for working solvent to avoid solvent mixing. It has a high quality cool recycle working system, can save about 99% solvent. Since it is working in a closed environment, no pollution to the air and keeps the room fresh. Fluff collector uses nylon bag on the filter to prevent blockage. High-speed fan can speed up the drying and cooling rate. The machine comes with in-built chiller. Consumption of perc. will be very less in the dry cleaning cycle.

## SpottingTableWithGuns

- One air/steam heat proof gun.
- Two cold spotting guns.
- Two SS bucks with suction.
- Other models have inbuilt compressor in addition to the above.



## Spare Parts





**Softener**



**WetLinenTrolley**



**DryLinenTrolley**



**WashingSink**



**WorkTable(SS)**



**Compressor**



**AidBleach**



**Chemicals&detergents**

## LaundryChemicals&Detergents:-

MasterDetergentBoostingAgent,Emulsifier,NutralisingAgent,Oxy/Colour safeBleach,Fabric Softner,DrycleaningSolvent,DrycleaningDetergent,ChlorineBleach,BrighteningAgent.

MoreSpecialtyProductsalsoavailable

## INK STAINS REMOVER



To be applied directly on the ink stains drop by drop till stains get set large. Simultaneously squeeze the stain with discard white cloth to absorb the stain. Apply again till the stain gets diluted. Still the stain exists apply till maximum gets dissolved, then put for washing with in chlorine bleach (whites) or in peroxide bleach (color).

## BLOOD STAINS



Wet the stained area, then apply S2 drop by drop till the stain gets vanishes, then wash the surface of the fabric with detergent solution. Use gloves while handling stain as the main ingredient is acid based.

## TEA, COFFEE & WINE



Apply S3 on the stained area add little lukewarm water then brush it with toothbrush, repeat the same practice, then put the garment for washing.

## GREASE & OIL STAINS



Apply the stained area, before applying wet the stained area, then scrub the stain with Toothbrush as the stain place can be easily accessible. Do the same repeatedly, then wash the garment with lukewarm water.

## CARBON STAINS



This is solvent based stain remover. Non-flammable. First scrap the stain with sharp edge and then apply on the stain then they dissolve the stain - do repeatedly dry the cloth, then wash the garment as usual.

## RUST REMOVER



Wet the stained area, then apply solution drop by drop till the stain gets vanishes, then wash the surface of the fabric with detergent solution use gloves while handling stain as the main ingredient is acid based.

## TAR & CHEWING GUM



This is solvent based stain remover. Non-flammable first scrub the stain with sharp edge and then apply on the stain then they dissolve the stain. Do repeatedly, then wash the garment as usual.

## LIPSTIC, PAINT & NAIL POLISH STAINS



First scrub the stain with sharp edge, then apply directly on the stained area, do this repeatedly till the stain gets dissolved. Then dry the fabric finally rinse the garment with plain water.

## DYE TRANSFER STAIN ON WHITE AND YELLOW COLOUR



This can be used on white surface to remove dye stains & iron stains. Do this process with hot water - apply a bleach. Do this repeatedly.





## HOUSEKEEPING&KIT CHENHYGIENEPRODUCTS

### BactericidalFoamCleanser

#### ProductDescription

Asprayon/wipeoffbactericidalfoamcleaner. **BactericidalFoamCleanser** containsaneffectivemildacidic descalantandsoilemulsiifierprovidinghighlyefficientwashroommaintenance,whilstimpartingexcellentcitrus limefragrancewhichcounteractsmalodourbyrapidbactericidalcontrolactionleavingthe'justcleanedodour. This high performance, effective cleaner is formulated for tiles, taps and general washrooms surfaces providing efficient limescale and limesoap scum removal. **BactericidalFoamCleanser** employs unique detergent technology providing high-level soilemulsiification preventing redeposition of dirt on the surfaces being cleaned. **BactericidalFoamCleanser** also provides rapid removal of watermarking from taps, tiles, mirrors, glass and plastics.



M1

#### Application&Usage

PAprox.-1.5-2.0  
50-100Mlin 1 Liter of W ater

### BactericidalMultipurposeCleaner

#### ProductDescription

A blend of readily biodegradable surfactants and quaternary compound, perfume and dye, BACTERICIDAMULTIPURPOSECLEANERisaneutral,bactericidal detergent formulated primarily for floor cleaning. Liquid, BACTERICIDAL MULTIPURPOSE CLEANER is suitable for dilution in the conventional way by carefully measuring the amount of product required.



M2

#### CleaningTechniquesbyHand

HANDDISHWASHING1:100WET  
SPRAYCLEANING1:100  
WASHING1:75  
SCRUBBING(BYHAND)1:75  
WASHING1EXTILES1:100  
DRAINS,SINKS&TOILETSNEAT

#### FloorMoppingTechniques

MOPSWEEPING1:1002500  
SINGLESOLUTIONMOPPING1:1002500  
MACHINESCRUBBINGTECHNIQUES  
MACHINESCRUBBING1:751875

### GlassCleaner

#### ProductDescription

Anon-abrasivecleanerforglass,laminates,metalsandceramicswhichevaporatesleavinga clean,smearfree,shinysurface.It hasnovinegarandnoammonia-justapureformulafora smearfreefinish.GlassCleanerpassetheSunshineTest.Byutilisingahighlyvolatilealcohol (lowhazardatconcentrationemployed),rapidevaporationanddryingisachievedwhichisa pre-requisiteofwindowcleaning.GlassCleanerisapureformulawithoutanytechnical extrasinordertooptimisetheformulation,whilstcompletelyminimisingthepotentialfor windowsear.

#### Application&Usage

pHApprox.6.0  
20-50Ml.In 1 Liter of Water



M3

## WoodCleaner



**M4**

### ProductDescription

A non-abrasive cleaner for wooden frames, door, windows, etc, which evaporates leaving a clean, smear free, shiny surface. It has no vinegar and no ammonia - just a pure formula for a smear free finish. By utilising a highly volatile alcohol (low hazard at concentrations employed), rapid evaporation and drying is achieved which is a pre-requisite of window cleaning. WoodCleaner is a pure formula without any technical extras in order to optimise the formulation, whilst completely minimising the potential for window smear.

### Appication&Usage

pH Approx. 6.0  
20-50ML in 1 Liter of Water

## AirFreshener

### ProductDescription

**AirFreshener**, is a formulated blend of emulsifier and floral pot-pourri fragrance. A liquid air freshener in a non-aerosol, ready to use trigger pack, it may be used to counteract unpleasant or offensive background odours in areas such as smoke-rooms, bars, restaurants, changing rooms, sports halls and into toilets and washrooms. The regular use of **AirFreshener**, with its distinctive residual aroma, will help to counter the effects of stale air in all these situations. It is fast and effective, economical in use and provides a pleasant countryside fragrance.

### Application&Usage

P Approx. -7.0-Neat



**M5**

## HeavyDutyToiletCleaner



**M6**

A concentrated quick acting orthophosphoric acid based cleaner, descaler, bactericide and deodorant. First rate acid limeremover for bathrooms, toilets, shower rooms, bath swimming pools, large kitchens and ovens.

**H.D.ToiletCleaner** is also effective for scale removal for stainless steel pasteurizing and other stainless steel dairy equipment. **H.D.ToiletCleaner** is specifically formulated to ensure removal of scale, stains and all kinds of soiling matter leaving surfaces hygienically clean. Orthophosphoric acid is relatively mild compared with other mineral acids. The usual precautions and remedial measures should be taken when in use. Ferrous metals and copper-based alloys are protected by an efficient inhibitor. **H.D.ToiletCleaner** dissolves rust leaving a passivated phosphate film on ferrous metals which will resist further rust formation and delay re-rusting.

**H.D.ToiletCleaner** contains a powerful detergent to assist penetration and a pleasant perfume as deodorant. Contains a contact adhesive to ensure adequate time for descaling action on vertical surfaces above water level. Specific recommendations are available on request.

### Application&Usage

To Etch Concrete	1:10
Large Surfaces	1:50

## Floor Cleaner

### Product Description

A bactericidal, heavy duty cleaner for heavily soiled floors and hard surfaces. Recommended for use on modern safety flooring. Also suitable for general cleaning of soiled common floor types.

### CLEANING TECHNIQUES:

The product is suitable for all normal cleaning operations as well as floor maintenance techniques using mopping equipment or machinery.

CLEANING TASK	DILUTION RATE
SPRAY CLEANING (BY HAND)	1:100
SCRUBBING	1:10-1:50
WET MOP SWEEPING	1:100
SINGLE SOLUTION	
MOPPING	1:100
DEEP CLEANING	1:10-1:30
VERY HEAVY INGRAINED SOILING/STAINS	NEAT



M7

## Bactericidal Liquid Hand Soap

### Product Description

BACTERICIDAL HAND SOAP is a mild unperfumed bactericidal liquid hand soap for use through soap dispensers. Its bactericidal properties make it particularly suitable for use in areas where a high standard of hygiene is essential.

### BACTERICIDAL DATA

Bactericidal Hand Soap has a proven efficacy with log5 reduction in bug count, i.e. 99.999% kill which offers confidence in use leaving hands reassuringly clean, moisturised and healthy. It gives hands lasting protection with substantive efficiency with proven performance. Bactericidal Hand Soap kills bacteria, in particular E. coli and Salmonella and helps to remove and minimise risk from potentially harmful pathogenic germs on hands minimizing the risk of infection.

### Application & Usage

CLEANING TASK	DILUTION RATE
Hand Washing	Direct

## Hand Dish Wash

### Application & Usage

Usage: Hand dish washing dilution rate - 1:100, scrubbing: Dilution rate 1:75, Health & safety Information as with all chemical products appropriate health & safety standards must be maintained always wear the appropriate protective clothing and gloves.



D1

## Steel Polish

### Application & Usage

It is a specially formulated cleaner for care of stainless steel. It protects against greases and water splashes and leaves surface with a bright finish. It can be used on stainless steel doors (specially refrigerators and freezer doors) and outside surface of stainless steel equipment. Protect equipment surfaces and increases life. Leaves the surface with a smooth lustre. Non-perfumed. Leaves no taint or smell on cleansed items. Steel Polish sumshiner is a ready to use product. Heavily soiled surfaces should be pre-cleaned.



**D7**

## Machine Dish Wash



**D10**

### Application & Usage

A concentrated formulation which contains active caustic for effective saponification of fats and food debris and an effective sequesterant—water softener and destainer. Machine Dish Wash Liquid offers sufficient water softening properties to sequester up to 300 ppm of Calcium ( $\text{CaCo}_3$ ) hardness to efficiently work in all hard water areas. Machine Dish Wash Liquid provides high level efficient cleaning at minimal detergent concentration, and is suitable for use in conventional spray dish washing machines. Do not allow contact with zinc, aluminium, brass or galvanized metal.

#### Useage:

Machine Dish washing 3ml per litre of water

### Application & Usage

A liquid rinse additive for use in automatic dish washing machines and sterilising tanks to prevent spotting or streaking and reduced drying time. Suitable for both hard and soft water. Rinse Aid is low foaming and is effective over a range of operating temperatures between 50-80°C. Rinse Aid contains a co-solvent to prevent haze and gives good water sheeting effect. It is more readily dispersible, hence faults such as spotting are obviated and it also shows excellent flash characteristics on adding to hot water.

#### Useage:

CLEANING TASK

RECOMMENDED DILUTION

Machine Rinse Cycle

150-400 ppm (0.15-0.4 grams per litre)

## RINSE AID



**D11**

## CARPET SHAMPOO



**D101**

### Product Description

Shampooing of carpets is a specialized job. The shampoo to be used should be high foaming, neutral & safe, concentrated, imparting softness after wash, with oil, grease and dust removing power. Carpet cleaner is a formulation of combined anionic surfactants, fabric conditioner & foam booster. The product produces a copious foam during shampooing. This foam captures and retains dust and dirt which is easily brushed away. Surfactants in the formulation also emulsify oily and greasy soil which is then easily removed. Being a neutral formulation, the Carpet Cleaner is synthetic woolen, silken & blends.

### Application & Usage

Cleaning Neaten Dilution	
Spray cleaning (by hand)	Rate 1:50
Scrubbing	10-1:50



# Guest Amenities

## Soaps



## Shampoo/M.Lotion



## ShowerGel/BathGel



## Shampoo



## DentalKit



## ShavingKit



## Comb



## ShowerCap



## KitBox



## BothroomSlippers, ShoeShine&gasscover



## DNDCards&Toiletrolls



## Laundry&NewsPaperBags Pen,Pencils





Your clothing our care

Dry Cleaning | Wet Cleaning

The New Generation Laundry *Now* in Twin City

### Highlights

*All your washing needs under One Roof  
Environment friendly & Green Laundry  
Finest Quality & Hygienic Processing  
Prompt Delivery & Reasonable Rates  
Usage of Hot and Soft Water  
Specialized fabric processing*



FINEST  
WASHING QUALITY



GENUINE  
DRY CLEANERS



### Specialists In

*Healthcare Laundry Services  
Institutional laundry services  
Corporate Laundry Services  
Hospitality Sector Washing  
Guest Laundry*

HYGIENIC  
PROCESS



STEAM  
IRON



REASONABLE  
RATES



### Services offered

Dry Cleaning | Wet Cleaning | Stain Removal  
Steam Press | Saree Rolling | Saree Polishing



**SRIMEGHNA  
ENTERPRISES**

#7-8-182, GowthamNager, Ferozguda,  
NewBowenpally, Secunderabad, Telangana-500011.  
E-mail: srimeghna@yahoo.com, info@meghna.co.in  
Website: www.meghna.co.in

# Sri Meghna

Laundry, Garments, Finishing Equipments & Spares



HeadOffice:

#7-8-182, I<sup>st</sup> Floor,  
GautamNagar, Ferozguda, NewBowenpally.  
Secunderabad-500011., Telangana.  
CustomerCare: 040-64630066  
E-mail: Varietycleantech@gmail.com.  
Website: www.meghna.co.in

BranchOffice:

D.No. 1-140, Ramalayamstreet,  
Ramavarappadu. Vijayawada. -520001.  
Mobile: 09246247666.



HeadOffice:

#7-8-182, I<sup>st</sup> Floor,  
GautamNagar, Ferozguda, NewBowenpally.  
Secunderabad-500011., Telangana.  
Ph.: 09246226555  
E-mail: maxwhite@meghna.co.in  
Website: www.meghna.co.in

Factory: 5-28/9, 10, Survey No. 165, Srivaninagar,  
Ameenpur,  
MedakDist,  
Hyderabad-502032.



**CustomerCare**  
**040-27959147**  
**65900066**

**Timings: 9.00 A.M. To 5.30 P.M.**