



TECHBRITE DROPSHIP CATALOG

BAYBRITE HIGH BAY—LED TUBES



PRODUCT DESCRIPTION:

A Best Seller— The LED Tube BayBrite is the most economical way to realize energy savings by upgrading to LED technology. Designed to replace metal halides or strips in retrofit applications, it is an ideal new construction fixture for industrial applications. The BayBrite High Bay is heavy on features while maintaining a budget-friendly price point.

FEATURES:

- Swing away door assembly for simple wiring access
- Fully enclosed fixture
- Heavy gauge construction
- Limited warranty: 5 years on luminaire
- BAA Compliant

APPLICATIONS:

- Ideal replacement for traditional HID fixtures
- Warehouses
- Storage Facilities
- Manufacturing
- Task Lighting
- Gymnasiums

ORDER GUIDE:

Series	Length	Width	# of Tubes	Type	Socket	Reflector	Wiring
B BayBrite	4 4 Foot	14 4 lamp	4 4 lamp	SS LED	X Shunted	WXX* White	00P0 Prewired
		14 6 lamp	6 6 lamp		U Unshunted	MXX Miro 4	
		20 8 lamp	8 8 lamp				

ADDER:

Lamp Type	
BLANK	Wired single end with unshunted sockets
WOE	Wired opposing ends with shunted sockets

Quick Ship part numbers:

B4144SSUMXX00P0

B4146SSUMXX00P0

SURFACE WRAP—LED TUBES



PRODUCT DESCRIPTION:

The LED Tube Surface Wrap is an all-purpose fixture for nearly every commercial and industrial application. It features an engineered prismatic lens that both increases the light output and masks the LED tubes delivering an appealing look. For a quick and economic replacement of T12 or T8 wraps, the TechBrite Surface Wrap is the perfect solution.

FEATURES:

- Available in 9, 11 and 15 inch widths
- Low-profile, heavy-gauge steel housing
- Clear prismatic lens
- Limited warranty: 5 years on luminaire

APPLICATIONS:

- Offices
- Schools
- Fitness Rooms
- Hospitals
- Retail
- Commercial

ORDER GUIDE:

Series	Length	Width	# of	Type	Socket Type	Reflector	Wiring						
S	4	4 Foot	Four Foot	2	2 lamp	SS	LED Tubes	X	Shunted	BCXX	Ballast Cvr	00P0	Prewired
		8	8 Foot	9	9"	4	4 lamp						
			15	15"									
			Eight Foot										
		9	9"										
		11	11"										

ADDER:

Lamp Type	
BLANK	Wired single end with unshunted sockets
WOE	Wired opposing ends with shunted sockets

Quick Ship part numbers

S492SSUBCXX00P0

VAPORTITE STRIP ADVANCED— LED TUBES



PRODUCT DESCRIPTION:

The perfect solution for harsh conditions, TechBrite's LED Tube Vaportite Strip is damp listed, wet listed and certified NSF/ANSI2 Sanitation. With an IP67 rating, the LED Vaportite Strip is designed to minimize the retention of liquids or debris when hosed down. TechBrite's LED Tube Vaportite Strip meets or exceeds all applicable NSF/ANSI sanitation requirements.

FEATURES:

- IP67 rated & sanitation/ NSF CSA rated
- Plastic (standard) or stainless steel
- Frosted acrylic ribbed diffuser
- Limited warranty: 5 years on luminaire
- BAA Compliant

APPLICATIONS:

- Food Processing Facilities
- Refrigerated Storage
- Livestock Facilities
- Traffic Tunnels
- Exterior

ORDER GUIDE:

Series	Length	Width		# of Tubes		Type	Socket Type		Reflector		Wiring		
		2	7"	Two/ Four Foot	SS		X	BCXX	Ballast Cvr	00P0	Prewired		
VA	Vaportite	2	2 Foot	7"	Two/ Four Foot	SS	LED Tubes	X	Shunted	BCXX	Ballast Cvr	00P0	Prewired
		4	4 Foot		1	1 lamp		U	Unshunted	MRXX	Miro 4		
		8	8 Foot		2	2 lamp							
					3	3 lamp							
					Eight Foot								
					2	2 lamp							
					4	4 lamp							
					6	6 lamp							

ADDER:

Lamp Type	
BLANK	Wired single end with unshunted sockets
WOE	Wired opposing ends with shunted sockets

Quick Ship part numbers

VA472SSUBCXX00P0

VA874SSUBCXX00P0

STRIP—WIRED FOR LED TUBES



PRODUCT DESCRIPTION:

One of TechBrite's most popular fixtures, the LED Tube Strip Fixture, is an easy jump into the LED environment. Replace your existing T12 or T8 fixtures with the LED Tube Strip Fixture from TechBrite. TechBrite's LED Tube Strip features many mounting options, making it a quick and simple retrofit or new building installation.

FEATURES:

- New construction or retrofit
- Continuous row mounting available
- Energy & operational savings
- Available in 4' and 8' options
- Limited warranty: 5 years on luminaire
- BAA Compliant

APPLICATIONS:

- Warehouses
- Industrial
- Garages
- Retail
- Commercial

ORDER GUIDE:

Series	Length		Width		# of Tubes	Type	Socket Type	Reflector/ Ballast Cover		Wiring			
T	Strip	4	4 Foot	4	Four Foot	SS	LED Tubes	X	Shunted	BCXX	Ballast	00P0	Prewired
		8	8 Foot	4	2	2 lamp		U	Unshunted	WRXX	White		
					3	3 lamp				MRXX	Miro 4		
					Eight Foot								
					4	4 lamp							

ADDER:

Lamp Type	
BLANK	Wired single end with unshunted sockets
WOE	Wired Opposing ends with shunted sockets

Quick Ship part numbers

- T442SSUBCXX00P0
- T442SSXBCXX00P0-WOE
- T844SSUBCXX00P0
- T844SSXBCXX00P0-WOE

LED VAPORTITE STRIP ADVANCED



PRODUCT DESCRIPTION:

The perfect solution for harsh conditions, TechBrite's LED Vaportite Strip Advanced is damp listed, wet listed and certified NSF/ ANSI2 Sanitation. With an IP67 rating, the LED Vaportite Strip is designed to minimize the retention of liquids or debris when hosed down. TechBrite's LED Vaportite Strip meets or exceeds all applicable NSF/ ANSI sanitation requirements.

FEATURES:

- IP67 rated & sanitation/ NSF CSA rated
- Easy to clean and service
- Plastic (standard) or stainless steel
- Frosted acrylic ribbed dif-fuser
- 0-10v Dimming standard
- BAA Compliant

APPLICATIONS:

- Food Processing Facilities
- Parking Garages
- Refrigerated Storage
- Breweries and Bottling Facilities
- Exterior
- Commercial/Industrial

ORDER GUIDE:

Eco* Series		Length		Width		# of Boards		Type	Line Voltage	Reflector	Color Temp		Lumens/ Watts/ LPW (5000K)	Options				
VA	LED Vaportite Strip Eco	4	4 Foot	7	7"	2	2	SS	LED	1	Universal (120/277)	BC	Ballast/ Driver Cover	50	5000K	R	3260LM/ 24W/ 135LPW	0000 Please see Accessories Guide in front of catalog
														40	4000K	S	4040LM/ 32W/ 126LPW	
														35	3500K	T	6160LM/ 49W/ 125LPW	
														30	3000K			

Quick Ship part numbers

VA472SS1BC50S0000

LED UFO HIGH BAY



PRODUCT DESCRIPTION:

TechBrite's LED UFO Fixture has superior lumen performance and boasts over 140 LPW in the most efficient lumen packages. The magnesium alloy allows heat to transfer efficiently, allowing for improved operating temperatures and longer life. Replace existing metal halide, T8, or T5 while improving light output and efficiencies. The IP65 rating allows for maximum placement flexibility.

FEATURES:

- IP65/ Wet location
- High efficiency LED driver > 90%
- Eye hook included
- Limited warranty: 5 years on luminaire
- Dark bronze
- Polycarbonate lens

APPLICATIONS:

- Indoor or Outdoor
- Warehouses
- Gas Stations
- Stadiums
- Retail
- Commercial
- Industrial

ORDER GUIDE:

Part Number	Lumens	Watts	LPW	Voltage	Color	Description	Dimensions	Weight
TBUFO100W27-50K-PC-DG	14000	100	140	120-277	5000K	LED UFO High Bay	9.20 x 10.25 (inches)	10.00 lbs
TBUFO16W27-50K-PC-DG-6FTC	22400	160	140	120-277	5000K	LED UFO High Bay w/ 6' cord	9.20 x 10.25 (inches)	10.00 lbs
TBUFO200W27-50K-PC-DG	28000	200	140	120-277	5000K	LED UFO High Bay	9.85 x 12.60 (inches)	15.00 lbs

Quick Ship part numbers

TBUFO16W27-50K-PC-DG-6FTC

LED SHOEBOX AREA LIGHT



PRODUCT DESCRIPTION:

Need to illuminate large areas? The TechBrite LED Shoebox Area Light Fixture is the perfect solution. It features advanced designed optics for improved light utilization and evenness. The fixture is an ideal replacement for HID/metal halide and reduces wattages as much as 75%. Reduce energy, reduce maintenance costs, and improve the appearance of any outdoor environment with TechBrite LED Shoebox Area Light Fixture.

FEATURES:

- DLC Primary Use—Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
- IP66/Wet location/DLC Premium*
- DLC listed Type 3 or Type 5 distribution
- Photocell & PIR sensor available
- Limited warranty: 5 years on luminaire

APPLICATIONS:

- Indoor or Outdoor
- Warehouses
- Gas Stations
- Stadiums
- Retail
- Commercial
- Industrial

ORDER GUIDE:

Fixture Type		Wattage		Voltage		CCT		Finish		Photocell (Optional)		Sensor (Optional)		Mounting		Distribution Type	
TB-SB	Shoebox Area Light	70W	9000 LM	27V	120-277v	40K	4000K	D	Dark Bronze	P0	120-277v	M	120-277v	SQ	Square/ Round/ Straight Arm Pole Mount	T3	Type 3
		105W	13000 LM	48V	347-480v	50K	5000K	B	Black	P3	347v	M4	347-480v	SP	Slipfitter Mount	T4**	Type 4
		150W	18500 LM					W	White	P4	480v	Blank	No Sensor	WM	Wall Mount	T5	Type 5
		200W	24000 LM							Blank	No Photocell			TR**	Trunnion/Yoke		
		250W	33000 LM														
		300W	39000 LM														

Quick Ship part numbers

TB-SB105W27V50KDSQT3-M

TB-SB150W27V50KDSQT3-M

TB-SB150W27V50KDSPT3-M

LED LINEAR HIGH BAY



PRODUCT DESCRIPTION:

The LED Linear High Bay is an economical solution for any high bay application. With LPW as much as 136, the TechBrite LED Linear High Bay is a top seller. The nominal 2 foot long design is compact, yet large enough to allow for a wide variety of features. The LED Linear High Bay is an economical choice for retrofit or new construction.

FEATURES:

- 0-10v Dimming standard
- Hanging kit included
- Easy-to-install 2 foot design
- PIR Sensor available
- Emergency battery available
- -40°F to 131°F Operating temp
- Limited warranty: 5 years on luminaire

APPLICATIONS:

- Ideal replacement for traditional HID fixtures
- Warehouses
- Storage Facilities
- Manufacturing
- Task Lighting
- Gymnasiums

ORDER GUIDE:

Series		Wattage		Volt		CCT		Lens		Sensor		Battery	
TBLHB	Linear HB	90W	90W/ 11800LM	27V	120-277	40K	4000K	CD	Clear Diffuser	M	Motion Sensor	B	Emergency Battery
		130W	130W/ 17650LM			50K	5000K			Blank	No Sensor	Blank	No Emergency Battery
		180W	180W/ 24500LM										
		205W	205W/ 29000LM										

Quick Ship part numbers

TBLHB130W27V50KCD

TBLHB180W27V50KCD