

112000010406

物質安全資料表

依 GHS

MAKROLON OD 2015

版本號 2.6 修訂日期 16.07.2013 印出日期 28.01.2014

一、物品與廠商資料

產品鑒別

物品中英文名稱 : MAKROLON OD 2015

物質或混合物的建議用途與使用限制

建議用途及使用限制 : 模鑄塑膠物品的生產

物質安全資料表供應商的詳細資料:

Bayer MaterialScience AG BMS-IO-S&T-PSRA-PSI Product Safety 51368 Leverkusen, Germany

Tel: +49 214 30 25026 Fax: +49 214 30 9650035

e-mail: productsafety@bayerbms.com

緊急聯絡電話號碼: 0800-008-119 或 0800-055-119(僅限化學品洩漏、火災或人員中毒)

緊急傳真: (03)591-0030 或 (03)591-0032

台灣拜耳材料科技股份有限公司

83245高雄市林園區北汕里石化三路1號

電話:(02) 8101-1000 傳真:(02) 8101-0028

二、危害辨識資料

物質或混合物的分類

物品危害分類:

依據GHS分類不屬於危害物質。

危害圖式

依據GHS分類不屬於危害物質。

三、成分辨識資料

產品類型: 混合物

雙酚A聚合之聚碳酸酯



112000010406

物質安全資料表

依 GHS

MAKROLON OD 2015

版本號 2.6

修訂日期 16.07.2013

印出日期 28.01.2014

四、急救措施

急救措施說明

若接觸皮膚:接觸到熱的熔化物:立即用大量水冷卻。切勿強行拔除熱熔物在皮膚上形成的硬皮或塗抹溶劑於受傷的皮膚上。應立即送醫,處理可能的灼傷及做適當的皮膚照顧。

以下資訊與室溫下運作本產品有關。若接觸皮膚,以肥皂及大量清水徹底清洗受影響部位。

五、滅火措施

適用滅火劑: 噴灑水柱。, 滅火乾粉, 二氧化碳(CO2), 泡沫, 化學乾粉

物質或混合物的特殊危害:

燃燒會釋放出一氧化碳,二氧化碳,氦的多種氧化物和微量的氰化氫.在著火或爆炸情況下,請勿吸進濃煙。

消防人員注意事項::

消防員應穿著自攜式呼吸器具。

勿讓受污染的消防水流進土壤、地下水、或地表水。

六、洩漏處理方法

個人預防、保護裝備與緊急程序: 小心滑倒!

污染與清理方法與材料:用機械設備搬運。防止粉塵的生成。

其他章節參照: 進一步廢棄措施參見章節13。

七、安全處置與儲存方法

安全操作的預防措施:

在建議的製程情況下可能會釋出少量殘存的單體及殘留的溶劑。 提供良好的通風及/或使用局部抽排氣系統,以使不致超過第 8 章節所規範工作場所之恕限值。



112000010406

物質安全資料表

依 GHS

MAKROLON OD 2015

版本號 2.6

修訂日期 16.07.2013

印出日期 28.01.2014

粉塵應使用有效率的抽排氣設備予以移除。

勿飲食及抽煙。休息前或工作結束後須洗手並使用皮膚防護軟膏。更換受污染衣物。

安全儲存的條件(包括任何不相容性):

對儲存條件無特殊要求。

八、暴露控制及個人防護措施

當運作本產品,特別是在高溫下運作時,應遵守與下列物質相關之法規。依據我們的經驗,於蒸氣可能生成處,提供有效的新鮮空氣與抽排氣設備,將能確保符合下列的容許限值。

控制參數

純物質	化學文摘 社登記號 碼 (CAS-No.)	基準	類型	値	最高容 許濃度 (CEILIN G)	備註
酚 phenol	108-95-2	TW OEL	八小時 日時量 平均容 許濃度 (TW	5 ppm 19 mg/m3		
酚 phenol	108-95-2	TW OEL				可能經皮膚吸收。
氯苯 chlorobenzene	108-90-7	TW OEL	八小時 日時量 平均容 許濃度 (TW	75 ppm 345 mg/m3		

暴露控制

呼吸防護:

當有粉塵生成時,依據EN 143使用含有P1微粒過濾呼吸器。

手部防護:

合適的安全手套材料; EN 374: 聚氯乙烯 - PVC(>= 0.5毫米) 若手套被污染和/或損壞了則必須更換。

眼睛防護:

配戴眼睛防護具/防護面罩。



112000010406

物質安全資料表

依 GHS

MAKROLON OD 2015

版本號 2.6 修訂日期 16.07.2013 印出日期 28.01.2014

皮膚及身體防護:

穿合適的防護服。

九、物理及化學性質

基本物理與化學屬性相關資訊

物質狀態: 顆粒

顏色: 依據染色而不同

氣味: 無臭味pH值: 不適用

軟化點: >130 - 160 °C

較高/較低易燃性或爆炸界限: 不適用 蒸氣壓: 不適用

密度: 大約 1.2 - 1.4 g/cm³ 容積密度: 600 - 700 kg/m³

水溶性: 實際上不溶 自燃溫度: 不適用 燃點: > 450 °C 分解溫度:: >= 380 °C 動態黏度: 不適用

十、安定性及反應性

化學穩定性: 不適當製程或燃燒所導致的過度加熱,可能釋出對健康有害的燻煙。

危險反應的可能性: 未發現有危害性反應

危害性分解物: 因悶燒或不完全燃燒,可能會生成主要由一氧化碳和二氧化碳所組成的毒性燻煙。

十一、毒性資料

依據我們的經驗與資訊、若適當地運作、本產品不會對健康有危害。



112000010406

物質安全資料表

依 GHS

MAKROLON OD 2015

版本號 2.6 修訂日期 16.07.2013 印出日期 28.01.2014

十二、生態資料

勿讓溢出之本品進入水道,廢水或土壤。

更多關於生態毒性的資訊:

本產品幾乎不溶於水。 因其堅硬度及不溶於水的特性,若適當地運作本產品,則預期並不會有生態問題。 本產品不易被生物分解。

十三、廢棄處置方法

應依國際、國家及當地適用的法律、法令與法規廢棄。

在歐盟國家廢棄處置,應依據歐洲廢棄物分類(EWC)編碼採用合適之分類編碼.

廢料處理方法

容器儘可能地清空後(如傾倒、切削或排空直到"滴乾"),將其送至化學業現行回收系統所設置的合適回收點回收。 容器應依照國家法令及環境相關法規回收。

本產品可採機械式回收。在經過適當處理後,本產品可以再熔化,並再重新製作爲新的模塑製品。 但僅在材質已被選擇性分類回收 並依據其種類仔細區隔情況下,才可採機械式回收再利用。

十四、運送資料

臺灣 非危險貨物

IATA 非危險貨物

IMDG 非危險貨物

使用者特殊預防措施 : 非危險 貨物.

保持乾燥。

5/6

十五、法規資料

專門針對物質與或混合物爲主的安全、健康與環境規定/立法

BMS_SDS_TW / TW



112000010406

物質安全資料表

依 GHS

MAKROLON OD 2015

版本號 2.6 修訂日期 16.07.2013 印出日期 28.01.2014

適用法規:

勞工安全衛生法 危險物與有害物標示及通識規則 道路交通安全規則 廢棄物清理法

十六、其他資料

此物質安全資料表也適用於對應的MAS... 類型。

製表單位: 台灣拜耳材料科技股份有限公司

地址: 11049台北市信義路五段7號54樓

電話: (02)8101-1000

製表人:

職稱: 品質暨環保部經理

姓名(簽章): 黃元隆

其他相關訊息

此安全技術說明書提供的信息在其發布之日是準確無誤的,所給出的信息僅作爲安全搬運,儲存,運輸,處理等的指導,而不能被作爲擔保和質量指標。此信息僅適用於指定的物質而不能用於其它相關的物質,除非特別指明。

6/6

BMS_SDS_TW / TW

Material Safety Data Sheet

Date of making: 25 Jan. 2013

1.Substance identity and company contact information

Product name:

Conductive ZnS-SiO2 Target

Company: Address:

MMC ELECTRONIC MATERIALS TAIWAN CO., LTD.

NO.20-1, JIANGUO RD., TANZIH DISTRICT, TAICHUNG CITY 42760, TAIWAN (R.O.C)

Telephone Number:

886-4-25320173

Emergency Telephone Number:

886-4-25320173 886-4-25324777

Recommended use and restraint:

Sputtering Target

2.Hazards identification

FAX Number:

GHS classification

Out of classification Physical and chemical hazards Sort of Gunpowder

> Out of classification Combustibility, Ignition gas Combustibility, Ignition aerosol Out of classification Oxidizing gas Out of classification Out of classification High pressure gas Out of classification Ignition liquid

> Out of division Combustibility solid Self reaction chemical Out of classification Spontaneous combustion liquid Out of classification Out of division Spontaneous combustion solid Out of division Self heating chemical Water reaction combustibility chemical Out of division Oxidizing liquid Out of classification

Impossible to classify Oxidizing solid Organic dioxide Out of classification

Impossible to classify Metal corrosive substance

Adverse human health effects Acute toxicity(Oral)

Acute toxicity(Dermal) Out of division Acute toxicity(Inhalation:Gas) Out of classification Acute toxicity(Inhalation:Steam) Out of classification Acute toxicity(Inhalation:Dust) Impossible to classify Acute toxicity(Inhalation:Mist) Out of classification Skin corrosive, Irritation Impossible to classify Heavy injuries to eyes, Irritation Impossible to classify Sensitization of respiratory organs Impossible to classify

Sensitization of skin Impossible to classify Variation of germ cell Out of division Carcinogenicity Division1A

Genital toxicity Impossible to classify

Specific target organs, General toxicity

(Single exposure)

Division1 (Respiratory organs)

Specific target organs, General toxicity

(Repetition exposure)

Division1 (Respiratory organs, kidneys)

Hazardous of Inhalational respiratory organs

Impossible to classify

Environmental effects Acute hazardous top the aquatic

Environmental

Out of division

Out of division

Chronic hazardous top the aquatic

Environmental

Out of division

Label element

Symbol:



Alert Words:

Danger

Hazards information:

Inhalation: hazardous.

Likely to get cancer.

Impediment of the respiratory organs.

Impediment of the respiratory organs and kidneys by long-term or repetition

exposure.

Gaution:

[Safety Measure]

Get the instruction manual before use.

Not to handle until understand all safety directions.

Wear appropriate protections (gloves, eyeglasses, dustproof mask).

Use well ventilated area only and set up partial ventilation system according to the

circumstances.

Wash hands and face carefully and gargle after use.

Avoid exposure by using personal protective equipment and ventilation system.

Not to inhale dust and fumes.

Not to do eating, drinking and smoking while using.

[First aid]

If having indisposition, arrange for transport to nearest medical facility for

examination and treatment by a physician.

In case of an exposure or risk of it, arrange for transport to nearest medical facility

for examination and treatment by a physician.

[Storage]

Store in warehouse with roof and not to contact water, humidity or acid gas.

Store in locked place.

[Disposal]

Obey the relevant law as to the disposal of wastes.

3.Chemical composition and data on components

Chemical substance

[ZnS] [SiO2] ZnS SiO_2

Chemical composition: Other name:

No information No information

Element:

ZnS (Zinc Sulfide) Crystalline silica, quartz

Chemical distinction (Chemical formula or

No information

No information

(Chemical formula or structure formula):

CAS No: 1314-98-3 Reference Number in PRTR: 1-572

-98-3 14808-60-7

(1)-548

Gazetted List in Japan:

Contamination and stable

No data

No information

additive contribute classification:

Concentration or concentration range:

No information

No information

4.First-aid measures

Inhalation: Move sufferers to place filled with fresh air, and let repose with posture easy to

breath.

Blow nose and gargle.

Arrange for transport to nearest medical facility for examination and treatment by a

physician.

Skin contact: Flushing with water and soap immediately.

Arrange for transport to nearest medical facility for examination and treatment by a

physician immediately.

Eye contact: Gentry rinse the affected eyes with clean water. In case of wearing contact lens,

better to remove them.

If irritation persists, arrange for transport to nearest medical facility for examination

and treatment by a physician.

Arrange for transport to nearest medical facility for examination and treatment by a

physician immediately.

Ingestion: Arrange for transport to nearest medical facility for examination and treatment by a

physician immediately.

If ingest in quantity, drink water or saline solution and spit out.

Rinse mouth with water.

Expected acute symptom or in

behind:

If ingest in quantity, likely to cause vomit, diarrhea, stomachache, fever and joint

pair

Likely to irritate skin, eyes, bronchus and nose and cause inflammation.

Inhalation: cough.

Most important indications or

symptom:

No data

Protection for rescuer: No data

5.Fire-fighting measures

Extinguish media: Incombustible itself.

Fire of the periphery: Use extinguish media according to the fire circumstances.

Forbidden extinguish media:

Special hazards:

No information Occurrence of dust.

Likely to slide if powder remaining on the floor by water used for extinction.

Containers are likely to explode by heating.

Special extinguish way: Move containers from fire area if not in danger.

In case of impossible to move, sprinkle containers and the periphery to cool.

Protection for fire-fighters: Fire-fighters should wear proper protective(heat-resistant) and self-contained

breathing apparatus with full facepiece operated in positive pressure mode.

Wear protective eyeglasses and respirators to avoid inhaling dust.

6.Accidental release measures

Caution for the human body, protective and emergency measure:

Ventilate sufficiently until complete disposal. (Indoors)

Keep out without authorized personnel.

Use proper personal protective equipment as indicated in Section8 to avoid

contacting eyes and skin or inhalation of gas or fumes.

Stay windward. Leave lowland areas.

Isolate all direction with appropriate distance as leakage area immediately.

Caution for the environment: Caution not to affect the environment by discharging rivers.

Avoid emitting to the environment.

Retrieve, Neutralization: Sweep leakages and retrieve empty containers. Afterward dispose it.

Prevent dispersion by moistening with water. After that, flush with a mass of water.

(Caution: Avoid emitting to the environment.)

Containment and cleaning way: Stop leaking if not in danger.

Prevent from discharging rivers by piling up with sandbags.

Prevention of secondary disaster: Dispose frequently. Likely to slide if remaining on the floor.

Remove All ignition source immediately.

(Smoking nearby, spark and flame is prohibited.)

7.Handling and storage

Handling:

Technical measure: Do appropriate engineering controls and use proper personal protective equipment

as indicated in Section8.

Ventilation: Do appropriate ventilation as indicated in Section8.

Caution for safety handling: Get the instruction manual before use.

Not to handle until understand all safety directions.

Make the work place well ventilated and use partial ventilation systems where dust

occurs. (Indoors)

Wash hands carefully after use. Not to contact, inhale and swallow.

Use adequate ventilation(exhaust) to keep airborne concentrations under the limit

of exposure.

Not to do eating, drinking and smoking while using.

Avoidance of contact: Refer to Section 10.

Storage:

Technical measure: Set up facilities equipped with adequate lighting and ventilation to store and handle

dangerous objects in storage place.

Hazardous Polymerization: Refer to Section10.

Conditions to storage: Not to contact acid gas.

Store in warehouses with a roof.

Avoid high temperature and high humidity.

Store in locked place.

Materials of containers or

package:

Glass, polyethylene, polypropylene etc.

Keep in closed and undamageable package, but no regulation of package or

containers.

8.Exposure control and personal protection

Control concentration: Not set.

Allowance concentration (Exposure limit, Biological exposure

indicator):

ACGIH ZnS: Not set,

ACGIH (2006ver.) TLV-TWA SiO2: 0.025mg/m³ A2

Engineering Controls: Make the work place well ventilated and set up partial ventilation systems where

dust occurs.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne

concentrations under the limit of exposure.

In case of occurring dust or fume in high temperature process, set up ventilation

device to keep air pollutive substances under control concentration.

Personal Protective Equipment:

Respiratory organs: Use appropriate respirators (dustproof mask).

Hands: Wear appropriate protective gloves.

Eyes: Wear appropriate protective eyeglasses(standard glasses with side board type,

goggles type, side shield type)

Skin and Body: Wear appropriate protective clothing and face protections.

Sanitary measure: Wash hands carefully after use.

9.Physical and chemical properties

[SiO2] [ZnS]

Appearance, physical

state.form.color.

White to yellow, powder

Colorless, white or black, purple, green

discoloration crystal

No data Odorless Odor: No data No data :Hq

Melting point,

1180°C (sublimation)

1610°C (Melting point)

Coagulating point:

Explosion range:

Steam pressure:

Boiling point, Initial boiling point and Boiling range:

Sublimation

2230°C (Boiling point)

Flash point:

Incombustible No data

Incombustible No data

10mmHg (1732°C) [conversion value No data

1333Pa(1732°C)]

No data No data Steam density(Air=1): 2.5 Specific Gravity: 4.1g/ml 0.065mg/100 H2O(at 18°C) Insoluble Solubility: Octanol/Water Partition No data No data

Coefficient:

Spontaneous combustion

temperature:

No data

Incombustible

Decomposition temperature: Sublimation Threshold of odor: Evaporation speed

No information No data

No data No data No data

(Butyl acetate= 1):

Combustion property

No data

No data

(Solid, Gas):

Viscosity:

No data

No data

10.Stability and reactivity

[ZnS]

Chemical Stability:

Considered as stable under storage and handling conditions at law.

Sublime by heating.

Oxide gradually in the air and generate zinc sulfate. (In case of containing water)

Incompatibilities with

Other Materials:

No data

Conditions to Avoid: Sunlight, heat. Strong acid.

Hazardous Polymerization:

Hazardous Decomposition Products: Sulfur oxide, hydrogen sulfate.

[SiO2]

Chemical Stability:

Stable under the normal handling conditions. (room temperature)

Incompatibilities with

React with strong oxidizing agents and likely to cause fire and explosion.

Other Materials:

React with hydrogen fluoride

Conditions to Avoid:

Diffusion of dust.

Hazardous Polymerization:

Strong oxidizing agents, hydrogen fluoride

Hazardous Decomposition Products: Nothing

11.Toxicological information

[ZnS]

Out of division Acute toxicity: Oral:

> Out of division Dermal:

Inhalation (steam): Impossible to classify Inhalation (dust, mist): Impossible to classify

Likely to irritate nose, throat and tracheas.

Skin corrosive, Irritation: Heavy injuries to eyes.

Irritation:

No data No data

Sensitization of respiratory

organs or skin:

No data

Variation of germ cell: No data No data Carcinogenicity: No data Genital toxicity:

Specific target organs,

General toxicity: (Single exposure):

No data

Specific target organs, General toxicity:

No data

(Repetition exposure):

Hazardous of Inhalational respiratory organs:

No data

[SiO2]

Acute toxicity: Oral Impossible to classify because of insufficient data.

No data Dermal Inhalation No data

Skin corrosive, Irritation: No data

Heavy injuries to eyes.

Irritation:

Impossible to classify

Sensitization of respiratory

organs or skin:

Sensitization of respiratory organs: No data

Sensitization of skin: No data

Variation of germ cell: Out of division Carcinogenicity: Division1A

Likely to get cancer.

IARC Group1 (Carcinogenic for human body.)

Genital toxicity: No data

Specific target organs,

General toxicity:

Division1 (Respiratory organs)

(Single exposure):

General toxicity:

Impediment of the respiratory organs.

Specific target organs, Division1 (Respiratory organs, kidneys)

(Repetition exposure):

Hazardous of Inhalational

No data

respiratory organs:

12.Ecological information

Acute hazardous top the aquatic

Out of division

Environmental:

Chronic hazardous top the aquatic Out of division

Environmental:

13.Disposal considerations

The rest of waste:

Obey the relevant law as to the disposal of wastes.

Dispose by manufacturers in case of returning backing plate etc. to reuse.

14.Transport information

IMAG(P.4157)Class

None Known.

ICAO/IATA:Class

None Known.

UN/NA

None Known.

15.Regulations

US federal regulations

No information

TSCA is not required.

International regulations

No information

Canadian Domestic

No information

Substance list:

None known.

Information about limitation of use: For use only by technically qualified individuals.

16.Other information

The information is revised by the new knowledge. Although the information herein is

based on the best of our knowledge, we cannot guarantee the accuracy or

completeness of the information contained.

Material Safety Data Sheets (SDS)

1. Chemical Product and Company Identification

Material Name: Alloy of aluminum and titanium

Other names: -

Lot no.: -

Recommended uses and restrictions on the use: Restricted to be used on sputtering machine

Company name: THINTECH MATERIALS TECHNOLOGY CO.,Ltd LUKE BRANCH Company address: No.1, Luke 8th Rd., Lujhu Dist., Kaohsiung City 821, Taiwan (R.O.C.)

Company tel: 886-7-695-5125

Emergency Tel / Fax: 886-7-695-5125 / 886-7-695-5205

2. Hazards Identification

Hazard overview: Dangerous when wet substances 2

Marked content: 1.Symbol: Flame 2.Warnings: Danger

3.Hazard Warning Information: Water emit flammable gases

4.Hazard Prevention Measures: Keep container dry

Do not add water to this product

3. Composition, Information on Ingredients

CAS#	Chemical Name	Percent
7429-90-5	Aluminum	≥98%
7440-32-6	Titanium	≦2%

4. First aid Measures

Different exposure pathways, first aid:

Eye contact: 1. Rinse for 10 minutes. 2. Go to hospital.

Skin contact: Wipe off the dust on the skin.

Inhalation: 1. Removal of sources of pollution or the victim to fresh air. 2. Go to hospital.

Ingestion: 1. Patients lose consciousness, do not feeding. 2. Do not induce vomiting. 3. Drink 240 ~ 300 ml of water to dilute stomach substance. 4. Go to hospital.

The most important symptoms and hazardous effects: Stimulus will be generated due to friction.

Aid Personal Protection: Wear Class C protective equipment to first aid in the safe zone.

Tips for physicians: -

5. Fire Fighting Measures

Suitable Extinguishing Media: Small fire: sand, talc, sodium chloride.

Big fire: Isolate the fire and allow it to continue to burn to completion.

Special hazards that may be encountered when extinguishing a fire: 1. Dust in the air, the formation of explosive mixtures. 2. Accumulation of aluminum titanium powder, if wet self-heating; particles decreases harmful increase.

Special fire fighting procedures: 1. Security case the container away from the fire. 2. Exposed to fire mist cooling tanks or containers.

Special protective equipment for fire-fighters : -

6. Accidental Release Measures

Personal precautions: 1. The polluted area completely clean before, restrict access to the area. 2. Determine the clean-up by trained personnel responsible for. 3. Wear appropriate personal protective equipment.

The environment precautions: 1. Ventilation. 2. Extinguish or remove all ignition sources.

Clean-up methods: 1.Remove all ignition sources. 2. Wear the personal appropriate protective equipment. 3. Do not touch the leaking substance. 4. If there is no danger of trying to resistance omission. 5. Leaking

substance shovel into clean, dry container, stamped and plus mark. 6. Washed with water leaking District. 7. Combustible materials (paper, wood, oil, clothing, etc.) to be away from the leaking substance.

7. Handling and Storage

Handling conditions: Away from all possible sources of ignition and incompatible substances. **Storage:** Keep container in a dry, cool, well-ventilated area.

8. Exposure Controls, Personal Protection

Engineering controls: Use adequate ventilation or local exhaust.			
TWA	STEL	CEILING	BEIs
-	-	-	-

Personal protective equipment:

Hand protection: Protective gloves.

Respiratory protection: 1.Often exposed to dust: with anti-dust, mist, fume medium power air clean respiratory protective equipment, a full-face respirator with high efficiency filter media tools. 2. Unknown concentration: full-face positive pressure self-contained respirator.

Eye protection: Chemical safety goggles. **Skin protection:**. Protective clothing.

Health measures: 1. After work as soon as possible, remove the contaminated clothing and wash before reuse or discard, and shall inform the laundry personnel contamination of hazardous. 2. Workplace non-smoking or diet. 3. Wash hands thoroughly after handling this substance. 4. Keep the work area clean.

9. Physical and Chemical Properties

Physical State: Solid, Silver color	Odor:-
The olfactory thresholds : -	Melting point : 800 - 950 ℃
PH: -	Boiling point / range : 2467 °C
Flammability(Solid · Gas) : -	Flash Point : -
Decomposition temperature : -	Test methods : -
Ignition temperature : -	Explosion limits:-
Vapor pressure : -	Vapor Density: -
Density: 2.71 g/cm ³	Solubility: Insolvable in water
Octanol / water partition coefficient : -	The evaporation rate : -

10. Stability and Reactivity

Stability: Stable

Hazardous polymerization: None

Conditions to avoid: Avoid contacting strong oxidizer, strong acids and strong bases.

Materials to avoid: Strong oxidizer, Strong acids, Strong bases.

Combustion Products from fire: None

11. Toxicological Information

Routes of exposure: Inhalation, skin contact, eye contact

Symptoms: Irritation

Acute toxicity:-

Chronic toxicity or long-term toxicity:-

12. Ecological Information

Ecotoxicity:
Persistence and degradability:
Bioaccumulative:
Mobility in the soil:
Other adverse effects: -

13. Disposal Considerations

Waste Disposal Method: 1. Handling, refer to the current regulations. According to the storage conditions to store the waste. 3. Buried. 4. Continuous improvement system recovery.

14. Transport Information

UN:-	
UN shipping name:-	
Transportation hazard classification:-	
Packing Group:-	
Marine pollutant (yes / no):-	
Special transport methods and precautions:-	

15. Regulatory Information

Applicable laws and regulations: :

- 1. Enforcement Rules of the Labor Safety and Health Act.
- 2. General rules marked for dangerous and harmful substances.
- 3. Dangerous chemical material symbol.
- 4. Standards of Permissible Exposure Limits of Airborne Hazardous Substances in Workplace.
- 5. Regulations of traffic.
- 6. Methods and Facilities Standards for the Storage, Clearance and Disposal of Industrial Waste.

16. Other Information

References	GHS(Global Harmonized System)			
Production of a form unit	Company name: THINTECH MATERIALS TECHNOLOGY CO.,Ltd LUKE BRANCH			
	Company address: No.1, Luke 8th Rd., Lujhu Dist., Kaohsiung City 821, Taiwan (R.O.C.) Company Tel: 886-7-695-5125			
Production of a form people	Titles: ESH Associate Engineer	Name: Tseng Wen-Xia		
The date of the production form	2012.12.18	Version	1	
Remarks	The symbol "-" represents that the above information is no relevant information, while the symbol "/" represent the field of the substance does not apply.			

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.

Safety Data Sheet

KAYAKU CHEMICAL (WUXI) CO.,LTD.

Date of issue :30. June 2009

Trade name: KAYARAD DVD-708

1. Identification of the product and of the company.

1.1 Product name : KAYARAD DVD-708

1.2 Company name : KAYAKU CHEMICAL (WUXI) CO.,LTD.

Address : XIBEI TOWN, XISHAN, WUXI, JIANGSU, CHINA

Emergency phone number :+86-0510-83780313 (CHINA)
FAX number :+86-0510-83780893 (CHINA)

2. Composition / information on ingredients

2.1 Substance/Mixture

Mixture

2.2Chemical name

Mixture of acrylate monomers, acrylate oligomers, photoinitiators, and additives

2.3 Ingredients and composition

		wt%	CAS registry
☐ Acrylate monomers		60 ~ 70	Trade secret
☐ Acrylate oligomers	15 ~ 40		Trade secret
□Photoinitiators		3 ~ 10	Trade secret
□Additive	0 ~ 5		Trade secret

3. Hazards identification

3.1 EMERGENCY OVERVIEW:

Yellowish liquid

Skin irritant

3.2 POTENTIAL HEALTH EFFECTS:

INHALATION:

Mist or vapor are irritating to the eye, nose, throat and lungs.

May cause cough and may cause health effects such as inflammation of the lungs and infection of the bronchi.

EYE CONTACT : May cause irritation.

SKIN CONTACT : Maybe harmful by skin absorption, or cause irritation.

INHALATION : Maybe harmful INGESTION : Maybe harmful

4. First aid measures

4.1 Eye contact:

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.

4.2 Skin contact:

Remove contaminated clothes. Rinse and then wash skin with water and soap.

Refer for medical attention.

4.3 Inhalation of aerosol /vapor /dust:

Fresh air, rest.

Refer for medical attention.

4.4 Ingestion or accident:

Rinse mouse.

Do NOT induce vomiting.

Rest.

Refer for medical attention.

5. Fire fighting measures

5.1 Extinguishing media:

Alcohol-resistant foam, powder, AFFF, foam, carbon dioxide

5.2 Special advice in case of fire:

Firefighters should wear self-contained breathing apparatus and eye protection in fighting significant fires in which this material is involved.

Keep Drums, etc., cool by spraying with water.

6. Accidental release measures

6.1 After spillage, leakage, gas leakage

Extra personal protection: Self-contained breathing apparatus

Collect leaking and spilled liquid in sealable containers as far as possible.

Absorb remaining liquid in sand or inert absorbent and remove to safe place.

DO NOT wash away into sewer.

Avoid breathing vapors and remove ignition sources.

7. Handling and storage

7.1 Handling

Avoid contact with skin and eyes, protective goggles, aprons etc..

No open flames, No sparks, and No smoking.

7.2 Storage

Fireproof.

Store in a cool, dry, well-ventilated location.

No open flames and No sparks.

Separated from strong oxidants, strong acid.

8. Exposure controls and personal protection

8.1Exposure control

No data

8.2 Personal protective equipment

Respiratory : Industrial canister gas masks

Inhalation : Ventilation, local exhaust, or breathing protection. Eyes : Safety spectacles, face shield, or eye protection in

combination with breathing protection.

Skin : Protective gloves.

Protective clothing.

Ingestion : Do not eat, drink, or smoke during work.

9. Physical and chemical properties

Flash point : Gelled at 130° C

Viscosity : 400~600 mPa·s at 25 oC

Solubility in water : insoluble

10. Stability and reactivity

10.1 Stability

Stable (under suitable condition).

10.2 Conditions to avoid

Open flames and Sparks.

Strong oxidants, Strong acid.

Heat

Sunlight

10.3 Materials to avoid

Acids, alkalines, amines, peroxides, oxdizing agents.

11. Toxicological information

No data

12. Ecological information

No data

13. Disposal considerations

Local regulations should be adhered to.

Disposal of empty containers.

14. Transport information

UN Number : Not applicable
IMDG Code : Not applicable
ICAO/IATA : Not applicable

Keep away from oxidizing materials and source of ignition.

Follow all regulations in your country.

Confirm containers have no rent or leak before loading.

15. Regulatory information

Follow all regulations in your country.

	CAS No.	TSCA	EINECS/ELINCS	ENCS
Acrylate monomers	Reg.	Reg.	Reg.	Reg.
Acrylate oligomers	Reg.	Reg.	Reg.	Reg
Photoinhibitors	Reg.	Reg.	Reg.	Reg.
Additives	Reg.	Reg.	Reg.	Reg

16. Other information

- This product is intended for industrial use only. Should it ever be applied for medical or other purposes, this is completely the responsibility of the purchaser.
- Ingesting or injecting this product or using it in such a manner that some of it might remain within the body is forbidden. Do not do this under any circumstances.
- •This information is based upon the latest data available to us, but should not be read as a guarantee of the contents, physical properties or danger and harmfulness levels. Since all chemicals may have hitherto unknown deleterious properties, care should always be taken during use. It is the responsibility of every user to establish the necessary safety precautions before employment. In addition, the present information is intended for normal usage; however, if special usage is contemplated, then the appropriate safety precautions and application conditions should be carefully prepared.



SAFETY DATA SHEET Asia Pacific GHS Format

Print date: 05-Jan-2016 Revision Number: 1 Revision date: 05-Jan-2016

1. IDENTIFICATION OF THE SUBSTANCE AND COMPANY

Trademark: SABIC® PC

Product Code: PC5800 - GC9AN

Product Description: Bisphenol-A-polycarbonate [CASRN 25929-04-8]

Product Type: Commercial Product

Recommended use: May be used to produce molded or extruded articles or as a component of other industrial

products.

Company: -SABIC Japan LLC. Tokyo Club Building, 2-6 3Chome Kasumigaseki, Chiyoda-Ku Tokyo, 100-0013

Japan

-SABIC Innovative Plastics (China) Ltd.or SABIC Innovative Plastics International Trading Shanghai

Ltd. 2550 Xiupu Road, Pudong New Area, Shanghai 201319, China (Contact address)

-SABIC Korea Ltd. 20F, Donghoon Building, 317, Teheran-ro, Seoul, Korea -SABIC Innovative Plastics Singapore Pte Ltd 23, Benoi Road, 629895 Singapore

-SABIC Innovative Plastics (Thailand) Co. Ltd 64/22 Moo 4 Tumbol Pluak Daeng, Amphur Pluak

Daeng, Rayong 21140 Thailand

-SABIC Innovative Plastics India Ltd. Plastics Avenue, P.O. Jawaharnagar, District Vadodara 391320

India

-SABIC Taiwan Holding Ltd, Taiwan Branch, Room B,7F,No. 8,Min-Sheng E. Rd. Sec. 3,Taipei City

10480 Taiwan

-SABIC Innovative Plastics Hong Kong Limited. Flat/ RM 1701, Tower 1, the Gateway 25 Canton Road,

Tsimshatsui, Hong Kong

-SABIC Innovative Plastics (Aust.) Pty. Ltd. Suite 14, Building 3, 195 Wellington Road, Clayton,

Victoria, Australia 3168

Manufacturer: SABIC

P.O. Box 5101

Riyadh 11422 Saudi Arabia

Emergency Telephone Number: Japan: +(81)-3-3593-4735

China: +86 532 83889090, +86 20 84980148

Korea: +(82)-2-510-6546 Singapore: +(65)-6210 4199

Thailand: +(66)-22312323-4 ext. 46, +(66)-38927000 ext. 7026

India: +(91)-265 3068554 Australia: +61 (0)3 9566 3000

Emergency

800 424-9300 (USA)

Transportation/CHEMTREC

(24 HOUR):

+1 703-527-3887 (globally, outside USA)

E-mail: Asiaproductinguiries@sabic.com

Website Address: www.sabic.com

Product Name: PC5800-GC9AN Page 1 of 10 Revision date: 05-Jan-2016



2. HAZARDS IDENTIFICATION

The additives in this product (if any) are bound in a thermoplastic resin matrix. In accordance with GHS for the classification of the product, the hazard potential may be assessed with respect to the physico-chemical form and/or bioavailability of the individual components in the thermoplastic resin.

Where GHS classifications are shown below, these are based on the individual components in the thermoplastic resin matrix. Under the typical use conditions for the resin, these hazardous components are unlikely to contribute to workplace exposure. Please read the entire safety data sheet and/or consult an EHS professional for a complete understanding.

Globally Harmonized System, UN(GHS) - Classification

GHS Category

Not hazardous Not classified

GHS-Labeling

GHS Labeling not required

Precautionary Statements

No GHS specific Precautionary Statements required - observe all other warnings and handling instructions in this SDS.

Other hazards which do not result in classification:

SABIC Emergency Overview

- · Pellets with slight or no odor
- · Spilled material may create slipping hazard
- Can burn in a fire creating dense, toxic smoke
- Molten plastic can cause severe thermal burns
- Fumes produced during melt processing may cause eye, skin, and respiratory tract irritation. Severe over-exposure may result in nausea, headache, chills, and fever. See below for additional effects.
- Secondary operations, such as grinding, sanding, or sawing can produce dust which may present an explosion or respiratory hazard.

Other Information: Cool skin rapidly with cold water after contact with molten material. Heating can release

hazardous gases. Hazardous fumes can also occur in post-processing operations.

Processing Issues: Processing vapors may cause irritation to the eyes, skin, and respiratory tract. In cases of

severe exposure, nausea and headache can also occur. Grease-like processing vapor condensates on ventilation ductwork, molds, and other surfaces can cause irritation and

injury to skin.

Aggravated Medical Conditions: MEDICAL RESTRICTIONS: There are no known health effects aggravated by exposure to

this product. However, certain sensitive individuals and individuals with respiratory impairments may be affected by exposure to components in the processing vapors.

Product Name: PC5800-GC9AN Page 2 of 10 Revision date: 05-Jan-2016



3. COMPOSITION/INFORMATION ON INGREDIENTS

Product Type Mixture

For the full text of the H-statements, if mentioned in this section, see Section 16.

The non-hazardous components and exact percentage (concentration) of the composition have been withheld as a trade secret.

This product consists primarily of high molecular weight polymers which are not expected to be hazardous. The ingredients in this product are present within the polymer matrix and are not expected to be hazardous.

4. FIRST AID MEASURES

If Inhalation: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

If symptoms persist, call a physician.

On skin contact: Immediately cool the skin by rinsing with cold water after contact with hot material. Wash off

immediately with soap and plenty of water. Consult a physician.

On contact with eyes: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If eye irritation persists, consult a specialist.

On ingestion: No hazards which require special first aid measures.

Precautions: Processing vapors inhalation may be irritating to the respiratory tract. If symptoms are

experienced remove victim from the source of contamination or move victim to fresh air and

obtain medical advice.

Product Name: PC5800-GC9AN Page 3 of 10 Revision date: 05-Jan-2016



5. FIRE-FIGHTING MEASURES

630°C (1166°F) estimated **Autoignition Temperature:**

Explosive Limits

Not determined upper: Not determined lower:

Suitable Extinguishing Media: Use dry chemical, CO2, water spray or "alcohol" foam. Water is the best extinguishing

medium. Carbon dioxide and dry chemical are not generally recommended because their

lack of cooling capacity may permit re-ignition on larger resin fires (blobs, drools, etc.).

for Safety Reasons:

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Hazards from Combustion

Products:

Fire will produce dense black smoke containing hazardous combustion products, carbon

oxides, hydrocarbon fragments.

Specific Hazards: Take precautionary measures against static discharges. During processing, dust may form

explosive mixture in air. Thermal decomposition can lead to release of irritating gases and

vapors.

Special Protective Equipment

for Firefighters:

In the event of fire, wear self-contained breathing apparatus (EU: NEN-EN137).

Exposure hazards: Do not release chemically contaminated water into drains, soil or surface water. Sufficient

measures must be taken to retain the water used for extinguishing. Dispose of

contaminated water and soil according to local regulations.

6. ACCIDENTAL RELEASE MEASURES

See section 8. **Personal Precautions:**

Environmental Precautions: Do not flush into surface water or sanitary sewer system. Material should not be released

into the environment.

Clean up: Sweep up and shovel into suitable containers for disposal. Do not create a powder cloud by

using a brush or compressed air.

7. HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practices Provide for

appropriate exhaust ventilation and dust collection at machinery Avoid dust formation All

metal parts of the mixing and processing equipment must be earthed

Store in closed container in a dry and cool area. Keep away from heat sources and sources Storage:

of ignition. Keep away from food, drink and animal feeding stuffs. Keep container tightly

closed in a dry and well-ventilated place.

Incompatible Products: Strong acids, strong oxidizing agents.

Product Name: PC5800-GC9AN Page 4 of 10 Revision date: 05-Jan-2016



8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: No components with information, unless noted below

*SABIC Recommended Exposure Limits have been established for certain chemicals.

Engineering Measures to

Reduce Exposure:

Handle in accordance with good industrial hygiene and safety practices. Provide for appropriate exhaust ventilation at machinery. Processing fume condensate may be a fire hazard and toxic; remove periodically from exhaust hoods, ductwork, and other surfaces

using appropriate personal protection.

Hand Protection: Protective gloves should be worn

Eye Protection: Safety glasses with side-shields or chemical goggles. In addition, use full-face shield when

cleaning processing vapor condensates from hood, ducts, and other surfaces.

Respiratory Protection: When using this product at elevated temperatures, implement engineering systems,

administrative controls or a respiratory protection program (including a respirator approved for protection from organic vapors, acid, gases, and particulate matter) if processing vapors are not adequately controlled or operators experience symptoms of overexposure. If dust or powder are produced from secondary operations such as sawing or grinding, use a

respirator approved for protection from dust.

Body Protection: Long sleeved clothing

Hygiene Measures: When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solid Appearance: Pellets

Color: Same as color code
Odor: None or slight

Melting point/range: This product does not exhibit a sharp melting point but softens gradually over a wide range

of temperatures.

Autoignition Temperature: 630°C (1166°F) estimated

Vapor Pressure:NegligibleWater Solubility:InsolubleEvaporation Rate:Negligible

Explosive Limits

upper: Not determinedlower: Not determined

Specific gravity: >1; (water = 1)
VOC content (%): Negligible

Product Name: PC5800-GC9AN Page 5 of 10 Revision date: 05-Jan-2016



10. STABILITY AND REACTIVITY

Reactivity: Not reactive under recommended conditions of handling, storage, processing and use. No

information available.

Stability: Stable under ambient conditions. Hazardous polymerization does not occur.

Conditions to Avoid: Avoid temperatures above 630°C. To avoid thermal decomposition, avoid elevated

temperatures. Heating can result in the formation of gaseous decomposition products, some of which may be hazardous. Do not exceed melt temperature recommendations in product literature. Purgings of hot material should be collected in small, flat, thin shapes and quenched with water to allow for rapid cooling. Do not allow product to remain in barrel

Process vapors under recommended processing conditions may include trace levels of

at elevated temperatures for extended periods of time.

Materials to Avoid: May react with strong oxidizing agents, strong acids or other highly reactive chemicals

Hazardous Decomposition

Products: hydrocarbons, phenols, alkylphenols, diarylcarbonates.

Product Name: PC5800-GC9AN Page 6 of 10 Revision date: 05-Jan-2016



11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information:

LD50/oral/rat: >5000 mg/kg **LD50/dermal/rabbit:** >2000 mg/kg

Component Information:

Component Information Text: No data available

<u>Sensitization</u>

Respiratory Sensitization: Not classified

Irritation:

Eye Irritation: no data available

Primary Irritation: Substance does not generally irritate and is only mildly irritating to the skin

Subchronic Toxicity (28 days)

Repeated Oral Toxicity(28d):
Repeated Dermal Toxicity(28d):
Subchronic Toxicity:

No information available
No information available

Chronic Toxicity

Carcinogenicity: There are no known carcinogenic chemicals in this product above de minimus reporting

levels, except as specifically mentioned below.

Mutagenic Effects: No data is available on the product itself

Reproductive Toxicity:No information available **Developmental Toxicity:**No information available.

Neurological effects: No information available.

Specific Target Organ

Toxicity(STOT)

Target Organ Effects: Not established.

Aspiration Hazard

Aspiration Hazard Statement: No data available

Other relevant toxicity information

IARC: Not listed
OSHA: Not regulated
NTP: Not tested

Remarks: The toxicological data has been taken from products of similar composition.

Special Studies: No Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

Component Information:

Product Information:

Persistence and Degradability

Biodegradation: Not inherently biodegradable

Product Name: PC5800-GC9AN Page 7 of 10 Revision date: 05-Jan-2016



Partition coefficient (n-octanol/water)

Not established.

Bioaccumulative Potential:

Bioaccumulation: Not established.

Mobility

Mobility: May be separated mechanically in waste water plants.

Other Adverse Effects

Ecotoxicity Effects: Do not flush into surface water or sanitary sewer system.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused

products:

Where possible recycling is preferred to disposal or incineration. Descartar em

conformidade con as legislação locals.

Contaminated Packaging: Empty containers should be transported/delivered using a registered waste carrier for local

recycling or waste disposal.

Waste Disposal: Recycling is encouraged. Landfill or incinerate in accordance with federal, state and local

requirements. Collected processing fume condensates and incinerator ash should be

tested to determine waste classification.

14. TRANSPORT INFORMATION

Transport Classification: Not regulated as hazardous for shipment, unless noted below, under current transportation

guidelines.

IMO / IMDG Not regulated

ICAO Not regulated

<u>IATA-DGR</u> Not regulated

DOT Not regulated

ADR/RID Not regulated

ADR Not regulated

ADN Not regulated

Product Name: PC5800-GC9AN Page 8 of 10 Revision date: 05-Jan-2016



15. REGULATORY INFORMATION

International Inventories:

TSCA (USA): Listed DSL (Canada): Listed **EINECS/ELINCS (Europe):** Listed **ENCS (Japan):** Listed IECSC (China): Listed **KECL** (Korea): Listed PICCS (Philippines): Listed AICS (Australia): Listed NZIoC (New Zealand): Listed

Other Inventory Information:

A "Listed" entry above means all chemical components are on the respective inventory list and/or a qualifying exemption exists for one or more components. A "Not listed" entry above indicates one or more components is restricted from import or manufacture into that country/region. Articles are exempt from registration and are therefore not listed on the national chemical inventories.

SVHC (REACH Regulation (EC) No 1907/2006 and 453/2010, as amended):

This product does not intentionally contain SVHC chemicals except as noted below. Incidental amounts of impurities, if present, would be below the threshold limit of 0.1% by weight.

SARA (313) Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA):

This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA (311, 312) hazard class:

Acute Health Hazard N
Chronic Health Hazard N
Fire Hazard N
Sudden Release of Pressure Hazard N
Reactive Hazard N

<u>Canada:</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR. Unless noted below, this product is non-controlled. Some classifications may not apply to the entire product.

California Proposition 65:

This product does not contain components known to the State of California to cause cancer and/or reproductive effects.

RoHS EU Directive 2011/65/EU:

The subject product is in compliance with EU RoHS Directive 2011/65/EU. All below chemicals are not employed in the manufacture of the product: a.Cadmium and its compounds, b.Lead and its compounds, c.Mercury and its compounds, d.Hexavalent chromium compounds, e.Polybrominated biphenyls (PBBs), f.Polybrominated diphenyl ethers (PBDEs including Deca-BDE). The trace levels of heavy metals may be present as impurities within threshold limits (<0.1% for Pb, Hg, Cr VI, and <0.01% for Cd). We are disclosing this information, to the best of our knowledge, based upon data from our raw material manufacturers.

Remarks:

This product consists primarily of high molecular weight polymers which are not expected to be hazardous. The ingredients in this product are present within the polymer matrix and are not expected to be hazardous.

HMIS Rating
Health: 0
Flammability: 1

Product Name: PC5800-GC9AN Page 9 of 10 Revision date: 05-Jan-2016



Reactivity: 0

16. OTHER INFORMATION

SABIC and brands marked with ™ are trademarks of SABIC or its subsidiaries or affiliates.

www.sabic.com

http://eur.sabic-ip.com/ordeur/pages/msds/MSDSSearch.jsp?app=sabic-ip

SDS Scope:

Singapore: Conforms to Singapore workplace Safety and Health (WSH) Act, WSH Regulations, and GHS Standard 586 China: Conforms to Chinese Regulation on the Control over Safety of Hazardous Chemicals (Decree No 591) and GHS standards GB15258,GB13698,GB/T16483 etc.

Japan: Conforms to Industrial Safety and Health Law (2006) and GHS related Standards JIS Z7253:2012

Korea: Conforms to Industrial Safety & Health Act, Ministry of Labor, Korea

Taiwan: Conforms to Taiwan Rules on Hazard Communication and Labeling of Hazardous Substances, (Council of Labor Affairs, Taiwan) and GHS standards Z1051

Thailand: Conforms to Notification of the Ministry of Industry on the System of Classification and Hazard Communication of Hazardous Substances B.E. 2555 (2012)

Australia: National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011 (2003)] This document is also applicable in other countries and regions.

Prepared by: Product Stewardship & Toxicology

DISCLAIMER: This Material Safety Data Sheet [MSDS] information is provided based on the Hazard Communication Regulations for your region or country and for the use of the persons required to receive this information under those regulations. The information is neither designed nor recommended for any other use or for use by any other person, including for compliance with other laws. Saudi Basic Industries Corporation does not warrant the suitability for use of this MSDS for any other material or product not specifically identified herein. Saudi Basic Industries Corporation does not warrant the accuracy or authenticity of this MSDS unless it has been obtained directly from Saudi Basic Industries Corporation, or posted or viewed on a Saudi Basic Industries Corporation website. Modification of this MSDS, unless specifically authorized by Saudi Basic Industries Corporation, is strictly prohibited. This MSDS is based on information, that is believed to be reliable, but may be subject to change as new information becomes available. Because it is not possible to anticipate all conditions of use, additional safety precautions may be required. Since the use of this material is not under Saudi Basic Industries Corporation control, each user is responsible for making its own determination as to the safe and proper handling of this material in its own particular use of this material. Saudi Basic Industries Corporation MAKES NO REPRESENTATION OR WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each user should read and understand this information and incorporate it into individual site safety programs as required by applicable hazard communication standards and regulations.

End of Safety Data Sheet

Product Name: PC5800-GC9AN Page 10 of 10 Revision date: 05-Jan-2016