Bayer Material Science



112000010406

物質安全資料表

依 GHS

MAKROLON OD 2015

版本號 2.6 修訂日期 16.07.2013 印出日期 28.01.2014

一、物品與廠商資料

產品鑒別

物品中英文名稱 : MAKROLON OD 2015

物質或混合物的建議用途與使用限制

建議用途及使用限制 : 模鑄塑膠物品的生產

物質安全資料表供應商的詳細資料:

Bayer MaterialScience AG BMS-IO-S&T-PSRA-PSI Product Safety 51368 Leverkusen, Germany

Tel: +49 214 30 25026 Fax: +49 214 30 9650035

e-mail: productsafety@bayerbms.com

緊急聯絡電話號碼: 0800-008-119 或 0800-055-119(僅限化學品洩漏、火災或人員中毒)

緊急傳真: (03)591-0030 或 (03)591-0032

台灣拜耳材料科技股份有限公司

83245高雄市林園區北汕里石化三路1號

電話:(02) 8101-1000 傳真:(02) 8101-0028

二、危害辨識資料

物質或混合物的分類

物品危害分類:

依據GHS分類不屬於危害物質。

危害圖式

依據GHS分類不屬於危害物質。

三、成分辨識資料

產品類型: 混合物

雙酚A聚合之聚碳酸酯

Bayer Material Science



112000010406

物質安全資料表

依 GHS

MAKROLON OD 2015

版本號 2.6

修訂日期 16.07.2013

印出日期 28.01.2014

四、急救措施

急救措施說明

若接觸皮膚:接觸到熱的熔化物:立即用大量水冷卻。切勿強行拔除熱熔物在皮膚上形成的硬皮或塗抹溶劑於受傷的皮膚上。應立即送醫,處理可能的灼傷及做適當的皮膚照顧。

以下資訊與室溫下運作本產品有關。若接觸皮膚,以肥皂及大量清水徹底清洗受影響部位。

五、滅火措施

適用滅火劑: 噴灑水柱。, 滅火乾粉, 二氧化碳(CO2), 泡沫, 化學乾粉

物質或混合物的特殊危害:

燃燒會釋放出一氧化碳,二氧化碳,氦的多種氧化物和微量的氰化氫.在著火或爆炸情況下,請勿吸進濃煙。

消防人員注意事項::

消防員應穿著自攜式呼吸器具。

勿讓受污染的消防水流進土壤、地下水、或地表水。

六、洩漏處理方法

個人預防、保護裝備與緊急程序: 小心滑倒!

污染與清理方法與材料:用機械設備搬運。防止粉塵的生成。

其他章節參照: 進一步廢棄措施參見章節13。

七、安全處置與儲存方法

安全操作的預防措施:

在建議的製程情況下可能會釋出少量殘存的單體及殘留的溶劑。 提供良好的通風及/或使用局部抽排氣系統,以使不致超過第 8 章節所規範工作場所之恕限值。

Bayer MaterialScience



112000010406

物質安全資料表

依 GHS

MAKROLON OD 2015

版本號 2.6

修訂日期 16.07.2013

印出日期 28.01.2014

粉塵應使用有效率的抽排氣設備予以移除。

勿飲食及抽煙。休息前或工作結束後須洗手並使用皮膚防護軟膏。更換受污染衣物。

安全儲存的條件(包括任何不相容性):

對儲存條件無特殊要求。

八、暴露控制及個人防護措施

當運作本產品,特別是在高溫下運作時,應遵守與下列物質相關之法規。依據我們的經驗,於蒸氣可能生成處,提供有效的新鮮空氣與抽排氣設備,將能確保符合下列的容許限值。

控制參數

純物質	化學文摘 社登記號 碼 (CAS-No.)	基準	類型	値	最高容 許濃度 (CEILIN G)	備註
酚 phenol	108-95-2	TW OEL	八小時 日時量 平均容 許濃度 (TW	5 ppm 19 mg/m3		
酚 phenol	108-95-2	TW OEL				可能經皮膚吸收。
氯苯 chlorobenzene	108-90-7	TW OEL	八小時 日時量 平均容 許濃度 (TW	75 ppm 345 mg/m3		

暴露控制

呼吸防護:

當有粉塵生成時,依據EN 143使用含有P1微粒過濾呼吸器。

手部防護:

合適的安全手套材料; EN 374: 聚氯乙烯 - PVC(>= 0.5毫米) 若手套被污染和/或損壞了則必須更換。

眼睛防護:

配戴眼睛防護具/防護面罩。

Bayer MaterialScience



112000010406

物質安全資料表

依 GHS

MAKROLON OD 2015

版本號 2.6 修訂日期 16.07.2013 印出日期 28.01.2014

皮膚及身體防護:

穿合適的防護服。

九、物理及化學性質

基本物理與化學屬性相關資訊

物質狀態: 顆粒

顏色: 依據染色而不同

氣味: 無臭味pH值: 不適用

軟化點: >130 - 160 °C

較高/較低易燃性或爆炸界限: 不適用 蒸氣壓: 不適用

密度: 大約 1.2 - 1.4 g/cm³ 容積密度: 600 - 700 kg/m³

水溶性: 實際上不溶 自燃溫度: 不適用 燃點: > 450 °C 分解溫度:: >= 380 °C 動態黏度: 不適用

十、安定性及反應性

化學穩定性: 不適當製程或燃燒所導致的過度加熱,可能釋出對健康有害的燻煙。

危險反應的可能性: 未發現有危害性反應

危害性分解物: 因悶燒或不完全燃燒,可能會生成主要由一氧化碳和二氧化碳所組成的毒性燻煙。

十一、毒性資料

依據我們的經驗與資訊、若適當地運作、本產品不會對健康有危害。

Bayer Material Science



112000010406

物質安全資料表

依 GHS

MAKROLON OD 2015

版本號 2.6 修訂日期 16.07.2013 印出日期 28.01.2014

十二、生態資料

勿讓溢出之本品進入水道,廢水或土壤。

更多關於生態毒性的資訊:

本產品幾乎不溶於水。 因其堅硬度及不溶於水的特性,若適當地運作本產品,則預期並不會有生態問題。 本產品不易被生物分解。

十三、廢棄處置方法

應依國際、國家及當地適用的法律、法令與法規廢棄。

在歐盟國家廢棄處置,應依據歐洲廢棄物分類(EWC)編碼採用合適之分類編碼.

廢料處理方法

容器儘可能地清空後(如傾倒、切削或排空直到"滴乾"),將其送至化學業現行回收系統所設置的合適回收點回收。 容器應依照國家法令及環境相關法規回收。

本產品可採機械式回收。在經過適當處理後,本產品可以再熔化,並再重新製作爲新的模塑製品。 但僅在材質已被選擇性分類回收 並依據其種類仔細區隔情況下,才可採機械式回收再利用。

十四、運送資料

臺灣 非危險貨物

IATA 非危險貨物

IMDG 非危險貨物

使用者特殊預防措施 : 非危險 貨物.

保持乾燥。

5/6

十五、法規資料

專門針對物質與或混合物爲主的安全、健康與環境規定/立法

BMS_SDS_TW / TW

Bayer Material Science



112000010406

物質安全資料表

依 GHS

MAKROLON OD 2015

版本號 2.6 修訂日期 16.07.2013 印出日期 28.01.2014

適用法規:

勞工安全衛生法 危險物與有害物標示及通識規則 道路交通安全規則 廢棄物清理法

十六、其他資料

此物質安全資料表也適用於對應的MAS... 類型。

製表單位: 台灣拜耳材料科技股份有限公司

地址: 11049台北市信義路五段7號54樓

電話: (02)8101-1000

製表人:

職稱: 品質暨環保部經理

姓名(簽章): 黃元隆

其他相關訊息

此安全技術說明書提供的信息在其發布之日是準確無誤的,所給出的信息僅作爲安全搬運,儲存,運輸,處理等的指導,而不能被作爲擔保和質量指標。此信息僅適用於指定的物質而不能用於其它相關的物質,除非特別指明。

6/6

BMS_SDS_TW / TW

SAFETY DATA SHEET

Version:11 Date: 2016/03/10

PRODUCT NAME:

Optical Disc (CD) Lacquer

1.PREPARATION AND IDENTIFICATION

1.1 Identification of the preparation

PRODUCT NAME: Optical Disc (CD) Lacquer

1.2 Company/undertaking identification COMPANY : Echem Corporation

ADDRESS: No.2, Suwei Road, Hsin Chu Industrial Park, Taiwan R.O.C.

TELEPHONE : +886-3-5972567 FAX No : +886-3-5972570

2. HAZARD IDENTIFICATION

- Symbolic mark:



- -Irritating to eyes respiratory tract and skin.
- -May cause sensitization by skin contact

3. COMPOSITION/IMFORMATION ON INGREDIENTS

Ingredient name	CAS number	%
Trimethylolpropane Triacrylate	15625-89-5	8%~2%
Dipropylene glycol diacrylate	57472-68-1	35%~40%
1,6-haxanediol Diacrylate	13048-33-4	10%~15%
1-Hydroxycyclohexyl phenyl ketone	947-19-3	10%~15%
Bisphenol A epoxy acrylate	55818-57-0	25%~30%

4. FIRST AID MEASURES

General Instruction:	-There is no general instruction necessary except the following.
Eyes Contact:	-After removing the eyelids, flush with large amounts of water.
	Contact an oculist.
Skin Contact:	-Under a safety shower, flush skin thoroughly with large amounts
	of running water for at least 15 minutes.
	-Do not attempt to clean with chemical agent.
	-Get medical attention immediately.
Ingestion:	Guide affected person to a physician.
Inhalation:	-Remove affected person from dangerous area.
	-Contact a physician In case inconvenience persists.
Note to Physician:	-There are no special instructions. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: -Use dry carbon dioxide as well as water spray.

Fire and Explosion Hazard: -Slight fire hazard when exposed to heat or flame.

-Heating results in increase of pressure at closed system.

Thus, danger off rupture exists.

Special Exposure -Hazards arises from substance or combination products:

-Thermal decomposition products may include toxic

oxides of carbon.

Special Protective equipment required for fire-fighting:

-Cool product containers exposed to fire with water

spray. In case of fire,

-wear a self-containing breathing apparatus and fill

protective clothes.

-Collect container water in spillage containers and

dispose them carefully.

6. ACCIDENTAL RELEASE MEASURE:

-Wear appropriate personal protective equipment, including appropriate respiratory protection to ventilate contaminated area.

- -Exhaust product vapors.
- -Remove sources of ignition.
- -Dike leakage with inert material.
- -Cover liquid with an inert adsorbent, take up into marked containers and hold for waste disposal.
- -Carefully rinse affected ground.
- -Avoid any contact of the product with incompatible substances which might result in polymerization.

7. STORAGE AND HANDLING

7.1 Handling:

- -Handle product only in well ventilated areas.
- -Only use tools and equipment resistant to organic solvents.
- -Check durability and applicability of tools and equipment prior to use.
- -Exhaust released product vapors directly at the time of formation.
- -Provide eye bath at working area.

7.2 Storage:

-Store product in tightly closed original containers in a dry and cool place protected from sunlight and fluorescent light, preferably at temperatures below 25 °C on impermeable ground.

-Install spillage containers.

- -Avoid spills and splashes during refilling processes.
- -Observe all regulations when storing.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Technical facility design:

Install an efficient exhaustion system when treating the product.

8.2 Components with exposure limits:

Not established

- 8.3 Personal hygiene and protective equipment:
 - -Follow the general guidelines of good industrial hygiene.
 - -Avoid any direct contact with the product.

- -Never breathe product vapor.
- -Immediately change contaminated clothing and clean before reuse.
- ♦ Respiratory: Chemical cartridge respirator with an organic vapor cartridge.
- → Eye Protection: Chemical safety goggles.
- ♦ Hand Protection: Impermeable gloves.
- ♦ Skin Protection: Long Sleeve clothing, resistant to solvents.

9. PHSICAL AND CHEMICAL PROPERTIES

Stability: stable

Form: liquid (at 20°C) Flash point: >100°C Boiling point: N/DA PH:AP 6.8 To 7.2 Color: Pale yellow

Odor: mild

10. STABILITY AND REACTIVITY

Conditions to avoid: heat, sunlight (may result in polymerization)

Material to avoid: oxidizing agents, strong base, and transition metals

(possible polymerization)

11. TOXICOLOGICAL INFORMATION

- -The product may cause a moderate irritation to the eyes, followed by burning sensation, tearing, redness or swelling.
- -Skin contact may result in delayed irritation and blistering.

12. ECOLOGICAL INFORMATION

- -No data is available about the eco-toxicological potential of product.
- -Never release product into the environment.
- -Decant and purify polluted wastewater before its release into the drains.

13. DISPOSAL CONSIDERATIONS

- -Preferably recover product according to official local directions, e.g. recycling, or burn the -product in a chemical incinerator equipped with an afterburner and a scrubber.
- -Empty used containers completely, rinse with a solvent and dispose excluding unauthorized possible reuse.

14. TRANSPORT REGULATIONS

IM DG CODE: None

International Regulation: Not classified as dangerous material.

UN Classification Number: None.

Land/Sea:

Shipping Name: Unrestricted. Hazard Class: Unrestricted. Packing Group: Unrestricted.

Air:

ICAO/IATA Class: Unrestricted.
Shipping Name: Unrestricted.
Cargo Packing Instruction: None.
Packing Group: Unrestricted

15. REGULATORY INFORMATION

All components of this product are in compliance with the following inventories

U.S. TSCA EU EINECS Canada DSL Australia AICS Japan ENCS

Hazard symbol: Xi

R-Phrase:

R 36/37/38 Irritating to eyes, respiratory system and skin R 43 May cause sensitization by skin contact.

S-Phrases:

S 24/25 Avoid contact with skin and eye.

S 26 In case of contact with eyes rinse immediately with plenty of water and

seek medical advice.

S 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S 51 Use well ventilated areas

S 38 In case of insufficient ventilation wear suitable respiratory equipment. S 44 If you feel unwell, seek medical advice (show the label where possible).

S 53. Avoid exposure. Obtain special instructions before use.

16. OTHER INFORMATION

HMIS III rating

Health=2

Flammability=1

Physical Hazard=1

Personal Protection= D

-Reference-

Other Special consideration: Not Regulated

MSDS Created : 2006/01/01 Dated Updated : 2016/03/10 Company/undertaking identification COMPANY : Echem Corporation

ADDRESS : No.2, Suwei Road, Hsin Chu Industrial Park, Taiwan R.O.C.

TELEPHONE: +886-3-5972567 FAX No : +886-3-5972570

Name (signature) : Ehem Corporation

N/DA = No data available



SAFETY DATA SHEET Asia Pacific GHS Format

Print date: 05-Jan-2016 Revision Number: 1 Revision date: 05-Jan-2016

1. IDENTIFICATION OF THE SUBSTANCE AND COMPANY

Trademark: SABIC® PC

Product Code: PC5800 - GC9AN

Product Description: Bisphenol-A-polycarbonate [CASRN 25929-04-8]

Product Type: Commercial Product

Recommended use: May be used to produce molded or extruded articles or as a component of other industrial

products.

Company: -SABIC Japan LLC. Tokyo Club Building, 2-6 3Chome Kasumigaseki, Chiyoda-Ku Tokyo, 100-0013

Japan

-SABIC Innovative Plastics (China) Ltd.or SABIC Innovative Plastics International Trading Shanghai

Ltd. 2550 Xiupu Road, Pudong New Area, Shanghai 201319, China (Contact address)

-SABIC Korea Ltd. 20F, Donghoon Building, 317, Teheran-ro, Seoul, Korea -SABIC Innovative Plastics Singapore Pte Ltd 23, Benoi Road, 629895 Singapore

-SABIC Innovative Plastics (Thailand) Co. Ltd 64/22 Moo 4 Tumbol Pluak Daeng, Amphur Pluak

Daeng, Rayong 21140 Thailand

-SABIC Innovative Plastics India Ltd. Plastics Avenue, P.O. Jawaharnagar, District Vadodara 391320

India

-SABIC Taiwan Holding Ltd, Taiwan Branch, Room B,7F,No. 8,Min-Sheng E. Rd. Sec. 3,Taipei City

10480 Taiwan

-SABIC Innovative Plastics Hong Kong Limited. Flat/ RM 1701, Tower 1, the Gateway 25 Canton Road,

Tsimshatsui, Hong Kong

-SABIC Innovative Plastics (Aust.) Pty. Ltd. Suite 14, Building 3, 195 Wellington Road, Clayton,

Victoria, Australia 3168

Manufacturer: SABIC

P.O. Box 5101

Riyadh 11422 Saudi Arabia

Emergency Telephone Number: Japan: +(81)-3-3593-4735

China: +86 532 83889090, +86 20 84980148

Korea: +(82)-2-510-6546 Singapore: +(65)-6210 4199

Thailand: +(66)-22312323-4 ext. 46, +(66)-38927000 ext. 7026

India: +(91)-265 3068554 Australia: +61 (0)3 9566 3000

Emergency

800 424-9300 (USA)

Transportation/CHEMTREC

(24 HOUR):

+1 703-527-3887 (globally, outside USA)

E-mail: Asiaproductinquiries@sabic.com

Website Address: www.sabic.com

Product Name: PC5800-GC9AN Page 1 of 10 Revision date: 05-Jan-2016



2. HAZARDS IDENTIFICATION

The additives in this product (if any) are bound in a thermoplastic resin matrix. In accordance with GHS for the classification of the product, the hazard potential may be assessed with respect to the physico-chemical form and/or bioavailability of the individual components in the thermoplastic resin.

Where GHS classifications are shown below, these are based on the individual components in the thermoplastic resin matrix. Under the typical use conditions for the resin, these hazardous components are unlikely to contribute to workplace exposure. Please read the entire safety data sheet and/or consult an EHS professional for a complete understanding.

Globally Harmonized System, UN(GHS) - Classification

GHS Category

Not hazardous Not classified

GHS-Labeling

GHS Labeling not required

Precautionary Statements

No GHS specific Precautionary Statements required - observe all other warnings and handling instructions in this SDS.

Other hazards which do not result in classification:

SABIC Emergency Overview

- · Pellets with slight or no odor
- · Spilled material may create slipping hazard
- Can burn in a fire creating dense, toxic smoke
- Molten plastic can cause severe thermal burns
- Fumes produced during melt processing may cause eye, skin, and respiratory tract irritation. Severe over-exposure may result in nausea, headache, chills, and fever. See below for additional effects.
- Secondary operations, such as grinding, sanding, or sawing can produce dust which may present an explosion or respiratory hazard.

Other Information: Cool skin rapidly with cold water after contact with molten material. Heating can release

hazardous gases. Hazardous fumes can also occur in post-processing operations.

Processing Issues: Processing vapors may cause irritation to the eyes, skin, and respiratory tract. In cases of

severe exposure, nausea and headache can also occur. Grease-like processing vapor condensates on ventilation ductwork, molds, and other surfaces can cause irritation and

injury to skin.

Aggravated Medical Conditions: MEDICAL RESTRICTIONS: There are no known health effects aggravated by exposure to

this product. However, certain sensitive individuals and individuals with respiratory impairments may be affected by exposure to components in the processing vapors.

Product Name: PC5800-GC9AN Page 2 of 10 Revision date: 05-Jan-2016



3. COMPOSITION/INFORMATION ON INGREDIENTS

Product Type Mixture

For the full text of the H-statements, if mentioned in this section, see Section 16.

The non-hazardous components and exact percentage (concentration) of the composition have been withheld as a trade secret.

This product consists primarily of high molecular weight polymers which are not expected to be hazardous. The ingredients in this product are present within the polymer matrix and are not expected to be hazardous.

4. FIRST AID MEASURES

If Inhalation: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

If symptoms persist, call a physician.

On skin contact: Immediately cool the skin by rinsing with cold water after contact with hot material. Wash off

immediately with soap and plenty of water. Consult a physician.

On contact with eyes: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If eye irritation persists, consult a specialist.

On ingestion: No hazards which require special first aid measures.

Precautions: Processing vapors inhalation may be irritating to the respiratory tract. If symptoms are

experienced remove victim from the source of contamination or move victim to fresh air and

obtain medical advice.

Product Name: PC5800-GC9AN Page 3 of 10 Revision date: 05-Jan-2016



5. FIRE-FIGHTING MEASURES

630°C (1166°F) estimated **Autoignition Temperature:**

Explosive Limits

Not determined upper: Not determined lower:

Suitable Extinguishing Media: Use dry chemical, CO2, water spray or "alcohol" foam. Water is the best extinguishing

medium. Carbon dioxide and dry chemical are not generally recommended because their lack of cooling capacity may permit re-ignition on larger resin fires (blobs, drools, etc.).

for Safety Reasons:

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Hazards from Combustion

Products:

Fire will produce dense black smoke containing hazardous combustion products, carbon

oxides, hydrocarbon fragments.

Specific Hazards: Take precautionary measures against static discharges. During processing, dust may form

explosive mixture in air. Thermal decomposition can lead to release of irritating gases and

vapors.

Special Protective Equipment

for Firefighters:

In the event of fire, wear self-contained breathing apparatus (EU: NEN-EN137).

Exposure hazards: Do not release chemically contaminated water into drains, soil or surface water. Sufficient

measures must be taken to retain the water used for extinguishing. Dispose of

contaminated water and soil according to local regulations.

6. ACCIDENTAL RELEASE MEASURES

See section 8. **Personal Precautions:**

Environmental Precautions: Do not flush into surface water or sanitary sewer system. Material should not be released

into the environment.

Clean up: Sweep up and shovel into suitable containers for disposal. Do not create a powder cloud by

using a brush or compressed air.

7. HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practices Provide for

appropriate exhaust ventilation and dust collection at machinery Avoid dust formation All

metal parts of the mixing and processing equipment must be earthed

Store in closed container in a dry and cool area. Keep away from heat sources and sources Storage:

of ignition. Keep away from food, drink and animal feeding stuffs. Keep container tightly

closed in a dry and well-ventilated place.

Incompatible Products: Strong acids, strong oxidizing agents.

Product Name: PC5800-GC9AN Page 4 of 10 Revision date: 05-Jan-2016



8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: No components with information, unless noted below

*SABIC Recommended Exposure Limits have been established for certain chemicals.

Engineering Measures to

Reduce Exposure:

Handle in accordance with good industrial hygiene and safety practices. Provide for appropriate exhaust ventilation at machinery. Processing fume condensate may be a fire hazard and toxic; remove periodically from exhaust hoods, ductwork, and other surfaces

using appropriate personal protection.

Hand Protection: Protective gloves should be worn

Eye Protection: Safety glasses with side-shields or chemical goggles. In addition, use full-face shield when

cleaning processing vapor condensates from hood, ducts, and other surfaces.

Respiratory Protection: When using this product at elevated temperatures, implement engineering systems,

administrative controls or a respiratory protection program (including a respirator approved for protection from organic vapors, acid, gases, and particulate matter) if processing vapors are not adequately controlled or operators experience symptoms of overexposure. If dust or powder are produced from secondary operations such as sawing or grinding, use a

respirator approved for protection from dust.

Body Protection: Long sleeved clothing

Hygiene Measures: When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solid Appearance: Pellets

Color: Same as color code
Odor: None or slight

Melting point/range: This product does not exhibit a sharp melting point but softens gradually over a wide range

of temperatures.

Autoignition Temperature: 630°C (1166°F) estimated

Vapor Pressure:NegligibleWater Solubility:InsolubleEvaporation Rate:Negligible

Explosive Limits

upper: Not determinedlower: Not determined

Specific gravity: >1; (water = 1)
VOC content (%): Negligible

Product Name: PC5800-GC9AN Page 5 of 10 Revision date: 05-Jan-2016



10. STABILITY AND REACTIVITY

Reactivity: Not reactive under recommended conditions of handling, storage, processing and use. No

information available.

Stability: Stable under ambient conditions. Hazardous polymerization does not occur.

Conditions to Avoid: Avoid temperatures above 630°C. To avoid thermal decomposition, avoid elevated

temperatures. Heating can result in the formation of gaseous decomposition products, some of which may be hazardous. Do not exceed melt temperature recommendations in product literature. Purgings of hot material should be collected in small, flat, thin shapes and quenched with water to allow for rapid cooling. Do not allow product to remain in barrel

Process vapors under recommended processing conditions may include trace levels of

at elevated temperatures for extended periods of time.

Materials to Avoid: May react with strong oxidizing agents, strong acids or other highly reactive chemicals

Hazardous Decomposition

Products: hydrocarbons, phenols, alkylphenols, diarylcarbonates.

Product Name: PC5800-GC9AN Page 6 of 10 Revision date: 05-Jan-2016



11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information:

LD50/oral/rat: >5000 mg/kg **LD50/dermal/rabbit:** >2000 mg/kg

Component Information:

Component Information Text: No data available

<u>Sensitization</u>

Respiratory Sensitization: Not classified

Irritation:

Eye Irritation: no data available

Primary Irritation: Substance does not generally irritate and is only mildly irritating to the skin

Subchronic Toxicity (28 days)

Repeated Oral Toxicity(28d):
Repeated Dermal Toxicity(28d):
Subchronic Toxicity:

No information available
No information available

Chronic Toxicity

Carcinogenicity: There are no known carcinogenic chemicals in this product above de minimus reporting

levels, except as specifically mentioned below.

Mutagenic Effects: No data is available on the product itself

Reproductive Toxicity:No information available **Developmental Toxicity:**No information available.

Neurological effects: No information available.

Specific Target Organ

Toxicity(STOT)

Target Organ Effects: Not established.

Aspiration Hazard

Aspiration Hazard Statement: No data available

Other relevant toxicity information

IARC: Not listed
OSHA: Not regulated
NTP: Not tested

Remarks: The toxicological data has been taken from products of similar composition.

Special Studies: No Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

Component Information:

Product Information:

Persistence and Degradability

Biodegradation: Not inherently biodegradable

Product Name: PC5800-GC9AN Page 7 of 10 Revision date: 05-Jan-2016



Partition coefficient (n-octanol/water)

Not established.

Bioaccumulative Potential:

Bioaccumulation: Not established.

Mobility

Mobility: May be separated mechanically in waste water plants.

Other Adverse Effects

Ecotoxicity Effects: Do not flush into surface water or sanitary sewer system.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused

products:

Where possible recycling is preferred to disposal or incineration. Descartar em

conformidade con as legislação locals.

Contaminated Packaging: Empty containers should be transported/delivered using a registered waste carrier for local

recycling or waste disposal.

Waste Disposal: Recycling is encouraged. Landfill or incinerate in accordance with federal, state and local

requirements. Collected processing fume condensates and incinerator ash should be

tested to determine waste classification.

14. TRANSPORT INFORMATION

Transport Classification: Not regulated as hazardous for shipment, unless noted below, under current transportation

guidelines.

IMO / IMDG Not regulated

ICAO Not regulated

<u>IATA-DGR</u> Not regulated

DOT Not regulated

ADR/RID Not regulated

ADR Not regulated

ADN Not regulated

Product Name: PC5800-GC9AN Page 8 of 10 Revision date: 05-Jan-2016



15. REGULATORY INFORMATION

International Inventories:

TSCA (USA): Listed DSL (Canada): Listed **EINECS/ELINCS (Europe):** Listed **ENCS (Japan):** Listed IECSC (China): Listed **KECL** (Korea): Listed PICCS (Philippines): Listed AICS (Australia): Listed NZIoC (New Zealand): Listed

Other Inventory Information:

A "Listed" entry above means all chemical components are on the respective inventory list and/or a qualifying exemption exists for one or more components. A "Not listed" entry above indicates one or more components is restricted from import or manufacture into that country/region. Articles are exempt from registration and are therefore not listed on the national chemical inventories.

SVHC (REACH Regulation (EC) No 1907/2006 and 453/2010, as amended):

This product does not intentionally contain SVHC chemicals except as noted below. Incidental amounts of impurities, if present, would be below the threshold limit of 0.1% by weight.

SARA (313) Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA):

This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA (311, 312) hazard class:

Acute Health Hazard N
Chronic Health Hazard N
Fire Hazard N
Sudden Release of Pressure Hazard N
Reactive Hazard N

<u>Canada:</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR. Unless noted below, this product is non-controlled. Some classifications may not apply to the entire product.

California Proposition 65:

This product does not contain components known to the State of California to cause cancer and/or reproductive effects.

RoHS EU Directive 2011/65/EU:

The subject product is in compliance with EU RoHS Directive 2011/65/EU. All below chemicals are not employed in the manufacture of the product: a.Cadmium and its compounds, b.Lead and its compounds, c.Mercury and its compounds, d.Hexavalent chromium compounds, e.Polybrominated biphenyls (PBBs), f.Polybrominated diphenyl ethers (PBDEs including Deca-BDE). The trace levels of heavy metals may be present as impurities within threshold limits (<0.1% for Pb, Hg, Cr VI, and <0.01% for Cd). We are disclosing this information, to the best of our knowledge, based upon data from our raw material manufacturers.

Remarks:

This product consists primarily of high molecular weight polymers which are not expected to be hazardous. The ingredients in this product are present within the polymer matrix and are not expected to be hazardous.

HMIS Rating
Health: 0
Flammability: 1

Product Name: PC5800-GC9AN Page 9 of 10 Revision date: 05-Jan-2016



Reactivity: 0

16. OTHER INFORMATION

SABIC and brands marked with ™ are trademarks of SABIC or its subsidiaries or affiliates.

www.sabic.com

http://eur.sabic-ip.com/ordeur/pages/msds/MSDSSearch.jsp?app=sabic-ip

SDS Scope:

Singapore: Conforms to Singapore workplace Safety and Health (WSH) Act, WSH Regulations, and GHS Standard 586 China: Conforms to Chinese Regulation on the Control over Safety of Hazardous Chemicals (Decree No 591) and GHS standards GB15258,GB13698,GB/T16483 etc.

Japan: Conforms to Industrial Safety and Health Law (2006) and GHS related Standards JIS Z7253:2012

Korea: Conforms to Industrial Safety & Health Act, Ministry of Labor, Korea

Taiwan: Conforms to Taiwan Rules on Hazard Communication and Labeling of Hazardous Substances, (Council of Labor Affairs, Taiwan) and GHS standards Z1051

Thailand: Conforms to Notification of the Ministry of Industry on the System of Classification and Hazard Communication of Hazardous Substances B.E. 2555 (2012)

Australia: National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011 (2003)] This document is also applicable in other countries and regions.

Prepared by: Product Stewardship & Toxicology

DISCLAIMER: This Material Safety Data Sheet [MSDS] information is provided based on the Hazard Communication Regulations for your region or country and for the use of the persons required to receive this information under those regulations. The information is neither designed nor recommended for any other use or for use by any other person, including for compliance with other laws. Saudi Basic Industries Corporation does not warrant the suitability for use of this MSDS for any other material or product not specifically identified herein. Saudi Basic Industries Corporation does not warrant the accuracy or authenticity of this MSDS unless it has been obtained directly from Saudi Basic Industries Corporation, or posted or viewed on a Saudi Basic Industries Corporation website. Modification of this MSDS, unless specifically authorized by Saudi Basic Industries Corporation, is strictly prohibited. This MSDS is based on information, that is believed to be reliable, but may be subject to change as new information becomes available. Because it is not possible to anticipate all conditions of use, additional safety precautions may be required. Since the use of this material is not under Saudi Basic Industries Corporation control, each user is responsible for making its own determination as to the safe and proper handling of this material in its own particular use of this material. Saudi Basic Industries Corporation MAKES NO REPRESENTATION OR WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each user should read and understand this information and incorporate it into individual site safety programs as required by applicable hazard communication standards and regulations.

End of Safety Data Sheet

Product Name: PC5800-GC9AN Page 10 of 10 Revision date: 05-Jan-2016

MRITEK 錸德科技股份有限公司

MATERIAL SAFETY DATA SHEET

The emergency phone number : +886-3-5985696

(1) PRODUCT IDENTIFICATION

TRADE NAME: RITEK CD-R DYE

CHEMICAL FAMILY: Phthalocyanine Dye

(2) Composition/Information on Ingredients

Chemical Characterization: Copper phthalocyanine derivative Hazardous Component(s): No dangerous components known

(3) Hazards Identification

No special hazards

(4) First Aid Measures

Inhalation: Move to fresh air .If you feel unwell, medical advice

Skin contact: Take off all contaminated clothing immediately. Wash off immediately

with soap and plenty of water.

Eye contact: Rinse immediately with plenty of water.

Ingestion: Rinse mouth. Drink plenty of water

Miscellaneous: Consult a physician

(5) Fire-Fighting Measures

Extinguishing Media:

-suitable : Water mist ,carbon dioxide ,foam ,dry powder

-unsuitable: -

Special Exposure Hazards: Do not release chemically contaminated water into drains,

soil or surface water ,Sufficient measures must be taken to retain the water used for extinguishing , Dispose of contaminated water and soil according to local regulations

(6) Accidental Release Measures

Personal Precautions: Do not ingest or breathe in, Avoid contact with skin, eyes and Clothing

Environmental Precautions: Prevent contamination of soil, drains and surface water Measures in Case of Spillage: Take p mechanically and collect in suitable container for disposal. Avoid dust formation. Prevent product

from entering drains. Wear full protective clothing and

particulate respirator

(7) Handing and Storage

Spec.Fire and Expl. Precautions: Avoid dust formation. Dust clouds from finely particulate pigments may be hazardous (dust explosion risk). Take precautionary measures against static discharges. Keep away from heat and sources of ignition

Storage Conditions: Store at room temperature in the original container

Technical Protective Measures: Provide appropriate exhaust ventilation at places

where dust is formed

(8) Exposure Controls/Personal Protection

Exposure Limit(s): See Other Information, Pos 16

Workplace Hygiene: Keep away form food and drink .Follow good industrial hygiene practice

Protective Measures:

-Respiratory Protection: Particulate respirator must be worm if exposed to dust

-Hand Protection: Wear suitable gloves

-Eye Protection: Wear suitable goggles

-Skin and Body Protection: Wear full protective suit

(9) Physical and Chemical Properties

Form: powder Colour: green Odour: odourless

Melting point/range : ca.300°C Flash point : not applicable

Flammability(solid,gas): not applicable Ignition point: 410°C,BAM(fluidized dust)

Burning behaviour : Class 5-5 : combustion with flame or sparks at 20°C

Combustion with flame or sparks at 100°C

Density: not determined Water solubility: insoluble PH-Value: not determined

Partition Coeffic. log Pow: not determined

HAZADOUS POLYMERIZATION: Will not occur.

(10) Stability and Reactivity

Thermal Stability: No thermal effect found between room temperature and 500°C

Materials to avoid: None know

Hazard. Decomp. Products: Thermal decomposition can lead to release of irritating

Gases and vapours

(11)Toxicological Information

Acute Oral Toxicity: LD50>2000mg/kg Species: Rat Skin Irritation acute: non-irritating Species: Rabbit Eye Irritation acute: non-irritating Species: Rabbit

Sensitization skin: No evidence of skin sensitization

Toxicity data based on tests on similar product

(12) Ecological Information

Biodegr. In Aqueous Systems: Barely wear soluble product

Environmental Impact Statement: Based on studies from similar products in not

expected to pose a hazard to the environment

(13) Disposal Considerations

Disposal: Buming or disposal in accordance with local regulations for chemical waste

EWC Code: 070399

(14)Transport Information

Transport Rail way and Road: RID/ADR Class: FREE
Transport Air: IATA Class: FREE
Transport Sea: IMDG Class: FREE

(15)Regulatory Information

Declaration: Caution-substance not yet fully tested

(16)Other Information

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulations. The information contained herein is based on the present state of our knowledge to describe our product from the point of view of safety requirements. It should therefore not be construed as guaranteeing specific properties

Changes to last Edition:

Change in product name. Earlier MSDS used the "Previous designation" name

Section 2: Hazardous Component(s) Section 3: Hazards Identification Section 11: Sensitization Skin

Section 15 : All Section 16 : All



SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS Name: Aluminum Target

Manufacturer/Supplier: SOLAR APPLIED MATERIALS TECHNOLOGY CORP.

Using suggestion and restrictions: Sputtering Targets

Add: NO.1, Gongye 3rd RD., Annan Dis., Tainan City 70955, Taiwan.

Emergency Number: 886-6-5110123

Fax: 886-6-3841758

SECTION 2 - HAZARDS IDENTIFICATION

Hazardous Material (Category: —	
Hazard Symbols: —		
Sing: —		
Warn: —		
Hazard Statements:	Solid. No related harmful information available	

SECTION 3 - COMPOSITION, INFORMATION ON INGREDIENTS

Pure material

CAS-No:	07429-90-5	EC-Index-No:	_
Percent:	≒100wt%	EC-No:	
Formula Hill:	Aluminum		

Mixtures:

Chemical properties: —	
	Concentration or concentration ranges (ingredient percentage)
_	_

SECTION 4 -First-aid measures

The first aid measures for different exposure routes:

inhalation: 1. remove to places for fresh air. 2. If breathing is stopped, execute artificial respiration. 3. Keep the injured person warm and rest. 4. Seek for medical treatment immediately.

skin contact: 1.Remove contaminated clothing immediately 2. Flush with water as least 15 minutes.

eye contact: 1. Flush eyes with Plenty of water. 2. Seek for medical treatment immediately.

ingestion: Seek for medical treatment immediately.

SECTION 5 – FIRE-FIGHTING MEASURES

Suitable fire extinguishing media: In the light of the around fire, choose Suitable fire extinguishing media.

Specific hazards may be encountered during fire-fighting: 1.Non-combustible If existence by massive form. 2.If the fine powder contacts fire, there is the risk of having fire.3. May produce the noxious gas during combustion. Need to wear



appropriate protective clothing and breathing apparatus.

Specific fire-fighting methods: 1. In the condition of safety, remove containers from scene on fire.

2. Cool the storage tank or the vessel in scene on fire by mist or water.

Special equipment for the protection of firefighters: —

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions:

Avoid skin contact. Need to wear breathing apparatus if there is dust.

Environmental precautions: —

Methods for cleaning up:

Containment of the leakage of material. Deal with the leakage of material by Appropriate containers

SECTION 7 - HANDLING AND USE

Handling:

Wear personal protective suit when operation. Avoid inhalation of dust. Avoid contacting with skin or eyes.

Storage:

Store in a cool, dry and well-ventilated place. Keep away from incompatible material.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

Engineering control:			
Control parameters:			
8 hours time weighted average exposure limits TWA		maximum exposure limits biological standards CEILING	BEIs
_	_	_	_

Personal protective equipment: (Exposed in the state of pulverulence)

Respiratory protection: Respiratory apparatus

Hand protection: Protective gloves

Eye protection: Chemical protective glasses or safety goggles

Skin and body protection: Aprons, work shoes

Hygiene measures: 1. Take off the contamination clothes as soon as possible after

operation. 2.No smoking or the diet in the workplace. 3. After processing this thing, wash hands thoroughly with soap4.

Maintain the workplace clean.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

physical state: Solid · white	Odor: —
Odor threshold: N/E or N/A	Melting point: 660°C
pH value;—	Boiling point/boiling point range: 2327°C
Flammability (solid, gas): N/E or N/A	Flash point: −°F °C
	Test method: —



Decomposition temperature: N/E or N/A	Explosion limits: N/E or N/A
Auto-ignition temperature: N/E or N/A	Vapor density: N/E or N/A
Vapor pressure : 1 @ 1284°C	Solubility: Insoluble
Density: 2.7	Evaporation rate: N/E or N/A
Partition coefficient(n-octanol/water,log	
Kow): —	

SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable Under the normal condition

Possible hazardous reactions under specific conditions: —

Conditions to avoid: Avoid generating dust

Materials to avoid: Strong acid · Alkali. If getting wet, Aluminum powder will turn up

self-heating.

Hazardous decomposition products: —

SECTION 11 – TOXICOLOGICAL INFORMATION:

Routes of exposure: Excessive inhalation of the Aluminum powder will cause

damage to lungs.

Symptoms:

 $LD50 : \geq - mg/kg$

 $LC50 : \ge -mg/m^3/4H$ LDL0 : -mg/kg

Chronic toxicity or long term toxicity: —

SECTION 12 - ECOLOGICAL INFORMATION:

Ecotoxicity: —

 ${\bf Persistence\ and\ degradability:} -$

 ${\bf Bioaccumulative\ potential:} -$

Mobility in soil: -

Other adverse effects: —

SECTION 13 - DISPOSAL CONSIDERATIONS

Methods of waste disposal: Disposal in accordance with the present laws and regulations.

SECTION 14 - TRANSPORT INFORMATION

United Nations number (UN No): No information available

UN Proper shipping name: No information available **Transport hazard class(es):** No information available

Packing group: No information available

Marine pollutant(Yes/No):No

SECTION 15 - REGULATORY INFORMATION

Applicable regulations: In accordance with the present laws and regulations.



SECTION 16 - OTHER INFORMATION

Issued By: SOLAR APPLIED MATERIALS TECHNOLOGY CORP.

Creation Date: NOVEMBER 2011

The information above is believed to be accurate and represents the best information which is currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.