



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8K1047

Client Sample ID: Foster Island #40

Sample Matrix: Drinking Water

Lab Sample ID: J8K1047-02

Collected By: RM-Client

Collection Date: 11/13/2018 13:15


Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Volatile Organic Compounds - GC/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 524.2, Rv 4.1								
Benzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Bromobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Bromochloromethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Bromodichloromethane	<0.50		0.50	ug/L			11/26/18 1559	RSD
Bromoform	<0.50		0.50	ug/L			11/26/18 1559	RSD
Bromomethane	<0.50		0.50	ug/L			11/26/18 1559	RSD
tert-Butylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
sec-Butylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
n-Butylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Carbon tetrachloride	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Chlorobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Chloroethane (Ethyl chloride)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Chloroform	<0.50		0.50	ug/L			11/26/18 1559	RSD
Chloromethane	<0.50		0.50	ug/L			11/26/18 1559	RSD
2-Chlorotoluene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
4-Chlorotoluene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Dibromochloromethane	<0.50		0.50	ug/L			11/26/18 1559	RSD
Dibromomethane (Methylene bromide)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,4-Dichlorobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,2-Dichlorobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,3-Dichlorobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Dichlorodifluoromethane (Freon-12)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,2-Dichloroethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,1-Dichloroethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
trans-1,2-Dichloroethene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
cis-1,2-Dichloroethene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,1-Dichloroethene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,3-Dichloropropane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
2,2-Dichloropropane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,2-Dichloropropane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,1-Dichloropropene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
trans-1,3-Dichloropropene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
cis-1,3-Dichloropropene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Ethylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Hexachlorobutadiene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Isopropylbenzene (Cumene)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
4-Isopropyltoluene (p-Isopropyltoluene)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Methyl tert-butyl ether (MTBE)	<0.50	10 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Methylene chloride (Dichloromethane)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Naphthalene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
n-Propylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD

Microbac Laboratories, Inc.

3821 Buck Dr. | Cortland, NY 13045 | 607-753-3403 p | www.microbac.com

Page 3 of 11



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8K1047

Client Sample ID:	Foster Island #40	Collected By:	RM-Client
Sample Matrix:	Drinking Water	Collection Date:	11/13/2018 13:15
Lab Sample ID:	J8K1047-02		

Volatile Organic Compounds - GC/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Styrene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,1,1,2-Tetrachloroethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,1,2,2-Tetrachloroethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Tetrachloroethene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Toluene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,2,4-Trichlorobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,2,3-Trichlorobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,1,1-Trichloroethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,1,2-Trichloroethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Trichloroethene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Trichlorofluoromethane (Freon 11)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,2,3-Trichloropropane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,2,4-Trimethylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
1,3,5-Trimethylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Vinyl chloride	<0.50	2 NYVOA	0.50	ug/L			11/26/18 1559	RSD
m,p-Xylene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
o-Xylene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Xylenes (total)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1559	RSD
Surrogate: 4-Bromofluorobenzene	87.7	Limit: 70-130		% Rec			11/26/18 1559	RSD
Surrogate: 1,2-Dichlorobenzene-d4	86.1	Limit: 70-130		% Rec			11/26/18 1559	RSD



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8K1047

Client Sample ID: Foster Island #41

Sample Matrix: Drinking Water

Lab Sample ID: J8K1047-03

Collected By: RM-Client

Collection Date: 11/13/2018 13:25

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Volatile Organic Compounds - GC/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 524.2, Rv 4.1								
Benzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Bromobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Bromochloromethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Bromodichloromethane	<0.50		0.50	ug/L			11/26/18 1622	RSD
Bromoform	<0.50		0.50	ug/L			11/26/18 1622	RSD
Bromomethane	<0.50		0.50	ug/L			11/26/18 1622	RSD
tert-Butylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
sec-Butylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
n-Butylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Carbon tetrachloride	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Chlorobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Chloroethane (Ethyl chloride)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Chloroform	<0.50		0.50	ug/L			11/26/18 1622	RSD
Chloromethane	<0.50		0.50	ug/L			11/26/18 1622	RSD
2-Chlorotoluene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
4-Chlorotoluene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Dibromochloromethane	<0.50		0.50	ug/L			11/26/18 1622	RSD
Dibromomethane (Methylene bromide)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,4-Dichlorobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,2-Dichlorobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,3-Dichlorobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Dichlorodifluoromethane (Freon-12)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,2-Dichloroethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,1-Dichloroethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
trans-1,2-Dichloroethene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
cis-1,2-Dichloroethene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,1-Dichloroethene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,3-Dichloropropane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
2,2-Dichloropropane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,2-Dichloropropane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,1-Dichloropropene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
trans-1,3-Dichloropropene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
cis-1,3-Dichloropropene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Ethylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Hexachlorobutadiene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Isopropylbenzene (Cumene)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
4-Isopropyltoluene (p-Isopropyltoluene)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Methyl tert-butyl ether (MTBE)	<0.50	10 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Methylene chloride (Dichloromethane)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Naphthalene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
n-Propylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD

Microbac Laboratories, Inc.

3821 Buck Dr. | Cortland, NY 13045 | 607-753-3403 p | www.microbac.com

Page 5 of 11



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8K1047

Client Sample ID: Foster Island #41

Sample Matrix: Drinking Water

Lab Sample ID: J8K1047-03

Collected By: RM-Client

Collection Date: 11/13/2018 13:25

Volatile Organic Compounds - GC/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Styrene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,1,1,2-Tetrachloroethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,1,2,2-Tetrachloroethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Tetrachloroethene	0.87	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Toluene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,2,4-Trichlorobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,2,3-Trichlorobenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,1,1-Trichloroethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,1,2-Trichloroethane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Trichloroethene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Trichlorofluoromethane (Freon 11)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,2,3-Trichloropropane	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,2,4-Trimethylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
1,3,5-Trimethylbenzene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Vinyl chloride	<0.50	2 NYVOA	0.50	ug/L			11/26/18 1622	RSD
m,p-Xylene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
o-Xylene	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Xylenes (total)	<0.50	5 NYVOA	0.50	ug/L			11/26/18 1622	RSD
Surrogate: 4-Bromofluorobenzene	89.1	Limit: 70-130		% Rec			11/26/18 1622	RSD
Surrogate: 1,2-Dichlorobenzene-d4	88.1	Limit: 70-130		% Rec			11/26/18 1622	RSD