

## ELMIRA WATER BOARD

Elmira, New York

Bids for Estimated 2021 Requirements for:

### GATE VALVE REQUIREMENTS

will be received by the Elmira Water Board at its offices at 261 West Water Street, Elmira, New York 14901 until 1:30 PM, EST, on Tuesday, October 20, 2020. At this time the bids will be opened and read publicly.

<u>Description</u>	<u>Size</u>	<u>Quantity</u>
Ken- Seal Figure 7571SS, Mechanical Joint - OPEN RIGHT <b>WITHOUT ACCESSORIES</b>	4"	10
	6"	65
	8"	35
	10"	2
	12"	4
<hr/>		
Kennedy Valve Butterfly Valves Style 4500 or equal Mechanical Joint - with Buried Operator OPEN RIGHT <b>WITHOUT ACCESSORIES</b>	16"	2
	20 "	2
	24"	2
<hr/>		
Kennedy Valve R/W Valve Figure 7571BMSS or equal Mechanical Joint - OPEN RIGHT Meeting AWWA Standard C515 <b>WITHOUT ACCESSORIES</b>	16"	2
<hr/>		
Kennedy Valve R/W Valve Figure 7571SS or equal Mechanical Joint - OPEN RIGHT with vertical gearing Meeting AWWA Standard C515 <b>WITHOUT ACCESSORIES</b>	16"	2
<hr/>		

Kennedy Valve R/W Valve Figure 7571SS or equal Mechanical Joint - OPEN RIGHT with horizontal gearing Meeting AWWA Standard C515 <b>WITHOUT ACCESSORIES</b>		16"	2
Kennedy Valve R/W Figure 7571SS Mechanical Joint - OPEN RIGHT with vertical gearing Meeting AWWA Standard C515 <b>WITHOUT ACCESSORIES</b>		20"	2
		24"	2
Kennedy Valve R/W Figure 7571SS Mechanical Joint - OPEN RIGHT with horizontal gearing Meeting AWWA Standard C515 <b>WITHOUT ACCESSORIES</b>		20"	2
		24"	2
		30"	2
American Flow Control Mechanical Joint - OPEN RIGHT Alpha XL <b>WITHOUT ACCESSORIES</b>	2504arafax	4"	10
	2506arafax	6"	65
	2508arafax	8"	15
	2510arafax	10"	2
	2512arafax	12"	4
Pratt Groundhog Butterfly Valves Mechanical Joint - with Buried Operator OPEN RIGHT AWWA Std. C504, Class 150B <b>WITHOUT ACCESSORIES</b>		16"	4
		20 "	2
		24"	2

American Flow Control, R/W Valve Series 2500	16"	2
Mechanical Joint - OPEN RIGHT NRS with spur gears	20"	2
<b>WITHOUT ACCESSORIES</b>	24"	2

---

American Flow Control, R/W Valve Series 2500	16"	2
Mechanical Joint - OPEN RIGHT NRS with bevel gears	20"	2
<b>WITHOUT ACCESSORIES</b>	24"	2

---

American Flow Control, R/W Valve Mechanical Joint - OPEN RIGHT Series 2500 NRS with bevel gears	30"	2
<b>WITHOUT ACCESSORIES</b>		

The above amounts are estimates only and the quantities actually ordered will be as needed to meet demands during 2021.

Bid price should include freight delivered to the Elmira Water Board's Maintenance Shop yard at 760 Bonview Street, Elmira, New York.

**Bids must be in sealed envelopes, ATTN: Denise Mullaney, and the quoted material designated on the outside of the envelope.** Standard Non-Collusive Bidding Certificate, Waiver of Immunity and Certification of Bidder regarding Equal Employment Opportunity must be signed and submitted with the bid.

The Board has the right to reject any or all bids and to re-advertise for new bids at its discretion.

2021 Gate Valve Requirements

BIDDER NAME: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

\_\_\_\_\_

PHONE: \_\_\_\_\_

FAX: \_\_\_\_\_

EMAIL: \_\_\_\_\_

QUOTATION SHEET

<u>ITEM #</u>	<u>SIZE</u>	<u>QUANTITY</u>	<u>UNIT COST</u>	<u>EXTENDED TOTAL</u>
Ken-Seal Figure 7571SS Mechanical Joint - OPEN RIGHT <b>Without Accessories</b>	4"	10	_____	_____
	6"	65	_____	_____
	8"	35	_____	_____
	10"	2	_____	_____
	12"	4	_____	_____

<u>ITEM #</u>	<u>SIZE</u>	<u>QUANTITY</u>	<u>UNIT COST</u>	<u>EXTENDED TOTAL</u>
Kennedy Valve Butterfly Valves Style 4500 or equal Mechanical Joint With Buried Operator OPEN RIGHT <b>Without Accessories</b>	16"	2	_____	_____
	20"	2	_____	_____
	24"	2	_____	_____

Kennedy Valve R/W Valve Figure 7571BMSS or equal Mechanical Joint OPEN RIGHT Meeting AWWA Standard C515 <b>Without Accessories</b>	16"	2	_____	_____
---	-----	---	-------	-------

Kennedy Valve R/W Valve Figure 7571SS or equal Mechanical Joint OPEN RIGHT with vertical gearing Meeting AWWA Standard C515 <b>Without Accessories</b>	16"	2	_____	_____
--	-----	---	-------	-------

QUOTATION SHEET

<u>ITEM #</u>	<u>SIZE</u>	<u>QUANTITY</u>	<u>UNIT COST</u>	<u>EXTENDED TOTAL</u>
Kennedy Valve R/W Figure 7571SS or equal Mechanical Joint OPEN RIGHT with horizontal gearing Meeting AWWA Standard C515 <b>Without Accessories</b>	16"	2	_____	_____
Kennedy Valve R/W Figure 7571SS Mechanical Joint OPEN RIGHT with vertical gearing Meeting AWWA Standard C515 <b>Without Accessories</b>	20"	2	_____	_____
	24"	2	_____	_____
Kennedy Valve R/W Figure 7571SS Mechanical Joint OPEN RIGHT with horizontal gearing Meeting AWWA Standard C515 <b>Without Accessories</b>	20"	2	_____	_____
	24"	2	_____	_____
	30"	2	_____	_____
American Flow Control Mechanical Joint - OPEN RIGHT Alpha XL <b>Without Accessories</b>	4"	10	_____	_____
	6"	65	_____	_____
	8"	15	_____	_____
	10"	2	_____	_____
	12"	4	_____	_____

QUOTATION SHEET

<u>ITEM #</u>	<u>SIZE</u>	<u>QUANTITY</u>	<u>UNIT COST</u>	<u>EXTENDED TOTAL</u>
Pratt Groundhog Butterfly Valves	16"	4	_____	_____
Mechanical Joint With Buried Operator	20"	2	_____	_____
OPEN RIGHT AWWA Std. C504 Class 150B <b>Without Accessories</b>	24"	2	_____	_____
<hr/>				
American Flow Control R/W Valve Series 2500	16"	2	_____	_____
Mechanical Joint OPEN RIGHT	20"	2	_____	_____
NRS with spur gears <b>Without Accessories</b>	24"	2	_____	_____
<hr/>				
American Flow Control R/W Valve Series 2500	16"	2	_____	_____
Mechanical Joint OPEN RIGHT	20"	2	_____	_____
NRS with bevel gears <b>Without Accessories</b>	24"	2	_____	_____
<hr/>				
American Flow Control R/W Valve Mechanical Joint- OPEN RIGHT Series 2500, NRS with bevel gears <b>Without Accessories</b>	30"	2	_____	_____
<hr/>			TOTAL PRICE DOLLARS \$ _____	