

ELMIRA WATER BOARD

Elmira, New York

Bids on estimated 2026 requirements for:

PRICING IS FOR JANUARY 1, 2026 through DECEMBER 31, 2026

HYDROFLUOROSILICIC ACID

will be received by the Elmira Water Board at its office at 261 West Water Street, Elmira, New York until 1:30 P.M., EST, on Tuesday, October 14, 2025, and at that time will be publicly opened and read.

The amounts below are estimates only and the quantities actually ordered will be needed to meet demands during 2026.

Bids must be in sealed envelopes, ATTN: Denise Mullaney, and the quoted material designated on the outside of the envelope. Standard Non-Collusive Bidding Certificate, Iranian Energy Divestment Certificate, Bidder's Statement on Sexual Harassment, Waiver of Immunity and Certification of Bidder regarding Equal Employment Opportunity must be signed and submitted with the bid.

The Board reserves the right to reject any or all bids and to re-advertise for new bids at its discretion.

<u>Amount</u>	-	Approximately 7,000 Gallons/Year
<u>Standard</u>	-	AWWA B703-89 NSF Certification.
<u>Bid Amount</u>	-	Price should be quoted in price per gallon delivered and should <u>include</u> any other charges (freight and shipping, Superfund, insurance surcharge, etc.) associated with the purchase of this product.
<u>Delivery</u>	-	All deliveries must be made in dedicated tanker/container used exclusively for the shipment of Hydrofluorosilicic acid to maintain product integrity and purity.

Each delivery to include the lot sample and certificate of analysis for that lot, as well as a current safety data sheet.

Provide a copy of NSF certification.

Vendor must have the capabilities to deliver product within ninety-six (96) hours.

Further, all deliveries of this product to the Filtration Plant, 1

Fountain Drive, Elmira, New York, shall be made between the hours of 7:00 AM to 3:00 PM, Monday through Friday unless otherwise stated on the purchase order.

Deliveries will be by bulk tanker in quantities requested by the Elmira Water Board not to exceed one thousand (1,000) gallons.

The method of chemical transfer shall be a truck compressor which will pressurize the tanker and push the product to our bulk storage tank. The dilutions shall be made at the manufacturer's or supplier's site, such that a homogenous, well-mixed product is received at the Elmira Water Board.

Invoicing - Invoices must be in the same unit of measurement as quoted on bid sheet. Specification compliance must be shown on purchase order contract.

Specification Compliance - The percent of Hydrofluoric Acid (% HF) must not **reach or** exceed 1%.