

Konicek Environmental Consulting, LLC

MEMORANDUM

To: Dan Jeserig
ICAP Development

Fr: Jack McMahon

Date: May 12, 2026

Re: Commercial Property
5600-5612 & 5632 West Florist Avenue
Milwaukee, WI

Per your request, KEC visited the above referenced property to assess the soils being disturbed during future parking lot improvements. In accordance with the sampling requirements described for Wis. Admin. Code ch. NR 718, KEC collected two soil samples from each of the two areas that are planned to be disturbed (HA-1 to HA-4). The soils generally consisted of topsoil and clay. The soil samples were collected at a depth of 1 foot bgs and submitted to Pace Analytical in Green Bay, WI for volatile organic compound (VOC) analysis.

There were no analytes identified above laboratory detection limits in any of the samples collected.

It is the opinion of KEC that no residual VOC soil contamination was identified in the areas assessed.

The soil table, sample location map, and laboratory report are attached.

If you should have any questions or if we may be of additional service, please call.

Sincerely,

Konicek Environmental Consulting, LLC



Jack R. McMahon, PMP
President

Table A.2. Soil Analytical Results
Commercial Property
5600-5612 & 5632 West Florist Avenue, Milwaukee, WI

Sample ID:	NR 720.10	NR 720.12							HA-1	HA-2	HA-3	HA-4
Sample Depth (ft BGS)	EPA RSL	EPA RSL							1'	1'	1'	1'
Sample Date:	RCL	Non-Industrial RCLs			Industrial RCLs				5/6/2026	5/6/2026	5/6/2026	5/6/2026
Soil Type									U	U	U	U
Lab Reported Parameters	GW Protection (DF=2)	NC	C	Not-to-Exceed D-C	BTV	NC	C	Not-to-Exceed D-C				
VOCs (ug/kg)												
Benzene	5.1	106000	1600	1600	---	587000	7070	7070	<17.0	<16.1	<16.9	<16.7
Bromobenzene	---	342000	---	342000	---	2370000	---	679000	<27.8	<26.4	<27.6	<27.3
Bromochloromethane	---	216000	---	216000	---	906000	---	906000	<19.5	<18.5	<19.4	<19.2
Bromodichloromethane	0.3255	626000	418	418	---	9340000	1830	1830	<17.0	<16.1	<16.9	<16.7
Bromoform	2.3	1560000	25400	25400	---	23400000	113000	113000	<314	<297	<312	<308
Bromomethane	5.1	9600	---	9600	---	43000	---	43000	<100	<94.8	<99.4	<98.2
n-Butylbenzene	---	3910000	---	108000	---	51100000	---	108000	<40.0	<38.0	<39.8	<39.3
sec-Butylbenzene	---	7820000	---	145000	---	102000000	---	145000	<29.3	<27.8	<29.1	<28.8
tert-Butylbenzene	---	7820000	---	183000	---	102000000	---	183000	<22.4	<21.2	<22.3	<22.0
Carbon tetrachloride	3.9	131000	916	916	---	786000	4030	4030	<15.7	<14.9	<15.6	<15.4
Chlorobenzene (monochlorobenzene)	---	370000	---	370000	---	1870000	---	761000	<8.5	<8.1	<8.5	<8.4
Chloroethane	226.6	---	---	---	---	---	---	---	<30.1	<28.5	<29.9	<29.6
Chloroform	3.3	259000	454	454	---	1420000	1980	1980	<51.1	<48.4	<50.7	<50.2
Chloromethane	16	159000	---	159000	---	669000	---	669000	<27.1	<25.7	<26.9	<26.6
2-Chlorotoluene	---	1560000	---	907000	---	23400000	---	907000	<23.1	<21.9	<23.0	<22.7
4-Chlorotoluene	---	1560000	---	253000	---	23400000	---	253000	<27.1	<25.7	<26.9	<26.6
1,2-Dibromo-3-chloropropane	0.1728	5960	8	8	---	34500	92	92	<56.3	<52.5	<55.0	<54.4
Dibromochloromethane	32	1560000	8280	8280	---	23400000	38900	38900	<244	<231	<242	<239
1,2-Dibromoethane (EDB)	0.0282	100000	50	50	---	470000	221	221	<19.5	<18.5	<19.4	<19.2
Dibromomethane	---	34000	---	34000	---	143000	---	143000	<21.1	<20.0	<21.0	<20.7
1,2-Dichlorobenzene	1200	2350000	---	376000	---	13000000	---	376000	<25.0	<23.7	<24.8	<24.5
1,3-Dichlorobenzene	1152.8	---	---	297000	---	---	---	297000	<21.0	<19.9	<20.8	<20.6
1,4-Dichlorobenzene	140	3810000	3740	3740	---	32100000	16400	16400	<21.9	<20.8	<21.8	<21.5
Dichlorodifluoromethane	3100	126000	---	126000	---	530000	---	530000	<30.7	<29.1	<30.5	<30.1
1,1-Dichloroethane	480	15600000	5060	5060	---	234000000	22200	22200	<18.3	<17.3	<18.1	<17.9
1,2-Dichloroethane	2.8	43700	652	652	---	197000	2870	2870	<16.4	<15.5	<16.3	<16.1
1,1-Dichloroethene	5	320000	---	320000	---	1430000	---	1190000	<23.7	<22.4	<23.5	<23.3
cis-1,2-Dichloroethene	41	77000	---	77000	---	498000	---	498000	<15.3	<14.5	<15.2	<15.0
trans-1,2-Dichloroethene	63	98500	---	98500	---	433000	---	433000	<15.6	<14.8	<15.5	<15.3
1,2-Dichloropropane	3.3	22600	3400	3400	---	95600	15000	15000	<17.0	<16.1	<16.9	<16.7
1,3-Dichloropropane	---	1560000	---	1490000	---	23400000	---	1490000	<15.5	<14.7	<15.4	<15.3
2,2-Dichloropropane	---	---	---	527000	---	---	---	191000	<19.3	<18.3	<19.1	<18.9
1,1-Dichloropropene	---	---	---	---	---	---	---	---	<23.1	<21.9	<23.0	<22.7
cis-1,3-Dichloropropene	0.3	---	---	1220000	---	---	---	1210000	<47.1	<44.6	<46.8	<46.2
trans-1,3-Dichloropropene	0.3	---	---	1510000	---	---	---	1510000	<204	<193	<203	<200
Diisopropyl ether	---	3220000	---	2260000	---	13500000	---	2260000	<17.7	<16.8	<17.6	<17.4
Ethylbenzene	1600	2680000	8020	8020	---	22200000	35400	35400	<17.0	<16.1	<16.9	<16.7
Hexachloro-1,3-butadiene (hexachlorobutadiene)	---	78200	1630	1630	---	1170000	7190	7190	<142	<134	<141	<139
Isopropylbenzene (Cumene)	---	2530000	---	268000	---	13800000	---	268000	<24.4	<23.1	<24.2	<23.9
p-Isopropyltoluene	---	---	---	162000	---	---	---	162000	<24.2	<23.0	<24.1	<23.8
Methylene chloride	2.6	379000	61800	61800	---	3800000	1150000	1150000	<19.8	<18.8	<19.7	<19.5
Methyl-tert-butyl ether (MTBE)	27	22100000	63800	63800	---	93000000	282000	282000	<21.0	<19.9	<20.8	<20.6
Naphthalene	658.2	178000	5520	5520	---	830000	24100	24100	<30.0	<28.4	<29.8	<29.5
n-Propylbenzene (propyl benzene)	---	4490000	---	264000	---	32100000	---	264000	<23.3	<22.1	<23.1	<22.9
Styrene	220	7410000	---	867000	---	47200000	---	867000	<18.3	<17.3	<18.1	<17.9
1,1,1,2-Tetrachloroethane	53.4	2350000	2780	2780	---	35000000	12300	12300	<17.1	<16.2	<17.0	<16.8
1,1,2,2-Tetrachloroethane	0.16	1560000	810	810	---	23400000	3600	3600	<25.8	<24.5	<25.7	<25.4
Tetrachloroethene	4.5	109000	33000	33000	---	547000	145000	145000	<27.7	<26.2	<27.5	<27.2
Toluene	1100	5240000	---	818000	---	55300000	---	818000	<22.6	<21.4	<22.4	<22.2
1,2,3-Trichlorobenzene	---	62600	---	62600	---	934000	---	934000	<79.4	<75.3	<78.9	<78.0
1,2,4-Trichlorobenzene	410	80800	24000	24000	---	366000	113000	113000	<58.8	<55.7	<58.4	<57.7
1,1,1-Trichloroethane	140.2	11500000	---	640000	---	51000000	---	640000	<18.3	<17.3	<18.1	<17.9
1,1,2-Trichloroethane	3.2	2160	1590	1590	---	9110	7010	7010	<26.0	<24.6	<25.8	<25.5
Trichloroethene	3.6	5680	1300	1300	---	26700	8410	8410	<26.7	<25.3	<26.5	<26.2
Trichlorofluoromethane	4500	23500000	---	1230000	---	350000000	---	1230000	<20.7	<19.6	<20.6	<20.3
1,2,3-Trichloropropane	52	6940	5.1	5.1	---	29600	109	109	<34.7	<32.9	<34.4	<34.0
1,2,4-Trimethylbenzene	---	373000	---	219000	---	2390000	---	219000	<21.2	<20.1	<21.1	<20.9
1,3,5-Trimethylbenzene	---	339000	---	182000	---	2060000	---	182000	<23.0	<21.8	<22.8	<22.6
Trimethylbenzenes (total)	1400 (1,2,4 and 1,3,5 combined)	---	---	---	---	---	---	---	<44.2	<41.9	<43.9	<43.5
Vinyl Chloride	0.138	89200	67	67	---	515000	2080	2080	<14.4	<13.7	<14.3	<14.2
m&p-Xylene	---	1581000	---	778000	---	6890000	---	778000	<41.0	<38.9	<40.7	<40.3
o-Xylene	---	915000	---	434000	---	4010000	---	434000	<23.2	<22.0	<23.1	<22.8
Xylenes (total)	4000 (m,o, and p combined)	818000	---	260000	---	3570000	---	260000	<64.2	<60.9	<63.8	<63.1

Notes:

ug/kg = micrograms per kilogram

mg/kg = milligrams per kilogram

--- = Not Analyzed OR No Standard Established

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit detection limit

Exceedences (Non-Industrial):

Bold = exceeds NR 720.10 EPA RSL RCL GW Protection (DF=2) value

Italicized = exceeds NR 720.12 EPA RSL RCL NC value

Underline = exceeds NR 720.12 RSL SCL C value

value/= exceeds NR 720.12 RSL RCL Not to Exceed D-C value

BTV - Background Threshold Value

PAHs - Polycyclic Aromatic Hydrocarbons

PCBs - Polychlorinated Biphenyls

VOCs - Volatile Organic Compounds

Bordered cells exceed the NR 720 BTV

S - Saturated Soil Sample

U - Unsaturated Soil Sample


Exceedences (Industrial):

Italicized = exceeds NR 720.12 EPA RSL RCL NC value

Underline = exceeds NR 720.12 RSL SCL C value

value/= exceeds NR 720.12 RSL RCL Not to Exceed D-C value

SITE MAP





May 11, 2026

Jack McMahon
KONICEK ENVIRONMENTAL
1032 S Spring St
Port Washington, WI 53074

RE: Project: FLORIST
Pace Project No.: 40312052

Dear Jack McMahon:

Enclosed are the analytical results for sample(s) received by the laboratory on May 07, 2026. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Hayden Putt".

Hayden Putt
hayden.putt@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Greg Konicek, KONICEK ENVIRONMENTAL
Ken Konicek, KONICEK ENVIRONMENTAL
Aaron Lofburg, Konicek Environmental Consulting LLC
Jack McMahon, KONICEK ENVIRONMENTAL



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Table of Contents

Sections:

Section 1: Cert Page	3
Section 2: Sample Summary	4
Section 3: Sample Analyte	5
Section 4: Results	6
Section 5: Quality Control	14
Section 6: Qualifiers	19
Section 7: QC Cross Reference	20
Section 8: Chain of Custody	21
8.1: Chain of Custody	21

1

2

3

4

5

6

7

8



CERTIFICATIONS

Project: FLORIST
Pace Project No.: 40312052

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Illinois EPA Certification # 200050
Kentucky UST DEP Certification # 123059
Minnesota DOH Certification # 055-999-334
North Dakota DEQ Certification # R-150
South Carolina DES Certification # 83006001
USDA APHIS Foreign Soil Permit # 525-24-3-36355
Virginia VELAP Certification # 460263
Wisconsin DNR Certification # 405132750

Florida DOH Certification # E87948
ISO/IEC 17025 (A2LA) Certification # 6154.01
Louisiana DEQ Certification # 04168
New York DOH Certification # 12064
ISO/IEC 17025 (A2LA) Certification # 6154.01
Texas TCEQ Certification # T104704529
U.S. Fish & Wildlife Service Permit # 51774A
Wisconsin DATCP Certification # 444

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



SAMPLE SUMMARY

Project: FLORIST
Pace Project No.: 40312052

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40312052001	HA-1(1')	Solid	05/06/26 14:00	05/07/26 12:35
40312052002	HA-2(1')	Solid	05/06/26 14:05	05/07/26 12:35
40312052003	HA-3(1')	Solid	05/06/26 14:10	05/07/26 12:35
40312052004	HA-4(1')	Solid	05/06/26 14:15	05/07/26 12:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: FLORIST
Pace Project No.: 40312052



Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40312052001	HA-1(1')	EPA 8260	ALD	64	PASI-G
		ASTM D2974	MCH	1	PASI-G
40312052002	HA-2(1')	EPA 8260	ALD	64	PASI-G
		ASTM D2974	MCH	1	PASI-G
40312052003	HA-3(1')	EPA 8260	ALD	64	PASI-G
		ASTM D2974	MCH	1	PASI-G
40312052004	HA-4(1')	EPA 8260	ALD	64	PASI-G
		ASTM D2974	MCH	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: FLORIST
Pace Project No.: 40312052

Sample: HA-1(1') Lab ID: 40312052001 Collected: 05/06/26 14:00 Received: 05/07/26 12:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Benzene	<17.0	ug/kg	28.5	17.0	1	05/08/26 09:08	05/09/26 03:48	71-43-2	
Bromobenzene	<27.8	ug/kg	71.3	27.8	1	05/08/26 09:08	05/09/26 03:48	108-86-1	
Bromochloromethane	<19.5	ug/kg	71.3	19.5	1	05/08/26 09:08	05/09/26 03:48	74-97-5	
Bromodichloromethane	<17.0	ug/kg	71.3	17.0	1	05/08/26 09:08	05/09/26 03:48	75-27-4	
Bromoform	<314	ug/kg	357	314	1	05/08/26 09:08	05/09/26 03:48	75-25-2	
Bromomethane	<100	ug/kg	357	100	1	05/08/26 09:08	05/09/26 03:48	74-83-9	
n-Butylbenzene	<40.0	ug/kg	71.3	40.0	1	05/08/26 09:08	05/09/26 03:48	104-51-8	
sec-Butylbenzene	<29.3	ug/kg	71.3	29.3	1	05/08/26 09:08	05/09/26 03:48	135-98-8	
tert-Butylbenzene	<22.4	ug/kg	71.3	22.4	1	05/08/26 09:08	05/09/26 03:48	98-06-6	
Carbon tetrachloride	<15.7	ug/kg	71.3	15.7	1	05/08/26 09:08	05/09/26 03:48	56-23-5	
Chlorobenzene	<8.5	ug/kg	71.3	8.5	1	05/08/26 09:08	05/09/26 03:48	108-90-7	
Chloroethane	<30.1	ug/kg	357	30.1	1	05/08/26 09:08	05/09/26 03:48	75-00-3	
Chloroform	<51.1	ug/kg	357	51.1	1	05/08/26 09:08	05/09/26 03:48	67-66-3	
Chloromethane	<27.1	ug/kg	71.3	27.1	1	05/08/26 09:08	05/09/26 03:48	74-87-3	
2-Chlorotoluene	<23.1	ug/kg	71.3	23.1	1	05/08/26 09:08	05/09/26 03:48	95-49-8	
4-Chlorotoluene	<27.1	ug/kg	71.3	27.1	1	05/08/26 09:08	05/09/26 03:48	106-43-4	
1,2-Dibromo-3-chloropropane	<55.3	ug/kg	357	55.3	1	05/08/26 09:08	05/09/26 03:48	96-12-8	v2
Dibromochloromethane	<244	ug/kg	357	244	1	05/08/26 09:08	05/09/26 03:48	124-48-1	
1,2-Dibromoethane (EDB)	<19.5	ug/kg	71.3	19.5	1	05/08/26 09:08	05/09/26 03:48	106-93-4	
Dibromomethane	<21.1	ug/kg	71.3	21.1	1	05/08/26 09:08	05/09/26 03:48	74-95-3	
1,2-Dichlorobenzene	<25.0	ug/kg	71.3	25.0	1	05/08/26 09:08	05/09/26 03:48	95-50-1	
1,3-Dichlorobenzene	<21.0	ug/kg	71.3	21.0	1	05/08/26 09:08	05/09/26 03:48	541-73-1	
1,4-Dichlorobenzene	<21.9	ug/kg	71.3	21.9	1	05/08/26 09:08	05/09/26 03:48	106-46-7	
Dichlorodifluoromethane	<30.7	ug/kg	71.3	30.7	1	05/08/26 09:08	05/09/26 03:48	75-71-8	
1,1-Dichloroethane	<18.3	ug/kg	71.3	18.3	1	05/08/26 09:08	05/09/26 03:48	75-34-3	
1,2-Dichloroethane	<16.4	ug/kg	71.3	16.4	1	05/08/26 09:08	05/09/26 03:48	107-06-2	
1,1-Dichloroethene	<23.7	ug/kg	71.3	23.7	1	05/08/26 09:08	05/09/26 03:48	75-35-4	
cis-1,2-Dichloroethene	<15.3	ug/kg	71.3	15.3	1	05/08/26 09:08	05/09/26 03:48	156-59-2	
trans-1,2-Dichloroethene	<15.6	ug/kg	71.3	15.6	1	05/08/26 09:08	05/09/26 03:48	156-60-5	
1,2-Dichloropropane	<17.0	ug/kg	71.3	17.0	1	05/08/26 09:08	05/09/26 03:48	78-87-5	
1,3-Dichloropropane	<15.5	ug/kg	71.3	15.5	1	05/08/26 09:08	05/09/26 03:48	142-28-9	
2,2-Dichloropropane	<19.3	ug/kg	71.3	19.3	1	05/08/26 09:08	05/09/26 03:48	594-20-7	
1,1-Dichloropropene	<23.1	ug/kg	71.3	23.1	1	05/08/26 09:08	05/09/26 03:48	563-58-6	
cis-1,3-Dichloropropene	<47.1	ug/kg	357	47.1	1	05/08/26 09:08	05/09/26 03:48	10061-01-5	
trans-1,3-Dichloropropene	<204	ug/kg	357	204	1	05/08/26 09:08	05/09/26 03:48	10061-02-6	
Diisopropyl ether	<17.7	ug/kg	71.3	17.7	1	05/08/26 09:08	05/09/26 03:48	108-20-3	
Ethylbenzene	<17.0	ug/kg	71.3	17.0	1	05/08/26 09:08	05/09/26 03:48	100-41-4	
Hexachloro-1,3-butadiene	<142	ug/kg	357	142	1	05/08/26 09:08	05/09/26 03:48	87-68-3	
Isopropylbenzene (Cumene)	<24.4	ug/kg	71.3	24.4	1	05/08/26 09:08	05/09/26 03:48	98-82-8	
p-Isopropyltoluene	<24.2	ug/kg	71.3	24.2	1	05/08/26 09:08	05/09/26 03:48	99-87-6	
Methylene Chloride	<19.8	ug/kg	71.3	19.8	1	05/08/26 09:08	05/09/26 03:48	75-09-2	
Methyl-tert-butyl ether	<21.0	ug/kg	71.3	21.0	1	05/08/26 09:08	05/09/26 03:48	1634-04-4	
Naphthalene	<30.0	ug/kg	357	30.0	1	05/08/26 09:08	05/09/26 03:48	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



ANALYTICAL RESULTS

Project: FLORIST
Pace Project No.: 40312052

Sample: HA-1(1') Lab ID: 40312052001 Collected: 05/06/26 14:00 Received: 05/07/26 12:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
n-Propylbenzene	<23.3	ug/kg	71.3	23.3	1	05/08/26 09:08	05/09/26 03:48	103-65-1	
Styrene	<18.3	ug/kg	71.3	18.3	1	05/08/26 09:08	05/09/26 03:48	100-42-5	
1,1,1,2-Tetrachloroethane	<17.1	ug/kg	71.3	17.1	1	05/08/26 09:08	05/09/26 03:48	630-20-6	
1,1,2,2-Tetrachloroethane	<25.8	ug/kg	71.3	25.8	1	05/08/26 09:08	05/09/26 03:48	79-34-5	
Tetrachloroethene	<27.7	ug/kg	71.3	27.7	1	05/08/26 09:08	05/09/26 03:48	127-18-4	
Toluene	<22.6	ug/kg	71.3	22.6	1	05/08/26 09:08	05/09/26 03:48	108-88-3	
1,2,3-Trichlorobenzene	<79.4	ug/kg	357	79.4	1	05/08/26 09:08	05/09/26 03:48	87-61-6	
1,2,4-Trichlorobenzene	<58.8	ug/kg	357	58.8	1	05/08/26 09:08	05/09/26 03:48	120-82-1	
1,1,1-Trichloroethane	<18.3	ug/kg	71.3	18.3	1	05/08/26 09:08	05/09/26 03:48	71-55-6	
1,1,2-Trichloroethane	<26.0	ug/kg	71.3	26.0	1	05/08/26 09:08	05/09/26 03:48	79-00-5	
Trichloroethene	<26.7	ug/kg	71.3	26.7	1	05/08/26 09:08	05/09/26 03:48	79-01-6	
Trichlorofluoromethane	<20.7	ug/kg	71.3	20.7	1	05/08/26 09:08	05/09/26 03:48	75-69-4	
1,2,3-Trichloropropane	<34.7	ug/kg	71.3	34.7	1	05/08/26 09:08	05/09/26 03:48	96-18-4	
1,2,4-Trimethylbenzene	<21.2	ug/kg	71.3	21.2	1	05/08/26 09:08	05/09/26 03:48	95-63-6	
1,3,5-Trimethylbenzene	<23.0	ug/kg	71.3	23.0	1	05/08/26 09:08	05/09/26 03:48	108-67-8	
Vinyl chloride	<14.4	ug/kg	71.3	14.4	1	05/08/26 09:08	05/09/26 03:48	75-01-4	
m&p-Xylene	<41.0	ug/kg	143	41.0	1	05/08/26 09:08	05/09/26 03:48	179601-23-1	
o-Xylene	<23.2	ug/kg	71.3	23.2	1	05/08/26 09:08	05/09/26 03:48	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	97	%	56-189		1	05/08/26 09:08	05/09/26 03:48	2199-69-1	
4-Bromofluorobenzene (S)	91	%	58-188		1	05/08/26 09:08	05/09/26 03:48	460-00-4	
Toluene-d8 (S)	98	%	70-172		1	05/08/26 09:08	05/09/26 03:48	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974 Pace Analytical Services - Green Bay									
Percent Moisture	15.4	%	0.10	0.10	1		05/07/26 14:31		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



ANALYTICAL RESULTS

Project: FLORIST
Pace Project No.: 40312052

Sample: HA-2(1') Lab ID: 40312052002 Collected: 05/06/26 14:05 Received: 05/07/26 12:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Benzene	<16.1	ug/kg	27.0	16.1	1	05/08/26 09:08	05/09/26 04:07	71-43-2	
Bromobenzene	<26.4	ug/kg	67.6	26.4	1	05/08/26 09:08	05/09/26 04:07	108-86-1	
Bromochloromethane	<18.5	ug/kg	67.6	18.5	1	05/08/26 09:08	05/09/26 04:07	74-97-5	
Bromodichloromethane	<16.1	ug/kg	67.6	16.1	1	05/08/26 09:08	05/09/26 04:07	75-27-4	
Bromoform	<297	ug/kg	338	297	1	05/08/26 09:08	05/09/26 04:07	75-25-2	
Bromomethane	<94.8	ug/kg	338	94.8	1	05/08/26 09:08	05/09/26 04:07	74-83-9	
n-Butylbenzene	<38.0	ug/kg	67.6	38.0	1	05/08/26 09:08	05/09/26 04:07	104-51-8	
sec-Butylbenzene	<27.8	ug/kg	67.6	27.8	1	05/08/26 09:08	05/09/26 04:07	135-98-8	
tert-Butylbenzene	<21.2	ug/kg	67.6	21.2	1	05/08/26 09:08	05/09/26 04:07	98-06-6	
Carbon tetrachloride	<14.9	ug/kg	67.6	14.9	1	05/08/26 09:08	05/09/26 04:07	56-23-5	
Chlorobenzene	<8.1	ug/kg	67.6	8.1	1	05/08/26 09:08	05/09/26 04:07	108-90-7	
Chloroethane	<28.5	ug/kg	338	28.5	1	05/08/26 09:08	05/09/26 04:07	75-00-3	
Chloroform	<48.4	ug/kg	338	48.4	1	05/08/26 09:08	05/09/26 04:07	67-66-3	
Chloromethane	<25.7	ug/kg	67.6	25.7	1	05/08/26 09:08	05/09/26 04:07	74-87-3	
2-Chlorotoluene	<21.9	ug/kg	67.6	21.9	1	05/08/26 09:08	05/09/26 04:07	95-49-8	
4-Chlorotoluene	<25.7	ug/kg	67.6	25.7	1	05/08/26 09:08	05/09/26 04:07	106-43-4	
1,2-Dibromo-3-chloropropane	<52.5	ug/kg	338	52.5	1	05/08/26 09:08	05/09/26 04:07	96-12-8	v2
Dibromochloromethane	<231	ug/kg	338	231	1	05/08/26 09:08	05/09/26 04:07	124-48-1	
1,2-Dibromoethane (EDB)	<18.5	ug/kg	67.6	18.5	1	05/08/26 09:08	05/09/26 04:07	106-93-4	
Dibromomethane	<20.0	ug/kg	67.6	20.0	1	05/08/26 09:08	05/09/26 04:07	74-95-3	
1,2-Dichlorobenzene	<23.7	ug/kg	67.6	23.7	1	05/08/26 09:08	05/09/26 04:07	95-50-1	
1,3-Dichlorobenzene	<19.9	ug/kg	67.6	19.9	1	05/08/26 09:08	05/09/26 04:07	541-73-1	
1,4-Dichlorobenzene	<20.8	ug/kg	67.6	20.8	1	05/08/26 09:08	05/09/26 04:07	106-46-7	
Dichlorodifluoromethane	<29.1	ug/kg	67.6	29.1	1	05/08/26 09:08	05/09/26 04:07	75-71-8	
1,1-Dichloroethane	<17.3	ug/kg	67.6	17.3	1	05/08/26 09:08	05/09/26 04:07	75-34-3	
1,2-Dichloroethane	<15.5	ug/kg	67.6	15.5	1	05/08/26 09:08	05/09/26 04:07	107-06-2	
1,1-Dichloroethene	<22.4	ug/kg	67.6	22.4	1	05/08/26 09:08	05/09/26 04:07	75-35-4	
cis-1,2-Dichloroethene	<14.5	ug/kg	67.6	14.5	1	05/08/26 09:08	05/09/26 04:07	156-59-2	
trans-1,2-Dichloroethene	<14.8	ug/kg	67.6	14.8	1	05/08/26 09:08	05/09/26 04:07	156-60-5	
1,2-Dichloropropane	<16.1	ug/kg	67.6	16.1	1	05/08/26 09:08	05/09/26 04:07	78-87-5	
1,3-Dichloropropane	<14.7	ug/kg	67.6	14.7	1	05/08/26 09:08	05/09/26 04:07	142-28-9	
2,2-Dichloropropane	<18.3	ug/kg	67.6	18.3	1	05/08/26 09:08	05/09/26 04:07	594-20-7	
1,1-Dichloropropene	<21.9	ug/kg	67.6	21.9	1	05/08/26 09:08	05/09/26 04:07	563-58-6	
cis-1,3-Dichloropropene	<44.6	ug/kg	338	44.6	1	05/08/26 09:08	05/09/26 04:07	10061-01-5	
trans-1,3-Dichloropropene	<193	ug/kg	338	193	1	05/08/26 09:08	05/09/26 04:07	10061-02-6	
Diisopropyl ether	<16.8	ug/kg	67.6	16.8	1	05/08/26 09:08	05/09/26 04:07	108-20-3	
Ethylbenzene	<16.1	ug/kg	67.6	16.1	1	05/08/26 09:08	05/09/26 04:07	100-41-4	
Hexachloro-1,3-butadiene	<134	ug/kg	338	134	1	05/08/26 09:08	05/09/26 04:07	87-68-3	
Isopropylbenzene (Cumene)	<23.1	ug/kg	67.6	23.1	1	05/08/26 09:08	05/09/26 04:07	98-82-8	
p-Isopropyltoluene	<23.0	ug/kg	67.6	23.0	1	05/08/26 09:08	05/09/26 04:07	99-87-6	
Methylene Chloride	<18.8	ug/kg	67.6	18.8	1	05/08/26 09:08	05/09/26 04:07	75-09-2	
Methyl-tert-butyl ether	<19.9	ug/kg	67.6	19.9	1	05/08/26 09:08	05/09/26 04:07	1634-04-4	
Naphthalene	<28.4	ug/kg	338	28.4	1	05/08/26 09:08	05/09/26 04:07	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



ANALYTICAL RESULTS

Project: FLORIST
Pace Project No.: 40312052

Sample: HA-2(1') Lab ID: 40312052002 Collected: 05/06/26 14:05 Received: 05/07/26 12:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
n-Propylbenzene	<22.1	ug/kg	67.6	22.1	1	05/08/26 09:08	05/09/26 04:07	103-65-1	
Styrene	<17.3	ug/kg	67.6	17.3	1	05/08/26 09:08	05/09/26 04:07	100-42-5	
1,1,1,2-Tetrachloroethane	<16.2	ug/kg	67.6	16.2	1	05/08/26 09:08	05/09/26 04:07	630-20-6	
1,1,2,2-Tetrachloroethane	<24.5	ug/kg	67.6	24.5	1	05/08/26 09:08	05/09/26 04:07	79-34-5	
Tetrachloroethene	<26.2	ug/kg	67.6	26.2	1	05/08/26 09:08	05/09/26 04:07	127-18-4	
Toluene	<21.4	ug/kg	67.6	21.4	1	05/08/26 09:08	05/09/26 04:07	108-88-3	
1,2,3-Trichlorobenzene	<75.3	ug/kg	338	75.3	1	05/08/26 09:08	05/09/26 04:07	87-61-6	
1,2,4-Trichlorobenzene	<55.7	ug/kg	338	55.7	1	05/08/26 09:08	05/09/26 04:07	120-82-1	
1,1,1-Trichloroethane	<17.3	ug/kg	67.6	17.3	1	05/08/26 09:08	05/09/26 04:07	71-55-6	
1,1,2-Trichloroethane	<24.6	ug/kg	67.6	24.6	1	05/08/26 09:08	05/09/26 04:07	79-00-5	
Trichloroethene	<25.3	ug/kg	67.6	25.3	1	05/08/26 09:08	05/09/26 04:07	79-01-6	
Trichlorofluoromethane	<19.6	ug/kg	67.6	19.6	1	05/08/26 09:08	05/09/26 04:07	75-69-4	
1,2,3-Trichloropropane	<32.9	ug/kg	67.6	32.9	1	05/08/26 09:08	05/09/26 04:07	96-18-4	
1,2,4-Trimethylbenzene	<20.1	ug/kg	67.6	20.1	1	05/08/26 09:08	05/09/26 04:07	95-63-6	
1,3,5-Trimethylbenzene	<21.8	ug/kg	67.6	21.8	1	05/08/26 09:08	05/09/26 04:07	108-67-8	
Vinyl chloride	<13.7	ug/kg	67.6	13.7	1	05/08/26 09:08	05/09/26 04:07	75-01-4	
m&p-Xylene	<38.9	ug/kg	135	38.9	1	05/08/26 09:08	05/09/26 04:07	179601-23-1	
o-Xylene	<22.0	ug/kg	67.6	22.0	1	05/08/26 09:08	05/09/26 04:07	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	105	%	56-189		1	05/08/26 09:08	05/09/26 04:07	2199-69-1	
4-Bromofluorobenzene (S)	98	%	58-188		1	05/08/26 09:08	05/09/26 04:07	460-00-4	
Toluene-d8 (S)	102	%	70-172		1	05/08/26 09:08	05/09/26 04:07	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974 Pace Analytical Services - Green Bay									
Percent Moisture	15.0	%	0.10	0.10	1		05/07/26 14:31		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



ANALYTICAL RESULTS

Project: FLORIST
Pace Project No.: 40312052

Sample: HA-3(1') Lab ID: 40312052003 Collected: 05/06/26 14:10 Received: 05/07/26 12:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Benzene	<16.9	ug/kg	28.3	16.9	1	05/08/26 09:08	05/09/26 04:27	71-43-2	
Bromobenzene	<27.6	ug/kg	70.9	27.6	1	05/08/26 09:08	05/09/26 04:27	108-86-1	
Bromochloromethane	<19.4	ug/kg	70.9	19.4	1	05/08/26 09:08	05/09/26 04:27	74-97-5	
Bromodichloromethane	<16.9	ug/kg	70.9	16.9	1	05/08/26 09:08	05/09/26 04:27	75-27-4	
Bromoform	<312	ug/kg	354	312	1	05/08/26 09:08	05/09/26 04:27	75-25-2	
Bromomethane	<99.4	ug/kg	354	99.4	1	05/08/26 09:08	05/09/26 04:27	74-83-9	
n-Butylbenzene	<39.8	ug/kg	70.9	39.8	1	05/08/26 09:08	05/09/26 04:27	104-51-8	
sec-Butylbenzene	<29.1	ug/kg	70.9	29.1	1	05/08/26 09:08	05/09/26 04:27	135-98-8	
tert-Butylbenzene	<22.3	ug/kg	70.9	22.3	1	05/08/26 09:08	05/09/26 04:27	98-06-6	
Carbon tetrachloride	<15.6	ug/kg	70.9	15.6	1	05/08/26 09:08	05/09/26 04:27	56-23-5	
Chlorobenzene	<8.5	ug/kg	70.9	8.5	1	05/08/26 09:08	05/09/26 04:27	108-90-7	
Chloroethane	<29.9	ug/kg	354	29.9	1	05/08/26 09:08	05/09/26 04:27	75-00-3	
Chloroform	<50.7	ug/kg	354	50.7	1	05/08/26 09:08	05/09/26 04:27	67-66-3	
Chloromethane	<26.9	ug/kg	70.9	26.9	1	05/08/26 09:08	05/09/26 04:27	74-87-3	
2-Chlorotoluene	<23.0	ug/kg	70.9	23.0	1	05/08/26 09:08	05/09/26 04:27	95-49-8	
4-Chlorotoluene	<26.9	ug/kg	70.9	26.9	1	05/08/26 09:08	05/09/26 04:27	106-43-4	
1,2-Dibromo-3-chloropropane	<55.0	ug/kg	354	55.0	1	05/08/26 09:08	05/09/26 04:27	96-12-8	v2
Dibromochloromethane	<242	ug/kg	354	242	1	05/08/26 09:08	05/09/26 04:27	124-48-1	
1,2-Dibromoethane (EDB)	<19.4	ug/kg	70.9	19.4	1	05/08/26 09:08	05/09/26 04:27	106-93-4	
Dibromomethane	<21.0	ug/kg	70.9	21.0	1	05/08/26 09:08	05/09/26 04:27	74-95-3	
1,2-Dichlorobenzene	<24.8	ug/kg	70.9	24.8	1	05/08/26 09:08	05/09/26 04:27	95-50-1	
1,3-Dichlorobenzene	<20.8	ug/kg	70.9	20.8	1	05/08/26 09:08	05/09/26 04:27	541-73-1	
1,4-Dichlorobenzene	<21.8	ug/kg	70.9	21.8	1	05/08/26 09:08	05/09/26 04:27	106-46-7	
Dichlorodifluoromethane	<30.5	ug/kg	70.9	30.5	1	05/08/26 09:08	05/09/26 04:27	75-71-8	
1,1-Dichloroethane	<18.1	ug/kg	70.9	18.1	1	05/08/26 09:08	05/09/26 04:27	75-34-3	
1,2-Dichloroethane	<16.3	ug/kg	70.9	16.3	1	05/08/26 09:08	05/09/26 04:27	107-06-2	
1,1-Dichloroethene	<23.5	ug/kg	70.9	23.5	1	05/08/26 09:08	05/09/26 04:27	75-35-4	
cis-1,2-Dichloroethene	<15.2	ug/kg	70.9	15.2	1	05/08/26 09:08	05/09/26 04:27	156-59-2	
trans-1,2-Dichloroethene	<15.5	ug/kg	70.9	15.5	1	05/08/26 09:08	05/09/26 04:27	156-60-5	
1,2-Dichloropropane	<16.9	ug/kg	70.9	16.9	1	05/08/26 09:08	05/09/26 04:27	78-87-5	
1,3-Dichloropropane	<15.4	ug/kg	70.9	15.4	1	05/08/26 09:08	05/09/26 04:27	142-28-9	
2,2-Dichloropropane	<19.1	ug/kg	70.9	19.1	1	05/08/26 09:08	05/09/26 04:27	594-20-7	
1,1-Dichloropropene	<23.0	ug/kg	70.9	23.0	1	05/08/26 09:08	05/09/26 04:27	563-58-6	
cis-1,3-Dichloropropene	<46.8	ug/kg	354	46.8	1	05/08/26 09:08	05/09/26 04:27	10061-01-5	
trans-1,3-Dichloropropene	<203	ug/kg	354	203	1	05/08/26 09:08	05/09/26 04:27	10061-02-6	
Diisopropyl ether	<17.6	ug/kg	70.9	17.6	1	05/08/26 09:08	05/09/26 04:27	108-20-3	
Ethylbenzene	<16.9	ug/kg	70.9	16.9	1	05/08/26 09:08	05/09/26 04:27	100-41-4	
Hexachloro-1,3-butadiene	<141	ug/kg	354	141	1	05/08/26 09:08	05/09/26 04:27	87-68-3	
Isopropylbenzene (Cumene)	<24.2	ug/kg	70.9	24.2	1	05/08/26 09:08	05/09/26 04:27	98-82-8	
p-Isopropyltoluene	<24.1	ug/kg	70.9	24.1	1	05/08/26 09:08	05/09/26 04:27	99-87-6	
Methylene Chloride	<19.7	ug/kg	70.9	19.7	1	05/08/26 09:08	05/09/26 04:27	75-09-2	
Methyl-tert-butyl ether	<20.8	ug/kg	70.9	20.8	1	05/08/26 09:08	05/09/26 04:27	1634-04-4	
Naphthalene	<29.8	ug/kg	354	29.8	1	05/08/26 09:08	05/09/26 04:27	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



ANALYTICAL RESULTS

Project: FLORIST
Pace Project No.: 40312052

Sample: HA-3(1') Lab ID: 40312052003 Collected: 05/06/26 14:10 Received: 05/07/26 12:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
n-Propylbenzene	<23.1	ug/kg	70.9	23.1	1	05/08/26 09:08	05/09/26 04:27	103-65-1	
Styrene	<18.1	ug/kg	70.9	18.1	1	05/08/26 09:08	05/09/26 04:27	100-42-5	
1,1,1,2-Tetrachloroethane	<17.0	ug/kg	70.9	17.0	1	05/08/26 09:08	05/09/26 04:27	630-20-6	
1,1,2,2-Tetrachloroethane	<25.7	ug/kg	70.9	25.7	1	05/08/26 09:08	05/09/26 04:27	79-34-5	
Tetrachloroethene	<27.5	ug/kg	70.9	27.5	1	05/08/26 09:08	05/09/26 04:27	127-18-4	
Toluene	<22.4	ug/kg	70.9	22.4	1	05/08/26 09:08	05/09/26 04:27	108-88-3	
1,2,3-Trichlorobenzene	<78.9	ug/kg	354	78.9	1	05/08/26 09:08	05/09/26 04:27	87-61-6	
1,2,4-Trichlorobenzene	<58.4	ug/kg	354	58.4	1	05/08/26 09:08	05/09/26 04:27	120-82-1	
1,1,1-Trichloroethane	<18.1	ug/kg	70.9	18.1	1	05/08/26 09:08	05/09/26 04:27	71-55-6	
1,1,2-Trichloroethane	<25.8	ug/kg	70.9	25.8	1	05/08/26 09:08	05/09/26 04:27	79-00-5	
Trichloroethene	<26.5	ug/kg	70.9	26.5	1	05/08/26 09:08	05/09/26 04:27	79-01-6	
Trichlorofluoromethane	<20.6	ug/kg	70.9	20.6	1	05/08/26 09:08	05/09/26 04:27	75-69-4	
1,2,3-Trichloropropane	<34.4	ug/kg	70.9	34.4	1	05/08/26 09:08	05/09/26 04:27	96-18-4	
1,2,4-Trimethylbenzene	<21.1	ug/kg	70.9	21.1	1	05/08/26 09:08	05/09/26 04:27	95-63-6	
1,3,5-Trimethylbenzene	<22.8	ug/kg	70.9	22.8	1	05/08/26 09:08	05/09/26 04:27	108-67-8	
Vinyl chloride	<14.3	ug/kg	70.9	14.3	1	05/08/26 09:08	05/09/26 04:27	75-01-4	
m&p-Xylene	<40.7	ug/kg	142	40.7	1	05/08/26 09:08	05/09/26 04:27	179601-23-1	
o-Xylene	<23.1	ug/kg	70.9	23.1	1	05/08/26 09:08	05/09/26 04:27	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	101	%	56-189		1	05/08/26 09:08	05/09/26 04:27	2199-69-1	
4-Bromofluorobenzene (S)	95	%	58-188		1	05/08/26 09:08	05/09/26 04:27	460-00-4	
Toluene-d8 (S)	102	%	70-172		1	05/08/26 09:08	05/09/26 04:27	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974 Pace Analytical Services - Green Bay									
Percent Moisture	17.3	%	0.10	0.10	1		05/07/26 14:31		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



ANALYTICAL RESULTS

Project: FLORIST
Pace Project No.: 40312052

Sample: HA-4(1') Lab ID: 40312052004 Collected: 05/06/26 14:15 Received: 05/07/26 12:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
Benzene	<16.7	ug/kg	28.0	16.7	1	05/08/26 09:08	05/09/26 04:46	71-43-2	
Bromobenzene	<27.3	ug/kg	70.1	27.3	1	05/08/26 09:08	05/09/26 04:46	108-86-1	
Bromochloromethane	<19.2	ug/kg	70.1	19.2	1	05/08/26 09:08	05/09/26 04:46	74-97-5	
Bromodichloromethane	<16.7	ug/kg	70.1	16.7	1	05/08/26 09:08	05/09/26 04:46	75-27-4	
Bromoform	<308	ug/kg	350	308	1	05/08/26 09:08	05/09/26 04:46	75-25-2	
Bromomethane	<98.2	ug/kg	350	98.2	1	05/08/26 09:08	05/09/26 04:46	74-83-9	
n-Butylbenzene	<39.3	ug/kg	70.1	39.3	1	05/08/26 09:08	05/09/26 04:46	104-51-8	
sec-Butylbenzene	<28.8	ug/kg	70.1	28.8	1	05/08/26 09:08	05/09/26 04:46	135-98-8	
tert-Butylbenzene	<22.0	ug/kg	70.1	22.0	1	05/08/26 09:08	05/09/26 04:46	98-06-6	
Carbon tetrachloride	<15.4	ug/kg	70.1	15.4	1	05/08/26 09:08	05/09/26 04:46	56-23-5	
Chlorobenzene	<8.4	ug/kg	70.1	8.4	1	05/08/26 09:08	05/09/26 04:46	108-90-7	
Chloroethane	<29.6	ug/kg	350	29.6	1	05/08/26 09:08	05/09/26 04:46	75-00-3	
Chloroform	<50.2	ug/kg	350	50.2	1	05/08/26 09:08	05/09/26 04:46	67-66-3	
Chloromethane	<26.6	ug/kg	70.1	26.6	1	05/08/26 09:08	05/09/26 04:46	74-87-3	
2-Chlorotoluene	<22.7	ug/kg	70.1	22.7	1	05/08/26 09:08	05/09/26 04:46	95-49-8	
4-Chlorotoluene	<26.6	ug/kg	70.1	26.6	1	05/08/26 09:08	05/09/26 04:46	106-43-4	
1,2-Dibromo-3-chloropropane	<54.4	ug/kg	350	54.4	1	05/08/26 09:08	05/09/26 04:46	96-12-8	v2
Dibromochloromethane	<239	ug/kg	350	239	1	05/08/26 09:08	05/09/26 04:46	124-48-1	
1,2-Dibromoethane (EDB)	<19.2	ug/kg	70.1	19.2	1	05/08/26 09:08	05/09/26 04:46	106-93-4	
Dibromomethane	<20.7	ug/kg	70.1	20.7	1	05/08/26 09:08	05/09/26 04:46	74-95-3	
1,2-Dichlorobenzene	<24.5	ug/kg	70.1	24.5	1	05/08/26 09:08	05/09/26 04:46	95-50-1	
1,3-Dichlorobenzene	<20.6	ug/kg	70.1	20.6	1	05/08/26 09:08	05/09/26 04:46	541-73-1	
1,4-Dichlorobenzene	<21.5	ug/kg	70.1	21.5	1	05/08/26 09:08	05/09/26 04:46	106-46-7	
Dichlorodifluoromethane	<30.1	ug/kg	70.1	30.1	1	05/08/26 09:08	05/09/26 04:46	75-71-8	
1,1-Dichloroethane	<17.9	ug/kg	70.1	17.9	1	05/08/26 09:08	05/09/26 04:46	75-34-3	
1,2-Dichloroethane	<16.1	ug/kg	70.1	16.1	1	05/08/26 09:08	05/09/26 04:46	107-06-2	
1,1-Dichloroethene	<23.3	ug/kg	70.1	23.3	1	05/08/26 09:08	05/09/26 04:46	75-35-4	
cis-1,2-Dichloroethene	<15.0	ug/kg	70.1	15.0	1	05/08/26 09:08	05/09/26 04:46	156-59-2	
trans-1,2-Dichloroethene	<15.3	ug/kg	70.1	15.3	1	05/08/26 09:08	05/09/26 04:46	156-60-5	
1,2-Dichloropropane	<16.7	ug/kg	70.1	16.7	1	05/08/26 09:08	05/09/26 04:46	78-87-5	
1,3-Dichloropropane	<15.3	ug/kg	70.1	15.3	1	05/08/26 09:08	05/09/26 04:46	142-28-9	
2,2-Dichloropropane	<18.9	ug/kg	70.1	18.9	1	05/08/26 09:08	05/09/26 04:46	594-20-7	
1,1-Dichloropropene	<22.7	ug/kg	70.1	22.7	1	05/08/26 09:08	05/09/26 04:46	563-58-6	
cis-1,3-Dichloropropene	<46.2	ug/kg	350	46.2	1	05/08/26 09:08	05/09/26 04:46	10061-01-5	
trans-1,3-Dichloropropene	<200	ug/kg	350	200	1	05/08/26 09:08	05/09/26 04:46	10061-02-6	
Diisopropyl ether	<17.4	ug/kg	70.1	17.4	1	05/08/26 09:08	05/09/26 04:46	108-20-3	
Ethylbenzene	<16.7	ug/kg	70.1	16.7	1	05/08/26 09:08	05/09/26 04:46	100-41-4	
Hexachloro-1,3-butadiene	<139	ug/kg	350	139	1	05/08/26 09:08	05/09/26 04:46	87-68-3	
Isopropylbenzene (Cumene)	<23.9	ug/kg	70.1	23.9	1	05/08/26 09:08	05/09/26 04:46	98-82-8	
p-Isopropyltoluene	<23.8	ug/kg	70.1	23.8	1	05/08/26 09:08	05/09/26 04:46	99-87-6	
Methylene Chloride	<19.5	ug/kg	70.1	19.5	1	05/08/26 09:08	05/09/26 04:46	75-09-2	
Methyl-tert-butyl ether	<20.6	ug/kg	70.1	20.6	1	05/08/26 09:08	05/09/26 04:46	1634-04-4	
Naphthalene	<29.5	ug/kg	350	29.5	1	05/08/26 09:08	05/09/26 04:46	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



ANALYTICAL RESULTS

Project: FLORIST
Pace Project No.: 40312052

Sample: HA-4(1') Lab ID: 40312052004 Collected: 05/06/26 14:15 Received: 05/07/26 12:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay									
n-Propylbenzene	<22.9	ug/kg	70.1	22.9	1	05/08/26 09:08	05/09/26 04:46	103-65-1	
Styrene	<17.9	ug/kg	70.1	17.9	1	05/08/26 09:08	05/09/26 04:46	100-42-5	
1,1,1,2-Tetrachloroethane	<16.8	ug/kg	70.1	16.8	1	05/08/26 09:08	05/09/26 04:46	630-20-6	
1,1,2,2-Tetrachloroethane	<25.4	ug/kg	70.1	25.4	1	05/08/26 09:08	05/09/26 04:46	79-34-5	
Tetrachloroethene	<27.2	ug/kg	70.1	27.2	1	05/08/26 09:08	05/09/26 04:46	127-18-4	
Toluene	<22.2	ug/kg	70.1	22.2	1	05/08/26 09:08	05/09/26 04:46	108-88-3	
1,2,3-Trichlorobenzene	<78.0	ug/kg	350	78.0	1	05/08/26 09:08	05/09/26 04:46	87-61-6	
1,2,4-Trichlorobenzene	<57.7	ug/kg	350	57.7	1	05/08/26 09:08	05/09/26 04:46	120-82-1	
1,1,1-Trichloroethane	<17.9	ug/kg	70.1	17.9	1	05/08/26 09:08	05/09/26 04:46	71-55-6	
1,1,2-Trichloroethane	<25.5	ug/kg	70.1	25.5	1	05/08/26 09:08	05/09/26 04:46	79-00-5	
Trichloroethene	<26.2	ug/kg	70.1	26.2	1	05/08/26 09:08	05/09/26 04:46	79-01-6	
Trichlorofluoromethane	<20.3	ug/kg	70.1	20.3	1	05/08/26 09:08	05/09/26 04:46	75-69-4	
1,2,3-Trichloropropane	<34.0	ug/kg	70.1	34.0	1	05/08/26 09:08	05/09/26 04:46	96-18-4	
1,2,4-Trimethylbenzene	<20.9	ug/kg	70.1	20.9	1	05/08/26 09:08	05/09/26 04:46	95-63-6	
1,3,5-Trimethylbenzene	<22.6	ug/kg	70.1	22.6	1	05/08/26 09:08	05/09/26 04:46	108-67-8	
Vinyl chloride	<14.2	ug/kg	70.1	14.2	1	05/08/26 09:08	05/09/26 04:46	75-01-4	
m&p-Xylene	<40.3	ug/kg	140	40.3	1	05/08/26 09:08	05/09/26 04:46	179601-23-1	
o-Xylene	<22.8	ug/kg	70.1	22.8	1	05/08/26 09:08	05/09/26 04:46	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	93	%	56-189		1	05/08/26 09:08	05/09/26 04:46	2199-69-1	
4-Bromofluorobenzene (S)	90	%	58-188		1	05/08/26 09:08	05/09/26 04:46	460-00-4	
Toluene-d8 (S)	94	%	70-172		1	05/08/26 09:08	05/09/26 04:46	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974 Pace Analytical Services - Green Bay									
Percent Moisture	16.7	%	0.10	0.10	1		05/07/26 14:31		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



QUALITY CONTROL DATA

Project: FLORIST

Pace Project No.: 40312052

QC Batch 536552

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40312052001, 40312052002, 40312052003, 40312052004

METHOD BLANK: 3050116

Matrix: Solid

Associated Lab Samples: 40312052001, 40312052002, 40312052003, 40312052004

Parameter	Units	Blank Result	Reporting Limit	Analized	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	05/08/26 19:16	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	05/08/26 19:16	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	05/08/26 19:16	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	05/08/26 19:16	
1,1-Dichloroethane	ug/kg	<12.8	50.0	05/08/26 19:16	
1,1-Dichloroethene	ug/kg	<16.6	50.0	05/08/26 19:16	
1,1-Dichloropropene	ug/kg	<16.2	50.0	05/08/26 19:16	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	05/08/26 19:16	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	05/08/26 19:16	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	05/08/26 19:16	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	05/08/26 19:16	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	05/08/26 19:16	v2
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	05/08/26 19:16	
1,2-Dichlorobenzene	ug/kg	<17.5	50.0	05/08/26 19:16	
1,2-Dichloroethane	ug/kg	<11.5	50.0	05/08/26 19:16	
1,2-Dichloropropane	ug/kg	<11.9	50.0	05/08/26 19:16	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	05/08/26 19:16	
1,3-Dichlorobenzene	ug/kg	<14.7	50.0	05/08/26 19:16	
1,3-Dichloropropane	ug/kg	<10.9	50.0	05/08/26 19:16	
1,4-Dichlorobenzene	ug/kg	<15.4	50.0	05/08/26 19:16	
2,2-Dichloropropane	ug/kg	<13.5	50.0	05/08/26 19:16	
2-Chlorotoluene	ug/kg	<16.2	50.0	05/08/26 19:16	
4-Chlorotoluene	ug/kg	<19.0	50.0	05/08/26 19:16	
Benzene	ug/kg	<11.9	20.0	05/08/26 19:16	
Bromobenzene	ug/kg	<19.5	50.0	05/08/26 19:16	
Bromochloromethane	ug/kg	<13.7	50.0	05/08/26 19:16	
Bromodichloromethane	ug/kg	<11.9	50.0	05/08/26 19:16	
Bromoform	ug/kg	<220	250	05/08/26 19:16	
Bromomethane	ug/kg	<70.1	250	05/08/26 19:16	
Carbon tetrachloride	ug/kg	<11.0	50.0	05/08/26 19:16	
Chlorobenzene	ug/kg	<6.0	50.0	05/08/26 19:16	
Chloroethane	ug/kg	<21.1	250	05/08/26 19:16	
Chloroform	ug/kg	<35.8	250	05/08/26 19:16	
Chloromethane	ug/kg	<19.0	50.0	05/08/26 19:16	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	05/08/26 19:16	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	05/08/26 19:16	
Dibromochloromethane	ug/kg	<171	250	05/08/26 19:16	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



QUALITY CONTROL DATA

Project: FLORIST

Pace Project No.: 40312052

METHOD BLANK: 3050116

Matrix: Solid

Associated Lab Samples: 40312052001, 40312052002, 40312052003, 40312052004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/kg	<14.8	50.0	05/08/26 19:16	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	05/08/26 19:16	
Diisopropyl ether	ug/kg	<12.4	50.0	05/08/26 19:16	
Ethylbenzene	ug/kg	<11.9	50.0	05/08/26 19:16	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	05/08/26 19:16	
Isopropylbenzene (Cumene)	ug/kg	<17.1	50.0	05/08/26 19:16	
m&p-Xylene	ug/kg	<28.7	100	05/08/26 19:16	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	05/08/26 19:16	
Methylene Chloride	ug/kg	<13.9	50.0	05/08/26 19:16	
n-Butylbenzene	ug/kg	<28.1	50.0	05/08/26 19:16	
n-Propylbenzene	ug/kg	<16.3	50.0	05/08/26 19:16	
Naphthalene	ug/kg	<21.0	250	05/08/26 19:16	
o-Xylene	ug/kg	<16.3	50.0	05/08/26 19:16	
p-Isopropyltoluene	ug/kg	<17.0	50.0	05/08/26 19:16	
sec-Butylbenzene	ug/kg	<20.5	50.0	05/08/26 19:16	
Styrene	ug/kg	<12.8	50.0	05/08/26 19:16	
tert-Butylbenzene	ug/kg	<15.7	50.0	05/08/26 19:16	
Tetrachloroethene	ug/kg	<19.4	50.0	05/08/26 19:16	
Toluene	ug/kg	<15.8	50.0	05/08/26 19:16	
trans-1,2-Dichloroethene	ug/kg	<10.9	50.0	05/08/26 19:16	
trans-1,3-Dichloropropene	ug/kg	<143	250	05/08/26 19:16	
Trichloroethene	ug/kg	<18.7	50.0	05/08/26 19:16	
Trichlorofluoromethane	ug/kg	<14.5	50.0	05/08/26 19:16	
Vinyl chloride	ug/kg	<10.1	50.0	05/08/26 19:16	
1,2-Dichlorobenzene-d4 (S)	%	82	56-189	05/08/26 19:16	
4-Bromofluorobenzene (S)	%	78	58-188	05/08/26 19:16	
Toluene-d8 (S)	%	79	70-172	05/08/26 19:16	

LABORATORY CONTROL SAMPLE: 3050117

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2060	82	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2420	97	68-130	
1,1,2-Trichloroethane	ug/kg	2500	2470	99	70-130	
1,1-Dichloroethane	ug/kg	2500	2400	96	70-130	
1,1-Dichloroethene	ug/kg	2500	2340	94	70-130	
1,2,4-Trichlorobenzene	ug/kg	2500	2440	98	70-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	1810	73	53-130	v3
1,2-Dibromoethane (EDB)	ug/kg	2500	2420	97	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2530	101	70-130	
1,2-Dichloroethane	ug/kg	2500	2140	86	70-130	
1,2-Dichloropropane	ug/kg	2500	2790	111	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



QUALITY CONTROL DATA

Project: FLORIST
Pace Project No.: 40312052

LABORATORY CONTROL SAMPLE: 3050117

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,3-Dichlorobenzene	ug/kg	2500	2460	98	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2540	102	70-130	
Benzene	ug/kg	2500	2580	103	70-130	
Bromodichloromethane	ug/kg	2500	2070	83	70-130	
Bromoform	ug/kg	2500	2070	83	59-130	
Bromomethane	ug/kg	2500	1640	66	43-154	
Carbon tetrachloride	ug/kg	2500	2070	83	69-130	
Chlorobenzene	ug/kg	2500	2560	102	70-130	
Chloroethane	ug/kg	2500	1870	75	42-160	
Chloroform	ug/kg	2500	2240	90	70-130	
Chloromethane	ug/kg	2500	1810	72	48-137	v1
cis-1,2-Dichloroethene	ug/kg	2500	2480	99	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2180	87	70-130	
Dibromochloromethane	ug/kg	2500	2260	90	70-130	
Dichlorodifluoromethane	ug/kg	2500	818	33	13-130	v1
Ethylbenzene	ug/kg	2500	2440	98	70-130	
Isopropylbenzene (Cumene)	ug/kg	2500	2390	96	70-130	
m&p-Xylene	ug/kg	5000	4850	97	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2000	80	70-130	
Methylene Chloride	ug/kg	2500	2310	93	70-130	
o-Xylene	ug/kg	2500	2520	101	70-130	
Styrene	ug/kg	2500	2530	101	70-141	
Tetrachloroethene	ug/kg	2500	2520	101	70-130	
Toluene	ug/kg	2500	2500	100	70-130	
trans-1,2-Dichloroethene	ug/kg	2500	2540	102	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2050	82	67-130	
Trichloroethene	ug/kg	2500	2500	100	70-130	
Trichlorofluoromethane	ug/kg	2500	1880	75	60-130	
Vinyl chloride	ug/kg	2500	1980	79	51-130	
1,2-Dichlorobenzene-d4 (S)	%			78	56-189	
4-Bromofluorobenzene (S)	%			74	58-188	
Toluene-d8 (S)	%			79	70-172	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3050118

3050119

Parameter	Units	40311856012 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/kg	<16.8	1320	1320	1040	1060	79	80	44-130	1	31	
1,1,2,2-Tetrachloroethane	ug/kg	<23.8	1320	1320	1220	1190	92	90	61-136	2	23	
1,1,2-Trichloroethane	ug/kg	<23.9	1320	1320	1220	1260	93	96	60-135	3	26	
1,1-Dichloroethane	ug/kg	<16.8	1320	1320	1300	1390	99	106	65-130	7	27	
1,1-Dichloroethene	ug/kg	<21.8	1320	1320	1290	1350	98	103	34-130	5	31	
1,2,4-Trichlorobenzene	ug/kg	<54.2	1320	1320	1450	1360	110	104	64-145	6	23	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



QUALITY CONTROL DATA

Project: FLORIST
Pace Project No.: 40312052

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3050118													3050119												
Parameter	Units	40311856012 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers													
1,2-Dibromo-3-chloropropane	ug/kg	<51.1	1320	1320	904	894	69	68	43-143	1	27	v3													
1,2-Dibromoethane (EDB)	ug/kg	<18.0	1320	1320	1200	1170	91	89	66-130	2	21														
1,2-Dichlorobenzene	ug/kg	<23.0	1320	1320	1390	1400	106	106	70-141	1	20														
1,2-Dichloroethane	ug/kg	<15.1	1320	1320	1070	1100	81	83	61-141	2	23														
1,2-Dichloropropane	ug/kg	<15.7	1320	1320	1420	1530	108	116	67-130	7	22														
1,3-Dichlorobenzene	ug/kg	<19.3	1320	1320	1340	1390	102	105	70-137	3	20														
1,4-Dichlorobenzene	ug/kg	<20.2	1320	1320	1380	1400	105	106	70-134	2	20														
Benzene	ug/kg	<15.7	1320	1320	1320	1390	100	105	70-130	5	20														
Bromodichloromethane	ug/kg	<15.7	1320	1320	1070	1090	81	83	63-133	2	22														
Bromoform	ug/kg	<289	1320	1320	1000	950	76	72	44-140	6	24														
Bromomethane	ug/kg	<92.2	1320	1320	1020	1050	77	80	29-161	3	25														
Carbon tetrachloride	ug/kg	<14.5	1320	1320	1030	1060	78	81	30-135	3	29														
Chlorobenzene	ug/kg	<7.9	1320	1320	1360	1380	103	105	70-130	2	23														
Chloroethane	ug/kg	<27.8	1320	1320	1160	1210	88	92	26-162	5	30														
Chloroform	ug/kg	<47.1	1320	1320	1130	1230	86	94	65-131	9	24														
Chloromethane	ug/kg	<25.0	1320	1320	1370	1460	104	111	14-149	6	27	v1													
cis-1,2-Dichloroethene	ug/kg	<14.1	1320	1320	1230	1360	93	103	66-130	10	21														
cis-1,3-Dichloropropene	ug/kg	<43.4	1320	1320	1090	1130	83	86	63-130	4	20														
Dibromochloromethane	ug/kg	<225	1320	1320	1140	1070	87	81	57-135	7	23														
Dichlorodifluoromethane	ug/kg	<28.3	1320	1320	936	1040	71	79	10-130	11	43	v1													
Ethylbenzene	ug/kg	<15.7	1320	1320	1270	1320	97	100	70-130	4	20														
Isopropylbenzene (Cumene)	ug/kg	<22.5	1320	1320	1270	1330	97	101	51-136	4	25														
m&p-Xylene	ug/kg	<37.8	2630	2630	2580	2740	98	104	70-130	6	21														
Methyl-tert-butyl ether	ug/kg	<19.3	1320	1320	1060	1060	80	81	63-130	1	22														
Methylene Chloride	ug/kg	<18.3	1320	1320	1210	1300	92	99	66-134	8	23														
o-Xylene	ug/kg	<21.4	1320	1320	1310	1360	99	103	70-130	4	20														
Styrene	ug/kg	<16.8	1320	1320	1310	1370	99	104	67-155	5	20														
Tetrachloroethene	ug/kg	<25.5	1320	1320	1290	1270	98	96	48-134	2	27														
Toluene	ug/kg	<20.8	1320	1320	1280	1350	97	102	70-130	5	20														
trans-1,2-Dichloroethene	ug/kg	<14.4	1320	1320	1220	1430	93	109	57-130	15	25														
trans-1,3-Dichloropropene	ug/kg	<188	1320	1320	995	961	76	73	56-130	4	20														
Trichloroethene	ug/kg	<24.6	1320	1320	1270	1310	97	99	57-130	3	24														
Trichlorofluoromethane	ug/kg	<19.1	1320	1320	1050	1110	79	84	17-130	6	41														
Vinyl chloride	ug/kg	<13.3	1320	1320	1340	1320	102	100	19-130	2	29														
1,2-Dichlorobenzene-d4 (S)	%						88	88	56-189																
4-Bromofluorobenzene (S)	%						82	85	58-188																
Toluene-d8 (S)	%						87	88	70-172																

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



QUALITY CONTROL DATA

Project:	FLORIST		
Pace Project No.:	40312052		
QC Batch	536498	Analysis Method:	ASTM D2974
QC Batch Method:	ASTM D2974	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40312052001, 40312052002, 40312052003, 40312052004		

SAMPLE DUPLICATE: 3049800

Parameter	Units	40311917006 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	5.6	5.5	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



QUALIFIERS

Project: FLORIST
Pace Project No.: 40312052

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- | | |
|----|---|
| v1 | The continuing calibration verification was above the method acceptance limit. Any detection for the analyte in the associated samples may have a high bias. |
| v2 | The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard. |
| v3 | The continuing calibration verification was below the method acceptance limit. Any detection for the analyte in the associated samples may have a low bias. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 05/11/2026 04:59 PM



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: FLORIST
Pace Project No.: 40312052

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40312052001	HA-1(1')	EPA 5035/5030B	536552	EPA 8260	536555
40312052002	HA-2(1')	EPA 5035/5030B	536552	EPA 8260	536555
40312052003	HA-3(1')	EPA 5035/5030B	536552	EPA 8260	536555
40312052004	HA-4(1')	EPA 5035/5030B	536552	EPA 8260	536555
40312052001	HA-1(1')	ASTM D2974	536498		
40312052002	HA-2(1')	ASTM D2974	536498		
40312052003	HA-3(1')	ASTM D2974	536498		
40312052004	HA-4(1')	ASTM D2974	536498		



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Effective Date: 8/16/2022

Client Name: Monice K

Sample Preservation Receipt Form

Project # 40312052

All containers needing preservation have been checked and noted below:

☐ Yes ☐ No ☐ N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when
completed:Date/
Time:

Pace Lab #	Glass						Plastic						Vials					Jars				General				VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)			
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JG9U	JG9U	WGFU	WPFU	SP5T	ZPLC								GN 1	GN 2	
001																																			2.5 / 5
002																																			2.5 / 5
003																																			2.5 / 5
004																																			2.5 / 5
005																																			2.5 / 5
006																																			2.5 / 5
007																																			2.5 / 5
008																																			2.5 / 5
009																																			2.5 / 5
010																																			2.5 / 5
011																																			2.5 / 5
012																																			2.5 / 5
013																																			2.5 / 5
014																																			2.5 / 5
015																																			2.5 / 5
016																																			2.5 / 5
017																																			2.5 / 5
018																																			2.5 / 5
019																																			2.5 / 5
020																																			2.5 / 5

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____

Headspace in VOA Vials (>6mm): ☐ Yes ☐ No ☒ N/A

*If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JG9U	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Page 1 of 2

Sample Condition Upon Receipt Form (SCUR)

Client Name: Konicek

Project #:

WO#: 40312052

Courier: ☐ CS Logistics ☐ Fed Ex ☐ Speedee ☐ UPS ☐ Purple Mountain

☒ Client ☐ Pace Other: _____

Tracking #: _____



40312052

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other _____

Thermometer Used SR - 146 Type of Ice: Wet Blue Dry None ☐ Meltwater Only

Cooler Temperature Uncorr: 0.5 / Corr: 0.5

Temp Blank Present: ☐ yes ☒ no

Biological Tissue is Frozen: ☐ yes ☐ no

Person examining contents:

Date: 5/7/26 / Initials: EL

Labeled By Initials: mt

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	☒ Yes ☐ No ☐ N/A	1.
Chain of Custody Filled Out:	☒ Yes ☐ No ☐ N/A	2.
Chain of Custody Relinquished:	☒ Yes ☐ No ☐ N/A	3.
Sampler Name & Signature on COC:	☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No	5.
- DI VOA Samples frozen upon receipt	☐ Yes ☐ No	Date/Time:
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No	6.
Rush Turn Around Time Requested:	☒ Yes ☐ No	7. <u>3 day EL 5/7/26</u>
Sufficient Volume:		8.
For Analysis: ☒ Yes ☐ No MS/MSD: ☐ Yes ☒ No ☐ N/A		
Correct Containers Used:	☒ Yes ☐ No	9.
Correct Type: <u>Pace Green Bay, Pace IR, Non-Pace</u>		
Containers Intact:	☒ Yes ☐ No	10.
Filtered volume received for Dissolved tests	☐ Yes ☐ No ☒ N/A	11.
Sample Labels match COC:	☐ Yes ☒ No ☐ N/A	12. <u>SP004 WPFU unlabeled EL 5/7/26</u>
-Includes date/time/ID/Analysis Matrix: <u>SS</u>		
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	13.
Trip Blank Custody Seals Present	☐ Yes ☐ No ☒ N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir

Page 2 of 2