

**TECHNICAL REPORT
on the
HOT SPRING PROPERTY**

**SLOQUET CREEK AREA
HARRISON LAKE REGION
NEW WESTMINSTER MINING DIVISION
BRITISH COLUMBIA**

**Longitude 122°21'W/Latitude 49°45'N
NTS 92G/16W/9W (92G.079)**

for

**EVERTON RESOURCES INC.
103 – 5420 Canotek Road
Ottawa, Ontario
K1J 1E9
Phone: 613-241-2332, Fax: 613-241-8632**

by

**J. T. Shearer, M.Sc., P.Geo.
UNIT 5 – 2330 Tyner Street
Port Coquitlam, BC
V3C 2Z1
Phone: 604-970-6402, Fax: 604-944-6102**

November 15, 2010

TABLE OF CONTENTS

	Page
TABLE of CONTENTS.....	i
LIST of FIGURES and TABLES	ii
1.0 SUMMARY.....	iii
2.0 INTRODUCTION and TERMS of REFERENCE.....	1
2.1 PREAMBLE.....	1
2.1.1 BACKGROUND	1
2.1.2 TERMS of REFERENCE	2
2.1.3 PURPOSE of the REPORT	2
2.1.4 FIELD ACTIVITY of the QUALIFIED PERSON	2
3.0 RELIANCE on OTHER EXPERTS	2
4.0 PROPERTY DESCRIPTION and LOCATION.....	3
4.1 ENVIRONMENTAL LIABILITIES.....	3
4.2 PERMITS.....	5
5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE and PHYSIOGRAPHY	6
5.1 SITUATION	6
5.2 ACCESS	6
5.3 CLIMATE	6
5.4 PHYSIOGRAPHY	6
5.5 INFRASTRUCTURE and LOCAL RESOURCES.....	7
6.0 HISTORY	8
7.0 GEOLOGICAL SETTING	16
7.1 REGIONAL GEOLOGY.....	16
7.2 PROPERTY GEOLOGY.....	19
7.2.1 STRUCTURE and METAMORPHISM.....	21
8.0 DEPOSIT and MODEL CONSIDERATIONS	22
9.0 MINERALIZATION	23
10.0 EXPLORATION	37
11.0 PREVIOUS DRILLING.....	38
12.0 SAMPLING METHOD and APPROACH	44
13.0 SAMPLE PREPARATION, ANALYSIS and SECURITY	45
14.0 DATA VERIFICATION	47
15.0 ADJACENT PROPERTIES.....	48
16.0 MINERAL PROCESSING and METALLURGICAL	52
17.0 MINERAL RESOURCE ESTIMATES.....	52
18.0 OTHER RELEVANT DATA and INFORMATION	52
19.0 INTERPRETATION and CONCLUSIONS.....	53
20.0 RECOMMENDATIONS	56
REFERENCES.....	57
STATEMENT of QUALIFICATIONS	59
APPENDICES	
Appendix I Assay Certificates	60
Appendix II Rock Descriptions.....	121

LIST of FIGURES


	Page
1	Location Map, 1:500,000 iv
2	Claim Map, 1:50,0004
3	Previous Geochemical Results 10
4	Detail Geology, Southridge Area..... 12
5	Regional Geology, 1:125,000 17
6	Local Geology 18
7	Deposit Model – Volcanogenic Massive Sulphide Deposits..... 22
8	Previous Trenching Results..... 25
9	2010 Soil Sample Locations and Results 28
10	Previous Drill Section Holes 2, 6 + 7 39
11	Sample Results 2010, North Ridge Area, Map 1 of 8 29
12	Sample Results 2010, South Ridge West, Map 2 of 8 30
13	Sample Results 2010, South Ridge Central, Map 3 of 8 31
14	Sample Results 2010, South Ridge East, Map 4 of 8..... 32
15	Sample Results 2010, South Sloquet East, Map 5 of 8..... 33
16	Sample Results 2010, South Sloquet Central, Map 6 of 8 34
17	Sample Results 2010, South Sloquet Southwest, Map 7 of 8..... 35
18	Sample Results 2010, South Sloquet Central, Map 8 of 8 36

LIST of TABLES

Table	Page
1	List of Claims.....3
2	1300-1500 E Showing Au/Ag Trench Intersections..... 27
3	Drill Hole Co-ordinates 38

1.0 SUMMARY

- 1) Everton owns six MTO Cell Claims, which cover a precious and base metal prospect in the Sloquet Creek area of the southwestern British Columbia. The property is situated 95 kilometres northeast of Vancouver and is accessible by logging road from either Pemberton or Harrison Mills.
- 2) Cominco Ltd staked the ground in 1944 and again in 1979 (now covered by the Hot Spring claims) and discovered several moderate to high base-metal soil anomalies. The anomalous zones received only limited follow-up evaluation. Aranlee Resources Ltd. carried out a program of geological mapping and geochemical sampling in 1987. This program was successful in extending the largest and most intense soil anomalies located by the previous operators. A grab sample of altered volcanics exposed on the south side of Simpson Creek returned 2560 ppb gold.
- 3) The property is underlain by a sequence of pyritic, felsic tuff and coarse fragmental rocks capped by ferruginous chert which totals more than 400 m thick. This lithological assemblage is correlative with the Gambier Group hosting the Britannia Copper Deposits, suggesting a favourable environment for exhalative massive sulphide deposits and related precious metal enriched stockworks and breccias. The Britannia Polymetallic Deposits are located 70 km directly west of the Hot Spring Claims.
- 4) The general area is characterised by north-westerly trending Tertiary age faults associated with gold mineralization. The Doctors Point and the RN gold deposit at the south-end of Harrison Lake are the most important nearby gold zones.
- 5) Follow-up geochemical and geological investigations were carried out in 1988 on the anomalous zones, as well as checking the more eastern and largely untested areas of the claims (Shearer, 1988). Two new showings containing galena and sphalerite mineralization were discovered. The 1988 work located soil anomalies that carried up to 180 ppb Au and 15.5 ppm Ag. Rock chip samples returned values up to 0.238 oz/ton (8.16 g/tonne) gold and 15.73 oz/ton (539.31 g/tonne) silver.
- 6) One of the most important mineralized area found in 1988, called Dan's Showing, is hosted by very altered cherty tuffite. This zone outcrops over a horizontal area of 55 metres by 35 metres and is covered on all sides. Vertically it is exposed through a height of 25 metres on the steep hillside. Hand trenching gave values of up to 0.238 oz/ton (8.16 g/tonne) Au over 1 metre and 0.174 oz/ton (5.97 g/tonne) over 2 metres. In a different area, one part of a trench gave 8 metres averaging 0.052 oz/ton (1.78 g/tonne) Au. Narrow galena-sphalerite filled fault zones give up to 15 oz/ton (514.29 g/tonne) Ag and 25% combined Pb/Zn over 1 metre (Shearer, 1988).
- 7) Aranlee optioned the property to Noranda in 1989. Work in 1990 consisted of 7 NQ diamond drillholes totalling 1251.9 metres of drilling on the southridge part of the Property. Hole NQ90-2 collared at 30+012N and 30+886E intersected 119m averaging 584 ppb Au. NQ90-4 intersected 615 ppb Au over 66.0 metres (Wilson, 1991). Only one hole (NQ90-7) tested the possible down dip extension of the mineralized zone but it encountered an up-faulted block of lower andesite. Airborne geophysics (EM & Magnetism) and follow-up soil geochemistry were also completed (Wilson and Wong, 1990).



- 8) Mount Hope Resources Corp. in 1997 carried out limited geological mapping, relogging of the 1990 core and diamond drilling 11 holes totalling 6,000 feet oriented at 060° Az and from -57° to -90° dips.
- 9) 1997 drill results suggest a mainly intrusive-related mineralizing event as indicated by abundant epidote and molybdenum.
- 10) Three geochemical and geological programs were completed between 2008 and 2010 as a follow-up to the encouraging results of the 1997 program. A 300m section of the soil line samples in 2010 returned samples up to 837 ppb Au and 0.8 ppm Ag.
- 11) A large relatively low-grade gold and silver-bearing hydrothermal system is hosted by highly altered felsic volcanics on the Hot Spring Property. Anomalous values in gold in rock and soil have been found concentrated on the southridge area, and other zones throughout the Property. A systematic exploration program of continued petrology, road building, trenching and diamond drilling is recommended at a cost of \$400,000.00 to follow up targets west and south of the 1997 drillholes and the 2010 program results.

Respectfully submitted,

J. T. Shearer, M.Sc., P.Geo.
November 15, 2010

2.0 INTRODUCTION and TERMS of REFERENCE

2.1 Preamble

2.1.1 Background

This report has been commissioned by Andre Audet of Everton Resources Inc. to document the recent (2008-2010) work program and propose an exploration program to further assess the base and precious metal potential of the property. A large amount of previous work has been carried out in the past by various operators

The large volcanogenic massive sulphide copper-gold deposits of the Britannia Camp which produced over 55 million tons grading 1.1% Copper and 0.02 oz/ton gold (Payne et al, 1980) are hosted in Cretaceous Gambier Group Volcanic and Volcaniclastic rocks 70 km directly west of the Hot Spring Property. The Hot Spring area is underlain by altered volcanics and metasediments of the Gambier Group.

The claim area has been explored for precious metal (MacKay, 1944) and base metal potential (Wojdak, 1980a), since the early 1940's. Detailed panning during 1944 and 1997 demonstrated that Sloquet Creek contains plentiful coarse, angular placer gold and that 75% of the placer gold can be traced to Simpson Creek (Mackay, 1944). Stream sediment, soil and rock sampling led to the discovery of several gold, lead, copper and zinc soil anomalies by Cominco (Freeze, A. C., 1986). A field program by Aranlee Resources Ltd. conducted in 1987 relocated those anomalies and was successful in extending the most intense anomaly previously located by Cominco Ltd. Prospecting in 1988 discovered two new important pyrite-sphalerite alteration zones high in gold values south of the previous work on Southridge. Subsequent trenching in November 1988 on this showing south of North Sloquet Creek (Dan's Showing) revealed an extensive area carrying important gold values (up to 0.276 oz/ton) in a wide area extending over 1000 metres to the east. Preliminary detailed mapping and sampling suggested a possible stratabound nature to the mineralization. Limited shallow diamond drilling conducted in 1990 by Noranda intersected 119m averaging 584 ppb gold in Hole NQ90-2 and NQ90-4 averaged 615 ppb gold over 66m., demonstrating that the zone enriched in gold is between 70 to 100 metres in true thickness. Only one hole (NQ90-7) tested the possible downdip extension of this low-grade mineralized zone but an up faulted section of the lower andesite was encountered in this hole. Diamond drilling in 1997 was oriented at 060 to more thoroughly investigate the northwesterly-southeasterly structures which on relogging the 1990 drill core appeared to be important. The results of the 1997 diamond drilling indicate much higher grade values in gold and silver. An abundance of epidote and molybdenum was also encountered in the 1997 drilling.

Gold mineralization is also related to Tertiary-age major faulting along the Harrison Lake Fracture Zone similar to the RN gold deposit at the south end of Harrison Lake and Doctors Point gold deposit.

Everton Resources Inc. conducted a geochemical and geological programs in 2008 to 2010 which cost in excess of \$105,000.

2.1.2 Terms of Reference

Everton Resources Inc. retained J. T. Shearer, M.Sc., P.Geo. to review the project, draw conclusions, make recommendations and propose an appropriate exploration program to continue to evaluate the property in 2011. The company commissioned a summary report to file with the TSX Exchange to document the merit of the property.

2.1.3 Purpose of the Report

J. T. Shearer was advised by company officers that this report is intended to document previous work program and the current 2008 to 2010 program results which establish the property as one of merit for submission to the TSX Ventures Exchange. This report complies with the 43-101 format and may be used for disclosure in fundraising over \$250,000

2.1.4 Field Activity of the Qualified Person

J. T. Shearer, M.Sc., P.Geo. visited the property on May 9, 10, 18-21, and Oct. 6-8, 10-12, 16-20, 2010 to examine the surface mineralization, general geological conditions and also previously logged 1997 drillholes. J. T. Shearer also supervised several fieldwork and diamond drill programs from 1987 to 1997.

3.0 RELIANCE on OTHER EXPERTS

The author in writing this report used as sources of information those reports and files listed in the bibliography, personal files and the drill core stored since 1990 and 1997 on the property. Most of the reports were prepared by persons holding university degree in Geological Sciences. Based on the author's assessment, the information in these reports is accurate.

4.0 PROPERTY DESCRIPTION and LOCATION

The property consists of six contiguous MTO Cell claims held by conversion by Everton and in trust by S. E. Angus. Everton owns 100% of the claims. The author is not aware of any underlying royalties or encumbrances.

TABLE I					
Claim Name	Tenure Number	Size (ha)	Location Date	Current Expiry Date	Registered Owner
Hot Springs 1	506028	1085.480	February 6, 2005	November 1, 2011	S. E. Angus*
Hot Springs 2	506026	1127.330	February 6, 2005	November 1, 2011	Everton
Slo W	575648	125.280	February 8, 2008	November 1, 2011	Everton
N 1	576418	20.870	February 17, 2008	November 1, 2011	Everton
S 1	576420	20.890	February 17, 2008	November 1, 2011	Everton
SOW 2	685863	83.540	December 15, 2009	November 1, 2011	Everton
Total ha 2,463.390					

* held in trust by S. E. Angus for Everton.

The legacy claims were located in 1995 and were converted with the advent of MTO in 2005.

Mineral title in British Columbia is acquired by locating claims in the proscribed manner as outlined in the MINERAL ACT and regulations. Title is maintained by filing appropriate assessment work in the amount of \$4 per ha for the first 3 years and \$8 per ha thereafter.

4.1 Environmental Liabilities

Environmental baseline studies under the current Environmental Assessment Act have been undertaken even at this early stage of exploration throughout the property. Field evidence identified three S3 classified fish bearing streams on the Hot Springs Property with widths of up to 5 m wide. The Riparian Areas Management Guidelines (1995) require a 20 m riparian management area should be established along each back of the streams.

Water quality monitoring is required during development of any mining excavation activities and the water quality parameters must meet the recommended standards for freshwater and marine aquatic life according to the British Columbian and Canadian Working and Approved Water Quality Guidelines (Criteria – 2000).

Drainage water from mine workings, stockpiles and service roads should be directed to detention ponds to protect adjacent streams and Harrison Lake from sediment and contaminants. The containment facilities should be capable of collecting and storing large sources of contaminated drainage waters over the range of hydrologic and climatic conditions expected at this property.

Areas where fuel storage, truck washes and servicing garages may be required to be sampled and monitored for grease, oil and fuel. These facilities should be located a minimum of 30 m from any watercourse and spill containment structures and spill kits should be available at the site.

Future reclamation strategies should commence with the start of operations and allow for sequential restoration of areas no longer needed for mining purposes. The reclamation strategies should be designed early on to enhance and restore the natural habitat attributes found at the site prior to the commencement of operations.

Historically, the area has been subjected to clearcut logging and is currently forested with second growth timber. During the 2008 exploration program, several of the original logging roads located on the property had been cleared by forest companies to access the second growth timber for harvesting. Evidence of the most significant exploration on the property by past operators conducted from 1981 to 1983 is virtually non-existent as observed by the author with drill pads and trenches being reclaimed by second growth forest and underbrush.

4.2 Permits

There are no known environmental liabilities at this time. Environmental baseline studies may be required in the future if advanced development takes place on the property. Being situated on the side of a steep mountain, extra work will be required to maintain the safety of trails, roads, bridges, planned mining facilities, and associated pipelines. There are no plant or equipment, inventory, mine or mill structures of any value on these mineral tenures. The mineral tenures have been intensively logged over the last 20 years and logging is currently continuing in this area of the island.

The property falls within the overlap of the traditional territories of the In-SHUCK-ch First Nations and the Sto:lo First Nations as described in First Nation Statement of Intent to negotiate treaties which have been submitted to and accepted by the B.C. Treaty Commission. The final boundaries have not been agreed to by the First Nations, the Province of British Columbia or the Government of Canada at this time. A permit to conduct exploration has been issued in the past by the Ministry of Mines and Letters of Support have been received from the In-SHUCK-ch First Nation. Further support from the In-SHUCK-ch First Nation will be required as future exploration work progresses. Early engagement of local First Nation is advisable (Christensen, 2005).

5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE and PHYSIOGRAPHY

5.1 Situation

The Hot Spring claims are located at 122° 121' W longitude and 49° 45' N latitude in the New Westminster Mining Division, approximately 95 air kilometres northeast of Vancouver and 15 kilometres west of the northern end of Harrison Lake (Figure 1). Garibaldi Provincial Park borders the property to the west.

5.2 Access

The property is accessible by logging roads via either Pemberton and south along the Lillooet River Valley Road, or by road up the west side of Harrison Lake from Harrison Mills (at the Sasquatch Inn turn-off). A 9 kilometre two-wheel drive road accesses the east central boundary of the property by traveling from the Lillooet River westward along the north side of Sloquet Creek Valley. Access to the claims, from this point is by 4x4 truck on the logging road. Helicopter services are available at Agassiz, Pitt Meadows or Pemberton.

5.3 Climate

The access road is currently well maintained up to the bridge over North Sloquet Creek. Run of River hydroelectric projects totalling 150mW has been recently completed by Cloud on Fire Creek and the 330kV Transmission line is situated along Sloquet Creek. The Sloquet Logging Road has been upgraded in recent years. The In-SHUCK-ch Forest Service Road from Mount Currie (Highway 99) was completely upgraded in 2010 resulting in the 70km distance having the typical driving time reduced from 2 hours to 1 hour.

The climate of the area is west coast rainforest with temperatures ranging from -10° C in the winter to +30° C in the summer. Although snowfall depths can be significant in this area, the temperate weather will allow mining operations to be carried out year round. Power requirement are readily available as the main Hydro power line from Bridge River passes over the claim block (the South Swamp – Pylon Zone was named due to the presence of a hydro tower pylon on the showing). Adequate water supplies are available from nearby large creeks and from Harrison Lake. Although topography is rugged there is a flat bench north of the Main Mineral Zone towards the North Mill Site area to accommodate a milling plant and tailings storage.

5.4 Physiography

Elevations on the property range from 1,500 to 4,500 feet above mean sea level (460m to 1,480m a.s.l.). Slopes are steep with avalanche chutes and hazardous steep cliff areas. Thick growth of alder, devils club and alpine fir occur below altitudes of 4,500 feet (1,372m). Above this elevation the vegetation thins, and where the terrain flattens, ponds and swampy areas have developed.

5.5 Infrastructure and Local Resources

Locals refer to Sloquet Creek as “Spring Creek” since high temperature hot springs occur south of the claims on South Sloquet Creek which attracts determined visitors throughout the year. A major new, permanent steel and concrete bridge across Sloquet Creek giving access to the hot springs and South Sloquet was completed by Forestry in July 1997. This road could, in the future, give access to mineralized zones south of the 1997 drilling area.

6.0 HISTORY

Recorded exploration activity within the immediate area has been conducted intermittently since the mid 1940's. North of Sloquet Creek in the Fire Lake-Fire Mountain Area, small scale gold production occurred in the 1920's and 1930's.

In 1944, the area was staked by prospectors working for Cominco Ltd. (MacKay, J. M., 1944). Their attention was focused towards this area after obtaining good gold indications from pannings of Sloquet Creek gravels. Over 75% of the gold was determined to be from gossanous cliffs in the Simpson Creek area. Prospecting in this area produced a chip sample of pyrite, galena and sphalerite bearing tuff that contained 0.16 oz/ton gold over six feet (1.8 metres) and also yielded a float rock sample containing quartz-sulphide stringers which assayed 0.94 oz/ton gold (MacKay, J. M., 1944). No further work was done at that time.

In 1975, the CL claim was located in the area north of Simpson Creek and was geologically mapped and sampled by M. McClaren and R. Dickinson. This work was performed for the Cyprus Anvil Corporation during 1976. The purpose of the exploration program was to assess the massive sulphide potential of the area. A pencil manuscript map at a scale of 1:1200 was constructed and was also used in the 1988 program.

In 1979, Cominco Ltd. staked the SLO claim group in the area now occupied by the Hot Spring claim group. Silt samples from this area gave anomalous precious and base metal values (Wojdak, P. J., 1980a). Cominco Ltd. completed a soil sampling survey in 1981 and located several precious and base metal soil anomalies. The best developed anomaly yielded values of up to 488 ppm Cu, 3600 ppm Pb, 3300 ppm Zn and extended 500 metres in length being open towards the west (Wojdak, P. J., 1980b).

In 1985, Cominco Ltd. attempted chip sampling traverses across a portion of cliffs located above and to the south of the best developed soil anomaly on the south side of Simpson Creek. This program employed experienced rock climbers and had a duration of three days. Thirty-five rock chip samples were collected; at least eight samples were anomalous in either copper, lead or zinc. Fourteen samples yielded silver values exceeding 7 ppm. Five samples yielded gold values exceeding 100 ppb. Best results were received from sample S-85-3 (155 ppm Cu, 12800 ppm Pb, 8440 ppm Zn, 162 ppm Ag, 392 ppb Au) and S857 (244 ppm Cu, 1186 ppm Pb, 578 ppm Zn, 17.6 ppm Ag, and 856 ppb Au) (Freeze, A. C., 1986).

The SLO claim group was allowed to lapse in October 1986. The area was partially restaked as the Quet 1 and 2 mineral claims on May, 1987 by W. Chase. Aranlee Resources Ltd. optioned the Quet 1 and 2 mineral claims in October, 1987 and staked the contiguous Quet 3 and 4 mineral claims in November, 1987. A small exploration program was conducted during November of 1987 by Aranlee Resources. This work confirmed the presence of the Cominco soil anomalies and extended some of the more significant ones (McClaren and Hill, 1987). In 1988, follow-up sampling, prospecting and geological mapping was completed. Cobra drilling and blasting was used to trench the most promising showings (Shearer, 1988).

The claim situation was complicated with overlaps in the area since some previous claims were removed from the Government maps while they were still in good standing.

Aranlee Resources Ltd. optioned the property to Noranda in 1989. Work in 1990 consisted of 7 NQ diamond drillholes totalling 1251.9 metres on the Southridge part of the property. Hole NQ90-2 intersected 119m averaging 584 ppb Au, NQ90-4 intersected 615 ppb Au (Wilson, 1991). Only one hole (NQ90-7) tested the possible down dip extension of the mineralized zones but it encountered an up-faulted block of lower andesite. Airborne geophysics and follow-up soil geochemistry were also completed (Wilson and Wong, 1990).

In 1995 and 1996, the area was acquired by S.E. Angus, J. T. Shearer and A. E. Angus. Mount Hope Resources Corp. purchased the claims and completed follow-up geological mapping, relogging of the 1990 drillcore, extensive stream sediment panning, prospecting and diamond drilling 11 holes totalling 6,001 feet (1,800m). The access road from the new concrete bridge over Sloquet Creek was rehabilitated in close consultation with the Ministry of Environment and Forest Service.

PREVIOUS GEOCHEMISTRY


Soil samples were taken in 1987 on east-west grid lines initially at 10m intervals and later at 20m intervals (Figure 18). Samples were taken on lines 30+300N, 30+250N, 30+200N, 30+150N, 30+100N, 30+000N from 30+000E to 32+000E. Difficult access, poor soil development and other logistical problems prevented complete sampling on these lines. Samples were also taken on a diagonal line from near 30+000N at 30+550E to 30+180N at 31+500E; and along the old logging roads and from 30+000E to 29+500E along line 30+100N.

Samples were analyzed for Au, Ag, Pb, and Zn. Extensive Au anomalies showing close correlation with Ag and Pb, Zn values, define a stratabound mineralized zone. This zone is approximately bounded by the 30+200N to 30+100 N lines and runs from 30+000E to 31+500E. Frequent north to northeasterly trending Au anomalies are also well developed and suggest similar trending structurally controlled potential mineralized zones. The best anomalies are developed over the eastern half of the grid with some values greater than 1000 ppb Au.

During May 1990, a soil geochemical survey was completed on both the detailed and reconnaissance grids at 25 and 50m station spacings respectively. Fill-in sampling on the anomalous reconnaissance lines during early June 1990 followed up the earlier sampling.

Determination of threshold levels for contouring were by inspection. Very high backgrounds in specific areas of the entire grid masked the centres of mineralization if thresholds are based on the entire population. Selection of a subset of geochemical data is recommended for additional geostatistical study. ICP 30 element analysis was completed on all samples and this data should be acquired for additional study.

Four areas are recognized as anomalous and worthy of follow-up study. They are the (1) Southridge Anomaly, (2) the J.A.D.S. Anomaly, (3) the Danbus Anomaly, and (4) the Northridge Anomaly.



Southridge Anomaly

The east end of the Southridge Anomaly was trenched by Aranlee Resources and a limited amount of diamond drilling was conducted by Noranda. It is a combined Au, Ag, Pb, An, Cu anomaly occurring in an east-west direction from Line 30+100E to 31+500E between 30+000N and 30+500N. The Anomaly is most broadly seen as a Pb anomaly and most narrowly as a Cu anomaly. Pb values reach a high of 3390 ppm with seven other stations above 1000 ppm Pb. Ag values show the second strongest anomaly and closely track high Pb values. Results to 102.5 ppm Ag are seen with eighteen other results above 10 ppm. Although there is a suggestion of downslope dispersion with some of the highest Ag results, the strongest trend is across slope on an E-W direction.

Gold has the third strongest response with highest values of 1690 and 1100 ppb Au. The bulk of the anomaly which extends from 30+500E to 31+500E is above 100 ppb Au with large areas above 200 ppb Au. The anomaly has two centres defined by:

- 1) 30+900E to 31+200E from 30+000N to 30+250N and in an east - west direction; and
- 2) 31+200E to 31+400E from 30+300N to 30+600N with a northeast azimuth.

The later centre is also seen as an Ag anomaly but not in Pb, Zn, Cu values.

Zinc and Cu results, while anomalous, form much narrower bands than Pb, Ag, and Au. Zinc values to 1589 ppm and 1949 ppm are seen along a 100m wide ENE belt from 30+100E, 30+200N to 30+300N to 31+200E, 30+500N to 30+600N and open to the north across the creek. Cu results follow the familiar east-west band from 30+100N to 31+000N from 30+100E to 30+300E but is more sinuous and erratic. It does, however, follow the highs of all other elements.

The best values generally track Unit 3: blue-grey siliceous felsic tuff. This unit also has the highest number of sphalerite-galena-chalcopyrite showings with corresponding anomalous gold-silver rock sample results from the 1989 Aranlee survey.


Some of the anomalies are seen within Unit 4: purple andesitic lapilli tuff, however, downslope dispersion on the 30-50° hillside may tend to extend the anomaly beyond the source area. This area also corresponds to a quiet ground magnetometer response and a high background I.P. response.

The geochemical survey has shown that Unit 3 is the primary unit of interest and that attention should be directed to the area between 30+100E and 31+500E from 30+000N to 30+300N. The second gold anomaly in the 31+200N to 31+400N area is within a no outcrop zone in deep overburden. Detailed studies will be required in this thickly treed area to determine if this is a transported anomaly.

J.A.D.S. Anomaly

The J.A.D.S. Anomaly is roughly situated between 30+600E and 31+000E from 29+350N to 29+700N and is an Au, Ag, Pb, Zn anomaly with spotty Cu values. Au highs to 1550 ppb, Ag highs to 30.9 ppm, Pb highs to 816 ppm and Zn highs to 701 ppm define a northeast trending anomaly centred within felsic tuffs showing minor pyrite. This area has been assigned a Unit 3 rock unit although further mapping is required to determine it's relation to the Southridge Unit 3.

Geological mapping to date has only been on the even numbered 200m spaced lines. Additional detailed mapping and prospecting are required over this zone which shows a quiet magnetometer signature similar to Unit 3 on the Southridge Anomaly.



Legend

- OUTCROP
- CLIFFS/CRAGS
- SNOW CHUTE / TOPOGRAPHIC DEPRESSION
- ROAD
- LITHOLOGIC CONTACT
- FAULT

Inset

Everton Resources Inc.
Hot Spring Property

DETAIL GEOLOGY
SOUTHRIDGE AREA

N
1:11,000
0 40 80 160 240 320 400
Meters

NTS: 92G/16W	Scale: As shown	Date: Oct. 2010	Figure: 6
-----------------	--------------------	--------------------	--------------

Danbus Anomaly

The Danbus Anomaly occurs between 32+000E and 32+400E from 29+500N to 29+700N and is primarily a Zn anomaly with spotty, low level Au values. It occurs within intermediate volcanics believed to be related to the Peninsula Formation. The area is of secondary importance and is mentioned only for completeness.

Northridge Anomaly

Three lines extending north across North Sloquet Creek to near the crest of the Northridge encountered spotty but anomalous Au results to 400 ppb. It occurs within a pyritic felsic tuff which should be investigated further. No additional sampling occurred over these lines which were sampled as part of a preliminary follow-up to the airborne geophysics survey.

The soil geochemical survey has shown that a fine grained blue-grey coloured felsic tuff occurring within a low magnetic susceptibility zone is the primary geochemical target on both the Southridge and J.A.D.S. Anomalies. Multi-element signatures demonstrate the target to be 100 to 300 metres wide along the slope and parallel to stratigraphy. The boundaries of the zone(s) for follow-up have been well defined by soil geochemistry.

PREVIOUS GEOPHYSICS

Previous VLF-EM and magnetic surveys were carried out over the grid area. Readings were taken at 25m intervals on lines 300S and 250S from 0 - 1800E, on 200S and 100S from 0 - 2000E, and on line 0 from 0 - 500E. Readings were also taken along the main logging road.

Anomalies correlate well with both the geology and the geochemical anomalies. Mapped north-south structures show strong EM signatures in many instances with coincident magnetic highs. Of particular interest is a very strong EM anomaly 50m south of the 900E showing, indicating a potentially rich mineralized extension to this area.

During June, 1990, geophysical surveys consisting of Total Field Magnetism, Electromagnetics, and Induced Polarization were carried out on the area now covered by the Hot Spring Property. The purpose of the surveys was to aid in mapping of the local geology as well as the identification of potential economic mineral deposits.

The magnetometer and electromagnetic surveys were carried out by Peter E. Walcott and Associates Ltd. of Coquitlam, B.C. while the I.P. survey was contracted to Pacific Geophysical of Vancouver, B.C.

The magnetometer survey utilized EDA Omni 4 magnetometers with readings corrected for diurnal drift by the use of a recording magnetic base station. The EDA system records the Total Magnetic Field with an accuracy of within 1 nanoTesla. Readings were taken every 12.5m.

Horizontal Loop Electromagnetic System

The previous HLEM survey, performed on selected lines, utilized the Scintrex SE-88 frequency EM system. This system is similar to conventional HLEM systems such as the MaxMin II except that the percentage response of a transmitted and a reference frequency as compared to the usual in-phase and

out-phase components is measured. Three transmitted frequencies, 337 Hz., 1012 Hz., and 3037 Hz., were used with a reference frequency of 112 Hz. To maximize the signal level the ratio response is integrated over a time period (usually less than 20 seconds), depending upon local noise levels. Coil spacing between receiver and transmitter was kept at 100m with a station interval of 25m.

Induced Polarization System

The previous time-domain I.P. survey utilized a Phoenix IPT-1 powered by a Phoenix MG-1 motor generator capable of producing 1.2 kW of power. The receiver unit was an EDA IP-6 unit. The transmitted signal had a period of 8 seconds, 50% duty. The double dipole electrode array was used with dipole spacing of 25m and n=1 to n=6 being recorded. Chargeability was measured in units of mV/V.

Total Field Magnetism

The previous total field magnetism survey has delineated 7 magnetic terrains, T.1 - T.7. The boundaries of these magnetic lithologies match the inferred geologic boundaries to a fair degree.

Two rock units of high magnetic susceptibility are found on the grid. Unit T.3, corresponding to a biotite-hornblende diorite unit, is more active and intense than the other high terrain, T.4, which is interpreted to be an andesite unit. A diorite plug feature is found within T.4.

Unit T.1 exhibits a quiet and low magnetic susceptibility and is speculated to represent either a felsic volcanic or sedimentary unit. T.1 appears to sandwich the diorite unit at the grid's east side. A unit of slightly higher susceptibility, T.2, interpreted to represent rhyolite lies on the east flank of T.1.

The contact between T.5 and T.7 is well defined by the southern extent of the anomalous I.P. zone. Both these units are mapped as felsic tuffs with T.7 more siliceous than T.5. The I.P. pseudo-sections show Unit T.7 to be highly resistive (as expected) and overlying less resistive bedrock. The north flank of T.5 is interpreted to be in contact with another distinct unit, T.6, which corresponds to a mapped dacite-andesite unit.

Two long conjugate faults have been interpreted from the magnetism, with the SW - NE fault defining the western extent of Unit T.5. A short NW - SE fault appears to cut Unit T.4 on its east side.

An N-S trending fault has been interpreted at the grid's south and corroborates better with a mapped fault than the short N-S faults inferred from geology found near the baseline at L.30000E and L.30200E.

Several interpreted dykes are shown on the basis of the known geology.

HLEM Survey

The HLEM survey profiles show a resistive subsurface with no significant variations in conductance with the possible exception of the south end of L.30800E which has a slight increase in sub-surface conductance.

I.P. Survey

The I.P. survey was performed on four lines: L.30600E, L.30900E, L.31100E, and L.31400E and the interpretation is shown on the geophysical compilation map (Figure 19). Background chargeability values are considered to be 20 mV/V and less. All four lines yield significant responses over a wide extent within magnetic units T.5 and T.6. Good continuity from line to line of the anomalies is exhibited with sharp termination of the anomalous responses at the contact between Units T.4 and T.5.

The most attractive response is found at near surface on L31400E/30450N. Other attractive targets appear at: L31100E/30262.5N, d=60m.¹, L.30900E/30350N, d=10m., and L.30600E/30150N, d=25m.

¹ d=60m represents the depth to the top of the target in a direction perpendicular to average topographic slope.

7.0 GEOLOGICAL SETTING

7.1 Regional Geology


The earliest reported geological mapping of the North Harrison Lake area was of the Vancouver North Map Area by J. E. Armstrong and J. A. Roddick contained in G.S.C. Memoir 335: Vancouver North, Coquitlam, and Pitt Lake Map Areas, B.C., (Figure 4). More recent mapping by J. M. Journeay, L. Csontos and J.V.G. Lynch from 1988 to 1989 have detailed the geology of North Harrison Lake area which includes the Hot Spring Property. A recently published Open File (O.F. #2203) by the British Columbia Department of Mines summarizes the results of that mapping, (Figure 5).


The Coast Belt of Southern British Columbia records a complex history of deformation, metamorphism and igneous activity that can be linked, in part, to progressive shortening and transcurrent displacements along the continental margin of North America since Early Cretaceous time that may be associated with eastward subduction of oceanic lithosphere.

Gambier Group rocks underlie the Hot Spring property and represent an island arc depositional environment. Included is the Peninsula Formation, a basal, fining upward sedimentary sequence of subaqueous autoclastic and epiclastic rocks which are mainly intermediate in composition (Roddick, J. A., 1965). These rocks are correlative on a lithological basis with the Gambier Group that lies 40 air miles (70 kilometres) to the west of the Hot Spring property. The argillaceous middle member along Harrison Lake is equivalent to the Britannia Formation of the Gambier Group (Roddick, J. A., 1965, pg. 42). The Britannia Formation hosts the Britannia Mine, a copper-zinc-gold felsic volcanogenic massive sulphide deposit of the Kuroko-type (55 million tons grading 1.1% Cu, 0.65% Zn, 0.2 oz/ton Ag and 0.02 oz/ton Au) (Payne et. al., 1980).

Two phases of thrusting related to Late Cretaceous oblique convergence along the continental margin and Tertiary dextral/normal dip-slip faulting are the major structural events. Metamorphism to greenschist grade or lower has also occurred within the Gambier Group rocks. The metamorphic grade of the Gambier Group rocks seldom exceeds lower greenschist facies, except in the vicinity of intrusions, where migmatization occurs.

The Harrison Lake Shear Zone is recognized (Journeay, 1989) (Ray, 1986) to be an important structure in localizing economic gold deposits within Southwest British Columbia. This gold belt, which includes the Hot Spring property is associated primarily with brittle fault systems along the western margin of the Shear zone, and is offset to the north by younger northeast-striking transcurrent faults. These northeast-striking transcurrent faults may also be important structures in controlling the emplacement of epizonal Late Tertiary plutons and in tapping associated hydrothermal systems. These transcurrent faults may be providing the necessary structural control for localizing economic concentrations of both base and precious metals within the region.





7.2 Property Geology

The geology of the central portion of the Hot Spring property is shown on Figure 6. The area is predominantly underlain by a mixed assemblage of felsic tuffaceous and fragmental rocks which display evidence of explosive felsic volcanism and contain clasts of laminated pyrite. These rocks interfinger with andesite flows and dykes.

Past geological mapping at the scales of 1:1,000 for the detailed grid and 1:2,500 for the reconnaissance grid was completed on the area referred to as the "Southridge Zone". The following is a summary of the lithological units noted during the course of prospecting and mapping in 1997.

Unit 6: Biotite-Hornblende Diorite

An unaltered, medium to fine grained, equigranular rock containing 10-15% biotite-hornblende crystals, 57-80% plagioclase crystals and 10% anhedral quartz. The rock has a light grey salt and pepper appearance and often has xenoliths of andesite near it's contacts.

This intrusive is extensively exposed in the southwest of the Southridge map area (Figure 8) together with a small stock mapped in the area 31+100E to 31+400E from 29+600N to 29+800N. Airborne magnetometer results suggest a larger near surface component to the stock than actually mapped on surface.

Unit 5A: Andesite Dykes/Sills

A dark green to greenish black rock, variably porphyritic with feldspar phenocrysts, massive, undifferentiated with extensive chlorite alteration and lesser epidote alteration. The dykes cut all lithologies (except diorite) at a north to north-west direction with mainly sharp contacts.

Pyrite is ubiquitous, occurring as fine disseminations from 1 to 15%, and often coats fracture surfaces. The rock is moderately to strongly magnetic. At some locations it is possible that these andesites (or intermediate tuffs) are conformable to bedding and may be sills. This unit is seen commonly throughout the property.

Unit 5B consists of andesitic flows and tuffs probably belonging to the Peninsula Formation. It occurs east of L31+500E and forms the easterly extent of the ridge between the North Sloquet and Sloquet Creek.

Unit 4: Dacitic to Andesitic Lapilli (Nodular) Tuffs

Characterized by a dark grey to brown matrix of abundant secondary biotite with subrounded 1 to 10 mm nodules of light green associated with variable concentrations of felsic angular fragments. This unit contains variable to pervasive silicification and has been shown by petrographic studies to be altered by potassium feldspar.

This unit is common along the northern border of the detailed grid over a slope distance of 300m and is in gradational (due to intensity of alteration) contact with unit 3. Relict textures in Unit 3 suggest that at least part of Unit 3 is intensely altered unit 4.

Unit 3: Siliceous Felsic Tuff

A light blue grey, fine grained to very fine grained highly silicified and potassic altered and massive rock. The rock appears to have been bleached and weathered surfaces have a distinctive yellow-brown gossanous appearance due to oxidation of finely disseminated pyrite.

This unit is often mineralized with sphalerite \pm galena and lesser chalcopyrite and produced the bulk of the gold and silver rock sample anomalies during Aranlee's 1989 field program. It is situated immediately south of Unit 4 in an east-west band on the detailed grid and occurs over a slope distance of 200m. Since unit 3 may be essentially an alteration feature, future mapping should concentrate on defining the contact relationships between unit 3 and 4.

A similar lithological unit occurs on the south facing slope of Southridge which may, in part, be the down-dip extension of Unit 3. It occurs over a much wider slope distance, however, and a steepening dip would be required to account for the additional area of the outcrop, unless this exposure is related to buried, presently unknown intrusive. The unit is fairly massive and dip measurements can not be made. More detailed mapping from closer spaced lines would be necessary to more fully understand the geometry of Unit 3.

Unit 2: Siliceous (Sugary Textured) Felsic Tuff

A white, fine to medium grained sugary textured, very siliceous felsic tuff. As with Unit 3, into which this unit is gradational, the protolith is not clear but is thought to be the dacite nodular tuff. Quartz eyes have not been recognized in hand specimens. Silicification has obliterated most original texture and the unit appears as a massive, non-bedded volcanic. Ghosted white tuff fragments (feldspar?) are sometimes observed.

A distinctive red (hematite?) colouration on weathered surfaces is common within this unit. The pyrite content is very low ($<1\%$) and the rock appears to have been bleached. This unit outcrops in an east-west band south of Unit 3 just on the south facing slope from the ridge forming the topographic high on the detailed and reconnaissance grids.

Unit 1: Boulder Conglomerate

Well rounded granitic boulders occur within a (matrix supported) dark green, chloritized andesitic matrix. This unit is only seen on the reconnaissance grid on the east and north-east sides and likely represents a lower portion of the Peninsula Formation within the gridded area.

Alteration

The volcanic package consisting of Units 2, 3 and 4 display the strongest alteration of all rocks mapped. Unit 5 displays strong local orthoclase alteration while Unit 3 contains both orthoclase and intense silica alteration. The silicification becomes stronger and orthoclase weaker towards the south (up stratigraphy) until in Unit 2 the rock is totally silicified and most of original textures destroyed. Silicification, as with orthoclase alteration, is pervasive with gradational contacts.

The origin of the alteration may, in part, be related to the intrusion of the Coast Plutonic complex diorites or unrecognized younger intrusives with the gradational change from one alteration type to the next related to the contact aureoles. Other volcanics on the property show minor to moderate silicification but nowhere near the intensity of Unit 2, 3 and 4.

7.2.1 Structure and Metamorphism

The volcano-sedimentary sequence has been metamorphosed to biotite metamorphic grade with variable development of a tectonic fabric. Where recognizable, bedding is sub-parallel to or shallower than the fabric, dipping at 30-50° to the SSW or SSE. There is no evidence of major tight fold repetition within the map area.

Late-stage faulting is important, probably largely of post-plutonic, Tertiary age. Gold mineralization elsewhere in the Harrison Lake Area is related to this Tertiary Event. A major dextral northeast-trending fault controls the orientation of Sloquet Creek and cuts the nose of the ridge between North Sloquet and Simpson Creeks. Hot springs in Sloquet Creek may be related to this fault. Several sub-parallel northeast to north-trending faults may control the line of snow chutes to the west. One such structure exposed by trenching near 30+125N and 30+305E is strongly altered and mineralized. Several southwest dipping structures have also been recognized in the area and may bear a close relationship to mineralized zones.

The Southridge Zone west of Line 31+500E is underlain by an east-west striking, moderately south dipping sequence of intermediate to felsic volcanic tuffs to lapilli tuffs. These volcanics have been pervasively silicified and orthoclase altered and are cut by numerous andesitic porphyry dykes trending north to northwest. Steeply dipping north-south trending faults have displaced some lithologies by a few tens of metres. A blue-grey silicified felsic tuff unit (Unit 3) has been shown by past surveys to contain sphalerite-galena showings. Present mapping assigns the gold showings to this unit and defines it to be the most potentially economic horizon on the Southridge.

East of Line 31+500E and separated by a major north - south gulley is a massive andesitic flow/tuff unit which is underlain by a boulder conglomerate. No structural measurements were recovered from these units. This area represents a significant faulted uplift within the Gambier Group with subsequent erosion of the Brokenback Hill Formation and exposing the underlying Peninsula Formation. These rocks are not as altered as those west of Line 31+500E indicating the uplift and erosion to be a late stage event. No mineralization except minor pyrite was seen within this package of rocks.

8.0 DEPOSIT and MODEL CONSIDERATIONS

The Hotspring Claims are being explored for gold and volcanogenic base metal (Cu, Zn) deposits. Gold deposits in this area (Britannia) are associated with or are in part hosted by sulphide bearing chemical sedimentary units which can be traced by electromagnetic, magnetic, and Induced Polarization geophysical surveys. The volcanogenic massive sulphide deposits can also be located by geophysical methods and may be associated with laterally extensive chemical sedimentary horizons. Alteration zones that are commonly associated with both types of mineral deposit may be reflected as areas with lower magnetic signature than the unaltered rocks along strike.

Volcanogenic massive sulphide deposits can also be located by geophysical methods and may be associated with laterally extensive chemical sedimentary horizons. Alteration zones that are commonly associated with both types of mineral deposit may be reflected as areas with lower magnetite signature than the unaltered rock along strike.




FIGURE 7 Deposit Model – Volcanogenic Massive Sulphide
From Ore Deposit Models – 8
Volcanogenic Massive Sulphides
Geoscience Canada Volume II No4 1985

9.0 MINERALIZATION

PREVIOUS TRENCHING (IN 1988 & 1989)

Mineralization and Lithogeochemistry

A high proportion of the volcanic rocks in the claim area are pyritic with variable enrichment in base and precious metals. The property geology indicates major potential for volcanogenic massive sulphide or stockwork base metal-gold mineralization (comparable to some of the zones at the Britannia Mine) and for structurally controlled mesothermal or epithermal gold mineralization related to the Late Cretaceous or Tertiary structures.

Exploration by Cominco and Aranlee prior to 1989 identified widespread base and precious metal enrichment in the pyritic felsic volcanics on the ridge between Simpson and North Sloquet Creeks. Several sphalerite-galena showings were located on this ridge and north of Simpson Creek, some with significant gold values (max. 392 ppb Au). Higher gold values in Dan's Showing south of North Sloquet Creek focused follow-up work in this area. This led in 1989 and 1990 to the outlining of an extensive, discontinuous, mineralized zone extending at least 1.5 km east-west along strike and up to 100m across strike. This area is referred to as the North Sloquet Creek Prospect.

North Sloquet Creek Prospect

Dan's Showing (30+000N + 30+050E)

Five trenches were blasted across the showing in 1988. This zone outcrops over a horizontal area of 55 by 35 metres and is covered on all sides. Vertically it is exposed through a height of 25 metres on the steep hillside. Hand trenching gave values of up to 0.238 oz/ton (8.16 g/tonne) Au over 1m (0.174 oz/ton [5.97 g/tonne] over 2m). In a different area, one part of a trench gave 8 metres averaging 0.052 oz/ton (1.78 g/tonne) Au. Narrow galena-sphalerite fault zones give up to 15 oz/ton (514.29 g/tonne) Ag and 25% combined Pb/Zn over 1 metre (Shearer, 1988). The host rock is Unit 3a altered rhyolitic tuff cut by an intense millimetre scale quartz veining network. Sulfides occur as disseminations and within veins, averaging 5-10% but with local zones of up to 40-60% sulfide. The richest mineralization occurs in a shallow (35°) south-dipping 0.2 to 1m breccia zone.

The extent of the mineralized area is uncertain. Disseminated sphalerite-galena mineralization occurs in outcrop along strike to the east for 130m, with grab samples assaying up to 3.37 g/t Au (0.098 oz/ton Au). Mineralized float occurs 150m west of the showing, where outcrop is absent. Exposure is also absent downhill to the north. To the south, the zone passes up into unmineralized andesite.

The evidence suggests a primary stratabound metal enrichment concentrated into later structurally controlled zones. The disposition of higher grade samples within the trenched area may reflect a 150-160° mineralized zone strike related to 140-150° shear zones exposed in the trenches. The relative importance of structural and stratigraphic controls requires additional investigation.

Lower Zone (30+100N + 30+035E)

The 'Lower Showing' lies 100m north-northwest and downhill from Dan's Showing. Abundant pyrite, galena and sphalerite occur as disseminations and in irregular massive zones and veins in silicified dacitic tuff. Grab samples assay up to 1.26 g/t Au (0.037 oz/ton). A strike of 160-170° would link the zone with Dan's Showing through intervening soil anomalies (up to 155 ppb Au).

Prospecting along strike to the east from the lower showing has established an extensive stratabound zone (250 x 50m) of variably silicified tuffs with widespread pyrite-galena-sphalerite mineralization, concentrated in northwest-trending shear zones. Grab samples assay up to 0.7 g/t Au (0.02 oz/ton).

The Lower Zone continues east into the 350 E showing and probably continues along strike through the 600 E, 900 E, 1150 E and 1400 E Showings (below).

350 E Showing (30+125N + 30+350E)

Excavator trenching of a northwest-trending Au soil anomaly (to a maximum of 420 ppb Au) revealed a fault zone of intensely sericitic and argillic altered pyritic tuff at least 13m across. Maximum gold values in 1 metre channel samples were 0.068 g/t (0.002 oz/ton). This passes east into 9m of silicified tuff with up to 30% pyrite-chalcopyrite-sphalerite. Maximum 1 metre channel sample assays from the zone were 0.48 g/t Au (0.014 oz/ton), 26.7 g/t Ag (0.78 oz/ton), 1.04% Cu, 1.35% Zn and 0.14% Pb. A 4m zone assayed at 0.39 oz/ton Au, 18.3 g/t Ag, 0.62% Cu, 0.64% Zn, 0.11% Pb.

A 30 metre section of variably silicified sphalerite-bearing pyritic tuffs was exposed east of this Cu-Zn zone. This mineralization represents the eastward extension of the Lower Zone, with up to 20 metres dextral offset across the fault. Maximum values from 1 metre channel samples were 0.206 g/t Au (0.006 oz/ton) with 22.7 g/t Ag (0.66 oz/ton) and 2.0% Zn.

600 E Showing (30+170N + 30+600E)

This showing occurs on the eastward extension of the Lower Zone and marks the start of richer gold mineralization within the zone. Grab samples of pyrite-galena-sphalerite mineralization in silicified dacitic tuffs assay up to 4.2 g/t Au (0.122 oz/ton). Recent channel sampling across the zone indicated 7 metres assaying 2.4 g/t Au (0.07 oz/ton) with 2 metres at 4.56 g/t (0.134 oz/ton). Trenching is required to establish the continuity of the mineralization.

900 E Showing (30+110N + 30+905E)

The main mineralized zone at 900 E is 3-5m across and exposed over 15m of strike at about 145° Az. It contains abundant (10-40%) pyrite, galena and sphalerite, disseminated within quartz vein networks hosted by silicified dacitic tuff. Mineralization is extensive but its continuity is uncertain due to deep oxidation and leaching.

Twelve grab samples from the 15 x 20 metre outcrop area average 2.45 g/t Au (0.071 oz/ton) and 33.16 g/t Ag (0.967 oz/ton). The maximum assay was 6.88 g/t Au (0.201 oz/ton) with 68 g/t Ag (1.983 oz/ton) and more than 1% Pb. Limited channel samples have been taken across the main zone. The best intersections were 1 metre at 6.38 g/t Au (0.186 oz/ton) and 2 metres at 2.76 g/t Au (0.805 oz/ton). Eight samples across the zone average 2.74 g/t Au (0.080 oz/ton) and 60.7 g/t Ag (1.769 oz/ton), excluding samples of an unmineralized 0.5m andesitic dyke cutting the zone.




TABLE T3: OZ/TON

SAMPLE NO.	Au	Ag
51	0.004	0.01
52	0.002	0.01
53	0.008	0.09
54	0.024	0.23
55	0.018	0.20
56	0.048	0.43
57	0.022	0.37
58	0.021	0.67
59	0.022	0.27
60	0.024	0.24
61	0.024	0.24
62	0.024	0.24
63	0.024	0.24
64	0.024	0.24
65	0.024	0.24
66	0.024	0.24
67	0.024	0.24
68	0.024	0.24
69	0.024	0.24
70	0.024	0.24
71	0.024	0.24
72	0.024	0.24
73	0.024	0.24
74	0.024	0.24
75	0.024	0.24
76	0.024	0.24
77	0.024	0.24
78	0.024	0.24
79	0.024	0.24
80	0.024	0.24
81	0.024	0.24
82	0.024	0.24
83	0.024	0.24
84	0.024	0.24
85	0.024	0.24
86	0.024	0.24
87	0.024	0.24
88	0.024	0.24
89	0.024	0.24
90	0.024	0.24
91	0.024	0.24
92	0.024	0.24
93	0.024	0.24
94	0.024	0.24
95	0.024	0.24
96	0.024	0.24
97	0.024	0.24
98	0.024	0.24
99	0.024	0.24
100	0.024	0.24

TABLE T4: OZ/TON

SAMPLE NO.	Au	Ag
51	0.019	0.49
52	0.023	0.88
53	0.022	0.90
54	0.010	0.51
55	0.008	0.47
56	0.021	0.67
57	0.021	0.46

TABLE T5: OZ/TON

SAMPLE NO.	Au	Ag
51	0.020	0.60
52	0.040	1.20
53	0.044	3.41
54	0.066	3.56
55	0.042	1.64
56	0.028	1.08
57	0.038	1.00
58	0.032	0.80
59	0.034	0.88
60	0.034	1.13
61	0.032	1.01
62	0.028	0.65
63	0.020	0.64
64	0.012	0.54
65	0.014	0.51
66	0.014	0.54
67	0.002	2.04
68	0.024	2.32
69	0.018	1.14
70	0.036	1.68
71	0.038	2.10
72	0.075	4.20

TABLE T6: OZ/TON

SAMPLE NO.	Au	Ag
51	0.024	2.89
52	0.024	1.34
53	0.040	1.76
54	0.044	2.16
55	0.056	2.55
56	0.056	1.84
57	0.022	1.78
58	0.012	2.78
59	0.028	3.81
60	0.016	1.34

TABLE T7: OZ/TON

SAMPLE NO.	Au	Ag
51	0.024	2.89
52	0.024	1.34
53	0.040	1.76
54	0.044	2.16
55	0.056	2.55
56	0.056	1.84
57	0.022	1.78
58	0.012	2.78
59	0.028	3.81
60	0.016	1.34

TABLE T8: OZ/TON

SAMPLE NO.	Au	Ag
51	0.008	0.64
52	0.028	2.91
53	0.025	2.04
54	0.013	0.93
55	0.008	0.73

MT. HOPE RESOURCES LTD.
HOT SPRING PROPERTY

SOUTHRIDGE TRENCHING &
LOCATION OF DRILLHOLES

PROJECT NO.: H254101 SCALE: AS SHOWN DATE: DEC., 1996 FIGURE: 9

The area is presently inaccessible to the excavator so that blast trenching and channel sampling are required to establish continuity and grade mineralization. The outcrop is deeply leached and grades may increase in fresh rock as was the case at Dan's Showing.

Exposure is absent along strike from the main zone. Its projected extension to the northwest is marked by a strong topographic break in craggy outcrops to the southwest. These comprise variably silicified pyritic tuff with common galena-sphalerite mineralization, forming part of the stratabound Lower Zone extending west to the 600 E Showing. Preliminary grab samples assay up to 2.9 g/t Au (0.08 oz/ton). Continuity of mineralization is difficult to establish due to deep oxidation and leaching. None of this area is accessible to tracked excavator and should be further explored by hand trenching, channel sampling and drilling.

1300 - 1500 E Showing Figure 9 (30+150N and 31+300E to 31+500E)


Mineralization in the eastern grid area was discovered as a follow-up to highly anomalous soil geochemistry on the 30+000N line from 30+750E to 31+500E. Chip samples from sub-outcrop at 31+500E assayed 3840 ppb Au. Follow-up prospecting revealed pyritic silicified tuff with extensive sphalerite-galena. Mineralization in the vicinity at 1100 and 1400E returned values of 4.35 g/t (0.127 oz/ton) and 12.59 g/t (0.367 oz/ton) Au. Five grab samples from the 20 x 30m outcrop area at 1400E averaged 5.71 g/t (0.149 oz/ton) Au.


A tote road was constructed to the ridge top at 31+400E by tracked excavator and the area between 31+100E and 31+500E was trenched at this level. In total, 550m of trenching was completed with channel chip samples taken at 1 m intervals (in most cases). The trenching successfully delineated an apparently northeast trending zone, 40 m x 150 m, of intensely silicified pyritized rhyolitic tuff breccia with pervasive quartz veinlet flooding and alteration and disseminated and veinlet sphalerite-galena. Assay results (Table 2, Figure 9) were in the general range 0.02 to 0.1 oz/ton Au, 0.1 - 2 oz/ton Ag and 0.01 - 1% Pb and Zn through the zone.

The western and southern extensions of this mineralized area were not accessible to the excavator and will require blast trenching. Grab samples from the area west of 1300 E have assayed up to 12.07 g/t (0.352 oz/ton) Au with broad coincident soil geochemical anomalies.

A trench was dug further west on the ridge between 30+750E and 30+920E south of the main mineralized zone (900 E Showing), along the soil anomaly on the 30+000N line (up to a maximum of 750 ppb Au). This exposed a continuous zone of silicified pyritized tuffs with local minor sphalerite-galena. Grab samples assay up to 0.82 g/t (0.024 oz/ton) Au with chip samples up to 0.48 g/t (0.014 oz/ton) Au over 3 metres.


TABLE 2			
31 + 300 to 31 + 500 E Showing Au/Ag Trench Intersections			
<u>Trench</u>	<u>Intersection</u>		
T2	19m	@	0.046 oz/ton (1.57 g/t) Au 1.132 oz/ton (38.8 g/t) Ag includes: 6m at 0.096 oz/ton (3.29 g/t) Au 2.48 oz/ton (85.35 g/t) Ag
T3	12m	@	0.023 oz/ton (0.78 g/t) Au 0.257 oz/ton (8.80 g/t) Ag
	19m	@	0.039 oz/ton (1.33 g/t) Au 0.543 oz/ton (18.30 g/t) Ag includes: 4m at 0.065 oz/ton (2.2 g/t) Au 0.541 oz/ton (18.56 g/t) Ag
T4	7m	@	0.016 oz/ton (0.54 g/t) Au 0.629 oz/ton (21.56 g/t) Ag
T5	20m	@	0.063 oz/ton (2.16 g/t) Au 2.31 oz/ton (79.18 g/t) Ag includes: 5m at 0.106 oz/ton (3.63 g/t) Au 3.430 oz/ton (116.5 g/t) Ag
T6	20m	@	0.029 oz/ton (0.99 g/t) Au 1.37 oz/ton (46.96 g/t) Ag includes: 13m @ 0.035 oz/ton (1.2 g/t) Au 1.37 oz/ton (46.96 g/t) Ag
T7	15m	@	0.032 oz/ton (1.09 g/t) Au 1.9 oz/ton (65.1 g/t) Ag
T8	Grab samples		0.092 oz/ton (3.15 g/t) Au) over 6.57 oz/ton (225.2 g/t) Ag) 90 cm 0.142 oz/ton (4.867 g/t) Au) over 13.4 oz/ton (459.3 g/t) Ag) 75 cm 0.230 oz/ton (7.88 g/t) Au) over 8.96 oz/ton (307.4 g/t) Ag) 65 cm
T9	7m	@	0.061 oz/ton (2.09 g/t) Au 3.207 oz/ton (45.9 g/t) Ag
T10	Grab sample		0.048 oz/ton (7.88 g/t) Au 1.34 oz/ton (45.9 g/t) Ag
T11	4m	@	0.026 oz/ton (0.891 g/t) Au 1.632 oz/ton (55.94 g/t) Ag
Refer to Figure 9 for details of trenching			





Legend

- Hot Spring Mineral Tenures
- Sample Points
Au / Cu / As
ppb ppm ppm
- Au Sample
- Roads
- Streams
- Ocean, Lake, River
- Contour 100m
- Contour 20m



Everton Resources Inc.
Hot Spring Property


2010 Soil Sample Locations & Results
Map 2/8


NTS: 92G/9, 92G/16 Scale: As shown Date: Dec. 2010 Figure:


0 25 50 100 150 200 Meters


1:5,000

N










Legend

- Hot Spring Mineral Tenures
- Sample Points
Au / Cu / As
ppb ppm ppm
- Au Sample
- Roads
- Streams
- Ocean, Lake, River
- Contour 100m
- Contour 20m



Everton Resources Inc.
Hot Spring Property


**2010 Soil Sample
Locations & Results**
Map 6/8


N

1:5,000

0 25 50 100 150 200
Meters

NTS: 92G/9, 92G/16 Scale: As shown Date: Dec. 2010 Figure:





10.0 EXPLORATION

In 2010 a total of 156 soil samples and numerous rock specimens (not assayed) were collected, refer to 11x17 Figures. Gold in the soils is relatively elevated throughout up to a high of 837 ppb Au. Anomalous Ag, Pb and Zn are also widespread. Results and location of gold values are plotted on Figures 4 and 9.

The most anomalous series of soils samples are between 100NW +925SW along to 100NW+1225SW, which returned 837 ppb Au and 0.8 ppm Ag. This area is underlain by highly siliceous and pyritized dacitic volcanics.

In 2008, Liz Scroggins, B.Sc., and Doug MacCray traversed the new logging road that is at 8km along the Sloquet Main Forest Service Road. Samples were collected every 50 metres along the road cut and a total of 7 rock samples were collected. Mineralization was predominately disseminated pyrite in argillitic tuffs and argillite.

The logging slash above led into a forested section where abundant outcrop was present. Large cliffy outcrops occur several hundred feet above the prospecting traverse. A total of 12 rock samples were collected.

Abundant rusty float was along the main road with minor amounts of pyrite. A mineralized lens was found near the end of the road in outcrop of dacitic to andesitic tuff. A total of 10 samples were collected.

A mineralized lens of strongly altered tuffaceous material was found in outcrop in the forested area. A large straight avalanche chute was crossed on the traverse. A total of 6 rock samples were collected.

Assay certificates are contained in Appendix I.

11.0 PREVIOUS DRILLING

PREVIOUS DIAMOND DRILLING (1990 & 1997)

Table 3 lists the drill collar co-ordinates and final hole depths for the 1990 drilling:

TABLE 3						
Drill Hole Co-ordinates						
DDH#	Latitude	Departure	Elevation	Azimuth	Dip	Total Length (m)
NQ90-1	30+335N	31+083E	746 m	360°	-85°	160.60
NQ90-2	30+012N	30+886E	950 m	360°	-45°	218.20
NQ90-3	30+038N	31+101E	882 m	360°	-50°	276.50
NQ90-4	30+106N	31+400E	833 m	360°	-52°	133.20
NQ90-5	29+971N	30+809E	970 m	360°	-60°	215.20
NQ90-6	30+010N	30+884E	950 m	-	-90°	54.00
NQ90-7	30+013N	30+889E	950 m	-	-90°	194.20
HS97-01	30163.00	31410.00		050°	-57	144.60
HS97-02	30163.00	31410.00		230°	-55	148.13
HS97-03	30163.00	31410.00		050°	-90	127.00
HS97-04	30191.00	31307.00		050°	-57	163.32
HS97-05	30091.00	31307.00		050°	-90	160.32
HS97-06	30038.00	31101.00		050°	-57	227.69
HS97-07	30038.00	31101.00		050°	-90	175.76
HS97-08	30012.00	30882.00		050°	-55	104.24
HS97-09	29970.00	30774.00		050°	-57	231.65
HS97-10	29970.00	30774.00		060°	-90	270.05
HS97-11	30050.00	31020.00		050°	-60	230.73
Total						

NQ90-1:

DDH NQ90-1 was drilled from the access road at 30+335N on Section 31+100E (Figure 8). The target was a combined I.P. and Zn-Au soil geochemical anomaly. No outcrop had been mapped in this area.

The drill hole intersected a sequence of intermediate (dacitic) lapilli (nodular) tuffs crosscut by several large andesitic dykes. The lapilli tuffs are highly pyritic (5 - 12%) and correlate well with the I.P. responses. The soil geochemical anomaly could not be explained by results of NQ90-1 hence a larger downslope dispersion pattern than previously believed is suggested, with the source of the anomalous Zn-Au response uphill of NQ90-1.


1000 ELEV. —

900 ELEV. —

800 ELEV. —

700 ELEV. —

30000N
30100N
30200N
30300N



LEGEND

LEGEND

- 8 ANDESITE TUFFS**
 - MEDIUM GREEN FINE GRAINED SILICIFIED MATRIX
 - ABUNDANT FELDSPAR TUFFACEOUS FRAGMENTS
 - 0-5% FINE GRAINED MAFIC TUFFACEOUS FRAGMENTS
- 7 PALE GREEN TUFF**
 - PALE GREEN AND HIGHLY SILICEOUS
 - VERY FINE GRAINED WITH GHOST FELDSPAR TUFFACEOUS FRAGMENTS
 - MAY BE Banded
 - NOT MAPPED IN SURFACE EXPOSURE
- 6 BIOTITE - HORNBLende DIORITE**
 - UNALTERED, MEDIUM TO FINE GRAINED CONTAINS XENOLITHIC BLOCKS OF ANDESITE NEAR CONTACT.
- 5 A - ANDESITE FLOWS / HIGH LEVEL INTRUSIVES**
 - MASSIVE UNDIFFERENTIATED MULTI-JOINTED
 - GREY BLACK TO GREENISH BLACK IN COLOUR.
 - VARIABLY PORPHYRITIC
 - EXTENSIVE CHLORITE ALTERATION, LESSER EPIDOTE ALTERATION
 - PYRITE ALMOST UNIVERSALLY PRESENT, 1-15% DISSEMINATED AND LOCALLY RICHER ON FRACTURE SURFACES.
- B - ANDESITE DYKES**
 - SAME LITHOLOGY AS "SA"
 - COMMONLY PORPHYRITIC - "FELDSPAR PORPHYRYS"
 - CONTACT VARY BETWEEN DIFFUSE GRADATIONAL TO SHARP AND OFTEN SHEARED
 - CUTS ALL OTHER LITHOLOGIES (EXCEPT DIORITE?)
 - MOST TREND NORTH-NORTHWEST
- 4 DACITIC - ANDESITIC LAPILLI TUFFS**
 - COARSE DARK GREY TO PURPLISH IN COLOUR
 - MODULAR FORM COMMON IN DRILL CORE, OFTEN LOGGED AS NODULAR TUFF
 - SECONDARY BIOTITE COMMON, GIVING WELL DEVELOPED FABRICS
 - GENERALLY SHOW PERVASIVE SILICIFICATION, PYRITIZATION AND LESSER K. -FELDSPAR ALTERATION
- 3 SILICEOUS FELSIC TUFFS**
 - FINE GRAINED, LIGHT-BLUE - GREY IN COLOUR
 - MAY INCLUDE MINOR HIGHLY ALTERED SEDIMENTS?
 - GENERALLY PERVASIVE SILICIFICATION, PYRITIZATION AND K. -FELDSPAR ALTERATION
 - STRONGLY BLEACHED, LEACHED, WITH DISTINCTIVE YELLOW BROWN GOSSANOUS WEATHERED SKIN IN STRONGLY ALTERED AREAS
- 2 SILICEOUS (SUGARY TEXTURED) FELSIC TUFFS**
 - VERY SILICEOUS, WHITE SUGARY TEXTURED
 - MINOR PYRITE < 1%
 - SERICITE COMMON
 - PINK Fe-OXIDE STAIN DISTINCTIVE ON WEATHERED SURFACE
 - GRADATIONAL WITH (3) IN SOME AREAS
- 1 BOULDER CONGLOMERATE**
 - WELL ROUNDED GRANITIC BOULDERS FLOATING IN DARK CHLORITIZED ANDESITIC MATRIX

TUFFACEOUS ROCK MODIFIERS

- a) FRAGMENTAL
- b) LAPILLI
- c) ASH
- d) CRYSTAL


FAULTS

- Fz FAULT ZONE
- Fg FAULT GOUGE
- Fb FAULT BRECCIA

ALTERATION

- a) QUARTZ FLOOD ZONE

SYMBOLS



MT. HOPE RESOURCES LTD.
HOT SPRING PROPERTY

DIAMOND DRILL CROSS SECTION
NQ90-2, 6 & 7 (309+00E)

PROJECT NO.: H254101	SCALE: 1 : 1500	DATE: DEC. 1996	FIGURE: 10
----------------------	-----------------	-----------------	------------

SECTION LOOKING
WEST

NQ90-2

DDH NQ90-2 was drilled from the spine of Southridge at 30+012N on Section 30+900E (Figure 8 and 10) to test rock and soil geochemical anomalies coincident with I.P. highs. It intersected a sequence of highly siliceous, felsic, tuffs cross-cut by numerous andesitic dykes and an andesitic nodular tuff (Figure 10). Alteration is intense, pervasive silicification and is common to all holes. Mineralization consists of disseminated pyrite throughout and sphalerite and galena contained within pervasive quartz and veinlet zones. Au and Ag values are generally coincident with the Zn and Pb. Highest values (in separate samples) were 5.06% Zn over 1.5m, 0.92% Pb over 1.5m, 131.0 g Ag over 1.5m and 3.6 g Au over 1.5m. The best sustained intersection was 839 ppb Au over 57.7m within a 119m section averaging 584 ppb Au. The hole was stopped short of its planned depth due to continuous losses of downhole water pressure and a broken bit at the bottom of the hole (Wilson, 1991).

NQ90-3

DDH NQ90-3 was also drilled from the spine of Southridge at 30+038N on Section 31+100E (Figure 8). It tested coincident soil and rock geochemical anomalies with I.P. chargeability highs. It was extended to test a second I.P. anomaly with coincident Pb-Zn soil geochemical highs.

The drill hole intersected a sequence of siliceous felsic tuffs, andesitic dykes and “upper” andesitic nodular tuffs. The drill hole bottomed in andesitic lapilli (nodular) tuff not seen in NQ90-2.

Mineralization in this hole is principally sphalerite-galena in pervasive quartz and vein zones seen mainly at the top of the hole. Best results in a single sample ran 2.32% Zn, 0.41% Pb, 0.47% Cu, 46.2 g Ag and 2.25 g Au over 1.5m. The best sustained intersection was 776 ppb Au over 25.2m.

The target I.P. anomalies were explained by this hole as was the upper soil and rock geochemical anomaly. The lower soil anomaly centred on 30+325N was not explained by drilling and is now thought to be caused by down slope movement.

NQ90-4

DDH NQ90-4 was drilled at 30+106N on Section 31+400E from the widest part of the Southridge spine under the 31+500E trenched area to test highly anomalous trench rock results in the 1989 work program. Also tested was a coincident I.P. chargeability zone flanking the area of known mineralization.

The drill hole intersected similar lithology to Holes NQ90-2 and 3 with a siliceous felsic tuff intruded by andesitic dykes and interbedded with an andesitic lapilli (nodular) tuff. Sphalerite and galena are present from trace to 1% over 1.5m lengths occurring mainly within quartz flood/veinlet zones, especially from 78.3m to 91.2m. Gold values are associated with the quartz zones as are silver values. Best results for individual elements are 2.65% Zn over 0.3m, 0.45% Pb over 0.3m, 0.25% Cu over 0.3m, 161.8 g Ag over 0.3m (Zn, Pb, Cu and Ag from same sample) and 1.55 g Au over 1.5m. The best sustained result for gold was 615 ppb Au over 66 m.

All I.P. and geochemical targets were explained by this hole, however, the stratigraphic similarities in Holes NQ90-2, 3 and 4 indicate that a second lesser mineralized horizon would have been potentially intersected by an extension of NQ90-4 to 200 m depth.

NQ90-5

DDH NQ90-5 was drilled at 29+971N on Section 30+800N (Figure 8), to undercut anomalous soil geochemistry on strike with a favourable intersection in NQ90-2. No I.P. surveying was completed on this section.

The drill hole intersected uphole sections of fine grained siliceous felsic tuffs which were finer grained than in NQ90-2. Below are sections of siliceous, felsic tuff cross-cut by post mineral andesitic dykes and interbedded with an andesitic lapilli (nodular) tuff.

Pyrite is ubiquitous from 1 to 5% and sphalerite (\oplus galena) is present in quartz vein and flood zones from trace to 3% over sample widths to 1.5m. Best results for individual elements (in separate samples) are 1.83% Zn over 1.5m, 0.83% Pb over 1.5m, 0.17% Cu over 1.5m, 22.1 g Ag over 1.5m and 870 ppb Au over 1.5m. The best sustained Au results are 343 ppb Au over 13.5m.

The mineralized zone in NQ90-5 is weak in comparison to NQ90-2 but does occur at the same physical (downdip) location as Hole #2. By comparing Au results in these two holes it is apparent that the potential mineralized horizon should continue in NQ90-5 to approximately 245m down hole, another 30m beyond the present end of hole.

NQ90-6

DDH NQ90-6 was drilled vertically beneath NQ90-2 at 30+010N on Section 30+900E (Figure 8 and 10) to test the downdip extension of Hole #2's mineralized horizon. The hole was abandoned at 54 m after a fault zone at 34 m caused excessive squeezing on the rods. Several attempts to wash the hole were unsuccessful and two bits were destroyed trying to re-penetrate the fault zone.

The hole was drilled along the contact of siliceous felsic tuffs with a near vertically dipping andesite dyke. No mineralization was encountered throughout its length.

NQ90-7

DDH NQ90-7 was a re-drill of NQ90-6 at 30+013N on Section 30+900E in an attempt to penetrate the fault zone in order to test NQ90-2's downdip extension of mineralization. Although the fault zone was intersected no problems were encountered coring through it.

The drill hole intersected similar lithology as the top of NQ90-2, of siliceous, felsic tuff down as far as 105m. At 105m a quartz-carbonate fracture fault zone separates felsic lithology from andesitic lapilli (nodular) tuff just above the anticipated intersection of the mineralized horizon. No mineralization was found and it is felt that a block of the basal tuff was faulted in, disrupting the mineralized sequence (Figure 10).

The hole was terminated once the projected downdip extension of the mineralized horizon had been penetrated. In other holes the mineralized horizon cross-cut several lithologies (except andesite dykes) hence it was anticipated that the horizon would be cored in Hole #7. A fault disruption is therefore suspected for the absence of the expected mineralization.

	metres				
	from	to	length (m)	Au g/tonne	Ag g/tonne
HS97-01	3.05	38.01	34.96	1.290	42.26
including HS97-01	30.49	36.52	6.03	2.660	43.16
HS97-01	94.77	97.53	2.76	1.300	37.40
HS97-02	3.05	27.88	24.83	0.900	16.22
HS97-02	47.89	52.65	4.76	0.660	8.63
HS97-03	3.66	26.00	22.34	1.163	32.96
HS97-03	34.85	51.40	16.55	1.305	14.81
HS97-03	73.50	110.00	36.50	0.575	10.87
HS97-04	3.55	22.05	18.50	0.206	8.80
HS97-04	110.25	119.08	8.33	0.603	8.81
HS97-04	145.70	153.00	7.30	0.889	11.08
HS97-06	65.00	68.44	3.44	1.091	8.23
HS97-07	46.00	49.00	3.00	1.660	12.03
HS97-09	29.00	59.00	30.00	0.237	20.69
HS97-10	61.00	103.00	42.00	0.509	10.06
HS97-10	109.52	113.00	3.48	0.572	22.91
HS97-10	135.00	142.50	7.50	0.510	12.60
HS97-11	71.00	74.00	3.00	1.378	9.60
HS97-11	92.00	103.00	11.00	2.13	8.31*

*2.24% Zn

Drill Summary

Drill hole NQ90-4, 3, 2 and 5 (east to west) showed similar stratigraphic sequences of silicified felsic tuffs of probable dacitic to rhyolitic origin, interbedded with and floored by an andesitic lapilli (nodular) tuff. All rocks are cut by numerous andesitic dykes. A few intervals of andesitic tuff are recognized but it is not a common rock type. All rocks are moderately to highly silicified, and fracturing/faulting is relatively common. Frequent open spaces not easily evident in drill core was noted due to downhole losses of water pressure during drilling. All significant mineralization is found in these four holes.

Drill hole NQ90-1 tested down-stratigraphy from Holes #2 to 5 and found andesitic lapilli (nodular) tuffs with large andesitic dyke intervals. No economic mineralization was encountered. Drill holes NQ90-6 and 7 tested down dip of Hole #2 and cored a top section of felsic tuffs and a faulted in section of nodular tuffs which displaces the expected mineralized horizon.

The diamond drill program tested down dip projections of coincident soil geochemical anomalies/mineralized outcrop exposures and I.P. chargeability anomalies between Sections 30+800E and 31+400E. The best Au results were obtained in Holes NQ90-2 (839 ppb Au over 57.5m), NQ90-3 (776 ppb Au over 25.2m) and NQ90-4 (615 ppb Au over 66m) on Sections 30+900E, 31+100E and 31+400E respectively.

Gold mineralized zones, recognized by the presence of sphalerite and galena, are found within quartz flooded and veined drill core. This quartz alteration is seen in both siliceous felsic tuffs and andesitic lapilli (nodular) tuffs but is not seen in the numerous andesitic dykes. The mineralization is not

diminished by the extensive, pervasive silicification hence is felt to be contemporaneous with or post silicic alteration, and pre-volcanic dyking. The source area of the mineralization, however, was not discovered in drill core.

Mineralization was thought by Wilson (1991) to be related to hydrothermal activity associated with the igneous intrusions. His model envisioned circulating hydrothermal fluids peripheral to igneous bodies producing pervasive silica + potassium feldspar alteration. Additional silica infusion caused quartz veinlets and quartz flood zones to form specific zones which are more common within the felsic tuffs. Numerous fracture zones were noted in drill core which may be related to mineralization although no specific relations could be drawn from this initial drill program. Future drilling should concentrate on structural logging of the core.

Drill targeting of north to northwest trending structural zones is also recommended to ascertain if smaller zones of higher grade mineralization exists within these major plumbing systems. These structural zones may be a late stage feature. Correlating the relative timing of these features should be a priority in future geological mapping.

12.0 SAMPLING METHOD and APPROACH

Experienced personnel, supervised by the author collected soil samples at a depth of 10 cm to 25 cm, from the “B” soil horizon which is the generally accepted location within the soil column that is commonly employed by the exploration industry. The samples were placed in water resistant kraft soil bags. The samples were numbered (LP20 0 + 800) using a property identifier (LP), field map sheet number (20) and station number representing metres from a starting location represented by 0 + 000 where a station such as 1+000 equals 1000 metres from 0+000. The locations of each sample were located on a base map with respect to its position along the various logging roads using a metric calibrated chaining machine and a handheld GPS unit. Fieldworkers recorded the UTM coordinates of each sample site. For the most part, soil samples were collected at approximately 50 m intervals along the banks of the numerous access logging haul roads and lines in the timber. Where occurrences of sulphide mineralization were identified in adjacent outcrops, the sample interval was changed to 25 metre spacing. No sampling or recovery factors were encountered in the soil sampling program that could have materially impacted the accuracy and reliability of the results

Rock samples were collected as grab samples from the small outcrops that were intermittently exposed along the road cuts and natural exposures. The grab samples were collected by chipping across the small outcrops without repeating the inclusion one part of the outcrop to the exclusion of another part to eliminate sample bias. As the outcrop exposures were small (generally less than 60 cm across) and due to the reconnaissance nature of the exploration program, complete sections of mineralized zones were not exposed. As a result, rock grab samples across specific mineralized widths of the outcrops were not within the scope of work for this program as this would involve extensive trenching using heavy machinery to expose a complete section of mineralized material. The grab samples were collected in such a manner as to not duplicate any particular portion of the outcrop in order to mitigate against biasing or “high grading” the sample. The rock samples were placed in the standard heavy gauge (6 ml) plastic bags which were sealed using zip straps. The samples were also numbered in the same manner as the soil samples as previously described. The sample locations were also plotted on a base map each day with respect to its position along the various logging roads using a metric calibrated chaining machine and a handheld GPS unit. When plotted on the base map the rock samples were given a different symbol that that used for the soil samples to avoid confusion.

Each sample site was marked using flagging tape so a person could readily return to the exact location where the sample was originally collected. If the flagging was removed, a person could return to the sample location using the GPS coordinates. The samples were transported directly from the field to the laboratory by the author as the principal of the exploration contractor Homegold Resources Ltd. experienced senior personnel under a chain of custody form listing the samples by number and the analyses to be performed.

13.0 SAMPLE PREPARATION, ANALYSIS and SECURITY

Prospecting was carried out over an area west of North Sloquet Creek with time also spent south of North Sloquet Creek between South Sloquet Creek. Traverses were completed along the main road and parallel to the main road on the southern portion of the south ridge, while in the north, in the Simpson Creek area, prospecting was carried out up individual gullies draining the gossanous ridge area. While work generally confirmed the previous interpretation of the bulk stratigraphy of the area, the interbedding of markedly different lithologies, such as rhyolites and andesites, and possible repetition of cyclicity in deposition creates considerable difficulty in assigning outcrops to particular units. Soils were collected at 25m and 50m intervals and samples taken from the B Horizon where available. In some areas no soil was available due to continuous rock exposures.

Samples for Assays were crushed, split and pulverized, and then run for 30 ICP-AES AqR trace elements, gold was done by fire assay/AA finish using a 30g cut. Assaying was done at the IPL-Inspectorate Lab in Richmond, an ISO 9001:2000 certified facility.

As previously noted, the samples were delivered to the **International Plasma Labs Ltd.** (IPL) laboratory located at 200 – 11620 Horseshoe Way, Richmond, BC. The International Plasma Labs Ltd. laboratory is registered and certified to ISO 9001:2000 standards.

The International Plasma Labs Ltd. analytical procedures and quality control methodologies are described as follows:

Sample Preparation for Gold analysis by Fire Assay / AAS

Rock samples are first prepared in the analytical laboratory by ring crushing to -200 mesh. The -200 mesh material is analyzed by employing the following procedures:

- (a) 10.00 to 30.00 grams of sample was weighed into a fusion pot which contained a combination of fluxes such as lead oxide, sodium carbonate, borax, silica flour, baking flour or potassium nitrate. After the sample and fluxes had been mixed thoroughly, some silver inquart and a thin layer of borax was added on top.
- (b) The sample was then charged into a fire assay furnace at 2000 F for one hour, at this stage, lead oxide would be reduced to elemental lead and slowly sunken down to the bottom of the fusion pot and collected the gold and silver along the way.
- (c) After one hour of fusion, the sample was then taken out and pour into a conical cast iron mould, the elemental lead which contained precious metals would stayed at the bottom of the mould and any unwanted materials called slag would floated on top and removed by hammering, a "lead button" is formed.
- (d) The lead button was then put back in the furnace onto a preheated cupel for a second stage of separation, at 1650 F, the lead button became liquefied and absorbed by the cupel, but gold and silver which had higher melting points would stayed on top of the cupel.

(e) After 45 minutes of cupellation, the cupel was then taken out and cooled, the dore bead which contained precious metals was then transferred into a test tube and dissolved in hot Aqua Regia solution heated by a hot water bath.

(f) The gold in solution is determined with an Atomic Absorption spectrometer. The gold value, in parts-per-billion, or grams-per-tonne is calculated by comparison with a set of known gold standards.

Quality Control

Every fusion of 24 pots contains 22 samples, one internal standard or blank, and a random reweigh of one of the samples. Samples with anomalous gold values greater than 1000 ppb are automatically checked by Fire Assay/AA methods. Samples with gold values greater than 10000 ppb are automatically checked by Fire Assay/Gravimetric methods.

Sample Preparation for 32 element analysis by Aqua Regia digestion/ICP (Soil and Rock Samples)

- (a) 0.50 grams of sample is digested with diluted Aqua Regia solution by heating in a hot water bath, at about 95 Celsius for 90 minutes, then cooled and bulked up to a fixed volume with de-mineralized water, and thoroughly mixed. Digested samples are let settled over night to separate residue from solution.
- (b) The specific elements are determined using an Inductively Coupled Argon Plasma spectrophotometer. All elements are corrected for inter-element interference. All data are subsequently stored onto computer diskette.

The machine is first calibrated using three known standards and a blank. The test samples are then run in batches.

A sample batch consists of 38 or less samples. Two tubes are placed before a set. These are an in-house standard and an acid blank, which are both digested with the samples. A known standard with characteristics best matching the samples is chosen and placed after every fifteenth sample. After every 38th sample (not including standards), two samples, chosen at random, are re-weighed and analyzed. At the end of a batch, the standard and blank used at the beginning is rerun. The readings for these knowns are compared with the pre-rack knowns to detect any calibration drift.

Note: Some elements may not be completely digested by Aqua Regia,

The International Plasma Labs Ltd. Quality Assurance program includes specifications for sample preparation, analytical quality control using reference materials and standards to check equipment, sample blanks and internal duplicate samples processed at random intervals. Quality Assurance meetings with staff are held regularly to address issues that come up as a result of quality system failures, analytical equipment problems and issues raised by clients

14.0 DATA VERIFICATION

Some rock chip samples collected by the author were intended to act as duplicate samples at specific sites sampled by other field personnel. This was, as previously described, done for the expressed purpose of validating the results and evaluating their sampling procedures. It was also designed to act as a check on the results produced by the iPL laboratory. An exact duplication of analytical results is generally not possible with soil and rock samples due to their inherent heterogeneities. The analytical results of the author's and duplicate sample pairs are generally in compliance with each other and as such, the author verifies the sampling quality of sampling procedures.

As part of a quality control program implemented by Everton Resources Inc. to scrutinize the lab quality as previously described, approximately 20 sample-duplicate soil sample pairs were submitted for analyses. The analytical results indicated that the results were in general agreement with each other which indicated that the sampling technique appropriate and was able to provide laboratory results repeatability.

In addition to the duplicate samples submitted by field personnel, International Plasma Labs Ltd. Quality Assurance program consisted of reanalyzing samples at a frequency of approximately one in each 20 samples submitted which acted as an internal check of their sample preparation and analytical procedures for reproducibility of results. International Plasma Labs Ltd. also analyzed their prepared standards at the end of each batch of samples analyzed to ensure proper instrument calibration.

15.0 ADJACENT PROPERTIES

Britannia Mine

The Britannia district, located about 70km west of the Hotspring Property and is underlain by a roof pendant of mid- Mesozoic volcanic and sedimentary rocks, within the Cenozoic-Mesozoic Coast Plutonic Complex. A broad, steeply south dipping zone of complex shear deformation and metamorphism, the Britannia shear zone, crosses the pendant in a northwest direction; all orebodies are in the shear zone. A narrow zone of foliated rocks, the Indian River shear zone, is subparallel to the Britannia shear zone and transects the northeast part of the Britannia pendant. The deformed rocks are cut by dacite dykes and several major sets of faults. The Britannia roof pendant is one of many northwest trending bodies within, and in part metamorphosed by, the Coast Plutonic Complex. The pendant is comprised of fresh to weakly metamorphosed rocks with sharp contacts against plutonic rocks, and belongs to the Lower Cretaceous Gambier Group. The Coast plutonic rocks consist of older, commonly foliated bodies ranging from diorite to granodiorite and younger quartz diorite to quartz monzonite intrusions (Squamish pluton). The plutonic rocks have produced contact metamorphic aureoles up to a hundred metres wide in the Britannia pendant.

The Britannia mine area within the Britannia shear zone is dominated by strongly foliated pyroclastic rocks of dacitic to andesitic volcanism intercalated near the top and overlain by dark marine shales and siltstones. Extensive units of fine-grained andesitic rocks were formed in the mine area during hiatuses in dacitic volcanism; one hiatus occurred during the period of formation of massive sulphides and related deposits after extrusion of a dacite tuff breccia. The lower pyroclastic sequence and the upper shale-siltstone sequence are cut by many dacitic and andesitic dykes. The lower sequence is composed of pyroclastic dacite tuff breccia (locally called the Bluff tuff breccia) that commonly grades to dacitic crystal and lithic tuffs. This unit contains prominent dark, wispy fragments and grades at the top into distinctive beds which consist of intercalated black argillite and plagioclase crystal tuffs. These may be regularly interbedded, convoluted or disaggregated by soft rock deformation. Within the pyroclastic sequence there are also minor intercalations of black or green argillite or volcanic sandstone; fragments of argillite also form a normal component of the pyroclastic flow rocks. Overlying the dacite tuff breccias are a sequence of andesitic tuffaceous sediments, andesitic tuffs and cherty andesitic sedimentary rocks. The overlying black argillite and siltstone are relatively featureless, poorly bedded, but commonly displays cleavage. Intercalations of greywacke may show graded bedding, shale sharpstones and minor slump structures. Although gross stratigraphic units can be defined over much of the area, numerous lateral lithologic variations, the scarcity of marker units in the mine area, and complex deformation hampers detailed stratigraphic and structural interpretation.

Sulphide and genetically related deposits of anhydrite, quartz, silicified rock, cherty andesitic sedimentary rocks, bedded chert, and minor barite formed from volcanogenic hydrothermal solutions after formation of the dacite tuff breccia and during deposition of the overlying andesitic sedimentary and tuffaceous rocks. Sulphides occur as massive and stringer deposits and as disseminations and bedding plane concentrations. Massive deposits are mainly along and slightly above the upper contact of the dacite tuff breccia and commonly in or near cherty andesitic rocks. Stringer deposits are mainly in silicified dacite tuff breccia below the massive sulphide deposits. The ratio of stringer (80 per cent of ore) to massive deposits is much greater at Britannia than in most volcanogenic sulphide deposits. Original deposits and alteration halos are modified by shear deformation and segmented by faults. The massive sulphide-type orebodies mined were: Jane, Fairview Zinc (1.5 per cent of total ore mined); No. 8

(top), Beta, 040, Bluff (4.5 per cent of total ore mined); and No. 8 (bottom), No. 10, Empress, Victoria, West Victoria (15 per cent of total ore mined). Stringer-type orebodies mined were the Bluff, East Bluff, Jane, No. 4 (Bluff), No. 5, No. 10 and Fairview Veins (79 per cent of total ore mined). Other zones within and near the mine area include the Daisy, Homestake, Robinson, Furry Creek, Fairwest and 074.

The sulphide orebodies of Britannia are highly heterogeneous mixtures of sulphides, remnant altered host rocks, and discrete veins. The main mineralogy of orebodies is simple and fairly constant. Pyrite is by far the most abundant mineral, with less chalcopyrite and sphalerite and minor erratically distributed galena, tennantite, tetrahedrite and pyrrhotite. The main nonmetallic minerals include quartz and muscovite (chlorite), anhydrite and siderite. The main massive orebodies, the Bluff, East Bluff, No. 5, No. 8 and 040 all show a marked zonal structure in which they have one or more high-grade chalcopyrite cores enveloped successively by a lower-grade zone and overlapping pyrite and siliceous zones. Zinc-rich ore tends to occur in the upper central parts of massive bodies and as almost sheet-like masses, like the Fairview Zinc vein. In section, the main orebodies have a crude lens-like shape oriented within the schistosity and are commonly connected to a steeply plunging root which may or may not be of ore grade. The other orebodies such as the Fairview Veins are stringer lodes and veins composed of thin sheet-like masses of chalcopyrite and pyrite with some quartz that appear generally parallel to the schistosity but actually cut across schistosity in plan at a small angle. Trace realgar, orpiment, scheelite, fluorite and pyrolusite occur in post-dacite, northeast trending gash quartz-carbonate veins in the No. 10 orebody.

The ore contains thin layers of sphalerite, pyrite and barite parallel to the bedding planes (So). Galena forms irregular intergrowths in sphalerite and is abundant in a few thin layers in zinc and zinc-copper ore. Gold is abundant in scattered narrow veins in the Homestake showing, in high-grade quartz veinlets in the No. 8 orebody and throughout the No. 5 and East Bluff orebodies. Massive ore in the No. 10 mine contains pyrrhotite and argentite inclusions within the chalcopyrite-rich massive orebody. Many of the orebodies contain several types of sulphide concentrations; the No. 8 massive orebodies grade from zinc-copper to copper. The No. 8 and No. 8A ore zones contain more zinc than the No. 8B. In the Bluff deposit, sphalerite is abundant only above the 1800 level; locally in this region siliceous copper-zinc stringer ore grades into massive zinc-copper ore toward the structural footwall (stratigraphic top).

A broad zone of pervasively silicified rock surrounds all stringer orebodies in the dacite tuff breccia except the Fairview veins. Quartz and quartz-pyrite veins occur throughout the silicified halos and increase in abundance and sulphide content toward an orebody. Pyrite is abundant as beds and nodules in andesitic sedimentary rocks above the Fairview Zinc orebody and locally pyritic layers show slumping features characteristic of soft sediment deformation. Anhydrite is abundant in pyritic andesitic sedimentary rocks and less abundant in the dacite tuff breccia in a broad elongate tabular halo around ore centres. Locally anhydrite forms massive deposits in tuffaceous sedimentary rocks, flanking and above orebodies, and is also found as distinct crosscutting veins in tensional zones. Locally the anhydrite has been converted to gypsum, especially near permeable zones where the gypsum occurs as narrow replacement veinlets. Within 60 to 90 metres of surface the conversion of anhydrite to gypsum is complete. James (1929) reports the presence of native sulphur in the mine. While the native sulphur may have gypsum or anhydrite associated with it none is present in the large gypsum masses (Open File 1991-15, page 35). Barite is disseminated and/or well bedded in zinc ore and nearby zinc-rich sedimentary rocks. Cherty andesitic sedimentary rocks and tuffs, locally with abundant pyrite, occur in and near massive sulphide bodies and host most of the No. 8 ore lenses.

Structure at the Britannia mine is complex; the earliest deformation (Do) produced widespread, open,

concentric, flexural-slip folds (Fo) with subhorizontal to gently plunging, west-northwest trending axes. A major anticline was formed in the dacitic pyroclastic rocks and a major syncline was formed in argillite to the north. Further flexural-slip deformation was localized along the Britannia anticline, which became overturned to the north. Under continued stress, deformation consisting of several episodes of inhomogeneous strain produced the Britannia and other shear zones. Rocks were crystallized to S-tectonites with phase assemblages the same as those of lower greenschist facies regional metamorphism. East of the Jane basin, the axis of the Britannia shear zone follows the axis of the Britannia anticline; from the Jane basin to the west, the shear zone cuts across the south limb of the Britannia anticline. On the surface, the shear zone narrows to a single fault west of the Jane basin, whereas at depth and to the east it widens.

Because many orebodies have contacts at or near major east striking faults and because most appear to be parts of a typical volcanogenic sulphide deposit, the present orebodies may represent faulted segments of a few original major sulphide deposits. A predeformation reconstruction suggests that the orebodies are segments of two original massive sulphide deposits; this requires a near vertical displacement along one fault zone followed by sub-horizontal offset with a cumulative right-lateral displacement of a couple of thousand metres (Economic Geology, Payne et. al., 1980).

Fire Creek

The Fire Creek prospect occurs along the northeast side of Fire Creek, 1.5 kilometres west-northwest of the confluence with the Lillooet River about 8km north of the Hotspring Property.

A zone of strong sericitic alteration, chalcedonic silicification and heavy pyritization is developed in interbedded andesitic tuff, feldspar crystal tuff and sericite-chlorite schist. The sequence is part of the lower member of the Early Cretaceous Brokenback Hill Formation, Fire Lake Group. Information, based on drilling, indicates that the alteration zone strikes northwest for 200 metres and dips steeply northeast to depths of greater than 120 metres. True thicknesses vary from 20 to 40 metres.

Mineralization consists of 20 to 40 per cent disseminated and stringer sulphides, with veins up to 20 centimetres in width. Sulphides consist mainly of pyrite and pyrrhotite, minor chalcopryrite, sphalerite and arsenopyrite, and trace bornite, acanthite, pyrrargyrite and native copper. Less altered lithologies, around the periphery of the zone, contain up to 15 per cent in disseminated and bedded sulphides which mainly comprise pyrite, pyrrhotite and minor chalcopryrite. The alteration zone is cored by a hydrothermal breccia, exhibiting intense argillic-potassic clay alteration, containing with 20 to 40 per cent disseminated and stringer pyrite. Quartz veins, up to 50 centimetres in width and containing less than 5 per cent sulphides, are found throughout the alteration zone.

A chip sample taken across 2.0 metres contained 10.0 grams per tonne gold (George Cross News Letter #26, 1988). Drill core samples assayed up to 5.93 grams per tonne gold and 9.4 grams per tonne silver over a 1.5 metre core length (Assessment Report 17508, p. 18). The deposit has been extensively explored since its discovery in 1980. Englefield Resources Ltd. carried out 850 metres of diamond drilling in 9 holes, in 1987.

Toil/Brem

The Toil/Brem showings are located 12km southeast of the Hotspring Property.

The regional tectonostratigraphic framework of the west side of Harrison Lake includes the Harrison terrane overlapped by post accretionary Gambier Assemblage and Coast Range intrusives. The Five Mile Bay area is underlain by bimodal volcanic rocks of intermediate to felsic composition intruded by granitic pluton. The volcanic rocks which form part of the eastern edge of Gambier Assemblage, represent a widespread zone of early Cretaceous volcanic arc magmatism. This assemblage forms an overlap with the Early Jurassic Harrison island arc terrane volcanic rocks that occur to the southeast. The contact between these two volcanic arcs occurs as an erosional unconformity along the Mystery Creek area. This complex has subsequently been intruded by Cretaceous age coast range granites. The Gambier rocks found on the property are probably part of the south eastern extension of the Fire Lake Group which hosts gold-bearing iron sulphide mineralization.

Mapping, soil sampling and trenching surveys have been conducted along the West Harrison Lake forestry road, hydro line right-of-way and along the shore line of Five Mile Bay. This area is underlain mainly by andesitic to rhyolitic volcanic composition rocks. On the north-western side of Five Mile Bay, along the forestry access road, massive, green, chloritic, siliceous altered andesite was noted outcropping along low ridges north of the road. Along a hydro-power line overlooking the Five Mile Bay, is a well exposed outcrop of massive, pinkish, siliceous rhyolitic to lapilli tuff flow bands. Associated with the felsic flow sequence can be observed occasional, very fine grain sphalerite and galena with a visual estimate of <.05% associated with minor pyrite. Along the north-eastern shoreline of the bay is exposed section iron stained rhyolite carrying to 2-5% pyrite. The Toil showing documented in previous (1982-84) assessment reports, which is hosted in this rhyolitic horizon, was drill tested for potential gold and polymetallic mineralization. Additional reconnaissance road side mapping was carried out to the east along the forestry access road examining some of the exposed bedrock. Much of the rock along the road cuts is mainly of highly fracture granodiorite with quartz monzonitic phases.

16.0 MINERAL PROCESSING and METALLURGICAL

Everton Resources Inc. did not conduct any studies on mineral processing nor did they perform any metallurgical testing of mineralized samples during the 2008 to 2010 exploration program.

17.0 MINERAL RESOURCE ESTIMATES

Everton Resources Inc. did not perform any mineral resource or mineral reserve estimates during the 2008 to 2010 exploration program.

18.0 OTHER RELEVANT DATA and INFORMATION

No other relevant data is believed to exist and the data discussed in this report is an accurate portrayal of the property's potential. As previously noted, The Hot Spring Project area is within the claimed traditional territory of the In-SHUCK-ch First Nation Tribal Council and as such communications with the In-SHUCK-ch First Nation is continuing. There are no known environmental or social issues attached to the property which are known to the writer. The author is not aware of any additional data or information, the lack of which would affect his evaluation of the property or his interpretations and conclusions.

19.0 INTERPRETATION and CONCLUSIONS

Work to date has resulted in several areas being discovered with gold values greater than 0.2 g/t (0.06 oz/ton) over widths between 60 to 110 metres. Grades and continuity of mineralization increase toward the eastern grid area on the Southridge part of the property. Diamond drilling indicates that the true thickness of the gold enriched altered volcanics is over 150 metres in thickness as indicated by drillhole HS97-10.

Base metal mineralization with significant gold grades occurs throughout the stratabound Lower Zone from 30+600E to 31+500E and from 50 to 100 metres across strike. The continuity of mineralization is yet to be outlined but there are strong indications of a persistent mineralized area carrying potentially economic gold grades. The extension of the zone south of 29+700N has not been investigated to date but there are deeply oxidized outcrops of silicified tuffs at least as far as 29+650N. The 30°S dip of the stratabound zone projects southward down the south slope of the ridge to Sloquet Creek close to the topographic surface.

Given the extent of the mineralized zone on surface (up to 70,000 square metres from 30+600E to 31+500E) there is major potential for establishment of a high tonnage, low grade gold deposit. The steepness of the terrain and the deep oxidation and leaching widespread in surface outcrops mean that surface trenching is difficult over much of the area and the extent and grade of the zone will only be established by drilling. The limited diamond drilling conducted in 1990 intersected low-grade mineralization over true thicknesses of up to 100 metres.

The rest of the claim area also holds considerable untested potential. In particular, several mineralized showings in Simpson Creek remain to be followed up by trenching and diamond drilling.

An airborne magnetometer and HLEM survey flown over the entire property showed the Southridge Zone to be a highly resistive rock package containing two highly magnetic areas representing the eastern edge of the Pemberton Diorite and a nearby related stock. The airborne magnetometer survey further showed the magnetic intrusives to be more extensive than ground mapping indicated, perhaps due to a thin veneer of volcanic rock with intrusive rock below. The airborne survey further indicated that zones of low resistivity, roughly correlatable with creek beds are present over much of the property. There are some locations though where low resistive zones are not directly related to known creeks and these areas should be followed up further with prospecting, geological mapping and sampling and I.P. geophysics.

Geological mapping on one small portion of the property, the Southridge Zone, indicated the area to be a moderately south dipping package of silicified, felsic, fine to lapilli tuffs, overlying intermediate lapilli tuffs. Au, Ag, Zn and Pb mineralization is seen to be confined to the blue-grey, silicified felsic tuffs. Soil geochemical surveying further indicated this unit to be the most anomalous unit geochemically while I.P. geophysics demonstrated that the unit has a high sulfide background but does not generate the highest I.P. responses.

The Southridge Zone represents a prime drilling target and was tested in 1990 by seven short holes on sections between L30+800E and L31+400E. Hole NQ90-1 was collared too low in the sequence to test the mineralized horizon. Hole NQ90-4 intersected 615 ppb Au over 66 metres and NQ90-2 returned a

57.7 metre interval averaging 839 ppb Au. The drilling campaign by Noranda did not adequately test the western targets that were identified.

After additional trenching and geological mapping to the west of 30+800E, additional drilling may be required to adequately test the area around Dan's Showing and the Lower Showing.

Three soil geochemically anomalous areas, the J.A.D.S., Danbus and Northridge Zones should be followed up with additional ground surveys including detailed geological mapping, rock sampling and I.P. geophysics. Ground HLEM geophysical surveying was seen to be an ineffective exploration tool and should be avoided in other parts of the property.

In 2010, a (156 sample) geochemical and geological program was completed in 2010 as a follow-up to the encouraging results of the 2008 program. A 300m section of the line samples in 2010 returned continuously anomalous samples ranging up to 837 ppb Au and 0.8 ppm Ag.

Additional detailed geological mapping and trenching are warranted before further drilling is undertaken to continue exploring this promising prospect. As access is opened by new logging roads along South Sloquet Creek scheduled for 2011 and in the future for small business program Licenses from Forestry, the J.A.D.S. and Danbus gold-in-soil anomalies should be further mapped and trenched. A budget for future exploration is recommended in the next section for a total of \$400,000.00.

Exploration to date has established an apparently stratabound zone of gold and base metal mineralization in intensely altered volcanic rocks south of North Sloquet Creek. North to northwest-trending structures within the zone are associated with higher grade mineralization. Some of these structures are obviously late, such as the fault zone at 350 E, but some may be significantly earlier.

Some of the mineralization observed to date is not volcanogenic-exhalative but is of replacement stockwork type. If the mineralization is related to submarine volcanism, the observed enrichment may be peripheral to higher grade massive sulphide zones which may be amenable to geophysical detection. Recent soil and lithogeochemistry show increasing gold enrichment east of the 900 E Showing, indicating a higher grade section of the stratabound zone.

Mineralization was thought by Wilson (1991) to be related to hydrothermal activity associated with the igneous intrusions. His model envisioned circulating hydrothermal fluids peripheral to igneous bodies producing pervasive silica potassium feldspar alteration. Additional silica infusion caused quartz veinlets and quartz flood zones to form specific zones which are more common within the felsic tuffs. Numerous fracture zones were noted in drill core which may be related to mineralization although no specific relations could be drawn from this initial drill program. Future drilling should concentrate on structural logging of the core.

The ground magnetics survey show good corroboration with the known geology. The HLEM survey has been shown ineffective in delineating conductive zones within bedrock which may host mineralization. Structures control the extent of the lithologic units to a certain degree. More magnetics and I.P. surveys may be done to better define the extent of magnetics units T.5 and T.6 which appear to host the significant I.P. responses.

Respectfully submitted,

J.T. Shearer, M.Sc., P.Geo.
November 15, 2010

20.0 RECOMMENDATIONS

PROPOSED BUDGET 2011 HOT SPRINGS CLAIMS

Drill targeting of north to northwest trending structural zones is recommended to ascertain if smaller zones of higher grade mineralization exists within these major plumbing systems. These structural zones may be a late stage feature. Correlating the relative timing of these features should be a priority in future geological mapping.

Program: follow-up diamond drilling, ground geophysics, detail geology, trenching (excavator), contract diamond drilling, senior geologist, helper, geologist, prospector, cook.

Contract diamond drilling, 6,000 ft. at \$25 per foot	\$ 150,000
Support Personnel	
Senior geologist, 90 days at \$700 per day	63,000
Assistant - core splitter, 90 days at \$300 per day	27,000
Cook, 90 days at \$350 per day	31,500
Transportation	
Truck rental, 90 days at \$100 per day	900
Fuel	3,500
Transportation (Air Southwest)	2,000
Survey control	4,000
Ground geophysics	8,000
Helicopter, 3.8 hrs. at \$850/hr.	3,230
Cat for drill, 50 hours at \$120/hr.	6,000
Food, 8 persons at 90 days at \$40 per man day	28,800
Camp supplies	8,000
Office supplies	1,000
Geological mapping and prospecting, 40 days at \$700 per day	28,000
Analytical	
600 drill core at \$25 per sample	15,000
100 rock samples at \$18.50 per sample	1,850
200 soil samples at \$16.50 per sample	3,300
Drafting, 80 hours at \$25 per hour	2,000
Report preparation	2,000
Contingencies	11,000
Total	\$400,000

REFERENCES

- Christensen, E., (2005)
Transformation: From Myth to Reality, IN-SHUCK-ch Economic Development and land Use, Treaty
Related Measures, 112 pages.
- Freeze, A. C. (1986) - 1985 Geological and Geochemical Report on the Slo 1 and Slo 2 Mineral Claim,
Assessment Report #14,771.
- Journeay, J. M., (1989) - Late Mesozoic and Cenozoic Fault Systems of the Southern Coast Belt;
Implications for Cu-Au-Ag mineralization in the Harrison Lake Region.
- Journeay, J. M., Csontos, L. and Lynch, J. V. G., (1990) - Geology of the Harrison Lake Area, Geological
Survey Branch, British Columbia Dept. of Mines, Open File 2203.
- MacKay, J. M. (1944) - Prospecting Report on the Sloquet and Fire Creeks, Consolidated Mining and
Smelting Co. of Canada Ltd., 6 pp. unpublished report for Cominco Ltd.
- McClaren, M., and Hill, A. R. (1987) - Geological and Geochemical Report on the Quet Property, private
report for Aranlee Resources, 15 pp., November 20, 1987.
- Payne, J. G., Bratt, J. A., Stone, B. G. (1980) - Deformed Mesozoic Volcanogenic Cu-Zn Sulphide Deposits
in the Britannia District, British Columbia, in Economic Geology, Vol. 75, 1980, pp. 700-721.
- Ray, G. E. (1986) - Gold associated with a Regionally Developed Mid-Tertiary Plutonic
Event in the Harrison Lake Area, Southwestern British Columbia. Ministry of Energy Mines &
Petroleum Res.; Geological Fieldwork and Current Research, 1986, Paper 1986-1.
- Ray, G. E. and Coombs, S. (1985) - Harrison lake Project (91 H/5, 12; 92 G/9), B.C. Ministry of Energy
Mines & Petroleum Res.; Geological Fieldwork and Current Research, 1985, Paper 1985-1.
- Reynolds, N. and O'Keefe, N., (1989A) - Summary Report on the Quet Claims, Private report for Aranlee
Resources Ltd. November 20, 1989, 16 pp.
- Reynolds, N. and O'Keefe, N., (1989B) - Geological, Geochemical and Geophysical Assessment Report on
the Quet Claims. December 6, 1989, 16 pp.
- Roddick, J. A. (1965) - Vancouver North, Coquitlam, and Pitt Lake Map-areas, British Columbia,
Geological Survey of Canada, Memoir 335.
- Sharp, R. J. (1981) - Slo Project - Month End Report, unpublished report for Cominco Ltd.
- Shearer, J. T. (1988) - Geological, Prospecting and Geochemical Assessment Report on the Quet
Property. Report for Aranlee Resources Ltd. April 10, 1988.
- Shearer, J. T. (1996) - Geological and Prospecting Report on the Hot Spring Property
Report for the Shearer-Angus Joint Venture, August 1, 1996, 20 pp.

Shearer, J. T. (1998) – Diamond Drilling Assessment Report on the Hot Spring Property, for Mount Hope Resources Corporation, January 26, 1998, Assessment Report 25,430.

Shearer, J. T. (2008) –
Geological and Geochemical Assessment Report on the Hotspring Property for Everton Resources Inc., dated December 28, 2008.

Shearer, J. T. (2010) –
Geological and Geochemical Assessment Report on the Hotspring Property for Everton Resources Inc., dated August 1, 2010.

Shearer, J. T., Reynolds, N., and O’Keefe, N., (1990) - Geological, Geochemical and Geophysical Assessment Report on the Quet Claims, Harrison Lake Area, 40 pp. Private report for Aranlee Resources Ltd., January 10, 1990. Assessment Report #

Wilson, R., (1991) - Report on Diamond Drilling on the Quet Claims, Report for Noranda Exploration Co., Assessment Report 20,983, 18 pp. February 19, 1991.

Wilson, R. and Wong, T., (1990) - Report on Geology, Geochemistry, Geophysics on the Quet Claims. Private report for Noranda Exploration Co., September 15, 1990, 22 pp.

Wilson, R. and Wong, T., (1990) - Drill Logs NQ90 1 - 7, October 15, 1990, 16 pp.

Wojdak, P. J., (1979) - Slo Property Exploration Proposal, 3 pp., Cominco Ltd.

Wojdak, P. J. (1980a) - Fire Lake Recce - 1979 Termination Report Cominco Ltd., unpublished report for Cominco Ltd.

Wojdak, P. J. (1980b) - Geochemical Report - Slo Claims, Cominco Ltd., unpublished report for Cominco Ltd. January 15, 1981.

STATEMENT of QUALIFICATIONS

I J. T. (Jo) Shearer, of Unit 5 – 2330 Tyner St. Port Coquitlam, BC, V3C 2Z1, do hereby certify that:

1. I am an independent consulting geologist and principal of Homegold Resources Ltd.
2. My academic qualifications are:
 - Bachelor of Science, Honours Geology from the University of British Columbia, 1973
 - Associate of the Royal School of Mines (ARSM) from the Imperial College of Science and Technology in London, England in 1977 in Mineral Exploration
 - Master of Science from the University of London, 1977
3. My professional associations are:
 - Member of the Association of Professional Engineers and Geoscientists in the Province of British Columbia, Canada, Member #19,279, and Ontario Member
 - Fellow of the Geological Association of Canada, Fellow #F439
4. I have been professionally active in the mining industry continuously for over 40 years since initial graduation from university.
5. I have read the definition of “qualified person” set out in National Instrument 43-101 and certify that by reason of my education, affiliation with a professional association and past relevant work experience, I fulfill the requirements to be a “qualified person” for the purposes of NI 43-101.
6. I am responsible for the preparation of all sections of the technical report entitled “Technical Report on the Hot Spring Property” dated November 15, 2010. I have last visited the Property on October 20, 2010 and collected representative samples of mineralization. General geological parameters were also examined.
7. I have not had prior involvement with the property, which is the subject of the technical report.
8. That as of the date of the certificate, to the best of the my knowledge, information and belief, this technical report contains all scientific and technical information that is required to be disclosed to make the technical report not misleading.
9. I am independent of the issuer, applying all of the tests in section 1.4 of National instrument 43-101.
10. I have read the NI 43-101 and this technical report has been prepared in compliance with this Instrument.
11. I consent to the filing of the Technical Report with any stock exchange and other regulatory authority and any publication by them, including electronic publication in the public company files on their websites accessible by the public, of the Technical Report.

Date

J.T. (Jo) Shearer, M.Sc., P.Geo.

APPENDIX I

ASSAY CERTIFICATES



Certificate of Analysis

10-360-03213-01

Inspectorate Exploration & Mining Services Ltd.
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5 Canada
Phone: 604-272-2818

<p>Distribution List Attention: Johan T. Shearer Unit 5, 2330 Tyner Street Port Coquitlam, B.C. V3C 2Z1 Phone: (604)970-6402 Email: jts@homegoldresourcesltd.com</p>	<p>Submitted By: Homegold Resources Unit 5, 2330 Tyner Street Port Coquitlam, B.C. V3C 2Z1</p> <p>Attention: Johan T. Shearer</p> <p>Project: Hotspring Description:</p> <table border="1"> <thead> <tr> <th>Samples</th> <th>Type</th> <th>Preparation Description</th> </tr> </thead> <tbody> <tr> <td>15</td> <td>Rock</td> <td>SP-RX-2K/Rock/Chips/Drill Core</td> </tr> <tr> <td>74</td> <td>Soil</td> <td>SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Method</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Au-IAT-AA</td> <td>Au: IAT Fire Assay, AAS</td> </tr> <tr> <td>30-AR-TR</td> <td>30 Element, Aqua Regia, ICP, Trace Level</td> </tr> </tbody> </table>	Samples	Type	Preparation Description	15	Rock	SP-RX-2K/Rock/Chips/Drill Core	74	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split	Method	Description	Au-IAT-AA	Au: IAT Fire Assay, AAS	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Samples	Type	Preparation Description														
15	Rock	SP-RX-2K/Rock/Chips/Drill Core														
74	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split														
Method	Description															
Au-IAT-AA	Au: IAT Fire Assay, AAS															
30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level															

Date Received: 10/13/2010

Date Completed: 10/29/2010

Invoice:

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geologic materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project. For our complete terms and conditions please see our website at www.inspectorate.com.

By: 
David Chiu, BC Certified Assayer

Certificate of Analysis

10-360-03213-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Au Au-1A T-AA ppb	Al 30-AR-TR %	As 30-AR-TR ppm	Ba 30-AR-TR ppm	Bi 30-AR-TR ppm	Ca 30-AR-TR %	Cd 30-AR-TR ppm	Co 30-AR-TR ppm	Cr 30-AR-TR ppm	Cu 30-AR-TR ppm	Fe 30-AR-TR %	Hg 30-AR-TR ppm	K 30-AR-TR %	L4 30-AR-TR ppm
SS-00-S	Soil	12	2.91	73	142	9	0.17	<0.5	17	30	52	4.43	<3	0.11	2
SS-25-S	Soil	26	2.75	85	189	7	0.28	<0.5	43	37	82	5.37	<3	0.11	3
SS-50-S	Soil	81	2.66	102	399	6	1.23	<0.5	42	40	88	4.83	<3	0.21	5
SS-75-S	Soil	16	1.66	84	92	8	0.46	<0.5	30	15	37	5.87	<3	0.07	4
SS-100-S	Soil	10	3.30	88	148	<2	0.30	<0.5	34	18	46	6.98	<3	0.08	<2
SS-125-S	Soil	26	2.75	54	95	7	0.20	<0.5	13	20	23	3.79	<3	0.06	<2
SS-150-S	Soil	20	4.18	143	113	12	0.13	<0.5	26	40	230	6.78	<3	0.07	<2
SS-175-S	Soil	10	3.44	60	292	6	0.16	<0.5	19	15	218	8.15	<3	0.18	<2
SS-200-S	Soil	<3	3.25	55	100	7	0.09	<0.5	12	16	55	5.41	<3	0.06	<2
SS-225-S	Soil	13	2.75	56	250	15	0.35	<0.5	20	15	176	8.72	<3	0.07	<2
SS-250-S	Soil	29	3.72	75	107	17	0.23	<0.5	33	35	286	>10	<3	0.06	<2
SS-275-S	Soil	39	3.94	82	100	32	0.22	<0.5	10	32	351	>10	<3	0.06	<2
SS-300-S	Soil	40	2.74	67	112	10	0.28	<0.5	9	15	159	>10	<3	0.09	<2
SS-325-S	Soil	42	4.07	163	100	17	0.22	<0.5	11	20	204	>10	<3	0.09	<2
SS-350-S	Soil	92	4.62	435	93	15	0.14	<0.5	54	125	178	>10	<3	0.04	3
SS-375-S	Soil	133	3.19	95	147	10	0.22	<0.5	21	41	74	6.92	<3	0.08	<2
SS-400-S	Soil	38	3.38	111	98	18	0.18	<0.5	12	<1	236	>10	<3	0.14	<2
SS-425-S	Soil	18	2.65	62	155	7	0.29	<0.5	63	2	70	6.56	<3	0.15	<2
SS-450-S	Soil	47	3.45	483	155	10	0.27	<0.5	24	<1	144	>10	<3	0.11	6
SS-475-S	Soil	45	3.53	132	175	10	0.37	<0.5	21	2	51	7.01	<3	0.13	<2
SS-500-S	Soil	30	3.01	102	168	9	1.40	<0.5	41	111	58	8.76	<3	0.11	9
SS-525-S	Soil	24	3.30	91	135	4	0.75	<0.5	34	107	71	9.29	<3	0.07	5
SS-550-S (No Sample)	Soil														
SS-575-S	Soil	55	2.95	145	232	9	0.28	<0.5	29	15	53	6.54	<3	0.09	3
SS-600-S	Soil	29	0.23	15	73	<2	0.58	<0.5	1	<1	8	0.44	<3	0.02	<2
SS-625-S	Soil	128	3.31	245	171	7	0.40	<0.5	44	17	92	8.48	<3	0.12	4
SS-650-S	Soil	52	3.21	231	165	9	0.78	<0.5	35	16	79	9.28	<3	0.14	3
SS-675-S	Soil	139	4.26	180	101	<2	0.32	<0.5	29	16	123	>10	<3	0.08	3
SS-700-S	Soil	75	3.57	146	114	7	0.53	<0.5	28	15	100	>10	<3	0.08	3
SS-725-S	Soil	85	4.52	176	142	11	0.39	<0.5	30	15	116	>10	<3	0.09	4
SS-750-S	Soil	60	3.63	156	205	12	0.60	<0.5	26	20	75	>10	<3	0.07	<2
SS-775-S	Soil	32	4.01	129	117	7	0.56	<0.5	25	21	101	9.79	<3	0.05	<2
SS-800-S	Soil	14	3.29	47	371	6	0.32	<0.5	17	16	17	4.54	<3	0.07	<2
SS-825-S	Soil	70	3.42	99	442	9	0.50	<0.5	18	10	38	5.42	<3	0.08	3
SS-850-S	Soil	31	4.90	69	174	5	0.27	<0.5	18	16	70	5.57	<3	0.11	2
SS-875-S	Soil	52	4.44	67	153	5	0.25	<0.5	17	14	59	5.08	<3	0.07	2
SS-900-S	Soil	138	4.91	76	131	5	0.37	<0.5	21	17	115	5.30	<3	0.10	4
SS-925-S	Soil	72	4.09	55	194	5	0.44	<0.5	17	27	41	4.52	<3	0.14	<2
SS-950-S	Soil	54	3.62	56	204	5	0.34	<0.5	12	13	56	4.28	<3	0.10	3
SS-975-S	Soil	22	3.46	42	129	7	0.34	<0.5	17	17	22	4.59	<3	0.05	<2

Certificate of Analysis

10-360-03213-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Au Au-1A T-AA ppb	Ag 30-AR-TR %	As 30-AR-TR ppm	Ba 30-AR-TR ppm	Bi 30-AR-TR ppm	Ca 30-AR-TR %	Cd 30-AR-TR ppm	Co 30-AR-TR ppm	Cr 30-AR-TR ppm	Cu 30-AR-TR ppm	Fe 30-AR-TR %	Hg 30-AR-TR ppm	K 30-AR-TR %	La 30-AR-TR ppm
SS-1000-S	Soil	17	4.15	55	163	<2	0.27	<0.5	18	24	53	5.40	<3	0.08	<2
SS-1025-S	Soil	19	3.62	45	178	4	0.28	<0.5	12	7	31	4.37	<3	0.08	<2
SS-1050-S	Soil	12	2.98	37	187	4	0.20	<0.5	13	21	25	4.32	<3	0.04	<2
SS-1075-S	Soil	18	4.49	57	245	3	0.22	<0.5	17	9	39	5.15	<3	0.08	<2
SS-1100-S	Soil	24	4.58	53	162	6	0.22	<0.5	20	12	57	5.59	<3	0.09	<2
SS-1125-S	Soil	24	3.91	46	214	3	0.31	<0.5	18	12	33	5.22	<3	0.11	<2
SS-1150-S	Soil	12	3.75	45	177	8	0.34	<0.5	22	15	57	5.76	<3	0.05	<2
SS-1175-S	Soil	13	4.88	59	153	5	0.26	<0.5	27	35	66	5.45	<3	0.06	<2
SS-1200-S	Soil	26	4.15	43	141	7	0.22	<0.5	19	14	42	5.45	<3	0.08	<2
SS-1225-S	Soil	14	4.81	53	438	5	0.44	<0.5	18	11	38	5.64	<3	0.62	<2
SS-1250-S	Soil	12	5.04	55	296	8	0.31	<0.5	21	17	47	5.20	<3	0.09	2
HS2-00-S	Soil	96	7.17	143	156	8	0.19	<0.5	28	21	112	5.93	<3	0.33	8
HS2-25-S	Soil	87	3.61	97	200	9	0.24	<0.5	23	10	52	6.40	<3	0.07	3
HS2-50-S	Soil	35	3.92	158	172	9	0.43	<0.5	28	15	73	8.16	<3	0.12	3
HS2-75-S	Soil	70	4.09	140	226	7	0.41	<0.5	34	13	69	7.19	<3	0.13	5
HS2-100-S	Soil	38	3.56	162	236	9	0.46	<0.5	39	19	60	7.50	<3	0.12	4
HS2-125-S	Soil	37	2.44	135	189	7	0.29	<0.5	23	11	37	6.52	<3	0.06	2
HS2-150-S	Soil	56	3.79	204	299	9	0.64	<0.5	34	16	71	9.33	<3	0.14	4
HS2-175-S	Soil	41	4.52	181	149	7	0.24	<0.5	38	13	84	>10	<3	0.08	3
HS2-200-S	Soil	41	4.17	210	145	8	0.21	<0.5	33	11	113	>10	<3	0.07	2
HS2-225-S	Soil	53	4.28	285	138	8	0.40	<0.5	26	10	99	>10	<3	0.08	2
HS2-250-S	Soil	50	5.37	133	75	7	0.30	<0.5	21	10	111	8.70	<3	0.05	3
HS2-275-S	Soil	50	5.04	160	129	7	0.26	<0.5	23	17	112	>10	<3	0.08	3
HS2-300-S	Soil	61	5.93	184	145	10	0.17	<0.5	26	12	106	>10	<3	0.07	3
HS2-325-S	Soil	62	4.77	153	157	9	0.17	<0.5	25	13	78	9.54	<3	0.07	3
HS2-350-S	Soil	36	3.99	92	277	5	0.38	<0.5	26	11	54	6.96	<3	0.08	<2
HS2-375-S	Soil	30	3.53	54	355	7	0.57	<0.5	19	11	27	5.01	<3	0.22	<2
HS2-400-S	Soil	19	3.48	50	289	5	0.45	<0.5	18	12	26	4.40	<3	0.09	<2
HS2-425-S	Soil	20	3.14	50	124	4	0.16	<0.5	27	10	42	4.26	<3	0.06	<2
HS2-450-S	Soil	49	3.97	53	255	4	0.34	<0.5	20	18	50	4.71	<3	0.12	<2
HS2-475-S	Soil	28	4.20	54	245	5	0.43	<0.5	19	16	40	4.66	<3	0.15	<2
HS2-500-S	Soil	16	3.15	42	238	5	0.34	<0.5	18	16	20	4.37	<3	0.14	<2
HS2-525-S	Soil	32	3.87	54	172	6	0.42	<0.5	18	39	37	4.86	<3	0.29	<2
HS2-550-S	Soil	43	4.27	56	199	6	0.30	<0.5	21	19	59	4.98	<3	0.12	<2
HS1-Ro-1F	Rock	46	1.74	21	109	7	0.39	<0.5	6	54	19	4.99	<3	0.44	<2
HS1-Ro-2F	Rock	42	1.37	17	32	7	0.17	<0.5	10	117	40	4.63	<3	0.23	<2
HS1-Ro-3F	Rock	41	1.44	36	90	6	0.13	<0.5	5	54	39	2.68	<3	0.26	<2
HS1-4F	Rock	23	0.40	51	19	8	0.03	<0.5	3	86	30	4.40	<3	0.29	3
HS1-5F	Rock	9	1.68	21	33	4	0.18	<0.5	18	42	132	4.91	<3	0.24	19
HS1-6F	Rock	60	0.43	46	25	9	0.47	<0.5	24	75	32	3.53	<3	0.08	2



Bureau Veritas Group Company

#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

10-360-03213-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Au	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	La
		Au-1A T-AA ppb	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm
		5	0.01	5	10	2	0.01	0.5	1	1	1	0.01	3	0.01	2
HS3-01C	Rock	12	2.24	24	90	5	0.64	<0.5	11	47	40	4.64	<3	0.61	<2
HS3-02-IMC	Rock	6	1.71	22	31	<2	1.04	<0.5	12	69	49	2.22	<3	0.06	<2
HS3-03C	Rock	10	2.60	32	35	4	1.41	<0.5	5	46	15	3.18	<3	0.09	<2
HS3-04C	Rock	9	1.50	73	46	<2	0.64	<0.5	9	64	41	3.16	<3	0.19	<2
HS3-06C	Rock	10	1.73	36	37	5	0.31	<0.5	7	57	27	4.80	<3	0.09	<2
HS3-07C	Rock	11	2.45	39	37	7	1.21	<0.5	14	75	54	5.88	<3	0.30	<2
HS3-08C	Rock	10	2.66	41	70	4	0.77	<0.5	8	44	23	4.25	<3	0.40	<2
HS3-11C	Rock	7	2.00	28	106	7	0.55	<0.5	6	46	9	4.00	<3	0.20	<2
HS3-12C	Rock	19	1.87	26	117	6	0.42	<0.5	8	59	93	3.44	<3	1.02	<2

Certificate of Analysis

10-360-03213-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1


Sample Description	Sample Type	Mg 30-AR-TR %	Mn 30-AR-TR ppm	Mo 30-AR-TR ppm	Na 30-AR-TR %	Ni 30-AR-TR ppm	P 30-AR-TR ppm	Pb 30-AR-TR ppm	Sb 30-AR-TR ppm	Sc 30-AR-TR ppm	Sr 30-AR-TR ppm	Ti 30-AR-TR %	Ti 30-AR-TR ppm	V 30-AR-TR ppm	W 30-AR-TR ppm
		0.01	5	1	0.01	1	10	2	2	1	1	0.01	10	1	10
SS-00-S	Soil	0.76	497	<1	0.02	14	4671	5	<2	7	13	0.11	<10	64	<10
SS-25-S	Soil	0.82	6192	1	0.04	21	2269	4	<2	6	25	0.12	<10	61	<10
SS-30-S	Soil	0.78	9494	1	0.04	30	1185	10	<2	5	63	0.10	<10	45	<10
SS-75-S	Soil	0.36	3051	2	0.02	7	758	7	<2	4	28	0.11	<10	49	<10
SS-100-S	Soil	1.13	887	1	0.02	10	755	<2	<2	12	21	0.39	<10	99	<10
SS-125-S	Soil	0.64	507	1	0.02	13	1356	<2	<2	5	14	0.11	<10	58	<10
SS-150-S	Soil	0.74	831	4	0.02	25	1887	66	<2	7	11	0.16	<10	56	<10
SS-175-S	Soil	0.93	1023	7	0.03	11	2160	11	<2	9	15	0.18	<10	87	<10
SS-200-S	Soil	0.34	577	2	0.01	8	5598	<2	<2	4	9	0.11	<10	69	<10
SS-225-S	Soil	0.80	2717	4	0.03	14	2850	86	<2	7	24	0.20	<10	97	<10
SS-250-S	Soil	0.98	774	4	0.03	24	1858	403	<2	6	32	0.13	<10	54	<10
SS-275-S	Soil	0.92	567	8	0.03	21	1355	463	<2	6	36	0.11	<10	56	<10
SS-300-S	Soil	0.76	443	5	0.05	11	1526	157	<2	5	47	0.09	<10	41	<10
SS-325-S	Soil	1.09	512	6	0.04	14	1139	83	<2	8	42	0.14	<10	77	11
SS-350-S	Soil	0.86	2068	20	0.02	72	1495	<2	<2	19	11	0.03	<10	100	21
SS-375-S	Soil	0.86	1507	10	0.02	24	1889	9	<2	5	15	0.05	<10	79	<10
SS-400-S	Soil	0.91	564	3	0.02	2	1470	547	<2	11	22	0.13	<10	80	32
SS-425-S	Soil	1.31	3829	<1	0.03	2	1137	65	<2	7	22	0.21	<10	85	<10
SS-450-S	Soil	0.77	1515	2	0.03	4	1659	219	<2	10	26	0.05	<10	51	<10
SS-475-S	Soil	0.97	2585	1	0.04	5	1409	22	<2	7	38	0.11	<10	59	<10
SS-500-S	Soil	1.98	2147	<1	0.13	108	1824	24	<2	7	166	0.07	<10	60	<10
SS-525-S	Soil	1.94	1616	<1	0.11	103	1888	10	<2	6	145	0.08	<10	62	<10
SS-550-S (No Sample)	Soil														
SS-575-S	Soil	0.76	4140	<1	0.03	12	1959	3	<2	6	80	0.04	<10	49	<10
SS-600-S	Soil	0.06	79	<1	0.01	3	457	7	<2	<1	74	<0.01	<10	6	<10
SS-625-S	Soil	0.95	2864	<1	0.02	16	2524	16	<2	8	85	0.02	<10	54	<10
SS-650-S	Soil	0.85	2493	<1	0.03	19	2163	<2	<2	6	140	0.03	<10	37	<10
SS-675-S	Soil	1.06	1285	<1	0.05	27	1689	<2	<2	8	65	0.09	<10	51	<10
SS-700-S	Soil	0.92	1755	1	0.04	22	1828	7	<2	6	73	0.07	<10	43	<10
SS-725-S	Soil	1.01	2174	<1	0.04	25	2011	<2	<2	8	75	0.09	<10	44	<10
SS-750-S	Soil	1.17	2885	<1	0.08	25	2368	<2	<2	7	109	0.09	<10	65	<10
SS-775-S	Soil	1.38	470	<1	0.10	39	1188	<2	<2	6	96	0.14	<10	90	<10
SS-800-S	Soil	0.86	3277	<1	0.02	9	3212	<2	<2	6	55	0.09	<10	50	<10
SS-825-S	Soil	0.95	1727	<1	0.02	10	1513	30	<2	6	59	0.07	<10	61	<10
SS-850-S	Soil	1.06	625	<1	0.02	13	924	3	<2	8	36	0.13	<10	69	<10
SS-875-S	Soil	0.89	563	<1	0.02	12	706	13	<2	7	34	0.13	<10	72	<10
SS-900-S	Soil	0.98	512	<1	0.02	13	911	5	<2	10	69	0.17	<10	81	<10
SS-925-S	Soil	0.96	1359	<1	0.02	16	1601	8	<2	8	58	0.13	<10	56	<10
SS-950-S	Soil	0.68	1338	<1	0.01	10	1998	80	<2	5	30	0.03	<10	45	<10
SS-975-S	Soil	0.73	1492	<1	0.02	11	1447	<2	<2	5	32	0.17	<10	57	<10

Certificate of Analysis

10-360-03213-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Mg 30-AR-TR %	Mn 30-AR-TR ppm	Mo 30-AR-TR ppm	Na 30-AR-TR %	Ni 30-AR-TR ppm	P 30-AR-TR ppm	Pb 30-AR-TR ppm	Sb 30-AR-TR ppm	Sc 30-AR-TR ppm	Sr 30-AR-TR ppm	Ti 30-AR-TR %	Ti 30-AR-TR ppm	V 30-AR-TR ppm	W 30-AR-TR ppm
		0.01	5	1	0.01	1	10	2	2	1	1	0.01	10	1	10
SS-1000-S	Soil	0.94	1519	<1	0.02	16	894	<2	<2	7	26	0.17	<10	64	<10
SS-1025-S	Soil	1.02	423	<1	0.02	6	601	<2	<2	6	34	0.14	<10	60	<10
SS-1050-S	Soil	0.67	745	<1	0.01	12	1422	<2	<2	5	24	0.13	<10	58	<10
SS-1075-S	Soil	1.09	1267	<1	0.02	9	1455	<2	<2	8	24	0.18	<10	71	<10
SS-1100-S	Soil	1.04	966	<1	0.02	10	1407	<2	<2	8	23	0.19	<10	75	<10
SS-1125-S	Soil	0.94	1334	<1	0.03	10	857	<2	<2	9	27	0.20	<10	80	<10
SS-1150-S	Soil	1.10	926	<1	0.03	15	831	<2	<2	8	35	0.18	<10	83	<10
SS-1175-S	Soil	1.01	778	<1	0.02	27	1554	<2	<2	6	43	0.18	<10	78	<10
SS-1200-S	Soil	1.02	720	<1	0.02	16	1152	<2	<2	7	46	0.18	<10	82	<10
SS-1225-S	Soil	1.46	396	<1	0.02	15	954	<2	<2	14	55	0.15	<10	86	<10
SS-1250-S	Soil	1.27	563	<1	0.02	25	647	<2	<2	9	67	0.15	<10	89	<10
HS2-00-S	Soil	1.14	769	<1	0.02	20	1243	<2	<2	16	22	0.16	<10	49	<10
HS2-25-S	Soil	0.65	2426	1	0.02	12	3421	18	<2	7	40	0.10	<10	50	<10
HS2-50-S	Soil	0.96	2086	<1	0.04	17	2288	<2	<2	8	72	0.08	<10	57	<10
HS2-75-S	Soil	0.93	2570	<1	0.03	15	3674	3	<2	10	100	0.08	<10	58	<10
HS2-100-S	Soil	0.78	4553	<1	0.02	17	1872	15	<2	8	73	0.04	<10	52	<10
HS2-125-S	Soil	0.50	4359	<1	0.02	10	2236	9	<2	3	58	0.03	<10	30	<10
HS2-150-S	Soil	0.88	6324	<1	0.02	21	2959	<2	<2	7	110	0.04	<10	34	<10
HS2-175-S	Soil	0.76	2571	<1	0.02	27	1944	<2	<2	7	53	0.08	<10	42	<10
HS2-200-S	Soil	0.76	1384	<1	0.02	25	2188	<2	<2	6	50	0.08	<10	48	<10
HS2-225-S	Soil	0.83	821	1	0.03	18	2230	<2	<2	7	90	0.06	<10	44	<10
HS2-250-S	Soil	0.67	412	1	0.02	20	1288	<2	<2	7	51	0.16	<10	29	<10
HS2-275-S	Soil	1.09	749	<1	0.02	25	1331	<2	<2	8	50	0.10	<10	47	<10
HS2-300-S	Soil	1.00	933	<1	0.02	25	1639	<2	<2	9	46	0.12	<10	44	<10
HS2-325-S	Soil	0.94	1274	1	0.02	21	1441	<2	<2	7	38	0.11	<10	50	<10
HS2-350-S	Soil	1.13	1568	<1	0.03	21	1446	<2	<2	8	61	0.13	<10	64	<10
HS2-375-S	Soil	1.16	1179	<1	0.02	11	1881	<2	<2	8	70	0.14	<10	60	<10
HS2-400-S	Soil	0.96	1379	<1	0.02	9	2097	<2	<2	7	57	0.15	<10	55	<10
HS2-425-S	Soil	0.80	566	<1	0.02	12	1611	<2	<2	6	22	0.15	<10	72	<10
HS2-450-S	Soil	0.89	2030	<1	0.02	12	1757	3	<2	7	52	0.14	<10	57	<10
HS2-475-S	Soil	1.01	750	<1	0.02	14	1159	<2	<2	7	65	0.18	<10	55	<10
HS2-500-S	Soil	0.90	1628	<1	0.02	9	1273	<2	<2	8	42	0.18	<10	59	<10
HS2-525-S	Soil	1.18	594	<1	0.02	23	2245	<2	<2	7	52	0.15	<10	63	<10
HS2-550-S	Soil	0.97	1836	<1	0.02	12	848	6	<2	8	45	0.16	<10	58	<10
HS1-Ro-1F	Rock	0.73	500	<1	0.09	3	899	<2	<2	18	20	0.11	<10	137	<10
HS1-Ro-2F	Rock	0.94	493	<1	0.05	7	250	<2	<2	6	15	0.03	<10	51	<10
HS1-Ro-3F	Rock	0.92	425	<1	0.04	4	358	<2	<2	8	17	0.06	<10	49	<10
HS1-4F	Rock	0.15	30	7	<0.01	<1	135	19	<2	2	8	<0.01	<10	1	<10
HS1-5F	Rock	1.03	456	13	0.05	19	410	<2	<2	4	8	0.02	<10	26	<10
HS1-6F	Rock	0.11	90	<1	0.08	3	1010	<2	<2	5	18	0.13	<10	49	<10



Certificate of Analysis

10-360-03213-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Ti	V	W
		30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm
		0.01	5	1	0.01	1	10	2	2	1	1	0.01	10	1	10
HS3-01C	Rock	1.00	355	<1	0.15	4	566	<2	<2	10	42	0.20	<10	66	<10
HS3-02-IMC	Rock	0.74	403	<1	0.18	12	502	<2	<2	4	64	0.14	<10	38	<10
HS3-03C	Rock	0.65	609	2	0.24	<1	966	<2	<2	2	109	0.09	<10	10	<10
HS3-04C	Rock	0.81	366	10	0.16	7	705	6	<2	4	53	0.09	<10	13	<10
HS3-06C	Rock	1.19	553	1	0.08	3	339	<2	<2	5	20	0.07	<10	37	<10
HS3-07C	Rock	1.14	666	2	0.17	11	770	<2	<2	7	61	0.08	<10	38	<10
HS3-08C	Rock	1.05	395	<1	0.18	6	368	<2	<2	9	58	0.16	<10	40	<10
HS3-11C	Rock	0.76	659	<1	0.11	<1	664	<2	<2	4	58	0.11	<10	30	<10
HS3-12C	Rock	0.98	645	2	0.13	3	761	<2	<2	10	21	0.23	<10	70	<10



Certificate of Analysis

10-360-03213-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Zn 30-AR, TR ppm 2	Zr 30-AR, TR ppm 2
SS-00-S	Soil	284	84
SS-25-S	Soil	358	88
SS-30-S	Soil	687	85
SS-75-S	Soil	290	96
SS-100-S	Soil	787	121
SS-125-S	Soil	334	73
SS-150-S	Soil	820	113
SS-175-S	Soil	453	138
SS-200-S	Soil	246	97
SS-225-S	Soil	684	137
SS-250-S	Soil	346	190
SS-275-S	Soil	352	173
SS-300-S	Soil	138	162
SS-325-S	Soil	516	160
SS-350-S	Soil	278	146
SS-375-S	Soil	331	100
SS-400-S	Soil	406	168
SS-425-S	Soil	245	102
SS-450-S	Soil	191	151
SS-475-S	Soil	236	107
SS-500-S	Soil	275	123
SS-525-S	Soil	239	137
SS-550-S (No Sample)	Soil		
SS-575-S	Soil	184	106
SS-600-S	Soil	25	31
SS-625-S	Soil	243	123
SS-650-S	Soil	209	131
SS-675-S	Soil	177	166
SS-700-S	Soil	141	138
SS-725-S	Soil	184	161
SS-750-S	Soil	206	148
SS-775-S	Soil	149	146
SS-800-S	Soil	178	77
SS-825-S	Soil	364	84
SS-850-S	Soil	145	91
SS-875-S	Soil	141	86
SS-900-S	Soil	137	94
SS-925-S	Soil	163	81
SS-950-S	Soil	263	68
SS-975-S	Soil	190	79



Certificate of Analysis

10-360-03213-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Zn 30-AR TR ppm 2	Zr 30-AR TR ppm 2
SS-1000-S	Soil	134	90
SS-1025-S	Soil	113	83
SS-1050-S	Soil	162	73
SS-1075-S	Soil	156	90
SS-1100-S	Soil	164	97
SS-1125-S	Soil	154	97
SS-1150-S	Soil	315	98
SS-1175-S	Soil	187	90
SS-1200-S	Soil	143	90
SS-1225-S	Soil	109	108
SS-1250-S	Soil	139	88
HS2-00-S	Soil	165	108
HS2-25-S	Soil	345	104
HS2-50-S	Soil	207	125
HS2-75-S	Soil	301	114
HS2-100-S	Soil	325	115
HS2-125-S	Soil	233	100
HS2-150-S	Soil	331	130
HS2-175-S	Soil	305	144
HS2-200-S	Soil	268	160
HS2-225-S	Soil	190	165
HS2-250-S	Soil	117	152
HS2-275-S	Soil	172	151
HS2-300-S	Soil	196	164
HS2-325-S	Soil	211	137
HS2-350-S	Soil	209	106
HS2-375-S	Soil	257	84
HS2-400-S	Soil	224	84
HS2-425-S	Soil	161	82
HS2-450-S	Soil	165	86
HS2-475-S	Soil	205	89
HS2-500-S	Soil	252	85
HS2-525-S	Soil	183	96
HS2-550-S	Soil	188	89
HS1-Ro-1F	Rock	84	88
HS1-Ro-2F	Rock	75	81
HS1-Ro-3F	Rock	79	64
HS1-4F	Rock	17	76
HS1-5F	Rock	96	86
HS1-6F	Rock	26	71



Bureau Veritas Group Company

#200-11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

10-360-03213-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Zn 30-AR TR ppm 2	Zr 30-AR TR ppm 2
HS3-01C	Rock	65	94
HS3-02-IMC	Rock	37	51
HS3-03C	Rock	53	60
HS3-04C	Rock	73	61
HS3-06C	Rock	67	75
HS3-07C	Rock	112	93
HS3-08C	Rock	76	85
HS3-11C	Rock	139	66
HS3-12C	Rock	110	88

Certificate of Analysis

10-360-03213-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Au Au-1A T-AA ppb	Al 30-AR-TR %	As 30-AR-TR ppm	Ba 30-AR-TR ppm	Bi 30-AR-TR ppm	Ca 30-AR-TR %	Cd 30-AR-TR ppm	Co 30-AR-TR ppm	Cr 30-AR-TR ppm	Cu 30-AR-TR ppm	Fe 30-AR-TR %	Hg 30-AR-TR ppm	K 30-AR-TR %	L4 30-AR-TR ppm
SS-00-S	Soil		2.91	73	142	9	0.17	<0.5	17	30	52	4.43	<3	0.11	2
SS-00-S Dup			2.86	74	140	9	0.17	<0.5	16	29	51	4.40	<3	0.11	<2
QCV1010-00345-0002-BLK			<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01	<2
STD-OREAS-45P-AR expected									107	892	674				
STD-OREAS-45P-AR result									99	848	619				
SS-450-S	Soil		3.45	483	155	10	0.27	<0.5	24	<1	144	>10	<3	0.11	6
SS-450-S Dup			3.39	483	151	12	0.27	<0.5	23	<1	140	>10	<3	0.11	6
QCV1010-00345-0005-BLK			<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01	<2
STD-ME-S expected											1030				
STD-ME-S result			0.72	2592	36	5	6.03	109.4	<1	30	989	3.48	<3	0.09	6
SS-900-S	Soil		4.91	76	131	5	0.37	<0.5	21	17	115	5.30	<3	0.10	4
SS-900-S Dup			4.90	74	132	4	0.37	<0.5	21	17	116	5.35	<3	0.10	4
QCV1010-00345-0008-BLK			<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01	<2
STD-ME-S expected											1030				
STD-ME-S result			0.75	2613	38	6	6.09	111.1	<1	30	1048	3.50	<3	0.09	6
HS2-75-S	Soil		4.09	140	226	7	0.41	<0.5	34	13	69	7.19	<3	0.13	5
HS2-75-S Dup			4.09	142	221	6	0.40	<0.5	34	12	108	7.32	<3	0.13	5
QCV1010-00345-0011-BLK			<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01	<2
STD-OREAS-45P-AR expected									107	892	674				
STD-OREAS-45P-AR result									100	857	642				
HS2-525-S	Soil		3.87	54	172	6	0.42	<0.5	18	39	37	4.86	<3	0.29	<2
HS2-525-S Dup			3.78	58	169	6	0.42	<0.5	18	39	37	4.83	<3	0.29	<2
QCV1010-00345-0014-BLK			<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01	<2
STD-ME-S expected											1030				
STD-ME-S result			0.75	2719	37	6	6.30	108.6	<1	30	1001	3.68	<3	0.09	6
QCV1010-00345-0016-BLK			<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01	<2
STD-OREAS-45P-AR expected									107	892	674				
STD-OREAS-45P-AR result									98	869	645				
SS-00-S	Soil	12													
SS-00-S Dup		14													
STD-OxH66 expected		1285													
STD-OxH66 result		1282													
SS-450-S	Soil	47													
SS-450-S Dup		53													
QCV1010-00346-0004-BLK		<5													
SS-900-S	Soil	138													
SS-900-S Dup		151													
HS2-75-S	Soil	70													
HS2-75-S Dup		43													
QCV1010-00346-0008-BLK		<5													



Bureau Veritas Group Company
 #200 - 11620 Horseshoe Way
 Richmond, British Columbia V7A 4V5
 Canada

Certificate of Analysis

10-360-03213-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

		Au	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	La
Sample	Sample	Au-1A T-AA	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR
Description	Type	ppb	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm
HS2-525-S	Soil	32													
HS2-525-S Dup		28													
QCV1010-00346-0010-BLK		<5													

Certificate of Analysis

10-360-03213-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Ti	V	W
		30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm
SS-00-S	Soil	0.76	497	<1	0.02	14	4671	5	<2	7	13	0.11	<10	64	<10
SS-00-S Dup		0.75	500	<1	0.02	13	4701	4	<2	7	12	0.10	<10	65	<10
QCV1010-00345-0002-BLK		<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1	<10
STD-OREAS-45P-AR expected						292		19	0						
STD-OREAS-45P-AR result						279		18	<2						
SS-450-S	Soil	0.77	1515	2	0.03	4	1659	219	<2	10	26	0.05	<10	51	<10
SS-450-S Dup		0.75	1448	2	0.02	5	1626	214	<2	9	26	0.04	<10	51	<10
QCV1010-00345-0005-BLK		<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1	<10
STD-ME-S expected								19400							
STD-ME-S result		0.48	2922	17	0.04	24	600	>10000	48	3	245	0.04	<10	19	<10
SS-900-S	Soil	0.98	512	<1	0.02	13	911	5	<2	10	69	0.17	<10	81	<10
SS-900-S Dup		0.97	509	<1	0.02	12	904	6	<2	10	70	0.17	<10	81	<10
QCV1010-00345-0008-BLK		<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1	<10
STD-ME-S expected								19400							
STD-ME-S result		0.48	2959	17	0.04	24	611	>10000	46	3	261	0.04	<10	21	<10
HS2-75-S	Soil	0.93	2570	<1	0.03	15	3674	3	<2	10	100	0.08	<10	58	<10
HS2-75-S Dup		0.94	2533	<1	0.03	15	3620	<2	<2	10	99	0.07	<10	58	<10
QCV1010-00345-0011-BLK		<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1	<10
STD-OREAS-45P-AR expected						292		19	0						
STD-OREAS-45P-AR result						279		17	<2						
HS2-525-S	Soil	1.18	594	<1	0.02	23	2245	<2	<2	7	52	0.15	<10	63	<10
HS2-525-S Dup		1.13	603	<1	0.02	23	2263	<2	<2	7	51	0.14	<10	62	<10
QCV1010-00345-0014-BLK		<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1	<10
STD-ME-S expected								19400							
STD-ME-S result		0.51	3075	17	0.04	24	612	>10000	45	3	249	0.04	<10	20	<10
QCV1010-00345-0016-BLK		<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1	<10
STD-OREAS-45P-AR expected						292		19	0						
STD-OREAS-45P-AR result						280		19	<2						

Certificate of Analysis

10-360-03213-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Zn 30-AR TR ppm	Zr 30-AR TR ppm
		2	2
SS-00-S	Soil	284	84
SS-00-S Dup		281	80
QCV1010-00345-0002-BLK		<2	<2
STD-OREAS-45P-AR expected		123	
STD-OREAS-45P-AR result	Soil	134	
SS-450-S		191	151
SS-450-S Dup		188	152
QCV1010-00345-0005-BLK		<2	<2
STD-ME-S expected	Soil	19200	
STD-ME-S result		>10000	61
SS-900-S		137	94
SS-900-S Dup		137	97
QCV1010-00345-0008-BLK	Soil	<2	<2
STD-ME-S expected		19200	
STD-ME-S result		>10000	67
HS2-75-S		301	114
HS2-75-S Dup	Soil	299	111
QCV1010-00345-0011-BLK		<2	<2
STD-OREAS-45P-AR expected		123	
STD-OREAS-45P-AR result	Soil	130	
HS2-525-S		183	96
HS2-525-S Dup		187	95
QCV1010-00345-0014-BLK		<2	<2
STD-ME-S expected	Soil	19200	
STD-ME-S result		>10000	64
QCV1010-00345-0016-BLK		<2	<2
STD-OREAS-45P-AR expected		123	
STD-OREAS-45P-AR result		130	



Certificate of Analysis

10-360-03272-01

Inspectorate Exploration & Mining Services Ltd.
 #200 - 11620 Horseshoe Way
 Richmond, British Columbia V7A 4V5 Canada
 Phone: 604-272-2918

<p style="text-align: center;">Distribution List</p> <p>Attention: Johan T. Shearer Unit 5, 2330 Tyner Street Port Coquitlam, B.C. V3C 2Z1 Phone: (604)970-0402 EMail: js@homegoldresourcesltd.com</p>	<div style="display: flex; justify-content: space-between;"> <div> <p>Submitted By: Homegold Resources Unit 5, 2330 Tyner Street Port Coquitlam, B.C. V3C 2Z1</p> <p>Attention: Johan T. Shearer</p> <p>Project: Hotspring Description:</p> </div> <div style="text-align: right;"> <p>Date Received: 10/14/2010 Date Completed: 10/31/2010 Invoice:</p> </div> </div> <table style="width: 100%; margin-top: 10px;"> <thead> <tr> <th style="text-align: center;">Samples</th> <th style="text-align: center;">Type</th> <th style="text-align: left;">Preparation Description</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">26</td> <td style="text-align: center;">Rock</td> <td>SP-RX-2K/Rock/Chips/Drill Core</td> </tr> <tr> <td style="text-align: center;">16</td> <td style="text-align: center;">Soil</td> <td>SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split</td> </tr> </tbody> </table> <div style="margin-top: 10px;"> <table style="width: 100%;"> <thead> <tr> <th style="text-align: left;">Method</th> <th style="text-align: left;">Description</th> </tr> </thead> <tbody> <tr> <td>Au-IAT-AA</td> <td>Au. IAT Fire Assay, AAS</td> </tr> <tr> <td>30-AR-TR</td> <td>30 Element, Aqua Regia, ICP, Trace Level</td> </tr> </tbody> </table> </div>	Samples	Type	Preparation Description	26	Rock	SP-RX-2K/Rock/Chips/Drill Core	16	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split	Method	Description	Au-IAT-AA	Au. IAT Fire Assay, AAS	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Samples	Type	Preparation Description														
26	Rock	SP-RX-2K/Rock/Chips/Drill Core														
16	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split														
Method	Description															
Au-IAT-AA	Au. IAT Fire Assay, AAS															
30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level															

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geologic materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning the proposed project. For our complete terms and conditions please see our website at www.inspectorate.com.

By:
 David Chiu, BC Certified Assayer

Certificate of Analysis

10-360-03272-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Au Au-1A T-AA ppb	Ag 30-AR-TR ppm	Al 30-AR-TR %	As 30-AR-TR ppm	Ba 30-AR-TR ppm	Bi 30-AR-TR ppm	Ca 30-AR-TR %	Cd 30-AR-TR ppm	Co 30-AR-TR ppm	Cr 30-AR-TR ppm	Cu 30-AR-TR ppm	Fe 30-AR-TR %	Hg 30-AR-TR ppm	K 30-AR-TR %
HS1-RO 1A	Soil	34	0.6	2.75	13	160	<2	0.52	<0.5	14	27	34	5.14	<3	0.21
HS1-20S	Soil	24	0.2	3.31	8	146	<2	0.12	<0.5	17	22	33	5.05	<3	0.16
HS1-21S	Soil	54	0.3	2.45	50	189	<2	0.22	<0.5	24	34	47	5.57	<3	0.09
HS1-22S	Soil	87	0.9	2.49	61	176	<2	0.11	<0.5	14	10	33	6.75	<3	0.10
HS1-22S(A)	Soil	66	1.2	2.45	55	199	<2	0.13	<0.5	15	11	35	6.32	<3	0.10
HS1-23S	Soil	56	0.6	3.60	22	139	<2	0.19	<0.5	27	14	62	5.79	<3	0.23
HS1-24S	Soil	22	0.1	3.61	11	134	<2	0.18	<0.5	26	15	74	4.46	<3	0.14
HS1-25S	Soil	43	0.4	4.21	45	121	<2	0.07	<0.5	17	17	92	>10	<3	0.13
HS1-26S	Soil	64	0.9	3.97	15	136	<2	0.18	<0.5	18	10	41	4.82	<3	0.09
HS1-30S	Soil	32	0.4	5.95	18	460	<2	0.13	<0.5	16	9	92	7.88	<3	0.20
HS3-05S	Soil	33	0.2	6.89	112	62	<2	0.12	<0.5	15	18	85	8.96	<3	0.07
HS3-06S	Soil	111	2.4	>10	305	20	<2	0.09	<0.5	7	4	100	9.74	<3	0.02
HS3-09S	Soil	46	0.6	4.52	143	186	<2	0.28	<0.5	27	13	142	7.34	<3	0.14
HS3-10S	Soil	28	<0.1	3.79	23	122	<2	0.11	<0.5	15	17	27	4.20	<3	0.10
SS 900-30NS	Soil	74	0.7	5.83	23	200	<2	0.28	<0.5	21	18	67	5.92	<3	0.12
SS 900-50NS	Soil	46	0.9	5.21	10	181	<2	0.25	<0.5	20	20	85	5.44	<3	0.09
HS1-22F	Rock	39	1.0	0.19	27	43	<2	0.31	<0.5	16	60	119	1.99	<3	0.14
HS1-26F	Rock	22	0.3	4.86	42	52	<2	4.75	<0.5	6	21	14	2.26	<3	0.07
HS1-27F	Rock	21	0.3	3.49	34	43	<2	2.69	<0.5	17	30	40	1.98	<3	0.12
HS1-29F	Rock	17	0.6	0.60	92	23	<2	0.32	<0.5	15	38	21	8.17	<3	0.19
HS1-31-4MC	Rock	18	0.2	0.86	14	24	<2	0.37	<0.5	14	27	16	8.06	<3	0.11
HS1-32-1MC	Rock	10	<0.1	1.44	12	50	<2	0.08	<0.5	3	26	18	7.20	<3	0.34
HS1-28C	Rock	24	0.5	1.72	26	47	<2	0.73	<0.5	10	26	28	4.49	<3	0.14
HS1-33C	Rock	9	<0.1	1.36	<5	20	<2	0.46	<0.5	16	44	61	7.40	<3	0.08
SS-100-60SC	Rock	<5	<0.1	0.94	<5	97	<2	0.04	<0.5	3	119	56	6.29	<3	0.43
HS2-150F	Rock	9	<0.1	3.87	<5	48	<2	2.04	<0.5	4	51	5	3.79	<3	0.22
HS2-210F	Rock	14	<0.1	2.53	<5	39	<2	0.92	<0.5	18	56	50	6.97	<3	0.59
HS2-375F	Rock	33	0.5	2.33	11	24	<2	1.55	<0.5	39	39	48	7.21	<3	0.14
HS2-400F	Rock	6	<0.1	3.34	<5	1678	<2	1.87	<0.5	12	48	6	2.84	<3	0.96
HS2-420F	Rock	408	4.6	2.91	<5	91	<2	0.16	<0.5	18	59	103	5.51	<3	0.37
HS2-425F	Rock	12	<0.1	1.59	5	71	<2	1.09	<0.5	17	68	21	3.23	<3	0.10
HS2-430F	Rock	10	<0.1	3.13	15	44	<2	2.75	<0.5	38	53	37	4.28	<3	0.21
HS2-431F	Rock	7	<0.1	1.27	<5	66	<2	1.92	<0.5	7	71	8	0.73	<3	0.19
HS2-565F	Rock	227	0.4	0.77	64	20	<2	>10	<0.5	2	74	41	>10	<3	<0.01
HS3-15C	Rock	6	0.4	2.59	<5	202	<2	1.57	<0.5	11	56	29	2.82	<3	0.36
HS3-16C	Rock	8	0.4	2.21	<5	58	<2	0.98	<0.5	9	62	48	3.96	<3	0.48
HS3-17F	Rock	10	14.2	2.65	<5	42	62	1.13	3.1	15	154	370	5.64	<3	0.12
HS3-18F	Rock	8	0.7	1.97	<5	50	<2	0.99	<0.5	18	65	164	3.68	<3	0.12
HS3-19C	Rock	<5	0.1	2.51	<5	76	<2	1.11	<0.5	12	31	69	4.00	<3	0.48
HS3-20C	Rock	12	7.1	0.58	<5	34	20	0.18	<0.5	6	202	9	4.35	<3	0.09



Bureau Veritas Group Company
 #200 - 11620 Horseshoe Way
 Richmond, British Columbia V7A 4V5
 Canada

Certificate of Analysis

10-360-03272-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
		Au-1A T-AA ppb	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR %
HS3-21F	Rock	7	0.4	1.70	<5	66	<2	0.98	<0.5	11	38	83	3.99	<3	0.23
HS3-22C	Rock	367	0.6	2.37	<5	100	<2	0.96	<0.5	13	34	67	4.65	<3	0.50

Certificate of Analysis

10-360-03272-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	La 30-AR-TR ppm 2	Mg 30-AR-TR % 0.01	Mn 30-AR-TR ppm 5	Mo 30-AR-TR ppm 1	Na 30-AR-TR % 0.01	Ni 30-AR-TR ppm 1	P 30-AR-TR ppm 10	Pb 30-AR-TR ppm 2	Sb 30-AR-TR ppm 2	Sc 30-AR-TR ppm 1	Sr 30-AR-TR ppm 1	Ti 30-AR-TR % 0.01	Tl 30-AR-TR ppm 10	V 30-AR-TR ppm 1
HS1-RO 1A	Soil	4	0.87	1068	<1	0.02	23	710	16	<2	5	20	0.20	<10	144
HS1-20S	Soil	<2	0.86	387	1	0.01	20	707	25	<2	6	11	0.19	<10	136
HS1-21S	Soil	<2	1.05	487	2	0.02	76	1118	42	<2	3	30	0.17	<10	144
HS1-22S	Soil	<2	0.81	670	3	0.01	17	1794	24	<2	5	22	0.17	<10	147
HS1-22S(A)	Soil	<2	0.79	1342	3	0.02	17	1332	24	<2	5	21	0.17	<10	142
HS1-23S	Soil	<2	0.73	959	<1	0.02	20	1314	27	<2	7	12	0.21	<10	144
HS1-24S	Soil	<2	0.99	462	3	0.02	18	694	9	<2	7	13	0.21	<10	168
HS1-25S	Soil	<2	0.58	683	7	0.01	22	2063	12	<2	6	11	0.12	<10	145
HS1-26S	Soil	2	1.42	547	2	0.01	16	627	11	<2	8	28	0.23	<10	192
HS1-30S	Soil	<2	0.72	242	10	<0.01	22	1345	7	<2	7	36	0.13	<10	170
HS3-05S	Soil	<2	0.81	888	1	<0.01	19	1261	13	<2	9	10	0.17	<10	138
HS3-06S	Soil	<2	0.20	188	<1	<0.01	13	2969	<2	<2	23	13	0.05	<10	64
HS3-09S	Soil	<2	0.91	1869	2	0.06	22	1315	33	<2	6	171	0.05	<10	161
HS3-10S	Soil	<2	0.60	2755	<1	0.01	15	1873	22	<2	3	11	0.09	<10	105
SS 900-30NS	Soil	<2	1.15	511	<1	0.02	17	896	45	<2	8	38	0.14	<10	187
SS 900-50NS	Soil	<2	0.94	741	<1	0.02	18	1419	43	<2	7	24	0.12	<10	167
HS1-22F	Rock	<2	0.04	28	<1	0.05	7	546	30	<2	7	15	0.08	<10	36
HS1-26F	Rock	5	0.22	523	<1	0.21	6	1363	<2	<2	2	85	0.05	<10	71
HS1-27F	Rock	2	0.22	155	<1	0.34	8	1396	11	<2	2	67	0.06	<10	68
HS1-29F	Rock	<2	0.04	74	13	0.06	14	878	12	<2	3	22	0.12	<10	42
HS1-31-4MC	Rock	<2	0.21	111	3	0.11	11	929	6	<2	4	29	0.12	<10	76
HS1-32-1MC	Rock	<2	1.16	276	<1	0.09	6	995	4	<2	4	19	0.06	<10	119
HS1-28C	Rock	<2	0.39	145	1	0.13	9	1428	3	<2	6	34	0.17	<10	128
HS1-33C	Rock	<2	0.73	224	1	0.11	10	693	<2	<2	6	20	0.07	<10	96
SS-100-60SC	Rock	<2	0.41	150	65	0.03	8	677	4	<2	3	28	0.09	<10	70
HS2-150F	Rock	<2	1.00	792	3	0.24	4	900	<2	<2	3	68	0.09	<10	89
HS2-210F	Rock	<2	1.33	325	2	0.21	15	463	<2	<2	14	36	0.17	<10	245
HS2-375F	Rock	<2	0.79	357	<1	0.22	20	729	30	<2	3	40	0.11	<10	136
HS2-400F	Rock	<2	1.14	873	<1	0.21	6	898	4	<2	8	82	0.15	<10	130
HS2-420F	Rock	3	1.96	562	<1	0.02	32	864	16	<2	7	6	<0.01	<10	146
HS2-425F	Rock	<2	0.98	403	<1	0.08	28	868	<2	<2	4	37	0.11	<10	115
HS2-430F	Rock	<2	0.89	785	<1	0.17	18	863	5	<2	9	45	0.16	<10	182
HS2-431F	Rock	2	0.19	803	<1	0.06	9	964	2	<2	4	30	0.13	<10	46
HS2-565F	Rock	<2	0.04	2912	<1	<0.01	12	130	2	<2	<1	3	0.01	<10	21
HS3-15C	Rock	<2	0.77	218	<1	0.28	6	856	5	<2	2	116	0.07	<10	126
HS3-16C	Rock	<2	1.14	360	3	0.21	13	589	5	<2	7	50	0.07	<10	95
HS3-17F	Rock	<2	1.69	895	18	0.18	33	735	1453	<2	7	61	0.09	<10	172
HS3-18F	Rock	<2	1.17	477	<1	0.19	8	980	26	<2	4	54	0.10	<10	126
HS3-19C	Rock	<2	1.47	435	2	0.22	6	1023	7	<2	4	57	0.10	<10	176
HS3-20C	Rock	<2	0.39	157	9	0.04	22	149	292	<2	<1	12	0.02	<10	31



Bureau Veritas Group Company
 #200 - 11620 Horseshoe Way
 Richmond, British Columbia V7A 4V5
 Canada

Certificate of Analysis

10-360-03272-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	V
		30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm
HS3-21F	Rock	<2	0.84	435	<1	0.14	6	855	9	<2	5	52	0.14	<10	144
HS3-22C	Rock	<2	1.35	459	<1	0.18	8	1122	77	<2	5	50	0.10	<10	192

Certificate of Analysis

10-360-03272-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	W 30-AR: TR ppm 10	Zn 30-AR: TR ppm 2	Zr 30-AR: TR ppm 2
HS1-R0 1R	Soil	16	1824	<2
HS1-20S	Soil	<10	458	<2
HS1-21S	Soil	<10	139	<2
HS1-22S	Soil	<10	128	<2
HS1-22S(A)	Soil	<10	126	<2
HS1-23S	Soil	<10	254	<2
HS1-24S	Soil	<10	300	<2
HS1-25S	Soil	<10	220	<2
HS1-26S	Soil	<10	157	<2
HS1-30S	Soil	<10	154	<2
HS3-05S	Soil	<10	147	<2
HS3-06S	Soil	<10	90	<2
HS3-09S	Soil	<10	141	<2
HS3-10S	Soil	<10	112	<2
SS 900-30NS	Soil	<10	145	<2
SS 900-50NS	Soil	<10	144	<2
HS1-22F	Rock	<10	13	<2
HS1-26F	Rock	<10	63	5
HS1-27F	Rock	<10	113	<2
HS1-29F	Rock	<10	30	<2
HS1-31-4MC	Rock	<10	37	<2
HS1-32-1MC	Rock	<10	36	<2
HS1-28C	Rock	<10	29	<2
HS1-33C	Rock	<10	39	<2
SS-100-60SC	Rock	<10	39	<2
HS2-150F	Rock	<10	53	<2
HS2-210F	Rock	<10	57	<2
HS2-375F	Rock	<10	64	<2
HS2-400F	Rock	<10	74	<2
HS2-420F	Rock	<10	107	<2
HS2-425F	Rock	<10	34	<2
HS2-430F	Rock	<10	73	<2
HS2-431F	Rock	<10	45	2
HS2-565F	Rock	<10	28	<2
HS3-15C	Rock	<10	63	<2
HS3-16C	Rock	<10	38	<2
HS3-17F	Rock	14	1338	<2
HS3-18F	Rock	<10	153	<2
HS3-19C	Rock	<10	90	<2
HS3-20C	Rock	<10	37	<2



Bureau Veritas Group Company
 #200-11620 Horseshoe Way
 Richmond, British Columbia V7A 4V5
 Canada

Certificate of Analysis

10-360-03272-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	W	Zn	Zr
		30-AR TR ppm	30-AR TR ppm	30-AR TR ppm
HS3-21F	Rock	<10	83	<2
HS3-22C	Rock	<10	146	<2




Certificate of Analysis

10-360-03272-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Au Au-1A T-AA ppb	Ag 30-AR-TR ppm	Al 30-AR-TR %	As 30-AR-TR ppm	Ba 30-AR-TR ppm	Bi 30-AR-TR ppm	Ca 30-AR-TR %	Cd 30-AR-TR ppm	Co 30-AR-TR ppm	Cr 30-AR-TR ppm	Cu 30-AR-TR ppm	Fe 30-AR-TR %	Hg 30-AR-TR ppm	K 30-AR-TR %
HS1-RO 1&	Soil		0.6	2.75	13	160	<2	0.52	<0.5	14	27	34	5.14	<3	0.21
HS1-RO 1& Dup			0.4	2.75	12	162	<2	0.52	<0.5	14	27	31	5.14	<3	0.21
QCV1010-00464-0002-BLK			<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01
STD-OREAS-45P-AR expected			0.3		4		0		0.1	107	892	674			
STD-OREAS-45P-AR result			0.3	3.70	<5	233	<2	0.30	<0.5	111	936	693	>10	<3	0.09
HS1-27F	Rock		0.3	3.49	34	43	<2	2.69	<0.5	17	30	40	1.98	<3	0.12
HS1-27F Dup			0.4	3.58	33	44	<2	2.68	<0.5	16	30	41	2.04	<3	0.12
QCV1010-00464-0005-BLK			<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01
STD-ME-6 expected			101									6130			
STD-ME-6 result			>100	1.25	251	38	<2	0.66	6.4	12	30	6200	6.30	<3	0.10
HS3-17F	Rock		14.2	2.65	<5	42	62	1.13	3.1	15	154	370	5.64	<3	0.12
HS3-17F Dup			14.3	2.67	<5	41	62	1.13	3.3	15	150	368	5.63	<3	0.12
QCV1010-00464-0008-BLK			<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01
STD-DS-1 expected			0.5	4.48	6930	221				10		27		82	
STD-DS-1 result			0.5	0.37	7289	31	<2	7.54	<0.5	9	20	28	3.32	85	0.13
HS1-RO 1&	Soil	34													
HS1-RO 1& Dup		20													
STD-OxH66 expected		1285													
STD-OxH66 result		1293													
HS1-27F	Rock	21													
HS1-27F Dup		19													
QCV1010-00465-0004-BLK		10													
HS3-17F	Rock	10													
HS3-17F Dup		9													
QCV1010-00465-0006-BLK		6													




Certificate of Analysis

10-360-03272-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	V
		30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm
HS1-RO 1&	Soil	4	0.87	1068	<1	0.02	23	710	16	<2	5	20	0.20	<10	144
HS1-RO 1& Dup		4	0.87	1067	<1	0.02	23	711	14	<2	5	20	0.20	<10	146
QCV1010-00464-0002-BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
STD-OREAS-45P-AR expected							292		19	0					
STD-OREAS-45P-AR result		11	0.14	1175	<1	0.02	296	396	18	<2	53	15	0.16	<10	284
HS1-27F	Rock	2	0.22	155	<1	0.34	8	1396	11	<2	2	67	0.06	<10	68
HS1-27F Dup		2	0.22	159	<1	0.33	8	1394	11	<2	2	68	0.06	<10	70
QCV1010-00464-0005-BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
STD-ME-6 expected									10200						
STD-ME-6 result		<2	0.86	1674	21	0.05	30	480	>10000	425	3	24	0.06	<10	73
HS3-17F	Rock	<2	1.69	895	18	0.18	33	735	1453	<2	7	61	0.09	<10	172
HS3-17F Dup		<2	1.68	893	18	0.18	33	731	1509	<2	7	60	0.09	<10	170
QCV1010-00464-0008-BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
STD-DS-1 expected			2.76	437			49	340	14					20	
STD-DS-1 result		13	2.91	452	4	<0.01	53	359	15	88	7	63	<0.01	<10	149



Certificate of Analysis

10-360-03272-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	W	Zn	Zr
		30-AR TR ppm 10	30-AR TR ppm 2	30-AR TR ppm 2
HS1-RO 1&	Soil	16	1824	<2
HS1-RO 1& Dup		17	1837	<2
QCV1010-00464-0002 BLK		<10	<2	<2
STD-OREAS-45P-AR expected			123	
STD-OREAS-45P-AR result		<10	131	12
HS1-27F	Rock	<10	113	<2
HS1-27F Dup		<10	115	<2
QCV1010-00464-0005 BLK		<10	<2	<2
STD-ME-6 expected			5170	
STD-ME-6 result		51	4829	2
HS3-17F	Rock	14	1338	<2
HS3-17F Dup		14	1339	<2
QCV1010-00464-0008 BLK		<10	<2	<2
STD-DS-1 expected			206	
STD-DS-1 result		<10	197	<2



Certificate of Analysis

10-360-03396-01

Inspectorate Exploration & Mining Services Ltd.
 #200 - 11620 Horseshoe Way
 Richmond, British Columbia V7A 4V5 Canada
 Phone: 604-272-2818

<p style="text-align: center;">Distribution List</p> <p>Attention: Johan T. Shearer Unit 5, 2330 Tyner Street Port Coquitlam, B.C. V3C 2Z1 Phone: (604)970-0402 EMail: js@homegoldresourcesltd.com</p>	<div style="display: flex; justify-content: space-between;"> <div> <p>Submitted By: Homegold Resources Unit 5, 2330 Tyner Street Port Coquitlam, B.C. V3C 2Z1</p> <p>Attention: Johan T. Shearer</p> <p>Project: Hotspring Description:</p> </div> <div style="text-align: right;"> <p>Date Received: 10/26/2010 Date Completed: 11/16/2010 Invoice:</p> </div> </div> <table style="width: 100%; border-top: 1px solid black; border-bottom: 1px solid black;"> <thead> <tr> <th style="text-align: left;">Location</th> <th style="text-align: left;">Samples</th> <th style="text-align: left;">Type</th> <th style="text-align: left;">Preparation Description</th> </tr> </thead> <tbody> <tr> <td>Vancouver, BC</td> <td>21</td> <td>Rock</td> <td>SP-RX-2K/Rock/Chips/Drill Core</td> </tr> <tr> <td>Vancouver, BC</td> <td>88</td> <td>Soil</td> <td>SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split</td> </tr> </tbody> </table> <table style="width: 100%; border-top: 1px solid black;"> <thead> <tr> <th style="text-align: left;">Location</th> <th style="text-align: left;">Method</th> <th style="text-align: left;">Description</th> </tr> </thead> <tbody> <tr> <td>Vancouver, BC</td> <td>Au-1AT-AA</td> <td>Au, 1AT Fine Assay, AAS</td> </tr> <tr> <td>Vancouver, BC</td> <td>30-AR-TR</td> <td>30 Element, Aqua Regia, ICP, Trace Level</td> </tr> </tbody> </table>	Location	Samples	Type	Preparation Description	Vancouver, BC	21	Rock	SP-RX-2K/Rock/Chips/Drill Core	Vancouver, BC	88	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split	Location	Method	Description	Vancouver, BC	Au-1AT-AA	Au, 1AT Fine Assay, AAS	Vancouver, BC	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Location	Samples	Type	Preparation Description																			
Vancouver, BC	21	Rock	SP-RX-2K/Rock/Chips/Drill Core																			
Vancouver, BC	88	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split																			
Location	Method	Description																				
Vancouver, BC	Au-1AT-AA	Au, 1AT Fine Assay, AAS																				
Vancouver, BC	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level																				

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geologic materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning the proposed project. For our complete terms and conditions please see our website at www.inspectorate.com

By:
 David Chiu, BC Certified Assayer



Certificate of Analysis

10-360-03396-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Au Au-1A T-AA ppb	Ag 30-AR-TR ppm	Al 30-AR-TR %	As 30-AR-TR ppm	Ba 30-AR-TR ppm	Bi 30-AR-TR ppm	Ca 30-AR-TR %	Cd 30-AR-TR ppm	Co 30-AR-TR ppm	Cr 30-AR-TR ppm	Cu 30-AR-TR ppm	Fe 30-AR-TR %	Hg 30-AR-TR ppm	K 30-AR-TR %
HS4-00S	Soil	25	0.4	2.38	7	78	<2	0.11	<0.5	11	16	38	2.91	<3	0.06
HS4-25S	Soil	11	1.8	1.68	<5	95	<2	0.15	<0.5	9	15	16	2.65	<3	0.06
HS4-50S	Soil	6	0.1	1.79	<5	85	<2	0.14	<0.5	11	14	15	2.49	<3	0.05
HS4-150S	Soil	45	1.4	3.12	15	143	<2	0.09	<0.5	16	27	68	4.86	<3	0.08
HS4-175S	Soil	16	0.4	2.65	15	145	<2	0.09	<0.5	13	18	49	5.92	<3	0.10
HS4-200S	Soil	20	3.1	4.30	14	236	<2	0.16	<0.5	141	16	309	3.88	<3	0.06
HS5-00S	Soil	18	0.2	2.28	10	99	<2	0.13	<0.5	12	16	28	2.94	<3	0.09
HS5-25S	Soil	13	0.2	1.94	6	135	<2	0.14	<0.5	13	18	16	3.28	<3	0.07
HS5-50S	Soil	15	0.4	2.08	5	328	<2	0.31	<0.5	16	18	24	4.05	<3	0.11
HS5-75S	Soil	32	0.3	2.56	7	288	<2	0.40	<0.5	20	28	46	5.95	<3	0.11
HS5-125S	Soil	1171	2.7	3.86	6	77	<2	0.14	<0.5	17	25	127	>10	<3	0.06
HS5-150S	Soil	30	0.5	3.09	27	179	<2	0.18	<0.5	9	15	87	7.07	<3	0.24
HS5-175S	Soil	48	0.6	3.29	12	90	<2	0.10	<0.5	12	19	70	5.45	<3	0.09
HS5-200S	Soil	15	0.2	3.20	13	146	<2	0.17	<0.5	13	30	53	5.17	<3	0.07
HS6-00S	Soil	72	0.9	2.58	8	83	<2	0.10	<0.5	12	16	62	4.75	<3	0.06
HS6-50S	Soil	44	0.4	4.29	14	138	<2	0.14	<0.5	16	37	105	>10	<3	0.11
HS6-75S	Soil	21	0.2	2.24	10	127	<2	0.08	<0.5	11	15	20	5.41	<3	0.11
HS6-100S	Soil	10	0.2	2.02	15	152	<2	0.09	<0.5	12	23	33	5.63	<3	0.12
HS6-125S	Soil	19	0.4	2.83	<5	82	<2	0.06	<0.5	8	14	36	5.23	<3	0.07
HS6-150S	Soil	40	0.8	2.76	5	57	<2	0.08	<0.5	9	14	77	7.26	<3	0.08
HS7-00S	Soil	20	0.3	2.11	<5	81	<2	0.08	<0.5	10	16	17	2.88	<3	0.07
HS7-25S	Soil	45	0.4	3.41	10	107	<2	0.07	<0.5	16	25	30	4.64	<3	0.12
HS7-50S	Soil	24	0.3	3.49	9	151	<2	0.07	<0.5	17	20	37	4.40	<3	0.12
HS7-75S	Soil	11	0.2	2.92	<5	125	<2	0.07	<0.5	11	19	21	4.64	<3	0.11
HS7-100S	Soil	15	0.2	2.21	<5	190	<2	0.11	<0.5	22	23	21	4.48	<3	0.13
HS7-125S	Soil	37	0.5	4.47	10	213	<2	0.16	<0.5	21	59	94	8.17	<3	0.21
HS7-150S	Soil	32	0.7	4.04	53	120	<2	0.12	<0.5	18	30	138	7.67	<3	0.09
HS7-175S	Soil	38	0.2	2.65	6	72	<2	0.07	<0.5	9	19	27	5.16	<3	0.08
HS7-200S	Soil	10	0.2	2.08	7	146	<2	0.08	<0.5	8	12	17	5.88	<3	0.08
HS7-225S	Soil	33	0.3	3.53	19	142	<2	0.17	<0.5	13	25	40	7.21	<3	0.08
HS7-250S	Soil	20	0.2	3.58	10	102	<2	0.09	<0.5	11	29	77	>10	<3	0.07
HS7-275S	Soil	11	0.3	4.39	<5	188	<2	0.13	<0.5	30	37	105	5.85	<3	0.09
HS7-300S	Soil	10	0.1	4.71	<5	297	<2	0.17	<0.5	19	15	80	5.90	<3	0.11
HS7-325S	Soil	17	0.4	4.97	<5	118	<2	0.06	<0.5	31	37	86	5.06	<3	0.04
HS7-350S	Soil	13	0.3	4.16	6	238	<2	0.19	<0.5	23	33	97	3.94	<3	0.19
HS7-375S	Soil	23	0.6	4.48	17	160	<2	0.18	<0.5	48	29	186	5.68	<3	0.10
HS7-400S	Soil	34	0.9	5.38	19	241	<2	0.99	<0.5	34	10	135	4.01	<3	0.36
HS7-425S	Soil	19	0.4	3.72	26	182	<2	0.29	<0.5	24	14	117	4.74	<3	0.10
HS7-450S	Soil	15	0.6	2.56	39	156	<2	0.51	<0.5	13	9	97	4.22	<3	0.07
HS7-475S	Soil	18	0.8	3.98	104	110	<2	0.23	<0.5	20	12	153	5.38	<3	0.07



Certificate of Analysis

10-360-03396-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Au Au-1A T-AA ppb 5	Ag 30-AR-TR ppm 0.1	Al 30-AR-TR % 0.01	As 30-AR-TR ppm 5	Ba 30-AR-TR ppm 10	Bi 30-AR-TR ppm 2	Ca 30-AR-TR % 0.01	Cd 30-AR-TR ppm 0.5	Co 30-AR-TR ppm 1	Cr 30-AR-TR ppm 1	Cu 30-AR-TR ppm 1	Fe 30-AR-TR % 0.01	Hg 30-AR-TR ppm 3	K 30-AR-TR % 0.01
HS7-500S	Soil	18	0.9	2.69	37	143	<2	0.17	<0.5	15	9	82	4.34	<3	0.07
HS7-525S	Soil	31	0.5	4.13	27	162	<2	0.14	<0.5	27	98	216	6.36	<3	0.08
HS7-550S	Soil	42	0.3	2.14	8	185	<2	0.11	<0.5	13	23	83	4.58	<3	0.06
HS7-575S	Soil	461	5.2	3.89	26	182	<2	0.37	<0.5	22	17	670	5.92	<3	0.14
HS7-600S	Soil	179	2.2	1.58	<5	259	<2	0.07	<0.5	10	60	268	>10	<3	0.17
HS8-00S	Soil	18	0.2	4.09	7	193	<2	0.12	<0.5	16	21	31	4.64	<3	0.10
HS8-25S	Soil	24	0.4	3.41	5	141	<2	0.12	<0.5	17	25	25	4.84	<3	0.13
HS8-50S	Soil	26	0.3	3.77	7	171	<2	0.09	<0.5	22	25	25	4.80	<3	0.16
HS8-75S	Soil	23	0.3	3.97	8	90	<2	0.08	<0.5	14	20	36	4.44	<3	0.09
HS8-100S	Soil	20	0.1	3.43	<5	72	<2	0.12	<0.5	11	20	39	3.69	<3	0.08
HS8-125S	Soil	29	0.3	3.76	<5	120	<2	0.08	<0.5	14	19	62	6.11	<3	0.16
HS8-150S	Soil	18	0.5	3.85	<5	72	<2	0.12	<0.5	13	20	44	4.43	<3	0.07
HS8-175S	Soil	19	0.3	4.45	9	124	<2	0.09	<0.5	17	19	46	5.74	<3	0.12
HS8-200S	Soil	15	0.2	3.32	<5	121	<2	0.10	<0.5	19	30	41	4.44	<3	0.09
HS8-225S	Soil	24	0.6	3.85	16	149	<2	0.08	<0.5	21	23	92	8.44	<3	0.13
HS8-250S	Soil	19	0.7	2.61	54	64	<2	0.05	<0.5	6	12	55	6.33	<3	0.05
HS8-275S	Soil	13	0.2	5.24	19	181	<2	0.09	<0.5	25	51	119	5.38	<3	0.06
HS8-300S	Soil	11	0.3	4.71	11	124	<2	0.15	<0.5	22	38	98	4.74	<3	0.11
HS8-325S	Soil	20	0.6	4.48	15	173	<2	0.10	<0.5	22	23	93	4.39	<3	0.07
HS8-350S	Soil	23	0.6	4.23	21	102	<2	0.09	<0.5	23	25	56	4.20	<3	0.11
HS8-375S	Soil	33	0.6	4.63	22	107	<2	0.10	<0.5	18	21	57	4.28	<3	0.07
HS8-400S	Soil	52	1.3	4.66	22	204	<2	0.10	<0.5	21	21	76	4.82	<3	0.11
HS8-425S	Soil	97	3.0	4.48	14	302	<2	0.14	<0.5	13	17	76	4.37	<3	0.46
HS8-450S	Soil	37	0.8	5.15	9	331	<2	0.21	<0.5	15	52	89	5.21	<3	0.10
HS8-475S	Soil	143	2.9	4.19	25	123	<2	0.09	<0.5	12	11	228	6.08	<3	0.10
HS8-500S	Soil	15	1.0	3.66	11	192	<2	0.12	<0.5	20	10	119	4.36	<3	0.11
HS8-525S	Soil	23	0.9	4.13	6	144	<2	0.10	<0.5	15	16	121	3.78	<3	0.05
HS8-550S	Soil	15	0.6	2.58	16	80	<2	0.23	<0.5	9	11	78	4.04	<3	0.04
HS8-575S	Soil	17	1.1	3.95	11	131	<2	0.27	<0.5	12	5	119	4.82	<3	0.07
HS8-600S	Soil	7	0.2	2.65	<5	155	<2	0.14	<0.5	21	12	30	4.58	<3	0.08
HS8-625S	Soil	25	0.4	3.90	9	241	<2	0.23	<0.5	21	38	87	4.56	<3	0.23
HS8-650S	Soil	179	2.4	2.46	49	135	<2	0.09	<0.5	9	13	43	6.57	<3	0.23
HS8-675S	Soil	231	2.7	1.34	59	85	<2	0.06	<0.5	4	6	38	5.14	<3	0.16
HS8-700S	Soil	73	1.2	2.44	21	103	<2	0.09	<0.5	7	18	39	5.36	<3	0.07
SS-1275S	Soil	12	0.2	3.41	<5	184	<2	0.16	<0.5	17	9	23	5.33	<3	0.07
SS-1300	Soil	97	<0.1	3.81	<5	242	<2	0.23	<0.5	18	7	48	5.02	<3	0.14
SS-1325	Soil	9	0.2	5.81	<5	366	<2	0.20	<0.5	26	41	190	5.00	<3	0.11
SS-1350	Soil	11	<0.1	5.03	<5	175	<2	0.22	<0.5	19	7	38	5.83	<3	0.07
SS-1375	Soil	6	0.2	5.50	<5	134	<2	0.22	<0.5	16	5	44	5.34	<3	0.10
SS-1400	Soil	9	<0.1	5.24	<5	232	<2	0.22	<0.5	16	14	35	6.01	<3	0.09

Data Page 2 of 9

Certificate of Analysis

10-360-03396-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Au Au-1A T-AA ppb	Ag 30-AR-TR ppm	Al 30-AR-TR %	As 30-AR-TR ppm	Ba 30-AR-TR ppm	Bi 30-AR-TR ppm	Ca 30-AR-TR %	Cd 30-AR-TR ppm	Co 30-AR-TR ppm	Cr 30-AR-TR ppm	Cu 30-AR-TR ppm	Fe 30-AR-TR %	Hg 30-AR-TR ppm	K 30-AR-TR %
SS-1425S	Soil	9	0.1	3.18	<5	217	<2	0.31	<0.5	19	14	22	4.68	<3	0.08
SS-1450S	Soil	13	0.5	3.05	<5	332	<2	0.41	<0.5	48	9	131	5.07	<3	0.09
SS-1475S	Soil	18	0.1	3.15	<5	166	<2	0.17	<0.5	9	12	31	2.11	<3	0.14
SS-1500S	Soil	14	0.3	5.11	<5	256	<2	0.31	<0.5	32	43	105	4.42	<3	0.25
SS-1525S	Soil	9	0.4	5.02	<5	269	<2	0.13	<0.5	25	30	88	5.76	<3	0.37
SS-1550S	Soil	11	0.2	4.24	<5	172	<2	0.20	<0.5	26	18	60	5.50	<3	0.10
SS-1575S	Soil	12	0.2	5.60	<5	168	<2	0.26	<0.5	26	136	121	5.19	<3	0.09
SS-1600S	Soil	16	0.3	3.65	<5	142	<2	0.15	<0.5	16	39	63	5.08	<3	0.07
HS6-25C	Rock	14	0.1	0.85	<5	55	<2	0.19	<0.5	5	142	5	2.02	<3	0.12
HS6-50C	Rock	9	0.2	1.87	7	56	<2	0.53	<0.5	15	80	54	4.23	<3	0.22
HS7-75C	Rock	8	<0.1	1.35	<5	377	<2	0.75	<0.5	9	93	2	2.47	<3	0.44
HS7-174C	Rock	<5	<0.1	2.56	21	175	<2	0.41	<0.5	8	101	13	3.84	<3	0.27
HS7-225C	Rock	18	<0.1	3.77	<5	169	<2	2.27	<0.5	13	61	24	5.53	<3	0.78
HS7-250C	Rock	10	0.1	4.52	<5	76	<2	3.60	<0.5	10	74	30	4.34	<3	0.07
HS7-262C	Rock	10	<0.1	1.89	<5	194	<2	0.74	<0.5	6	183	26	2.33	<3	0.58
HS7-385C	Rock	7	0.2	0.86	<5	86	<2	0.65	<0.5	15	95	20	2.02	<3	0.33
HS7-425C	Rock	22	0.3	2.96	<5	204	<2	0.98	<0.5	13	62	39	3.84	<3	0.95
HS7-575C	Rock	187	7.5	0.81	<5	67	<2	0.36	<0.5	14	163	189	4.25	<3	0.12
HS7-580C	Rock	44	1.9	0.95	<5	30	<2	0.02	<0.5	36	60	227	5.59	<3	0.54
HS7-600C	Rock	106	2.3	0.76	<5	21	<2	0.11	<0.5	44	114	507	5.81	<3	0.17
HS8-00C	Rock	6	<0.1	1.04	<5	96	<2	0.26	<0.5	9	147	7	1.89	<3	0.25
HS8-39C	Rock	13	0.2	0.96	<5	90	<2	1.14	<0.5	9	109	26	2.39	<3	0.23
HS8-60C	Rock	16	0.2	1.26	<5	44	<2	0.20	<0.5	5	120	11	2.44	<3	0.11
HS8-100C	Rock	7	<0.1	4.42	8	189	<2	2.45	<0.5	18	60	36	2.56	<3	0.46
HS8-150C	Rock	9	<0.1	0.98	6	239	<2	0.71	<0.5	5	64	4	1.68	<3	0.26
HS8-164C	Rock	18	<0.1	1.12	16	345	<2	0.62	<0.5	7	63	3	2.35	<3	0.51
HS8-216C	Rock	<5	<0.1	1.83	<5	84	<2	0.83	<0.5	8	81	10	2.17	<3	0.17
HS8-441C	Rock	7	0.6	4.21	12	60	<2	2.61	<0.5	11	51	13	2.71	<3	0.30
HS8-500C	Rock	20	0.8	1.46	<5	19	<2	0.21	<0.5	16	58	137	4.19	<3	0.85
HS8-644C	Rock	17	0.8	1.47	<5	20	<2	0.20	<0.5	16	80	139	4.21	<3	0.89
HS8-675C	Rock	303	9.1	0.12	30	459	<2	0.02	<0.5	<1	133	21	1.46	<3	0.12

Certificate of Analysis

10-360-03396-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	La 30-AR-TR ppm 2	Mg 30-AR-TR % 0.01	Mn 30-AR-TR ppm 5	Mo 30-AR-TR ppm 1	Na 30-AR-TR % 0.01	Ni 30-AR-TR ppm 1	P 30-AR-TR ppm 10	Pb 30-AR-TR ppm 2	Sb 30-AR-TR ppm 2	Sc 30-AR-TR ppm 1	Sr 30-AR-TR ppm 1	Ti 30-AR-TR % 0.01	Tl 30-AR-TR ppm 10	V 30-AR-TR ppm 1
HS4-00S	Soil	23	0.50	379	2	0.01	10	977	33	<2	3	8	0.08	<10	68
HS4-25S	Soil	22	0.43	1188	2	0.01	8	1569	13	<2	2	9	0.07	<10	64
HS4-50S	Soil	20	0.51	530	1	0.01	9	615	8	<2	3	10	0.08	<10	62
HS4-150S	Soil	39	0.82	565	5	0.02	20	1001	19	<2	7	14	0.16	<10	99
HS4-175S	Soil	45	0.87	404	6	0.02	14	1429	12	<2	7	16	0.15	<10	100
HS4-200S	Soil	63	0.56	2658	13	0.02	16	1406	9	<2	7	23	0.11	<10	65
HS5-00S	Soil	25	0.52	370	2	0.02	10	895	6	<2	3	10	0.10	<10	74
HS5-25S	Soil	27	0.56	433	2	0.01	12	1041	11	<2	3	10	0.12	<10	79
HS5-50S	Soil	34	0.63	1067	3	0.02	13	1345	14	<2	4	23	0.06	<10	57
HS5-75S	Soil	47	0.78	2331	5	0.02	19	1257	28	<2	5	36	0.12	<10	97
HS5-125S	Soil	93	0.76	647	9	0.02	25	1525	55	<2	7	31	0.08	<10	84
HS5-150S	Soil	53	1.09	460	5	0.03	11	748	13	<2	14	23	0.19	<10	118
HS5-175S	Soil	43	0.88	374	11	0.02	13	852	9	<2	8	28	0.15	<10	102
HS5-200S	Soil	41	1.11	459	10	0.02	19	570	3	<2	7	28	0.05	<10	109
HS6-00S	Soil	35	0.46	423	5	0.01	11	972	38	<2	3	8	0.08	<10	72
HS6-50S	Soil	110	1.26	600	28	0.02	22	2387	47	<2	13	47	0.11	<10	103
HS6-75S	Soil	41	0.57	345	3	0.02	10	611	6	<2	6	12	0.19	<10	101
HS6-100S	Soil	42	0.64	379	3	0.02	14	1077	4	<2	7	14	0.16	<10	94
HS6-125S	Soil	42	0.57	235	7	0.01	8	746	20	<2	6	6	0.18	<10	95
HS6-150S	Soil	57	0.53	196	8	0.02	11	824	62	<2	9	10	0.12	<10	71
HS7-00S	Soil	22	0.39	1427	2	0.01	10	685	22	<2	2	6	0.13	<10	67
HS7-25S	Soil	36	0.64	482	4	0.01	19	1000	34	<2	4	5	0.20	<10	93
HS7-50S	Soil	34	0.65	497	4	0.01	19	894	12	<2	5	11	0.20	<10	94
HS7-75S	Soil	35	0.42	362	3	0.02	11	952	8	<2	4	7	0.18	<10	109
HS7-100S	Soil	33	0.71	1178	2	0.02	16	835	5	<2	6	13	0.22	<10	91
HS7-125S	Soil	58	1.88	610	5	0.04	42	904	13	<2	12	16	0.30	<10	152
HS7-150S	Soil	39	0.81	753	7	0.02	28	2204	4	<2	8	21	0.12	<10	83
HS7-175S	Soil	40	0.53	313	4	0.01	11	979	12	<2	4	8	0.18	<10	102
HS7-200S	Soil	45	0.55	334	4	0.01	10	950	6	<2	6	10	0.19	<10	105
HS7-225S	Soil	55	0.96	926	6	0.03	24	1533	4	<2	4	27	0.16	<10	131
HS7-250S	Soil	85	0.90	687	20	0.01	15	1777	3	<2	8	15	0.17	<10	172
HS7-275S	Soil	49	1.08	635	13	0.02	32	560	4	<2	7	21	0.18	<10	98
HS7-300S	Soil	49	1.32	474	8	0.01	17	432	<2	<2	12	27	0.20	<10	105
HS7-325S	Soil	45	1.61	534	8	0.01	79	407	<2	<2	7	18	0.18	<10	102
HS7-350S	Soil	34	0.92	2083	5	0.02	25	824	10	<2	9	26	0.23	<10	121
HS7-375S	Soil	50	0.88	1371	8	0.02	33	1037	15	<2	8	26	0.17	<10	114
HS7-400S	Soil	36	0.54	522	13	0.04	20	1154	5	<2	7	232	0.09	<10	75
HS7-425S	Soil	41	0.79	563	6	0.02	17	914	15	<2	6	57	0.16	<10	113
HS7-450S	Soil	38	0.31	813	5	0.01	9	760	8	<2	5	49	0.05	<10	70
HS7-475S	Soil	47	0.37	609	15	0.01	14	1207	9	3	7	15	0.11	<10	102

Certificate of Analysis

10-360-03396-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	La 30-AR-TR ppm 2	Mg 30-AR-TR % 0.01	Mn 30-AR-TR ppm 5	Mo 30-AR-TR ppm 1	Na 30-AR-TR % 0.01	Ni 30-AR-TR ppm 1	P 30-AR-TR ppm 10	Pb 30-AR-TR ppm 2	Sb 30-AR-TR ppm 2	Sc 30-AR-TR ppm 1	Sr 30-AR-TR ppm 1	Ti 30-AR-TR % 0.01	Tl 30-AR-TR ppm 10	V 30-AR-TR ppm 1
HS7-500S	Soil	38	0.39	412	6	0.01	11	894	8	<2	4	17	0.07	<10	79
HS7-525S	Soil	56	1.20	544	6	0.02	32	552	3	<2	6	18	0.22	<10	133
HS7-550S	Soil	39	0.52	400	3	0.01	14	424	8	<2	4	11	0.14	<10	96
HS7-575S	Soil	50	0.73	290	10	0.02	51	924	20	<2	7	48	0.05	<10	90
HS7-600S	Soil	98	0.51	572	6	0.02	16	2405	16	<2	4	9	0.08	<10	111
HS8-00S	Soil	38	0.69	651	4	0.01	20	1036	31	<2	5	10	0.18	<10	100
HS8-25S	Soil	39	0.60	791	3	0.02	18	771	26	<2	4	9	0.22	<10	106
HS8-50S	Soil	40	0.67	479	4	0.01	21	1640	10	<2	5	10	0.27	<10	109
HS8-75S	Soil	36	0.56	328	4	0.01	16	1023	9	<2	4	7	0.20	<10	98
HS8-100S	Soil	29	0.48	253	3	0.02	13	785	4	<2	5	7	0.15	<10	98
HS8-125S	Soil	52	0.67	329	4	0.02	16	1099	6	<2	9	10	0.21	<10	103
HS8-150S	Soil	36	0.59	434	4	0.02	15	803	16	<2	4	9	0.15	<10	96
HS8-175S	Soil	48	0.92	413	5	0.02	18	922	5	<2	8	8	0.22	<10	110
HS8-200S	Soil	37	0.75	1379	4	0.02	21	792	5	<2	5	15	0.21	<10	94
HS8-225S	Soil	64	0.66	833	10	0.01	21	1577	6	<2	6	12	0.20	<10	117
HS8-250S	Soil	50	0.38	143	11	0.01	12	784	11	<2	3	10	0.03	<10	81
HS8-275S	Soil	44	1.13	345	13	0.01	46	684	16	<2	7	17	0.15	<10	95
HS8-300S	Soil	39	1.05	283	21	0.01	32	639	9	<2	8	30	0.13	<10	108
HS8-325S	Soil	36	0.78	840	11	0.01	24	814	19	<2	6	12	0.16	<10	86
HS8-350S	Soil	35	0.84	464	3	0.01	24	860	20	<2	5	9	0.20	<10	99
HS8-375S	Soil	37	1.21	323	5	0.01	17	557	40	<2	6	10	0.19	<10	99
HS8-400S	Soil	41	1.17	391	7	0.01	18	1081	51	<2	7	16	0.21	<10	109
HS8-425S	Soil	41	2.42	471	5	0.01	13	680	67	<2	8	15	0.21	<10	72
HS8-450S	Soil	47	2.52	852	6	0.01	26	669	12	<2	10	34	0.25	<10	125
HS8-475S	Soil	53	0.48	321	19	0.01	12	1206	13	<2	5	18	0.03	<10	77
HS8-500S	Soil	37	0.50	291	7	0.01	15	728	4	<2	6	25	0.07	<10	89
HS8-525S	Soil	33	0.60	233	6	0.01	16	433	6	<2	4	20	0.05	<10	75
HS8-550S	Soil	33	0.29	307	6	<0.01	9	498	8	<2	3	19	0.13	<10	73
HS8-575S	Soil	41	0.60	475	7	0.01	8	715	5	<2	7	19	0.23	<10	100
HS8-600S	Soil	40	1.00	528	3	0.02	9	414	<2	<2	6	13	0.31	<10	111
HS8-625S	Soil	43	1.53	712	9	0.02	23	1563	7	<2	9	33	0.25	<10	107
HS8-650S	Soil	57	0.93	284	13	0.01	9	804	61	<2	8	6	0.25	<10	123
HS8-675S	Soil	44	0.31	258	32	<0.01	5	1592	26	<2	2	4	0.08	<10	61
HS8-700S	Soil	47	0.36	275	22	0.01	9	2093	25	<2	2	7	0.09	<10	87
SS-1275S	Soil	48	0.85	498	3	0.02	9	634	3	<2	7	22	0.19	<10	119
SS-1300	Soil	47	1.29	418	3	0.02	8	867	<2	<2	10	21	0.18	<10	120
SS-1325	Soil	45	1.54	350	3	0.02	23	490	<2	<2	9	31	0.21	<10	145
SS-1350	Soil	53	1.27	590	4	0.03	9	718	2	<2	8	32	0.15	<10	112
SS-1375	Soil	50	1.36	372	4	0.04	8	1049	<2	<2	9	43	0.15	<10	99
SS-1400	Soil	51	1.49	344	7	0.02	11	594	<2	<2	9	37	0.15	<10	121

Certificate of Analysis

10-360-03396-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	La 30-AR-TR ppm 2	Mg 30-AR-TR % 0.01	Mn 30-AR-TR ppm 5	Mo 30-AR-TR ppm 1	Na 30-AR-TR % 0.01	Ni 30-AR-TR ppm 1	P 30-AR-TR ppm 10	Pb 30-AR-TR ppm 2	Sb 30-AR-TR ppm 2	Sc 30-AR-TR ppm 1	Sr 30-AR-TR ppm 1	Ti 30-AR-TR % 0.01	Tl 30-AR-TR ppm 10	V 30-AR-TR ppm 1
SS-1425S	Soil	40	1.14	925	3	0.03	13	1215	4	<2	7	40	0.19	<10	101
SS-1450S	Soil	48	0.39	5019	8	0.02	11	2029	6	<2	5	48	0.07	<10	88
SS-1475S	Soil	24	2.07	1597	4	0.01	7	611	<2	<2	4	16	0.11	<10	28
SS-1500S	Soil	42	2.24	968	10	0.02	35	835	<2	<2	9	33	0.21	<10	108
SS-1525S	Soil	52	2.04	625	8	0.02	17	591	<2	<2	13	13	0.30	<10	141
SS-1550S	Soil	30	1.44	1325	5	0.02	13	1038	5	<2	9	20	0.27	<10	121
SS-1575S	Soil	45	1.68	758	6	0.02	57	763	3	<2	6	23	0.29	<10	122
SS-1600S	Soil	45	1.05	588	4	0.02	18	1132	6	<2	6	15	0.23	<10	113
HS6-25C	Rock	21	0.40	335	1	0.07	4	437	12	<2	3	12	0.14	<10	27
HS6-50C	Rock	37	1.03	399	5	0.13	9	488	<2	<2	12	32	0.16	<10	79
HS7-75C	Rock	27	0.60	279	2	0.19	3	1970	<2	<2	8	32	0.20	<10	47
HS7-174C	Rock	33	1.13	344	2	0.18	6	332	<2	<2	15	82	0.11	<10	115
HS7-225C	Rock	51	1.13	533	3	0.32	7	2751	<2	<2	11	101	0.20	<10	126
HS7-250C	Rock	40	0.23	277	4	0.30	9	1712	<2	<2	3	172	0.10	<10	123
HS7-262C	Rock	26	0.36	238	3	0.19	5	1437	2	<2	13	45	0.18	<10	73
HS7-385C	Rock	23	0.42	217	1	0.18	7	1004	<2	<2	5	29	0.21	<10	97
HS7-425C	Rock	35	1.16	765	2	0.32	4	997	<2	<2	6	73	0.24	<10	67
HS7-575C	Rock	35	0.07	141	9	0.02	17	174	28	<2	10	7	0.19	<10	81
HS7-580C	Rock	45	0.26	66	14	0.02	20	197	8	<2	4	5	0.02	<10	46
HS7-600C	Rock	45	0.14	73	19	0.03	17	326	7	<2	10	4	0.12	<10	132
HS8-00C	Rock	20	0.50	450	1	0.08	5	467	<2	<2	4	14	0.17	<10	27
HS8-39C	Rock	27	0.59	386	2	0.16	11	2029	<2	<2	5	34	0.13	<10	79
HS8-60C	Rock	23	0.74	437	1	0.08	6	593	10	<2	3	14	0.11	<10	51
HS8-100C	Rock	24	0.79	231	2	0.53	30	984	<2	<2	4	193	0.11	<10	74
HS8-150C	Rock	21	0.24	153	1	0.17	2	2084	<2	<2	3	38	0.10	<10	27
HS8-164C	Rock	27	0.56	267	1	0.11	2	2068	<2	<2	3	22	0.18	<10	30
HS8-216C	Rock	22	0.57	275	1	0.28	10	953	<2	<2	4	58	0.08	<10	56
HS8-441C	Rock	25	0.60	185	6	0.41	7	764	<2	<2	6	95	0.05	<10	70
HS8-500C	Rock	38	1.32	605	7	0.03	5	729	3	<2	8	3	0.11	<10	89
HS8-644C	Rock	38	1.30	592	8	0.04	5	708	2	<2	8	3	0.10	<10	88
HS8-675C	Rock	11	0.01	42	58	<0.01	3	94	15	2	<1	2	<0.01	<10	<1



Certificate of Analysis

10-360-03396-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	W 30-AR: TR ppm 10	Zn 30-AR: TR ppm 2	Zr 30-AR: TR ppm 2
HS4-00S	Soil	<10	178	<2
HS4-25S	Soil	<10	121	<2
HS4-50S	Soil	<10	191	<2
HS4-150S	Soil	<10	265	<2
HS4-175S	Soil	<10	280	<2
HS4-200S	Soil	<10	761	<2
HS5-00S	Soil	<10	181	<2
HS5-25S	Soil	<10	274	<2
HS5-50S	Soil	<10	531	<2
HS5-75S	Soil	<10	229	<2
HS5-125S	Soil	<10	211	<2
HS5-150S	Soil	<10	73	<2
HS5-175S	Soil	<10	96	<2
HS5-200S	Soil	<10	105	<2
HS6-00S	Soil	<10	132	<2
HS6-50S	Soil	<10	156	<2
HS6-75S	Soil	<10	124	<2
HS6-100S	Soil	<10	158	<2
HS6-125S	Soil	<10	115	<2
HS6-150S	Soil	<10	51	<2
HS7-00S	Soil	<10	83	<2
HS7-25S	Soil	<10	202	<2
HS7-50S	Soil	<10	194	<2
HS7-75S	Soil	<10	132	<2
HS7-100S	Soil	<10	220	<2
HS7-125S	Soil	<10	177	<2
HS7-150S	Soil	<10	152	<2
HS7-175S	Soil	<10	77	<2
HS7-200S	Soil	<10	91	<2
HS7-225S	Soil	<10	179	<2
HS7-250S	Soil	<10	191	<2
HS7-275S	Soil	<10	400	<2
HS7-300S	Soil	<10	414	<2
HS7-325S	Soil	<10	455	<2
HS7-350S	Soil	<10	442	<2
HS7-375S	Soil	<10	587	<2
HS7-400S	Soil	<10	351	<2
HS7-425S	Soil	<10	248	<2
HS7-450S	Soil	<10	101	<2
HS7-475S	Soil	<10	187	<2



Certificate of Analysis

10-360-03396-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	W 30-AR-TR ppm 10	Zn 30-AR-TR ppm 2	Zr 30-AR-TR ppm 2
HS7-500S	Soil	<10	163	<2
HS7-525S	Soil	<10	303	<2
HS7-550S	Soil	<10	185	<2
HS7-575S	Soil	<10	219	<2
HS7-600S	Soil	<10	56	<2
HS8-00S	Soil	<10	225	<2
HS8-25S	Soil	<10	198	<2
HS8-50S	Soil	<10	255	2
HS8-75S	Soil	<10	159	3
HS8-100S	Soil	<10	72	<2
HS8-125S	Soil	<10	125	4
HS8-150S	Soil	<10	126	<2
HS8-175S	Soil	<10	169	<2
HS8-200S	Soil	<10	167	<2
HS8-225S	Soil	<10	158	<2
HS8-250S	Soil	<10	80	<2
HS8-275S	Soil	<10	282	<2
HS8-300S	Soil	<10	151	<2
HS8-325S	Soil	<10	291	<2
HS8-350S	Soil	<10	467	<2
HS8-375S	Soil	<10	324	<2
HS8-400S	Soil	<10	363	<2
HS8-425S	Soil	<10	339	<2
HS8-450S	Soil	<10	241	<2
HS8-475S	Soil	<10	165	<2
HS8-500S	Soil	<10	218	<2
HS8-525S	Soil	<10	181	<2
HS8-550S	Soil	<10	142	<2
HS8-575S	Soil	<10	173	<2
HS8-600S	Soil	<10	287	<2
HS8-625S	Soil	<10	297	<2
HS8-650S	Soil	<10	155	<2
HS8-675S	Soil	<10	54	<2
HS8-700S	Soil	<10	105	<2
SS-1275S	Soil	<10	147	<2
SS-1300	Soil	<10	147	<2
SS-1325	Soil	<10	149	<2
SS-1350	Soil	<10	179	<2
SS-1375	Soil	<10	145	<2
SS-1400	Soil	<10	107	<2



Certificate of Analysis

10-360-03396-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1


Sample Description	Sample Type	W 30-AR: TR ppm 10	Zn 30-AR: TR ppm 2	Zr 30-AR: TR ppm 2
SS-142SS	Soil	<10	285	<2
SS-1450S	Soil	<10	291	<2
SS-147SS	Soil	<10	216	<2
SS-1500S	Soil	<10	160	<2
SS-152SS	Soil	<10	147	<2
SS-1550S	Soil	<10	196	<2
SS-157SS	Soil	<10	154	<2
SS-1600S	Soil	<10	169	<2
HS6-25C	Rock	<10	34	<2
HS6-50C	Rock	<10	61	<2
HS7-75C	Rock	<10	52	<2
HS7-174C	Rock	<10	80	<2
HS7-225C	Rock	<10	72	<2
HS7-250C	Rock	<10	56	<2
HS7-262C	Rock	<10	44	<2
HS7-385C	Rock	<10	34	2
HS7-425C	Rock	<10	101	<2
HS7-575C	Rock	<10	46	5
HS7-580C	Rock	<10	13	<2
HS7-600C	Rock	<10	21	<2
HS8-00C	Rock	<10	43	<2
HS8-39C	Rock	<10	42	<2
HS8-60C	Rock	<10	45	<2
HS8-100C	Rock	<10	47	<2
HS8-150C	Rock	<10	29	<2
HS8-164C	Rock	<10	46	<2
HS8-216C	Rock	<10	45	<2
HS8-441C	Rock	<10	56	<2
HS8-500C	Rock	<10	104	<2
HS8-644C	Rock	<10	104	<2
HS8-675C	Rock	<10	5	<2

Certificate of Analysis

10-360-03396-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Au Au-1A T-AA ppb	Ag 30-AR-TR ppm	Al 30-AR-TR %	As 30-AR-TR ppm	Ba 30-AR-TR ppm	Bi 30-AR-TR ppm	Ca 30-AR-TR %	Cd 30-AR-TR ppm	Co 30-AR-TR ppm	Cr 30-AR-TR ppm	Cu 30-AR-TR ppm	Fe 30-AR-TR %	Hg 30-AR-TR ppm	K 30-AR-TR %
HS4-00S	Soil		0.4	2.38	7	78	<2	0.11	<0.5	11	16	38	2.91	<3	0.06
HS4-00S Dup			0.4	2.27	6	80	<2	0.12	<0.5	11	16	39	2.80	<3	0.06
QCV1010-00822-0002-BLK			<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01
STD-OREAS-45P-AR expected			0.3		4		0		0.1	107	892	674			
STD-OREAS-45P-AR result			0.2	3.37	<5	206	<2	0.24	<0.5	105	837	643	>10	<3	0.07
HS6-125S	Soil		0.4	2.83	<5	82	<2	0.06	<0.5	8	14	36	5.23	<3	0.07
HS6-125S Dup			0.4	3.01	<5	86	<2	0.06	<0.5	9	15	38	5.49	<3	0.08
QCV1010-00822-0005-BLK			<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01
STD-ME-6 expected			101									6130			
STD-ME-6 result			>100	1.01	219	22	<2	0.48	12.1	11	27	6277	5.13	<3	0.08
HS7-400S	Soil		0.9	5.38	19	241	<2	0.99	<0.5	24	10	135	4.01	<3	0.36
HS7-400S Dup			0.9	5.04	19	233	<2	0.95	<0.5	32	9	131	3.83	<3	0.36
QCV1010-00822-0008-BLK			<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01
STD-ME-6 expected			101									6130			
STD-ME-6 result			>100	1.04	214	32	<2	0.51	11.9	12	28	6252	5.11	<3	0.08
HS8-225S	Soil		0.6	3.85	16	149	<2	0.08	<0.5	21	23	92	8.44	<3	0.13
HS8-225S Dup			0.6	3.77	16	150	<2	0.08	<0.5	22	23	93	8.17	<3	0.13
QCV1010-00822-0011-BLK			<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01
STD-OREAS-45P-AR expected			0.3		4		0		0.1	107	892	674			
STD-OREAS-45P-AR result			0.3	3.15	<5	185	<2	0.21	<0.5	100	804	635	>10	<3	0.07
HS8-675S	Soil		2.7	1.34	59	85	<2	0.06	<0.5	4	6	38	5.14	<3	0.16
HS8-675S Dup			2.5	1.28	57	80	<2	0.05	<0.5	3	6	36	4.88	<3	0.16
QCV1010-00822-0014-BLK			<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01
STD-OREAS-45P-AR expected			0.3		4		0		0.1	107	892	674			
STD-OREAS-45P-AR result			0.3	3.14	<5	187	<2	0.21	<0.5	100	817	648	>10	<3	0.07
HS7-75C	Rock		<0.1	1.35	<5	377	<2	0.75	<0.5	9	93	2	2.47	<3	0.44
HS7-75C Dup			<0.1	1.38	5	399	<2	0.76	<0.5	9	93	2	2.50	<3	0.46
QCV1010-00822-0017-BLK			<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01
STD-ME-6 expected			101									6130			
STD-ME-6 result			>100	1.07	206	32	<2	0.50	10.9	12	27	6430	5.06	<3	0.08
HS8-500C	Rock		0.8	1.46	<5	19	<2	0.21	<0.5	16	58	137	4.19	<3	0.85
HS8-500C Dup			0.8	1.44	<5	21	<2	0.20	<0.5	15	58	136	4.17	<3	0.85
QCV1010-00822-0020-BLK			<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01
STD-DS-1 expected			0.5	4.48	6930	221				10		27		82	
STD-DS-1 result			0.5	0.30	6846	26	<2	5.51	<0.5	8	18	25	2.76	118	0.10
HS4-00S	Soil	25													
HS4-00S Dup		11													
STD-OxH66 expected		1285													
STD-OxH66 result		1285													
HS6-125S	Soil	19													
HS6-125S Dup		28													



Certificate of Analysis

10-360-03396-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1


Sample Description	Sample Type	Au Au-1A T-AA ppb	Ag 30-AR-TR ppm	Al 30-AR-TR %	As 30-AR-TR ppm	Ba 30-AR-TR ppm	Bi 30-AR-TR ppm	Ca 30-AR-TR %	Cd 30-AR-TR ppm	Co 30-AR-TR ppm	Cr 30-AR-TR ppm	Cu 30-AR-TR ppm	Fe 30-AR-TR %	Hg 30-AR-TR ppm	K 30-AR-TR %
QCV1010-00823-0004-BLK		<5													
HS7-400S	Soil	34													
HS7-400S Dup		32													
STD-OxH66 expected		1285													
STD-OxH66 result		1331													
HS8-225S	Soil	24													
HS8-225S Dup		24													
QCV1010-00823-0008-BLK		<5													
HS8-675S	Soil	231													
HS8-675S Dup		265													
STD-OxH66 expected		1285													
STD-OxH66 result		1315													
HS7-75C	Rock	8													
HS7-75C Dup		11													
QCV1010-00823-0012-BLK		8													
HS8-500C	Rock	20													
HS8-500C Dup		18													
QCV1010-00823-0014-BLK		<5													
STD-OxH66 expected		1285													
STD-OxH66 result		1276													

Certificate of Analysis

10-360-03396-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	V
		30-AR TR ppm 2	30-AR TR % 0.01	30-AR TR ppm 5	30-AR TR ppm 1	30-AR TR % 0.01	30-AR TR ppm 1	30-AR TR ppm 10	30-AR TR ppm 2	30-AR TR ppm 2	30-AR TR ppm 1	30-AR TR ppm 1	30-AR TR % 0.01	30-AR TR ppm 10	30-AR TR ppm 1
HS4-00S	Soil	23	0.50	379	2	0.01	10	977	33	<2	3	8	0.08	<10	68
HS4-00S Dup		23	0.47	380	2	0.01	10	979	35	<2	3	8	0.09	<10	70
QCV1010-00822-0002-BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
STD-OREAS-45P-AR expected							292		19	0					
STD-OREAS-45P-AR result		145	0.11	1254	3	0.02	275	350	19	2	48	15	0.16	<10	219
HS6-125S	Soil	42	0.57	235	7	0.01	8	746	20	<2	6	6	0.18	<10	95
HS6-125S Dup		43	0.60	243	7	0.01	8	747	20	<2	7	6	0.19	<10	100
QCV1010-00822-0005-BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
STD-ME-6 expected									10200						
STD-ME-6 result		40	0.71	1575	19	0.05	26	395	>10000	381	3	21	0.05	<10	33
HS7-400S	Soil	36	0.54	522	13	0.04	20	1154	5	<2	7	232	0.09	<10	75
HS7-400S Dup		34	0.51	501	12	0.04	19	1105	5	<2	7	228	0.08	<10	74
QCV1010-00822-0008-BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
STD-ME-6 expected									10200						
STD-ME-6 result		43	0.73	1577	18	0.05	26	400	>10000	393	3	22	0.06	<10	34
HS8-225S	Soil	64	0.66	833	10	0.01	21	1577	6	<2	6	12	0.20	<10	117
HS8-225S Dup		64	0.64	863	10	0.01	22	1645	6	<2	6	13	0.19	<10	117
QCV1010-00822-0011-BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
STD-OREAS-45P-AR expected							292		19	0					
STD-OREAS-45P-AR result		145	0.11	973	3	0.02	278	335	19	4	47	13	0.17	<10	204
HS8-675S	Soil	44	0.31	258	32	<0.01	5	1592	26	<2	2	4	0.08	<10	61
HS8-675S Dup		42	0.30	242	30	<0.01	5	1508	24	<2	2	4	0.08	<10	57
QCV1010-00822-0014-BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
STD-OREAS-45P-AR expected							292		19	0					
STD-OREAS-45P-AR result		153	0.11	984	3	0.02	279	333	19	4	47	14	0.17	<10	206
HS7-75C	Rock	27	0.60	279	2	0.19	3	1970	<2	<2	8	32	0.20	<10	47
HS7-75C Dup		27	0.62	285	2	0.19	3	2039	<2	<2	8	33	0.20	<10	49
QCV1010-00822-0017-BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
STD-ME-6 expected									10200						
STD-ME-6 result		42	0.74	1549	18	0.05	25	380	>10000	365	3	22	0.06	<10	35
HS8-500C	Rock	38	1.32	605	7	0.03	5	729	3	<2	8	3	0.11	<10	89
HS8-500C Dup		37	1.31	597	8	0.03	5	716	3	<2	8	3	0.11	<10	88
QCV1010-00822-0020-BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
STD-D-S-1 expected			2.76	437			49	340	14					20	
STD-D-S-1 result		34	2.50	399	4	<0.01	45	306	20	81	6	53	<0.01	<10	38



Certificate of Analysis

10-360-03396-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	W	Zn	Zr
		30-AR TR ppm 10	30-AR TR ppm 2	30-AR TR ppm 2
HS4-00S	Soil	<10	178	<2
HS4-00S Dup		<10	182	<2
QCV1010-00822-0002-BLK		<10	<2	<2
STD-OREAS-4SP-AR expected			123	
STD-OREAS-4SP-AR result		<10	134	14
HS6-12SS	Soil	<10	115	<2
HS6-12SS Dup		<10	116	<2
QCV1010-00822-0005-BLK		<10	<2	<2
STD-ME-6 expected			5170	
STD-ME-6 result		<10	5427	3
HS7-400S	Soil	<10	351	<2
HS7-400S Dup		<10	343	<2
QCV1010-00822-0008-BLK		<10	<2	<2
STD-ME-6 expected			5170	
STD-ME-6 result		<10	5314	3
HS8-22SS	Soil	<10	158	<2
HS8-22SS Dup		<10	164	<2
QCV1010-00822-0011-BLK		<10	<2	<2
STD-OREAS-4SP-AR expected			123	
STD-OREAS-4SP-AR result		<10	130	14
HS8-67SS	Soil	<10	54	<2
HS8-67SS Dup		<10	52	<2
QCV1010-00822-0014-BLK		<10	<2	<2
STD-OREAS-4SP-AR expected			123	
STD-OREAS-4SP-AR result		<10	128	14
HS7-75C	Rock	<10	52	<2
HS7-75C Dup		<10	54	<2
QCV1010-00822-0017-BLK		<10	<2	<2
STD-ME-6 expected			5170	
STD-ME-6 result		<10	5246	3
HS8-500C	Rock	<10	104	<2
HS8-500C Dup		<10	104	<2
QCV1010-00822-0020-BLK		<10	<2	<2
STD-DS-1 expected			206	
STD-DS-1 result		<10	206	2



Certificate of Analysis

10-360-01898-01

Inspectorate America Corporation
4200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5 Canada
Phone: 604-272-7818

Distribution List

Attention: Johan T. Shearer
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1
Phone: (604)970-6402
Email: jts@homegoldresources.ca

Submitted By: Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Date Received: 06/04/2010
Date Completed: 06/23/2010
Invoice:

Attention: Johan T. Shearer


Project: Hotspring

Description:

Samples	Type	Preparation Description
156	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split

Method	Description
Au-1AT-AA	Au, 1AT Fire Assay, AAS
30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level

The results of this assay were based solely upon the content of the sample submitted. Any decision to assay should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project. For our complete terms and conditions please see our website at www.inspectorate.com.

By 
David Chiu, BC Certified Assayer

Certificate of Analysis **10-360-01898-01**

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	As - 1A1-AA ppm 5	Ag 30-AR-TR ppm 0.1	Al 30-AR-TR % 0.01	As 30-AR-TR ppm 5	Ba 30-AR-TR ppm 10	Bi 30-AR-TR ppm 2	Ca 30-AR-TR % 0.01	Cl 30-AR-TR ppm 0.5	Cr 30-AR-TR ppm 1	Co 30-AR-TR ppm 1	Cu 30-AR-TR ppm 1	Fe 30-AR-TR % 0.01	Hg 30-AR-TR ppm 1	Mn 30-AR-TR % 0.01	K 30-AR-TR % 0.01
RD 0+00	Soil	26	0.3	1.71	8	290	<2	0.26	<0.5	18	39	127	5.22	<3	0.10	0.10
RD 0+50	Soil	13	0.2	1.37	<5	100	<2	0.14	<0.5	18	27	104	4.34	<2	0.06	0.06
RD 0+75	Soil	20	0.2	1.36	<5	122	<2	0.16	<0.5	14	15	78	3.08	<3	0.04	0.04
RD 1+00	Soil	16	0.2	1.73	<5	205	<2	0.18	<0.5	15	20	93	4.04	<3	0.08	0.08
RD 1+25	Soil	21	<0.1	1.66	<5	144	<2	0.21	<0.5	18	26	96	4.14	<3	0.07	0.07
RD 1+50	Soil	13	0.1	1.72	<5	60	<2	0.10	<0.5	12	18	57	3.57	<3	0.05	0.05
RD 1+75	Soil	28	0.3	1.07	<5	175	<2	0.17	<0.5	22	35	97	5.32	<3	0.19	0.19
RD 2+00	Soil	20	<0.1	1.01	<5	164	<2	0.14	<0.5	19	39	110	5.15	<3	0.12	0.12
RD 2+25	Soil	29	0.2	1.62	<5	145	<2	0.16	<0.5	16	29	90	4.11	<3	0.05	0.05
RD 2+50	Soil	13	0.3	1.78	<5	222	<2	0.16	<0.5	18	36	79	5.65	<2	0.11	0.11
RD 2+75	Soil	14	0.2	1.75	<5	133	<2	0.10	<0.5	22	22	43	5.68	<3	0.11	0.11
RD 3+00	Soil	11	<0.1	1.42	<5	127	<2	0.16	<0.5	28	31	143	4.89	<3	0.11	0.11
RD 3+25	Soil	15	0.1	1.01	<5	160	<2	0.15	<0.5	26	36	128	5.11	<3	0.14	0.14
RD 3+50	Soil	22	0.3	1.93	8	269	<2	0.15	<0.5	20	28	63	5.35	<3	0.09	0.09
RD 3+75	Soil	11	0.2	1.66	<5	132	<2	0.16	<0.5	22	27	95	4.96	<2	0.06	0.06
RD 4+00	Soil	8	<0.1	1.17	<5	101	<2	0.10	<0.5	17	17	31	3.95	<3	0.07	0.07
RD 4+25	Soil	9	0.1	1.34	<5	133	<2	0.11	<0.5	26	32	115	5.86	<3	0.06	0.06
RD 4+50	Soil	6	0.4	1.94	9	124	<2	0.09	<0.5	27	22	94	6.12	<3	0.09	0.09
RD 4+75	Soil	11	<0.1	1.85	<5	190	<2	0.12	<0.5	26	23	101	5.96	<3	0.29	0.29
RD 5+00	Soil	18	<0.1	1.31	<5	230	<2	0.12	<0.5	22	19	116	6.37	<3	0.17	0.17
RD 5+25	Soil	19	0.4	1.49	<5	85	<2	0.14	<0.5	20	10	40	3.82	<3	0.04	0.04
RD 5+50	Soil	28	0.1	1.80	8	257	<2	0.16	<0.5	21	19	76	5.59	<3	0.11	0.11
RD 5+75	Soil	18	<0.1	1.64	7	134	<2	0.15	<0.5	20	20	24	4.89	<3	0.08	0.08
RD 6+00	Soil	16	<0.1	1.19	<5	71	<2	0.16	<0.5	12	16	36	3.46	<3	0.06	0.06
RD 6+25	Soil	9	0.1	1.50	<5	111	<2	0.11	<0.5	18	26	18	4.72	<3	0.08	0.08
RD 7+00	Soil	23	0.3	1.43	7	37	<2	0.10	<0.5	10	12	69	3.15	<3	0.06	0.06
RD 7+50	Soil	23	<0.1	1.25	8	172	<2	0.12	<0.5	16	18	30	4.43	<3	0.16	0.16
RD 8+00	Soil	26	1.5	1.12	105	111	<2	0.29	<0.5	24	23	75	5.53	<3	0.16	0.16
RD 8+50	Soil	<5	0.1	1.19	16	144	<2	0.33	<0.5	13	14	22	3.70	<3	0.09	0.09
RD 9+00	Soil	20	0.2	1.45	28	169	<2	0.26	<0.5	20	18	27	6.42	<3	0.09	0.09
RD 9+50	Soil	127	0.4	1.48	160	154	<2	0.17	<0.5	30	23	100	8.97	<3	0.12	0.12
RD 10+00	Soil	71	0.6	1.81	157	167	<2	0.20	<0.5	20	21	107	9.77	<3	0.09	0.09
RD 10+50	Soil	25	0.2	1.88	172	175	<2	0.23	<0.5	12	16	67	9.10	<3	0.09	0.09
RD 11+00	Soil	30	0.4	1.22	88	149	<2	0.23	<0.5	27	24	87	6.75	<3	0.14	0.14
RD 11+50	Soil	24	0.6	1.82	31	103	<2	0.21	<0.5	22	22	31	5.46	<3	0.10	0.10
RD 12+00	Soil	23	0.2	1.33	7	75	<2	0.20	<0.5	12	25	38	3.28	<3	0.05	0.05
RD 12+50	Soil	30	<0.1	1.66	7	124	<2	0.20	<0.5	24	24	71	4.05	<3	0.10	0.10
RD 13+00	Soil	52	0.4	1.94	9	87	<2	0.16	<0.5	13	22	90	3.76	<3	0.11	0.11
RD 13+50	Soil	12	<0.1	1.55	10	97	<2	0.15	<0.5	11	16	58	2.79	<3	0.06	0.06
RD 14+00	Soil	11	<0.1	1.41	<5	51	<2	0.13	<0.5	13	16	50	2.81	<3	0.04	0.04



3200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

10-360-01898-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

[illegible]

Data Page 2 of 12



Certificate of Analysis 10-360-01898-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	As-Is Au (g/t)	As-Is Ag (g/t)	As-Is Cu (%)	As-Is Fe (g/t)	As-Is Mn (g/t)	As-Is Ni (g/t)	As-Is Pb (g/t)	As-Is S (g/t)	As-Is Zn (g/t)	As-Is Al (g/t)	As-Is Si (g/t)	As-Is Ca (g/t)	As-Is Mg (g/t)	As-Is K (g/t)	As-Is Na (g/t)	As-Is Cl (g/t)	As-Is F (g/t)	As-Is Br (g/t)	As-Is I (g/t)
2+25 NW 1+00 SW	Soil	74	<0.1	2.12	<5	78	<2	0.23	<0.5	14	20	18	3.57	<3	0.05					
2+25 NW 3+25 SW	Soil	35	0.1	2.92	5	95	<2	0.25	<0.5	16	25	20	4.51	<3	0.10					
2+25 NW 3+50 SW	Soil	17	<0.1	0.99	<5	44	<2	0.15	<0.5	5	13	8	2.22	<3	0.02					
2+25 NW 3+75 SW	Soil	24	0.1	1.98	5	48	<2	0.13	<0.5	4	16	18	2.64	<3	0.05					
2+25 NW 4+00 SW	Soil	35	0.2	2.61	11	87	<2	0.12	<0.5	15	23	21	3.19	<3	0.05					
2+25 NW 4+25 SW	Soil	13	0.1	5.56	46	80	<2	0.19	<0.5	24	40	35	5.91	<3	0.07					
2+00 NW 4+50 SW	Soil	58	0.1	2.39	24	117	<2	0.27	<0.5	24	22	15	5.06	<3	0.07					
2+00 NW 4+75 SW	Soil	18	0.2	3.31	8	147	<2	0.31	<0.5	25	17	31	5.97	<3	0.16					
1+00 NW 0+00 SW	Soil	48	<0.1	2.31	<5	49	<2	0.13	<0.5	10	16	17	2.83	<3	0.04					
1+00 NW 0+25 SW	Soil	39	0.1	1.88	<5	72	<2	0.17	<0.5	8	12	8	2.23	<3	0.03					
1+00 NW 0+50 SW	Soil	36	0.1	2.11	6	83	<2	0.16	<0.5	7	14	14	2.75	<3	0.03					
1+00 NW 0+75 SW	Soil	25	<0.1	2.09	27	39	<2	0.12	<0.5	11	18	20	3.13	<3	0.03					
1+00 NW 1+00 SW	Soil	56	<0.1	1.36	12	29	<2	0.13	<0.5	5	10	13	2.08	<3	0.03					
1+00 NW 1+25 SW	Soil	49	<0.1	0.72	<5	<10	<2	0.23	<0.5	1	6	2	0.89	<3	0.02					
1+00 NW 2+00 SW	Soil	36	<0.1	2.98	48	38	<2	0.14	<0.5	11	20	24	4.09	<3	0.05					
1+00 NW 2+25 SW	Soil	35	<0.1	1.94	11	49	<2	0.32	<0.5	10	14	16	3.57	<3	0.05					
1+00 NW 2+50 SW	Soil	63	<0.1	1.67	6	37	<2	0.26	<0.5	8	14	12	3.61	<3	0.04					
1+00 NW 2+75 SW	Soil	94	<0.1	2.12	6	48	<2	0.28	<0.5	11	17	16	4.04	<3	0.06					
1+00 NW 3+00 SW	Soil	44	0.5	5.72	21	102	<2	0.58	<0.5	31	21	31	4.93	<3	0.16					
1+00 NW 3+25 SW	Soil	30	<0.1	2.75	28	29	<2	0.16	<0.5	13	24	28	4.80	<3	0.05					
1+00 NW 3+50 SW	Soil	<5	<0.1	2.34	10	78	<2	0.18	<0.5	11	23	22	3.67	<3	0.06					
1+00 NW 3+75 SW	Soil	36	0.3	3.11	13	62	<2	0.14	<0.5	11	18	15	3.62	<3	0.04					
1+00 NW 4+00 SW	Soil	34	<0.1	1.98	13	76	<2	0.18	<0.5	10	19	16	3.51	<3	0.05					
1+00 NW 4+25 SW	Soil	40	<0.1	2.73	14	55	<2	0.17	<0.5	14	23	18	4.29	<3	0.06					
1+00 NW 4+50 SW	Soil	37	<0.1	0.89	7	31	<2	0.09	<0.5	3	11	8	1.87	<3	0.03					
1+00 NW 4+75 SW	Soil	59	0.2	1.68	7	49	<2	0.19	<0.5	8	17	11	3.14	<3	0.05					
1+00 NW 5+00 SW	Soil	43	<0.1	1.88	<5	63	<2	0.26	<0.5	12	12	13	3.46	<3	0.04					
1+00 NW 5+25 SW	Soil	44	0.1	1.61	<5	36	<2	0.15	<0.5	7	15	10	3.25	<3	0.03					
1+00 NW 5+50 SW	Soil	59	<0.1	1.72	<5	38	<2	0.17	<0.5	9	11	11	2.15	<3	0.03					
1+00 NW 5+75 SW	Soil	44	0.1	2.75	<5	67	<2	0.26	<0.5	13	20	21	3.43	<3	0.06					
1+00 NW 6+00 SW	Soil	96	0.2	3.86	<5	79	<2	0.17	<0.5	12	21	28	3.71	<3	0.05					
1+00 NW 6+25 SW	Soil	91	0.3	2.71	<5	85	<2	0.16	<0.5	10	15	19	3.88	<3	0.04					
1+00 NW 6+50 SW	Soil	57	<0.1	0.67	<5	22	<2	0.17	<0.5	5	10	4	1.56	<3	0.02					
1+00 NW 6+75 SW	Soil	44	<0.1	2.01	<5	85	<2	0.18	<0.5	4	15	12	2.66	<3	0.04					
1+00 NW 7+00 SW	Soil	47	<0.1	1.51	<5	41	<2	0.14	<0.5	8	12	9	2.50	<3	0.04					
1+00 NW 7+25 SW	Soil	57	0.1	2.98	<5	63	<2	0.17	<0.5	12	17	14	3.65	<3	0.05					
1+00 NW 7+50 SW	Soil	60	0.2	3.50	<5	36	<2	0.19	<0.5	12	17	44	8.48	<3	0.06					
1+00 NW 7+75 SW	Soil	79	<0.1	2.08	<5	51	<2	0.20	<0.5	7	11	13	3.75	<3	0.04					
1+00 NW 8+00 SW	Soil	77	0.3	4.65	<5	77	<2	0.26	<0.5	14	18	52	5.46	<3	0.07					
1+00 NW 8+25 SW	Soil	76	<0.1	3.08	8	82	<2	0.20	<0.5	20	11	46	6.01	<3	0.05					



#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

10-360-01898-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample	Sample	As	Sb	Al	Fe	Si	Mn	Cu	Zn	Co	Cd	Cr	Cu	Pb	Hg	...
Description	Type	μg/g	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		%	(1)	(0.0)	%	(0.0)	(2)	(0.0)	(0.5)	(1)	(0.0)	(1)	(1)	(0.0)	(3)	(0.0)
1+00 NW 1+50 SW	Soil	78	0.1	1.01	<5	88	<2	0.20	<0.5	12	13	24	4.21	<3	0.0	0.0
1+00 NW 1+75 SW	Soil	78	0.5	2.06	5	94	<2	0.23	<0.5	12	18	19	3.09	<3	0.0	0.0
1+00 NW 1+00 SW	Soil	441	0.3	4.00	9	67	<2	0.12	<0.5	12	17	43	5.10	<3	0.0	0.0
1+00 NW 1+25 SW	Soil	95	0.3	3.86	25	194	<2	0.18	<0.5	19	13	58	7.56	<3	0.0	0.0
1+00 NW 1+50 SW	Soil	107	0.0	5.02	68	183	<2	0.28	<0.5	36	36	68	6.58	<3	0.0	0.0
1+00 NW 1+75 SW	Soil	145	0.8	1.61	46	221	<3	0.20	<0.5	26	11	32	6.80	<3	0.0	0.0
1+00 NW 1+00 SW	Soil	175	0.6	3.18	62	304	<2	0.43	<0.5	24	14	41	5.65	<3	0.0	0.0
1+00 NW 1+25 SW	Soil	29	0.1	3.72	67	264	<2	0.41	<0.5	29	14	48	7.50	<3	0.0	0.0
1+00 NW 1+50 SW	Soil	<5	0.6	2.76	187	125	<2	0.25	<0.5	26	34	49	7.60	<3	0.0	0.0
1+00 NW 1+75 SW	Soil	837	0.5	3.05	58	152	<2	0.68	<0.5	29	34	43	6.48	<3	0.0	0.0
1+00 NW 1+00 SW	Soil	232	0.2	1.49	76	174	<2	0.54	<0.5	26	20	47	9.21	<3	0.0	0.0
1+00 NW 1+25 SW	Soil	167	0.8	3.61	<5	235	<2	0.77	<0.5	21	36	57	>10	<3	0.0	0.0
1+00 NW 1+50 SW	Soil	288	<0.1	2.99	40	138	<2	0.24	<0.5	15	13	18	7.00	<3	0.0	0.0
1+00 NW 1+75 SW	Soil	108	<0.1	5.10	103	142	<2	0.35	<0.5	29	21	52	>10	<3	0.0	0.0
1+00 NW 1+00 SW	Soil	152	<0.1	2.92	74	186	<3	0.43	<0.5	21	14	34	8.48	<3	0.0	0.0
1+00 NW 1+25 SW	Soil	8	<0.1	5.07	14	180	<2	0.22	<0.5	21	18	23	6.38	<3	0.0	0.0
1+00 NW 1+50 SW	Soil	95	<0.1	2.89	8	295	<2	0.64	<0.5	20	11	15	4.91	<3	0.0	0.0
1+00 NW 1+75 SW	Soil	<5	0.3	3.50	12	282	<2	0.31	<0.5	19	15	32	5.17	<3	0.0	0.0
1+00 NW 1+00 SW	Soil	68	<0.3	1.78	22	106	<2	0.44	<0.5	14	15	36	4.96	<3	0.0	0.0
1+00 NW 1+25 SW	Soil	43	0.3	5.26	9	80	<2	0.33	<0.5	18	12	31	4.55	<3	0.0	0.0
1+00 NW 1+50 SW	Soil	41	0.2	4.39	13	98	<2	0.24	<0.5	20	23	40	5.78	<3	0.0	0.0
1+00 NW 1+75 SW	Soil	27	<0.1	2.53	6	77	<2	0.17	<0.5	12	10	25	4.29	<3	0.0	0.0
1+00 NW 1+00 SW	Soil	91	<0.1	2.48	<5	75	<2	0.19	<0.5	11	11	19	4.66	<3	0.0	0.0
1+00 NW 1+25 SW	Soil	48	<0.1	1.51	<5	92	<2	0.16	<0.5	7	9	10	2.94	<3	0.0	0.0
1+00 NW 1+50 SW	Soil	77	0.2	2.51	<3	78	<2	0.89	<0.5	8	11	40	5.90	<3	0.0	0.0
1+00 NW 1+75 SW	Soil	56	<0.1	2.89	<5	81	<2	0.12	<0.5	9	13	41	1.61	<3	0.0	0.0
1+00 NW 1+00 SW	Soil	46	0.1	2.55	<5	94	<2	0.10	<0.5	16	13	27	3.10	<3	0.0	0.0
1+00 NW 1+25 SW	Soil	26	<0.1	2.16	<5	76	<2	0.14	<0.5	9	14	28	1.12	<3	0.0	0.0
1+00 NW 1+50 SW	Soil	56	0.4	3.13	9	147	4	0.17	<0.5	27	3	251	6.18	<3	0.0	0.0
1+00 NW 1+75 SW	Soil	49	<0.1	0.50	<5	189	<2	0.14	<0.5	14	16	39	5.25	<3	0.0	0.0
1+00 NW 1+00 SW	Soil	48	<0.1	5.40	<3	191	<2	0.16	<0.5	17	16	43	6.19	<3	0.0	0.0
1+00 NW 1+25 SW	Soil	80	<0.1	1.51	<5	253	<2	0.16	<0.5	19	15	27	6.20	<3	0.0	0.0
1+00 NW 1+50 SW	Soil	46	0.8	4.50	<5	329	<2	0.27	<0.5	16	23	21	4.86	<3	0.0	0.0
1+00 NW 1+75 SW	Soil	57	<0.1	1.42	8	430	<2	0.25	<0.5	10	79	31	6.50	<3	0.0	0.0
1+00 NW 1+00 SW	Soil	84	<0.1	1.84	<3	284	<2	0.32	<0.5	12	13	11	5.97	<3	0.0	0.0
1+00 NW 1+25 SW	Soil	36	<0.1	1.16	<3	132	<2	0.17	<0.5	12	34	23	5.74	<3	0.0	0.0

Data Page 4 of 12

Certificate of Analysis **10-360-01898-01**

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	La 30-AR-TR ppm	Sr 30-AR-TR %	Mn 30-AR-TR ppm	Mo 30-AR-TR ppm	Ni 30-AR-TR %	Co 30-AR-TR ppm	P 30-AR-TR ppm	Fe 30-AR-TR ppm	Al 30-AR-TR ppm	Si 30-AR-TR ppm	Ca 30-AR-TR ppm	Mg 30-AR-TR ppm	Ti 30-AR-TR %	Ti 30-AR-TR ppm	V 30-AR-TR ppm
RD 0-50	Soil	14	1.50	499	6	0.02	22	451	10	<2	10	30	0.10	<10	170	1
RD 0-50	Soil	12	1.23	538	2	0.01	18	906	5	<2	8	23	0.08	<10	181	
RD 0-75	Soil	7	0.81	809	3	0.01	17	2163	4	<2	3	15	0.02	<10	98	
RD 1-00	Soil	10	1.52	865	2	0.02	17	2143	<2	<2	10	21	0.13	<10	188	
RD 1-75	Soil	9	1.33	473	3	0.02	19	554	5	<2	7	27	0.08	<10	141	
RD 1-50	Soil	7	0.70	1528	2	0.01	10	646	4	<2	5	8	0.04	<10	112	
RD 1-75	Soil	14	1.64	558	4	0.02	23	774	2	<2	12	25	0.16	<10	200	
RD 2-00	Soil	13	1.68	982	5	0.02	20	1442	2	3	11	26	0.16	<10	197	
RD 2-25	Soil	11	1.05	379	3	0.02	15	902	3	<2	6	17	0.03	<10	113	
RD 2-50	Soil	16	1.34	845	4	0.02	18	1501	3	<2	8	28	0.15	<10	165	
RD 2-75	Soil	12	1.85	1362	4	0.03	18	992	3	<2	12	25	0.28	<10	199	
RD 3-00	Soil	12	1.47	472	7	0.02	23	516	2	<2	10	29	0.17	<10	166	
RD 3-25	Soil	13	1.49	460	8	0.02	25	819	2	<2	10	23	0.19	<10	173	
RD 3-50	Soil	14	1.46	1161	3	0.02	22	1994	<2	<2	8	80	0.13	<10	156	
RD 3-75	Soil	10	1.45	913	5	0.02	20	1055	63	<2	7	20	0.17	<10	155	
RD 4-00	Soil	8	1.03	686	2	0.02	10	549	13	<2	8	12	0.21	<10	129	
RD 4-25	Soil	11	1.45	1345	7	0.01	21	1161	<2	<2	9	19	0.18	<10	178	
RD 4-50	Soil	16	1.46	460	6	0.01	24	750	3	<2	12	13	0.20	<10	176	
RD 4-75	Soil	17	1.60	810	8	0.02	24	769	<2	<2	11	12	0.19	<10	179	
RD 5-00	Soil	16	1.52	543	10	0.02	18	830	<2	<2	12	24	0.19	<10	190	
RD 5-25	Soil	9	0.85	670	<1	0.02	7	1097	8	<2	6	10	0.14	<10	124	
RD 5-50	Soil	13	1.39	445	2	0.02	16	1102	3	<2	9	24	0.15	<10	169	
RD 5-75	Soil	9	1.18	471	1	0.02	17	1272	5	<2	7	18	0.20	<10	151	
RD 6-00	Soil	0	0.96	477	1	0.01	12	483	14	<2	4	18	0.08	<10	100	
RD 6-50	Soil	8	0.90	845	2	0.01	11	326	14	<2	6	16	0.30	<10	162	
RD 7-00	Soil	8	0.82	254	1	0.01	8	1049	11	<2	6	8	0.13	<10	91	
RD 7-50	Soil	11	1.64	1155	<1	0.03	10	2602	11	<2	8	26	0.16	<10	120	
RD 8-00	Soil	17	1.07	561	1	0.02	19	1040	13	<2	8	28	0.25	<10	159	
RD 8-50	Soil	9	0.73	1586	<1	0.02	11	1872	16	<2	4	24	0.60	<10	95	
RD 9-00	Soil	12	1.00	1528	<1	0.03	13	2635	16	<2	5	42	0.30	<10	128	
RD 9-50	Soil	20	1.26	772	1	0.01	11	1179	20	<2	10	88	0.10	<10	134	
RD 10-00	Soil	16	1.07	893	1	0.02	14	2653	20	<2	7	40	0.09	<10	125	
RD 10-50	Soil	16	0.83	1118	1	0.02	29	8866	16	<2	7	44	0.08	<10	123	
RD 11-00	Soil	14	1.23	803	1	0.01	28	1169	21	<2	7	22	0.12	<10	157	
RD 11-50	Soil	12	0.95	1857	3	0.02	23	3308	31	<2	6	15	0.15	<10	130	
RD 12-00	Soil	8	0.60	467	1	0.02	14	1290	13	<2	5	13	0.10	<10	100	
RD 12-50	Soil	13	0.84	544	5	0.02	19	1175	19	<2	8	15	0.14	<10	129	
RD 13-00	Soil	18	0.82	727	3	0.02	16	1994	12	<2	6	11	0.13	<10	113	
RD 13-50	Soil	10	0.69	385	1	0.01	11	202	10	<2	7	12	0.14	<10	83	
RD 14-00	Soil	11	0.40	697	1	0.01	10	706	8	<2	7	18	0.11	<10	84	

Certificate of Analysis

10-360-01898-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Li 70-AR-TR ppm	Mg 30-AR-TR %	Mn 30-AR-TR ppm	Mo 30-AR-TR ppm	Ni 30-AR-TR %	Na 30-AR-TR ppm	P 30-AR-TR ppm	Se 30-AR-TR ppm	Sb 30-AR-TR ppm	Si 30-AR-TR ppm	Ti 30-AR-TR ppm	V 30-AR-TR ppm
RD 14+50	Soil	9	0.81	502	1	0.01	62	430	11	<1	4	15	0.15
RD 15+00	Soil	9	0.86	483	1	0.01	13	255	6	<1	3	12	0.10
RD 15+50	Soil	8	0.82	391	1	0.01	9	264	9	<1	1	11	0.09
RD 16+00	Soil	11	0.85	606	<1	0.02	13	703	8	<1	4	17	0.12
RD 16+50	Soil	8	0.56	392	<1	0.01	11	1776	3	<1	3	12	0.07
RD 17+00	Soil	9	0.43	793	<1	0.02	8	320	15	<1	2	12	0.07
RD 17+50	Soil	9	0.41	362	<1	0.01	10	577	6	<1	3	14	0.09
RD 18+00	Soil	11	0.73	671	6	0.02	9	1968	7	<1	7	19	0.21
RD 18+50	Soil	8	0.87	670	<1	0.01	44	700	4	<1	2	11	0.08
RD 19+00	Soil	11	0.39	3475	6	0.02	30	1847	30	<1	20	23	0.17
RD 19+50	Soil	7	0.60	332	1	0.01	14	442	15	<1	3	16	0.13
RD 20+00	Soil	13	0.64	437	1	0.02	13	711	6	<1	3	14	0.11
RD 20+50	Soil	5	0.48	387	1	0.01	8	451	2	<1	2	10	0.12
RD 21+00	Soil	5	0.50	381	1	0.02	8	617	8	<1	3	10	0.09
RD 21+50	Soil	7	0.60	406	1	0.01	12	685	10	<1	3	12	0.09
RD 22+00	Soil	4	0.63	300	1	0.02	10	604	8	<1	3	17	0.12
RD 22+50	Soil	10	0.90	601	<1	0.03	12	1240	3	<1	4	13	0.09
RD 23+00	Soil	23	1.37	304	<1	0.02	16	678	24	<1	7	15	0.20
RD 23+50	Soil	4	1.03	480	<1	0.02	12	700	12	<1	4	18	0.09
RD 24+00	Soil	11	1.28	162	1	0.01	17	927	10	<1	6	12	0.18
RD 24+50	Soil	9	0.73	319	1	0.01	12	1892	8	<1	3	9	0.18
RD 25+00	Soil	7	0.71	377	1	0.01	10	1167	13	<1	3	7	0.13
RD 25+50	Soil	12	1.04	547	<1	0.02	18	2215	306	<1	8	12	0.12
RD 26+00	Soil	8	0.59	668	1	0.01	10	1733	12	<1	7	8	0.08
RD 26+50	Soil	8	0.80	1188	1	0.01	12	1071	13	<1	4	10	0.13
RD 27+00	Soil	12	1.09	784	<1	0.03	14	771	12	<1	3	20	0.12
RD 27+50	Soil	19	1.56	613	1	0.01	18	1436	7	<1	7	9	0.23
RD 28+00	Soil	9	1.11	1270	<1	0.02	13	1031	17	<1	4	15	0.08
RD 28+50	Soil	9	1.23	582	1	0.02	13	1024	19	<1	5	12	0.16
RD 29+00	Soil	10	1.39	674	3	0.01	16	1824	12	<1	4	11	0.15
2+76 NW 9+60 SW	Soil	10	1.00	666	<1	0.01	12	1851	8	<1	4	10	0.10
2+76 NW 9+25 SW	Soil	9	0.94	2392	<1	0.02	12	1688	12	<1	3	13	0.07
2+25 NW 9+50 SW	Soil	7	0.54	3242	2	0.02	14	1657	18	<1	2	17	0.06
2+25 NW 9+75 SW	Soil	6	0.30	850	<1	0.01	9	382	24	<1	3	28	0.12
2+25 NW 9+30 SW	Soil	6	0.45	1689	8	0.02	10	615	44	<1	3	19	0.08
2+25 NW 1+75 SW	Soil	7	0.81	1231	<1	0.03	20	941	21	<1	3	25	0.03
2+25 NW 2+00 SW	Soil	6	0.68	361	4	0.02	15	386	17	<1	3	19	0.12
2+25 NW 2+25 SW	Soil	9	0.60	307	3	0.02	11	206	31	<1	3	15	0.12
2+25 NW 2+50 SW	Soil	9	0.76	1995	4	0.02	19	1194	71	<1	3	12	0.16
2+25 NW 2+75 SW	Soil	10	0.91	821	3	0.03	17	704	11	<1	3	17	0.20

Data Page 6 of 12

Certificate of Analysis

10-360-01898-01

Homegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z4

Sample Description	Sample Type	14	Mn	Mg	Mo	Ni	Ni	P	Pb	Se	Se	Si	Si	Ti	Ti	V	
		30-AR-TR	10-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01				0.01		10						0.01			
2+25 NW 3+00 SW	Soil	3	0.59	158	1	0.02	11	326	13	<2	3	15	0.15	<10	85		
2+25 NW 3+25 SW	Soil	3	0.92	877	1	0.02	15	301	11	<2	4	16	0.16	<10	100		
2+25 NW 1+50 SW	Soil	5	0.51	258	<1	0.01	5	147	6	<2	2	8	0.09	<10	66		
2+25 NW 3+75 SW	Soil	5	0.68	348	<1	0.01	8	471	7	<2	3	8	0.06	<10	71		
2+25 NW 4+00 SW	Soil	6	0.60	622	<1	0.01	10	1581	5	<2	3	7	0.06	<10	14		
2+25 NW 4+25 SW	Soil	8	1.06	1332	3	0.02	25	971	12	<2	8	11	0.11	<10	120		
2+00 NW 4+50 SW	Soil	8	0.75	1967	<1	0.02	12	970	19	<2	5	15	0.17	<10	115		
2+00 NW 4+75 SW	Soil	8	1.12	1289	2	0.04	11	1737	11	<2	10	21	0.31	<10	140		
1+00 NW 0+00 SW	Soil	6	0.64	556	<1	0.01	10	530	9	<2	2	9	0.08	<10	70		
1+00 NW 0+25 SW	Soil	6	0.48	865	<1	0.01	8	542	10	<2	3	11	0.05	<10	62		
1+00 NW 0+50 SW	Soil	3	0.47	712	<1	0.01	7	1658	3	<2	2	11	0.05	<10	69		
1+00 NW 0+75 SW	Soil	6	0.48	541	1	0.01	9	1169	24	<2	2	8	0.09	<10	84		
1+00 NW 1+00 SW	Soil	5	0.33	462	<1	0.01	6	216	18	<2	1	8	0.05	<10	49		
1+00 NW 1+25 SW	Soil	3	0.01	50	<1	0.01	2	107	7	<2	1	8	0.03	<10	51		
1+00 NW 2+00 SW	Soil	13	0.49	305	3	0.01	9	319	12	<2	3	9	0.16	<10	92		
1+00 NW 2+25 SW	Soil	5	0.37	364	2	0.01	8	179	11	<2	2	14	0.13	<10	82		
1+00 NW 2+50 SW	Soil	8	0.41	243	2	0.01	7	228	10	<2	2	11	0.15	<10	97		
1+00 NW 3+75 SW	Soil	6	0.36	273	2	0.01	9	249	9	<2	2	17	0.18	<10	106		
1+00 NW 3+00 SW	Soil	13	0.76	3687	9	0.02	23	544	24	<2	3	29	0.34	<10	109		
1+00 NW 3+25 SW	Soil	9	0.53	383	2	0.02	15	444	10	<2	3	13	0.33	<10	117		
1+00 NW 3+50 SW	Soil	8	0.71	646	<1	0.01	13	1062	5	<2	4	10	0.07	<10	99		
1+00 NW 3+75 SW	Soil	7	0.48	323	1	0.01	11	1796	8	<2	3	8	0.09	<10	83		
1+00 NW 4+00 SW	Soil	6	0.57	687	1	0.01	10	473	26	<2	3	11	0.10	<10	89		
1+00 NW 4+25 SW	Soil	7	0.64	581	2	0.01	15	304	8	<2	1	16	0.12	<10	105		
1+00 NW 4+50 SW	Soil	4	0.38	210	<1	0.01	4	195	9	<2	2	5	0.06	<10	52		
1+00 NW 4+75 SW	Soil	5	0.47	636	<1	0.01	7	910	7	<2	2	9	0.07	<10	78		
1+00 NW 5+00 SW	Soil	6	0.59	485	1	0.02	8	842	5	<2	1	12	0.21	<10	88		
1+00 NW 5+25 SW	Soil	5	0.17	570	<1	0.01	7	351	8	<2	2	10	0.18	<10	74		
1+00 NW 5+50 SW	Soil	5	0.59	322	1	0.02	7	213	4	<2	2	16	0.23	<10	63		
1+00 NW 5+75 SW	Soil	7	0.71	556	<1	0.01	12	707	8	<2	4	18	0.14	<10	105		
1+00 NW 6+00 SW	Soil	9	0.65	541	<1	0.02	12	1051	5	<2	4	11	0.13	<10	95		
1+00 NW 6+25 SW	Soil	8	0.55	836	1	0.01	8	636	9	<2	1	12	0.16	<10	87		
1+00 NW 6+50 SW	Soil	5	0.23	192	1	0.01	4	191	4	<2	2	10	0.14	<10	58		
1+00 NW 6+75 SW	Soil	6	0.49	1503	<1	0.02	7	502	7	<2	3	11	0.13	<10	71		
1+00 NW 7+00 SW	Soil	7	0.46	291	<1	0.01	6	321	6	<2	2	9	0.10	<10	61		
1+00 NW 7+25 SW	Soil	6	0.72	656	1	0.01	10	795	6	<2	1	11	0.15	<10	90		
1+00 NW 7+50 SW	Soil	7	0.80	1803	3	0.02	11	797	27	<2	3	14	0.15	<10	110		
1+00 NW 7+75 SW	Soil	6	0.65	224	1	0.02	6	401	5	<2	4	12	0.15	<10	124		
1+00 NW 8+00 SW	Soil	10	1.09	592	4	0.02	17	140	7	<2	5	16	0.20	<10	130		
1+00 NW 8+25 SW	Soil	12	1.26	491	5	0.02	10	848	7	<2	6	17	0.21	<10	140		

Data Page 7 of 12

Certificate of Analysis

10-360-01898-01

Homegold Resources
 Unit 5, 2330 Tynes Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	Ca 30-AR-TR ppm	Mg 30-AR-TR %	Mn 30-AR-TR ppm	Fe 30-AR-TR ppm	Na 30-AR-TR %	K 30-AR-TR ppm	P 30-AR-TR ppm	Pb 30-AR-TR ppm	Al 30-AR-TR ppm	Si 30-AR-TR ppm	Sr 30-AR-TR ppm	Se 30-AR-TR ppm	Sc 30-AR-TR ppm	Ti 30-AR-TR ppm	U 30-AR-TR ppm	V 30-AR-TR ppm
1+00 NW 8+50 SW	Soil	8	0.75	623	3	0.01	10	488	6	<2	3	15	0.16	<10	82		
1+00 NW 8+75 SW	Soil	7	0.59	469	<3	0.02	10	765	7	<2	3	15	0.10	<10	82		
1+00 NW 9+00 SW	Soil	8	0.90	507	<3	0.01	14	2047	12	<2	3	11	0.10	<10	96		
1+00 NW 9+25 SW	Soil	9	1.06	514	<3	0.02	12	4642	30	<2	6	17	0.16	<10	126		
1+00 NW 9+50 SW	Soil	11	0.99	1857	<3	0.02	27	3847	33	<2	6	54	0.13	<10	134		
1+00 NW 10+00 SW	Soil	8	0.89	7245	<3	0.02	11	2298	15	<2	6	33	0.10	<10	103		
1+00 NW 10+25 SW	Soil	9	0.77	8325	<3	0.02	18	1736	39	<2	4	76	0.06	<10	96		
1+00 NW 10+50 SW	Soil	9	0.86	6826	<3	0.02	16	2525	54	<2	6	60	0.06	<10	98		
1+00 NW 10+75 SW	Soil	10	0.57	3679	<3	0.02	14	1778	21	<2	4	44	0.03	<10	84		
1+00 NW 11+00 SW	Soil	11	0.47	6958	<3	0.03	13	1734	37	<2	2	71	0.04	<10	88		
1+00 NW 11+25 SW	Soil	15	0.38	1993	3	0.03	20	1875	16	<2	6	72	0.02	<10	116		
1+00 NW 11+50 SW	Soil	15	0.38	4014	<3	0.03	21	1684	42	<2	5	92	0.02	<10	94		
1+00 NW 11+75 SW	Soil	8	0.70	980	<3	0.02	11	940	9	<2	4	37	0.03	<10	83		
1+00 NW 12+00 SW	Soil	14	1.43	1842	3	0.03	34	1540	21	<2	6	58	0.10	<10	116		
1+00 NW 12+25 SW	Soil	8	0.91	2374	<3	0.02	13	897	12	<2	4	42	0.09	<10	86		
1+00 NW 12+50 SW	Soil	8	0.69	2298	<3	0.02	13	1242	13	<2	4	36	0.08	<10	91		
1+00 NW 12+75 SW	Soil	8	1.24	6103	<3	0.03	9	968	21	<2	6	59	0.18	<10	118		
1+00 NW 13+00 SW	Soil	9	1.21	2724	<3	0.02	12	2198	9	<2	5	49	0.10	<10	116		
1+00 NW 13+25 SW	Soil	9	1.14	859	<3	0.03	10	1197	18	<2	4	29	0.16	<10	112		
1+00 NW 13+50 SW	Soil	9	1.16	507	3	0.03	10	854	12	<2	3	22	0.16	<10	107		
1+00 NW 13+75 SW	Soil	10	1.30	509	<3	0.02	18	619	6	<2	3	19	0.17	<10	129		
1+00 NW 14+00 SW	Soil	8	0.90	371	<3	0.01	8	512	6	<2	4	11	0.16	<10	98		
1+00 NW 14+25 SW	Soil	6	0.95	436	<3	0.01	8	1134	7	<2	3	11	0.10	<10	90		
1+00 NW 14+50 SW	Soil	8	0.48	1568	<3	0.01	8	1317	12	<2	3	8	0.08	<10	62		
1+00 NW 14+75 SW	Soil	6	0.56	334	3	0.01	5	681	8	<2	2	7	0.07	<10	87		
1+00 NW 15+00 SW	Soil	5	0.75	463	3	0.01	9	611	6	<2	3	8	0.08	<10	78		
1+00 NW 15+25 SW	Soil	5	0.68	1364	3	0.01	9	685	9	<2	2	8	0.10	<10	72		
1+00 NW 15+50 SW	Soil	7	0.64	422	3	0.01	9	590	7	<2	3	11	0.09	<10	79		
1+00 NW 15+75 SW	Soil	9	1.21	833	3	0.02	8	1319	186	<2	4	13	0.17	<10	97		
1+00 NW 16+00 SW	Soil	10	1.16	457	<3	0.01	14	1648	4	<2	3	18	0.12	<10	134		
1+00 NW 16+25 SW	Soil	11	1.40	546	3	0.01	17	963	<2	<2	6	26	0.14	<10	152		
1+00 NW 16+50 SW	Soil	11	1.18	1503	<3	0.01	12	1805	7	<2	6	19	0.17	<10	134		
1+00 NW 16+75 SW	Soil	8	1.28	363	2	0.02	35	441	3	<2	6	23	0.23	<10	147		
1+00 NW 17+00 SW	Soil	11	2.32	803	<3	0.02	14	1978	5	<2	16	32	0.44	<10	231		
1+00 NW 17+25 SW	Soil	8	0.98	1481	<3	0.03	6	236	8	<2	6	27	0.09	<10	115		
1+00 NW 17+50 SW	Soil	7	1.39	391	<3	0.02	14	1316	9	<2	6	18	0.16	<10	140		



Certificate of Analysis **10-360-01898-01**

Homegold Resources
 Unit 5, 2336 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	W 30-AR-TR ppm Zn	Zn 30-AR-TR ppm Zn	Zn 30-AR-TR ppm Zn
RD 14-50	Soil	<10	73	<1
RD 15-00	Soil	<10	99	<1
RD 15-50	Soil	<10	64	<1
RD 16-00	Soil	<10	92	<1
RD 16-50	Soil	<10	102	<1
RD 17-00	Soil	<10	64	<1
RD 17-50	Soil	<10	86	<1
RD 18-00	Soil	<10	129	<1
RD 18-50	Soil	<10	187	<1
RD 19-00	Soil	<10	248	<1
RD 19-50	Soil	<10	118	<1
RD 20-00	Soil	<10	103	<1
RD 20-50	Soil	<10	132	<1
RD 21-00	Soil	<10	77	<1
RD 21-50	Soil	<10	125	<1
RD 22-00	Soil	<10	81	<1
RD 22-50	Soil	<10	96	<1
RD 23-00	Soil	<10	106	<1
RD 23-50	Soil	<10	81	<1
RD 24-00	Soil	<10	133	2
RD 24-50	Soil	<10	110	16
RD 25-00	Soil	<10	86	1
RD 25-50	Soil	<10	194	1
RD 26-00	Soil	<10	115	<1
RD 26-50	Soil	<10	108	<1
RD 27-00	Soil	<10	104	<1
RD 27-50	Soil	<10	189	1
RD 28-00	Soil	<10	115	<1
RD 28-50	Soil	<10	161	1
RD 29-00	Soil	<10	160	<1
2+75 NW 9+00 SW	Soil	<10	102	<1
2+75 NW 9+25 SW	Soil	<10	149	<1
2+25 NW 9+70 SW	Soil	<10	314	<1
2+25 NW 9+75 SW	Soil	<10	150	<1
2+25 NW 1+40 SW	Soil	<10	322	<1
2+25 NW 1+75 SW	Soil	<10	127	<1
2+25 NW 2+00 SW	Soil	<10	95	<1
2+25 NW 2+25 SW	Soil	<10	106	<1
2+25 NW 2+50 SW	Soil	<10	180	<1
2+25 NW 2+75 SW	Soil	<10	139	<1

Data Page 10 of 12



Certificate of Analysis 10-360-01898-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	W 30-AR-TR ppm 10	Zn 30-AR-TR ppm 7	Pb 30-AR-TR ppm 2
2+25 NW 3+00 SW	Soil	<10	209	<2
2+25 NW 3+25 SW	Soil	<10	208	<2
2+25 NW 3+50 SW	Soil	<10	96	<2
2+25 NW 3+75 SW	Soil	<10	122	<2
2+25 NW 4+00 SW	Soil	<10	130	<2
2+25 NW 4+25 SW	Soil	<10	422	<2
2+00 NW 4+50 SW	Soil	<10	528	<2
2+00 NW 4+75 SW	Soil	<10	629	<2
1+00 NW 0+00 SW	Soil	<10	110	<2
1+00 NW 0+25 SW	Soil	<10	79	<2
1+00 NW 0+50 SW	Soil	<10	94	<2
1+00 NW 0+75 SW	Soil	<10	112	<2
1+00 NW 1+00 SW	Soil	<10	71	<2
1+00 NW 1+25 SW	Soil	<10	18	<2
1+00 NW 2+00 SW	Soil	<10	71	<2
1+00 NW 2+25 SW	Soil	<10	60	<2
1+00 NW 2+50 SW	Soil	<10	61	<2
1+00 NW 2+75 SW	Soil	<10	81	<2
1+00 NW 3+00 SW	Soil	<10	139	<2
1+00 NW 3+25 SW	Soil	<10	138	<2
1+00 NW 3+50 SW	Soil	<10	190	<2
1+00 NW 3+75 SW	Soil	<10	149	<2
1+00 NW 4+00 SW	Soil	<10	162	<2
1+00 NW 4+25 SW	Soil	<10	197	<2
1+00 NW 4+50 SW	Soil	<10	46	<2
1+00 NW 4+75 SW	Soil	<10	109	<2
1+00 NW 5+00 SW	Soil	<10	336	<2
1+00 NW 5+25 SW	Soil	<10	105	<2
1+00 NW 5+50 SW	Soil	<10	120	<2
1+00 NW 5+75 SW	Soil	<10	184	<2
1+00 NW 6+00 SW	Soil	<10	190	<2
1+00 NW 6+25 SW	Soil	<10	115	<2
1+00 NW 6+50 SW	Soil	<10	32	<2
1+00 NW 6+75 SW	Soil	<10	111	<2
1+00 NW 7+00 SW	Soil	<10	123	<2
1+00 NW 7+25 SW	Soil	<10	173	<2
1+00 NW 7+50 SW	Soil	<10	134	<2
1+00 NW 7+75 SW	Soil	<10	122	<2
1+00 NW 8+00 SW	Soil	<10	177	<2
1+00 NW 8+25 SW	Soil	<10	188	<2

Data Page 11 of 12



#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

10-360-01898-01

Hemgold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	W 10-AR-TB ppm 10	Zn 10-AR-TB ppm 1	Zr 10-AR-TB ppm 1
1+00 NW 8+50 SW	Soil	<10	648	<2
1+00 NW 8+75 SW	Soil	<10	265	<2
1+00 NW 9+00 SW	Soil	<10	173	<2
1+00 NW 9+25 SW	Soil	<10	341	<2
1+00 NW 9+50 SW	Soil	<10	488	<2
1+00 NW 10+00 SW	Soil	<10	310	<2
1+00 NW 10+25 SW	Soil	<10	193	<2
1+00 NW 10+50 SW	Soil	<10	289	<2
1+00 NW 10+75 SW	Soil	<10	198	<2
1+00 NW 11+00 SW	Soil	<10	138	<2
1+00 NW 11+25 SW	Soil	<10	328	<2
1+00 NW 11+50 SW	Soil	<10	214	<2
1+00 NW 11+75 SW	Soil	<10	197	<2
1+00 NW 12+00 SW	Soil	<10	212	<2
1+00 NW 12+25 SW	Soil	<10	256	<2
1+00 NW 12+50 SW	Soil	<10	253	<2
1+00 NW 12+75 SW	Soil	<10	331	<2
1+00 NW 13+00 SW	Soil	<10	240	<2
1+00 NW 13+25 SW	Soil	<10	116	<2
1+00 NW 13+50 SW	Soil	<10	131	<2
1+00 NW 13+75 SW	Soil	<10	187	<2
1+00 NW 14+00 SW	Soil	<10	199	<2
1+00 NW 14+25 SW	Soil	<10	221	<2
1+00 NW 14+50 SW	Soil	<10	129	<2
1+00 NW 14+75 SW	Soil	<10	206	<2
1+00 NW 15+00 SW	Soil	<10	196	<2
1+00 NW 15+25 SW	Soil	<10	169	<2
1+00 NW 15+50 SW	Soil	<10	121	<2
1+00 NW 15+75 SW	Soil	17	367	<2
1+00 NW 16+00 SW	Soil	<10	147	<2
1+00 NW 16+25 SW	Soil	<10	159	<2
1+00 NW 16+50 SW	Soil	<10	220	<2
1+00 NW 16+75 SW	Soil	<10	278	<2
1+00 NW 17+00 SW	Soil	<10	258	<2
1+00 NW 17+25 SW	Soil	<10	149	<2
1+00 NW 17+50 SW	Soil	<10	162	<2

Data Page 12 of 12



Certificate of Analysis 10-360-01898-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	As	Ag	Al	Ar	Ba	Ba	Ca	Ca	Co	Cu	Cr	Fe	Fe	Fe	Fe
		As-LAY-AA	Ag-AR-TR	Al-AR-TR	Ar-AR-TR	Ba-AR-TR	Ba-AR-TR	Ca-AR-TR	Ca-AR-TR	Co-AR-TR	Cu-AR-TR	Cr-AR-TR	Fe-AR-TR	Fe-AR-TR	Fe-AR-TR	Fe-AR-TR
		ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%	%
RD 0-00	Soil	26	0.3	3.73	6	210	<2	0.26	<0.5	18	39	125	5.22	<3	<3	0.10
RD 0-00 Dip		23														
STD-SE-1 expected		480														
STD-SE-1 result		491														
RD 4-50	Soil	6	0.4	3.94	8	124	<2	0.89	<0.5	27	23	94	6.12	<3	<3	0.09
RD 4-50 Dip		10														
QCV1006-0011-0004-BLK		<5														
RD 5-25	Soil	19	0.4	2.49	<5	82	<2	0.14	<0.5	20	10	46	5.82	<3	<3	0.04
RD 5-25 Dip		16														
STD-ON-67 expected		1817														
STD-ON-67 result		1924														
RD 13-00	Soil	92	0.4	3.94	9	87	<2	0.18	<0.5	23	22	80	3.76	<3	<3	0.13
RD 13-00 Dip		194														
QCV1006-0011-0008-BLK		8														
RD 14-50	Soil	16	<0.1	2.57	11	85	<2	0.16	<0.5	17	19	40	1.23	<3	<3	0.09
RD 14-50 Dip		12														
STD-SE-1 expected		480														
STD-SE-1 result		492														
RD 23-00	Soil	98	1.0	4.32	14	76	<2	0.50	<0.5	18	24	68	4.82	<3	<3	0.10
RD 23-00 Dip		97														
QCV1006-0011-0012-BLK		6														
RD 24-50	Soil	45	0.5	3.73	17	48	<2	0.10	<0.5	11	25	33	4.32	<3	<3	0.04
RD 24-50 Dip		14														
STD-SE-1 expected		486														
STD-SE-1 result		493														
2-25 NW 2-25 SW	Soil	35	<0.1	2.42	17	46	<2	0.36	<0.5	14	19	12	3.41	<3	<3	0.07
2-25 NW 2-25 SW Dip		27														
QCV1006-0011-0014-BLK		7														
2-25 NW 3-00 SW	Soil	74	<0.1	2.12	<5	78	<2	0.33	<0.5	14	20	18	3.57	<3	<3	0.05
2-25 NW 3-00 SW Dip		<5														
STD-SE-1 expected		480														
STD-SE-1 result		492														
1-00 NW 2-75 SW	Soil	34	<0.1	2.12	6	48	<2	0.28	<0.5	11	17	16	4.04	<3	<3	0.06
1-00 NW 2-75 SW Dip		29														
QCV1006-0011-0020-BLK		6														
1-00 NW 3-50 SW	Soil	<5	<0.1	2.34	10	74	<2	0.18	<0.5	11	23	23	3.67	<3	<3	0.08
1-00 NW 3-50 SW Dip		38														
STD-ON-67 expected		1817														
STD-ON-67 result		1881														
1-00 NW 7-75 SW	Soil	79	<0.1	2.08	<5	51	<2	0.20	<0.5	7	9	13	3.18	<3	<3	0.04
1-00 NW 7-75 SW Dip		40														

QC Data Page 1 of 7

Certificate of Analysis

10-360-01898-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	As (AT-AA) ppb	As ppm	As %	As ppm	As %	As ppm	As %	As ppm	As %	As ppm	As %	As ppm	As %	As ppm	As %
QCV1000-001 (1-00) BULK		<5														
1+00 NW 8+50 SW	Soil	74	0.1	1.03	<5	88	<2	0.20	<0.5	12	13	24	4.23	<3	0.05	
1+00 NW 8+50 SW Dup		71														
STD-SE-1 expected		480														
STD-SE-1 result		914														
1+00 NW 13+00 SW	Soil	<5	0.3	1.94	12	252	<2	0.31	<0.4	19	15	32	5.17	<3	0.03	
1+00 NW 13+00 SW Dup		80														
QCV1000-001 (1-00) BULK		7														
1+00 NW 13+75 SW	Soil	41	0.2	4.39	15	98	<2	0.24	<0.5	20	23	40	5.78	<3	0.11	
1+00 NW 13+75 SW Dup		127														
STD-OS-67 expected		1612														
STD-OS-67 result		1847														
QCV1000-001 (1-00) BULK		9														
STD-OS-67 expected		1817														
STD-OS-67 result		1669														
QCV1000-001 (2-00) BULK																
RD 0+00	Soil	26	0.3	3.73	0	239	<2	0.28	<0.5	18	19	123	5.22	<3	0.10	
RD 0+00 Dup		0.4	3.73	0	229	<2	0.26	<0.5	18	18	123	5.22	<3	0.10		
STD-DS-1 expected		0.5	4.48	6930	223					10	27	82				
STD-DS-1 result		0.3	0.38	7638	22			7.33	<0.5	10	21	39	3.23	102	0.11	
RD 4+175	Soil	11	<0.1	5.85	<5	390	<2	0.12	<0.3	26	23	101	5.91	<3	0.29	
RD 4+175 Dup		<0.1	5.85	<5	389	<2	0.13	<0.3	25	23	101	5.93	<3	0.29		
STD-ME-8 expected		61.7										1030				
STD-ME-8 result		58.3	0.86	2880	18	2	7.42	129.7	14	16	1066	3.82	1	0.09		
RD 13+00	Soil	92	0.8	5.94	0	87	<2	0.18	<0.5	25	22	90	3.36	<3	0.11	
RD 13+00 Dup		0.8	6.00	0	87	<2	0.18	<0.5	25	22	90	3.36	<3	0.11		
RD 14+00	Soil	11	<0.1	2.41	<5	51	<2	0.13	<0.5	13	16	30	2.81	<3	0.04	
RD 14+00 Dup		<0.1	2.39	<5	49	<2	0.14	<0.5	13	16	30	2.80	<3	0.04		
STD-DS-1 expected		0.5	4.48	6930	223					10	27	82				
STD-DS-1 result		0.4	0.45	7833	34	4	7.42	<0.5	9	23	28	3.36	98	0.13		
RD 22+50	Soil	43	0.1	5.20	12	56	<2	0.23	<0.5	13	18	17	4.09	<3	0.05	
RD 22+50 Dup		0.1	5.19	12	55	<2	0.23	<0.5	13	19	17	4.09	<3	0.05		
STD-ME-8 expected		61.7										1030				
STD-ME-8 result		57.2	0.87	2972	18	2	7.72	116.8	13	15	992	3.91	1	0.09		
2+25 NW 1+75 SW	Soil	85	0.3	2.00	147	84	2	0.43	<0.3	25	20	43	4.48	<3	0.06	
2+25 NW 1+75 SW Dup		0.3	2.09	146	64	<2	0.41	<0.3	25	20	44	4.51	<3	0.06		
2+25 NW 2+50 SW	Soil	<3	0.3	5.50	36	60	<2	0.19	<0.5	25	20	37	5.60	<3	0.08	
2+25 NW 2+50 SW Dup		0.3	5.51	36	60	<2	0.19	<0.5	24	10	38	5.60	<3	0.08		
STD-DS-1 expected		0.5	4.48	6930	223					10	27	82				
STD-DS-1 result		0.3	0.35	7655	26	<2	7.40	<0.5	9	20	27	3.23	93	0.10		

QC Data Page 2 of 7



6200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

10-360-01898-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	As-Is-TCL-AA ppb	Ag NO-AR-TH ppm	As NO-AR-TH ppm	Cd NO-AR-TH %	Hg NO-AR-TH ppm	Mn NO-AR-TH ppm	Pb NO-AR-TH %	Cu NO-AR-TH ppm	Tl NO-AR-TH ppm	Co NO-AR-TH ppm	Cr NO-AR-TH ppm	Cu NO-AR-TH ppm	Pb NO-AR-TH %	Hg NO-AR-TH ppm	V NO-AR-TH ppm
1+00 NW 2+00 SW	Soil	36	0.3	2.99	18	58	<2	0.38	<0.5	13	29	54	4.00	<3	0.6	7
STD-ME-8 expected			0.3	3.00	17	58	<2	0.38	<0.5	11	29	54	4.01	<3	0.6	7
STD-ME-8 result			0.17									(100)				
1+00 NW 4+75 SW	Soil	44	<0.3	2.01	<5	65	<2	0.38	<0.5	9	15	12	2.66	<3	0.6	6.0
STD-ME-8 expected			<0.3	2.01	<5	65	<2	0.38	<0.5	9	15	12	2.66	<3	0.6	6.0
STD-ME-8 result			0.5	4.48	8930	321				10		27		82		
1+00 NW 6+75 SW Day	Soil	79	<0.3	2.01	<5	51	<2	0.20	<0.5	7	9	13	3.75	<3	0.6	3.0
STD-ME-8 expected			<0.3	2.01	<5	51	<2	0.20	<0.5	7	9	13	3.75	<3	0.6	3.0
STD-ME-8 result			0.3	0.42	7666	32	<2	7.20	<0.5	8	23	26	3.39	88	0.1	
1+00 NW 11+75 SW	Soil	288	<0.3	2.99	40	138	<2	0.28	<0.5	15	13	18	7.00	<3	0.6	3.0
STD-ME-8 expected			<0.3	3.01	39	140	<2	0.28	<0.5	15	14	19	7.00	<3	0.6	3.0
STD-ME-8 result			0.17									(100)				
1+00 NW 16+00 SW	Soil	89	<0.3	3.31	<5	253	<2	0.36	<0.5	19	15	27	6.20	<3	0.6	9.0
STD-ME-8 expected			<0.3	3.40	<5	243	<2	0.36	<0.5	18	14	26	6.19	<3	0.6	9.0
STD-ME-8 result			0.5	4.48	6930	221				10		27		82		
1+00 NW 16+50 SW Day	Soil	89	<0.3	3.31	<5	253	<2	0.36	<0.5	19	15	27	6.20	<3	0.6	9.0
STD-ME-8 expected			<0.3	3.40	<5	243	<2	0.36	<0.5	18	14	26	6.19	<3	0.6	9.0
STD-ME-8 result			0.5	4.48	6930	221				10		27		82		
OCV (0000001) 14003-BK			<0.3	<0.01	<5	<10	<2	<0.01	<0.5	31	<3	<3	<3	<3	<0.01	<3
STD-ME-8 expected			0.17									(100)				
STD-ME-8 result			55.5	0.77	2887	32	<2	7.34	113.7	13	31	1902	3.88	<3		

QC Data Page 3 of 7

Certificate of Analysis **10-360-01898-01**

Honegold Resources
 Unit 5, 2330 Tyner Street
 Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	As	Ag	Al	Fe	Ca	Na	P	K	Mg	S	Si	Ti	Zn	Cu	V
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
QC 1006-001 (10-000) BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1	<1
RD 0+00	Soil	14	1.50	499	6	0.02	22	451	10	<2	10	95	0.10	<10	<10	170
RD 0+00 Dip		14	1.51	499	6	0.02	21	449	10	<2	10	95	0.10	<10	<10	167
STD-D5-1 expected			2.76	437			49	340	14					20		
STD-D5-1 result		20	2.71	484	4	0.01	55	758	15	55	7	55	<0.01	<10	<10	117
RD 1+75	Soil	17	1.80	610	8	0.02	24	769	<2	<2	11	32	0.19	<10	<10	170
RD 1+75 Dip		17	1.80	611	7	0.02	25	769	3	<2	12	32	0.19	<10	<10	151
STD-ME-8 expected																
STD-ME-8 result		11	0.54	5243	2	0.04	20	679	>10000	45	3	264	0.03	<10	<10	46
RD 13+00	Soil	18	0.63	777	5	0.02	18	1904	12	<2	6	13	0.13	<10	<10	112
RD 13+00 Dip		20	0.63	725	5	0.02	16	2039	12	5	6	12	0.13	<10	<10	113
RD 14+00	Soil	11	0.49	507	1	0.01	10	706	6	<2	3	10	0.11	<10	<10	84
RD 14+00 Dip		10	0.44	595	1	0.01	9	695	5	<2	5	10	0.11	<10	<10	91
STD-D8-1 expected			2.76	437			49	340	14					20		
STD-D8-1 result		19	2.74	460	3	0.01	53	749	9	89	7	56	<0.01	<10	<10	118
RD 22+50	Soil	10	0.90	691	<1	0.01	12	1540	8	<2	4	12	0.09	<10	<10	93
RD 22+50 Dip		10	0.89	689	<1	0.01	12	1540	8	<2	4	12	0.09	<10	<10	94
STD-ME-8 expected																
STD-ME-8 result		10	0.57	5157	2	0.04	28	620	>10000	49	3	248	0.05	<10	<10	46
2+25 NW 1+75 SW	Soil	3	0.81	1231	<1	0.01	24	941	21	<2	3	25	0.03	<10	<10	56
2+25 NW 1+75 SW Dip		7	0.81	1224	<1	0.01	25	941	21	<2	3	26	0.03	<10	<10	85
2+25 NW 3+50 SW	Soil	8	0.76	1095	4	0.02	18	1104	31	<2	3	12	0.16	<10	<10	133
2+25 NW 3+50 SW Dip		10	0.76	1020	5	0.02	19	1201	31	<2	3	15	0.16	<10	<10	137
STD-D8-1 expected			2.76	437			49	340	14					20		
STD-D8-1 result		17	2.66	455	3	0.01	51	528	11	78	6	53	<0.01	<10	<10	107
1+00 NW 2+00 SW	Soil	13	0.49	703	3	0.01	9	310	12	<2	3	9	0.16	<10	<10	92
1+00 NW 2+00 SW Dip		12	0.50	505	3	0.01	8	321	11	<2	3	9	0.16	<10	<10	82
STD-ME-8 expected																
STD-ME-8 result		11	0.53	5202	2	0.04	26	599	>10000	48	2	235	0.05	<10	<10	41
1+00 NW 6+75 SW	Soil	6	0.49	1003	<1	0.02	7	953	7	<2	3	11	0.13	<10	<10	71
1+00 NW 6+75 SW Dip		6	0.49	1499	<1	0.02	7	590	7	<2	3	11	0.13	<10	<10	73
1+00 NW 7+75 SW	Soil	6	0.65	224	1	0.02	6	401	8	<2	4	12	0.15	<10	<10	124
1+00 NW 7+75 SW Dip		6	0.65	224	1	0.02	6	401	8	<2	4	12	0.15	<10	<10	121
STD-D5-1 expected			2.76	437			49	340	14					20		
STD-D5-1 result		18	2.72	431	3	0.01	50	525	10	34	6	52	<0.01	<10	<10	102
1+00 NW 11+75 SW	Soil	8	0.70	989	<1	0.02	11	840	9	<2	4	37	0.05	<10	<10	83
1+00 NW 11+75 SW Dip		9	0.71	981	<1	0.02	11	840	9	<2	4	39	0.05	<10	<10	88
STD-ME-8 expected																
STD-ME-8 result		10	0.57	5209	2	0.04	27	599	>10000	46	3	229	0.04	<10	<10	43
1+00 NW 16+50 SW	Soil	11	1.18	1597	<1	0.01	12	1803	7	<2	6	19	0.17	<10	<10	134
1+00 NW 16+50 SW Dip		10	1.18	1405	<1	0.01	12	1795	7	<2	6	19	0.17	<10	<10	135

QC Data Page 4 of 7



4200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4Y5
Canada

Certificate of Analysis

10-360-01898-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	La ppm	Alp %	Ala ppm	Si ppm	Na %	Fe ppm	P ppm	Ca ppm	Sr ppm	Sc ppm	Y ppm	Zr ppm	Ti ppm	V ppm
STD-MS-1 expected		1	0.01	1	1	0.01	1	10	1	1	1	1	1	0.01	1
STD-MS-1 result		11	2.72	419	4	0.01	50	322	8	81	8	51	<0.01	<10	104
QC-V1006-MH12-ME3-BC		<2	<0.01	<3	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
STD-ME-8 expected								10400							
STD-ME-8 result		10	0.54	7303	1	0.04	26	610	<10000	46	2	239	0.03	<10	41

QC Data Page 5 of 7



Certificate of Analysis 10-360-01898-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	As Received ppm	As Received ppm	As Received ppm
DCV1000-00124001-BLR		<10	<2	<2
RD 0+00	Soil	<10	154	<2
RD 0+00 Dup		<10	153	<2
STD-DS-1 expected			206	
STD-DS-1 result		<10	217	3
RD 4+75	Soil	<10	112	<2
RD 4+75 Dup		<10	115	<2
STD-ME-8 expected			10200	
STD-ME-8 result		60	>10000	3
RD 13+00	Soil	<10	171	2
RD 13+00 Dup		<10	171	2
RD 14+00	Soil	<10	49	<2
RD 14+00 Dup		<10	49	<2
STD-DS-1 expected			206	
STD-DS-1 result		<10	219	3
RD 22+50	Soil	<10	96	<2
RD 22+50 Dup		<10	98	<2
STD-ME-8 expected			10200	
STD-ME-8 result		10	>10000	3
2+25 NW 1+75 SW	Soil	<10	127	<2
2+25 NW 1+75 SW Dup		<10	126	<2
2+25 NW 2+50 SW	Soil	<10	100	<2
2+25 NW 2+50 SW Dup		<10	101	<2
STD-DS-1 expected			206	
STD-DS-1 result		<10	211	2
1+00 NW 2+00 SW	Soil	<10	71	<2
1+00 NW 2+00 SW Dup		<10	73	<2
STD-ME-8 expected			10200	
STD-ME-8 result		10	>10000	3
1+00 NW 6+75 SW	Soil	<10	111	<2
1+00 NW 6+75 SW Dup		<10	110	<2
1+00 NW 7+75 SW	Soil	<10	122	<2
1+00 NW 7+75 SW Dup		<10	122	<2
STD-DS-1 expected			206	
STD-DS-1 result		<10	200	1
1+00 NW 11+75 SW	Soil	<10	197	<2
1+00 NW 11+75 SW Dup		<10	201	<2
STD-ME-8 expected			10200	
STD-ME-8 result		<10	>10000	3
1+00 NW 16+50 SW	Soil	<10	220	<2
1+00 NW 16+50 SW Dup		<10	220	<2

QC Data Page 6 of 7



Certificate of Analysis 10-360-01898-01

Homegold Resources
Unit 5, 2330 Tyner Street
Port Coquitlam, B.C. V3C 2Z1

Sample Description	Sample Type	W 36-AR-TR ppm %	Zn 36-AR-TR ppm %	Zr 36-AR-TR ppm %
STD-DS-1 expected			206	
STD-DS-1 result		<10	204	2
QC/1000-0012-002-BLK		<10	<2	<2
STD-ME-8 expected			10200	
STD-ME-8 result		<10	>10400	3

QC Data Page 7 of 7



Certificate# D6RS192
Client: Homegold Resources
Project: Eyerdon
Shipments#
PO#
No. of Samples: 76
Analysis #1: Au(FAAAS)
Analysis #2: ICP(AQ/R)2.0
Analysis #3:
Comment #1:
Comment #2:
Date in: Nov 03, 2008
Date Out: Nov 17, 2008

Sample Name	Sample Type	Wt Kg	As ppb	Ag ppm	Al ppm	Pb ppm	Cd ppm	Cu ppm	Fe ppm	Mn ppm	Hg ppm	Ni ppm	Pt ppm	Bi ppm	Co ppm	Cr ppm	
SMR 0+00	Soil	—	<0	<0.1	40	<0	127	39	Δ	Δ	<0	<1	<10	<0	<0.2	15	9
SMR 0+50	Soil	—	3	<0.1	91	<0	225	45	Δ	Δ	7	3	<10	<0	<0.2	21	16
SMR 1+00	Soil	—	10	<0.1	44	<0	845	25	Δ	Δ	6	5	<10	<0	<0.2	11	10
SMR 1+50	Soil	—	4	0.2	32	<0	198	24	Δ	Δ	8	<1	<10	<0	<0.2	13	9
SMR 2+00	Soil	—	5	<0.1	88	<0	185	101	Δ	Δ	7	2	<10	<0	<0.2	25	18
SPUR 0+00	Soil	—	46	0.5	65	Δ	335	127	Δ	Δ	5	<1	<10	3	<0.2	37	14
SPUR 1+00	Soil	—	42	0.5	94	<0	261	204	Δ	Δ	5	<1	<10	6	<0.2	29	11
SPUR 1+50	Soil	—	26	0.4	85	<0	238	185	Δ	Δ	5	<1	<10	5	<0.2	40	28
SPUR 2+00	Soil	—	<0	0.1	91	<0	189	282	Δ	Δ	1	<1	<10	7	<0.2	26	16
SPUR 3+00	Soil	—	50	0.6	63	20	188	47	Δ	Δ	6	<1	<10	<0	<0.2	26	8
SPUR 5+00	Soil	—	4	<0.1	98	<0	141	26	Δ	Δ	6	<1	<10	2	<0.2	19	12
BKM 0+00	Soil	—	8	<0.1	96	<0	34	26	Δ	Δ	8	<1	<10	<0	<0.2	14	10
BKM 0+50	Soil	—	<0	0.1	39	<0	75	42	Δ	Δ	6	<1	<10	3	<0.2	16	6
BKM 1+00	Soil	—	12	<0.1	40	<0	203	27	Δ	Δ	6	3	<10	<0	<0.2	20	11
BKM 1+50	Soil	—	<0	<0.1	26	<0	272	27	Δ	Δ	7	1	<10	<0	<0.2	13	9
BKM 2+00	Soil	—	42	<0.1	63	<0	234	39	Δ	Δ	9	2	<10	<0	<0.2	16	11
BKM 2+50	Soil	—	20	0.7	101	<0	138	49	Δ	Δ	5	1	<10	<0	<0.2	15	10
BKM 3+00	Soil	—	22	1.3	157	80	166	45	Δ	Δ	6	<1	<10	<0	<0.2	14	10
BKM 3+50	Soil	—	26	0.3	62	<0	381	106	Δ	Δ	5	<1	<10	3	<0.2	31	24
BKM 4+00	Soil	—	12	0.6	86	14	371	77	Δ	Δ	<0	<1	<10	2	<0.2	20	16
BKM 4+50	Soil	—	3	0.4	75	14	523	31	Δ	Δ	5	5	<10	<0	<0.2	13	11
BKM 5+00	Soil	—	<0	0.1	147	<0	664	31	Δ	Δ	5	4	<10	<0	<0.2	22	16
BKM 5+50	Soil	—	12	0.2	174	<0	292	41	Δ	Δ	5	5	<10	<0	<0.2	22	9
BKM 6+00	Soil	—	10	1.0	191	63	510	43	Δ	Δ	3	5	<10	3	<0.2	38	18
BKM 6+50	Soil	—	68	0.2	291	<0	728	261	Δ	Δ	3	13	<10	8	<0.2	61	6
BKM 7+00	Soil	—	17	0.2	39	<0	955	43	Δ	Δ	4	3	<10	<0	<0.2	16	15
BKM 7+50	Soil	—	14	0.2	46	<0	126	31	Δ	Δ	5	<1	<10	<0	<0.2	13	12
BKM 8+00	Soil	—	225	0.4	100	<0	353	131	Δ	Δ	4	<1	<10	3	<0.2	36	27
BKM 8+50	Soil	—	14	0.8	63	<0	354	47	Δ	Δ	5	<1	<10	<0	<0.2	17	16
BKM 9+00	Soil	—	14	0.4	152	32	998	41	Δ	Δ	6	3	<10	<0	<0.2	26	20
BKM 9+50	Soil	—	26	4.0	125	466	1567	48	Δ	Δ	5	8	<10	14	<0.2	22	18
BKM 10+00	Soil	—	6	<0.1	29	<0	278	42	Δ	Δ	5	2	<10	<0	<0.2	16	5

8KM 10+50	Soil	—	4	0.3	78	<2	486	39	<5	5	3	<10	<2	<0.2	11	8
8KM 11+00	Soil	—	38	0.2	231	<2	737	51	<5	4	6	<10	4	<0.2	23	12
8KM 11+50	Soil	—	28	0.4	164	213	402	38	<5	3	1	<10	5	<0.2	36	8
8KM 12+00	Soil	—	24	1.8	193	83	413	66	<5	3	23	<10	6	<0.2	21	28
8KM 12+50	Soil	—	12	1.7	146	163	194	58	<5	3	6	<10	7	<0.2	11	11
8KM 13+00	Soil	—	122	3.4	150	<2	270	408	<5	<3	17	<10	14	<0.2	45	89
8KM 13+50	Soil	—	34	2.2	214	441	300	111	<5	<3	1	<10	17	<0.2	9	2
8KM 14+00	Soil	—	30	2.7	241	288	318	87	<5	<3	2	<10	17	<0.2	10	2
8KM 14+50	Soil	—	32	2.0	188	304	255	84	<5	<3	2	<10	16	<0.2	8	<1
EV-08-01	Rock	1.4	16	0.6	20	8	122	36	<5	4	<1	<10	<2	<0.2	15	6
EV-08-02	Rock	2.5	8	<0.1	41	<2	75	12	<5	<3	<1	<10	<2	<0.2	10	<1
EV-08-03	Rock	1.8	12	<0.1	86	<2	89	19	<5	4	3	<10	<2	<0.2	12	1
EV-08-04	Rock	2.0	14	<0.1	30	<2	146	11	<5	3	3	<10	<2	<0.2	10	11
EV-08-05	Rock	1.7	12	<0.1	63	<2	88	10	<5	4	1	<10	<2	<0.2	35	<1
EV-08-06	Rock	1.8	<2	<0.1	58	<2	110	10	<5	<3	13	<10	<2	<0.2	13	<1
EV-08-07	Rock	1.7	5	<0.1	31	<2	130	18	<5	<3	28	<10	<2	<0.2	18	<1
EV-08-08	Rock	1.4	11	<0.1	165	<2	179	17	<5	<3	<1	<10	<2	<0.2	17	18
EV-08-09	Rock	1.7	88	<0.1	31	<2	47	<5	<5	5	311	<10	4	<0.2	2	<1
EV-08-10	Rock	1.5	80	<0.1	15	<2	27	<5	<5	4	284	<10	2	<0.2	2	<1
EV-08-11	Rock	1.7	131	<0.1	27	<2	89	16	<5	<3	15	<10	<2	<0.2	8	<1
EV-08-12	Rock	1.2	<2	<0.1	57	<2	111	15	<5	4	4	<10	<2	<0.2	15	2
EV-08-13	Rock	1.5	2	0.1	88	<2	66	6	<5	3	3	<10	<2	<0.2	12	1
EV-08-15	Rock	1.7	2	0.5	97	4	108	7	<5	<3	5	<10	<2	<0.2	13	<1
EV-08-16	Rock	1.7	<2	0.9	117	23	194	8	<5	5	2	<10	<2	<0.2	12	3
EV-08-17	Rock	1.7	11	0.3	39	<2	127	19	<5	<3	3	<10	<2	<0.2	14	17
EV-08-18	Rock	1.8	14	<0.1	49	<2	102	31	<5	<3	4	<10	<2	<0.2	18	<1
EV-08-19	Rock	1.7	8	0.1	52	<2	32	8	<5	<3	3	<10	<2	<0.2	11	<1
EV-08-20	Rock	1.7	<2	0.9	38	127	174	19	<5	4	<1	<10	<2	<0.2	10	2
EV-08-21	Rock	1.8	5	<0.1	37	<2	118	22	<5	4	6	<10	<2	<0.2	10	18
EV-08-22	Rock	1.5	18	0.7	186	<2	181	21	<5	<3	<1	<10	<2	<0.2	13	<1
EV-08-23	Rock	1.4	20	0.8	147	7	468	25	<5	<3	<1	<10	12	<0.2	13	1
EV-08-24	Rock	1.2	46	<0.1	33	<2	80	39	<5	<3	2	<10	3	<0.2	11	6
EV-08-25	Rock	3.0	58	<0.1	87	<2	102	13	<5	<3	<1	<10	<2	<0.2	18	5
EV-08-26	Rock	1.0	2	<0.1	55	<2	137	48	<5	3	<1	<10	<2	<0.2	15	7
EV-08-27	Rock	1.3	2	<0.1	34	<2	105	103	<5	4	5	<10	<2	<0.2	13	12
EV-08-28	Rock	1.6	78	0.9	91	<2	48	28	<5	<3	<1	<10	<2	<0.2	23	5
EV-08-29	Rock	1.8	269	4.8	823	<2	31	138	<5	3	<1	<10	7	<0.2	787	16
EV-08-30	Rock	1.8	38	0.4	53	<2	104	47	<5	<3	<1	<10	<2	<0.2	29	8
EV-08-31	Rock	1.0	<2	<0.1	12	<2	71	19	<5	3	<1	<10	<2	<0.2	15	<1
EV-08-32	Rock	1.5	2	<0.1	12	<2	54	12	<5	<3	<1	<10	<2	<0.2	10	<1
EV-08-33	Rock	1.2	8	<0.1	8	<2	54	14	<5	<3	<1	<10	<2	<0.2	9	<1
EV-08-34	Rock	1.1	5	<0.1	38	<2	140	32	<5	<3	<1	<10	<2	<0.2	16	<1
EV-08-35	Rock	1.3	177	8.7	1788	<2	8042	43	<5	<3	10	<10	<2	38.6	3	<1
EV-08-36	Rock	1.2	3	<0.1	48	<2	162	26	<5	3	<1	<10	9	<0.2	10	7
RE 8MR 0+00	Repeat	—	<2	<0.1	45	<2	126	29	<5	<3	<1	<10	<2	<0.2	15	9
RE 8KM 4+00	Repeat	—	4	0.8	87	13	275	75	<5	<3	<1	<10	2	<0.2	20	17
RE 8KM 14+00	Repeat	—	18	2.5	233	261	377	96	<5	<3	2	<10	17	<0.2	11	2
RE EV-08-19	Repeat	—	<2	<0.1	81	<2	32	8	<5	<3	3	<10	<2	<0.2	11	<1
Blank IPL	Blk IPL	—	<2	—	—	—	—	—	—	—	—	—	—	—	—	—
OX87	Std IPL	—	1816	—	—	—	—	—	—	—	—	—	—	—	—	—
OX87 REF	Std IPL	—	1817	—	—	—	—	—	—	—	—	—	—	—	—	—
Minimum detection		0.1	2	0.1	1	2	1	5	5	3	1	10	2	0.2	1	1
Maximum detection		9999	10000	100	10000	10000	10000	10000	2000	10000	1000	1000	2000	2000	10000	10000
Method		Spec	FAAAS	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

* Values highlighted (in yellow) are over the high detection limit for the corresponding methods. Other testing methods would be suggested. Please call for details.

Ba ppm	W ppm	Cr ppm	V ppm	Mn ppm	La ppm	Ce ppm	Zr ppm	Gd ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
62	<5	13	44	367	10	16	30	4	0.11	3.09	0.21	2.92	0.67	0.10	0.02	0.07
194	<5	19	59	890	5	18	62	5	0.12	3.84	0.19	4.05	0.73	0.11	0.02	0.14
48	<5	19	64	361	5	17	46	4	0.12	2.54	0.25	3.77	0.63	0.08	0.02	0.09
85	<5	19	73	384	5	14	43	4	0.11	2.70	0.20	3.49	0.57	0.05	0.02	0.11
208	<5	22	75	458	5	21	78	9	0.12	8.37	0.16	8.39	1.12	0.12	0.02	0.07
206	<5	14	73	1598	6	57	58	10	0.09	4.12	0.38	7.06	0.83	0.13	0.03	0.36
201	<5	11	64	2096	2	73	98	7	0.08	4.21	0.36	10.67	0.61	0.14	0.02	0.44
149	<5	15	80	1729	3	60	102	7	0.08	4.57	0.26	10.60	0.78	0.09	0.03	0.21
140	<5	12	59	835	3	86	117	8	0.06	4.60	0.42	12.17	0.84	0.09	0.02	0.26
37	<5	9	68	489	<2	9	74	6	0.15	7.31	0.54	8.18	0.52	0.03	0.01	0.11
227	<5	14	86	370	<2	40	66	8	0.14	5.46	0.27	5.42	1.21	0.07	0.02	0.08
49	<5	15	43	544	3	12	57	5	0.11	3.26	0.14	3.14	0.57	0.06	0.02	0.10
53	<5	12	28	1437	5	10	55	4	0.08	4.82	0.11	3.37	0.41	0.05	0.02	0.75
79	<5	15	52	286	7	17	54	4	0.15	3.84	0.20	3.28	0.55	0.05	0.02	0.05
80	<5	15	61	542	3	17	47	4	0.15	3.27	0.23	3.87	0.73	0.06	0.02	0.09
61	<5	19	63	332	4	15	58	5	0.16	4.22	0.19	4.44	0.73	0.07	0.02	0.12
84	<5	27	67	839	3	15	44	5	0.15	5.16	0.18	4.02	0.92	0.13	0.02	0.15
58	<5	15	48	322	<2	14	61	5	0.13	5.29	0.19	4.36	0.75	0.07	0.02	0.10
176	<5	17	55	1316	2	83	86	8	0.11	4.91	0.35	6.90	0.74	0.10	0.02	0.39
115	<5	13	88	486	3	17	72	7	0.11	5.18	0.13	6.47	0.93	0.09	0.01	0.11
110	<5	12	83	403	2	22	56	4	0.10	2.82	0.24	4.67	0.80	0.07	0.02	0.08
78	<5	16	82	310	3	18	66	5	0.21	3.88	0.21	5.33	1.00	0.06	0.03	0.05
200	<5	8	119	540	<2	66	77	9	0.25	5.04	0.43	7.32	1.65	0.13	0.09	0.11
130	<5	17	84	810	<2	28	94	5	0.20	4.77	0.26	7.91	0.95	0.08	0.06	0.23
392	<5	<1	<1	10640	10	14	184	11	0.04	3.25	0.09	16.82	0.27	0.09	0.01	0.19
127	<5	22	73	844	2	15	58	5	0.15	3.98	0.23	4.55	0.73	0.08	0.02	0.11
70	<5	20	64	408	3	12	47	5	0.12	3.23	0.17	4.08	0.68	0.08	0.02	0.09
194	<5	35	73	2213	3	23	74	8	0.10	3.83	0.34	6.34	0.89	0.13	0.03	0.42
130	<5	26	89	496	<2	18	38	5	0.10	2.84	0.20	4.41	0.76	0.09	0.02	0.22
99	<5	33	72	1644	4	16	61	5	0.13	3.15	0.21	4.96	0.68	0.09	0.03	0.08
100	<5	37	77	666	<2	12	84	3	0.15	3.34	0.17	7.12	0.43	0.08	0.02	0.15
143	<5	16	74	1372	<2	17	89	5	0.16	3.46	0.20	7.02	0.52	0.09	0.02	0.66

141	<5	13	70	808	2	14	81	8	0.16	3.45	0.13	7.72	0.84	0.08	0.03	0.34
137	<5	24	84	802	<2	17	87	7	0.14	3.30	0.23	7.00	0.81	0.09	0.03	0.21
161	<5	14	83	1678	<2	18	88	5	0.13	2.67	0.27	8.60	0.67	0.08	0.03	0.34
152	8	28	79	132	<2	27	86	6	0.20	4.67	0.21	8.04	0.85	0.10	0.02	0.29
82	<5	20	53	406	<2	32	120	4	0.10	3.12	0.22	13.98	0.77	0.08	0.05	0.18
80	14	111	117	1469	3	6	114	15	0.02	4.53	0.09	9.85	0.78	0.05	0.01	0.15
87	23	2	78	459	<2	29	136	9	0.11	3.80	0.14	14.60	0.87	0.11	0.02	0.17
97	20	5	83	800	<2	28	128	12	0.16	3.73	0.13	13.40	0.86	0.13	0.03	0.13
101	32	<1	87	636	<2	20	116	7	0.11	2.76	0.17	11.27	0.69	0.09	0.02	0.16
24	<5	34	82	488	<2	51	71	7	0.18	2.73	0.84	6.74	1.10	0.80	0.21	0.07
100	<5	38	89	396	<2	47	66	9	0.14	1.99	0.69	3.91	1.04	0.73	0.17	0.09
143	<5	31	89	302	<2	87	64	7	0.16	2.79	1.32	4.04	1.04	0.73	0.33	0.10
35	<5	41	26	344	<2	46	64	5	0.08	1.73	0.69	4.01	0.81	0.34	0.18	0.04
19	<5	19	141	601	<2	26	86	12	0.23	1.67	0.82	6.00	1.02	0.76	0.14	0.12
70	<5	33	87	898	<2	22	60	9	0.21	1.66	0.67	4.39	0.80	0.68	0.13	0.10
18	<5	35	72	760	<2	63	72	11	0.22	2.19	0.49	4.87	1.38	1.21	0.12	0.09
40	<5	20	164	678	<2	37	80	20	0.22	2.68	0.81	5.85	1.40	1.22	0.18	0.11
36	<5	120	14	47	<2	14	86	1	0.02	0.48	0.02	7.81	0.07	0.13	0.01	0.03
85	<5	114	11	31	<2	10	89	1	0.01	0.61	0.01	5.04	0.05	0.15	0.01	0.03
85	<5	48	22	644	2	54	34	6	0.14	2.68	0.89	3.63	0.80	0.83	0.25	0.07
37	<5	39	116	646	<2	28	72	18	0.24	2.66	0.49	6.30	1.27	1.39	0.19	0.07
56	<5	38	75	706	<2	13	41	8	0.19	1.16	0.68	3.69	0.89	0.07	0.10	0.10
39	<5	21	79	688	<2	14	60	9	0.18	0.88	0.68	4.36	0.66	0.08	0.11	0.11
19	<5	45	45	691	4	6	44	4	0.19	0.44	0.50	2.72	0.21	0.01	0.10	0.10
27	<5	51	30	411	<2	66	61	7	0.09	2.25	1.07	4.43	0.98	0.30	0.31	0.06
31	<5	37	111	668	<2	24	83	9	0.18	2.85	0.57	5.71	1.78	0.91	0.18	0.08
62	<5	36	75	394	<2	30	36	6	0.20	1.17	0.77	3.34	0.86	0.40	0.14	0.09
128	<5	48	60	447	<2	84	30	5	0.14	2.43	2.27	2.49	0.34	0.24	0.31	0.11
30	<5	62	64	466	<2	48	46	9	0.09	2.20	0.89	3.37	1.17	0.38	0.28	0.08
38	<5	21	70	532	<2	16	64	7	0.13	1.03	0.58	3.93	0.61	0.12	0.09	0.12
25	<5	44	61	325	3	18	64	6	0.14	0.83	0.85	3.30	0.38	0.08	0.10	0.10
43	<5	60	38	618	<2	182	63	19	0.12	4.63	2.71	4.19	1.08	0.36	0.47	0.09
44	<5	18	181	618	<2	7	77	14	0.16	1.77	0.39	6.65	1.06	0.39	0.08	0.10
30	<5	68	88	437	<2	133	64	16	0.11	4.42	2.28	6.66	1.07	0.66	0.47	0.12
28	<5	14	5	622	<2	78	46	2	0.06	2.00	0.44	3.88	1.23	0.18	0.13	0.05
17	<5	64	79	600	<2	10	76	6	0.13	1.70	1.06	7.31	1.04	0.08	0.02	0.06
18	<5	44	<1	1637	<2	7	109	<1	0.03	0.72	4.28	19.41	0.13	0.01	0.01	0.01
23	<5	44	121	747	<2	86	63	12	0.21	3.87	2.05	7.48	1.38	0.40	0.31	0.08
257	<5	35	87	337	<2	76	39	7	0.14	2.62	1.24	3.95	1.05	0.62	0.30	0.10
144	<5	63	81	266	2	91	43	3	0.09	1.80	1.18	2.67	0.86	0.26	0.21	0.10
58	<5	31	35	360	<2	38	33	3	0.14	1.67	1.13	2.86	0.84	0.17	0.10	0.10
218	<5	26	66	2197	<2	91	73	10	0.24	6.08	2.81	4.60	1.48	1.31	0.30	0.11
23	<5	35	8	2638	<2	36	111	3	0.08	1.12	6.82	12.17	0.26	0.08	0.03	0.06
40	<5	28	27	448	<2	27	48	4	0.04	1.88	0.32	4.61	0.85	0.29	0.10	0.03
64	<5	12	45	364	10	15	30	4	0.12	3.14	0.20	2.88	0.67	0.10	0.02	0.07
115	<5	14	89	470	3	17	72	7	0.11	6.16	0.13	6.64	0.93	0.08	0.02	0.11
97	21	5	94	488	<2	26	134	11	0.16	3.78	0.12	12.81	0.87	0.12	0.03	0.13
58	<5	34	72	373	<2	29	38	4	0.20	1.10	0.76	3.36	0.62	0.40	0.13	0.08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	5	1	1	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
10000	1000	10000	10000	10000	10000	10000	10000	10000	10	10	10	10	10	10	10	5
ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

APPENDIX II

ROCK DESCRIPTIONS

Rock Sample	Description
EV-08-01	Rusty sub-angular float along road cut. Medium grey, fine grained siliceous tuff, minor epidote alteration and disseminated pyrite throughout. Minor chalcopyrite and copper staining. Kspar alteration as well.
EV-08-02	Rusty weathered surface, Medium grey green, fine grained andesite tuff with silicified matrix. With small 2mm quartz and pyrite stringer. Fine grained disseminated pyrite throughout rock and also along fractures
EV-08-03	Medium grey, andesite tuff with silicified matrix. Disseminated pyrite along fractures
EV-08-04	Rusty red boulder along road. Dark grey-black very fine grained, metasediment. With disseminated pyrite throughout and minor chalcopyrite with copper staining
EV-08-05	Rusty red boulder along road. Dark grey-black very fine grained, metasediment. With disseminated pyrite throughout and minor chalcopyrite with copper staining
EV-08-06	Dark to light grey, siliceous tuff with minor chlorite and epidote alteration. Pyrite along fractures
EV-08-07	Weathered orange surface. Grey siliceous tuff with pyrite along fractured surfaces and disseminated in fractures
EV-08-08	Orange/tan weathered surface. Grey very fine grained andesite tuff with pyrite along fractures
EV-08-09	Strongly altered quartz vein and fault gouge. Quartz is rusty orange with a pitted weathered texture. Vein 2-6cm wide and gouge vein zone 20cm wide.
EV-08-10	Rusty, rose and milky white quartz with strong alteration at contact with tuff
EV-08-11	Altered andesite tuff. Medium grey sugary texture with K-feldspar alteration. Pyrite along fractured surfaces and disseminated in the matrix
EV-08-12	Blocky, rusty outcrop, medium grey andesitic tuff with pyrite along fractures
EV-08-13	Medium grey siliceous tuff with disseminated pyrite
EV-08-14	No sample
EV-08-15	Dark orange weathered outcrop. Grey-green siliceous andesitic tuff with chlorite and epidote alteration and pyrite disseminated
EV-08-16	Rusty orange-red weathered cliffs, siliceous grey matrix with pyrite (tuff???)
EV-08-17	Rusty angular float from below cliffs. Black fine grained metasediment (argillite) with disseminated pyrite. Easily fractured
EV-08-18	Rusty blocky outcrop. Grey to dark green siliceous andesitic tuff with 1-2% pyrite
EV-08-19	Angular float in cliff zone. Green siliceous tuff with up to 5% pyrite
EV-08-20	Angular float in cliff zone. Green siliceous tuff with up to 5% pyrite
EV-08-21	Large house size boulder rusty red/orange from cliffs above. Black, fine grained argillite with 1-2% disseminated pyrite
EV-08-22	Large boulder rusty red and yellow staining, light to medium green, silicified andesitic tuff with plagioclase phenocrysts 1-2mm, with 2-5% pyrite
EV-08-23	Mineralized float from boulder pile. Rusty red weathered surface of light to medium dark green silicified tuff, pyrite 5%
EV-08-24	Large boulder rusty red weathering. Porphyritic tuff with sub-rounded 3mm white phenocrysts. Siliceous even cherty in places. Pyrite +/-pyrrhotite along fractured surfaces with trace chalcopyrite
EV-08-25	Truck sized boulder – grey mottled and pitted weathered surface. Grey-green silicified andesitic tuff with disseminated fine grained pyrite
EV-08-26	Rusty angular float along old spur road. Black, very fine grained argillite with 1-2% disseminated pyrite
EV-08-27	Rusty red brown angular float along road. Dark grey black, fine grained argillite with disseminated pyrite and sericite along fractures
EV-08-28	Grey siliceous andesitic tuff with minor quartz. Pyrite up to 5%
EV-08-29	Rusty lense of massive to semi-massive pyrite, pyrrhotite and trace chalcopyrite. Exposed

	for 50cm x 10cm
EV-08-30	Rusty float in road cut. Grey-green medium grained andesitic tuff with pyrite
EV-08-31	Angular float in logging slash. White and black equigranular diorite with plagioclase, quartz and biotite with disseminated pyrite 1-2% on fractured surface.
EV-08-32	Angular float of grey fine grained diorite with rusty pyritic surfaces. Large fragment of andesite (xenolithic)
EV-08-33	Medium green siliceous fine grained tuff with epidote and chlorite alteration. Disseminated pyrite 1-2%
EV-08-34	Grey fine grained diorite, with disseminate pyrite ~1% and some black staining on fractures
EV-08-35	Rusty orange zone 2m x 0.5m wide. Pyrite, pyrrhotite, chalcopyrite +/- sphalerite up to 5%
EV-08-36	Angular float black fine grained to massive argillite with disseminated 1-2% pyrite
HT-10-01	Rusty sub-angular large outcrop along road cut, concoidal fracture, medium grey, fine grained, highly siliceous rhyolitic tuff, minor disseminated pyrite throughout to 20%. Minor copper staining, very fine grained to aphanitic, brownish hue.
HT-10-02	Rusty weathering, medium grey-green, fine grained dacitic tuff with silicified matrix. With small 2mm quartz and pyrite stringer, dacitic disseminated pyrite to 10% throughout rock
HT-10-03	Light grey, highly silicified matrix. Disseminated pyrite along fractures, rhyolitic.
HT-10-04	Rusty boulders along road. Dark grey-black very fine grained, rhyolitic tuff, disseminated pyrite throughout
HT-10-05	Dark to light grey, siliceous rhyolitic tuff with minor chlorite alteration. Pyrite along fractures, concoidal fractures, very fine grained pyrite
HT-10-06	Orange weathering. Grey siliceous tuff, hornfelsic, perhaps a meta-sediment, possibly
HT-10-07	Rusty weathering, feldspar porphyry, bleached veinlets, large scree slope.