


SCE-22-S







motorized lift column


customized logo

led strip


cable chain

storage for CPU etc.

more type




01 with slat wall




the adjustable monitor stand can be fixed on the slat wall



03 for the big screen or monitors





if the monitor is more than 32" you can choose the Silex's monitor stand which fixed on the desktop





Ergonomic design

Silex applied ergonomics, according to the scope of staff movements and activities, the physiological structure of the human body, psychological conditions, ways of thinking, etc., on the basis of the basic functions and performance of the original design of the console, the equipment and functions are optimized, so that workers are very convenient and comfortable in both visit and use.





- Take into account the rationality of the operator's up and down, left and right line of sight distance.
- The operating distance is designed according to reasonable comfortable distance.
- Help customers analyze the best viewing distance for the large screen and the reasonable arrangement of the console to ensure that the staff can see the full screen.






Lifting function

Alternate standing and sitting posture


Console lifting function, to meet the site-station dual-use office needs, table lifting design, can simultaneously synchronously lift before and after, can also independently control the front and rear table lifting separately, while the TV frame also has independent control lifting function, to meet the station sitting posture alternations and height position adjustment and line of sight requirements, lifting stroke <500mm, can be lifted at any time through the control panel point control. To meet the needs of individual operation, can prevent and cure the cervical and lumbar spine diseases caused by prolonged sitting



The lifting column is made of small-size electric lifting column, the material of the column is high-strength aluminum alloy profile, the lifting background body has no obvious shaking, high stability, built-in electric linear motor, the safety voltage 12v or 24v DC power supply, no-load speed 20mm/s, full load speed: 4mm/s, running sound: 45-54db;




SIDE ELEVATION





Top view

Console lifting function, to meet the site-station dual-use office needs, table lifting design, can simultaneously synchronously lift before and after, can also independently control the front and rear table lifting separately, while the TV frame also has independent control lifting function, to meet the station sitting posture alternations and height position adjustment and line of sight requirements, lifting stroke <500mm, can be lifted at any time through the control panel point control. To meet the needs of individual operation, can prevent and cure the cervical and lumbar spine diseases caused by prolonged sitting




Unilateral lifting






Lift control
Adopts the dial controller
Electric lifting control is convenient
and fast, LED display, dynamic
display of lifting height and
working status..

A person is sitting in a modern office chair, wearing light-colored trousers and brown shoes. The chair is positioned under a desk. A bright blue light strip is visible under the desk, illuminating the floor and the person's legs. The scene is set in a modern office environment with a dark floor and a light-colored wall.

Ambient lighting system
Leg anti-collision design anti-kick function, legs more
comfortable colorful lines, science and technology of ice
blue light, vivid atmosphere
12V acrylic light belt, provides ambient light, multi-color
glare can be adjusted



Imported OSB board material is used as polyurethane edge sealing .
Taking high-quality E0 grade (national standard E1) OSB board as substrate, the surface of "MELAMINE (MELAMINE) professional processing, wear-resistant, scratch resistant to high temperature, easy to clean, acid and alkali resistance and MELAMINE has excellent moisture resistance and deformation resistance

Penetrating undercabinet space
Large size installation space,
easy maintenance
500mm cabinet space, can
accommodate 2-4 CPU






Professional wiring process

Short and smooth cable management system



- 1) Professional cable channels are set inside the console to adapt to the overall system environment
- 2) Sufficient internal space can make the wiring standard neat, smooth and beautiful, reasonable and safe
- 3) It has the function of strong and weak current separation to avoid mutual interference
- 4) The standard 19-inch equipment rack is optional inside, which is convenient for 19-inch standard equipment installation and cable layout





Cooling system

Natural air cooling cooling system, improve efficiency
The console forms the heat exchange of the air inside and outside the console through the bottom intake hole and the top exhaust hole, and the heat of the equipment inside the frame is discharged to the environmental medium, reducing the temperature of the equipment, and finally achieving the same heat dissipation purpose as the ambient temperature.



material:

(structural member):

The structure of the platform body is made of high quality cold-rolled galvanized steel plate, the thickness is 2.0mm, and the environmental protection spraying process is adopted, which has good yellowing resistance and surface smoothness.

(main frame):

The main frame and screen are made of 6063-T5 aluminum alloy profiles, with special connectors, high connection strength, strong deformation resistance, corrosion resistance, acid and alkali resistance, never rust, and a life of 20 years without deformation.

(OSB) :

Europine board is a directional structural board made of small diameter wood, thinning wood, wood core and other raw materials processing, with the following characteristics:

1. Good stability: the material is uniform, and there will be no obvious expansion and contraction in the case of heat and cold, so the stability is relatively strong.
2. Long service life: not easy to deformation, cracking and other conditions, long life.
3. Green environmental protection: The board is very environmentally friendly, almost zero formaldehyde, harmless to the human body, improve the safety of life.
4. Strong waterproof and moisture-proof ability: it will not cause deformation or cracking due to soaking water or humidity.



To provide you with the standard size of the console

SCE-22-S Dimension

- Materials/Finishing
 - The main frame is made of 6063-T5 aluminum alloy profiles
 - Imported OSB board
 - Polyurethane edge sealing
 - Acrylic light guide plate
 - Cold-rolled galvanized steel sheet

