

# Silex Clarity SB

All-in-one wireless audio Kit



Silex Clarity SB is a high-quality audio solution designed to upgrade the audio quality in small to medium collaborative environments. With its built-in microphone, it is ideal to complement any camera in a meeting room of for personal use. Compatible with most videoconferencing software, this compact all-in-one audio system can be connected to a laptop wirelessly leaving the space free from cables. Also available with up to three wireless expansion microphones, it allows a very flexible audio deployment and coverage of the meeting area.

## Main Features

- Powerful built-in speakerphone
- Built-in full duplex omni-directional microphone offering wideband audio
- Wireless connection or USB Plug & Play
- Up to 3 wireless omni-directional microphones
- Echo Cancellation
- Touch control buttons



## **Specifications**

## **Built-in Speakerphone:**

Power: Double Channels 2x 5W

Echo cancelation: Echo cancellation time

up to 256ms

Noise Cancellation: >12dB

Transmission mode:Wired: USB2.0Wireless: 5.8G

**Built-in Digital Silicon Microphone:** 

Sensitivity: -26dBFSPickup Range: 3m

SNR: 60dB

Frequency response: 100Hz - 16kHzSampling frequency: Record: 16kHz /

Playback: 48kHz

## **Expansion Microphone:**

Maximum number of microphones connected: 3

Pickup range: 5m

Sensitivity: -26dBFS @1kHz 1Pa

• SN: 59dB

Frequency response: 100Hz - 16kHz
Sampling frequency: Record: 48Khz
Wireless transmission mode: 2.4G ISM
Wireless transmit power: 2.4G: +5dBm

## **Expansion Microphone Operation:**

Working time: 8hoursStandby time: 6 months

Battery: 800MAH

Charging: USB type C / Charging board

contact charging

#### **Control Mode:**

Touch button control

## **Charging Board:**

Maximum number of microphones to

charge: 2 pcs

Interface: USB-Type C

Input voltage/current: 5V/2ASingle output current: 600mA

#### **Installation Mode:**

Tripod

Desktop

Wall mount (wall mounting kit included)

#### **Power:**

All-in-one device consumption: 9W MAX

 Expansion microphone consumption: 0.2W MAX

 Power adapter all-in-one: DC12V±0.2V,1A

 Power adapter charging board: DC5V±0.2V,2A

## **Weight and Dimensions:**

 All-in-one device size: 400mm×61mm×70mm

• All-in-one device weight: 950g

• Expansion Microphone size: 70x49mm

• Expansion Microphone weight: 300g

 Charging board size: 200mmx100mmx16mm

Charging board weight:170g

## **Temperature and Humidity:**

Working temperature: -10°C ~ 40°C
Environment humidity: 0-95% RH



© 2021 SilexPro. All rights reserved. SilexPro and any SilexPro product or service name or logo used herein are trademarks of SilexPro. All other trademarks used herein belong to their respective owners. The trademarks and logos displayed herein may not be used without the prior written consent of SilexPro or their respective owners. No portion hereof may be reproduced or transmitted in any form or by any means, for any purpose other than the recipient's personal use, without the express written permission of SilexPro.