




DRAG RACING
DISTRIBUTOR



braille
BATTERY
LIGHTER • STRONGER • FASTER
DRAG RACING



2024
Catalog



- Race Spec terminal design.
- Used in all types of Drag Racing for over Twelve Years. Race Winning Design
- Designed, built, and tested in the USA.



Retail \$2099.99
combo

B168L / B168LC

B168L	16V L 10" 254mm W 3.25" 83mm H 6".15 156mm	8.8lbs 3.99kg	PCA 2325	Ah 20	L+ Race Spec V6,V8 (3/8 Terminals)	Li
B168LC	COMBO 16V Battery and 25 Amp Lithium Charger Combo available for purchase for best results and highest performance					



@tonychristianracing
tonychristianracing.com

ASK ABOUT
OUR
TEAM
PRICING

Call 941-539-4553

Join the Braille WINNERS Circle



Ryan Martin
"War Machine"



Lithium
B168L



Jim Howe Jr
"Gaurdian"



Lizzy Musi
"Bonnie"



@BrailleDragRacing
@BrailleBattery





MICRO•LITE LIGHTWEIGHT LITHIUM-ION

Carbon composite casings* with CNC Precision Cell Top Design contain ultra-lightweight Lithium-Ion chemistries hand-selected and built by a Braille Factory Technician in the USA. High current interconnects, proprietary sine-wave balancing and high-amp brass terminals are just some of the exotic technologies this battery boasts for professionals and enthusiasts that demand the best.



ML20C



ML30C



B128L / B128L-M6

ML20C	12V L 7" 179mm W 3.54" 89mm H 6.19" 157mm	6.1lbs 2.8kg	PCA 1325	Ah 15	R+ Race Spec V6,V8,V10	Li
ML30C	12V L 6.6" 168mm W 5.2" 132mm H 6.88" 173mm	9lbs 4.2kg	PCA 1905	Ah 25	R+ Race Spec V6,V8,V10	Li
B128L	12V L 10" 254mm W 3.25" 83mm H 6.15" 156mm	8.3lbs 3.7kg	PCA 1698	Ah 22.5	R+ Race Spec V6,V8,V10	Li
B128L-M6	12V L 10" 254mm W 3.25" 83mm H 6.15" 156mm	8.3lbs 3.7kg	PCA 1698	Ah 22.5	R+ Race Spec M6 Terminals	Li

All these batteries are available as a battery & charger combo



SUPER 16V LITHIUM-ION

- Race Spec terminal design.
- Used in all types of Drag Racing for over Twelve Years. Race Winning Design
- Designed, built, and tested in the USA.

CIRCLE TRACK SPEC



B169L

DRAG RACE SPEC



B168L

B169L	16V L 10" 254mm W 3.25" 83mm H 6.15" 156mm	8.9lbs 4.04kg	PCA 950	Ah 24	L+ Race Spec V6,V8 (3/8 Terminals)	Li
B168L	16V L 10" 254mm W 3.25" 83mm H 6".15 156mm	8.8lbs 3.99kg	PCA 2325	Ah 20	L+ Race Spec V6,V8 (3/8 Terminals)	Li

All these batteries are available as a battery & charger combo

*Note: Pulse Cranking Ampere (PCA) is a short duration 3 second high rate discharge number that is for modern starting systems.



WINNER
 IMSA WeatherTech
 GTLM Class Champion
 Corvette Racing
 Started by
 Braille ML30C
 12 Seasons



**BATTERY
 Combos**
 All these batteries
 can be purchased
 as a combo
 with a charger

RACE LITHIUM-ION INTENSITY CARBON



Race-winning Lithium Technology designed for the enthusiast and the professional. Tremendous weight savings, Original Equipment Replacement sizing and superior starting. Excellent off-season storage performance, brass terminals and high-amp design.



i48CX



i48CS



i49CS

**BATTERY
 Combos**
 All these batteries
 can be purchased
 as a combo
 with a charger

i48CX	12V L 11" 279mm W 6.8" 173mm H 7.7" 195mm	10.5lbs 4.8kg	PCA 1520	Ah 22.5	R+ OEM Race Spec V6,V8,V10	Li
i48CS	12V L 11" 279mm W 6.8" 173mm H 7.7" 195mm	19.9lbs 8.2kg	PCA 2875	Ah 50	R+ OEM Race Spec V8,V10,V12	Li
i49CS	12V L 13.9" 353mm W 6.8" 173mm H 7.7" 195mm	21.5lbs 9.8kg	PCA 3625	Ah 62.5	R+ OEM Race Spec V8,V10,V12	Li

All these batteries are available as a battery & charger combo

*Note: Pulse Cranking Ampere (PCA) is a short duration 3 second high rate discharge number that is for modern starting systems.

LITHIUM•ION CHARGING SOLUTIONS

NEW for 2024*



6 Amp
12v

NEW for 2024*



10 Amp
12v



12325L
25 AMP



1636L
16V 6 AMP



16325L
16V 25 AMP

6 Amp*	12V Charger	6 amp rate	Lithium-Ion compatible	Li
10 Amp*	12V Charger	10 amp rate	Lithium-Ion compatible	Li
12325L	12V Charger	25 amp rate	Lithium-Ion compatible	Li
1636L	16V Charger	6 amp rate	Lithium-Ion compatible	Li
16325L	16V Charger	25 amp rate	Lithium-Ion compatible	Li

*NEW coming soon available for 2024 order



WINNER
 NHRA 2022
 Pro Stock
 World Champion
 Erica Enders
 Started by
 Braille B168L



IndyCar NXT Series
 Cape Motorsports #98
 Started by ML20C





GREEN•LITE POWER SPORTS LITHIUM-ION

Race-winning Lithium Technology designed for the enthusiast and the professional. Tremendous weight savings, Original Equipment Replacement sizing and superior starting. Excellent off-season storage performance, brass terminals and high-amp design. DOT approved.



G5/G5L
G5S/G5LS



G9/G9L



G14/G14L
G14S/G14LS



G30H

EXTRA POWER
Harley & ATV
Drop-In Replacement
Bikes with HD Stereo
ATV's with Winches
and Upgraded
Lights



BATTERY
Combos
All these batteries
can be purchased
as a combo
with a charger

G5/G5L*	12V L 4.46" 133mm W 2.59" 65mm H 3.69" 94mm	1.4lbs 0.63kg	PCA 197	Ah 2.5	R/L+	PWR Sport V2,V4, Race Spec	Li
G5S/G5LS*	12V L 4.46" 133mm W 2.59" 65mm H 3.69" 94mm	2.1lbs 0.95kg	PCA 346	Ah 5	R/L+	PWR Sport V2,V4, Race Spec	Li
G9/G9L*	12V L 6.95" 177mm W 2.59" 65mm H 3.69" 94mm	2.3lbs 0.95kg	PCA 346	Ah 5	R/L+	PWR Sport V2,V4, Race Spec	Li
G14/G14L*	12V L 5.9" 150mm W 3.4" 86mm H 5.8" 147mm	4lbs 1.8kg	PCA 575	Ah 10	R/L+	PWR Sport V2,V4,V6 Race Spec	Li
G14S/G14LS*	12V L 5.9" 150mm W 3.4" 86mm H 5.8" 147mm	5lbs 2.26kg	PCA 697	Ah 12.5	R/L+	PWR Sport V2,V4,V6 Race Spec	Li
G30H*	12V L 6.8" 174mm W 5.2" 132mm H 6.9" 177mm	9lbs 4.2kg	PCA 752	Ah 30	R+	PWR Sport V4,V6 HD LG Stereo	Li

*All these Green-Lite batteries are available as a battery & charger combo



GREEN•LITE STREET/TRACK LITHIUM-ION

NEW International SBS size replacements



G20/G20S



G30/G30S



G-SBS30/G-SBS30S



G-SBS40/G-SBS40S

G20*	12V L 7" 178mm W 3" 76mm H 6.25" 159mm	4.5lbs 2.04kg	PCA 697	Ah12.5	R+	Race & Street V4,V6	Li
G20S*	12V L 7" 178mm W 3" 76mm H 6.25" 159mm	6.2lbs 2.8kg	PCA 947	Ah15	R+	Race & Street V4,V6	Li
G30*	12V L 6.8" 174mm W 5.2" 132mm H 6.9" 177mm	6.4lbs 2.9kg	PCA 947	Ah15	R+	Race & Street V4,V6,V8	Li
G30S*	12V L 6.8" 174mm W 5.2" 132mm H 6.9" 177mm	8.2lbs 3.74kg	PCA 1197	Ah 20	R+	Race & Street V4,V6,V8	Li
G-SBS30*	12V L 9.8" 248mm W 3.8" 96mm H 6.1" 154mm	6.6lbs 3kg	PCA 947	Ah15	R+	Race Spec V4,V6,V8	Li
G-SBS30S*	12V L 9.8" 248mm W 3.8" 96mm H 6.1" 154mm	8lbs 3.63kg	PCA 1197	Ah 20	R+	Race Spec V4,V6,V8,10	Li
G-SBS40*	12V L 9.8" 248mm W 3.8" 96mm H 8.1" 205mm	8.5lbs 3.9kg	PCA 1197	Ah 20	R+	Race Spec V4,V6,V8	Li
G-SBS40S*	12V L 9.8" 248mm W 3.8" 96mm H 8.1" 205mm	9.75lbs 4.42kg	PCA 1197	Ah 25	R+	Race Spec V6,V8,V10	Li

*All these Green-Lite batteries are available as a battery & charger combo *Note: Pulse Cranking Ampere (PCA) is a short duration 3 second high rate discharge number that is for modern starting systems.

DROP-IN LITHIUM-ION APPLICATIONS INTENSITY

Race-winning Lithium Technology designed for the enthusiast and the professional. Tremendous weight savings. Original Equipment Replacement sizing and superior starting. Excellent off-season storage performance, brass terminals, and high-amp design. Perfect for the street car or race car. DOT approved



i34X/i34RX



i34S

BATTERY
Combos
All these batteries
can be purchased
as a combo
with a charger



i35X/i25X



FleetLite



F34



i34X	12V L 10.87" 276mm W 6.99" 178mm H 7.76" 197mm	11.5lbs 5.21kg	PCA 1438	Ah 22.5	L+	OEM / Race Spec V6,V8,V10	Li
i34RX	12V L 10.87" 276mm W 6.99" 178mm H 7.76" 197mm	11.5lbs 5.21kg	PCA 1438	Ah 22.5	R+	OEM / Race Spec V6,V8,V10	Li
i34S	12V L 10.87" 276mm W 6.99" 178mm H 7.76" 197mm	18.9lbs 8.6kg	PCA 2875	Ah 50	L+	OEM / Race Spec V6,V8,V10	Li
i35X	12V L 9.4" 254mm W 6.99" 178mm H 7.76" 197mm	10lbs 3.85kg	PCA 1297	Ah 20	R+	OEM / Race Spec V6,V8	Li
i25X	12V L 9.4" 254mm W 6.99" 178mm H 7.76" 197mm	10lbs 3.85kg	PCA 1297	Ah 20	L+	OEM / Race Spec V6,V8	Li
F34	12V L 10.87" 276mm W 6.99" 178mm H 7.76" 197mm	20.3lbs 9.2kg	PCA 1950	Ah 60	L+	OEM / Race Spec V6,V8,V10	Li

All these batteries are available as a battery & charger combo

*Note: Pulse Cranking Ampere (PCA) is a short duration 3 second high rate discharge number that is for modern starting systems.

ACCESSORIES MOUNTING SOLUTIONS

REMOVABLE
BRASS POSTS
Part # 2012K



SIDE POST
GM COVERSION
Part # 201



TERMINAL
PROTECTORS
Part # 203



VERTICAL
ALUMINUM
MOUNT KIT
Part #211



B106 B129 B14115
B2015 ML9C ML14C
ML20C B128L B168L

LAYDOWN
ALUMINUM
MOUNT KIT



B106 / B106C Part # 1018
B129 Part # 1218
B14115 / B14115C Part # 1418
B2015 / B2015C Part # 2018
B2317 / B2317C Part # 2318
B2618 Part # 2618
B3121 / B3121C Part # 3118
G9 Part # 0718



WINNER
IMSA
Championship
Rolex 24
Powered by
Lithium
Braille B128L



UNIVERSAL
RUBBER KIT
Part # 1821
Rubber Strap
10" J-Hooks



UNIVERSAL
FRP KIT
Adjustable FRP Mount Kit
6" J-Hook Part # 6186
8" J-Hook Part # 6188
10" J-Hook Part # 61810



LIGHTER • STRONGER • FASTER



Made in USA



@BrailleDragRacing
#Braille16v

TonyChristianRacing.com



DRAG RACING
DISTRIBUTOR

Heather (Christian) Kircher | Owner
Tony Christian Racing, LLC
941-539-4553

Email: TonyChristianRacing@gmail.com