

GO! Gather Around the Table Chargers and Table Runner

Finished Size: Chargers 12-1/2" x 12-1/2" Table Runner 18" x 41"



Designed for AccuQuilt by Katherine Clawson of Sew Steady

Sew Steady
ELEVATE YOUR CREATIVITY



Dies Needed:

GO! Pinwheel Shape Set-12" Finished by Sew Steady (55926)

Additional Dies (optional)

- GO! Strip Cutter-2-1/2" (2" Finished) (55017 or 55014)

Fabric Requirements:

Fabric Color	Total Yardage
Fabric A— background	1-1/2 yards
Fabric B—Blade Color 1	1/2 yard
Fabric C—Blade Color 2	1/2 yard
Fabric D—Blade Color 3	1/2 yard
Border for Table Runner	1/2 yard
Backing/Binding	3-2/3 yards

Cutting Directions:

Fabric Color	Die	Number of Shapes to Cut
Fabric A Blade Color 1		Cut 6 strips at 2-1/4" x WOF. Place on selected blade and cut.
Fabric B Blade Color 2		Cut 6 strips at 2-1/4" x WOF. Place on selected blade and cut.
Fabric C Blade Color 3		Cut 6 strips at 2-1/4" x WOF. Place on selected blade and cut.
Background Fabric		Cut 4 strips at 3-1/2" x WOF. Place on shape C for 36 cuts.
Background Fabric		Cut 3 strips at 3-1/2" x WOF. Place on shape D for 36 cuts.
Background Fabric		Cut 4 strips at 4" x WOF. Place on shape E for 36 cuts.
Table Runner Border		Cut 2 strips at 3-1/4" x WOF = 2 strips at 3-1/4" total of 6-1/2" Cut 2 strips at 3-1/4" x WOF = 2 strips at 41-1/2"
Backing for Chargers		Cut 2 strips at 12-1/2" x WOF, subcut to 12-1/2" x 12-1/2" for 6 squares.
Backing for Table Runner		Cut 1 strip at 17-1/2" x 42-1/2"
Binding		Cut 9 strips at 2-1/2" x WOF, subcut to 2-1/2" x 60" for chargers. Cut 4 strips at 2-1/2" x WOF for table runner binding.


Sewing Directions:

Use ¼" seams, unless otherwise indicated.




NOTE: Directions will be for one 12-1/2" x 12-1/2" finished charger and the table runner.

- Layout the pieces as follows. This makes it much easier to piece the units.




- 12A (4 light – 4 Medium – 4 Dark)



- Background Fabric (4 – C, 4 – D, 4 – E)




- Piece the background sections to the corresponding blade sections first. These two steps (laying out the pieces and piecing the background sections to the blade sections) will be used for the 6 chargers and the three table runner blocks for a total of 9 blocks.




Continued next page


3. Stitch section C to section D (4 quadrants).



4. Stitch section D to section E (4 quadrants).




5. Stitch the top and bottom two quadrants together.



Continued next page

6. Stitch the two upper and lower quadrants together.




7. Place batting and backing. Quilt as desired for the 6 chargers.
8. Bind the chargers.



Continued next page

9. For the table runner, join three complete blocks together.
10. Add the end borders, 3-1/2" wide x 12-1/2"
11. Add the side borders, 3-1/2" wide x 41"



Quilting and Finishing

1. Layer batting between runner top and backing.
2. Pin or baste layers together.
3. Quilt as desired.
4. Add binding, mitering corners.