

GO! Twisted Tumbler Table Runner

Finished Size: 72" X 18"



Dies Needed:

GO! Fractured Tumbler 3" Finished (55627)

GO! Setting Triangles-12" Finished (55554)

*Additional Dies for Optional Wide Flange Binding

- GO! Strip Cutter 2 1/2" (2" Finished) 3 Strips (55017 or 55014)
- GO! Strip Cutter-2" (1 1/2" Finished) (55025)

Fabric Requirements:

Fabric Color	Total Yardage
Unit Colors	36 Charm Squares or 9 different 9" squares:
Block Background/Setting Triangles	1 yard *block background/side setting triangles are the same color.
Backing	1 1/4 yard
Binding	1/2 yard – 2 1/2" binding



Cutting Directions:

Fabric Color	Die	Number of Shapes to Cut	
	GO! Fractured Tumbler 3" Finished (55627)		
Block Background	Shape A	48	The die cuts 2 individual Shape A in one pass. Place fabric face up. Use 24- 4-1/2" squares to cut 48 Shape A.
Block Background	Shape B	16	The die cuts 4 individual Shape B in one pass. Place fabric face up. Place 4- 4-1/2" squares to cut 16 Shape B.
Colors or Charm Squares	Shape B	144	The die cuts 4 individual Shape B in one pass. Place fabric face up. Cut 16 shapes of the 9 colors. Place 4 – 4-1/2" squares of each of the 9 colors to cut 16 Shape B of each color in one pass. If using charm squares, place up to 6 layers for each pass, use 36 charm squares for a total of 144 Shape B
Background	GO! Setting Triangles-12" Finished Die (55554)	6	Cut 2—9-5/8" x length of fabric (LOF) strip along the selvage edge. Use the Cut and Flip method to cut 6 side setting triangles. *see diagram on last page

Block Sew instructions— Assemble the Blocks


NOTE: Use ¼ inch seam allowance, Diagram is for one 12" finished block. Make 4 blocks.

1. Use the diagram below and layout **all** the shapes for the block.
2. Assemble the Units: It is recommended you sew one Unit at a time to avoid confusion. Use the notch marked by an X to help with piece orientation for sewing. Sew two B Units together then to A Unit to form A/B/B Unit or sew four B Units together to form B/B/B/B Units. Use the arrows for pressing recommendation.
3. After the unit is sewn, rotate as needed and place back on the Block layout as shown in the diagram below. Combine the sewn units together to form rows, use the arrows for pressing suggestions.
4. Sew the rows together to form a Block.




Assemble the Table Runner

1. Lay out the Blocks and Setting Triangles as shown in quilt diagram.
2. Sew Setting Triangles to the side of the Blocks.
3. Sew the rows together.



Quilting and Finishing

1. Layer batting between quilt top and backing
2. Pin or baste layers together.
3. Quilt as desired.
4. Add binding, mitering corners.



Suggested ruff cut layout for cutting from 1 yard fabric for block background fabric and side setting triangles.

