

☎ Call Now: 800-645-3166

✉ customer@advancetabco.com

🌐 advancetabco.com/plumbingzone



COMMERCIAL PLUMBING CATALOG

MAY 2022

All Pricing Is List. Pricing Effective May 1, 2022.
This Catalog Supersedes September 2021 Catalog.

ADVANCE TABCO
SMART FABRICATION™

ONLINE SERVICES

Account Access

CREATE A CUSTOMER LOG-IN
& FOLLOW THE COMPLETE PROCESS OF YOUR ORDERS



ADVANCE TABCO'S

PLUMBINGZONE

advancetabco.com/plumbingzone.com

Keep Track Of:

- Print Status
- Shipment Tracking Status
- Real-Time Order Status
- Latest Sale Flyers
- Excess Inventory Lists

Also Available Online:

- Spec Sheets, CAD & Revit Drawings
- Installation Guides
- Product Support
- Photo & Video Library
- Literature Requests

You can also find us on [AutoQuotes](#) & [KCL CADalog](#).

Customization

WANT TO CUSTOMIZE YOUR NEXT SINK?

Buildasink is a simple and easy to use website tool that allows you to click and choose accessories for your customized sink.



buildasink.com
by ADVANCE TABCO®



CUSTOMER SERVICE IS AVAILABLE TO ASSIST YOU! (8:30AM-8:00PM EST)
800-645-3166 | CUSTOMER@ADVANCETABCO.COM

Leading the Industry in High Quality Stainless Steel Fabrication

FOR SMART FABRICATION™ QUOTES, EMAIL SMARTFAB@ADVANCETABCO.COM

NATIONAL MANUFACTURING AND DISTRIBUTION

NEWYORK TENNESSEE² GEORGIA² MISSISSIPPI² TEXAS² SOUTH CAROLINA NEVADA

Phone: 800-645-3166 Fax: 631-242-6900 Email: customer@advancetabco.com

TABLE OF CONTENTS



Drop-In Hand Sinks

Deep Drawn Sink Bowls 3-4
 Smart Series Drop-Ins 5
 A.D.A. Compliant 5-6
 Fabricated Drop-In Sinks 6

Undermount Sinks

Single Bowl Undermount Sinks 6

Commercial Hand Sinks

Standard Units 7
 With Side Splashes 7
 Economy Units 7
 With Soap & Towel Dispensers 8
 Space-Saving Units 8
 Hands-Free Units 9
 Concealed Sink Drawer 10
 A.D.A. Compliant Units 10
 Security Units 10
 Special Purpose Units 10

Multi-Station Hand Sinks

Wall Mounted 13-17
 Free-Standing 18-23

Floor Troughs

Floor Troughs 39
 Floor Drains 39
 Water Receptacles 39

Scullery Sinks

Regaline Series Sinks 27-31
 "T" Series Deep Drawn Sink Bowls 32
 FS Series Full Skirt Fabricated Sinks 33
 FC Series Fabricated Sinks 34
 FE Series Fabricated Sinks 35
 Convenience Store Sinks 35
 Budget Sinks & Accessories 36
 Laundry Room & Utility Sinks 36
 Scullery Sink Modifications & Accessories 37-38



Service/Mop Sinks & Cabinets

Mop Sink Cabinets 25
 Service & Mop Sink Accessories 25
 Floor Mounted Mop Sinks 26
 Free-Standing Mop Sinks 26
 Stainless Steel Storage Cabinets 28

Specialty Sinks

Scrub Sinks 24
 Corner Sinks 32, 34
 Super-Sized Sinks 36
 Mobile Hand Sinks 47

Sink Cabinets 48

Faucets, Drains & Accessories

For Drop-In Sinks 4
 For Hand Sinks 11-12
 For Mop Sinks 25
 For Scullery Sinks 38
 For Underbar Equipment 46

Countertops

Stainless Steel Countertops 41
 Countertop Sinks 42
 Countertop Modifications & Accessories 42

Bar Sinks

Bar Sinks 42-46
 Drop-In Bar Sinks 42
 Bar Sinks w/ Ice Bin 43
 Bar Hand/Dump Sinks 42, 45
 w/ Soap & Towel Dispensers 44, 45
 w/ Blender Stations 42, 46
 w/ Cabinet Base 44, 45
 w/ Glass Rinser 44, 45
 Bar Sink Accessories & Modifications 46

Industrial Equipment

Chemical Storage Cabinet 47
 Stainless Steel Storage Cabinets 47
 Wall Cabinets 47
 Enclosed Base Work Tables 48
 Prep Table 48
 Work Table w/ Integral Sink 48

Cleanroom

Gowning Benches 49
 Garment Racks 49
 Shelves 49
 Work Tables 49
 Accessories 49



Replacement Parts 50-54



= PRODUCTS THROUGHOUT THE PRICE GUIDE WITH THIS ICON ARE SHIPPED VIA UPS



WARNING: Equipment contained in this Catalog may expose you to chemicals, including chromium & lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.



DROP-IN SINKS NSF

All Sinks on this Page Ship via UPS

Two holes punched 4" O.C. For faucet hole revision, order **K-472 \$160** list.
 Cut-Out Size Requires 1 1/4" Radius Corners. Maximum Counter Thickness is 2".
INCLUDES K-52 LEAD FREE COMPLIANT FAUCET & BASKET DRAIN. DI-1-25 INCLUDES 2" DRAIN WITH STRAINER PLATE.
 To delete faucet, order **K-500MIT** and deduct **\$24**.

1 COMPARTMENT

For Residential Finish & Packaging,
 Add **K-350 \$457**

Countertop Mounted, Self Rim Design



DI-1-5 \$750
10" x 14" x 5" Bowl
 Overall: 13" x 19"
 Cut-out: 12 1/4" x 18 1/4"
 12 lbs. 2 cu. ft. 21 gauge



DI-1-10 \$850
10" x 14" x 10" Bowl
 Overall: 13" x 19"
 Cut-out: 12 1/4" x 18 1/4"
 14 lbs. 2 cu. ft. 21 gauge



DI-1-25 \$835
Space Saver
9" x 9" x 5" Bowl
 Overall: 12" x 14"
 Cut-out: 11 1/4" x 13 1/4"
 8 lbs. 2 cu. ft. 21 gauge



DI-1-1515 \$960
12 1/4" x 10 1/4" x 6" Bowl
 Overall: 15" x 15"
 Cut-out: 14 1/4" x 14 1/4"
 Requires 1 1/2" Radius Corners
 11 lbs. 2 cu. ft. 20 gauge



DI-1-35 \$875
14" x 10" x 5" Bowl
 Overall: 17" x 15"
 Cut-out: 16 1/4" x 14 1/4"
 101 lbs. 2 cu. ft. 20 gauge



DI-1-168 \$1091
16" x 14" x 8" Bowl
 Overall: 19" x 19"
 Cut-out: 18 1/4" x 18 1/4"
 20 lbs. 3 cu. ft. 18 gauge



DI-1-208 \$1167
20" x 16" x 8" Bowl
 Overall: 23" x 21"
 Cut-out: 22 1/4" x 20 1/4"
 20 lbs. 3 cu. ft. 18 gauge



DI-1-2012 \$1316
20" x 16" x 12" Bowl
 Overall: 23" x 21"
 Cut-out: 22 1/4" x 20 1/4"
 20 lbs. 6 cu. ft. 18 gauge



DI-1-30 \$1340
2" Tapered Side Splash
14" x 10" x 5" Bowl
 Overall: 16" x 15"
 Cut-out: 15" x 14 1/4"
 12 lbs. 2 cu. ft. 20 gauge



DI-1-9 \$1333
Filler Station
9" x 9" x 3" Bowl
 Overall: 12" x 14"
 Cut-out: 11 1/4" x 13 1/4"
 15 lbs. 2 cu. ft. 20 gauge
Includes water filler faucet, grating & drain

Supplied with K-50 Lead Free Compliant Faucet & Basket Drain
 (To delete faucet, Order K-500MIT and deduct \$24)



DI-1-5SP \$1963
6" Tapered Side Splash
 Splash on Rear and Both Sides
10" x 14" x 5" Bowl
 Overall: 13" x 19"
 Cut-out: 12 1/4" x 18 1/4"
 16 lbs. 2 cu. ft. 20 gauge



DI-1-10SP \$2108
6" Tapered Side Splash
 Splash on Rear and Both Sides
10" x 14" x 10" Bowl
 Overall: 13" x 19"
 Cut-out: 12 1/4" x 18 1/4"
 18 lbs. 2 cu. ft. 20 gauge

DI-1-2812 \$2284

Large Sink Bowl
28" x 20" x 12" Bowl
 Overall: 31" x 25"
 Cut-out: 30 1/4" x 24 1/4"
 47 lbs. 7 cu. ft. 16 gauge

Includes K-53 Lead Free Compliant Faucet & Basket Drain (To delete faucet, Order K-500MIT and deduct \$22)



Largest 1 Compartment Drop-in Sink in the Industry!

Optional 12" Tapered Side Splash Upgrade **K-12SS \$523**



DI-1-5SP-EC \$653
 • 6" Tapered Side Splashes
 • K-52-EC Faucet
10" x 14" x 5" Bowl
 Overall: 12" x 18 1/2"
 Cut-out: 10 1/2" x 16 3/4"
 16 lbs. 3 cu. ft. 20 gauge



DI-1-10SP-EC \$912
 • 6" Tapered Side Splashes
 • K-52-EC Faucet
10" x 14" x 10" Bowl
 Overall: 12" x 18 1/2"
 Cut-out: 10 1/2" x 16 3/4"
 16 lbs. 3 cu. ft. 20 gauge

SVU ECONOMY FABRICATED DROP-IN SINKS

SPECIAL VALUE UNITS
 Includes Faucet(s) & 3 1/2" Stainless Steel Basket Drain(s)

DI-2-10-EC \$790
 • K-50 Faucet
10" x 14" x 10" Bowl
 Overall: 19" x 25"
 Cut-out: 17 1/2" x 23 1/2" with 1" Radius
 16 lbs. 3 cu. ft. 20 gauge



DI-3-10-EC \$1152
 • Two K-50 Faucets
10" x 14" x 10" Bowl
 Overall: 19" x 37"
 Cut-out: 17 1/2" x 35 1/2" with 1" Radius
 16 lbs. 3 cu. ft. 20 gauge



DROP-IN SINKS NSF

Two holes punched 4" O.C. For faucet hole revision, order **K-472 \$160** list.
Cut-Out Size Requires 1 1/4" Radius Corners. Maximum Counter Thickness is 2".

INCLUDES K-52 LEAD FREE COMPLIANT FAUCET & BASKET DRAIN. To delete faucet, order **K-50OMIT** and deduct **\$24**.



2 COMPARTMENTS

Countertop Mounted, Self Rim Design
Includes One K-50 Faucet & Two Basket Drains



DI-2-10 \$1682

10" x 14" x 10" Bowl
Overall: 25 1/2" x 19"
Cut-out: 24 3/4" x 18 1/4"
26 lbs. 4 cu. ft. 20 gauge



DI-2-2012 \$2645

20" x 16" x 12" Bowl
Overall: 45 1/2" x 21"
Cut-out: 44 3/4" x 20 1/4"
42 lbs. 9 cu. ft. 18 gauge



DI-2-1410 \$2528

14" x 16" x 10" Bowl
Overall: 33 1/2" x 21"
Cut-out: 32 3/4" x 20 1/4"
35 lbs. 6 cu. ft. 18 gauge



DI-2-208 \$2068

20" x 16" x 8" Bowl
Overall: 45 1/2" x 21"
Cut-out: 44 3/4" x 20 1/4"
40 lbs. 6 cu. ft. 18 gauge

3 COMPARTMENTS

Countertop Mounted, Self Rim Design
Includes Two K-50 Faucets & Three Basket Drains

DI-3-10 \$2542

10" x 14" x 10" Bowl
Overall: 38" x 19"
Cut-out: 37 1/4" x 18 1/4"
34 lbs. 5 cu. ft. 20 gauge



DI-3-1410 \$3406

16" x 14" x 10" Bowl
Overall: 50" x 21"
Cut-out: 49 1/4" x 20 1/4"
38 lbs. 8 cu. ft. 18 gauge



DI-3-1612* \$3837

16" x 20" x 12" Bowl
Overall: 56" x 25"
Cut-out: 55 1/4" x 24 1/4"
60 lbs. 12 cu. ft. 18 gauge



*Includes a K-53 Faucet. To delete, order K-53OMIT & deduct \$22

DID YOU KNOW? 2 & 3 Compartment Drop-In Sinks are N.S.F. Approved when only used in Mobile Food Carts and Kiosks.

DECK MOUNTED FAUCETS, SPOUTS & MOUNTING CLIPS

All Faucets Meet Federal Lead Free Standards

All Faucets on this Page Ship via UPS

Drinking
Bubbler
K-47
\$961



8" Swing Spout
K-50
\$343



Water Filler
Faucet

K-54 \$676
8 1/4" High
K-54A \$768
12" High



Swing Spout
Faucet & Spray
K-58 \$404

8" O.C.



Drop-in
Replacement
Clips



For Countertops Over
7/8" & Up To 2" Thick

Quantity Supplied (4-Pack),
Varies Based On Drop-In
Sink Ordered.
K-28 \$19

Deck Mounted
Single Handle
Faucet
K-48 \$673



3-1/2"
Gooseneck
K-52 \$301



Wrist Handles for Deck
Mounted Faucets
K-316-LU \$152



Large 8-1/2"
Spout
Gooseneck
K-55 \$569

4" O.C.



EXTRA HEAVY DUTY
Gooseneck
K-62 \$585

4" O.C.

UPGRADE



12" Swing Spout
K-53 \$569

4" O.C.



Deck Mounted
Faucet with Wrist
Handles
K-56 \$430

4" O.C.



6" Deck Mounted
Extended Faucet
with Wrist
Handles
K-208
\$594

4" O.C.



REMOVABLE 8" SIDE SPLASH FOR DROP-IN SINKS

| Model # | Fits Drop-In Sink: |
|---------------|----------------------|
| K-614A | DI-1-25 & DI-1-9 |
| K-614B | DI-1-5 & DI-1-10 |
| K-614C | DI-1-1515 |
| K-614D | DI-1-30 & DI-1-35 |
| K-614E | DI-1-168 |
| K-614F | DI-1-208 & DI-1-2012 |
| K-614G | DI-1-2812 |



\$1030 ea.

Holes And Hardware Provided

Deck Mount
Gooseneck
Faucet

K-52-EC
\$301

4" O.C.

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info, visit www.p65warnings.ca.gov.



SMART SERIES™ 18 GA. DROP-IN SINKS

- 18 Ga., Seamless Deep Drawn Self Rimming Stainless Steel Bowls.
- Supplied With 3 - 4" O.C., 1-1/4" Dia. Faucet Holes As Standard.
- Sink Bowls Are Sound Deadened
- Flat deck allowing more faucet options.
- Units feature Advance Tabco's Smart Finish.
- Faucet Sold Separately - See Page 4 For Options

Cut-Out Size Requires 1 1/4" Radius Corners. Maximum Counter Thickness Is 2". USE **K-472 \$157** FOR FAUCET HOLE REVISION.

SINGLE BOWL DROP-INS

| Model # | Price | O.A. Size | Bowl Size | Cut-Out Size | Wt. | Cu. Ft. |
|--------------|--------|-----------|--------------------|-------------------|---------|---------|
| SS-1-1319-10 | \$1388 | 13" x 19" | 14" x 10" x 10" | 12 1/4" x 18 1/4" | 14 lbs. | 2 |
| SS-1-1715-7 | 1388 | 17" x 15" | 14" x 10" x 7 1/2" | 16 1/4" x 14 1/4" | 12 lbs. | 2 |
| SS-1-1715-10 | 1547 | 17" x 15" | 14" x 10" x 10" | 16 1/4" x 14 1/4" | 14 lbs. | 3 |
| SS-1-1719-7 | 1359 | 17" x 19" | 14" x 14" x 7 1/2" | 16" x 18 1/4" | 16 lbs. | 4 |
| SS-1-1719-10 | 1514 | 17" x 19" | 14" x 14" x 10" | 16" x 18 1/4" | 18 lbs. | 4 |
| SS-1-1919-7 | 1649 | 19" x 19" | 16" x 14" x 7 1/2" | 18 1/4" x 18 1/4" | 16 lbs. | 3 |
| SS-1-1919-10 | 1741 | 19" x 19" | 16" x 14" x 10" | 18 1/4" x 18 1/4" | 18 lbs. | 4 |
| SS-1-1919-12 | 1812 | 19" x 19" | 16" x 14" x 12" | 18 1/4" x 18 1/4" | 20 lbs. | 4 |
| SS-1-2321-7 | 1810 | 23" x 21" | 20" x 16" x 7 1/2" | 22 1/4" x 20 1/4" | 22 lbs. | 6 |
| SS-1-2321-10 | 1959 | 23" x 21" | 20" x 16" x 10" | 22 1/4" x 20 1/4" | 22 lbs. | 6 |
| SS-1-2321-12 | 2083 | 23" x 21" | 20" x 16" x 12" | 22 1/4" x 20 1/4" | 24 lbs. | 6 |
| SS-1-3125-12 | 2355 | 31" x 25" | 28" x 20" x 12" | 30 1/4" x 24 1/4" | 39 lbs. | 6 |

SS-1-1715-7
Shown



SS-1-2321-10
Shown



SS-2-3321-10
Shown



DOUBLE BOWL DROP-INS

| | | | | | | |
|---------------|------|---------------|--------------------|-------------------|---------|----|
| SS-2-3321-7 | 2004 | 33 1/2" x 21" | 14" x 16" x 7 1/2" | 32 3/4" x 21 1/4" | 33 lbs. | 6 |
| SS-2-3321-10 | 2241 | 33 1/2" x 21" | 14" x 16" x 10" | 32 3/4" x 21 1/4" | 35 lbs. | 6 |
| SS-2-3321-12 | 2444 | 33 1/2" x 21" | 14" x 16" x 12" | 32 3/4" x 21 1/4" | 37 lbs. | 9 |
| SS-2-4521-7* | 2355 | 45 1/2" x 21" | 20" x 16" x 7 1/2" | 44 3/4" x 20 1/4" | 38 lbs. | 9 |
| SS-2-4521-10* | 2630 | 45 1/2" x 21" | 20" x 16" x 10" | 44 3/4" x 20 1/4" | 39 lbs. | 9 |
| SS-2-4521-12* | 2874 | 45 1/2" x 21" | 20" x 16" x 12" | 44 3/4" x 20 1/4" | 40 lbs. | 10 |

*Sinks Ship via UPS Except Models:
SS-2-4521-7, SS-2-4521-10, SS-2-4521-12,
SS-1-3125-12

For A.D.A. 5 1/2" Bowl Depth Modification on 2 Compartment Sinks, Use **K-148 \$95 ea. bowl**

A.D.A. COMPLIANT SINGLE BOWL DROP-INS

Must use Offset Tailpiece for A.D.A Compliance (Not Supplied)



| Model # | Price | O.A. Size | Bowl Size | Cut-Out Size | Wt. | Cu. Ft. |
|--------------|--------|-----------|--------------------|-------------------|---------|---------|
| SS-1-1715-A | \$1101 | 17" x 15" | 14" x 10" x 5 1/2" | 16 1/4" x 14 1/4" | 12 lbs. | 2 |
| SS-1-1719-A | 1155 | 17" x 19" | 14" x 14" x 5 1/2" | 16 1/4" x 18 1/4" | 16 lbs. | 4 |
| SS-1-1919-A | 1159 | 19" x 19" | 16" x 14" x 5 1/2" | 18 1/4" x 18 1/4" | 18 lbs. | 4 |
| SS-1-2321-A* | 1283 | 23" x 21" | 20" x 16" x 5 1/2" | 22 1/4" x 20 1/4" | 21 lbs. | 5 |
| SS-1-3125-A* | 2000 | 31" x 25" | 28" x 20" x 5 1/2" | 30 1/4" x 24 1/4" | 39 lbs. | 5 |

*Sinks Ship via UPS Except Models: SS-1-2321-A & SS-1-3125-A

STAINLESS STEEL SINK GRIDS

- Perforated Grid
- Raised Bottom
- Side Notches for Easy Removal

K-610 \$969

(Specify Bowl Size When Ordering)



SMART SERIES™ 18 GA. CLASSROOM SINKS

Cut-Out Size Requires 1 1/4" Radius Corners.
Maximum Counter Thickness is 7/8".



SCH-1-2317 \$1238

16" x 14" x 7 1/2" Bowl
Overall Size: 23" x 17"
Cut Out: 22 1/4" x 16 1/4"
16 lbs. 3 cu. ft 18 gauge



SCH-1-2517R or L \$1298

16" x 14" x 7 1/2" Bowl
Overall Size: 25" x 17"
Cut Out: 24 1/4" x 16 1/4"
18 lbs. 3 cu. ft 18 gauge

Deck Mounted
Single Handle
Faucet
K-48 \$673



LEAD FREE COMPLIANT

SCH-1-3119R or L \$1718

20" x 16" x 7 1/2" Bowl
Overall Size: 31" x 19"
Cut Out: 30 1/4" x 18 1/4"
19 lbs. 3 cu. ft 18 gauge

Above Sinks Ship via UPS

FABRICATED DROP-IN SINKS



- 16 Ga., 304 Stainless Steel
- Self-Rimming with 3/4" Bowl Radius
- Supplied with 3" Faucet Holes as Standard

- Bowls Are Sound Deadened
- Flat Deck Allowing More Faucet Options
- Faucets Optional

All Sinks on this Page Ship via UPS



DIF-1-2119-10
Shown



DIF-1-3122-A
Shown

Custom Bowl Sizes Available!

STANDARD

| Model # | Price | Bowl size | O.A. Size | Cut-Out size | Wt. | Cu. Ft. |
|---------------|--------|--------------------|-----------|-------------------|---------|---------|
| DIF-1-1917-7 | \$1234 | 16" x 12" x 7 1/2" | 19" x 17" | 18 1/4" x 16 1/4" | 28 lbs. | 4 |
| DIF-1-1917-10 | 1455 | 16" x 12" x 10" | 19" x 17" | 18 1/4" x 16 1/4" | 30 lbs. | 5 |
| DIF-1-1921-7 | 1416 | 16" x 16" x 7 1/2" | 19" x 21" | 18 1/4" x 20 1/4" | 28 lbs. | 4 |
| DIF-1-1921-10 | 1516 | 16" x 16" x 10" | 19" x 21" | 18 1/4" x 20 1/4" | 30 lbs. | 5 |
| DIF-1-2119-7 | 1335 | 18" x 14" x 7 1/2" | 21" x 19" | 20 1/4" x 20 1/4" | 30 lbs. | 4 |
| DIF-1-2119-10 | 1556 | 18" x 14" x 10" | 21" x 19" | 20 1/4" x 20 1/4" | 35 lbs. | 5 |
| DIF-1-3122-7 | 1758 | 28" x 16" x 7 1/2" | 31" x 22" | 30 1/4" x 21 1/4" | 33 lbs. | 4 |
| DIF-1-3122-10 | 2092 | 28" x 16" x 10" | 31" x 22" | 30 1/4" x 21 1/4" | 38 lbs. | 5 |
| DIF-1-3122-12 | 2230 | 28" x 16" x 12" | 31" x 22" | 30 1/4" x 21 1/4" | 39 lbs. | 5 |

A.D.A. COMPLIANT

| | | | | | | |
|--------------|--------|------------------------|-----------|-------------------|---------|---|
| DIF-1-1917-A | \$1250 | 16" x 12" x (Specify*) | 19" x 17" | 18 1/4" x 16 1/4" | 26 lbs. | 4 |
| DIF-1-2119-A | 1399 | 18" x 14" x (Specify*) | 21" x 19" | 20 1/4" x 20 1/4" | 26 lbs. | 4 |
| DIF-1-1921-A | 1325 | 16" x 16" x (Specify*) | 19" x 21" | 18 1/4" x 20 1/4" | 26 lbs. | 4 |
| DIF-1-3122-A | 1817 | 28" x 16" x (Specify*) | 31" x 22" | 30 1/4" x 21 1/4" | 30 lbs. | 4 |

*Bowl Available in 5 1/2", 6" & 6 1/2" Depths.

LAUNDRY/UTILITY ROOM SINK



*Shown with Faucet Hole Revision **K-472 \$160**

LS-2418-14RE \$3553

- 16 Gauge
- Three 4" O.C. Holes*
- Bowl Size: 27" x 18" x 14"***
- Overall Size: 27" x 23"
- Cutout: 26 1/4" x 20 1/4"

** Requires 30" Wide Countertop (Front to Back)

LEAD FREE COMPLIANT FAUCETS

Heavy Duty 5-1/2" Gooseneck
K-132 \$907
8" O.C.



Heavy Duty 9" Swing Spout
K-133 \$885
8" O.C.



Sinks Include Mounting Clips For Counters 7/8" And Up To 2" Thick. (Quantity Supplied Varies Based On Drop In Sink Ordered)

USE **K-472 \$160** FOR FAUCET HOLE REVISION REAR OFF-CENTER DRAIN - ADD **K-88 \$237**

UNDERMOUNT SINK BOWLS

- 3 1/2" Drain Opening (Accommodates 1-1/2" IPS Drains)
- 1-1/4" Outside Flange on all Four Sides

Undermount Bowls Are Suitable To Be Welded By Others Into Stainless Steel Products.

Multiple Compartment Assemblies Available. Call For Pricing.

| Model # | Price | # Of | | Bowl Size | | |
|-----------------|-------|--------------|-------|-----------------|--------|-------------------|
| | | Compartments | Gauge | LxWxD | Radius | O.D. Trim Size |
| 1014B-05 | \$503 | 1 | 20 | 10" x 14" x 5" | 2" | 12 1/2" x 16 1/2" |
| 1014A-10 | 611 | 1 | 20 | 10" x 14" x 10" | 2" | 12 1/2" x 16 1/2" |
| 1014A-10A | 788 | 1 | 18 | 10" x 14" x 10" | 2" | 12 1/2" x 16 1/2" |
| CO-1014A-10RE** | 1111 | 1 | 18 | 10" x 14" x 10" | 2" | 12 1/2" x 16 1/2" |
| 1014-210-BAD | 1358 | 2 | 18 | 10" x 14" x 10" | 2" | 16 1/2" x 25" |
| 1014-310-BAD | 2132 | 3 | 18 | 10" x 14" x 10" | 2" | 16 1/2" x 37 1/2" |
| CO-1416A-10RE** | 1178 | 1 | 18 | 14" x 16" x 10" | 3" | 12 1/2" x 18 1/2" |
| 1416A-10 | 842 | 1 | 18 | 14" x 16" x 10" | 3" | 16 1/2" x 18 1/2" |
| 1416A-12 | 883 | 1 | 18 | 14" x 16" x 12" | 3" | 16 1/2" x 18 1/2" |
| 1416-212-BAD | 2259 | 2 | 18 | 14" x 16" x 12" | 3" | 18.5 x 33" |
| 1416-312-BAD | 3469 | 3 | 18 | 14" x 16" x 12" | 3" | 15 1/2 x 49 1/2" |
| 1620A-10 | 978 | 1 | 18 | 16" x 20" x 10" | 3" | 18 1/2" x 22 1/2" |
| 1620A-12 | 1163 | 1 | 18 | 16" x 20" x 12" | 3" | 18 1/2" x 22 1/2" |
| 1620A-14A | 1440 | 1 | 14 | 16" x 20" x 14" | 3" | 18 1/2" x 22 1/2" |
| 1620-212-BAD | 2490 | 2 | 16 | 16" x 20" x 12" | 3" | 22 1/2" x 37" |
| 1620-312-BAD | 3816 | 3 | 16 | 16" x 20" x 12" | 3" | 22 1/2" x 55 1/2" |
| 1824A-12 | 2039 | 1 | 18 | 18" x 24" x 12" | 3" | 20 1/2" x 26 1/2" |
| 1824A-14A | 2286 | 1 | 14 | 18" x 24" x 14" | 3" | 20 1/2" x 26 1/2" |
| 2020A-12 | 1302 | 1 | 18 | 20" x 20" x 12" | 3" | 22 1/2" x 22 1/2" |
| 2020A-14 | 1405 | 1 | 18 | 20" x 20" x 14" | 3" | 22 1/2" x 22 1/2" |
| 2028A-12 | 2157 | 1 | 16 | 20" x 28" x 12" | 3" | 22 1/2" x 30 1/2" |
| 2028A-14A | 2350 | 1 | 14 | 20" x 28" x 14" | 3" | 22 1/2" x 30 1/2" |
| 2424A-14A | 2538 | 1 | 14 | 24" x 24" x 14" | 3" | 26 1/2" x 26 1/2" |

For A.D.A. 5 1/2" Bowl Depth Modification on 2 Compartment Sinks, Use **K-148 \$95 ea. bowl**

** Includes Residential Finish & Packaging. Add **K-350 \$457** for Other Models to Add Residential Finish & Packaging.



2028A-12 Shown



CO-1014A-10RE Shown

TEMPLATES NOW PROVIDED ON LINE!

COMMERCIAL HAND SINKS

HAND SINKS INCLUDE FAUCETS THAT MEET FEDERAL LEAD FREE STANDARDS.

All Sinks on this Page Ship via UPS

Removable Utility Tray
For Side Splashes
See Pg. 25



STANDARD UNITS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4" Unless Otherwise Specified
Includes K-59 Splash Mount Faucet, 3-1/2" Basket Drain & Wall Bracket (Unless Otherwise Specified)



7-PS-60 \$763
Standard Unit
13 lbs. 2 cu. ft. 20 gauge



7-PS-68 \$907
K-316 Splash Mt.
Wrist Handle Faucet
13 lbs. 2 cu. ft. 20 gauge



7-PS-67 \$844
Lever Operated
15 lbs. 2 cu. ft. 20 gauge

7-PS-70 \$696
Equal To 7-PS-60,
Without Faucet

7-PS-71 \$765
Equal To 7-PS-70,
w/ Single Hole Punch



7-PS-50 \$997
Lever Operated
with Overflow & P-Trap
15 lbs. 2 cu. ft. 20 gauge



7-PS-54 \$922
1 1/2" P-Trap
15 lbs. 2 cu. ft. 20 gauge



7-PS-20 \$795
K-22 Deck Mt. Faucet
15 lbs. 3 cu. ft. 20 gauge
**Overall Size:
17-1/4" x 17-1/4"**
7-PS-20-NF \$759
Equal To 7-PS-20,
Without Faucet

SIDE SPLASH UNITS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4" Unless Otherwise Specified
Includes 7-3/4" High Welded Side Splashes, K-59 Splash Mount Faucet, 3-1/2" Basket Drain & Wall Bracket (Unless Otherwise Specified)



7-PS-66RorL \$1204
Right or Left Side Splash
13 lbs. 2 cu. ft. 20 gauge



7-PS-66 \$1298
Standard Unit
19 lbs. 2 cu. ft. 20 gauge

7-PS-66-NF \$1260
Equal To 7-PS-66,
Without Faucet



7-PS-66W \$1396
K-316 Splash Mt. Faucet
w/ Wrist Handles
19 lbs. 2 cu. ft. 20 gauge

Unit Shown: 7-PS-66L



7-PS-40 \$1585
Lever Operated
With Overflow & P-Trap
20 lbs. 2 cu. ft. 20 gauge



7-PS-76 \$2025
Full Length Removable
Utility Tray
K-59 Splash Mt. Faucet
Lever Operated
With Overflow & P-Trap
12" High Welded Side Splashes
24 lbs. 2 cu. ft. 20 gauge



7-PS-87 \$2619
Towel & Soap Dispenser
K-316 Splash Mt. Faucet
with Wrist Handles
Lever Operated
With Overflow & P-Trap
34 lbs. 10 cu. ft. 20 gauge

SVU SPECIAL VALUE UNITS

ECONOMY HAND SINKS 20 GAUGE



7-PS-EC \$411
• Economy Splash Mt. Faucet
• 1-1/2" Stainless Steel
Basket Drain

7-PS-70-EC \$374

• Equal to 7-PS-EC
• Faucet Not Included

7-PS-71-EC \$287

• Equal to 7-PS-70-EC
• Single Hole Punch



7-PS-EC-SP \$548

• Economy Splash Mt. Faucet
• 7 3/4" Side Splashes
• 1-1/2" Stainless Steel Basket Drain

7-PS-EC-SPNF \$474

• 7 3/4" Side Splash Right Or Left Side
• Faucet Not Included

7-PS-EC-SPRorL \$523

• 7 3/4" Side Splash On
Right Or Left Side



12" WIDE SPACE-SAVERS

7-PS-23-EC \$411

• Economy Splash Mt. Extended Faucet
• 1-1/2" Stainless Steel Drain w/ Strainer
• 9" x 9" x 5" Bowl Size



7-PS-23-EC-NF \$274

• No Faucet Included



7-PS-23-EC-SP \$548

• Equal To 7-PS-23-EC
• 7 3/4" Side Splashes

COMMERCIAL HAND SINKS

HAND SINKS INCLUDE FAUCETS THAT MEET FEDERAL LEAD FREE STANDARDS.
To delete faucet, order **K-59OMIT** and deduct **\$24**.

 All Sinks on this Page Ship via UPS

MIRROR HI-LITE
for Hand Sinks
7-PS-106 \$281



SOAP & TOWEL DISPENSER UNITS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4"

Includes Towel & Liquid Soap Dispensers, K-59 Splash Mount Faucet, 3-1/2" Basket Drain & Wall Bracket (Unless Otherwise Specified)

To delete faucet, order **K-50OMIT** and deduct **\$24**



7-PS-69 \$2817
K-69 Splash Mt. Faucet
With Wrist Handles
Lever Operated
With Overflow & P-Trap
Side Support Brackets
35 lbs. 6 cu. ft. 20 gauge



7-PS-79 \$1904
Standard Unit
32 lbs. 10 cu. ft. 20 gauge



7-PS-80 \$2087
Lever Operated
With Overflow & P-Trap
32 lbs. 10 cu. ft. 20 gauge

ALL-IN-ONE
UNIT



7-PS-85 \$2322
P-Trap & Skirt
35 lbs. 6 cu. ft. 20 gauge



7-PS-131 \$4720
All-In-One
Touchless Soap Dispenser
Towel Dispenser
7-3/4" High Side Splashes
K-175 Faucet
40 lbs. 10 cu. ft. 20 gauge

UPGRADE TO TOUCHLESS SOAP DISPENSER

Battery Powered (4 "AA" Batteries Required, Not Included)

Add **7-PS-104 \$401** Plus **7-PS-12OMIT** (Deduct **-\$49**) Excludes 7-PS-131



UNDERMOUNT TOWEL DISPENSER UNITS

7-PS-41 \$5636 

Tapered Bowl Design
Hands Free Operated Faucet
1-1/2" Drain w/ Flat-Top Strainer Plate
16 Gauge Skirt with Enclosed Bottom
For Storage w/ Removable Access Panel
Wall Bracket & Keyhole Brackets
65 lbs. 8 cu. ft. 18 gauge



Available with K-123 "D" Spout
Splash Mt. Wrist Handle Faucet
7-PS-46 \$3740 

For More A.D.A. Compliant
Hand Sinks, See Page 10.



7-PS-65 \$2218
Undermount Towel Dispenser
Deck Mounted Soap Dispenser
K-22 Deck Mounted Faucet
35 lbs. 10 cu. ft. 20 gauge

12" WIDE SPACE-SAVING UNITS

Bowl Size: 9" x 9" x 5" • Overall Size: 16" x 12" • Includes 2" Drain With Flat Top Strainer & Wall Bracket



7-PS-22 \$983
K-22 Deck Mt. Faucet
12 lbs. 2 cu. ft. 20 gauge



7-PS-23 \$1027
K-123 Splash Mt. Faucet
12 lbs. 2 cu. ft. 20 gauge



7-PS-53 \$2925
K-175 Splash Mt. Faucet
12 lbs. 2 cu. ft. 20 gauge



7-PS-56 \$1572
K-123 Splash Mt. Faucet
8" High Side Splashes
14 lbs. 2 cu. ft. 20 gauge



7-PS-88 \$2063
Undermount Towel Dispenser
Deck Mt. Soap Dispenser
K-22 Deck Mt. Faucet
23 lbs. 10 cu. ft. 20 gauge



7-PS-83 \$1855
Towel Dispenser
Deck Mt. Soap Dispenser
K-22 Deck Mt. Faucet
27 lbs. 5 cu. ft. 20 gauge



7-PS-84 \$2010
Towel Dispenser
Deck Mt. Soap Dispenser
K-123 Splash Mt. Faucet
27 lbs. 5 cu. ft. 20 gauge



7-PS-73



7-PS-89

7-PS-73 \$2544
8" High Side Splashes
Towel Dispenser
Deck Mt. Soap Dispenser
K-123 Splash Mt. Faucet
31 lbs. 5 cu. ft. 20 gauge

7-PS-89 \$3672
HANDS FREE!
Same as above with
K-175 Splash Mt. Faucet

 **WARNING:** Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info, visit www.p65warnings.ca.gov.

COMMERCIAL HAND SINKS

HAND SINKS INCLUDE FAUCETS THAT MEET FEDERAL LEAD FREE STANDARDS.

 All Sinks on this Page Ship via UPS

HANDS FREE ELECTRONIC OPERATED FAUCETS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4" Unless Otherwise Specified • Includes K-175 AC/DC Powered Electronic Operated Faucet

7-PS-131
\$4720

All-In-One
Touchless Soap Dispenser
Towel Dispenser
7-3/4" High Side Splashes
K-175 Faucet
40 lbs. 10 cu. ft. 20 gauge



7-PS-51
\$2893

Equal to 7-PS-50
w/ K-175 Faucet
21 lbs. 2 cu. ft. 20 gauge



7-PS-81
\$3983

Equal to 7-PS-80
w/ K-175 Faucet
32 lbs. 10 cu. ft. 20 gauge



7-PS-91
\$3844

Equal to 7-PS-90
w/ K-175 Faucet
41 lbs. 10 cu. ft.
20 gauge



7-PS-61
\$2661

Equal to 7-PS-60
w/ K-175 Faucet
19 lbs. 2 cu. ft. 20 gauge

See Page 8
For Spacer
Model!



7-PS-52
\$3795

Equal to 7-PS-81
Excludes Lever Drain,
P-Trap & Overflow
32 lbs. 10 cu. ft. 20 gauge

DID YOU KNOW? You Can Add a K-175 (Splash Mount) Or A K-180 (Deck Mount) AC/DC Powered Electronic Faucet To Any Hand Sink

KNEE VALVE UNITS

Includes Single Knee Valve (With Built-in Mixing Valve), K-121 Splash Mount Gooseneck Spout, 3-1/2" Basket Drain (Unless Otherwise Noted) & Wall Bracket



7-PS-62 \$1943

Standard Unit
Bowl Size: 10" x 14" x 5"
Overall : 15-1/4" x 17-1/4"
25 lbs. 2 cu. ft. 20 gauge



7-PS-59 \$2512

Side Splash Unit
Bowl Size: 10" x 14" x 5"
Overall : 15-1/4" x 17-1/4"
7-3/4" side Splashes
25 lbs. 2 cu. ft. 20 gauge



7-PS-82 \$2661

Towel & Soap Dispenser
Bowl Size: 10" x 14" x 5"
Overall : 15-1/4" x 17-1/4"
38 lbs. 6 cu. ft. 20 gauge



7-PS-63 \$1943

Spacesaver
1-1/2" Basket Drain
Bowl Size: 9" x 9" x 5"
Overall : 12-1/4" x 16"
20 lbs. 8 cu. ft. 18 gauge



7-PS-58 \$2509

Spacesaver W/Splashes
7-3/4" Side Splashes
1-1/2" Basket Drain
Bowl Size: 9" x 9" x 5"
Overall : 12-1/4" x 16"
20 lbs. 8 cu. ft. 18 gauge



LARGE BOWL SIZE

7-PS-78 \$2424

Bowl Size: 16" (F/B) x 20" x 6"
Overall : 24-3/4" (F/B) x 21-7/8"
40 lbs. 8 cu. ft. 18 gauge



7-PS-30 \$2092

Bowl Size: 16" (F/B) x 14" x 6"
Overall : 21-1/4" (F/B) x 17-1/4"
33 lbs. 8 cu. ft. 18 gauge

FOOT PEDAL VALVE UNITS

Includes Single Pedal Valve (With Built-in Mixing Valve), K-121 Splash Mount Gooseneck Spout, 3-1/2" Basket Drain & Wall Bracket



7-PS-18 \$2208

Large Bowl Size
Bowl Size: 16" (F/B) x 14" x 6"
Overall :
21-1/4" (F/B) x 17-1/4" x 42"
50 lbs. 50 cu. ft. 18 gauge



7-PS-86 \$2502

Large Bowl Size
Bowl Size: 16" x 20" x 8"
Overall :
24-3/4" x 21-7/8" x 41-1/2"
55 lbs. 16 cu. ft. 20 gauge



7-PS-90

Standard Unit
\$2003
Bowl Size: 10" x 14" x 5"
Overall : 17-1/4" x 15-1/4" x 42"
41 lbs. 10 cu. ft. 20 gauge



7-PS-96

Side Splash Unit
\$2547



7-PS-95 \$2910

Towel & Soap Dispenser
Bowl Size: 10" x 14" x 5"
Overall :
17-1/4" x 15-1/4" x 42"
54 lbs. 15 cu. ft. 20 gauge

Upgrade To Touchless
Soap Dispenser,
Add **7-PS-104 \$401**
Plus **7-PS-120MIT**
(Deduct **-\$49**)



7-PS-99 \$3622

**Towel & Soap Dispenser
Trash Receptacle**
Bowl Size: 10" x 14" x 5"
Overall :
17-1/4" x 15-1/4" x 42"
59 lbs. 15 cu. ft. 20 gauge

COMMERCIAL HAND SINKS

HAND SINKS INCLUDE FAUCETS THAT MEET FEDERAL LEAD FREE STANDARDS.

To delete faucet, order K-59OMIT and deduct \$24.

MIRROR HI-LITE
for Hand Sinks
7-PS-106 \$281



 Ship via UPS



A.D.A. COMPLIANT UNITS (FOR THE PHYSICALLY CHALLENGED)



7-PS-77-E \$5391

Tapered Bowl Design

Hands Free Electronic Faucet
1-1/2" Drain w/Strainer Plate
Deck Mounted Soap Dispenser
16 Ga. Skirt with Enclosed Bottom
w/ Removable Access Panel
65 lbs. 8 cu. ft. 18 gauge

7-PS-77-W \$3496
Same As Above with
8" O.C. Wrist Handle Faucet
65 lbs. 8 cu. ft. 18 gauge



7-PS-41 \$5636

Tapered Bowl Design with Undermount Towel Dispenser

Hands Free Electronic Faucet
1-1/2" Drain w/Strainer Plate
Deck Mounted Soap Dispenser
16 Ga. Skirt with Enclosed Bottom
w/Removable Access Panel
65 lbs. 8 cu. ft. 18 gauge

7-PS-46 \$3740
Same As Above with
8" O.C. Wrist Handle Faucet
65 lbs. 8 cu. ft. 18 gauge



7-PS-25 \$2542 

K-208 Deck Mounted Faucet with Wrist Handles
1-1/2" Drain w/Strainer Plate
Deck Mounted Soap Dispenser
Wall Bracket/2 Side Support Brackets
25 lbs. 8 cu. ft. 18 gauge

7-PS-75 \$1976 

Same as 7-PS-25 With 8" O.C. Faucet Holes Only (Faucet Not Included)

7-PS-751 \$1976 

Same as 7-PS-75 With Single Faucet Hole Only (Faucet Not Included)

7-PS-26 \$4759 

Same as 7-PS-25 With K-180 Hands Free AC/DC Operated Faucet



SPECIAL PURPOSE UNITS All Ship via UPS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4" (7-PS-72 - Overall Size: 17 1/4" x 17 1/4")



7-PS-55 \$1387
Eye Wash Sink
Gooseneck Faucet w/ Eye Wash Attachment
3-1/2" Basket Drain & Wall Bracket
15 lbs. 3 cu. ft. 20 gauge



7-PS-64 \$1236
Extra Support
Patented Design
Splash Mounted Gooseneck Faucet
3-1/2" Basket Drain & Wall Bracket
25 lbs. 2 cu. ft. 20 gauge



7-PS-72 \$1416
H.A.C.C.P. Compliant
Slow Self-Closing Metering Faucet with Mixing Valve
3-1/2" Basket Drain & Wall Bracket
15 lbs. 3 cu. ft. 20 gauge



7-PS-44 \$3248
Body Activated Valve
Bowl Size: 10" x 14" x 5"
Overall Size: 15-1/4" x 17-1/4"
K-121 Splash Mounted Gooseneck Spout
3-1/2" Basket Drain & Wall Bracket
28 lbs. 2 cu. ft. 18 gauge

SECURITY SINKS

Include Faucets That Meet 2014 Lead Free Standards

7-PS-747 \$3935
Class 2 Upgrade
Minimum Security Installations
Heavy Duty Gooseneck Faucet
Concealed 3-1/2" Drain
Wall Bracket
45 lbs. 10 cu. ft. 20 gauge



Bowl Size: 10" x 14" x 5"

7-PS-727 \$5000
Class 1 Upgrade Minimum Security Installations
Heavy Duty Gooseneck Faucet
Towel Dispenser with key lock
Provisions for installation of soap dispenser (By others)
Concealed 3-1/2" Drain
Wall Bracket
65 lbs. 15 cu. ft. 20 gauge



Bowl Size: 10" x 14" x 5"

LARGE BOWL SINKS

Includes K-59 Splash Mt. Gooseneck Faucet, 3-1/2" Basket drain, Wall Bracket w/2 Side Support Brackets

7-PS-45 \$1323
31 lbs. 8 cu. ft. 18 gauge
Bowl Size: 16" x 20" x 8"
Overall Size: 22" x 25"

7-PS-49 \$1236
31 lbs. 8 cu. ft. 18 gauge
Bowl Size: 14" x 16" x 8"
Overall Size: 19-1/4" x 19"



CONCEALED HAND SINK DRAWER

Take Back Your Countertop Space!

- Easily Installs into Existing Advance Tabco Work Tables/Countertops or Integrates into Custom Fabrication
- Overall Size: 22 5/8" W x 19 7/8" L x 19 1/4" H
- 10" x 14" x 5" Deep Sink Bowl
- Pre-Drilled Holes In Flanges For Easy Mounting
- Integral Drawer Slides For Smooth Operation
- "Safety Stop" Tab
- Swing Spout Faucet
- 1-1/2" Sink Drain with Strainer Plate
- Drainage Pan with 1-1/2" Drain & Strainer Plate (PVC Drain Pipe & Fittings Included.)

7-PS-47 \$3466  



K-50 Faucet



Drawer Safety Stop Tab

HAND SINK FAUCETS, MODIFICATIONS & ACCESSORIES



All Items On This Page Ship via UPS

ALL FAUCETS MEET FEDERAL LEAD FREE STANDARDS.



WELDED SIDE SPLASHES Factory Installed Only



7-3/4" Side Splash Shown



Two 7-3/4" Welded Side Splashes Shown



Two 12" Welded Side Splashes Shown

Shown with Optional Utility Tray



Two 24" Welded Side Splashes & Back Panel Shown

*24" high splashes include a rear panel that matches the height of the side splashes. Only available as 2 side design. Single side not offered. Includes rear mounting holes.

| 7-3/4" HEIGHT SPLASH | | 12" HEIGHT SPLASH | | | | 24" HEIGHT SPLASH | | Description | | |
|----------------------|-----------------|-------------------|-----------------|-------------------------------|---------|-------------------|-------|-------------|--------|---|
| 1 Side Splash | 2 Side Splashes | 1 Side Splash | 2 Side Splashes | 2 Side Splashes & Rear Panel* | Model # | Price | | | | |
| Model # | Price | Model # | Price | Model # | Price | Model # | Price | | | |
| 7-PS-16 | \$474 | 7-PS-17 | \$603 | 7-PS-11 | \$576 | 7-PS-15 | \$648 | 7-PS-28 | \$1466 | Units w/ 10" x 14" Bowl & Splash Mount Faucet |
| 7-PS-16A | 474 | 7-PS-17A | 616 | 7-PS-11A | 576 | 7-PS-15A | 648 | 7-PS-28A | 1466 | Units w/ 9" x 9" Bowls |
| 7-PS-16B | 503 | 7-PS-17B | 663 | 7-PS-11B | 620 | 7-PS-15B | 692 | 7-PS-28B | 1481 | Units w/ 10" x 14" Bowl & Deck Mount Faucet |
| 7-PS-16C | 515 | 7-PS-17C | 691 | 7-PS-11C | 648 | 7-PS-15C | 718 | 7-PS-28C | 1566 | Units w/ 16" x 20" Bowls |
| 7-PS-16D | 559 | 7-PS-17D | 722 | 7-PS-11D | 701 | 7-PS-15D | 799 | 7-PS-28D | 1599 | For Handicapped Hand Sinks |
| 7-PS-16E | 510 | 7-PS-17E | 675 | 7-PS-11E | 689 | 7-PS-15E | 783 | 7-PS-28E | 1527 | Units w/ 14" (F/B) x 16" Bowls |
| 7-PS-16F | 510 | 7-PS-17F | 675 | 7-PS-11F | 689 | 7-PS-15F | 783 | 7-PS-28F | 1541 | Units w/ 16" (F/B) x 14" Bowls |

BOLT-ON SINGLE SIDE SPLASH (Priced Per Splash. Order 2 for Both Sides)

7-3/4" & 12" Height Bolt-On Side Splashes



Includes Holes. Hardware not Included.

| 7-3/4" HEIGHT SPLASH | | 12" HEIGHT SPLASH | | Description |
|----------------------|-----------|-------------------|-----------|---|
| Model # | Price Ea. | Model # | Price Ea. | |
| 7-PS-27 | \$190 | 7-PS-13 | \$246 | Units w/ 10" x 14" Bowl & Splash Mount Faucet |
| 7-PS-27A | 230 | 7-PS-13A | 297 | Units w/ 9" x 9" Bowls |
| 7-PS-27B | 230 | 7-PS-13B | 329 | Units w/ 10" x 14" Bowl & Deck Mount Faucet |
| 7-PS-27C | 230 | 7-PS-13C | 343 | Units w/ 16" x 20" Bowls |
| 7-PS-27D | 261 | 7-PS-13D | 317 | For Handicapped Hand Sinks |
| 7-PS-27E | 292 | 7-PS-13E | 315 | Units w/ 14" (F/B) x 16" Bowls |
| 7-PS-27F | 292 | 7-PS-13F | 315 | Units w/ 16" (F/B) x 14" Bowls |



REMOVABLE UTILITY TRAY For Side Splashes

7-PS-48 \$393

- 8" X 3" X 2 5/16" Tray
- Tray Hem Allows To Hang From Any Standard Side Splash
- Perforated For Water Drainage

MIRROR HI-LITE

for Hand Sinks

7-PS-106 \$281



TUBULAR WALL SUPPORTS



Includes Set Of 2 Supports

| Model # | Price | Description |
|----------|-------|---|
| 7-PS-24 | \$569 | Units w/ 10"x14" Bowl & Splash Mount Faucet |
| 7-PS-24B | 569 | Units w/ 10"x14" Bowl & Deck Mount Faucet |
| 7-PS-24C | 666 | Units with 16"x14" & 16"x20" Bowls |

SKIRT ASSEMBLY

For Support



| Model # | Price | Description |
|----------|-------|--|
| 7-PS-31 | \$678 | Fits Hand Sinks with 10" x 14" Bowl & Splash Mounted Faucets |
| 7-PS-31A | 734 | Fits Hand Sinks with 9" x 9" Bowl Only |
| 7-PS-31B | 762 | Fits Hand Sinks with 10" x 14" Bowl & Deck Mounted Faucets |

SIDE MOUNTING WALL BRACKETS

7-PS-36 \$177

(Add to price of sink)

Includes 2 brackets. Used for Added Strength & Support



"Z" STYLE WALL MOUNT BRACKET

K-397 \$108 ea.



PEDESTAL BASES FOR EXISTING HAND SINKS

(Excludes sinks with existing bases or skirts. Sinks Not Included)

BASIC BASE



| Model # | Price | Description |
|----------|-------|--|
| 7-PS-37 | \$760 | For 10" x 14" Bowls |
| 7-PS-37B | 952 | For 10" x 14" bowls & Deck Mounted Faucets |
| 7-PS-37C | 1018 | For 16" x 20" Bowls |

BASE W/ FOOT PEDAL



| Model # | Price | Description |
|----------|--------|--|
| 7-PS-33 | \$1058 | For 10" x 14" Bowls |
| 7-PS-33B | 1335 | For 10" x 14" bowls & Deck Mounted Faucets |
| 7-PS-33C | 1441 | For 16" x 20" Bowls |



ADD TRASH RECEPTACLE

7-PS-29 \$862

REPLACEMENT PLASTIC HANDLES

7-PS-38 \$53 ea.



Use Above Model Number With Any Pedestal Base Sink Or Stand-Alone Pedestal Base

SOAP & TOWEL DISPENSERS



C-Fold Style Paper Towel & Soap Dispenser
Mounts On 17" Wide Hand Sinks Only.
7-PS-34 \$1379

Upgrade To Touchless Soap Dispenser, Add **7-PS-104 \$401**
Plus **7-PS-12OMIT** (Deduct **-\$49**)



Wall Mounted Liquid Soap Dispenser
Mounting Hardware Included.
7-PS-12 \$230



Wall Mounted Touchless Liquid Soap Dispenser
Battery Powered (4 "AA" Batteries Required, Not Included).
Mounting Hardware Included.
Low Soap Indicator Window.
Low Battery Indicator Light.
7-PS-104 \$401



Wall Mounted Paper Towel Dispenser
Holds C-Fold Style Towels.
7-PS-35 \$422



Deck Mounted Liquid Soap Dispenser
K-12 \$192



Stainless Steel Wall Mounted Liquid Soap Dispenser
Mounting Hardware Included.
K-13 \$523

FAUCETS & SPOUTS

EXTRA HEAVY DUTY
Splash Mounted Faucet
4" O.C.



K-69 \$592



3-1/2" Splash Mounted Faucet
4" O.C.



K-59 \$301

3-1/2" Splash Mounted Faucet w/ Wrist Handles
4" O.C.



K-316 \$451
K-316-LU \$152
Wrist Handles Only



K-316-LU

Deck Mounted Lavatory Faucet
4" O.C.



K-22 \$276

3-1/2" Splash Deck Mounted Spout



K-120 \$300

3-1/2" Splash Splash Mounted Spout



K-121 \$179

6 INCH EXTENDED "D" SPOUT FAUCETS



Deck Mounted "D" Spout Faucet
4" O.C.

K-124 \$435



Deck Mounted "D" Spout Faucet W/ Wrist Handles
4" O.C.

K-208 \$594



Splash Mounted "D" Spout Faucet
4" O.C.

K-123 \$435



Splash Mounted "D" Spout Faucet W/ Wrist Handles
4" O.C.

K-206 \$567

ELECTRONIC HANDS-FREE FAUCETS

Powered by AC or Battery



Splash Mount
K-175 \$2007



Deck Mount
K-180 \$2007

METERED FAUCET



Slow-Released Metered Faucet **K-190 \$731**

INSTANT HOT WATER

On Demand

This unit allows hand sinks to be installed in remote areas with just cold water supply & available 30 amp electric power. There is no delay or wasted water while waiting for hot water to reach the faucet. Includes Heater & Plumbing Hardware.



7-PS-92 \$2687

FAUCET HOLE MODIFICATIONS

Faucets Not Included



Single Hole Punch
For Deck Mt. Faucet
K-71 \$160



Single Hole Punch
For Splash Mt. Faucet
K-70A \$160



Double Hole Punch
For 8" O.C. Faucets
K-70 \$160

14 GAUGE WALL MOUNTED MULTI-STATION HAND SINKS

NSF Approved

NSF WALL MOUNTED SINKS W/ TUBULAR SUPPORTS

- 14 Gauge, 304 Stainless Steel • 8" Bowl Depth • 8 1/2" High Backsplash • Stainless Steel Tubular Supports
- Wall Bracket • 8" O.C. Faucet Holes On Manual Operated or Single Holes On Knee Or Electronic Operated • Rear 3-1/2" Basket Drains
- "-F" Series Splash Mount Models Include K-159 3-1/2" Goosenecks. "-F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks



FS-WM-40 Shown



FS-WM-40EF Shown

K-175 Electronic
Faucets Included
On All "EF" Models



FS-WM-40-F Shown



Faucets Included
On "-F" Models
(Splash Mt. Shown)



FS-WM-40KV Shown



| L | NO FAUCETS INCLUDED | | MANUAL FAUCETS INCLUDED | | ELECTRONIC OPERATED FAUCETS | | KNEE OPERATED FAUCETS | | # of Faucets |
|------|------------------------|--------|-------------------------|--------|-----------------------------|--------|-----------------------|--------|--------------|
| | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | |
| 40" | FS-WM-40 [†] | \$5454 | FS-WM-40-F | \$6114 | FS-WM-40EF | \$8560 | FS-WM-40KV | \$7142 | 2 |
| 60" | FS-WM-60 [†] | 6066 | FS-WM-60-F | 7056 | FS-WM-60EF | 10717 | FS-WM-60KV | 8590 | 3 |
| 80" | FS-WM-80 [†] | 6877 | FS-WM-80-F | 8196 | FS-WM-80EF | 13078 | FS-WM-80KV | 10242 | 4 |
| 100" | FS-WM-100 [†] | 7541 | FS-WM-100-F | 9193 | FS-WM-100EF | 15295 | FS-WM-100KV | 11750 | 5 |
| 120" | FS-WM-120 [†] | 9509 | FS-WM-120-F | 11489 | FS-WM-120EF | 18813 | FS-WM-120KV | 14558 | 6 |

[†]Add K-472 For Faucet Hole Revision \$160

NSF A.D.A. WALL MOUNTED SINKS W/ TUBULAR SUPPORTS

- 14 Gauge, 304 Stainless Steel • 5" Bowl Depth • 8 1/2" High Backsplash • Stainless Steel Tubular Supports • Wall Bracket
- 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated • Rear 3-1/2" Basket Drains
- "-F" Series Splash Mount Models Include K-161-LU 6" Goosenecks. "-F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks



FS-WM-40-ADA Shown



FS-WM-40-ADA-F Shown



Faucets Included
On All "-F" Models
(Splash Mt. Shown)



FS-WM-40EFADA Shown



K-175 Electronic
Faucets Included
On All "EF" Models

| L | NO FAUCETS INCLUDED | | MANUAL FAUCETS INCLUDED | | ELECTRONIC OPERATED FAUCETS | | # of Faucets |
|------|----------------------------|--------|-------------------------|--------|-----------------------------|--------|--------------|
| | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | |
| 40" | FS-WM-40-ADA [†] | \$5454 | FS-WM-40-ADA-F | \$6240 | FS-WM-40EFADA | \$8394 | 2 |
| 60" | FS-WM-60-ADA [†] | 6066 | FS-WM-60-ADA-F | 7306 | FS-WM-60EFADA | 10537 | 3 |
| 80" | FS-WM-80-ADA [†] | 6877 | FS-WM-80-ADA-F | 8561 | FS-WM-80EFADA | 12872 | 4 |
| 100" | FS-WM-100-ADA [†] | 7541 | FS-WM-100-ADA-F | 9681 | FS-WM-100EFADA | 15068 | 5 |
| 120" | FS-WM-120-ADA [†] | 9509 | FS-WM-120-ADA-F | 12192 | FS-WM-120EFADA | 18657 | 6 |

[†]Add K-472 For Faucet Hole Revision \$160

16 GAUGE WALL MOUNTED MULTI-STATION HAND SINKS

Ships Via UPS

NSF Approved 



NSF WALL MOUNTED SINKS W/ TUBULAR SUPPORTS

- 16 Gauge, 304 Stainless Steel • 8" Bowl Depth • 8 1/2" High Backsplash • Stainless Steel Tubular Supports
- Wall Bracket • 8" O.C. Faucet Holes On Manual Operated, Single Holes On Knee Or Electronic Operated • Rear 3-1/2" Basket Drains
- "F" Series Splash Mount Models Include K-159 3-1/2" Goosenecks. "F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks



FC-WM-40 Shown



FC-WM-40EF Shown



K-175 Electronic Faucets Included On All "EF" Models



FC-WM-40-F Shown



Faucets Included On "F" Models (Splash Mt. Shown)



FC-WM-40KV Shown



Knee Valve

| L | NO FAUCETS INCLUDED | | MANUAL FAUCETS INCLUDED | | ELECTRONIC OPERATED FAUCETS | | KNEE OPERATED FAUCETS | | # of Faucets |
|------|------------------------|--------|-------------------------|--------|-----------------------------|--------|-----------------------|--------|--------------|
| | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | |
| 40" | FC-WM-40 [†] | \$4716 | FC-WM-40-F | \$5376 | FC-WM-40EF | \$7815 | FC-WM-40KV | \$6400 | 2 |
| 60" | FC-WM-60 [†] | 5323 | FC-WM-60-F | 6316 | FC-WM-60EF | 9975 | FC-WM-60KV | 7848 | 3 |
| 80" | FC-WM-80 [†] | 6236 | FC-WM-80-F | 8561 | FC-WM-80EF | 12439 | FC-WM-80KV | 9604 | 4 |
| 100" | FC-WM-100 [†] | 6997 | FC-WM-100-F | 8649 | FC-WM-100EF | 14749 | FC-WM-100KV | 11204 | 5 |
| 120" | FC-WM-120 [†] | 8368 | FC-WM-120-F | 10349 | FC-WM-120EF | 17670 | FC-WM-120KV | 13416 | 6 |

[†]Add K-472 For Faucet Hole Revision \$160

NSF A.D.A. WALL MOUNTED SINKS W/ TUBULAR SUPPORTS

- 16 Gauge, 304 Stainless Steel • 5" Bowl Depth • 8 1/2" High Backsplash • Stainless Steel Tubular Supports • Wall Bracket
- 8" O.C. Faucet Holes On Manual Operated, Single Holes On Electronic Operated • Rear 3-1/2" Basket Drains
- "F" Series Splash Mount Models Include K-161-LU 6" Goosenecks. "F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks



FC-WM-40-ADA Shown



FC-WM-40-ADA-F Shown



Faucets Included On All "F" Models (Splash Mt. Shown)



FC-WM-40EFADA Shown



K-175 Electronic Faucets Included On All "EF" Models

| L | NO FAUCETS INCLUDED | | MANUAL FAUCETS INCLUDED | | ELECTRONIC OPERATED FAUCETS | | # of Faucets |
|------|----------------------------|--------|-------------------------|--------|-----------------------------|--------|--------------|
| | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | |
| 40" | FC-WM-40-ADA [†] | \$4716 | FC-WM-40-ADA-F | \$5570 | FC-WM-40EFADA | \$7766 | 2 |
| 60" | FC-WM-60-ADA [†] | 5323 | FC-WM-60-ADA-F | 6591 | FC-WM-60EFADA | 9822 | 3 |
| 80" | FC-WM-80-ADA [†] | 6236 | FC-WM-80-ADA-F | 7827 | FC-WM-80EFADA | 12134 | 4 |
| 100" | FC-WM-100-ADA [†] | 6997 | FC-WM-100-ADA-F | 9210 | FC-WM-100EFADA | 14598 | 5 |
| 120" | FC-WM-120-ADA [†] | 8368 | FC-WM-120-ADA-F | 11053 | FC-WM-120EFADA | 17517 | 6 |

[†]Add K-472 For Faucet Hole Revision \$160

NSF WALL MOUNTED SERVICE SINKS W/ TUBULAR SUPPORTS

- 14 Gauge, 304 Stainless Steel • 10" Or 12" Deep Bowl (Excludes Knee Valve Units) • 8 1/2" High Backsplash • Stainless Steel Tubular Supports
- Wall Bracket • 8" O.C. Faucet Holes On Manual Operated Or Single Holes on Knee Or Electronic Operated • Rear 3-1/2" Basket Drain
- "-F" Series Splash Mount Models Include K-159 3-1/2" Gooseneck. "-F" Series Deck Mount Models Include K-134 8-1/2" Gooseneck



FS-WM-2219 Shown



FS-WM-2219-F Shown



Faucet Included On All "-F" Models (Splash Mt. Shown)



FS-WM-2219EF Shown



K-175 Electronic Faucet Included On All "EF" Models



FS-WM-2219KV Shown

| NO FAUCET INCLUDED | | MANUAL FAUCET INCLUDED | | ELECTRONIC OPERATED FAUCET | | KNEE OPERATED FAUCET | | Bowl | | |
|--------------------|--------|------------------------|--------|----------------------------|--------|----------------------|--------|-------|-----|---------|
| Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Depth | L | W |
| FS-WM-2219† | \$2944 | FS-WM-2219-F | \$3171 | FS-WM-2219EF | \$4496 | FS-WM-2219KV* | \$3786 | *10" | 23" | 23" |
| FS-WM-2721† | 3134 | FS-WM-2721-F | 3350 | FS-WM-2721EF | 4683 | FS-WM-2721KV* | 3974 | 12" | 27" | 21-1/2" |
| FS-WM-3119† | 3446 | FS-WM-3119-F | 3686 | FS-WM-3119EF | 5150 | FS-WM-3119KV* | 4372 | 12" | 31" | 23" |

†Add K-472 For Faucet Hole Revision \$160

*Knee Valve unit Has 8" Bowl Depth

NSF WALL MOUNTED A.D.A SERVICE SINKS W/ TUBULAR SUPPORTS

- 14 Gauge, 304 Stainless Steel • 5" Bowl Depth • 8 1/2" High Backsplash • Stainless Steel Tubular Supports • Wall Bracket
- 8" O.C. Faucet Holes On Manual Operated Or Single Hole On Electronic Operated • Rear 3-1/2" Basket Drain
- "-F" Series Splash Mount Models Include K-161-LU 6" Gooseneck. "-F" Series Deck Mount Models Include K-134 8-1/2" Gooseneck



FS-WM-1-ADA Shown



FS-WM-1-ADA-F Shown



Faucet Included On All "-F" Models (Splash Mt. Shown)



FS-WM-1-EFADA Shown



K-175 Electronic Faucet Included On All "EF" Models

| NO FAUCET INCLUDED | | MANUAL FAUCET INCLUDED | | ELECTRONIC OPERATED FAUCET | | L | W |
|--------------------|--------|------------------------|--------|----------------------------|--------|-----|---------|
| Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | | |
| FS-WM-1-ADA† | \$4875 | FS-WM-1-ADA-F | \$5093 | FS-WM-1-EFADA | \$6425 | 40" | 19-1/2" |

†Add K-472 For Faucet Hole Revision \$160

MULTI-STATION HAND SINK ACCESSORIES & MODIFICATIONS

| Model | Description | Price |
|----------|---|-----------|
| K-13 | Stainless Steel Soap Dispenser | \$523 ea. |
| K-101 | 8" Swing Spout Splash Mt. Faucet | 287 ea. |
| K-121 | Single Hole, Splash Mounted 3-1/2" Gooseneck Spout | 179 ea. |
| K-134 | Deck Mt. 8-1/2" Gooseneck Faucet W/ Wrist Handles (8" O.C.) | 783 ea. |
| K-159 | Splash Mounted 3-1/2" Gooseneck Faucet (8" O.C.) | 570 ea. |
| K-160 | Splash Mounted 6" Swivel Faucet (8" O.C.) | 329 ea. |
| K-161 | Splash Mounted 6" Gooseneck Faucet (8" O.C.) | 783 ea. |
| K-161-LU | Splash Mt. 6" Gooseneck Faucet W/ Wrist Handles (8" O.C.) | 635 ea. |
| K-411 | Strainer Plate for 3-1/2" Drain | 29 ea. |
| K-1118 | Extra H.D. 8" Splash Mounted Faucet | 487 ea. |
| K-316-LU | Wrist Handles | 152 ea. |
| K-472 | Faucet Hole Revision (Manual Faucet Operated Sinks Only) | 160 ea. |
| K-449 | 5" Backsplash Modification (Used when installing a mirror over an ADA Multi-Station or Service Sink) Mirror supplied by others. | N/C |
| K-477 | Replacement Single Leg Clamp For Adjustable Cross Rails | 25 ea. |
| K-477C | Replacement Single Corner Leg Clamp For Adjustable Rails | 35 ea. |
| K-508 | Special Sizing Charge (Larger Size Cut Down To Smaller Size) | N/C |
| TA-19 | Adjustable Stainless Steel Flanged Bullet Foot | 74 ea. |



16 GAUGE WALL MOUNTED SERVICE SINKS



WALL MOUNTED SERVICE SINKS W/ TUBULAR SUPPORTS

- 16 Gauge, 304 Stainless Steel • 12" Deep Bowl (Excludes Knee Valve Units*) • 8 1/2" High Backsplash • S/S Tubular Wall Supports • Wall Bracket
- Rear 3-1/2" Basket Drain • 8" O.C. Faucet Holes On Manual Operated, Single Hole On Electronic Or Knee Operated.



WSS-14-21 Shown



WSS-14-21-F Shown



K-159
3-1/2" Gooseneck
Faucets Included
On All "F" Models



WSS-14-21EF Shown



K-175
Electronic Faucets
Included On All
"EF" Models



WSS-14-21KV Shown



Knee Valve

| NO FAUCET INCLUDED | | MANUAL FAUCET INCLUDED | | ELECTRONIC OPERATED FAUCET | | KNEE OPERATED FAUCET | | L | W |
|--------------------|--------|------------------------|--------|----------------------------|--------|----------------------|--------|-----|---------|
| Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | | |
| WSS-14-21† | \$2490 | WSS-14-21-F | \$2821 | WSS-14-21EF | \$4040 | WSS-14-21KV* | \$3332 | 18" | 17-1/2" |
| WSS-16-25† | 2750 | WSS-16-25-F | 3080 | WSS-16-25EF | 4300 | WSS-16-25KV* | 3592 | 22" | 19-1/2" |
| WSS-16-31† | 3024 | WSS-16-31-F | 3388 | WSS-16-31EF | 4733 | WSS-16-31KV* | 3952 | 31" | 19-1/2" |

†Add K-472 For Faucet Hole Revision \$160

*Knee Valve unit Has 8" Bowl Depth

A.D.A. COMPLIANT



- 16 Gauge
- 5" Deep Bowl
- 8 1/2" High Backsplash
- 8" O.C. Faucet Holes - (On Manual Operated Units Only)
- S/S Tubular Wall Supports
- Wall Bracket
- Rear 3-1/2" Basket Drain



19-18-1-ADA Shown



19-18-1-ADA-F Shown



K-161-LU
6" Gooseneck
Faucet Included
On All "F" Models



19-18-1-EFADA Shown



K-175
Electronic Faucets
Included On All
"EF" Models

| NO FAUCET INCLUDED | | MANUAL FAUCET INCLUDED | | ELECTRONIC OPERATED FAUCET | | L | W |
|--------------------|--------|------------------------|--------|----------------------------|--------|-----|---------|
| Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | | |
| 19-18-1-ADA† | \$3082 | 19-18-1-ADA-F | \$4275 | 19-18-1-EFADA | \$5279 | 40" | 19-1/2" |

†Add K-472 For Faucet Hole Revision \$160

NSF SERVICE SINKS W/TUBULAR SUPPORTS

- 16 Gauge, 304 Stainless Steel • 10" or 12" Deep Bowl Excludes Knee Valve Units*) • 8 1/2" High Backsplash • S/S Tubular Wall Supports • Wall Bracket
- 3/4" Coved Corners • 8" O.C. Faucet Holes On Manual Operated Units Or Single Hole On Electronic & Knee Operated • Rear 3-1/2" Basket Drain
- "F" Series Splash Mount Models Include K-161-LU 6" Gooseneck. "EF" Series Deck Mount Models Include K-134 8-1/2" Gooseneck



FC-WM-2219 Shown




FC-WM-2219-F Shown



Faucets Included
On All "F" Models
(Splash Mt. Shown)



FC-WM-2219EF Shown



K-175
Electronic Faucets
Included On All
"EF" Faucets



FC-WM-2219KV Shown



Knee Valve

| NO FAUCET INCLUDED | | MANUAL FAUCET INCLUDED | | ELECTRONIC OPERATED FAUCET | | KNEE OPERATED FAUCET | | Bowl | | |
|--------------------|--------|------------------------|--------|----------------------------|--------|----------------------|--------|-------|-----|---------|
| Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Depth | L | W |
| FC-WM-2219† | \$2614 | FC-WM-2219-F | \$2997 | FC-WM-2219EF | \$4165 | FC-WM-2219KV* | \$3459 | *10" | 23" | 23" |
| FC-WM-2721† | 2753 | FC-WM-2721-F | 3137 | FC-WM-2721EF | 4303 | FC-WM-2721KV* | 3594 | 12" | 27" | 21-1/2" |
| FC-WM-3119† | 3034 | FC-WM-3119-F | 3454 | FC-WM-3119EF | 4733 | FC-WM-3119KV* | 3955 | 12" | 31" | 23" |

†Add K-472 For Faucet Hole Revision \$160

*Knee Valve unit Has 8" Bowl Depth

A.D.A. COMPLIANT



- 16 Gauge
- 5" Deep Bowl
- 8-1/2" High Backsplash
- 8" O.C. Faucet Holes or Single Hole On Electronic Faucet Unit
- S/S Tubular Wall Supports
- Wall Bracket
- Rear 3-1/2" Basket Drain



FC-WM-1-ADA Shown



FC-WM-1-ADA-F Shown



Faucet Included
On all "F" Models
(Splash Mt. Shown)



FC-WM-1-EFADA Shown



K-175
Electronic Faucet
Included On All
"EF" Models

| NO FAUCET INCLUDED | | MANUAL FAUCET INCLUDED | | ELECTRONIC OPERATED FAUCET | | L | W |
|--------------------|--------|------------------------|--------|----------------------------|--------|-----|---------|
| Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | | |
| FC-WM-1-ADA† | \$4623 | FC-WM-1-ADA-F | \$4985 | FC-WM-1-EFADA | \$6176 | 40" | 19-1/2" |

†Add K-472 For Faucet Hole Revision \$160

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info, visit www.p65warnings.ca.gov.

16 GAUGE WALL MOUNTED SQUARE CORNER MULTI-STATION HAND SINKS

WALL MOUNTED SINKS W/ TUBULAR SUPPORTS

- 16 Gauge, 304 Stainless Steel • 8 1/2" High Backsplash • 8" Bowl Depth • Stainless Steel Tubular Supports • Wall Bracket
- 8" O.C. Faucet Holes On Manual Operated, Single Hole(s) On Electronic Or Knee Operated • Rear 3-1/2" Basket Drain



| Length | NO FAUCETS INCLUDED | | MANUAL FAUCETS INCLUDED | | ELECTRONIC OPERATED FAUCETS | | KNEE OPERATED FAUCETS | | # of Faucets |
|--------|---------------------|--------|-------------------------|--------|-----------------------------|--------|-----------------------|--------|--------------|
| | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | |
| 23" | 19-18-23† | \$2369 | 19-18-23-F | \$2697 | 19-18-23EF | \$4005 | 19-18-23KV | \$3298 | 1 |
| 40" | 19-18-40† | 3806 | 19-18-40-F | 4467 | 19-18-40EF | 6906 | 19-18-40KV | 5488 | 2 |
| 60" | 19-18-60† | 4496 | 19-18-60-F | 5486 | 19-18-60EF | 9147 | 19-18-60KV | 7020 | 3 |
| 80" | 19-18-80† | 5013 | 19-18-80-F | 6335 | 19-18-80EF | 11216 | 19-18-80KV | 8379 | 4 |
| 100" | 19-18-100† | 5705 | 19-18-100-F | 7356 | 19-18-100EF | 13458 | 19-18-100KV | 9913 | 5 |
| 120" | 19-18-120† | 7136 | 19-18-120-F | 9117 | 19-18-120EF | 16438 | 19-18-120KV | 12184 | 6 |

†Add K-472 For Faucet Hole Revision \$160

A.D.A. WALL MOUNTED SINKS W/ TUBULAR SUPPORTS

- 16 Gauge, 304 Stainless Steel • 8 1/2" High Backsplash • 5" Bowl Depth • Stainless Steel Tubular Supports • Wall Bracket
- 8" O.C. Faucet Holes On Manual Operated, Single Holes On Electronic Operated • Rear 3-1/2" Basket Drain



| Length | NO FAUCETS INCLUDED | | MANUAL FAUCETS INCLUDED | | ELECTRONIC OPERATED FAUCETS | | Bowl Depth | # of Faucets |
|--------|---------------------|--------|-------------------------|--------|-----------------------------|--------|------------|--------------|
| | Model # | Price | Model # | Price | Model # | Price | | |
| 40" | 19-18-40-ADA† | \$3806 | 19-18-40-ADA-F | \$4751 | 19-18-40EFADA | \$6906 | 5" | 2 |
| 60" | 19-18-60-ADA† | 4496 | 19-18-60-ADA-F | 5914 | 19-18-60EFADA | 9147 | 5" | 3 |
| 80" | 19-18-80-ADA† | 5013 | 19-18-80-ADA-F | 6906 | 19-18-80EFADA | 11216 | 5" | 4 |
| 100" | 19-18-100-ADA† | 5705 | 19-18-100-ADA-F | 8070 | 19-18-100EFADA | 13458 | 5" | 5 |
| 120" | 19-18-120-ADA† | 7136 | 19-18-120-ADA-F | 9972 | 19-18-120EFADA | 16438 | 5" | 6 |

†Add K-472 For Faucet Hole Revision \$160

16 GAUGE FREE STANDING SQUARE CORNER MULTI-STATION HAND SINKS



FREE-STANDING SINKS W/ LEGS

- 16 Gauge, 304 Stainless Steel • 8 1/2" High Backsplash • 8" Bowl Depth • Stainless Steel Legs & Flanged Feet • Wall Bracket • Side & Rear Cross-Bracing
- 8" O.C. Faucet Holes On Manual Operated, Single Hole(s) On Electronic Or Knee Operated • Rear 3-1/2" Basket Drain



19-FM-40 Shown



19-FM-40-F Shown



19-FM-40EF Shown



19-FM-40KV Shown



Knee Valve

| Length | NO FAUCETS INCLUDED | | MANUAL FAUCETS INCLUDED | | ELECTRONIC OPERATED FAUCETS | | KNEE OPERATED FAUCETS | | # of Faucets |
|--------|------------------------|--------|-------------------------|--------|-----------------------------|--------|-----------------------|--------|--------------|
| | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | |
| 23" | 19-FM-23 [†] | \$2913 | 19-FM-23-F | \$3244 | 19-FM-23EF | \$4553 | 19-FM-23KV | \$3726 | 1 |
| 40" | 19-FM-40 [†] | 4359 | 19-FM-40-F | 5019 | 19-FM-40EF | 7459 | 19-FM-40KV | 5828 | 2 |
| 60" | 19-FM-60 [†] | 5186 | 19-FM-60-F | 6178 | 19-FM-60EF | 9838 | 19-FM-60KV | 7272 | 3 |
| 80" | 19-FM-80 [†] | 5703 | 19-FM-80-F | 7024 | 19-FM-80EF | 12044 | 19-FM-80KV | 8615 | 4 |
| 100" | 19-FM-100 [†] | 6811 | 19-FM-100-F | 8463 | 19-FM-100EF | 14564 | 19-FM-100KV | 10134 | 5 |
| 120" | 19-FM-120 [†] | 8520 | 19-FM-120-F | 10502 | 19-FM-120EF | 17825 | 19-FM-120KV | 12376 | 6 |

[†]Add K-472 For Faucet Hole Revision \$160

| Length | TOE-PUSH OPERATED | | # of Faucets |
|--------|-------------------|--------|--------------|
| | Splash Mount | Price | |
| 23" | 19-FM-23FV | \$3843 | 1 |
| 40" | 19-FM-40FV | 6041 | 2 |
| 60" | 19-FM-60FV | 7710 | 3 |
| 80" | 19-FM-80FV | 9209 | 4 |
| 100" | 19-FM-100FV | 11020 | 5 |
| 120" | 19-FM-120FV | 13572 | 6 |

- 16 Gauge, 304 Stainless Steel
- 8 1/2" High Backsplash
- 8" Bowl Depth
- Stainless Steel Legs & Flanged Feet.
- Wall Bracket
- Single Spouts/Toe-Push Operated Valves
- Rear 3-1/2" Basket Drain



19-18-40FV Shown



Toe-Push Valve

A.D.A. FREE STANDING SINKS W/ LEGS

- 16 Gauge, 304 Stainless Steel • 8 1/2" High Backsplash • 5" Bowl Depth • Stainless Steel Legs & Flanged Feet • Wall Bracket
- 8" O.C. Faucet Holes On Manual Operated, Single Holes On Electronic Operated • Rear 3-1/2" Basket Drain



19-FM-40-ADA Shown



19-FM-40-ADA Shown



K-161-LU
6" Gooseneck
Faucet Included
On All "F" Models



19-FM-40-EFADA Shown



K-175
Electronic Faucets
Included On All
"EF" Models

| Length | NO FAUCETS INCLUDED | | MANUAL FAUCETS INCLUDED | | ELECTRONIC OPERATED FAUCETS | | Bowl Depth | # of Faucets |
|--------|----------------------------|--------|-------------------------|--------|-----------------------------|--------|------------|--------------|
| | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | | |
| 40" | 19-FM-40-ADA [†] | \$4359 | 19-FM-40-ADA-F | \$5263 | 19-FM-40EFADA | \$7338 | 6" | 2 |
| 60" | 19-FM-60-ADA [†] | 5186 | 19-FM-60-ADA-F | 6606 | 19-FM-60EFADA | 9640 | 6" | 3 |
| 80" | 19-FM-80-ADA [†] | 5703 | 19-FM-80-ADA-F | 7735 | 19-FM-80EFADA | 11906 | 6" | 4 |
| 100" | 19-FM-100-ADA [†] | 6811 | 19-FM-100-ADA-F | 9177 | 19-FM-100EFADA | 14423 | 6" | 5 |
| 120" | 19-FM-120-ADA [†] | 8520 | 19-FM-120-ADA-F | 11359 | 19-FM-120EFADA | 17585 | 6" | 6 |

[†]Add K-472 For Faucet Hole Revision \$160

14 GAUGE FREE STANDING MULTI-STATION HAND SINKS

NSF Approved

NSF FREE-STANDING SINKS W/LEGS

- 14 Gauge, 304 Stainless Steel • 8" Bowl Depth • 8 1/2" High Backsplash • Stainless Steel Legs & Flanged Feet • Side & Rear Cross-Bracing
- Wall Bracket • 8" O.C. Faucet Holes On Manual Operated Or Single Holes On Knee or Electronic Operated • Rear 3-1/2" Basket Drains
- "-F" Series Splash Mount Models Include K-159 3-1/2" Goosenecks. "-F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks.



FS-FM-40 Shown



FS-FM-40-F Shown



Faucets Included On "-F" Models (Splash Mt. Shown)



FS-FM-40EF Shown



FS-FM-40KV Shown



Knee Valve

| Length | NO FAUCETS INCLUDED | | MANUAL FAUCETS INCLUDED | | ELECTRONIC OPERATED FAUCETS | | KNEE OPERATED FAUCETS | | # of Faucets |
|--------|------------------------|--------|-------------------------|--------|-----------------------------|--------|-----------------------|--------|--------------|
| | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | |
| 40" | FS-FM-40 [†] | \$6008 | FS-FM-40-F | \$6668 | FS-FM-40EF | \$9115 | FS-FM-40KV | \$7696 | 2 |
| 60" | FS-FM-60 [†] | 6756 | FS-FM-60-F | 7748 | FS-FM-60EF | 11408 | FS-FM-60KV | 9019 | 3 |
| 80" | FS-FM-80 [†] | 7706 | FS-FM-80-F | 9026 | FS-FM-80EF | 13908 | FS-FM-80KV | 10740 | 4 |
| 100" | FS-FM-100 [†] | 8646 | FS-FM-100-F | 10298 | FS-FM-100EF | 16401 | FS-FM-100KV | 12524 | 5 |
| 120" | FS-FM-120 [†] | 10893 | FS-FM-120-F | 12876 | FS-FM-120EF | 20197 | FS-FM-120KV | 15411 | 6 |

[†]Add K-472 For Faucet Hole Revision \$157

| Length | TOE-PUSH OPERATED FAUCETS | | # of Faucets |
|--------|---------------------------|--------|--------------|
| | Splash Mount | Price | |
| 40" | FS-FM-40FV | \$8116 | 2 |
| 60" | FS-FM-60FV | 9281 | 3 |
| 80" | FS-FM-80FV | 11072 | 4 |
| 100" | FS-FM-100FV | 12856 | 5 |
| 120" | FS-FM-120FV | 15943 | 6 |

- 14 Gauge, 304 Stainless Steel
- 8" Bowl Depth
- 8 1/2" High Backsplash
- Stainless Steel Legs & Flanged Feet
- Wall Bracket
- Single Spouts/Toe-Push Operated Valves
- Rear 3-1/2" Basket Drains



FS-FM-40FV-CB Shown



Toe-Push Valve

NSF A.D.A. FREE-STANDING SINKS W/ LEGS

- 14 Gauge, 304 Stainless Steel • 5" Bowl Depth • 8 1/2" High Backsplash • Stainless Steel Legs & Flanged Feet • Wall Bracket
- Side Cross-Bracing • 8" O.C. Faucet Holes On Manual Operated Or Single Holes On Electronic Faucet Operated • Rear 3-1/2" Basket Drain(s)
- "-F" Series Splash Mount Models Include K-161-LU 6" Goosenecks. "-F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks



FS-FM-40-ADA Shown



FS-FM-40-ADA-F Shown



Faucet Included On All "-F" Models (Splash Mt. Shown)



FS-FM-40EFADA Shown



K-175 Electronic Faucets Included On All "EF" Models

| Length | NO FAUCETS INCLUDED | | MANUAL FAUCETS INCLUDED | | ELECTRONIC OPERATED FAUCETS | | # of Faucets |
|--------|----------------------------|--------|-------------------------|--------|-----------------------------|--------|--------------|
| | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | |
| 40" | FS-FM-40-ADA [†] | \$6008 | FS-FM-40-ADA-F | \$6672 | FS-FM-40EFADA | \$8828 | 2 |
| 60" | FS-FM-60-ADA [†] | 6756 | FS-FM-60-ADA-F | 7858 | FS-FM-60EFADA | 11088 | 3 |
| 80" | FS-FM-80-ADA [†] | 7706 | FS-FM-80-ADA-F | 9250 | FS-FM-80EFADA | 14763 | 4 |
| 100" | FS-FM-100-ADA [†] | 8646 | FS-FM-100-ADA-F | 10647 | FS-FM-100EFADA | 16035 | 5 |
| 120" | FS-FM-120-ADA [†] | 10893 | FS-FM-120-ADA-F | 13339 | FS-FM-120EFADA | 19805 | 6 |

[†]Add K-472 For Faucet Hole Revision \$160

16 GAUGE FREE STANDING MULTI-STATION HAND SINKS

NSF Approved 



NSF FREE-STANDING SINKS W/ LEGS

- 16 Gauge, 304 Stainless Steel • 8" Bowl Depth • 8 1/2" High Backsplash • Stainless Steel Legs & Flanged Feet • Side & Rear Cross-Bracing
- Wall Bracket • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Knee or Electronic Operated • Rear 3-1/2" Basket Drains
- Gooseneck Faucets Included On "-F" Series Sinks. Splash Mt. Models Include 3-1/2" Goosenecks, Deck Mt. Models Include 6" Goosenecks



FC-FM-40 Shown

FC-FM-40-F Shown

FC-FM-40-EF Shown

FC-FM-40-KV Shown

Faucets Included On "-F" Models (Splash Mt. Shown)

Knee Valve

FS-FMD-40 Shown

| Length | NO FAUCETS INCLUDED | | MANUAL FAUCETS INCLUDED | | ELECTRONIC OPERATED FAUCETS | | KNEE OPERATED FAUCETS | | # of Faucets |
|--------|---------------------|--------|-------------------------|--------|-----------------------------|--------|-----------------------|--------|--------------|
| | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | |
| 40" | FC-FM-40† | \$5271 | FC-FM-40-F | \$5930 | FC-FM-40EF | \$8371 | FC-FM-40KV | \$6739 | 2 |
| 60" | FC-FM-60† | 6017 | FC-FM-60-F | 7007 | FC-FM-60EF | 10667 | FC-FM-60KV | 8100 | 3 |
| 80" | FC-FM-80† | 7066 | FC-FM-80-F | 8388 | FC-FM-80EF | 13269 | FC-FM-80KV | 9838 | 4 |
| 100" | FC-FM-100† | 8105 | FC-FM-100-F | 9756 | FC-FM-100EF | 15857 | FC-FM-100KV | 11427 | 5 |
| 120" | FC-FM-120† | 9752 | FC-FM-120-F | 11734 | FC-FM-120EF | 19056 | FC-FM-120KV | 13608 | 6 |

†Add K-472 For Faucet Hole Revision \$160

| Length | TOE-PUSH OPERATED FAUCETS | | # of Faucets |
|--------|---------------------------|--------|--------------|
| | Splash Mount | Price | |
| 40" | FC-FM-40FV | \$6953 | 2 |
| 60" | FC-FM-60FV | 8540 | 3 |
| 80" | FC-FM-80FV | 10434 | 4 |
| 100" | FC-FM-100FV | 12313 | 5 |
| 120" | FC-FM-120FV | 14802 | 6 |

- 16 Gauge, 304 Stainless Steel
- 8" Bowl Depth
- 8 1/2" High Backsplash
- Stainless Steel Legs & Flanged Feet
- Wall Bracket
- Single Spouts/Toe-Push Operated Valves
- Rear 3-1/2" Basket Drains



FC-FM-40FV Shown



Toe-Push Valve

NSF A.D.A. FREE-STANDING SINKS W/ LEGS

- 16 Gauge, 304 Stainless Steel • 5" Bowl Depth • 8 1/2" High Backsplash • Stainless Steel Legs & Flange Feet • Wall Support Bracket Side Cross-Bracing • 8" O.C. Faucet Holes On Manual Operated or Single Holes On Electronic Faucet Operated • Rear 3-1/2" Basket Drain(s)
- "-F" Series Splash Mount Models Include K-161-LU 6" Goosenecks. "-F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks.



FC-WM-40-ADA Shown

FC-WM-40-ADA-F Shown

FC-WM-40EFADA Shown

Faucet Included On All "-F" Models (Splash Mt. Shown)

K-175 Electronic Faucets Included On All "EF" Models

| Length | NO FAUCETS INCLUDED | | MANUAL FAUCETS INCLUDED | | ELECTRONIC OPERATED FAUCETS | | # of Faucets |
|--------|---------------------|--------|-------------------------|--------|-----------------------------|--------|--------------|
| | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | |
| 40" | FC-FM-40-ADA† | \$5271 | FC-FM-40-ADA-F | \$6003 | FC-FM-40EFADA | \$8158 | 2 |
| 60" | FC-FM-60-ADA† | 6017 | FC-FM-60-ADA-F | 7143 | FC-FM-60EFADA | 10376 | 3 |
| 80" | FC-FM-80-ADA† | 7066 | FC-FM-80-ADA-F | 8514 | FC-FM-80EFADA | 12824 | 4 |
| 100" | FC-FM-100-ADA† | 8105 | FC-FM-100-ADA-F | 10179 | FC-FM-100EFADA | 15566 | 5 |
| 120" | FC-FM-120-ADA† | 9752 | FC-FM-120-ADA-F | 12200 | FC-FM-120EFADA | 18665 | 6 |

†Add K-472 For Faucet Hole Revision \$160

 **WARNING:** Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info, visit www.p65warnings.ca.gov.

NSF FREE-STANDING SERVICE SINKS W/LEGS

- 14 Gauge, 304 Stainless Steel • 10" or 12" Deep Bowl (Excludes Knee Valve Units) • 8 1/2" High Backsplash • Stainless Steel Legs & Flanged Feet • Side & Rear Cross-Bracing
- Wall Bracket • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee or Electronic Operated • Rear 3-1/2" Basket Drain
- "F" Series Splash Mount Models Include K-159 3-1/2" Gooseneck. "F" Series Deck Mount Models Include K-134 8-1/2" Gooseneck



FS-FM-2219 Shown



FS-FM-2219-F Shown



Faucets Included On "F" Models (Splash Mt. Shown)



FS-FM-2219EF Shown



K-175 Electronic Faucet Included On All "EF" Models



FS-FM-2219KV Shown



Knee Valves Included On All "KV" Models

| NO FAUCET INCLUDED | | MANUAL FAUCET INCLUDED | | ELECTRONIC OPERATED FAUCET | | KNEE OPERATED FAUCET | |
|--------------------|--------|------------------------|--------|----------------------------|--------|----------------------|--------|
| Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price |
| FS-FM-2219† | \$3491 | FS-FM-2219-F | \$3874 | FS-FM-2219EF | \$5041 | FS-FM-2219KV* | \$4334 |
| FS-FM-2721† | 3678 | FS-FM-2721-F | 4061 | FS-FM-2721EF | 5228 | FS-FM-2721KV* | 4519 |
| FS-FM-3119† | 4045 | FS-FM-3119-F | 4469 | FS-FM-3119EF | 5752 | FS-FM-3119KV* | 4974 |

†Add K-472 For Faucet Hole Revision \$160

*Knee Valve unit Has 8" Bowl Depth

| TOE-PUSH OPERATED FAUCET | | Bowl | | |
|--------------------------|--------|-------|-----|---------|
| Splash Mount | Price | Depth | L | W |
| FS-FM-2219FV | \$4761 | 10" | 23" | 19-1/2" |
| FS-FM-2721FV | 4949 | 12" | 27" | 21-1/2" |
| FS-FM-3119FV | 5442 | 12" | 31" | 19-1/2" |

- 14 Gauge, 304 Stainless Steel
- 10" or 12" Bowl Depth
- Stainless Steel Legs & Flanged Feet
- Wall Bracket
- Single Spout/Toe-Push Operated Valve
- Rear 3-1/2" Basket Drain(s)



FS-FM-2219FV Shown



Toe-Push Valve

NSF A.D.A. FREE-STANDING SERVICE SINKS W/ LEGS

- 14 Gauge, 304 Stainless Steel • 5" Bowl Depth • 8 1/2" High Backsplash • Stainless Steel Legs & Flanged Feet • Wall Bracket
- Side Cross-Bracing • 8" O.C. Faucet Holes On Manual Operated Or Single Holes On Electronic Faucet Operated • Rear 3-1/2" Basket Drains
- "F" Series Splash Mount Models Include K-161-LU 6" Gooseneck. "F" Series Deck Mount Models Include K-134 8-1/2" Gooseneck



FS-FM-1-ADA Shown



FS-FM-1-ADA-F Shown



Faucet Included On All "F" Models (Splash Mt. Shown)



FS-FM-1EFADA Shown



K-175 Electronic Faucet Included On All "EF" Models

| NO FAUCETS INCLUDED | | MANUAL FAUCETS INCLUDED | | ELECTRONIC OPERATED FAUCET | | L | W |
|---------------------|--------|-------------------------|--------|----------------------------|--------|-----|---------|
| Splash Mount | Price | Splash Mount | Price | Model # | Price | | |
| FS-FM-1-ADA† | \$5309 | FS-FM-1-ADA-F | \$5783 | FS-FM-1-EFADA | \$6859 | 40" | 19-1/2" |

†Add K-472 For Faucet Hole Revision \$160

16 GAUGE FREE STANDING SERVICE SINKS



FREE STANDING SERVICE SINKS W/ LEGS

- 16 Gauge, 304 Stainless Steel • 12" Deep Bowl (Excludes Knee Valve Units*) • 8 1/2" High Backsplash • Stainless Steel Legs & Flanged Feet • Side & Rear Cross-Bracing
- Wall Bracket • Rear 3-1/2" Basket Drain • 8" O.C. Faucet Holes On Manual Operated, Single Hole On Electronic Or Knee Operated



WSS-14-21-FM Shown



WSS-14-21-FM-F Shown



K-159
3-1/2" Gooseneck
Faucets Included
On "F" Models



WSS-14-21EF-FM Shown



K-175
Electronic Faucets
Included On All
"EF" Models



WSS-14-21KV-FM Shown



Knee Valves
Included On All
"KV" Models

| NO FAUCET INCLUDED | | MANUAL FAUCET INCLUDED | | ELECTRONIC OPERATED FAUCET | | KNEE OPERATED FAUCET | | L | W |
|--------------------|--------|------------------------|--------|----------------------------|--------|----------------------|--------|-----|---------|
| Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | | |
| WSS-14-21-FM† | \$3036 | WSS-14-21-FM-F | \$3366 | WSS-14-21EF-FM | \$4585 | WSS-14-21KV-FM* | \$3759 | 18" | 17-1/2" |
| WSS-16-25-FM† | 3296 | WSS-16-25-FM-F | 3625 | WSS-16-25EF-FM | 4846 | WSS-16-25KV-FM* | 4137 | 22" | 19-1/2" |
| WSS-16-31-FM† | 3625 | WSS-16-31-FM-F | 3989 | WSS-16-31EF-FM | 5331 | WSS-16-31KV-FM* | 4553 | 31" | 23" |

†Add K-472 For Faucet Hole Revision \$160

*Knee Valve Unit Has 8" Bowl Depth

| TOE-PUSH OPERATED FAUCET | | L | W |
|--------------------------|--------|-----|---------|
| Splash Mount | Price | | |
| WSS-14-21FV-FM | \$3877 | 18" | 17-1/2" |
| WSS-16-25FV-FM | 4581 | 22" | 19-1/2" |
| WSS-16-31FV-FM | 5040 | 31" | 19-1/2" |

- 16 Gauge, 304 Stainless Steel
- 8 1/2" High Backsplash
- 12" Bowl Depth
- Stainless Steel Legs & Flanged Feet
- Wall Bracket
- Single Spout/Toe-Push Operated Valve
- Rear 3-1/2" Basket Drain



Toe-Push Valve

WSS-14-21FV-FM Shown

A.D.A. FREE STANDING SERVICE SINKS W/ LEGS

- 16 Gauge, 304 Stainless Steel • 5" Deep Bowl • 8 1/2" High Backsplash • Stainless Steel Legs & Flanged Feet • Side Cross-Bracing
- Wall Bracket • 3/4" Coved Corners • Rear 3-1/2" Basket Drain • 8" O.C. Faucet Holes On Manual Operated, Single Hole On Electric Operated



19-FM-1-ADA Shown



19-FM-1-ADA-F Shown



K-161-LU
6" Gooseneck
Faucet Included
On All "F" Models



19-FM-1-ADAEF Shown



K-175
Electronic Faucet
Included On All
"EF" Models

| NO FAUCET INCLUDED | | MANUAL FAUCET INCLUDED | | ELECTRONIC OPERATED FAUCET | | L | W |
|--------------------|--------|------------------------|--------|----------------------------|--------|-----|---------|
| Splash Mount | Price | Model # | Price | Model # | Price | | |
| 19-FM-1-ADA | \$4235 | 19-FM-1-ADA-F | \$4620 | 19-FM-1-EFADA | \$5712 | 40" | 19-1/2" |

†Add K-472 For Faucet Hole Revision \$160

NSF FREE STANDING SERVICE SINKS W/ LEGS

- 16 Gauge, 304 Stainless Steel • 10" or 12" Deep Bowl (Excludes Knee Valve Units*) • 8 1/2" High Backsplash • S/S Legs & Flanged Feet • Side & Rear Cross-Bracing
- Wall Bracket • 3/4" Coved Corners • 8" O.C. Faucet Holes On Manual Operated Units Or Single Hole On Electronic & Knee Operated • Rear 3-1/2" Basket Drain
- *"F" Series Splash Mount Models Include K-159 3-1/2" Gooseneck. "F" Series Deck Mount Models Include K-134 8-1/2" Gooseneck



FC-FM-2219 Shown



FC-FM-2219-F Shown



Faucets Included On "F" Models (Splash Mt. Shown)



FC-FM-2219EF Shown



K-175 Electronic Faucet Included On All "EF" Models



FC-FM-2219KV Shown



Knee Valves Included On All "KV" Models

| NO FAUCET INCLUDED | | MANUAL FAUCET INCLUDED | | ELECTRONIC OPERATED FAUCET | | KNEE OPERATED FAUCET | |
|--------------------|--------|------------------------|--------|----------------------------|--------|----------------------|--------|
| Splash Mount | Price | Splash Mount | Price | Splash Mount | Price | Splash Mount | Price |
| FC-FM-2219† | \$3162 | FC-FM-2219-F | \$3545 | FC-FM-2219EF | \$4711 | FC-FM-2219KV* | \$3885 |
| FC-FM-2721† | 3300 | FC-FM-2721-F | 3684 | FC-FM-2721EF | 4848 | FC-FM-2721KV* | 4140 |
| FC-FM-3119† | 4045 | FC-FM-3119-F | 4053 | FC-FM-3119EF | 4554 | FC-FM-3119KV* | 4554 |

†Add K-472 For Faucet Hole Revision \$160

*Knee Valve Unit Has 8" Bowl Depth

| TOE-PUSH OPERATED FAUCET | | Bowl | | |
|--------------------------|--------|-------|-----|---------|
| Splash Mount | Price | Depth | L | W |
| FC-FM-2219FV | \$4404 | 10" | 23" | 19-1/2" |
| FC-FM-2721FV | 4546 | 12" | 27" | 21-1/2" |
| FC-FM-3319FV | 5001 | 12" | 31" | 23" |

- 16 Gauge, 304 Stainless Steel
- 8 1/2" High Backsplash
- 10" or 12" Bowl Depth
- Stainless Steel Legs & Flanged Feet
- Wall Bracket
- Single Spout/Toe-Push Operated Valve
- 3-1/2" Basket Drain



Toe-Push Valve

FC-FM-2219FV Shown

NSF A.D.A. FREE STANDING SERVICE SINKS W/ LEGS

- 16 Gauge, 304 Stainless Steel • 5" Deep Bowl • 8 1/2" High Backsplash • Stainless Steel Legs & Flanged Feet • Side Cross-Bracing
- Wall Bracket • 3/4" Coved Corners • Rear 3-1/2" Basket Drain • 8" O.C. Faucet Holes On Manual Operated, Single Hole On Electric Operated
- *"F" Series Splash Mount Models Include K-161-LU 6" Gooseneck. "F" Series Deck Mount Models Include K-134 8-1/2" Gooseneck



FC-FM-1-ADA Shown



FC-FM-1-ADA-F Shown



Faucet Included On All "F" Models (Splash Mt. Shown)



FC-FM-1-EFADA Shown



K-175 Electronic Faucet Included On All "EF" Models

| NO FAUCET INCLUDED | | MANUAL FAUCET INCLUDED | | ELECTRONIC OPERATED FAUCET | |
|--------------------|--------|------------------------|--------|----------------------------|--------|
| Splash Mount | Price | Splash Mount | Price | Model # | Price |
| FC-FM-1-ADA† | \$5058 | FC-FM-1-ADA-F | \$5531 | FC-FM-1-EFADA | \$6608 |

†Add K-472 For Faucet Hole Revision \$160

WALL MOUNTED SCRUB SINKS



- Meets A.D.A. Compliance
- Slanted Front Wall Mount Design
- Coved Corner Bowl Radius
- Fully Enclosed Under Section
- Removable Front Panels
- Supplied with Wall Mounting Bracket
- Includes K-6 Drains with K-410 Stainer Plates



A.D.A. COMPLIANT ONE COMPARTMENT SCRUB SINK

Overall: 30" L X 21" W

Bowl Depth: 12 1/2"

125 Lbs. 19 Cu. Ft.

SCR-ADA-1 \$7832



A.D.A. COMPLIANT 2 COMPARTMENT SCRUB SINK

Overall: 60" L X 21" W

Bowl Depth: 12 1/2"

235 Lbs. 31 Cu. Ft.

SCR-ADA-2 \$8291



A.D.A. COMPLIANT 3 COMPARTMENT SCRUB SINK

Overall: 90" L X 21" W X 12 1/2"

Bowl Depth: 12 1/2"

350 Lbs. 44 Cu. Ft.

SCR-ADA-3 \$9406

RECOMMENDED FAUCETS & OPTIONS



RECOMMENDED FAUCETS & OPTIONS

| Model # | Description | Price |
|---------|---|--------|
| K-185 | Hands Free Sensor Faucet, <u>A/C</u> Powered w/ Manual Handles, Rose Spray | \$1819 |
| K-186 | Hands Free Sensor Faucet <u>Battery</u> Powered w/ Manual Handles, Rose Spray | 1819 |
| K-187 | Thermostatic Mixing Valve w/ Checks | 496 |
| TA-14 | Panel Lock | 178 |

Ships via UPS

84" HIGH MOP SINK CABINETS 18 Gauge, 430 Stainless Steel NSF

SINGLE WIDTH CABINET

- Single Left-Hinged Door*
- 1 Fixed Stainless Steel Mid-Shelf
- Ventilation Slots
- 2 Mop Holders
- Open Back For Plumbing
- **16" x 20" x 12" Bowl**
- **Overall Size: 22-5/8" x 25" x 84"**



9-OPC-84 Shown



All Cabinets Include Vented Side Panels

| Model # | Cabinet Material | Price | Approx. Wt. | Approx. Cu. |
|--------------|------------------|--------|-------------|-------------|
| 9-OPC-84 | 18 Ga., 430 S/S | \$9165 | 238 lbs. | 40 |
| 9-OPC-84-300 | 18 Ga., 300 S/S | 10647 | 238 lbs. | 40 |

*Optional Right-Hand Door Swing Available - Add CAB-R N/C

DOUBLE WIDTH CABINET

- Hinged Double Doors
- Opening For Mop Bucket To Roll In
- 4 Fixed Stainless Steel Mid-Shelves (3 In Storage Side, 1 Above Sink)
- Half Way Enclosed Back Panel
- Ventilation Slots
- 2 Mop Holders
- Open Back For Plumbing
- 16 Ga., Type 304 S/S Mop Sink & Drain
- **16" x 20" x 12" Bowl**
- **Overall Size: 22-5/8" x 50-1/4" x 84"**



9-OPC-84DR Shown

| Model # | Cabinet Material | Price | Approx. Wt. | Approx. Cu. |
|----------------|------------------|---------|-------------|-------------|
| 9-OPC-84DR | 18 Ga., 430 S/S | \$12475 | 390 lbs. | 72 |
| 9-OPC-84DL | 18 Ga., 430 S/S | 12475 | 390 lbs. | 72 |
| 9-OPC-84DR-300 | 18 Ga., 300 S/S | 13080 | 390 lbs. | 72 |
| 9-OPC-84DL-300 | 18 Ga., 300 S/S | 13080 | 390 lbs. | 72 |

R And L Indicates Mop Sink Location.

Convert Mop Sink In Cabinet To Drop Front. Add K-281 \$958

CABINET WITH FLOOR (NO SINK)

- Overall Size: 22-5/8" x 25" x 84"
- Single Left-Hinged Door*
- Fixed Stainless Steel Mid-Shelves
- Enclosed Back Panel
- Ventilation Slots On Both Sides



CAB-1 Shown

| Model # | # of Fixed Shelves | Price | Approx. Wt. | Approx. Cu. |
|-------------------|--------------------|--------|-------------|-------------|
| 18 Ga. CAB-1 | 1 | \$6692 | 200 lbs. | 40 |
| 430 S/S CAB-4 | 4 | 7757 | 240 lbs. | 40 |
| 18 Ga. CAB-1-300 | 1 | 7301 | 200 lbs. | 40 |
| 300 S/S CAB-4-300 | 4 | 8516 | 240 lbs. | 40 |

*Optional Right-Hand Door Swing Available - Add CAB-R N/C

DOUBLE CABINET DOORS

K-84-CAB\$897

Convert Single Width Cabinet To Double Doors

ADD REAR PANEL TO CABINET

K-94-BACK 430 Stainless Steel\$616

K-94-BACK-300 300 Stainless Steel.....\$894

Add K-472 For 8" O.C. Faucet Holes \$157 Per Hole

SU-27 CABINET DOOR LOCK.....\$410

For 9-OPC Series Mop Sink Cabinets
Required For Each Hinged Door



SERVICE & MOP SINK ACCESSORIES & MODIFICATIONS

16" HIGH BACK & SIDE SPLASHES

(For 9-OP Series Mop Sinks)

- 16 Ga., 300 Stainless Steel
- Field Installation By Others

Ships Via UPS



K-298 Shown


| | Model # | Fits Units: | Height Above Finished Floor (A.F.F.) | Price |
|--------------------------------|---------------|-------------|--------------------------------------|-------|
| SPLASH ON LEFT OR RIGHT & BACK | K-288L or R | 9-OP-20 | 26" | \$666 |
| | 9-OP-40 | 32" | 666 | |
| | K-288LD or RD | 9-OP-40DF | 32" | 666 |
| | K-290L or R | 9-OP-28 | 26" | 727 |
| | 9-OP-48 | 32" | 727 | |
| | K-290LD or RD | 9-OP-48DF | 32" | 727 |
| SPLASHES ON ALL 3 SIDES | K-291L or R | 9-OP-44 | 32" | 787 |
| | K-293L or R | 9-OP-33 | 32" | 827 |
| | K-294L or R | 9-OP-34 | 32" | 886 |
| | K-298 | 9-OP-20 | 26" | 867 |
| | 9-OP-40 | 32" | 867 | |
| | K-298D | 9-OP-40DF | 32" | 867 |
| | K-299 | 9-OP-28 | 26" | 933 |
| | 9-OP-48 | 32" | 933 | |
| | K-299D | 9-OP-48DF | 32" | 933 |
| | K-300 | 9-OP-44 | 32" | 1100 |
| K-303 | 9-OP-33 | 32" | 1167 | |
| K-304 | 9-OP-34 | 32" | 1252 | |

Service Faucet For Mop Sinks

8" O.C.

K-240* \$1169

*Does Not Meet Federal Lead Free Standards As It Is Not Intended For Potable Water.



23" Wide Mop Hanger
K-242 \$292

Replacement Drain (For Mop Sinks)
K-16 \$225



Hose & Hanger
K-244 \$268

S-Hook Mop Hanger
K-91 \$38



Wall Mounted Mop Drainage Tray
K-243 \$646

8" Wide Utility Shelf



| L | MODEL | PRICE | Approx. Wt. | Approx. Cubes |
|-----|-------|--------|-------------|---------------|
| 24" | K-245 | \$1004 | 12 lbs. | 1 |
| 36" | K-246 | 1139 | 15 lbs. | 2 |

MOP SINKS

Ships Via UPS



FLOOR UNITS Mounting Hardware Included



| Model # | Bowl Size | O.A. Size | Price | Approx. Wt. | Approx. Cu. |
|----------------------------|-----------------|-----------|--------|-------------|-------------|
| STANDARD MOP SINKS | | | | | |
| 9-OP-20 | 16" x 20" x 6" | 21" x 25" | \$1841 | 26 lbs. | 5 |
| 9-OP-28 | 20" x 28" x 6" | 25" x 33" | 2383 | 35 lbs. | 5 |
| 9-OP-40 | 16" x 20" x 12" | 21" x 25" | 2210 | 45 lbs. | 7 |
| 9-OP-48 | 20" x 28" x 12" | 25" x 33" | 2606 | 63 lbs. | 9 |
| LARGE MOP SINK BOWL | | | | | |
| 9-OP-44 | 24" x 24" x 12" | 29" x 29" | 3268 | 70 lbs. | 9 |
| 9-OP-33 | 24" x 36" x 12" | 29" x 41" | 5005 | 80 lbs. | 12 |
| 9-OP-34 | 24" x 48" x 12" | 29" x 53" | 5970 | 90s lbs. | 15 |

DROP-FRONT FLOOR UNITS

Mounting Hardware Included

| Model # | Bowl Size | O.A. Size | Price | Approx. Wt. | Approx. Cu. |
|-----------|-----------------|---------------|--------|-------------|-------------|
| 9-OP-40DF | 16" x 20" x 12" | 18 1/2" x 25" | \$3483 | 45 lbs. | 7 |
| 9-OP-48DF | 20" x 28" x 12" | 22 1/2" x 33" | 3875 | 63 lbs. | 9 |

Convert Mop Sink In Cabinet To Drop Front. Add K-281 \$1073
(Not Offered On 9-Op-40 Or 9-Op-48 Or 6" Deep Mop Sinks)

9-OP-40DF Shown



ECONOMY FABRICATED FLOOR MOP SINKS

Mounting Hardware Included

- Bowl Size: 16" x 20" x 6"
- Overall: 21" x 25" x 10"

9-OP-20-EC \$967

- Bowl Size: 16" x 20" x 12"
- Overall: 21" x 25" x 16"

9-OP-40-EC \$1608



FLUSH MOUNT FLOOR MOP SINK

| STAINLESS STEEL GRATES | | | FIBERGLASS GRATES | | | Bowl Size | Overall Dimension | Splash Locations | Approx. Cu. |
|------------------------|-------------|--------|-------------------|-------------|--------|--------------------|-------------------|--------------------|-------------|
| Model # | Approx. Wt. | Price | Model # | Approx. Wt. | Price | | | | |
| 9-OP-24FM-SSRL | 128 lbs. | \$5881 | 9-OP-24FM-FGRL | 96 lbs. | \$5881 | 21 3/8" x 22 x 10" | 21 3/8" x 24" | Back, Left & Right | 14 |
| 9-OP-24FM-SSL | 120 lbs. | 5681 | 9-OP-24FM-FGL | 88 lbs. | 5681 | 21 3/8" x 22 x 10" | 21 3/8" x 24" | Back & Left | 14 |
| 9-OP-24FM-SSR | 120 lbs. | 5681 | 9-OP-24FM-FGR | 88 lbs. | 5681 | 21 3/8" x 22 x 10" | 21 3/8" x 24" | Back & Right | 14 |

- Standard Backsplash with Left & Right Splash, Left Splash or Right Splash Available
- 4" O.D. - 3" Long Plumbing Sleeve
- Front Anti-Splash Guard
- Removable Subway Grating
- Stainless Steel Strainer Basket with Handle



FT-2 \$77 ea.
Replacement Stainless
Steel Strainer Basket
with Handle for Flush-
Mount Floor Mop Sinks



FREE STANDING SERVICE SINKS



- Heavy Gauge Stainless Steel
- Stainless Steel Legs & Bullet Feet
- 8-OP-16 Includes Stainless Steel Side Crossrails
- 8" O.C. Faucet Holes
- 3 1/2" Basket Drain

| Model # | Bowl Size | O.A. Dim. | Price | Wt. | Cu. Ft. |
|---------|-------------|-----------|--------|---------|---------|
| 8-OP-16 | 16 x 20 x 8 | 25" x 23" | \$2032 | 50 lbs. | 13 |
| 4-OP-18 | 24 x 21 x 8 | 24" x 25" | 1387 | 60 lbs. | 10 |

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info, visit www.p65warnings.ca.gov.

REGALINE SCULLERY SINKS

Now All Adjustable Cross Bracing!



94 Series



93 & 9 Series



FEATURES & BENEFITS:

- 3" Large Radius Corners
- Easy to Clean
- Satin Finish
- No Welded Seams



ALL MODELS INCLUDE:

- Stainless Steel Legs With Adjustable Stainless Steel Bullet Feet

94 Series Shown

SPEC-LINE "94" SERIES

- 14 Ga., 304 Stainless Steel
- Stainless Steel Adjustable Cross Bracing On Front & Sides; Welded On Sides
- 16 Ga., 304 Stainless Steel Legs & Bullet Feet
- 11" Backsplash
- 14" Deep Sink Bowls



STANDARD "93" SERIES

- 16 Ga., 304 Stainless Steel
- Stainless Steel adjustable Side Cross-Bracing
- Stainless Steel Legs and Bullet Feet
- 8" Backsplash
- 12" Deep Sink Bowls

SUPER-SAVER "9" SERIES

- 18 Ga., 304 Stainless Steel
- Stainless Steel Adjustable Side Cross Bracing
- Stainless Steel Legs and Bullet Feet
- 8" Backsplash
- 12" Deep Sink Bowls



94 Series Shown

1, 2, 3 & 4 COMPARTMENT - NO DRAINBOARD

SPEC-LINE 94 Series

STANDARD 93 Series

SUPER-SAVER 9 Series

| Bowl Size | O.A. Length | # of Comp. | 14 Ga. 304 S/S 14" Water Level | | | 16 Ga. 304 S/S 12" Water Level | | | 18 Ga. 304 S/S 12" Water Level | | | Cu. Ft. |
|-----------|-------------|------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|---------|
| | | | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | |
| 16" x 20" | 25" | One | 94-1-24 | \$4913 | 77 | 93-1-24 | \$3193 | 62 | 9-1-24 | \$2929 | 54 | 20 |
| | 44" | Two | 94-2-36 | 6375 | 109 | 93-2-36 | 4377 | 76 | 9-2-36 | 4011 | 66 | 20 |
| | 62" | Three | 94-3-54 | 7877 | 142 | 93-3-54 | 5542 | 107 | 9-3-54 | 5079 | 95 | 28 |
| | *81" | Four | 94-4-72 | 10072 | 225 | 93-4-72 | 7165 | 176 | 9-4-72 | 6576 | 155 | 44 |
| 20" x 20" | 29" | One | 94-21-20 | 5367 | 92 | 93-21-20 | 3481 | 80 | 9-21-20 | 3428 | 61 | 20 |
| | 52" | Two | 94-22-40 | 7000 | 116 | 93-22-40 | 4816 | 92 | 9-22-40 | 4416 | 79 | 23 |
| | 74" | Three | 94-23-60 | 9010 | 232 | 93-23-60 | 6384 | 188 | 9-23-60 | 5850 | 169 | 44 |
| | *97" | Four | 94-24-80 | 11325 | 285 | 93-24-80 | 8155 | 210 | 9-24-80 | 7500 | 192 | 56 |
| 18" x 24" | 27" | One | 94-61-18 | 5581 | 95 | 93-61-18 | 3742 | 84 | 9-61-18 | 3456 | 78 | 24 |
| | 48" | Two | 94-62-36 | 7160 | 165 | 93-62-36 | 5041 | 144 | 9-62-36 | 4656 | 132 | 26 |
| | 68" | Three | 94-63-54 | 9117 | 249 | 93-63-54 | 6561 | 203 | 9-63-54 | 6046 | 188 | 36 |
| | 89" | Four | 94-64-72 | 11364 | 312 | 93-64-72 | 8282 | 264 | 9-64-72 | 7650 | 255 | 56 |
| 24" x 24" | 33" | One | 94-41-24 | 5750 | 97 | 93-41-24 | 4032 | 85 | 9-41-24 | 3700 | 72 | 23 |
| | 60" | Two | 94-42-48 | 8319 | 174 | 93-42-48 | 6076 | 145 | 9-42-48 | 5573 | 133 | 31 |
| | *86" | Three | 94-43-72 | 10481 | 252 | 93-43-72 | 7956 | 213 | 9-43-72 | 7298 | 200 | 56 |
| | *113" | Four | 94-44-96 | 13027 | 347 | 93-44-96 | 10211 | 302 | 9-44-96 | 9356 | 281 | 74 |
| 20" x 28" | 29" | One | 94-81-20 | 6338 | 134 | 93-81-20 | 4196 | 94 | 9-81-20 | 3836 | 82 | 27 |
| | 52" | Two | 94-82-40 | 8341 | 176 | 93-82-40 | 6163 | 150 | 9-82-40 | 5648 | 138 | 45 |
| | 74" | Three | 94-83-60 | 10797 | 255 | 93-83-60 | 8229 | 225 | 9-83-60 | 7542 | 216 | 65 |
| | *97" | Four | 94-84-80 | 13778 | 345 | 93-84-80 | 10639 | 310 | 9-84-80 | 9741 | 287 | 78 |

* Requires Two Faucets

Weights and Cubes are approximate

FOR ADDITIONAL SINK MODIFICATIONS & ACCESSORIES, SEE PAGES 31-32!

REGALINE SCULLERY SINKS



94 Series Shown

1 COMPARTMENT - 2 DRAINBOARDS

| | | | SPEC-LINE 94 Series | | | STANDARD 93 Series | | | SUPER-SAVER 9 Series | | | |
|------------------|-------------|------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|---------|
| | | | 14 Ga. 304 S/S 14" Water Level | | | 16 Ga. 304 S/S 12" Water Level | | | 18 Ga. 304 S/S 12" Water Level | | | |
| Bowl Size | O.A. Length | DRBD. Size | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | Cu. Ft. |
| 16" x 20" | 54" | 18" | 94-1-24-18RL | \$5271 | 97 | 93-1-24-18RL | \$4584 | 82 | 9-1-24-18RL | \$4347 | 71 | 29 |
| | 66" | 24" | 94-1-24-24RL | 5480 | 118 | 93-1-24-24RL | 4731 | 95 | 9-1-24-24RL | 4374 | 95 | 33 |
| | 90" | 36" | 94-1-24-36RL | 6024 | 164 | 93-1-24-36RL | 5075 | 134 | 9-1-24-36RL | 4644 | 134 | 48 |
| 20" x 20" | 58" | 18" | 94-21-20-18RL | 5788 | 95 | 93-21-20-18RL | 5021 | 78 | 9-21-20-18RL | 4566 | 78 | 26 |
| | 70" | 24" | 94-21-20-24RL | 5972 | 117 | 93-21-20-24RL | 5067 | 92 | 9-21-20-24RL | 4666 | 92 | 34 |
| | 94" | 36" | 94-21-20-36RL | 6774 | 168 | 93-21-20-36RL | 5379 | 147 | 9-21-20-36RL | 5186 | 147 | 50 |
| 18" x 24" | 56" | 18" | 94-61-18-18RL | 5986 | 160 | 93-61-18-18RL | 5240 | 138 | 9-61-18-18RL | 4798 | 138 | 29 |
| | 68" | 24" | 94-61-18-24RL | 6166 | 179 | 93-61-18-24RL | 5286 | 150 | 9-61-18-24RL | 4897 | 150 | 43 |
| | 92" | 36" | 94-61-18-36RL | 6937 | 210 | 93-61-18-36RL | 5591 | 180 | 9-61-18-36RL | 5407 | 180 | 67 |
| 24" x 24" | 74" | 24" | 94-41-24-24RL | 6923 | 213 | 93-41-24-24RL | 6153 | 185 | 9-41-24-24RL | 5712 | 185 | 48 |
| | 98" | 36" | 94-41-24-36RL | 8107 | 252 | 93-41-24-36RL | 6394 | 210 | 9-41-24-36RL | 5974 | 210 | 64 |
| 20" x 28" | 58" | 18" | 94-81-20-18RL | 6854 | 173 | 93-81-20-18RL | 6209 | 150 | 9-81-20-18RL | 5779 | 150 | 46 |
| | 70" | 24" | 94-81-20-24RL | 7041 | 186 | 93-81-20-24RL | 6394 | 165 | 9-81-20-24RL | 5968 | 165 | 55 |
| | 94" | 36" | 94-81-20-36RL | 8860 | 225 | 93-81-20-36RL | 6590 | 195 | 9-81-20-36RL | 6121 | 195 | 73 |

Weights and Cubes are approximate



94 Series Shown

1 COMPARTMENT - 1 DRAINBOARD

| | | | SPEC-LINE 94 Series | | | STANDARD 93 Series | | | SUPER-SAVER 9 Series | | | |
|------------------|-------------|------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|---------|
| | | | 14 Ga. 304 S/S 14" Water Level | | | 16 Ga. 304 S/S 12" Water Level | | | 18 Ga. 304 S/S 12" Water Level | | | |
| Bowl Size | O.A. Length | DRBD. Size | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | Cu. Ft. |
| 16" x 20" | 40" | 18" | 94-1-24-18RorL | \$5072 | 93 | 93-1-24-18RorL | \$4378 | 75 | 9-1-24-18RorL | \$4107 | 65 | 20 |
| | 46" | 24" | 94-1-24-24RorL | 5160 | 98 | 93-1-24-24RorL | 4432 | 80 | 9-1-24-24RorL | 4148 | 73 | 24 |
| | 58" | 36" | 94-1-24-36RorL | 5624 | 114 | 93-1-24-36RorL | 4898 | 90 | 9-1-24-36RorL | 4517 | 78 | 26 |
| 20" x 20" | 44" | 18" | 94-21-20-18RorL | 5570 | 98 | 93-21-20-18RorL | 4852 | 80 | 9-21-20-18RorL | 4405 | 71 | 20 |
| | 50" | 24" | 94-21-20-24RorL | 5656 | 104 | 93-21-20-24RorL | 4889 | 86 | 9-21-20-24RorL | 4451 | 77 | 23 |
| | 62" | 36" | 94-21-20-36RorL | 6337 | 127 | 93-21-20-36RorL | 5030 | 107 | 9-21-20-36RorL | 4556 | 91 | 31 |
| 18" x 24" | 42" | 18" | 94-61-18-18RorL | 5766 | 100 | 93-61-18-18RorL | 5074 | 84 | 9-61-18-18RorL | 4644 | 75 | 24 |
| | 48" | 24" | 94-61-18-24RorL | 5859 | 106 | 93-61-18-24RorL | 5112 | 92 | 9-61-18-24RorL | 4684 | 84 | 27 |
| | 60" | 36" | 94-61-18-36RorL | 6520 | 130 | 93-61-18-36RorL | 5245 | 109 | 9-61-18-36RorL | 4784 | 95 | 38 |
| 24" x 24" | 54" | 24" | 94-41-24-24RorL | 6609 | 126 | 93-41-24-24RorL | 5881 | 105 | 9-41-24-24RorL | 5367 | 92 | 28 |
| | 66" | 36" | 94-41-24-36RorL | 7632 | 149 | 93-41-24-36RorL | 6012 | 126 | 9-41-24-36RorL | 5508 | 110 | 42 |
| 20" x 28" | 44" | 18" | 94-81-20-18RorL | 6469 | 139 | 93-81-20-18RorL | 5927 | 116 | 9-81-20-18RorL | 5438 | 107 | 36 |
| | 50" | 24" | 94-81-20-24RorL | 6579 | 146 | 93-81-20-24RorL | 6041 | 122 | 9-81-20-24RorL | 5543 | 113 | 46 |
| | 62" | 36" | 94-81-20-36RorL | 8306 | 170 | 93-81-20-36RorL | 6156 | 142 | 9-81-20-36RorL | 5678 | 133 | 54 |

Weights and Cubes are approximate

FOR ADDITIONAL SINK MODIFICATIONS & ACCESSORIES, SEE PAGES 31-32!



REGALINE SCULLERY SINKS

2 COMPARTMENTS - 2 DRAINBOARDS

94 Series Shown



SPEC-LINE 94 Series

STANDARD 93 Series

SUPER-SAVER 9 Series

| Bowl Size | O.A. Length | DRBD. Size | 14 Ga. 304 S/S 14" Water Level | | | 16 Ga. 304 S/S 12" Water Level | | | 18 Ga. 304 S/S 12" Water Level | | | Cu. Ft. |
|-----------|-------------|------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|---------|
| | | | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | |
| 16" x 20" | 72" | 18" | 94-2-36-18RL | \$7092 | 141 | 93-2-36-18RL | \$6019 | 118 | 9-2-36-18RL | \$5489 | 100 | 40 |
| | 85" | 24" | 94-2-36-24RL | 7259 | 156 | 93-2-36-24RL | 6129 | 130 | 9-2-36-24RL | 5578 | 110 | 46 |
| | 109" | 36" | 94-2-36-36RL | 8027 | 212 | 93-2-36-36RL | 6926 | 169 | 9-2-36-36RL | 6235 | 144 | 58 |
| 20" x 20" | 81" | 18" | 94-22-40-18RL | 7998 | 176 | 93-22-40-18RL | 6804 | 147 | 9-22-40-18RL | 6080 | 125 | 44 |
| | 93" | 24" | 94-22-40-24RL | 8130 | 220 | 93-22-40-24RL | 6881 | 184 | 9-22-40-24RL | 6131 | 162 | 50 |
| | 117" | 36" | 94-22-40-36RL | 8893 | 273 | 93-22-40-36RL | 7301 | 237 | 9-22-40-36RL | 6471 | 215 | 72 |
| 18" x 24" | 77" | 18" | 94-62-36-18RL | 8130 | 247 | 93-62-36-18RL | 6974 | 206 | 9-62-36-18RL | 6275 | 181 | 50 |
| | 89" | 24" | 94-62-36-24RL | 8263 | 277 | 93-62-36-24RL | 7045 | 241 | 9-62-36-24RL | 6321 | 226 | 58 |
| | 113" | 36" | 94-62-36-36RL | 8995 | 341 | 93-62-36-36RL | 7446 | 297 | 9-62-36-36RL | 6645 | 271 | 96 |
| 24" x 24" | 101" | 24" | 94-42-48-24RL | 9844 | 339 | 93-42-48-24RL | 8710 | 295 | 9-42-48-24RL | 7893 | 259 | 65 |
| | 125" | 36" | 94-42-48-36RL | 10569 | 391 | 93-42-48-36RL | 9019 | 339 | 9-42-48-36RL | 8846 | 314 | 96 |
| 20" x 28" | 81" | 18" | 94-82-40-18RL | 9356 | 251 | 93-82-40-18RL | 9090 | 219 | 9-82-40-18RL | 8627 | 194 | 64 |
| | 93" | 24" | 94-82-40-24RL | 9775 | 294 | 93-82-40-24RL | 9287 | 253 | 9-82-40-24RL | 8819 | 228 | 73 |
| | 117" | 36" | 94-82-40-36RL | 10435 | 333 | 93-82-40-36RL | 9472 | 287 | 9-82-40-36RL | 8980 | 261 | 96 |

Weights and Cubes are approximate

94 Series Shown



2 COMPARTMENTS - 1 DRAINBOARD

SPEC-LINE 94 Series

STANDARD 93 Series

SUPER-SAVER 9 Series

| Bowl Size | O.A. Length | DRBD. Size | 14 Ga. 304 S/S 14" Water Level | | | 16 Ga. 304 S/S 12" Water Level | | | 18 Ga. 304 S/S 12" Water Level | | | Cu. Ft. |
|-----------|-------------|------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|---------|
| | | | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | |
| 16" x 20" | 58" | 18" | 94-2-36-18RorL | \$6854 | 108 | 93-2-36-18RorL | \$5795 | 88 | 9-2-36-18RorL | \$5314 | 72 | 26 |
| | 64" | 24" | 94-2-36-24RorL | 6974 | 115 | 93-2-36-24RorL | 5883 | 96 | 9-2-36-24RorL | 5373 | 80 | 34 |
| | 76" | 36" | 94-2-36-36RorL | 7333 | 158 | 93-2-36-36RorL | 5990 | 132 | 9-2-36-36RorL | 5453 | 115 | 42 |
| 20" x 20" | 66" | 18" | 94-22-40-18RorL | 7753 | 118 | 93-22-40-18RorL | 6600 | 96 | 9-22-40-18RorL | 5916 | 83 | 30 |
| | 72" | 24" | 94-22-40-24RorL | 7843 | 136 | 93-22-40-24RorL | 6633 | 114 | 9-22-40-24RorL | 5942 | 95 | 39 |
| | 84" | 36" | 94-22-40-36RorL | 8270 | 163 | 93-22-40-36RorL | 6741 | 140 | 9-22-40-36RorL | 6023 | 123 | 46 |
| 18" x 24" | 62" | 18" | 94-62-36-18RorL | 7893 | 147 | 93-62-36-18RorL | 6767 | 128 | 9-62-36-18RorL | 6117 | 115 | 40 |
| | 68" | 24" | 94-62-36-24RorL | 7981 | 160 | 93-62-36-24RorL | 6804 | 139 | 9-62-36-24RorL | 6139 | 126 | 44 |
| | 80" | 36" | 94-62-36-36RorL | 8397 | 200 | 93-62-36-36RorL | 6908 | 174 | 9-62-36-36RorL | 6215 | 158 | 53 |
| 24" x 24" | 80" | 24" | 94-42-48-24RorL | 9438 | 229 | 93-42-48-24RorL | 8353 | 194 | 9-42-48-24RorL | 7624 | 172 | 53 |
| | 92" | 36" | 94-42-48-36RorL | 10012 | 261 | 93-42-48-36RorL | 8990 | 235 | 9-42-48-36RorL | 8570 | 194 | 60 |
| 20" x 28" | 66" | 18" | 94-82-40-18RorL | 9289 | 213 | 93-82-40-18RorL | 8896 | 183 | 9-82-40-18RorL | 8356 | 167 | 60 |
| | 72" | 24" | 94-82-40-24RorL | 9399 | 227 | 93-82-40-24RorL | 9006 | 195 | 9-82-40-24RorL | 8464 | 176 | 64 |
| | 84" | 36" | 94-82-40-36RorL | 9915 | 266 | 93-82-40-36RorL | 9299 | 227 | 9-82-40-36RorL | 8534 | 207 | 76 |

Weights and Cubes are approximate

FOR ADDITIONAL SINK MODIFICATIONS & ACCESSORIES, SEE PAGES 31-32!

REGALINE SCULLERY SINKS



3 COMPARTMENTS - 2 DRAINBOARDS

| | | | SPEC-LINE 94 Series | | | STANDARD 93 Series | | | SUPER-SAVER 9 Series | | | |
|------------------|-------------|------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|---------|
| | | | 14 Ga. 304 S/S 14" Water Level | | | 16 Ga. 304 S/S 12" Water Level | | | 18 Ga. 304 S/S 12" Water Level | | | |
| Bowl Size | O.A. Length | DRBD. Size | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | Cu. Ft. |
| 16" x 20" | 91" | 18" | 94-3-54-18RL | \$8408 | 230 | 93-3-54-18RL | \$7203 | 189 | 9-3-54-18RL | \$5563 | 182 | 49 |
| | 103" | 24" | 94-3-54-24RL | 8585 | 248 | 93-3-54-24RL | 7311 | 197 | 9-3-54-24RL | 5656 | 190 | 55 |
| | 127" | 36" | 94-3-54-36RL | 9414 | 275 | 93-3-54-36RL | 7759 | 239 | 9-3-54-36RL | 7311 | 208 | 96 |
| 20" x 20" | 103" | 18" | 94-23-60-18RL | 9905 | 248 | 93-23-60-18RL | 8541 | 203 | 9-23-60-18RL | 7661 | 198 | 59 |
| | 115" | 24" | 94-23-60-24RL | 10195 | 276 | 93-23-60-24RL | 8763 | 220 | 9-23-60-24RL | 7848 | 195 | 65 |
| | 139" | 36" | 94-23-60-36RL | 10996 | 408 | 93-23-60-36RL | 9080 | 387 | 9-23-60-36RL | 8100 | 364 | 89 |
| 18" x 24" | 97" | 18" | 94-63-54-18RL | 9981 | 323 | 93-63-54-18RL | 8656 | 289 | 9-63-54-18RL | 7805 | 226 | 62 |
| | 109" | 24" | 94-63-54-24RL | 10267 | 334 | 93-63-54-24RL | 8866 | 304 | 9-63-54-24RL | 7991 | 233 | 85 |
| | 133" | 36" | 94-63-54-36RL | 11039 | 418 | 93-63-54-36RL | 9181 | 367 | 9-63-54-36RL | 8225 | 325 | 96 |
| 24" x 24" | *127" | 24" | 94-43-72-24RL | 12165 | 390 | 93-43-72-24RL | 10963 | 331 | 9-43-72-24RL | 9942 | 318 | 98 |
| | *151" | 36" | 94-43-72-36RL | 13051 | 448 | 93-43-72-36RL | 11204 | 393 | 9-43-72-36RL | 10596 | 345 | 110 |
| 20" x 28" | 103" | 18" | 94-83-60-18RL | 12311 | 358 | 93-83-60-18RL | 11012 | 315 | 9-83-60-18RL | 10489 | 277 | 83 |
| | 115" | 24" | 94-83-60-24RL | 12488 | 394 | 93-83-60-24RL | 11200 | 346 | 9-83-60-24RL | 10669 | 305 | 95 |
| | 139" | 36" | 94-83-60-36RL | 13425 | 451 | 93-83-60-36RL | 11467 | 398 | 9-83-60-36RL | 10853 | 350 | 109 |

* Requires Two Faucets. Cubes are approximate



3 COMPARTMENTS - 1 DRAINBOARD

| | | | SPEC-LINE 94 Series | | | STANDARD 93 Series | | | SUPER-SAVER 9 Series | | | |
|------------------|-------------|------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|---------|
| | | | 14 Ga. 304 S/S 14" Water Level | | | 16 Ga. 304 S/S 12" Water Level | | | 18 Ga. 304 S/S 12" Water Level | | | |
| Bowl Size | O.A. Length | DRBD. Size | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | Cu. Ft. |
| 16" x 20" | 77" | 18" | 94-3-54-18RorL | \$8208 | 214 | 93-3-54-18RorL | \$7010 | 173 | 9-3-54-18RorL | \$5376 | 167 | 42 |
| | 83" | 24" | 94-3-54-24RorL | 8294 | 222 | 93-3-54-24RorL | 7064 | 188 | 9-3-54-24RorL | 5428 | 177 | 45 |
| | 95" | 36" | 94-3-54-36RorL | 8765 | 243 | 93-3-54-36RorL | 7534 | 220 | 9-3-54-36RorL | 6796 | 190 | 51 |
| 20" x 20" | 89" | 18" | 94-23-60-18RorL | 9682 | 234 | 93-23-60-18RorL | 8314 | 207 | 9-23-60-18RorL | 7476 | 184 | 52 |
| | 95" | 24" | 94-23-60-24RorL | 9747 | 245 | 93-23-60-24RorL | 8350 | 205 | 9-23-60-24RorL | 7500 | 193 | 55 |
| | 107" | 36" | 94-23-60-36RorL | 10297 | 252 | 93-23-60-36RorL | 8623 | 216 | 9-23-60-36RorL | 7588 | 208 | 60 |
| 18" x 24" | 83" | 18" | 94-63-54-18RorL | 9769 | 296 | 93-63-54-18RorL | 8431 | 271 | 9-63-54-18RorL | 7624 | 255 | 54 |
| | 89" | 24" | 94-63-54-24RorL | 9834 | 308 | 93-63-54-24RorL | 8464 | 281 | 9-63-54-24RorL | 7650 | 269 | 58 |
| | 101" | 36" | 94-63-54-36RorL | 10364 | 318 | 93-63-54-36RorL | 8736 | 300 | 9-63-54-36RorL | 7730 | 287 | 65 |
| 24" x 24" | *107" | 24" | 94-43-72-24RorL | 11857 | 342 | 93-43-72-24RorL | 10643 | 312 | 9-43-72-24RorL | 9725 | 298 | 68 |
| | *119" | 36" | 94-43-72-36RorL | 12815 | 365 | 93-43-72-36RorL | 10733 | 339 | 9-43-72-36RorL | 10321 | 320 | 96 |
| 20" x 28" | 89" | 18" | 94-83-60-18RorL | 11963 | 281 | 93-83-60-18RorL | 10739 | 232 | 9-83-60-18RorL | 10265 | 225 | 79 |
| | 95" | 24" | 94-83-60-24RorL | 12068 | 296 | 93-83-60-24RorL | 10846 | 273 | 9-83-60-24RorL | 10367 | 268 | 86 |
| | 107" | 36" | 94-83-60-36RorL | 12487 | 308 | 93-83-60-36RorL | 10947 | 287 | 9-83-60-36RorL | 10431 | 277 | 89 |

* Requires Two Faucets

Weights and Cubes are approximate

FOR ADDITIONAL SINK MODIFICATIONS & ACCESSORIES, SEE PAGES 31-32!



REGALINE SCULLERY SINKS

All Four Compartment Sinks Require Two Faucets (Sold Separately).



4 COMPARTMENTS - 2 DRAINBOARDS

SPEC-LINE 94 Series

STANDARD 93 Series

SUPER-SAVER 9 Series

| Bowl Size | O.A. Length | DRBD. Size | 14 Ga. 304 S/S 14" Water Level | | | 16 Ga. 304 S/S 12" Water Level | | | 18 Ga. 304 S/S 12" Water Level | | | Cu. Ft. |
|-----------|-------------|------------|-----------------------------------|---------|--------------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|---------|
| | | | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | |
| 16" x 20" | 110" | 18" | 94-4-72-18RL | \$10528 | 210 | 93-4-72-18RL | \$9073 | 183 | 9-4-72-18RL | \$8416 | 175 | 58 |
| | 122" | 24" | 94-4-72-24RL | 10724 | 275 | 93-4-72-24RL | 9210 | 252 | 9-4-72-24RL | 8530 | 241 | 64 |
| | 146" | 36" | 94-4-72-36RL | 11508 | 313 | 93-4-72-36RL | 9491 | 287 | 9-4-72-36RL | 9033 | 274 | 86 |
| 20" x 20" | 126" | 18" | 94-24-80-18RL | 12282 | 293 | 93-24-80-18RL | 10569 | 268 | 9-24-80-18RL | 9491 | 259 | 87 |
| | 138" | 24" | 94-24-80-24RL | 12406 | 312 | 93-24-80-24RL | 10705 | 286 | 9-24-80-24RL | 9575 | 275 | 95 |
| | 162" | 36" | 94-24-80-36RL | 13297 | 351 | 93-24-80-36RL | 11001 | 322 | 9-24-80-36RL | 10072 | 308 | 111 |
| 18" x 24" | 118" | 18" | 94-64-72-18RL | 12288 | 358 | 93-64-72-18RL | 10629 | 346 | 9-64-72-18RL | 9578 | 336 | 82 |
| | 130" | 24" | 94-64-72-24RL | 12407 | 372 | 93-64-72-24RL | 10756 | 355 | 9-64-72-24RL | 9667 | 344 | 90 |
| | 154" | 36" | 94-64-72-36RL | 13270 | 409 | 93-64-72-36RL | 11042 | 392 | 9-64-72-36RL | 10147 | 378 | 106 |
| 24" x 24" | 154" | 24" | 94-44-96-24RL | 14659 | 395 | 93-44-96-24RL | 13806 | 361 | 9-44-96-24RL | 12226 | 348 | 106 |
| | 178" | 36" | 94-44-96-36RL | 15712 | 431 | 93-44-96-36RL | 14122 | 398 | 9-44-96-36RL | 13293 | 382 | 122 |
| 20" x 28" | 126" | 18" | 94-84-80-18RL | 14899 | 382 | 93-84-80-18RL | 14104 | 361 | 9-84-80-18RL | 13315 | 350 | 97 |
| | 138" | 24" | 94-84-80-24RL | 15089 | 402 | 93-84-80-24RL | 14293 | 374 | 9-84-80-24RL | 13502 | 361 | 106 |
| | 162" | 36" | 94-84-80-36RL | 16211 | 442 | 93-84-80-36RL | 14572 | 411 | 9-84-80-36RL | 13661 | 395 | 124 |

ALL UNITS REQUIRE TWO FAUCETS

Weights and Cubes are approximate



4 COMPARTMENTS - 1 DRAINBOARD

SPEC-LINE 94 Series

STANDARD 93 Series

SUPER-SAVER 9 Series

| Bowl Size | O.A. Length | DRBD. Size | 14 Ga. 304 S/S 14" Water Level | | | 16 Ga. 304 S/S 12" Water Level | | | 18 Ga. 304 S/S 12" Water Level | | | Cu. Ft. |
|-----------|-------------|------------|-----------------------------------|---------|--------------------|-----------------------------------|--------|--------------------|-----------------------------------|--------|--------------------|---------|
| | | | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | Model # | Price | Approx. Wt. (lbs.) | |
| 16" x 20" | 95" | 18" | 94-4-72-18RorL | \$10151 | 202 | 93-4-72-18RorL | \$8714 | 165 | 9-4-72-18RorL | \$8101 | 158 | 52 |
| | 101" | 24" | 94-4-72-24RorL | 10242 | 216 | 93-4-72-24RorL | 8772 | 186 | 9-4-72-24RorL | 8138 | 175 | 54 |
| | 113" | 36" | 94-4-72-36RorL | 10968 | 260 | 93-4-72-36RorL | 9046 | 238 | 9-4-72-36RorL | 8654 | 227 | 60 |
| 20" x 20" | 111" | 18" | 94-24-80-18RorL | 11987 | 299 | 93-24-80-18RorL | 10359 | 241 | 9-24-80-18RorL | 8615 | 229 | 61 |
| | 117" | 24" | 94-24-80-24RorL | 12053 | 320 | 93-24-80-24RorL | 10394 | 250 | 9-24-80-24RorL | 9356 | 239 | 82 |
| | 129" | 36" | 94-24-80-36RorL | 12766 | 341 | 93-24-80-36RorL | 10535 | 267 | 9-24-80-36RorL | 9471 | 250 | 90 |
| 18" x 24" | 103" | 18" | 94-64-72-18RorL | 12002 | 339 | 93-64-72-18RorL | 10423 | 329 | 9-64-72-18RorL | 8889 | 318 | 72 |
| | 109" | 24" | 94-64-72-24RorL | 12068 | 351 | 93-64-72-24RorL | 10461 | 338 | 9-64-72-24RorL | 9451 | 329 | 76 |
| | 121" | 36" | 94-64-72-36RorL | 12760 | 369 | 93-64-72-36RorL | 10600 | 353 | 9-64-72-36RorL | 9555 | 341 | 84 |
| 24" x 24" | 133" | 24" | 94-44-96-24RorL | 14256 | 354 | 93-44-96-24RorL | 13507 | 336 | 9-44-96-24RorL | 11964 | 327 | 92 |
| | 145" | 36" | 94-44-96-36RorL | 14741 | 376 | 93-44-96-36RorL | 13674 | 355 | 9-44-96-36RorL | 12889 | 344 | 100 |
| 20" x 28" | 111" | 18" | 94-84-80-18RorL | 14554 | 348 | 93-84-80-18RorL | 13828 | 329 | 9-84-80-18RorL | 13051 | 317 | 87 |
| | 117" | 24" | 94-84-80-24RorL | 14661 | 364 | 93-84-80-24RorL | 13933 | 337 | 9-84-80-24RorL | 13162 | 329 | 91 |
| | 129" | 36" | 94-84-80-36RorL | 15596 | 382 | 93-84-80-36RorL | 14043 | 355 | 9-84-80-36RorL | 13217 | 347 | 100 |

Weights and Cubes are approximate

FOR ADDITIONAL SINK MODIFICATIONS & ACCESSORIES, SEE PAGES 31-32!

SPECIALTY SINKS

With Seamless Deep Drawn Bowls



NSF CORNER SINKS 16 Gauge, 304 Stainless Steel

SIX DEEP DRAWN COMBINATIONS TO CHOOSE FROM

| Model # | Bowl Sizes | Wall Dim. | Drbd. Dim. | Price | Approx. Wt. | Approx. Cubes |
|-----------------------|--------------------|-----------|------------|--------|-------------|---------------|
| 94-K6-18D | 1) 20" x 20" x 12" | 61" x 61" | 18" | \$9659 | 231 lbs. | 65 |
| | 2) 16" x 20" x 12" | | | | | |
| 94-K2-24D | 3) 20" x 20" x 12" | 71" x 71" | 24" | 9914 | 265 lbs. | 87 |
| 94-K4-24D | 3) 24" x 24" x 12" | 79" x 79" | 24" | 10573 | 338 lbs. | 108 |
| 94-K9-30D | 1) 20" x 20" x 12" | 86" x 86" | 30" | 11256 | 350 lbs. | 131 |
| | 2) 20" x 28" x 12" | | | | | |
| 94-K3-11D | 1) 14" x 14" x 12" | 54" x 54" | 17" | 6619 | 215 lbs. | 60 |
| | 2) 14" x 16" x 12" | | | | | |
| MINI CORNER 94-K5-11D | 1) 14" x 14" x 10" | 42" x 42" | 11" | 7171 | 180 lbs. | 37 |
| | 2) 10" x 14" x 10" | | | | | |



REQUIRES TWO FAUCETS

- Adjustable Cross-Bracing
- Stainless Steel Legs & Bullet Feet



Adjustable Braces!

NSF CORNER SINKS REQUIRE TWO FAUCETS. FOR FAUCET OPTIONS, SEE PAGE 38.



T9 SERIES SCULLERY SINKS

18 Gauge, 304 Stainless Steel

PLEASE NOTE: T9 SERIES SINKS CANNOT BE MODIFIED



Adjustable Braces!

FEATURING 12" DEEP DRAWN SEAMLESS BOWLS

- Adjustable Cross-Bracing
- Galvanized Legs
- Shipped KD
- Plastic Bullet Feet

1 COMPARTMENT SINKS

| Model # | O.A. Length | Bowl Size | Price |
|--------------------|-------------|-----------|--------|
| T9-1-24-PX | 25" | 16" x 20" | \$2075 |
| T9-1-24-18RorL-PX | 43" | 16" x 20" | 2426 |
| T9-1-24-18RL-PX | 54" | 16" x 20" | 2484 |
| T9-21-20-PX | 29" | 20" x 20" | 2798 |
| T9-21-20-18RorL-PX | 81" | 20" x 20" | 2910 |

2 COMPARTMENT SINKS

| Model # | O.A. Length | Bowl Size | Price |
|-------------------|-------------|-----------|--------|
| T9-2-36-PX | 44" | 16" x 20" | \$3043 |
| T9-2-36-18RorL-PX | 58" | 16" x 20" | 3418 |
| T9-2-36-18RL-PX | 72" | 16" x 20" | 3667 |
| T922-40-18RL-PX | 81" | 20" x 20" | 3790 |

3 COMPARTMENT SINKS

| Model # | O.A. Length | Bowl Size | Price |
|-------------------|-------------|-----------|--------|
| T9-3-54-PX | 62" | 16" x 20" | \$3201 |
| T9-3-54-18RorL-PX | 77" | 16" x 20" | 3776 |
| T9-3-54-18RL-PX | 91" | 16" x 20" | 3821 |
| T9-3-54-24RL-PX | 103" | 16" x 20" | 4227 |
| T923-60-18RorL-PX | 89" | 20" x 20" | 4482 |
| T923-60-18RL-PX | 103" | 20" x 20" | 4966 |
| T923-60-24RL-PX | 115" | 20" x 20" | 5640 |
| T963-54-24RL-PX | 109" | 18" x 24" | 5682 |
| T983-60-18RL-PX | 103" | 20" x 28" | 6289 |

4 COMPARTMENT SINKS

| Model # | O.A. Length | Bowl Size | Price |
|-----------------|-------------|-----------|--------|
| T9-4-72-18RL-PX | 110" | 16" x 20" | \$6241 |

FOR ADDITIONAL SINK MODIFICATIONS & ACCESSORIES, SEE PAGES 31-32!



- 14" Deep Bowls Fabricated Bowl Design
- Tile Edge Splash
- Stainless Steel Legs with Adjustable Cross Bracing
- Stainless Steel Bullet Feet
- Individually Packed

SPEC-LINE FABRICATED SINKS

14 GAUGE • 304 STAINLESS STEEL "FS" SERIES



FULL SKIRT DESIGN

MADE IN THE USA

SUPER STURDY CROSS BRACING



| Model # | O.A. Length | O.A. Width | Bowl Size | Price | Wt. |
|------------------|-------------|------------|-----------|--------|----------|
| FS-1-1620 | 21" | 26" | 16" x 20" | \$3020 | 60 lbs. |
| FS-1-1620-18RorL | 36-1/2" | 26" | 16" x 20" | 3245 | 80 lbs. |
| FS-1-1620-18RL | 52" | 26" | 16" x 20" | 3526 | 100 lbs. |
| FS-1-1818 | 23" | 24" | 18" x 18" | 3080 | 60 lbs. |
| FS-1-1818-18RorL | 38-1/2" | 24" | 18" x 18" | 3463 | 75 lbs. |
| FS-1-1824 | 23" | 30" | 18" x 24" | 3348 | 78 lbs. |
| FS-1-1824-18RorL | 38-1/2" | 30" | 18" x 24" | 3833 | 92 lbs. |
| FS-1-1824-24RorL | 44-1/2" | 30" | 18" x 24" | 4021 | 105 lbs. |
| FS-1-1824-18RL | 54" | 30" | 18" x 24" | 4115 | 175 lbs. |
| FS-1-1824-24RL | 66" | 30" | 18" x 24" | 4295 | 198 lbs. |
| FS-1-2024 | 25" | 30" | 20" x 24" | 3840 | 75 lbs. |
| FS-1-2424 | 29" | 30" | 24" x 24" | 3849 | 90 lbs. |
| FS-1-2424-18RorL | 44-1/2" | 30" | 24" x 24" | 4328 | 110 lbs. |
| FS-1-2424-24RorL | 50-1/2" | 30" | 24" x 24" | 4378 | 119 lbs. |
| FS-1-2424-18RL | 60" | 30" | 24" x 24" | 4468 | 185 lbs. |
| FS-1-2424-24RL | 72" | 30" | 24" x 24" | 5389 | 209 lbs. |
| FS-1-3024 | 35" | 30" | 30" x 24" | 4425 | 115 lbs. |
| FS-1-3024-24RorL | 56-1/2" | 30" | 30" x 24" | 5192 | 190 lbs. |
| FS-1-3024-24RL | 78" | 30" | 30" x 24" | 5580 | 240 lbs. |
| FS-1-3624 | 41" | 30" | 36" x 24" | 5004 | 140 lbs. |
| FS-1-3624-24RorL | 62-1/2" | 30" | 36" x 24" | 5774 | 210 lbs. |
| FS-1-3624-24RL | 84" | 30" | 36" x 24" | 7505 | 260 lbs. |
| FS-1-4824-24RL | 96" | 30" | 48" x 24" | 7871 | 315 lbs. |
| FS-2-1524 | 35" | 30" | 15" x 24" | 4300 | 80 lbs. |
| FS-2-1524-24RorL | 56-1/2" | 30" | 15" x 24" | 5286 | 120 lbs. |
| FS-2-1524-24RL | 78" | 30" | 15" x 24" | 6416 | 220 lbs. |
| FS-2-1620 | 37" | 26" | 16" x 20" | 4341 | 100 lbs. |
| FS-2-1620-18RorL | 52-1/2" | 26" | 16" x 20" | 4715 | 120 lbs. |
| FS-2-1620-18RL | 68" | 26" | 16" x 20" | 4832 | 143 lbs. |
| FS-2-1818 | 41" | 24" | 18" x 18" | 4425 | 98 lbs. |
| FS-2-1818-18RorL | 56-1/2" | 24" | 18" x 18" | 4762 | 110 lbs. |
| FS-2-1818-18RL | 72" | 24" | 18" x 18" | 5004 | 125 lbs. |
| FS-2-1824 | 41" | 30" | 18" x 24" | 4657 | 149 lbs. |
| FS-2-1824-18RorL | 56-1/2" | 30" | 18" x 24" | 5135 | 169 lbs. |
| FS-2-1824-24RorL | 62-1/2" | 30" | 18" x 24" | 5712 | 190 lbs. |
| FS-2-1824-18RL | 72" | 30" | 18" x 24" | 5870 | 220 lbs. |
| FS-2-1824-24RL | 84" | 30" | 18" x 24" | 6795 | 240 lbs. |
| FS-2-2024 | 45" | 30" | 20" x 24" | 4816 | 160 lbs. |
| FS-2-2030-18RorL | 60 5/8" | 36" | 20" x 30" | 6500 | 250 lbs. |
| FS-2-2030-18RL | 76" | 36" | 20" x 30" | 6752 | 260 lbs. |
| FS-2-2030-24RorL | 66 5/8" | 36" | 20" x 30" | 6971 | 255 lbs. |
| FS-2-2030-24RL | 88" | 36" | 20" x 30" | 7162 | 270 lbs. |
| FS-2-2424 | 53" | 30" | 24" x 24" | 5128 | 179 lbs. |
| FS-2-2424-18RorL | 68-1/2" | 30" | 24" x 24" | 6281 | 255 lbs. |
| FS-2-2424-24RorL | 74-1/2" | 30" | 24" x 24" | 6434 | 260 lbs. |
| FS-2-2424-18RL | 84" | 30" | 24" x 24" | 6772 | 265 lbs. |
| FS-2-2424-24RL | 96" | 30" | 24" x 24" | 7256 | 275 lbs. |
| FS-2-3024 | 65" | 30" | 30" x 24" | 6350 | 265 lbs. |
| FS-2-3024-24RorL | 86-1/2" | 30" | 30" x 24" | 7505 | 300 lbs. |
| FS-2-3024-24RL | 108" | 30" | 30" x 24" | 7890 | 320 lbs. |

| Model # | O.A. Length | O.A. Width | Bowl Size | Price | Wt. |
|-------------------|-------------|------------|-----------|--------|----------|
| FS-3-1524 | 50" | 30" | 15" x 24" | \$6105 | 116 lbs. |
| FS-3-1524-24RorL | 71-1/2" | 30" | 15" x 24" | 6909 | 139 lbs. |
| FS-3-1524-24RL | 93" | 30" | 15" x 24" | 8098 | 163 lbs. |
| FS-3-1620 | 53" | 26" | 16" x 20" | 6096 | 140 lbs. |
| FS-3-1620-18RorL | 68-1/2" | 26" | 16" x 20" | 6784 | 160 lbs. |
| FS-3-1620-18RL | 84" | 26" | 16" x 20" | 7446 | 155 lbs. |
| FS-3-1620-24RL | 96" | 26" | 16" x 20" | 8008 | 235 lbs. |
| FS-3-1620-36RL | 120" | 26" | 16" x 20" | 8288 | 280 lbs. |
| FS-3-1818 | 59" | 24" | 18" x 18" | 6350 | 130 lbs. |
| FS-3-1818-18RorL | 75" | 24" | 18" x 18" | 6929 | 150 lbs. |
| FS-3-1818-18RL | 90" | 24" | 18" x 18" | 7699 | 170 lbs. |
| FS-3-1824 | 59" | 30" | 18" x 24" | 6581 | 158 lbs. |
| FS-3-1824-18RorL | 74-1/2" | 30" | 18" x 24" | 7392 | 174 lbs. |
| FS-3-1824-24RorL | 80-1/2" | 30" | 18" x 24" | 7620 | 187 lbs. |
| FS-3-1824-18RL | 90" | 30" | 18" x 24" | 8450 | 310 lbs. |
| FS-3-1824-24RL | 102" | 30" | 18" x 24" | 9043 | 375 lbs. |
| FS-3-2024 | 65" | 30" | 20" x 24" | 6916 | 165 lbs. |
| FS-3-2024-18RorL | 80-1/2" | 30" | 20" x 24" | 8410 | 176 lbs. |
| FS-3-2024-24RorL | 86-1/2" | 30" | 20" x 24" | 8698 | 182 lbs. |
| FS-3-2024-24RL | 108" | 30" | 20" x 24" | 8870 | 198 lbs. |
| FS-3-2424† | 77" | 30" | 24" x 24" | 7408 | 329 lbs. |
| FS-3-2424-18RorL† | 92-1/2" | 30" | 24" x 24" | 8263 | 353 lbs. |
| FS-3-2424-24RorL† | 98-1/2" | 30" | 24" x 24" | 8466 | 369 lbs. |
| FS-3-2424-18RL† | 108" | 30" | 24" x 24" | 9333 | 382 lbs. |
| FS-3-2424-24RL† | 120" | 30" | 24" x 24" | 9524 | 405 lbs. |

† 2 Sets Of Faucet Holes

SINK MODIFICATIONS & ACCESSORIES

Optional Front Cross-Bracing For FS Series Sinks

FC-CB-1 \$52 per ft.

Stainless Steel Leg w/ Bullet Foot

K-475 \$91 per leg

Removable 12" Side Splashes

For FS & FC Series Sinks Accommodates Left & right Sides



| Model # | Price | Description |
|-----------|-------|---|
| K-700 | \$580 | For FE, FC Series Sink Bowls: 10"x14", 14"x16", 15"x15", 16"x20" |
| K-700F-18 | 609 | For FE, FC Sink Bowls: 18"x18" Sink Bowls |
| K-700F-24 | 640 | For FE, FC Series Sink Bowls: 15"x24", 18"x24", 24"x24" & 30"x24" |
| K-700F-30 | 707 | For FE, FC Series Sink Bowls: 20"x30", 24"x30", 30"x30" |

FABRICATED SINKS

16 GAUGE • 304 STAINLESS STEEL "FC" SERIES

- 14" Deep Bowls
- Tile Edge Splash
- Adjustable Super-Sturdy Adjustable Cross-Bracing
- Stainless Steel Legs
- Stainless Steel Bullet Feet



SUPER STURDY
CROSS BRACING

ADDITIONAL SIZES AVAILABLE.

| Model # | O.A. Length | O.A. Width | Bowl Size | PRICE | Wt. |
|----------------------------|-------------|------------|-----------|--------|----------|
| 1 COMPARTMENT SINKS | | | | | |
| FC-1-1620 | 21" | 26" | 16" x 20" | \$1893 | 49 lbs. |
| FC-1-1620-18RorL | 36 1/2" | 26" | 16" x 20" | 2526 | 65 lbs. |
| FC-1-1620-18RL | 52" | 26" | 16" x 20" | 2608 | 80 lbs. |
| FC-1-1818 | 23" | 24" | 18" x 18" | 1850 | 50 lbs. |
| FC-1-1818-18RorL | 38 1/2" | 24" | 18" x 18" | 2453 | 60 lbs. |
| FC-1-1818-18RL | 54" | 24" | 18" x 18" | 2498 | 72 lbs. |
| FC-1-1818-24RorL | 45" | 24" | 18" x 18" | 2807 | 66 lbs. |
| FC-1-1818-24RL | 66" | 24" | 18" x 18" | 2901 | 85 lbs. |
| FC-1-1824 | 23" | 30" | 18" x 24" | 2149 | 63 lbs. |
| FC-1-1824-18RorL | 38 1/2" | 30" | 18" x 24" | 2718 | 130 lbs. |
| FC-1-1824-24RorL | 45" | 30" | 18" x 24" | 2860 | 139 lbs. |
| FC-1-1824-18RL | 54" | 30" | 18" x 24" | 2808 | 170 lbs. |
| FC-1-1824-24RL | 66" | 30" | 18" x 24" | 2912 | 175 lbs. |
| FC-1-2424 | 29" | 30" | 24" x 24" | 2285 | 68 lbs. |
| FC-1-2424-18RorL | 44 1/2" | 30" | 24" x 24" | 2890 | 95 lbs. |
| FC-1-2424-24RorL | 50 1/2" | 30" | 24" x 24" | 3132 | 146 lbs. |
| FC-1-2424-18RL | 60" | 30" | 24" x 24" | 3067 | 175 lbs. |
| FC-1-2424-24RL | 72" | 30" | 24" x 24" | 3233 | 196 lbs. |
| FC-1-3024 | 35" | 30" | 30" x 24" | 4189 | 110 lbs. |
| FC-1-3024-24RorL | 56-1/2" | 30" | 30" x 24" | 4537 | 165 lbs. |
| FC-1-3024-24RL | 78" | 30" | 30" x 24" | 4965 | 225 lbs. |
| FC-1-3624 | 41" | 30" | 36" x 24" | 4965 | 125 lbs. |
| FC-1-3624-24RorL | 62-1/2" | 30" | 36" x 24" | 5177 | 180 lbs. |
| FC-1-3624-24RL | 84" | 30" | 36" x 24" | 7084 | 240 lbs. |
| FC-1-4824-24RL | 96" | 30" | 48" x 24" | 7460 | 275 lbs. |
| 2 COMPARTMENT SINKS | | | | | |
| FC-2-1515 | 35" | 21" | 15" x 15" | 2941 | 57 lbs. |
| FC-2-1620 | 37" | 26" | 16" x 20" | 3385 | 60 lbs. |
| FC-2-1620-18RorL | 52 1/2" | 26" | 16" x 20" | 3965 | 62 lbs. |
| FC-2-1620-18RL | 68" | 26" | 16" x 20" | 4077 | 101 lbs. |
| FC-2-1818 | 41" | 24" | 18" x 18" | 3185 | 66 lbs. |
| FC-2-1818-18RorL | 56 1/2" | 24" | 18" x 18" | 3687 | 89 lbs. |
| FC-2-1818-18RL | 72" | 24" | 18" x 18" | 3904 | 183 lbs. |
| FC-2-1818-24RL | 84" | 24" | 18" x 18" | 4193 | 200 lbs. |
| FC-2-1824 | 41" | 30" | 18" x 24" | 3423 | 181 lbs. |
| FC-2-1824-18RorL | 56 1/2" | 30" | 18" x 24" | 3889 | 185 lbs. |
| FC-2-1824-24RorL | 62 1/2" | 30" | 18" x 24" | 4252 | 200 lbs. |
| FC-2-1824-18RL | 72" | 30" | 18" x 24" | 4371 | 210 lbs. |
| FC-2-1824-24RL | 84" | 30" | 18" x 24" | 4568 | 230 lbs. |
| FC-2-2030-18RorL | 60 5/8" | 36" | 20" x 30" | 6452 | 230 lbs. |
| FC-2-2030-18RL | 76" | 36" | 20" x 30" | 6586 | 240 lbs. |
| FC-2-2030-24RorL | 66 5/8" | 36" | 20" x 30" | 6758 | 235 lbs. |
| FC-2-2030-24RL | 88" | 36" | 20" x 30" | 6913 | 250 lbs. |
| FC-2-2424 | 53" | 30" | 24" x 24" | 3732 | 181 lbs. |
| FC-2-2424-18RorL | 68 1/2" | 30" | 24" x 24" | 4574 | 233 lbs. |
| FC-2-2424-24RorL | 74 1/2" | 30" | 24" x 24" | 4745 | 240 lbs. |
| FC-2-2424-18RL | 84" | 30" | 24" x 24" | 4654 | 245 lbs. |
| FC-2-2424-24RL | 96" | 30" | 24" x 24" | 4865 | 255 lbs. |

FABRICATED CORNER SINK 16 Gauge, 304 Stainless Steel

- Welded Cross-Bracing
- S/S Legs & Bullet Feet
- Requires 2 Faucets (Not Included)
- 3 - 18" x 18" x 14" Bowls
- 2 - 18" x 18" Drainboards
- Wall Dimension: 57" x 57"
- 248 lbs. 66 Cu. Ft.

FC-K6-18D
\$6959



| Model # | O.A. Length | O.A. Width | Bowl Size | PRICE | Wt. |
|----------------------------|-------------|------------|-----------|--------|----------|
| 3 COMPARTMENT SINKS | | | | | |
| FC-3-1515 | 50" | 21" | 15" x 15" | \$3361 | 85 lbs. |
| FC-3-1515-15RorL | 62 1/2" | 21" | 15" x 15" | 3605 | 98 lbs. |
| FC-3-1515-15RL | 75" | 21" | 15" x 15" | 3704 | 120 lbs. |
| FC-3-1524 | 50" | 30" | 15" x 24" | 4368 | 116 lbs. |
| FC-3-1524-24RorL | 71 1/2" | 30" | 15" x 24" | 4480 | 139 lbs. |
| FC-3-1524-24RL | 93" | 30" | 15" x 24" | 4704 | 163 lbs. |
| FC-3-1620 | 53" | 26" | 16" x 20" | 3717 | 120 lbs. |
| FC-3-1620-18RorL | 68 1/2" | 26" | 16" x 20" | 3973 | 225 lbs. |
| FC-3-1620-18RL | 84" | 26" | 16" x 20" | 4194 | 235 lbs. |
| FC-3-1620-24RL | 96" | 26" | 16" x 20" | 4489 | 263 lbs. |
| FC-3-1620-36RL | 120" | 26" | 16" x 20" | 5133 | 300 lbs. |
| FC-3-1818 | 59" | 24" | 18" x 18" | 3583 | 135 lbs. |
| FC-3-1818-18RorL | 74 1/2" | 24" | 18" x 18" | 3809 | 235 lbs. |
| FC-3-1818-24RorL | 80-1/2" | 24" | 18" x 18" | 3931 | 250 lbs. |
| FC-3-1818-18RL | 90" | 24" | 18" x 18" | 4303 | 245 lbs. |
| FC-3-1818-24RL | 102" | 24" | 18" x 18" | 4238 | 265 lbs. |
| FC-3-1824 | 59" | 30" | 18" x 24" | 3830 | 182 lbs. |
| FC-3-1824-18RorL | 74 1/2" | 30" | 18" x 24" | 4312 | 220 lbs. |
| FC-3-1824-24RorL | 80 1/2" | 30" | 18" x 24" | 4496 | 230 lbs. |
| FC-3-1824-18RL | 90" | 30" | 18" x 24" | 4827 | 265 lbs. |
| FC-3-1824-24RL | 102" | 30" | 18" x 24" | 5067 | 270 lbs. |
| FC-3-2424† | 79" | 30" | 24" x 24" | 4450 | 243 lbs. |
| FC-3-2424-18RorL† | 92 1/2" | 30" | 24" x 24" | 5273 | 260 lbs. |
| FC-3-2424-24RorL† | 98 1/2" | 30" | 24" x 24" | 5497 | 281 lbs. |
| FC-3-2424-18RL† | 108" | 30" | 24" x 24" | 5445 | 295 lbs. |
| FC-3-2424-24RL† | 120" | 30" | 24" x 24" | 5611 | 315 lbs. |
| FC-3-2028-24RL | 108" | 34" | 20" x 28" | 6507 | 310 lbs. |
| FC-3-2030-20RL | 100" | 36" | 20" x 30" | 5936 | 318 lbs. |
| FC-3-2030-24RL | 108" | 36" | 20" x 30" | 6588 | 330 lbs. |
| FC-3-2030-30RL | 120" | 36" | 20" x 30" | 7002 | 345 lbs. |
| FC-3-2430† | 77" | 36" | 24" x 30" | 4815 | 225 lbs. |
| FC-3-2430-24RorL† | 99" | 36" | 24" x 30" | 5604 | 310 lbs. |
| FC-3-2430-24RL† | 120" | 36" | 24" x 30" | 8307 | 345 lbs. |
| FC-3-2430-30RorL† | 105" | 36" | 24" x 30" | 7353 | 335 lbs. |
| FC-3-2430-30RL† | 132" | 36" | 24" x 30" | 8558 | 370 lbs. |
| FC-3-2430-36RorL† | 111" | 36" | 24" x 30" | 7626 | 360 lbs. |
| FC-3-2430-36RL† | 144" | 36" | 24" x 30" | 8672 | 360 lbs. |
| FC-3-3024† | 95" | 30" | 30" x 24" | 5608 | 225 lbs. |
| FC-3-3024-24RorL† | 117" | 30" | 30" x 24" | 7326 | 325 lbs. |
| FC-3-3024-24RL† | 138" | 30" | 30" x 24" | 8404 | 360 lbs. |
| FC-3-3024-30RorL† | 123" | 30" | 30" x 24" | 7678 | 350 lbs. |
| FC-3-3024-30RL† | 150" | 30" | 30" x 24" | 8696 | 395 lbs. |
| FC-3-3024-36RorL† | 129" | 30" | 30" x 24" | 7836 | 390 lbs. |
| FC-3-3024-36RL† | 162" | 30" | 30" x 24" | 9004 | 425 lbs. |
| FC-3-3030† | 95" | 36" | 30" x 30" | 7679 | 250 lbs. |
| FC-3-3030-24RL† | 138" | 36" | 30" x 30" | 12994 | 390 lbs. |
| FC-3-3030-30RL† | 150" | 36" | 30" x 30" | 13587 | 435 lbs. |
| FC-3-3030-36RL† | 162" | 36" | 30" x 30" | 13736 | 460 lbs. |
| 4 COMP | | | | | |
| FC-4-1818-18RL† | 108" | 24" | 18" x 18" | 6178 | 280 lbs. |
| FC-4-1824-18RL† | 108" | 30" | 18" x 24" | 6880 | 340 lbs. |
| FC-4-2424-24RL† | 144" | 30" | 24" x 24" | 8400 | 384 lbs. |

† 2 Sets Of Faucet Holes



18 GAUGE, 304 STAINLESS STEEL - "FE" SERIES

Featuring 12" & 14" Deep Bowls
 18"x24" & 24"x24" Sink Bowls Are 14" Deep
 10"x14" Sink Bowls Are 10" Deep



FABRICATED SINKS



- All Welded Fabricated Design
- Galvanized Legs
- Plastic Bullet Feet
- Includes Stainless Steel Basket Drain
- Individually Packed
- Shipped KD

1 COMPARTMENT SINKS

| Model # | O.A. Length | Bowl Size | Bowl Depth | Price | Wt. |
|--------------------|-------------|-----------|------------|-------|----------|
| FE-1-1515-PX | 20" | 15" x 15" | 12" | \$704 | 38 lbs. |
| FE-1-1620-PX | 21" | 16" x 20" | 12" | 684 | 42 lbs. |
| FE-1-1620-18RorLPX | 36 1/2" | 16" x 20" | 12" | 879 | 55 lbs. |
| FE-1-1812-PX | 23" | 18" x 18" | 12" | 684 | 42 lbs. |
| FE-1-1812-18RorLPX | 38 1/2" | 18" x 18" | 12" | 946 | 57 lbs. |
| FE1-1812-18RLPX | 54" | 18" x 18" | 12" | 1145 | 65 lbs. |
| FE-1-1824-PX | 23" | 18" x 24" | 14" | 1001 | 60 lbs. |
| FE1-1824-24RorL-PX | 44 1/2" | 18" x 24" | 14" | 1307 | 105 lbs. |
| FE-1-2424-PX | 29" | 24" x 24" | 14" | 1142 | 90 lbs. |

2 COMPARTMENT SINKS

| Model # | O.A. Length | Bowl Size | Bowl Depth | Price | Wt. |
|--------------------|-------------|-----------|------------|--------|----------|
| FE-2-1620-PX | 37" | 16" x 20" | 12" | \$1292 | 72 lbs. |
| FE-21620-18RLPX | 68" | 16" x 20" | 12" | 1570 | 100 lbs. |
| FE-2-1812-PX | 41" | 18" x 18" | 12" | 1289 | 65 lbs. |
| FE-21812-18RorL-PX | 56 1/2" | 18" x 18" | 12" | 1468 | 78 lbs. |
| FE2-1812-18RLPX | 72" | 18" x 18" | 12" | 1571 | 84 lbs. |
| FE2-2424-24RLPX | 96" | 24" x 24" | 14" | 2395 | 140 lbs. |

3 COMPARTMENT SINKS

| Model # | O.A. Length | Bowl Size | Bowl Depth | Price | Wt. |
|--------------------|-------------|-----------|------------|--------|----------|
| FE-3-1515-PX | 50" | 15" x 15" | 12" | \$1551 | 95 lbs. |
| FE3-1515-15RorL-PX | 62 1/2" | 15" x 15" | 12" | 1641 | 105 lbs. |
| FE3-1515-15RLPX | 75" | 15" x 15" | 12" | 1749 | 115 lbs. |
| FE-3-1620-PX | 53" | 16" x 20" | 12" | 1680 | 88 lbs. |
| FE3-1620-18RorL-PX | 68 1/2" | 16" x 20" | 12" | 1867 | 96 lbs. |
| FE3-1620-18RLPX | 84" | 16" x 20" | 12" | 1954 | 105 lbs. |
| FE3-1614-18RLPX | 84" | 16" x 20" | 14" | 2024 | 115 lbs. |
| FE-3-1812-PX | 59" | 18" x 18" | 12" | 1624 | 90 lbs. |
| FE3-1812-18RorL-PX | 74 1/2" | 18" x 18" | 12" | 1867 | 102 lbs. |
| FE3-1812-18RLPX | 90" | 18" x 18" | 12" | 2103 | 110 lbs. |
| FE3-1812-24RLPX | 102" | 18" x 18" | 12" | 2144 | 149 lbs. |
| FE3-1824-18RLPX | 90" | 18" x 24" | 14" | 2557 | 240 lbs. |
| FE3-1824-24RLPX | 102" | 18" x 24" | 14" | 2694 | 250 lbs. |
| FE3-2424-24RLPX* | 120" | 24" x 24" | 14" | 2955 | 340 lbs. |

SPACE-SAVING 3 COMPARTMENT SINKS

| Model # | O.A. Length | Bowl Size | Bowl Depth | Price | Wt. |
|-----------------|-------------|-----------|------------|--------|---------|
| FE-3-1014-PX | 35" | 10" x 14" | 10" | \$1376 | 85 lbs. |
| FE3-1014-15RLPX | 60" | 10" x 14" | 10" | 1352 | 98 lbs. |
| FE3-1416-12RLPX | 66" | 14" x 16" | 12" | 1792 | 92 lbs. |

STAINLESS STEEL LEG UPGRADE

For FE Sinks Only - Includes 4 S/S Legs With S/S Bullet Feet



For Sinks w/ 12" Deep Bowls
 FE-SS-12-PX \$309

For Sinks w/ 14" Deep Bowls
 FE-SS-14-PX \$276

CONVENIENCE STORE SINKS

18 GAUGE, 304 STAINLESS STEEL



- Stainless Steel Legs
- Stainless Steel Bullet Feet
- All Sinks Feature TWO Drainboards

Our Solution to Your Limited Space Problem
 IN SIX FEET OR LESS, YOU CAN WASH RINSE & SANITIZE!

| Bowl Size | Model # | # of Comp. | Drbd. Size | O.A. Length | Price | Wt. | Cu. Ft. |
|-----------------|----------|------------|------------|-------------|--------|----------|---------|
| 10" x 14" x 10" | K7-CS-21 | 3 | 12" | 58" | \$3537 | 85 lbs. | 27 |
| 10" x 14" x 10" | K7-CS-22 | 3 | 18" | 70" | 3636 | 120 lbs. | 39 |
| 14" x 16" x 12" | K7-CS-29 | 3 | 12" | 70" | 3874 | 138 lbs. | 39 |
| 12" x 20" x 12" | K7-CS-32 | 3 | 12" | 64" | 4496 | 130 lbs. | 35 |

SUPER-SIZED SINKS 16 Gauge, 304 Stainless Steel



- 14" Deep Bowls
- Stainless Steel Legs
- Tile Edge Splash
- Full Skirt Design
- Space Saving - Reduced Overall Lengths

| Model # | Bowl Size | O.A. Length | Drainboard Size | PRICE | Wt. |
|-----------------|-------------|-------------|-----------------|--------|----------|
| K73-2030-18RLPX | 20"x30"x14" | 96" | 18" | \$6561 | 310 lbs. |
| K73-2030-24RLPX | 20"x30"x14" | 108" | 24" | 7050 | 345 lbs. |
| K73-2430-24RLPX | 24"x30"x14" | 120" | 24" | 9415 | 380 lbs. |
| K73-3024-24RLPX | 30"x24"x14" | 138" | 24" | 11987 | 395 lbs. |
| K73-3030-24RLPX | 30"x30"x14" | 138" | 24" | 12587 | 420 lbs. |
| K73-1432-18RLPX | 14"x32"x14" | 78" | 18" | 6579 | 290 lbs. |

For 14 Gauge Units Add -14 At End Of Model Number & Add \$602 List.

SPECIALTY SINKS



Ship via UPS



LAUNDRY AND UTILITY ROOM SINKS



- 300 Stainless Steel
- Residential Finish
- 18" & 21" Wide Sink Bowls Are 14" Deep
- 24" Wide Sink Bowls Are 13" Deep
- 3-1/2" Basket Drain
- 8" O.C. Faucet Holes

Shown With Optional
DTA-53 Spray Faucet

| | Bowl Size | L | Wt. | Cu. Ft. | Model # | Price |
|---------|-----------|-----|---------|---------|-----------|--------|
| 1 COMP. | 18" x 18" | 18" | 44 lbs. | 8 | 6-81-18RE | \$1768 |
| | 21" x 24" | 24" | 53 lbs. | 12 | 6-1-24RE | 1997 |
| | 24" x 24" | 24" | 54 lbs. | 12 | 6-41-24RE | 2138 |
| 2 COMP. | 24" x 36" | 36" | 69 lbs. | 17 | 6-41-36RE | 2283 |
| | 21" x 48" | 48" | 86 lbs. | 21 | 6-2-48RE | 2791 |
| | 24" x 48" | 48" | 88 lbs. | 22 | 6-42-48RE | 2989 |

BUDGET LINE SCULLERY SINKS

For Residential Finish & Packaging On Any Budget Sink, Add K-350 \$457



4-1-24 Shown

- 18" & 21" Wide Sink Bowls Are 14" Deep
- 24" Wide Sink Bowls Are 13" Deep
- 3-1/2" Basket Drain
- 8" O.C. Faucet Holes



4-1-24D Shown



4" Back Splash

3-1/2" REAR DECK

- 14" Deep Bowls
- 4" Back Splash
- 3-1/2" Basket Drain
- 8" O.C. Faucet Holes



4-1-48D Shown

| | Bowl Size | L | Wt. | Cu. Ft. | "400" Series (430 S/S) | | "600" Series (300 S/S) | |
|---------|---------------|-----|----------|---------|------------------------|--------|------------------------|--------|
| | | | | | Model # | Price | Model # | Price |
| 1 COMP. | 18" x 18" | 18" | 44 lbs. | 8 | 4-81-18 | \$1373 | 6-81-18 | \$1576 |
| | 21" x 18" | 18" | 47 lbs. | 9 | 4-1-18 | 1397 | 6-1-18 | 1626 |
| | 21" x 24" | 24" | 53 lbs. | 12 | 4-1-24 | 1422 | 6-1-24 | 1781 |
| | 21" x 36" | 36" | 66 lbs. | 16 | 4-1-36 | 1626 | 6-1-36 | 1831 |
| | 24" x 24" | 24" | 54 lbs. | 12 | 4-41-24 | 1726 | 6-41-24 | 1908 |
| 2 COMP. | 24" x 36" | 36" | 69 lbs. | 17 | 4-41-36 | 1847 | 6-41-36 | 2036 |
| | 21" x 36" | 36" | 73 lbs. | 16 | 4-2-36 | 2009 | 6-2-36 | 2264 |
| | 21" x 48" | 48" | 86 lbs. | 21 | 4-2-48 | 2188 | 6-2-48 | 2490 |
| | 21" x 60" | 60" | 98 lbs. | 26 | 4-2-60 | 2773 | 6-2-60 | 2901 |
| 3 COMP. | 24" x 48" | 48" | 88 lbs. | 22 | 4-42-48 | 2417 | 6-42-48 | 2670 |
| | 24" x 60" | 60" | 108 lbs. | 27 | 4-42-60 | 2928 | 6-42-60 | 3308 |
| | 21" x 36" | 36" | 78 lbs. | 16 | 4-3-36 | 2162 | 6-3-36 | 2417 |
| | 21" x 48" | 48" | 91 lbs. | 21 | 4-3-48 | 2344 | 6-3-48 | 2773 |
| | 21" x 54" | 54" | 98 lbs. | 24 | 4-3-54 | 2440 | 6-3-54 | 2848 |
| | ** 21" x 72" | 72" | 115 lbs. | 31 | 4-3-72 | 3156 | 6-3-72 | 3563 |
| 4 COMP. | 24" x 60" | 60" | 108 lbs. | 27 | 4-43-60 | 3053 | 6-43-60 | 3435 |
| | ** 24" x 72" | 72" | 118 lbs. | 32 | 4-43-72 | 3259 | 6-43-72 | 3717 |
| | †** 21" x 48" | 48" | 95 lbs. | 21 | 4-4-48 | 2596 | 6-4-48 | 3002 |
| | ** 21" x 60" | 60" | 113 lbs. | 26 | 4-4-60 | 3308 | 6-4-60 | 3550 |
| | ** 21" x 72" | 72" | 120 lbs. | 21 | 4-4-72 | 3563 | 6-4-72 | 3819 |

† Quick-Drain omitted in this size ** Requires Two Faucets

Deck Mounted Service Faucets

| Model | Spout | Price |
|-------|-------|-------|
| K-127 | 8" | \$573 |
| K-128 | 12" | 613 |
| K-129 | 14" | 640 |



BUDGET SINK ACCESSORIES

All Budget Sink Accessories Ship via UPS

STAINLESS STEEL DRAINBOARDS




- Drainboards 36" & Larger Supplied w/ Legs
- Sides & End Of Drainboard Turned Up
- 2" With Hemmed Edges Along Top


| Model # | Size | Price | Wt. | Cu. Ft. |
|---------|-----------|-------|---------|---------|
| N-5-818 | 18" x 18" | \$520 | 13 lbs. | 1 |
| N-5-18 | 21" x 18" | 609 | 15 lbs. | 1 |
| N-5-24 | 21" x 24" | 706 | 18 lbs. | 1 |
| N-5-30 | 21" x 30" | 796 | 22 lbs. | 2 |
| N-5-36 | 21" x 36" | 1275 | 25 lbs. | 2 |
| N-5-48 | 21" x 48" | 1523 | 28 lbs. | 3 |
| N-54-24 | 24" x 24" | 758 | 20 lbs. | 1 |
| N-54-36 | 24" x 36" | 1341 | 25 lbs. | 2 |
| N-54-48 | 24" x 48" | 1587 | 30 lbs. | 3 |

STAINLESS STEEL SINK COVERS

For 1 Compartment Budget Sinks

| Model # | Size | Price |
|---------|-----------|-------|
| LSC-81 | 18" x 18" | \$582 |
| LSC-18 | 21" x 18" | 582 |
| LSC-24 | 21" x 24" | 582 |
| LSC-242 | 24" x 24" | 582 |
| LSC-36 | 24" x 36" | 582 |
| LSC-48 | 24" x 48" | 582 |





K-452S/K-453S




K-72



K-460A



K-461A



K-479



K-4

SINK MODIFICATIONS

| | | |
|--------|---|--------------|
| K-4 | Support Bracket for Lever Waste Drain Handle | \$172 ea. |
| K-23 | Sink legs welded to undershelf or left-to-right cross rails, shipped set up and crated. (Top is not welded to legs) | 510 per sink |
| K-23A | Sink legs welded to gussets under table top & to undershelf or left-to-right cross rails, shipped set up & crated. | 674 per sink |
| K-24 | Shell Crating | 394 |
| K-37 | Anti-Siphon Vacuum Breaker Holes | 153 |
| K-57 | Welded field Joint (Welded in field by others) | 355 per sink |
| K-76 | Paint on Sound Deadening | 678 |
| K-77 | Splash Cutout (Pipe Chase) | 241 |
| K-106 | Mirror Highlite Edge for Sink | 553 |
| K-350 | Residential Finish & Packaging | 457 |
| K-440 | Waste Trough with 2" deep removable basket | 1161 |
| K-447 | High Backsplash up to 18" | 241 lin. ft. |
| K-448 | High Backsplash up to 13" | 193 lin. ft. |
| K-450 | Extend Drainboard Length (Drainboards over 36" Are Not Creased or Pitched.) | 488 lin. ft. |
| K-451 | Drainboard Corner Turn | 1705 ea. |
| K-452 | Control Bracket 8" x 12" | 339 ea. |
| K-452S | Splash Mounted Control Bracket 8" x 12" | 384 ea. |
| K-453 | Control Bracket 14" x 16" | 364 ea. |
| K-453S | Splash Mounted Control Bracket 14" x 16" | 424 ea. |
| K-454 | Sidesplash | 528 ea. |
| K-456 | Scrap Block Installed | 496 |
| K-460 | Installation of Disposal Cone with 8" x 12" Control Bracket, Faucet Holes (Cone supplied by others) | 1014 ea. |

| | | |
|--------|--|--------------|
| K-460A | Installation of Disposal Cone with 14" x 16" Control Bracket, Faucet Holes (Cone supplied by others) | \$1076 ea. |
| K-461 | Install Collar with 8" x 12" control bracket (Collar by others) | 1014 |
| K-461A | Install Collar with 14" x 16" control bracket (Collar by others) | 1076 |
| K-470 | Modify Bowl Depth | 228 ea. |
| K-472 | Faucet Hole Revision | 160 ea |
| K-473 | Working Height Revision | 128 ea |
| K-476 | Punch for Over Flow Holes (Holes Only. N/C when ordering K-15) | 73 ea. |
| K-479 | Undershelf Under Drainboard | 306 lin. ft. |
| K-480 | Stainless Steel 12" Wide Shelf (min. of 3 ft.) | 318 lin. ft. |
| K-480A | Stainless Steel 15" Wide Shelf (min. of 3 ft.) | 457 lin. ft. |
| K-490 | Provision for Pot Washer (For "Wells-PW-106" only) | 1278 ea. |
| K-491 | Provision for Hatco Heater | 242 ea. |
| K-495 | Turn Down Backsplash (Includes 2 Brackets. See K-397 Add'l Sets) | 212 |
| K-498 | Tubular Overshelf 12" wide (Min. 3 Ft.) | 480 lin. ft. |
| K-499 | Stainless Steel Pot Rack | 381 lin. ft. |
| K-500 | Stainless Steel Apron to Cover Sink Bowls | 1196 ea. |
| K-500A | 17" Stainless Steel Apron to Cover Sink Bowls and Support Lever Drain Handles | 1391 ea. |
| K-508 | Special Sizing Charge (Larger size cut down to smaller size) | N/C ea. |
| K-508A | Special Modification Charge | 323 ea. |
| K-510 | Prepare Sink for Undercounter Dishwasher (24" drainboard or larger) | 180 per sink |
| K-520 | Poly Board Holder | 855 ea. |
| K-550 | Stainless Steel Tubular Rack Storage | 263 lin. ft. |
| K-ROD | Weld Support Rods For Poly Sink Cover In Corners Of Sink Bowl | 613 lin. ft. |

SINK FAUCET & ACCESSORIES


ALL FAUCETS MEET FEDERAL LEAD FREE STANDARDS.

 All Items on this Page Ship via UPS



EXTRA HEAVY DUTY PRE-RINSE FAUCETS (WALL BRACKET INCLUDED)

SPEC-LINE HEAVY DUTY
Splash Mounted
Prerinse Faucet
DTA-53 \$1151



12" Add-A-Faucet
 For DTA-53
K-117 \$450

Deck Mounted
Prerinse Faucet
K-115 \$1598



PRE-RINSE
 Flow Rate: 1.6 GPM
 @ 60 PSI

Single Hole

Splash Mounted
Prerinse Faucet
K-116 \$1598



12" Add-A-Faucet
 For K-115/K-116
K-117-TS \$701

8" O.C.

FAUCET ACCESSORIES

Replacement Hose
 Handle Not Included

K-113 \$218



Replacement Spray
Head & Handle

K-114 \$248



SPLASH MOUNTED FAUCETS

HEAVY DUTY FAUCETS

8" Swing Spout Faucet

8" O.C.
K-1118 \$573



16" Swing Spout Faucet

8" O.C.
K-119 \$666



12" Swing Spout Faucet

8" O.C.
K-112 \$613



18" Swing Spout Faucet

8" O.C.
K-211 \$713



14" Swing Spout Faucet

8" O.C.
K-105 \$640



Faucet Mounting Kit for

K-1, K-11, K-101, K-1105, K-119, K-119, K-127, K-128, K-129, K-159, K-161, K-1118, K-211 & DTA-53
K-06 \$124 Set of 2



Wall Mounted
Service Faucet

8" O.C.
K-240 \$1169

*K-240 Does Not Meet Federal Lead Free Standards As It Is Not Intended For Potable Water.



STANDARD DUTY FAUCETS

| Model | Spout Length | Price |
|-------|--------------|-------|
| K-101 | 8" | \$287 |
| K-1 | 12" | 321 |
| K-11 | 14" | 366 |

K-11



K-1

WRIST HANDLES

For Standard Duty 8" O.C. Faucets

Fits K-1, K-11 & K-101
K-316-LU \$152 set

For Heavy Duty 8" O.C. Faucets

Fits K-105, K-112, K-119, K-127, K-128, K-129, K-134, K-159, K-161, K-1118 & K-211
K-416-LU \$250 set


For Extra Heavy Duty 8" O.C. Faucets

Fits K-69, K-111, K-115, K-116 & K-117-TS
K-416-TS-LU \$447 set



Continuous Waste For
3 Compartment Sink

K-351 \$450



1-1/2" Dia.

For Use with 2 & 3
 Compartment Sinks

Extra Heavy Duty
T&S 14" Swing Spout
Faucet

8" O.C.
K-111 \$771



SINK ACCESSORIES

| | | | | | |
|--------|---|-----------|--------|---|-----------|
| K-2A | 5/8" Poly-Vance Sink Cutting Board For 10"x14" Bowls | \$375 ea. | K-455H | Stainless Steel Sink Cover 18"x18" | 628 ea. |
| K-2B | 5/8" Poly-Vance Sink Cutting Board For 14"x16" Bowls | 375 ea. | K-457 | Replacement Rubber Scrap Block (See K-456 for install cost) | 159 ea. |
| K-2C | 5/8" Poly-Vance Sink Cutting Board For 16"x20" Bowls | 375 ea. | K-474 | 16 ga., '304' Series S/S Leg with S/S Foot | 146 ea. |
| K-2D | 5/8" Poly-Vance Sink Cutting Board For 18"x24" Bowls | 375 ea. | K-475 | S/S Legs with S/S Feet | 91 ea. |
| K-2E | 5/8" Poly-Vance Sink Cutting Board For 20"x20" Bowls | 375 ea. | K-477 | Replacement Single Leg Clamp for Adjustable Cross Rails | 25 ea. |
| K-2F | 5/8" Poly-Vance Sink Cutting Board For 24"x24" Bowls | 375 ea. | K-477C | Replacement Corner Leg Clamp for adjustable Cross Rails | 35 ea. |
| K-26 | Replacement Lever Drain, Overflow & P-Trap | 204 ea. | K-478 | Stainless Steel Bullet Foot | 36 ea. |
| K-30 | Faucet Wall Mounting Bracket | 451 ea. | K-488 | Flanged S/S Bullet Foot | 77 ea. |
| K-72 | Leg To Wall Brace | 395 | K-493 | 16 ga., '304' Series Stainless Steel Welded Leg Assembly with Stainless Steel Feet | 484 ea. |
| K-397 | Wall Bracket for Sink (Includes 2 Brackets with K-495 Mod.) | 108 ea. | K-494 | S/S Welded Leg Assembly with S/S Feet | 430 ea. |
| K-455A | Stainless Steel Sink Cover 10"x14" | 628 ea. | K-497 | Galv. Welded Leg Assembly with Plastic Feet | 288 ea. |
| K-455B | Stainless Steel Sink Cover 14"x16" | 628 ea. | K-497A | Galv. Individual Legs with Plastic Feet | 104 set/4 |
| K-455C | Stainless Steel Sink Cover 16"x20" | 628 ea. | | Leg Assembly For Grease Interceptor w/ Adj. Cross-Bracing & S/S Feet (For Grease Interceptors with 15" Ht. or less. Consult factory for larger Grease Interceptors) | 557 ea. |
| K-455D | Stainless Steel Sink Cover 18"x24" | 628 ea. | K-610 | Perforated Stainless Steel Sink Grid (Specify Bowl Size) | 969 ea. |
| K-455E | Stainless Steel Sink Cover 20"x20" | 628 ea. | | | |
| K-455F | Stainless Steel Sink Cover 24"x24" | \$628 ea. | | | |
| K-455G | Stainless Steel Sink Cover 20"x28" | 628 ea. | | | |

FOR REPLACEMENT SPOUTS & PARTS SEE PAGES 50-54

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info., visit www.p65warnings.ca.gov.



- 14 Gauge 304 Stainless Steel
- Stainless Steel or Fiberglass Grating
- Pitched Towards Waste
- Subway Grating constructed from 3/16" x 1" bars
- Grating is spaced 9/16" (inside clearance) between bars to prevent casters from getting trapped
- Includes 4" OD. - 3" Long Plumbing Sleeve
- Includes stainless steel strainer basket with handle

FLOOR TROUGHS

Consult Factory For Additional Sizes

Custom Sizes Available

Call For Pricing



| Size W x L x D | With S/S Grate | Price | Approx. Weight | With Fiberglass Grate | Price | Approx. Weight |
|-------------------|-------------------|--------|-------------------|--------------------------|--------|-------------------|
| 12" x 24" x 4" | FTG-1224 | \$3933 | 46 lbs. | FFTG-1224 | \$3780 | 34 lbs. |
| 12" x 30" x 4" | FTG-1230 | 4030 | 56 lbs. | FFTG-1230 | 3891 | 37 lbs. |
| 12" x 36" x 4" | FTG-1236 | 4162 | 66 lbs. | FFTG-1236 | 4001 | 40 lbs. |
| 12" x 42" x 4" | FTG-1242 | 4432 | 76 lbs. | FFTG-1242 | 4245 | 43 lbs. |
| 12" x 48" x 4" | FTG-1248 | 5143 | 86 lbs. | FFTG-1248 | 4891 | 46 lbs. |
| 12" x 54" x 4" | FTG-1254 | 5581 | 96 lbs. | FFTG-1254 | 5290 | 49 lbs. |
| 12" x 60" x 4" | FTG-1260 | 6168 | 106 lbs. | FFTG-1260 | 5818 | 52 lbs. |
| 12" x 72" x 4" | FTG-1272 | 7090 | 116 lbs. | FFTG-1272 | 6660 | 55 lbs. |
| 12" x 84" x 4" | FTG-1284 | 8325 | 126 lbs. | FFTG-1284 | 7778 | 81 lbs. |
| 12" x 96" x 4" | FTG-1296* | 8570 | 146 lbs. | FFTG-1296* | 8002 | 90 lbs. |
| 12" x 108" x 4" | FTG-12108* | 9305 | 166 lbs. | FFTG-12108* | 8669 | 99 lbs. |
| 12" x 120" x 4" | FTG-12120* | 11269 | 180 lbs. | FFTG-12120* | 10445 | 108 lbs. |
| 18" x 24" x 4" | FTG-1824 | 4432 | 62 lbs. | FFTG-1824 | 4222 | 43 lbs. |
| 18" x 30" x 4" | FTG-1830 | 4649 | 74 lbs. | FFTG-1830 | 4448 | 47 lbs. |
| 18" x 36" x 4" | FTG-1836 | 4898 | 86 lbs. | FFTG-1836 | 4667 | 54 lbs. |
| 18" x 42" x 4" | FTG-1842 | 5240 | 98 lbs. | FFTG-1842 | 4983 | 61 lbs. |
| 18" x 48" x 4" | FTG-1848 | 5818 | 110 lbs. | FFTG-1848 | 5504 | 69 lbs. |
| 18" x 54" x 4" | FTG-1854 | 6556 | 122 lbs. | FFTG-1854 | 6175 | 76 lbs. |
| 18" x 60" x 4" | FTG-1860 | 7188 | 134 lbs. | FFTG-1860 | 6742 | 83 lbs. |
| 18" x 72" x 4" | FTG-1872 | 7869 | 146 lbs. | FFTG-1872 | 7364 | 90 lbs. |
| 18" x 84" x 4" | FTG-1884 | 9552 | 165 lbs. | FFTG-1884 | 8889 | 111 lbs. |
| 18" x 96" x 4" | FTG-1896* | 9796 | 187 lbs. | FFTG-1896* | 9111 | 125 lbs. |
| 18" x 108" x 4" | FTG-18108* | 11269 | 208 lbs. | FFTG-18108* | 10445 | 138 lbs. |
| 18" x 120" x 4" | FTG-18120* | 12983 | 229 lbs. | FFTG-18120* | 12003 | 150 lbs. |
| 24" x 24" x 4" | FTG-2424 | 5335 | 69 lbs. | FFTG-2424 | 4393 | 52 lbs. |
| 24" x 30" x 4" | FTG-2430 | 5555 | 81 lbs. | FFTG-2430 | 4779 | 59 lbs. |
| 24" x 36" x 4" | FTG-2436 | 6335 | 104 lbs. | FFTG-2436 | 4891 | 68 lbs. |
| 24" x 42" x 4" | FTG-2442 | 6668 | 118 lbs. | FFTG-2442 | 5279 | 75 lbs. |
| 24" x 48" x 4" | FTG-2448 | 7334 | 131 lbs. | FFTG-2448 | 5555 | 83 lbs. |
| 24" x 54" x 4" | FTG-2454 | 8002 | 145 lbs. | FFTG-2454 | 6223 | 95 lbs. |
| 24" x 60" x 4" | FTG-2460 | 8225 | 162 lbs. | FFTG-2460 | 6890 | 102 lbs. |
| 24" x 72" x 4" | FTG-2472 | 9561 | 195 lbs. | FFTG-2472 | 7556 | 119 lbs. |
| 24" x 84" x 4" | FTG-2484 | 10445 | 218 lbs. | FFTG-2484 | 9003 | 137 lbs. |
| 24" x 96" x 4" | FTG-2496* | 11556 | 243 lbs. | FFTG-2496* | 9225 | 153 lbs. |
| 24" x 108" x 4" | FTG-24108* | 13117 | 274 lbs. | FFTG-24108* | 10666 | 168 lbs. |
| 24" x 120" x 4" | FTG-24120* | 14002 | 310 lbs. | FFTG-24120* | 12223 | 188 lbs. |

*Includes Two Drains

7.5" WIDE FLOOR WATER RECEPTACLES (4" Depth)



- 14 Gauge 304 Stainless Steel
- Includes Stainless Steel Subway Grating constructed from 3/16" x 1" bars

| Stainless Steel Grating | Size W x L x D | Price | Approx. Weight |
|----------------------------|-------------------|--------|-------------------|
| FTG-724 | 7.5" x 24" x 4" | \$2799 | 44 lbs. |
| FTG-730 | 7.5" x 30" x 4" | 2986 | 44 lbs. |
| FTG-736 | 7.5" x 36" x 4" | 3165 | 63 lbs. |
| FTG-748 | 7.5" x 48" x 4" | 3755 | 82 lbs. |
| FTG-760 | 7.5" x 60" x 4" | 4056 | 101 lbs. |
| FTG-772 | 7.5" x 72" x 4" | 4349 | 110 lbs. |
| FTG-784 | 7.5" x 84" x 4" | 4645 | 119 lbs. |
| FTG-796 | 7.5" x 96" x 4" | 4943 | 138 lbs. |
| FTG-7108 | 7.5" x 108" x 4" | 5252 | 157 lbs. |
| FTG-7120 | 7.5" x 120" x 4" | 5564 | 170 lbs. |

12" WIDE FLOOR WATER RECEPTACLES (2" Depth)



- 14 Gauge 304 Stainless Steel
- Includes Stainless Steel Subway Grating constructed from 3/16" x 1" bars

| Stainless Steel Grating | Size W x L x D | Price | Approx. Weight |
|----------------------------|-------------------|--------|-------------------|
| FRG-24 | 12" x 24" x 2" | \$3784 | 44 lbs. |
| FRG-36 | 12" x 36" x 2" | 4315 | 63 lbs. |
| FRG-48 | 12" x 48" x 2" | 5002 | 82 lbs. |

12" WIDE FLOOR DRAIN (4" Depth)

- 14 Gauge 304 Stainless Steel
- Includes Strainer Basket

FD-1 \$763

Optional Stainless Steel Grate



| Stainless Steel Grating | Size W x L x D | Price | Approx. Weight |
|----------------------------|-------------------|--------|-------------------|
| FDR-1212 | 12" x 12" x 4" | \$1961 | 26 lbs. |

FLOOR TROUGH ACCESSORIES & MODIFICATIONS



Cut-Out View of Anti-Splash

FT-1 \$144 lin. ft.

Optional Anti-Splash Guard (Factory Installed)



FT-2 \$77 ea.

Replacement Stainless Steel Strainer Basket with Handle

FT-3 \$157 lin. ft.

Modify Trough Depth (2" to 6" Deep)

FT-4 \$327 per hole

Modify Drain Outlet Size (Allow 2" to 8" Dia)

FT-5 \$166 lin. ft.

Grate Upgrade to A.D.A.

FT-6 No Charge

Modify Length of Trough (Select Next Larger Size)

STAINLESS STEEL COUNTERTOPS

FOR INTEGRAL SINKS & COUNTERTOP ACCESSORIES - SEE PAGE 41



- 16 Gauge Type 304 S/S
- #4 Satin Finish
- No-Drip "Mirror Hi-Lite Polish" Edge
- Stud Welded Hat Channel
- Sound Deadening
- Angle Mounting Brackets Provided For Countertop Installation

COUNTERTOP EDGE COMES STANDARD ON THESE MODELS
(See Below for Other Optional Edges Available)

These Models Are For Countertops Only. For Sink Options, See Optional Sink Section on Pg. 41.

| Size | FLAT TOP | | | | 5" BACKSPLASH | | | | 10" BACKSPLASH | | | |
|------------|-----------|--------|----------|-----|---------------|--------|----------|-----|----------------|--------|----------|-----|
| | Model # | Price | Wt. | Cu. | Model # | Price | Wt. | Cu. | Model # | Price | Wt. | Cu. |
| 25" x 30" | VCTC-240 | \$1560 | 35 lbs. | 4 | VCTF-240 | \$1752 | 37 lbs. | 4 | VKCT-240 | \$1949 | 39 lbs. | 4 |
| 25" x 36" | VCTC-243 | 1560 | 39 lbs. | 5 | VCTF-243 | 1752 | 41 lbs. | 5 | VKCT-243 | 1949 | 47 lbs. | 5 |
| 25" x 48" | VCTC-244 | 1723 | 49 lbs. | 6 | VCTF-244 | 1924 | 49 lbs. | 6 | VKCT-244 | 2144 | 59 lbs. | 6 |
| 25" x 60" | VCTC-245 | 1895 | 58 lbs. | 8 | VCTF-245 | 2094 | 61 lbs. | 8 | VKCT-245 | 2330 | 72 lbs. | 8 |
| 25" x 72" | VCTC-246 | 2059 | 68 lbs. | 9 | VCTF-246 | 2275 | 72 lbs. | 9 | VKCT-246 | 2527 | 81 lbs. | 9 |
| 25" x 84" | VCTC-247 | 2547 | 85 lbs. | 11 | VCTF-247 | 2726 | 89 lbs. | 11 | VKCT-247 | 3030 | 98 lbs. | 11 |
| 25" x 96" | VCTC-248 | 2731 | 95 lbs. | 12 | VCTF-248 | 2921 | 100 lbs. | 12 | VKCT-248 | 3238 | 111 lbs. | 12 |
| 25" x 120" | VCTC-2410 | 3739 | 115 lbs. | 26 | VCTF-2410 | 3983 | 120 lbs. | 26 | VKCT-2410 | 4423 | 142 lbs. | 26 |
| 30" x 30" | VCTC-300 | 1677 | 38 lbs. | 5 | VCTF-300 | 1841 | 41 lbs. | 5 | VKCT-300 | 2046 | 46 lbs. | 5 |
| 30" x 36" | VCTC-303 | 1677 | 45 lbs. | 6 | VCTF-303 | 1841 | 48 lbs. | 6 | VKCT-303 | 2046 | 54 lbs. | 6 |
| 30" x 48" | VCTC-304 | 1858 | 57 lbs. | 8 | VCTF-304 | 2050 | 60 lbs. | 8 | VKCT-304 | 2292 | 66 lbs. | 8 |
| 30" x 60" | VCTC-305 | 2068 | 69 lbs. | 9 | VCTF-305 | 2266 | 73 lbs. | 9 | VKCT-305 | 2518 | 79 lbs. | 9 |
| 30" x 72" | VCTC-306 | 2330 | 76 lbs. | 11 | VCTF-306 | 2473 | 80 lbs. | 11 | VKCT-306 | 2750 | 88 lbs. | 11 |
| 30" x 84" | VCTC-307 | 2685 | 95 lbs. | 13 | VCTF-307 | 2856 | 100 lbs. | 13 | VKCT-307 | 3175 | 105 lbs. | 13 |
| 30" x 96" | VCTC-308 | 2905 | 107 lbs. | 15 | VCTF-308 | 2927 | 112 lbs. | 15 | VKCT-308 | 3509 | 118 lbs. | 15 |
| 30" x 120" | VCTC-3010 | 4173 | 132 lbs. | 32 | VCTF-3010 | 4267 | 145 lbs. | 32 | VKCT-3010 | 4751 | 160 lbs. | 32 |

MIRROR HI-LITE FINISH SUPPLIED ON ALL COUNTERTOPS!

COUNTERTOP EDGE OPTIONS

COUNTERTOP EDGE*
STANDARD
(As Shown in Photo Above)



BULLNOSE EDGE ADD
TA-100 N/C



SQUARE EDGE ADD
TA-22 N/C



* "L" Shape Countertop Configurations Are Available With TA-22 Square Edge Only

WELDED SINKS INTO TABLE TOPS

Includes Lead Free Compliant Faucet & K-6 Basket Drain(s)

Flat Top, 1", 1-1/2" & 5 Backsplash Include Deck Mount Faucet

- Single Sink Bowl provided with K-50 Swing Spout Faucet
- Double Sink Bowls provided with K-53 Swing Spout Faucet

10" Backsplash Include Splash Mount Faucet

- Single & Double Sink Bowls provided with K-1 Swing Spout Faucet

SPLASH MOUNT FAUCET AVAILABLE ON 5" BACKSPLASH - Add TA-11Z \$56/lin. ft.



Flat Top
w/ K-50
Deck Mount
Faucet Shown



10" Backsplash
w/ K-1
Splash Mount
Faucet Shown

For Residential Finish & Packaging, Add K-350 \$457


| Size | | Single Bowl | | Double Bowl | |
|-----------------|---|-------------|--------|-------------|--------|
| A | B | Model# | Price | Model# | Price |
| 10" x 14" x 5" | | TA-11Q | \$1450 | TA-11Q-2 | \$2649 |
| 10" x 14" x 10" | | TA-11F | 1561 | TA-11F-2† | 2986 |
| 14" x 16" x 12" | | TA-11J | 1643 | TA-11J-2 | 3073 |
| 16" x 20" x 8" | | TA-11A** | 1632 | TA-11A-2** | 3036 |
| 16" x 20" x 12" | | TA-11B** | 1823 | TA-11B-2** | 3351 |
| 16" x 20" x 14" | | TA-11V** | 2121 | TA-11V-2** | 3597 |
| 16" x 24" x 14" | | TA-11K** | 2128 | TA-11K-2** | 3605 |
| 18" x 18" x 14" | | TA-11N | 1860 | TA-11N-2 | 3356 |
| 18" x 24" x 14" | | TA-11L | 1883 | TA-11L-2 | 3384 |
| 20" x 20" x 8" | | TA-11C* | 1723 | TA-11C-2* | 3332 |
| 20" x 20" x 12" | | TA-11D* | 1961 | TA-11D-2* | 3526 |
| 20" x 20" x 14" | | TA-11W* | 2289 | TA-11W-2* | 3767 |
| 20" x 24" x 14" | | TA-11P | 1998 | TA-11P-2 | 3590 |
| 28" x 20" x 12" | | TA-11G* | 2293 | TA-11G-2* | 4148 |
| 20" x 30" x 14" | | TA-11S* | 2181 | TA-11S-2* | 4063 |
| 24" x 24" x 14" | | TA-11E* | 2054 | TA-11E-2* | 3862 |
| 24" x 30" x 14" | | TA-11T* | 2243 | TA-11T-2* | 4275 |
| 24" x 36" x 14" | | TA-11R* | 2317 | TA-11R-2* | 4340 |

* Only Installed In Tables 30" Wide or Wider


** Bowls Are Turned with 16" Front to Back on 24" Wide Tables

† K-50 Swing Spout Faucet (Double Bowl)


FLAT TOP, 1" or 1-1/2" REAR SPLASH



5" REAR SPLASH with 1" RETURN



10" REAR SPLASH with 2" RETURN



COUNTERTOP INSTALLED HAND SINKS

Includes 4" Side Splashes, Undermount Towel Dispenser & 3-1/2" Basket Drain



7-PS-42 Shown

STANDARD

- K-52 Lead Free Compliant Deck Mounted Faucet

7-PS-42 \$3553

Bowl Size: 10" x 14" x 5"
Overall Size: 18-1/4" x 17-5/8"
30 lbs. 2 cu. ft. 20 gauge

7-PS-42A \$3553

Bowl Size: 9" x 9" x 5"
Overall Size: 17-3/8" x 13"
30 lbs. 2 cu. ft. 20 gauge



7-PS-43 Shown

KNEE-VALVE OPERATED

- Deck Mounted Lead Free Compliant Gooseneck Spout
- Knee Operated Valve

7-PS-43 \$4113

Bowl Size: 10" x 14" x 5"
Overall Size: 18-1/4" x 17-5/8"
36 lbs. 2 cu. ft. 20 gauge

COUNTERTOP SINK ACCESSORIES & MODIFICATIONS

| | | |
|----------|--|-------|
| K-4 | Lever Drain Bracket | \$162 |
| K-5 | Lever Drain | 353 |
| K-12 | Deck Mounted Soap Dispenser | 192 |
| K-15 | Lever Drain with Overflow | 625 |
| K-50 | 8" Deck Mounted 4" O.C. Swing Spout Faucet | 343 |
| K-50OMIT | Omit Swing Spout Faucet | -24 |
| K-52 | 3-1/2" Spout Deck Mounted 4" O.C. Gooseneck Faucet | 295 |
| K-52OMIT | Omit Swing Spout Gooseneck Faucet | -24 |

| | | |
|-------|--|-------|
| K-53 | 12" Deck Mounted 4" O.C. Swing Spout Faucet | \$569 |
| K-54 | Water Filler Faucet | 624 |
| K-55 | 8-1/2" Spout 4" O.C. Deck Mounted Gooseneck Faucet | 569 |
| K-60 | 4" O.C. Splash Mounted Gooseneck Faucet | 738 |
| K-470 | 14" Deep Bowls | 220 |
| K-472 | Faucet Hole Revision | 160 |
| TA-31 | 5" Side Splash | 220 |
| TA-32 | 10" Side Splash | 431 |
| TA-34 | Top Cut-out | 323 |

UNDERBAR EQUIPMENT

ALL FAUCETS THAT MEET FEDERAL LEAD FREE STANDARDS.

Underbar Basics™



3 COMPARTMENT DROP-IN BAR SINKS

WITH BUILT-IN 12" CORRUGATED DRAINBOARDS

- 10" x 14" x 10" Sink Bowls
- K-53 Deck Mount Swing Spout Faucet
- 9" Overflow Pipe & 1 1/2" IPS Drain
Included In Each Sink Bowl



DBS-53C Shown

BAR SINK ACCESSORIES



Wrist Handles
For Deck or Splash Mt.

K-316-LU \$152



Chrome Towel Ring
Packed Loose

A-15 \$124

| Model # | Price | # of Bowls | # of Drbds. | Drbd. Size | Drbd. Location | Outside Dim. W x L | Cut Out Size W x L | Approx. Weight |
|---------|--------|------------|-------------|------------|----------------|--------------------|--------------------|----------------|
| DBS-1 | \$1098 | 1 | 0 | N/A | N/A | 13" x 19" | 12 1/4" x 18 1/4" | 21 lbs. |
| DBS-2 | 1232 | 2 | 0 | N/A | N/A | 25 1/2" x 19" | 24 3/4" x 18 1/4" | 26 lbs. |
| DBS-3 | 1483 | 3 | 0 | N/A | N/A | 38" x 19" | 37 1/4" x 18 1/4" | 42 lbs. |
| DBS-43L | 2234 | 3 | 1 | 12" | Right | 20" x 48" | 17" x 47" | 88 lbs. |
| DBS-43R | 2234 | 3 | 1 | 12" | Left | 20" x 48" | 17" x 47" | 88 lbs. |
| DBS-53C | 2432 | 3 | 2 | 12" | Left & Right | 20" x 60" | 17" x 59" | 100 lbs. |
| DBS-63C | 2539 | 3 | 2 | 18" | Left & Right | 20" x 72" | 17" x 71" | 110 lbs. |

BLENDER STATIONS

Includes Heavy Duty Faucet, Drain & Galvanized Legs w/ Adj. Galvanized Side Cross-Bracing

STANDARD BLENDER STATIONS

- 4" High Backsplash
- Dump Sink w/ 1" IPS Drain
- Recessed Blender Shelf w/ Grommet Hole
- 15A - 120V Duplex Outlet Hidden Beneath Shelf
- Adjustable Plastic Bullet Feet
- **SL-RS Series** Includes 4" O.C. Splash Mounted Swing Spout Faucet
- **CR-RS Series** Includes 4" O.C. Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage



SL-RS-12



CR-RS-12

| O.A. Length | SPLASH MT. FAUCET 23" WIDE | | | DECK MT. FAUCET 26" WIDE | | |
|-------------|-------------------------------|--------|---------|-----------------------------|--------|---------|
| | Model # | Price | Wt. | Model # | Price | Wt. |
| 12" | SL-RS-12 | \$1409 | 20 lbs. | CR-RS-12 | \$1470 | 21 lbs. |
| 18" | SL-RS-18 | 1615 | 23 lbs. | CR-RS-18 | 1684 | 23 lbs. |

BAR HAND SINKS

Includes Heavy Duty Faucet, Drain & Galvanized Legs w/ Adj. Galvanized Side Cross-Bracing

STANDARD HAND SINKS

- 4" High Backsplash
- 10" x 14" x 10" Sink Bowl w/ 1 1/2" IPS Drain
- Adjustable Plastic Bullet Feet
- **SL-HS Series** Includes 4" O.C. Splash Mounted Swing Spout Faucet
- **CR-HS Series** Includes 4" O.C. Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage

| O.A. Length | SPLASH MT. FAUCET 18" WIDE | | | DECK MT. FAUCET 21" WIDE | | |
|-------------|-------------------------------|--------|---------|-----------------------------|--------|---------|
| | Model # | Price | Wt. | Model # | Price | Wt. |
| 12" | SL-HS-12 | \$1215 | 24 lbs. | CR-HS-12 | \$1259 | 21 lbs. |
| 15" | SL-HS-15 | 1290 | 25 lbs. | CR-HS-15 | 1325 | 22 lbs. |



SL-HS-12



CR-HS-12

HAND SINKS w/ BUILT-IN SOAP & TOWEL DISPENSERS

- 4" High Backsplash
- Sink Bowl w/ 1 1/2" IPS Drain
- 4" O.C. Deck Mounted Swing Spout Faucet
- Has Rear Deck For Extra Storage
- Adjustable Plastic Bullet Feet
- **-TS-S Series** Includes 4" High Stainless Steel Side Splashes

| O.A. Length | STANDARD 21" WIDE | | | W/ SIDE SPLASHES 21" WIDE | | |
|-------------|----------------------|--------|---------|------------------------------|--------|---------|
| | Model # | Price | Wt. | Model # | Price | Wt. |
| 12" | SC-12-TS | \$1575 | 45 lbs. | SC-12-TS-S | \$1972 | 50 lbs. |
| 15" | SC-15-TS | 1615 | 49 lbs. | SC-15-TS-S | 2017 | 54 lbs. |



SC-12-TS



SC-12-TS-S

FOR REPLACEMENT SPOUTS & PARTS SEE PAGES 50-54

BAR SINKS

With 10" x 14" x 10" Deep Drawn Sink Bowls
29" Working Height

- 4" High Backsplash
- 29" working Height
- Molded Apron For Extra Durability
- Each Sink Bowl Includes an Overflow Pipe w/ 1 1/2" IPS Drain
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- **SLB Series** Includes 1 - 4" O.C. Splash Mounted Swing Spout Faucet
- **CRB Series** Includes 1 - 4" O.C. Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage
- **4 Comp. Sinks** Include Two 6" Swing Spout Faucets



SLB Series
18" Wide Units With
Splash Mount Faucet



CRB Series
21" Wide Units With
Deck Mount Faucet

| | SPLASH MOUNT FAUCET | | | DECK MOUNT FAUCET | | | O.A. Length | # of Drbds. | Drbd. Length | Approx. Weight | Approx. Cu. Ft. |
|----------------|---------------------|--------|------------|-------------------|--------|------------|-------------|-------------|--------------|----------------|-----------------|
| | 18" WIDE | Price | Spout Size | 21" WIDE | Price | Spout Size | | | | | |
| 1 COMP. | SLB-31C | \$1846 | 6" | CRB-31C | \$2035 | 6" | 36" | 2 | 12" | 55 lbs. | 13 |
| 2 COMP. | SLB-22C | 1950 | 6" | CRB-22C | 2099 | 6" | 24" | 0 | N/A | 54 lbs. | 8 |
| | SLB-32LorR | 2070 | 6" | CRB-32LorR | 2208 | 6" | 36" | 1 | 9" | 57 lbs. | 13 |
| | SLB-42LorR | 2121 | 6" | CRB-42LorR | 2273 | 6" | 48" | 1 | 21" | 62 lbs. | 15 |
| | SLB-42C | 2138 | 6" | CRB-42C | 2291 | 6" | 48" | 2 | 12" | 66 lbs. | 15 |
| 3 COMP. | SLB-33C | 2236 | 10" | CRB-33C | 2389 | 12" | 36" | 0 | N/A | 65 lbs. | 13 |
| | SLB-43LorR | 2351 | 10" | CRB-43LorR | 2515 | 12" | 48" | 1 | 9" | 68 lbs. | 15 |
| | SLB-53C | 2474 | 10" | CRB-53C | 2648 | 12" | 60" | 2 | 12" | 76 lbs. | 18 |
| | SLB-63C | 2608 | 10" | CRB-63C | 2791 | 12" | 72" | 2 | 18" | 88 lbs. | 22 |
| | SLB-73C | 2900 | 10" | CRB-73C | 3103 | 12" | 84" | 2 | 24" | 197 lbs. | 39 |
| | SLB-83C | 3169 | 10" | CRB-83C | 3401 | 12" | 96" | 2 | 30" | 200 lbs. | 44 |
| 4 COMP. | SLB-64C* | 3079 | 6" | CRB-64C* | 3280 | 6" | 72" | 2 | 12" | 92 lbs. | 22 |
| | SLB-74C* | 3275 | 6" | CRB-74C* | 3503 | 6" | 84" | 2 | 18" | 173 lbs. | 39 |
| | SLB-84C* | 3559 | 6" | CRB-84C* | 3790 | 6" | 96" | 2 | 24" | 189 lbs. | 44 |

*4 Comp. Bar Sinks Include 2 - 6" Swing Spout Faucets

L And R Indicate Sink Location. C Indicates Sink Is Centered.

BAR SINK & ICE BIN COMBO

With Removable Bottle Racks • 29" Working Height

- 4" Backsplash
- 29" Working Height
- Three or Four Compartment - 10" x 14" Bowls
- Each Sink Bowl Includes Overflow Pipe & 1-1/2" I.P.S. Drain
- Molded Apron For Extra Durability
- 24" x 15" x 8" Insulated Ice Bin; 54 lbs. Ice Capacity
- Ice Bin Includes 1" IPS Drain
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- **SLC Series** Includes 1 - 4" O.C., 10" Splash Mounted Swing Spout Faucet
- **CRC Series** Includes 1 - 4" O.C., 12" Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage



SLC-83C-R

| SPLASH MOUNT FAUCET | | DECK MOUNT FAUCET | | O.A. Length | # of Bowls | # of Drbds. | Drbd. Length | Approx. Weight | Approx. Cu. Ft. |
|---------------------|--------|-------------------|--------|-------------|------------|-------------|--------------|----------------|-----------------|
| 18" WIDE | Price | 21" WIDE | Price | | | | | | |
| SLC-73C-LorR | \$3347 | CRC-73C-LorR | \$3577 | 84" | 3 | 2 | 12" | 185 lbs. | 28 |
| SLC-83C-LorR | 3470 | CRC-83C-LorR | 3700 | 96" | 3 | 2 | 18" | 225 lbs. | 32 |
| SLC-84C-LorR* | 3885 | CRC-84C-LorR* | 4143 | 96" | 4 | 2 | 12" | 225 lbs. | 32 |

*4 Comp. Bar Sinks Include 2 - 6" Swing Spout Faucets

L And R Indicate Ice Bin Location.

BAR SINK MODIFICATIONS

Add A Side Splash

For 18" Wide Units

SU-18R or L \$208

SU-18RL \$421

For 21" Wide Units

SU-21R or L \$227

SU-21RL \$450

Stainless Steel Leg & Stainless Steel Bullet Feet Upgrade

SU-10A \$327

18" Legs w/ Front-to-Back Cross-Bracing

For Full Line of Underbar Accessories & Modifications See Page 46

UNDERBAR EQUIPMENT

ALL FAUCETS THAT MEET FEDERAL LEAD FREE STANDARDS.

PRESTIGE
Signature Series



Featuring
Perforated Drainboard

BAR SINKS

WITH 10" X 14" X 10" DEEP DRAWN SINK BOWLS
29" WORKING HEIGHT

- 7" High Backsplash
- Removable Perforated Drainboard Top
- 9" Overflow Pipe w/ 1 1/2" IPS Drain Included Per Sink Bowl
- Sound Deadened
- Stainless Steel Top, Apron, Sides
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- **PRB-19 Series** Includes 1 - 4" O.C. Splash Mounted Swing Spout Faucet
- **PRB-24 Series** Includes 1 - 4" O.C. Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage



PRB-19 Series
20" Wide Units Include
Splash Mount Faucet(s)



PRB-24 Series
25" Wide Units With
Deck Mount Faucets

| | SPLASH MOUNT FAUCET | | | DECK MOUNT FAUCET | | | O.A. Length | # of Drbds. | Drbd. Length | Approx. Weight | Approx. Cu. Ft. |
|----------------|---------------------|--------|--------------|-------------------|--------|--------------|-------------|-------------|--------------|----------------|-----------------|
| | 20" WIDE | Price | Spout Length | 25" WIDE | Price | Spout Length | | | | | |
| 1 COMP. | PRB-19-31C | \$2225 | 6" | PRB-24-31C | \$2350 | 6" | 36" | 2 | 12" | 89 lbs. | 12 |
| 2 COMP. | PRB-19-22C | 2234 | 6" | PRB-24-22C | 2350 | 6" | 24" | N/A | N/A | 89 lbs. | 8 |
| | PRB-19-32LorR | 2401 | 6" | PRB-24-32LorR | 2500 | 6" | 36" | 1 | 11" | 89 lbs. | 12 |
| | PRB-19-42LorR | 2522 | 6" | PRB-24-42LorR | 2657 | 6" | 48" | 1 | 23" | 105 lbs. | 16 |
| | PRB-19-42C | 2552 | 6" | PRB-24-42C | 2657 | 6" | 48" | 2 | 12" | 105 lbs. | 16 |
| 3 COMP. | PRB-19-33C | 2593 | 12" | PRB-24-33C | 2678 | 10" | 36" | N/A | N/A | 105 lbs. | 12 |
| | PRB-19-43LorR | 2949 | 12" | PRB-24-43LorR | 3083 | 10" | 48" | 1 | 11" | 107 lbs. | 16 |
| | PRB-19-53LorR | 3219 | 12" | PRB-24-53LorR | 3408 | 10" | 60" | 1 | 23" | 125 lbs. | 20 |
| | PRB-19-53C | 3300 | 12" | PRB-24-53C | 3492 | 10" | 60" | 2 | 12" | 125 lbs. | 20 |
| | PRB-19-63C | 3471 | 12" | PRB-24-63C | 3566 | 10" | 72" | 2 | 18" | 143 lbs. | 24 |
| | PRB-19-73C | 3608 | 12" | PRB-24-73C | 3749 | 10" | 84" | 2 | 24" | 190 lbs. | 42 |
| 4 COMP. | PRB-19-83C | 4295 | 12" | PRB-24-83C | 4502 | 10" | 96" | 2 | 30" | 176 lbs. | 48 |
| | PRB-19-44C* | 3236 | 6" | PRB-24-44C* | 3347 | 6" | 48" | N/A | N/A | 107 lbs. | 16 |
| | PRB-19-64C* | 3950 | 6" | PRB-24-64C* | 4088 | 6" | 72" | 2 | 12" | 147 lbs. | 24 |
| | PRB-19-74C* | 4098 | 6" | PRB-24-74C* | 4262 | 6" | 84" | 2 | 18" | 163 lbs. | 42 |
| | PRB-19-84C* | 4834 | 6" | PRB-24-84C* | 5042 | 6" | 96" | 2 | 24" | 178 lbs. | 48 |

*4 Comp. Bar Sinks Include 2 - 6" Swing Spout Faucets

L And R Indicate Sink Location. C Indicates Sink Is Centered.

BAR HAND SINKS

- 29" Working Height
- Deep Drawn Seamless Sink Bowl
- 1 1/2" IPS, 3 1/2" Basket Drain
- 7" Backsplash
- Stainless Steel Legs w/ Stainless Steel Bullet Feet
- Adj. Stainless Steel Side Cross-Bracing (Except PRHSC series)

Featuring Deep Drawn
Seamless Sink Bowl



STANDARD

- **PRHS-19 Series** Includes 4" O.C. Splash Mounted Swing Spout Faucet
- **PRHS-24 Series** Includes 4" O.C. Deck Mt. Swing Spout Faucet & Has Rear Deck For Extra Storage

PRHS-19-12 Shown



w/ BUILT-IN SOAP & TOWEL DISPENSERS

- Deck Mount Soap Dispenser
- C-Fold Towel Dispenser
- **PRHSST-19 Series** Includes 4" O.C. Splash Mounted Swing Spout Faucet
- **PRHSST-24 Series** Includes K-124 Deck Mt. Faucet & Has Rear Deck For Extra Storage

PRHSST-24-12



w/ CABINET BASE

- All Stainless Steel Cabinet Base
- Hinged Cabinet Door
- **PRHSC-19 Series** Includes 4" O.C. Splash Mounted Swing Spout Faucet
- **PRHSC-24 Series** Includes K-124 Deck Mt. Faucet & Has Rear Deck For Extra Storage

PRHSC-19-18

| L | 20" WIDE SPLASH MT. FAUCET | | 25" WIDE DECK MT. FAUCET | | Model # | Price | Model # | Price |
|-----|----------------------------|--------|--------------------------|--------|--------------|--------|--------------|--------|
| | Model # | Price | Model # | Price | | | | |
| 12" | PRHS-19-12 | \$1509 | PRHS-24-12 | \$1575 | PRHSST-19-12 | \$2001 | PRHSST-24-12 | \$2063 |
| 18" | PRHS-19-18 | 2548 | PRHS-24-18 | 1596 | PRHSST-19-18 | 2022 | PRHSST-24-18 | 2084 |

| Model # | Price | Model # | Price |
|-------------|--------|-------------|---------|
| | | | |
| PRHSC-19-12 | \$2239 | PRHSC-24-12 | \$23213 |
| PRHSC-19-18 | 2548 | PRHSC-24-18 | 2610 |

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info., visit www.p65warnings.ca.gov.

MULTI-USE HAND SINKS

HAND SINK WITH BUILT-IN SINK & DRAINBOARD
All Stainless Steel Construction

- One Piece Deep Drawn 14" X 10" X 7" Sink Bowl With 2" Drain And Strainer Plate
- K-125 Splash Mount Swing Spout Faucet
- Sturdy Stainless Steel Base Cabinet
- Removable Perforated Drainboard Top
- Stainless Steel Legs With Adjustable Stainless Steel Bullet Feet
- 7" Backsplash.



Features
Removable Perforated
Drainboard Top

| L | 25" WIDE | Price | Wt. | Cu. Ft. |
|-----|-------------|--------|---------|---------|
| 24" | PRSCS-25-24 | \$2888 | 74 lbs. | 19 |



HAND SINK WITH GLASS RINSER



- One Piece Deep Drawn 9" x 9" x 4" Sink Bowl With 2" Drain And Strainer Plate
- K-125 Splash Mount Swing Spout Faucet
- 29" Working Height
- 7" Backsplash
- Stainless Steel Top, Apron, Sides, Legs And Adjustable Bullet Feet
- Stainless Steel Glass Rinsers With Removable Drainboard
- Adjustable Stainless Steel Side Cross-Bracing

| L | 25" WIDE | Price | Wt. | Cu. Ft. |
|-----|------------|--------|---------|---------|
| 24" | PRCS-25-12 | \$2350 | 65 lbs. | 7 |



Features
Removable Perforated
Drainboard Top



HAND SINK WITH GLASS RINSER & DIPPER WELL

- One Piece Deep Drawn 14" x 10" x 7" Sink Bowl With 2" Drain And Strainer Plate
- K-125 Splash Mount Swing Spout Faucet
- 29" Working Height
- 7" Backsplash
- Stainless Steel Top, Apron, Sides, Legs And Adjustable Bullet Feet
- Dipper Well With A-33 Faucet
- Stainless Steel Glass Rinsers With Removable Drainboard
- Adjustable Stainless Steel Side Cross-Bracing

| L | 25" WIDE | Price | Wt. | Cu. Ft. |
|-----|------------|--------|---------|---------|
| 18" | PRCS-25-18 | \$3142 | 80 lbs. | 9 |



Features
Removable Perforated
Drainboard Top



HAND SINK WITH GLASS RINSER, DIPPER WELL & CUTTING BOARD

- One Piece Deep Drawn 9" x 9" x 4" Sink Bowl With 2" Drain And Strainer Plate
- K-125 Splash Mount Swing Spout Faucet
- 29" Working Height
- 7" Backsplash
- Stainless Steel Top, Apron, Sides, Legs And Adjustable Bullet Feet
- Dipper Well With A-33 Faucet
- Stainless Steel Glass Rinsers With Removable Drainboard
- Adjustable Stainless Steel Side Cross-Bracing
- Removable 10" x 12" Poly Cutting Board

| L | 25" WIDE | Price | Wt. | Cu. Ft. |
|-----|------------|--------|---------|---------|
| 24" | PRSP-25-24 | \$3173 | 80 lbs. | 11 |



Features
Removable Perforated
Drainboard Top



UNDERBAR EQUIPMENT

ALL FAUCETS THAT MEET FEDERAL LEAD FREE STANDARDS.

PRESTIGE
Signature Series



BLENDER STATIONS WITH DEEP DRAWN HAND/DUMP SINK

Stainless Steel Top, Apron, Sides & Legs w/ Adj. Stainless Steel Bullet Feet • Adj. Stainless Steel Cross-Bracing



PRRS-19 Series
25" Wide Units With
Splash Mount Faucet

PRRS-24 Series
30" Wide Units With
Deck Mount Faucet

- Deep Drawn Sink
- Recessed Step w/ Grommet Hole For Blenders
- 7" Backsplash
- 3 1/2" Basket Drain w/ 1/2" IPS
- Sound Deadened
- **PRRS-19 Series** Includes 4" O.C. Splash Mounted Swing Spout Faucet
- **PRRS-24 Series** Includes 4" O.C. Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage

| Overall Length | SPLASH MT. FAUCET 25" WIDE | | | | DECK MT. FAUCET 30" WIDE | | | |
|----------------|-------------------------------|--------|----------------|-----------------|-----------------------------|--------|----------------|-----------------|
| | Model # | Price | Approx. Weight | Approx. Cu. Ft. | Model # | Price | Approx. Weight | Approx. Cu. Ft. |
| 12" | PRRS-19-12 | \$1566 | 28 lbs. | 9 | PRRS-24-12 | \$1719 | 40 lbs. | 11 |
| 18" | PRRS-19-18 | 1681 | 47 lbs. | 9 | PRRS-24-18 | 1830 | 30 lbs. | 11 |

UNDERBAR ACCESSORIES & MODIFICATIONS

GENERAL UNDERBAR ACCESSORIES

| | | |
|------|---|-------|
| A-1 | Perforated Cover For 10" x 14" x 10" Sink Bowl..... | \$155 |
| A-15 | Chrome Towel Ring (<i>Packed Loose</i>) | 124 |
| K-12 | Replacement Deck Mount Soap Dispenser | 192 |

GENERAL UNDERBAR MODIFICATIONS

| | | |
|-------|---|-----|
| SU-24 | Provision To Connect Underbar Equipment (<i>Price Per Every Two Units</i>) | 181 |
| SU-33 | Make Underbar Equipment A Custom Working Height | 123 |
| SU-79 | Extra Drainboard Surface (<i>Specify Length & Location</i>) | 177 |

UNDERBAR BASICS MODIFICATIONS

| | | |
|-------------|---|-----|
| SU-10A | Upgrade To Stainless Steel Legs & Bullet Feet (<i>18" Legs - Includes Front-to-Back Cross-Bracing</i>) | 327 |
| SU-10C | Upgrade To Stainless Steel Legs & Bullet Feet (<i>14" Legs - Includes Front-to-Back Cross-Bracing</i>) | 327 |
| SU-18R or L | Right or Left Side Splash For 18" Wide Unit | 208 |
| SU-18RL | Right & Left Side Splash For 18" Wide Unit | 421 |
| SU-21R or L | Right or Left Side Splash For 21" Wide Unit | 227 |
| SU-21RL | Right & Left Side Splash For 21" Wide Unit | 450 |
| SU-68 | Omit Corrugation On Drainboards (<i>Flat Top Work Surface</i>) ... | 188 |

PRESTIGE UNDERBAR MODIFICATIONS

| | | |
|-------------|---|---------------|
| SU-20R or L | Right or Left Side Splash For 20" Wide Unit | 232 |
| SU-20RL | Right & Left Side Splash For 20" Wide Unit | 459 |
| SU-25R or L | Right or Left Side Splash For 25" Wide Unit | 276 |
| SU-25RL | Right & Left Side Splash For 25" Wide Unit | 616 |
| SU-27 | Add Door Lock w/ Key To Cabinet Base | 410 |
| SU-73 | Add Mirror Finish (<i>Factory Install Only</i>) | 529 |
| SU-74 | All Stainless Steel Construction Upgrade..... | 629 |
| SU-75 | Add Welded Stainless Steel Cross-Bracing | 151 /lin. ft. |

UNDERBAR DECK MOUNTED FAUCETS

| | | | |
|---|--|--|--|
|  | 6" Spout 4" O.C. K-51 \$603 |  | 3 1/2" Gooseneck 4" O.C. K-52 \$301 |
|  | 12" Swing Spout 4" O.C. K-53 \$569 |  | 6" Extended Spout 4" O.C. K-124 \$435 |
|  | Gooseneck Deck Mt. Melt Down Nozzle 4" O.C. A-29 \$665 A-30 \$760 (<i>Installed</i>) |  | K-208 \$594 w/ Wrist Handles |

UNDERBAR SPLASH MOUNTED FAUCETS

| | | | |
|---|--|---|--|
|  | 6" Spout 4" O.C. K-125 \$393 |  | 3 1/2" Gooseneck 4" O.C. K-59 \$301 |
|  | 10" Spout 4" O.C. K-126 \$393 |  | 6" Extended Spout 4" O.C. K-123 \$448 |

Wrist Handles for Deck or Splash Mount Faucets
K-316-LU \$152



OVERFLOW PIPES & GROMMETS

| | | | |
|--|--|--|--|
|  | 1" Pipe (6/Cartron) A-12 \$24 |  | 1 1/2" Pipe (6/Cartron) A-13 \$25 |
|--|--|--|--|

ADVANCE TABCO'S
PLUMBINGZONE

FOR REPLACEMENT SPOUTS & PARTS
SEE PAGES 50-54



Ship via UPS

SELF-CONTAINED MOBILE HAND SINK

BRING THE SINK ON LOCATION WHEN HAND WASHING IS NEEDED!

- 16 Ga., 304 Stainless Steel Top.
- K-52 Deck Mt. Gooseneck Faucet.
- Door Latch.
- 4" Plate Casters - 2 with Brakes.
- Hinged Door.
- Operates on a 120 Volt/20 Amp Circuit.
- 2-1/2" Gallon Electric Hot Water Heater (See Below).
- 6 Ft. Power Cord.
- Removable Plastic Container(s) for Fresh Water.
- Removable Plastic Container(s) for Waste Water.

| Model # | Size | | Capacity (Gal.) | | Dry Weight | Cu. Ft. | Price |
|---------|-------|-----------|-----------------|--|------------|---------|-------|
| | L x W | Sink Bowl | Fresh/Waste | | | | |

w/ Cold Water Supply Only

| | | | | | | |
|-------------|-----------|----------------|-------|----------|----|--------|
| SHK-MSC-26C | 26" x 26" | 10" x 14" x 5" | 5/7 | 165 lbs. | 21 | \$8930 |
| SHK-MSC-31C | 31" x 26" | 10" x 14" x 5" | 10/14 | 185 lbs. | 25 | 9242 |

w/ Hot & Cold Water Supply Only

| | | | | | | |
|--------------|-----------|----------------|-------|----------|----|-------|
| SHK-MSC-26CH | 26" x 26" | 10" x 14" x 5" | 5/7 | 175 lbs. | 21 | 9481 |
| SHK-MSC-31CH | 31" x 26" | 10" x 14" x 5" | 10/14 | 195 lbs. | 25 | 10034 |



SHK-MSC-26C Shown



TA-MSC-1 Shown



TA-MSC-ES1 Shown



Optional Custom Vinyl Wrap Design.
CALL TO LEARN MORE!

OPTIONS:

| | | |
|------------|--|-------|
| TA-MSC-1 | Bolt-on Towel/Manual Soap Dispenser w/ Drip Tray for 26" Unit | \$908 |
| TA-MSC-2 | Bolt-on Towel/Manual Soap Dispenser w/ Drip Tray for 31" Unit | 1206 |
| TA-MSC-ES1 | Bolt-on Towel/Touchless Soap Dispenser w/ Drip Tray for 26" Unit | 1175 |
| TA-MSC-ES2 | Bolt-on Towel/Touchless Soap Dispenser w/ Drip Tray for 31" Unit | 1500 |
| TA-MSC-PC | 10 ft. Power Cord | 325 |
| TA-46 | Door Lock | 410 |
| K-12 | Deck Mounted Soap Dispenser | 192 |
| K-316-LU | Wrist Handles For Faucet | 152 |

CORNER SINK CABINET

- Furnished with a 5" Splash with a 1" return.
- SHK-2441 designed to line up with "HK" 5" Rear Splash Enclosed Base Tables to create functional work area.
- Door is a double panel design.
- Utility access clearance provided for ease of plumbing installation.
- Includes sink with K-124 6" extended spout faucet & drain.
- Mitered front permits easy access to sink & faucet.

| Model # | Size | | Sink Bowl | Price | Wt. | Cu. Ft. |
|----------|-----------|-----------------|-----------|----------|-----|---------|
| | L x W | | | | | |
| SHK-1735 | 17" x 35" | 14" x 10" x 10" | \$6913 | 215 lbs. | 38 | |
| SHK-2441 | 24" x 41" | 16" x 20" x 12" | 7607 | 250 lbs. | 50 | |

STANDARD SINK CABINET

| Model # | Size | | Dry Weight | Cu. Ft. | Price |
|---------|-----------|-----------------|------------|---------|--------|
| | L x W | Sink Bowl | | | |
| SHK-302 | 24" x 30" | 10" x 14" x 10" | 150 lbs. | 30 | \$6050 |

- 5" Splash with a 1" return on the rear side
- Includes sink and K-124 6" extended faucet & drain
- Hinged Door



SHK-2441 Shown with Enclosed Base Line-Up.



Add a 5" SIDE SPLASH
TA-31 \$220 ea.


Space Saver Sink Cabinet

| | | | | | |
|---------|-----------|-----------------|----------|----|------|
| SHK-180 | 18" x 30" | 10" x 14" x 10" | 125 lbs. | 30 | 5533 |
|---------|-----------|-----------------|----------|----|------|

STAINLESS STEEL WALL CABINETS w/ FIXED MID-SHELF



SLIDING DOORS (WCS Series)



OPEN UNITS (WCO Series)



HINGED DOORS (WCH Series)

| L | Model # | Price | Doors | Wt. | Cu. |
|----|-----------|--------|-------|----------|-----|
| 4' | WCS-15-48 | \$6794 | 2 | 155 lbs. | 21 |
| 5' | WCS-15-60 | 7853 | 2 | 185 lbs. | 26 |
| 6' | WCS-15-72 | 8530 | 2 | 220 lbs. | 31 |
| 8' | WCS-15-96 | 10718 | 4 | 295 lbs. | 41 |
| 3' | WCO-15-36 | 4529 | -- | 95 lbs. | 17 |
| 4' | WCO-15-48 | 5217 | -- | 120 lbs. | 21 |
| 5' | WCO-15-60 | 5695 | -- | 145 lbs. | 26 |
| 6' | WCO-15-72 | 6886 | -- | 180 lbs. | 31 |
| 8' | WCO-15-96 | 7383 | -- | 240 lbs. | 41 |
| 3' | WCH-15-36 | 6674 | 2 | 120 lbs. | 17 |
| 4' | WCH-15-48 | 7231 | 2 | 150 lbs. | 21 |
| 5' | WCH-15-60 | 8279 | 2 | 180 lbs. | 26 |
| 6' | WCH-15-72 | 8481 | 2 | 240 lbs. | 31 |
| 8' | WCH-15-96 | 9591 | 4 | 320 lbs. | 41 |

CHEMICAL STORAGE CABINET w/ 1 Fixed Mid-Shelf

- 18 GA., 430 Stainless Steel
- Single Left-Hinged Door*
- Vented Side Panels
- Mounting Hardware Not Included
- Overall Size: 24"L x 15"W x 32-1/2"H



| Model # | Price | Wt. | Cu. |
|---------------|--------|---------|-----|
| WCH-15-24 | \$5628 | 90 lbs. | 12 |
| WCH-15-24-300 | 6236 | 90 lbs. | 12 |

Left Hinged Shown (Standard)

Optional Right-Hand Door Swing Available - Add CAB-R N/C

Adjustable Mid-Shelf



Add to Price of Wall Cabinet
TA-115 \$167 per lin. ft.

Cabinet Door Locks



SU-27 \$410 ea.

- K-84-CAB Converts Single Width Cabinet To Double Doors \$897
- K-94-BACK Add Rear Panel To Cabinet. 18 Gauge, 430 S/S \$616
- K-94-BACK-300 Add Rear Panel To Cabinet. 18 Gauge, 300 S/S \$894
- K-472 Two 8" O.C. Faucet Holes For Cabinets \$160 set

- K-94-SHELF Additional Fixed Shelf For 84" Cabinets (Factory Installed) \$474 ea.
- WC-SHELF Additional Fixed Shelf For Wall Cabinets (Factory Installed) \$114 lin. ft.
- SU-27 Cabinet Door Lock. Required For Each Door \$410 ea.

30" WIDE ENCLOSED WORK TABLES W/ INTEGRAL SINKS

Includes K-60 Splash Mounted Faucet & G.F.I. Duplex Outlet Mounted In Backsplash



TA-56
5" NSF
Partition \$591



Model BEV-30-72L Shown

| Ft. | Model # | PRICE | Wt. |
|-----|-----------------|--------|----------|
| 4' | BEV-30-48LorR* | \$8416 | 230 lbs. |
| 5' | BEV-30-60LorR* | 8936 | 250 lbs. |
| 6' | BEV-30-72LorR* | 9499 | 270 lbs. |
| 7' | BEV-30-84LorR* | 10877 | 290 lbs. |
| 8' | BEV-30-96LorR* | 11565 | 330 lbs. |
| 9' | BEV-30-108LorR* | 17366 | 360 lbs. |
| 10' | BEV-30-120LorR* | 17429 | 380 lbs. |
| 12' | BEV-30-144LorR* | 17647 | 430 lbs. |

Specify Sink Left
Or Right End

*Please Designate Left Or
Right Sink Location By
Using L Or R After Model
Number When Ordering.

SMART FABRICATION™ WORK TABLE W/ SINK

16 GAUGE, 304 STAINLESS STEEL

- 16 x 20 x 12 Sink Bowl
- 5" Backsplash
- Adjustable Undershelf
- 4 O.C. Lead Free Compliant Deck Mounted Faucet & Basket Drain Included
- Stainless Steel Legs & Bullet Feet



CHOOSE LEFT
OR RIGHT SINK
POSITION



KMS-11B-305L Shown

| Size | S/S legs & Undershelf | Price |
|-----------|--------------------------|--------|
| 30" x 48" | KMS-11B-304L | \$4646 |
| 30" x 48" | KMS-11B-304R | 4646 |
| 30" x 60" | KMS-11B-305L | 4843 |
| 30" x 60" | KMS-11B-305R | 4843 |
| 30" x 72" | KMS-11B-306L | 5037 |
| 30" x 72" | KMS-11B-306R | 5037 |

STAINLESS STEEL PREP TABLE W/ COUNTERTOP EDGE

- 10" Rear Splash
- Stainless Steel Die-Formed Drawer
- Includes 1 - 16" x 20" x 8" & 1 - 16" x 20" x 4" Integrally Welded Stainless Steel Sinks
- 21" x 18" x 5/8" Poly-Vance Cutting Board
- Includes K-55 Gooseneck Faucet. 4" O.C.



| Model # | Size | Price | Wt. | Cu. Ft. |
|----------|-----------|--------|----------|---------|
| DL-30-72 | 30" x 72" | \$7829 | 155 lbs. | 36 |
| DL-30-96 | 30" x 96" | 8734 | 198 lbs. | 47 |

FLAT TOP ENCLOSED BASE WORK TABLES

For Enclosed Base Tables With A Fixed Mid Shelf - Add "M" To The Model Number



SLIDING DOORS
(CB-SS Series)



HINGED DOORS
(HB-SS Series)

**HEAVY DUTY
BOLT-ON STYLE LEG**
On All
Enclosed Base Tables

| 24" WIDE | | | | | 30" WIDE | | | |
|----------|------------|------------|--------|--------------------|------------|------------|--------|--------------------|
| Ft. | Model # | # of Doors | Price | w/ Fixed Mid-Shelf | Model # | # of Doors | Price | w/ Fixed Mid-Shelf |
| 4' | CB-SS-244 | 2 | \$5170 | M \$5871 | CB-SS-304 | 2 | \$5366 | M 6166 |
| 5' | CB-SS-245 | 2 | 5555 | M 6343 | CB-SS-305 | 2 | 5789 | M 6705 |
| 6' | CB-SS-246 | 2 | 5956 | M 6841 | CB-SS-306 | 2 | 6220 | M 7240 |
| 7' | CB-SS-247 | 4 | 6810 | M 7794 | CB-SS-307 | 4 | 6997 | M 6997 |
| 8' | CB-SS-248 | 4 | 7357 | M 8421 | CB-SS-308 | 4 | 7662 | M 8929 |
| 9' | CB-SS-249 | 4 | 8247 | M 9483 | CB-SS-309 | 4 | 8609 | M 10089 |
| 10' | CB-SS-2410 | 4 | 8504 | M 9731 | CB-SS-3010 | 4 | 8860 | M 10339 |
| 12' | CB-SS-2412 | 4 | 10409 | M 11843 | CB-SS-3012 | 4 | 11520 | M 13324 |
| 3' | HB-SS-243 | 2 | 5713 | M 6418 | HB-SS-303 | 2 | 5912 | M 6638 |
| 4' | HB-SS-244 | 2 | 5990 | M 6686 | HB-SS-304 | 2 | 6177 | M 6980 |
| 5' | HB-SS-245 | 2 | 6384 | M 7166 | HB-SS-305 | 2 | 6616 | M 7533 |
| 6' | HB-SS-246 | 4 | 6772 | M 7653 | HB-SS-306 | 4 | 7044 | M 8061 |
| 7' | HB-SS-247 | 4 | 7622 | M 8607 | HB-SS-307 | 4 | 7818 | M 8952 |
| 8' | HB-SS-248 | 4 | 8179 | M 9239 | HB-SS-308 | 4 | 8481 | M 9747 |
| 9' | HB-SS-249 | 4 | 9070 | M 10306 | HB-SS-309 | 4 | 9435 | M 10920 |
| 10' | HB-SS-2410 | 4 | 9321 | M 10553 | HB-SS-3010 | 4 | 9686 | M 11173 |
| 12' | HB-SS-2412 | 6 | 12591 | M 14156 | HB-SS-3012 | 6 | 13253 | M 14813 |

ENCLOSED BASE TABLES WITH 5" BACKSPLASH ALSO AVAILABLE. CONSULT FACTORY.



GARMENT RACKS

16 Gauge, 304 Stainless Steel

FREE-STANDING (FGR Series)

- Space Saving Design Allows 24" Width And 74" Overall Height
- Hanger Locators Scored 2" Apart
- 12 Electro-Polished Closed Loop Hangers Included



| Model # | Length | Price | Wt. | Cu. Ft. |
|---------|--------|--------|---------|---------|
| FGR-4 | 48" | \$2410 | 39 lbs. | 7 |
| FGR-5 | 60" | 2468 | 48 lbs. | 7 |
| FGR-6 | 72" | 2524 | 58 lbs. | 7 |
| FGR-8 | 96" | 2541 | 77 lbs. | 7 |

WALL MOUNTED (WGR Series)

- Hanger Locators Scored 2" Apart
- 12 Electro-Polished Closed Loop Hangers Included
- Tubular Shelf For Extra Storage



| Model # | Length | Price | Wt. | Cu. Ft. |
|---------|--------|--------|---------|---------|
| WGR-4 | 48" | \$2255 | 35 lbs. | 19 |
| WGR-5 | 60" | 2374 | 38 lbs. | 13 |
| WGR-6 | 72" | 2484 | 46 lbs. | 15 |

GOWNING BENCHES, WORK TABLES & SHELVING

GOWNING BENCHES

16 GAUGE, 304 STAINLESS STEEL

- 18" Above Finished Floor
- 12" Wide Seats With Rounded Front & Back Edges
- 1" Adjustable Plastic Bullet Feet



| Model # | Length | Price | Wt. | Cu. Ft. |
|---------|--------|--------|---------|---------|
| BKR-3 | 36" | \$1429 | 29 lbs. | 4 |
| BKR-4 | 48" | 1474 | 38 lbs. | 5 |
| BKR-5 | 60" | 1623 | 49 lbs. | 6 |
| BKR-6 | 72" | 1669 | 58 lbs. | 7 |
| BKR-7 | 84" | 1923 | 67 lbs. | 8 |
| BKR-8 | 96" | 2031 | 77 lbs. | 9 |

SOLID TOP WORK TABLES

14 GAUGE, 304 STAINLESS STEEL

30" WORKING HEIGHT

For Cleanrooms With
A Class 100-100,000 Rating



| Model # | Size W x L | Price | Wt. | Cu. Ft. |
|-----------|---------------|--------|----------|---------|
| CRTK-244 | 24" x 48" | \$2152 | 61 lbs. | 6 |
| CRTK-245 | 24" x 60" | 2374 | 70 lbs. | 8 |
| CRTK-246 | 24" x 72" | 2593 | 84 lbs. | 9 |
| CRTK-248 | 24" x 96" | 3076 | 96 lbs. | 12 |
| CRTK-300 | 30" x 30" | 1895 | 60 lbs. | 6 |
| CRTK-304 | 30" x 48" | 2211 | 72 lbs. | 8 |
| CRTK-305 | 30" x 60" | 2388 | 100 lbs. | 10 |
| CRTK-306 | 30" x 72" | 2580 | 140 lbs. | 12 |
| CRTK-308 | 30" x 96" | 3042 | 180 lbs. | 15 |
| CRTK-364 | 36" x 48" | 3060 | 82 lbs. | 9 |
| CRTK-365 | 36" x 60" | 3367 | 105 lbs. | 11 |
| CRTK-366 | 36" x 72" | 3697 | 150 lbs. | 13 |
| CRTK-368 | 36" x 96" | 4097 | 190 lbs. | 17 |
| CRTK-485* | 48" x 60" | 5055 | 148 lbs. | 13 |
| CRTK-486* | 48" x 72" | 5497 | 184 lbs. | 16 |
| CRTK-488* | 48" x 96" | 5916 | 195 lbs. | 21 |

SOLID SHELVING

16 GAUGE, 304 STAINLESS STEEL SHELVING MOUNT

- Includes Stainless Steel Tubing Through Table Top
- 60" Tubes Provided For Easy Adjustment

*Specify Mounting Provision, Then Add Shelf

| Model | Mounting Provision | Price |
|--------|--------------------|-------|
| CA-228 | Mid-Mount Tubes | \$195 |
| CA-229 | Rear-Mount Tubes | 624 |



MID MOUNT

REAR MOUNT

| Model# | Price | Model# | Price | Shelf Size |
|----------|-------|-----------|--------|------------|
| CT-12-36 | \$952 | CT-12R-36 | \$1615 | 12" x 36" |
| CT-12-48 | 1017 | CT-12R-48 | 1643 | 12" x 48" |
| CT-12-60 | 1072 | CT-12R-60 | 1690 | 12" x 60" |
| CT-12-72 | 1122 | CT-12R-72 | 1757 | 12" x 72" |
| CT-12-96 | 1278 | CT-12R-96 | 1943 | 12" x 96" |

Shelves And Mounting Tubes Are Sold Individually

CLEANROOM ACCESSORIES

All Cleanroom Accessories Ship via UPS

| MODEL | Description | PRICE |
|-------|--|------------|
| CA-12 | Plastic Bullet Feet (replacement) | \$25 |
| CA-19 | Stainless Steel Flange Foot | 73 |
| CA-23 | Welded and Crated Setup | 1043/table |
| CA-25 | 5" Cleanroom Conductive Casters (Set of 4, without locks) | 823 |

| MODEL | Description | PRICE |
|--------|--|-------|
| CA-33 | Special Working Height | \$220 |
| CA-61 | Special Modification Charge | 450 |
| CA-102 | Cleanroom Complete Leg Assembly | 774 |
| GH-12 | One Dozen Stainless Steel Closed Loop Hangers | 547 |



CA-12



CA-19



CA-25

FAUCET PARTS

| | | | |
|-------------|---|-------|---|
| K-00A | Repair Kit, for K-59, K-123, K-125, K-126, K-206 & K-316 Faucets, includes 2 wrist handles and 2 cartridges. Fits faucets supplied after November 2015 , hot & cold color rings do not have exposed screw head, if you have a faucet with exposed screw heads (supplied until mid 2016) | \$153 |  |
| K-00B | Repair Kit, for K-1, K-11, K-50, K-51, K-52, K-53, K-56, K-124, K-101, K-159, K-160, K-208 & K-240 Faucets, includes 2 wrist handles and 2 cartridges. Fits faucets supplied after November 2015 , hot & cold color rings do not have exposed screw head, if you have a faucet with exposed screw heads (supplied until mid 2016) | \$153 |  |
| K-02 | Filler Faucet Repair Kit, for K-54 & K-54A faucets (purchased from 2016 to 2019 with blue plastic push head only) | \$127 |  |
| K-02A | Filler Faucet Repair Kit, for K-54 & K-54A faucets (purchased before 2016 or after 2019 with metal plastic push handle only) | \$127 |  |
| K-06 | Faucet Mounting Kit | \$124 |  |
| K-07 | Fits K-105, K-112, K-119, K-127, K-128, K-129, K-159, K-161, K-1118 & K-211. Set of 2. | \$233 |  |
| K-30 | Faucet Wall Mounting Bracket | \$451 |  |
| K-397 | "Z" Mounting Bracket For Hand Sinks | \$108 |  |
| K-08 | Low Flow Aerator - .5GPM | \$45 |  |
| K-316-LU | Wrist Handles Only, for splash or deck mount hand sink faucet (1 pair hot & cold 4" long blades), fits faucets supplied after November 2015 with hot & cold color rings that do not have exposed screw head | \$152 |  |
| K-416-LU | Wrist Handles Only, for heavy duty & standard 8" O.C. splash mount faucet (1 pair hot & cold 4" long blades), fits faucets K-105, K-112, K-119, K-127, K-128, K-129, K-134, K-159, K-161, K-1118 & K-211 supplied after January 2021 | \$250 |  |
| K-416-TS-LU | Wrist Handles Only, for heavy duty & standard 8" O.C. splash mount faucet (1 pair hot & cold 4" long blades), fits faucets K-69, K-111, K-115, K-116 & K-117-TS supplied after January 2021 | \$447 |  |

WARNING: Faucets on this page may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info, visit www.p65warnings.ca.gov.

REPLACEMENT SPOUTS & ADAPTERS

| | | | |
|-----------------|---|--------------|---|
| K-50SP | 8" Swing Spout (Fits faucets supplied after November 2015) | \$78 |  |
| K-52SP | 3 1/2" Gooseneck Spout (Fits faucets supplied after November 2015) | \$71 |  |
| K-53SP | 12" Swing Spout (Fits faucets supplied after November 2015) | \$105 |  |
| K-59SP | 3 1/2" Gooseneck Spout for K-56, K-59, K-159, K-316 faucets (Fits faucets supplied after November 2015) | \$71 |  |
| K-1SP | 12" Swing Spout (Fits faucets supplied after November 2015) | \$105 |  |
| K-11SP | 14" Swing Spout (Fits faucets supplied after November 2015) | \$114 |  |
| K-101SP | 8" Swing Spout (Fits faucets supplied after November 2015) | \$87 |  |
| K-105SP | Replacement swing spout, HD faucet, 14". Fits K-105, K-129 and other HD faucet series (for faucets purchased after 1/2021. Contact factory for older faucets) | \$223 |  |
| K-1118SP | Replacement swing spout, HD faucet, 8". Fits K-1118, K-127 and other HD faucet series (for faucets purchased after 1/2021. Contact factory for older faucets) | \$187 |  |
| K-112SP | Replacement swing spout, HD faucet, 12". Fits K-112, K-128 and other HD faucet series (for faucets purchased after 1/2021. Contact factory for older faucets) | \$200 |  |
| K-119SP | Replacement swing spout, HD faucet, 16". Fits K-119 and other HD faucet series (for faucets purchased after 1/2021. Contact factory for older faucets) | \$233 |  |
| K-134SP | Replacement gooseneck spout, HD faucet, 8-1/2" reach. Fits K-134 series | \$220 |  |
| K-159SP | Replacement gooseneck spout, HD faucet, 3-1/2" reach. Fits K-159 and other HD faucet series (for faucets purchased after 1/2021. Contact factory for older faucets) | \$187 |  |
| K-161SP | Replacement gooseneck spout, HD faucet, 6" reach. Fits K-161 and other HD faucet series (for faucets purchased after 1/2021. Contact factory for older faucets) | \$214 |  |
| K-208SP | 6" extended "D" Spout for K-123, K-124, K-160, K-206, K-208 faucets (Fits faucets supplied after November 2015) | \$81 |  |
| K-211SP | Replacement swing spout, HD faucet, 18" double jointed. Fits K-211 and other HD faucet series (for faucets purchased after 1/2021. Contact factory for older faucets) | \$245 |  |
| K-170 | Eye-Wash Attachment | \$598 |  |
| K-400 | Hands-Free Wand | \$123 |  |

WARNING: Faucets on this page may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.

SERVICE FAUCET PARTS

K-03 Vacuum Breaker Repair Kit For K-240 Service Faucet

\$162



K-00B Repair Kit For K-240 Faucets

\$153



ELECTRONIC FAUCET PARTS

K-175SP 4 1/2" Gooseneck Spout for K-175 & K-180 Faucet

\$168



K-09 Control Module

\$907



K-14 Infra-Red Sensor & Wire Assembly

\$150



PRE-RINSE FAUCET PARTS

K-113 Replacement Hose For Pre-Rinse Faucet

\$218



K-114 Replacement Spray Head & Handle For Pre-Rinse Faucet

\$248



K-117 12" Add-A-Faucet For DTA-53 Pre-Rinse Faucet

\$450



K-117-TS 12" Add-A-Faucet For K-115 & K-116 Pre-Rinse Faucets 

\$701



DRAINS & P-TRAPS

K-6 3 1/2" Basket drain Assembly

\$58



K-310 Strainer Basket for K-6 Drain

\$36



K-410 Strainer Plate for K-5, K-15, K-26, K-67 - 3-1/2" Drains

\$31



K-63 2 1/2" Basket drain Assembly

\$49



K-411 Strainer Plate for K-63 2" Drain

\$29



K-67F Replacement Fiber Washer & rubber washer For 3-1/2" Drains

\$18



 **WARNING:** Faucets on this page may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.

| | | | |
|----------------|---|---------------|---|
| K-16 | Floor Mop Sink Replacement Drain | \$225 |  |
| K-5 | Twist Handle Operated Drain (2" IPS) | \$353 |  |
| K-15 | Twist Handle Operated Drain With Overflow (2" IPS) | \$647 |  |
| K-40 | SPEC-LINE Twist Handle Operated Drain (2" IPS) | \$1157 |  |
| K-05 | Replacement "O" Rings for Twist Handle Operated Drains | \$25 |  |
| K-4 | Twist Drain Support Bracket | \$172 |  |
| 7-PS-10 | Heavy Duty Chrome Plated P-Trap (17 Gauge) | \$170 |  |
| 7-PS-14 | Standard Chrome Plated P-Trap (22 Gauge) | \$151 |  |
| K-351 | Continuous Waste For 2 or 3 Compartment Sinks | \$450 |  |
| K-26 | Lever Drain Assembly with P-Trap & Overflow | \$204 |  |
| K-67 | Lever Drain Assembly Only (P-Trap & Overflow Not Included) | \$204 |  |
| K-67A | Replacement Tail Piece with Overflow Branch (Includes Rubber Cap to be used K-67 Drains) | \$35 |  |
| K-67B | Replacement Hose for Overflow Drain (Includes 2 Spring Clips) | \$22 |  |
| K-67C | Replacement Plastic 90° Overflow Head Body and Overflow Head | \$18 |  |
| K-67D | Replacement lever Handle for K-15 & K-26 Lever Drains (Includes Retainer Cap and Plastic Bushing) | \$19 |  |
| K-67E | Plastic Stopper For K-26 and K-67 Drains (Includes "O" Ring) | \$18 |  |

WARNING: Faucets on this page may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.

MOP SINK & FLOOR TROUGH PARTS

| | | | |
|-------------|--|--------------|---|
| FT-2 | Flush-Floor Floor Mop Sink Replacement Basket | \$77 |  |
| K-03 | Vacuum Breaker Repair Kit For K-240 Service Faucet | \$162 |  |
| K-16 | Floor Mop Sink Replacement Drain | \$225 |  |

PEDAL & KNEE VALVE PARTS

| | | | |
|----------------|---|--------------|---|
| 7-PS-39 | Foot Pedal Assembly with Floor Bracket | \$816 |  |
| K-103 | Foot Pedal Valve Replacement Only | \$608 |  |
| K-17 | Replacement Foot Pedal with Retaining Pin | \$152 |  |
| 7-PS-32 | Knee Valve Assembly with Mounting Bracket | \$974 |  |
| K-104 | Knee Valve Replacement Only | \$764 |  |
| K-18 | Replacement Knee Pedal with Retaining Pin | \$152 |  |
| K-01 | Replacement Bonnet For Pedal/Knee Valve (K-103 & K-104, 7-PS-32 & 7-PS-39) | \$63 |  |
| K-425 | Thermostatic Mixing Valve | \$543 |  |
| K-19 | Foot & Knee Valve Replacement Check Valves (Set of 2) | \$30 |  |
| K-19A | Replacement Mixing Valve and Mixing Valve Retainer for K-103 and K-104 Valves | \$25 |  |

DROP-IN SINK ACCESSORIES

| | | | |
|-------------|---|-------------|---|
| K-28 | Drop-In Sink Clips For Countertops Over 7/8" & Up To 2" Thick. Quantity Supplied (4-Pack), Varies Based On Drop-In Sink Ordered | \$19 |  |
|-------------|---|-------------|---|

WARNING: Faucets on this page may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info, visit www.p65warnings.ca.gov.

Thank you for purchasing a top-quality Advance Tabco product. We hope that you will be pleased with your purchase and get many years of productive use from it. We make every effort to ensure that our products are free of defects in workmanship and materials. In the unlikely event that you receive an Advance Tabco product that does not meet your expectations, we offer the following warranty:

General Terms for all Advance Tabco items (including those listed below):

- Warranty applies in the 48 contiguous United States only
- **ALL WARRANTY WORK MUST BE AUTHORIZED BY THE FACTORY BEFORE ANY WORK IS PERFORMED.** Work performed without prior authorization shall be covered under this warranty only at the sole discretion of Advance Tabco
- At no time will expenses to be paid under warranty exceed the original cost of the item
- Routine maintenance and wear items are not covered by warranty.
- Repair parts are sent by ground transportation. Any expedited freight charges will be at the expense of the end user
- Warranty applies only under conditions of normal use and does not apply to defects which result from negligence, misuse, freight damage, improper installation or accidents.
- Warranty does not include any coverage for loss of business, damages, freight or other miscellaneous expenses incurred due to the defect or in servicing the unit.
- This warranty is made in lieu of all other warranties express or implied and no additional warranties express or implied, including one of merchantability or fitness for a particular purpose are given.

If defects are the result of **freight or handling damage** your first recourse **MUST** be to notify the delivering freight carrier of the damage. If possible any damage should be noted on the delivery receipt at the time of delivery. Defects due to freight damage should be referred to the freight carrier for correction and compensation (this applies regardless of who was responsible for paying the freight charges or selecting the carrier).

Advance Tabco items are warranted free of defects in workmanship and materials for 90 days from the date of shipment from the factory. Warranty includes parts only (no labor). At Advance Tabco's discretion we may repair or replace the defective item.

TERMS & CONDITIONS

All previous prices and discounts are hereby withdrawn

- All prices are F.O.B. factory.
- All prices, specifications and discounts subject to change without notice. Prices listed herein do not include Federal Excise, Municipal or other use Tax.
- Orders that are shipped to an active construction site or residential address are subject to additional charges by the carrier. These charges may be applied after shipment.
- Not responsible for any damage while in hands of carrier. Inspect immediately for hidden damage. (For any damage and loss while in transit, promptly file claim against carrier.)
- Merchandise shipped open account to those firms furnishing satisfactory credit references. Terms are 1% Discount - 10 days; Net - 30 days.
- Quotations, unless otherwise stated, are for 60 day acceptance.
- Returns: A 30% handling charge will be applied to all authorized returns. **Minimum charge \$50.00. Equipment older than 90 days is not eligible for returns.**
- A 50% handling charge will be applied to all unauthorized returns.
- Orders for special items are not subject to cancellation without our written consent.
- Our consent must be obtained before defective merchandise is returned. Incoming freight or express charges may be collected and exchanged items will be shipped prepaid.
- On return shipments that we sanction, where orders have been correctly filled out and not defective, the incoming freight or express charges must be prepaid. Credit will then be issued, less a reasonable handling charge and less whatever expense is necessary to put goods in salable condition.

- We are not responsible for any delays in delivery which are beyond our control such as fires, strikes, delays in transportation or any contingencies of similar character.
- All orders subject to acceptance at our office.
- Possession of price list does not constitute an offer to sell.
- Minimum charge on all orders is \$50.00 NET.

GENERAL SHIPPING INFORMATION

1. We reserve the right to ship via carriers that in our opinion are the most efficient. We will follow customers routing if possible.
2. Unless specified, all orders shipped freight collect.
3. All "Drop Shipments" will be shipped "Prepaid & Charge".
4. Shipper is not responsible for any unauthorized accessorial charges. All charges will be billed back to customer.

PREPAID FREIGHT CHARGES

- Minimum UPS charge = \$20.00.
- Estimated freight charges added to an invoice will include a nominal administrative charge per freight bill.

ESTIMATED SHIPPING WEIGHTS ARE TO SERVE AS A GUIDE ONLY!

- Weights are averaged for all models within a given classification. Actual shipping weights may vary from those shown. Correct weight will be shown on your Bill of Lading.



advancetabco.com/plumbingzone

Phone: 800-645-3166 Fax: 631-242-6900



National Manufacturing & Distribution: Georgia² • Tennessee² • Texas² • Mississippi² • New York • South Carolina • Nevada

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore we reserve the right to make changes without prior notice. ©ADVANCE TABCO® MAY 2022

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.