# 8 Station Playcourt - Station List

Station #	Name	lcon	Boards	Board Shape(s)	Pole Qty	Pole Size	Inches Above Ground	Inches Below Ground
1	Straight Away		1	Kite	1	12' 10"	122"	32"
2	Any		1	Half-Round	1	12' 10"	122"	32"
3	Double		1	Fan Forward	1	11' 6"	106"	32"
	Bank Down		1	Square Slide-Down				
4	Double Roll		1	Fan Back	1	11' 6"	106"	32"
	Back		1	Square Slide-Down				
5	Chute		1	Square-capped	1	11' 0"	100"	32"
			1	Rectangle	1	11' 10"	110"	32"
6	Ricochet Small Right		1	Flap Upper Right	2	12' 10"	122"	32"
7	Slant Back		1	Kite	1	12' 10"	122"	32"
	- Left		1	Square-capped	1	7' 0"	64"	20"
			1	Kite	1	12' 10"	122"	32"
8	Black Hole	<b>V V</b>	1	Kite	1	12' 10"	122"	32"
			1	Square-capped	1	7' 0"	64"	20"

Note: This is our standard sequence of stations for this layout. Colors and sequence may vary, and can be tailored to your specific location and community.



# 8 Station Playcourt - Station List

Board Shapes	Board Qty.
Fan Back	1
Flap Upper Right	1
Half-Round	1
Kite	4
Rectangle	1
Square Slide-Down	2
Square-capped	3
Grand Total	14


Pole Size	SUM of Pole Qty
11' 0"	1
11' 10"	1
11' 6"	2
12' 10"	7
7' 0"	2
Grand Total	13

3 inch square structural tubing, 3/16ths of an inch wall thickness. [also called "carbon steel boxed tubing, welded seam"]


Note: This is our standard station selection sequence for this layout.

Colors and sequence may vary, and can be tailored to your specific location and community.

Station #	Name	lcon	Boards	Board Shape(s)	Pole Qty	Pole Size	Inches Above Ground	Inches Below Ground
1	Straight Away		1	Kite	1	12' 10"	122"	32"




Station #	Name	lcon	Boards	Board Shape(s)	Pole Qty	Pole Size	Inches Above Ground	Inches Below Ground
2	Any		1	Half-Round	1	12' 10"	122"	32"



Station #	Name	lcon	Boards	Board Shape(s)	Pole Qty	Pole Size	Inches Above Ground	Inches Below Ground
2	Double Bank Down		1	Fan Forward	1	11' 6"	106"	32"
			1	Square Slide-Down				


- Square Slide Down should be mounted so that the rim is 5' from Playcourt Surface.



3

Station #	Name	lcon	Boards	Board Shape(s)	Pole Qty	Pole Size	Inches Above Ground	Inches Below Ground
4	Double Roll Back		1	Fan Back	1	11' 6"	106"	32"
	Double Non Buck		1	Square Slide-I	1			

- Square Slide Down should be mounted so that the rim is 5' from Playcourt Surface.




Bankshot Sports

Station #	Name	lcon	Boards	Board Shape(s)	Pole Qty	Pole Size	Inches Above Ground	Inches Below Ground
5	Chute		1	Square- capped	1	11' 0"	100"	32"
5	Onate			Rectangle	1	11' 10"	110"	32"

## IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.

- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.
- Install pole so there is up to a 2" gap between the face of the rectangle board and the rim mounted to the square board.




Bankshot Sports 5

Station #	Name	lcon	Boards	Board Shape(s)	Pole Qty	Pole Size	Inches Above Ground	Inches Below Ground
6	Ricochet Small - Right		1	Flap Upper Ri	2	12' 10"	122"	32"

#### IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.

- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.
- This board has the flap on the top right.




Bankshot Sports

6

Station #	Name	lcon	Boards	Board Shape(s)	Pole Qty	Pole Size	Inches Above Ground	Inches Below Ground
7	Class Book Loft		1	Kite	1	12' 10"	122"	32"
7	Slant Back - Left		1	Square-cappe	1	7' 0"	64"	20"

#### IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.

- Square Capped board should be mounted so that the rim is 5' above Playcourt Surface.




Bankshot Sports

7

Station #	Name	lcon	Boards	Board Shape(s)	Pole Qty	Pole Size	Inches Above Ground	Inches Below Ground
8	Black Hole		1	Kite	1	12' 10"	122"	32"
			1	Kite	1	12' 10"	122"	32"
		<b>™</b>	1	Square-cap	1	7' 0"	64"	20"

#### IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.

- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.



Bankshot Sports 8