








Station #	Name	Icon	Boards	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
1	Straight Away		1	Kite	1	12' 8"	152	120	32	96"
2	Any		1	Half-Round	1	12' 8"	152	120	32	96"
3	Either		1	3-Panel	2	12' 8"	152	120	32	96"
4	Double Roll Back		1	Fan Back	1	11' 4"	136	104	32	96"
			1	Square Slide-Down						60"
5	Double Bank Down		1	Fan Forward	1	11' 4"	136	104	32	96"
			1	Square						60"
6	Chute		1	Rectangle	1	11' 4"	136	104	32	N/A
			1	Square	1	10' 6"	126	94	32	84"
7	Slant Back - Left		1	Kite	1	12' 8"	152	120	32	N/A
			1	Square	1	7' 7"	91	71	20	60"
8	Black Hole		1	Kite	1	12' 8"	152	120	32	N/A
			1	Kite	1	12' 8"	152	120	32	N/A
			1	Square	1	7' 7"	91	71	20	60"

Pole Specifications

2 inch round galvanized pipe, Schedule 80 (2.375 OD X 0.154 Wall)

Rims = 10

Set Screws = 30

Caps = 13

Qty.

Length

2

7' 7"

1

10' 6"

3

11' 4"

7

12' 8"

Total

13


<i>Board Shape(s)</i>	<i>Board Qty.</i>
3-Panel	1
Fan Back	1
Fan Forward	1
Half-Round	1
Kite	4
Rectangle	1
Square	4
Square Slide-Down	1
Grand Total	14

<i>Pole Size (Ft/in)</i>	<i>Pole Qty.</i>
10' 6"	1
11' 4"	3
12' 8"	7
7' 7"	2
Grand Total	13

2 inch round galvanized pipe, Schedule 80 (2.375 OD X 0.154 Wall)

<i>Also Included</i>	<i>Qty</i>
Rims	10
Set Screws	30
Pole Caps	13


Note: This is our standard station selection sequence for this layout.
Colors and sequence may vary, and can be tailored to your specific location and community.


Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
1	Straight Away		Kite	1	12' 8"	152	120	32	96"

Installation Notes

IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.

- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.





Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
2	Any		Half-Round	1	12' 8"	152	120	32	96"

Installation Notes

IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.


- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.




Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
3	Either		3-Panel	2	12' 8"	152	120	32	96"

Installation Notes


- IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.**
- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.
 - Pole Center to Pole Center should be 36". It is recommend you install Pole A first, then measure from its center and the X-line to set Pole B




Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
4	Double Roll Back		Fan Back	1	11' 4"	136	104	32	96"
			Square Slide-Down						60"

Installation Notes


- IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.**
- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.
 - Mount Square Board on pole first, Rim should be 5 feet (60 inches) above surface.




Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
5	Double Bank Down		Fan Forward	1	11' 4"	136	104	32	96"
			Square						60"

Installation Notes

- IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.**
- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.
 - Mount Square Board on pole first, Rim should be 5 feet (60 inches) above surface.





Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
6	Chute		Rectangle	1	11' 4"	136	104	32	N/A
			Square	1	10' 6"	126	94	32	84"

Installation Notes

IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.

- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.
- Pole Center to Pole Center should be 38". It is recommend you install Pole A first, then measure from its center and the X-line to set Pole B
- There should be roughly a 2" gap from the face of the rectangle board to the front edge of the rim.



Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
7	Slant Back - Left		Kite	1	12' 8"	152	120	32	N/A
			Square	1	7' 7"	91	71	20	60"

Installation Notes

IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.

- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.
- Pole Center to Pole Center should be 38". It is recommend you install Pole A first, then measure from its center and the X-line to set Pole B
- There should be roughly a 10" gap from the face of the kite board to the front edge of the rim.

