

<i>Board Shape(s)</i>	<i>Board Qty.</i>
Fan Back	1
Fan Forward	1
Flap Upper Right	1
Half-Round	1
Kite	4
Large Curve	2
Square	3
Grand Total	13

<i>Pole Size (Ft/in)</i>	<i>Pole Qty.</i>
11' 4"	2
12' 8"	11
7' 7"	2
Grand Total	15

2 inch round galvanized pipe, Schedule 80 (2.375 OD X 0.154 Wall)

<i>Also Included</i>	<i>Qty</i>
Rims	10
Set Screws	30
Pole Caps	14


Note: This is our standard station selection sequence for this layout.
Colors and sequence may vary, and can be tailored to your specific location and community.

Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
1	Straight Away		Kite	1	12' 8"	152	120	32	96"

Installation Notes

IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.

- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.




Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
2	Any		Half-Round	1	12' 8"	152	120	32	96"

Installation Notes

IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.


- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.




Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
3	Double Bank Down		Fan Forward	1	11' 4"	136	104	32	96"
			Square						60"

Installation Notes

- IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.**
- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.
 - Mount Square Board on pole first, Rim should be 5 feet (60 inches) above surface.





Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
4	Wrap Around - Left		Large Curve	2	12' 8"	152	120	32	96"

Installation Notes

IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.

- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.
- Pole Center to Pole Center should be 36". It is recommend you install Pole A first, then measure from its center and the X-line to set Pole B
- Pole B should be roughly 6" from X-Line.




Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
5	Wrap Around - Right		Large Curve	2	12' 8"	152	120	32	96"

Installation Notes

IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.

- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.
- Pole Center to Pole Center should be 36". It is recommend you install Pole A first, then measure from its center and the X-line to set Pole B
- Pole B should be roughly 6" from X-Line.





Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
7	Roll Back		Fan Back	1	11' 4"	136	104	32	96"

Installation Notes

IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.

- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.



Station #	Name	Icon	Board Shape(s)	Pole Qty	Pole Size (Ft/in)	Pole Size (In.)	Inches Above Ground	Inches Below Ground	Rim Height AGL
8	Slant Back - Left		Kite	1	12' 8"	152	120	32	N/A
			Square	1	7' 7"	91	71	20	60"

Installation Notes

IMPORTANT!!! DO NOT FINALIZE POLE INSTALLATION UNTIL BOARDS ARE ON SITE.

- Variations in manufacturing can shift pole position slightly. Be sure to measure boards at job site prior to pole installation.
- Pole Center to Pole Center should be 38". It is recommend you install Pole A first, then measure from its center and the X-line to set Pole B
- There should be roughly a 10" gap from the face of the kite board to the front edge of the rim.

