

SHANGHAI JILONG PLASTIC PRODUCTS CO.,LTD









SPA

2023

Spas that free your mind

Over 30 Years Experience

JILONG is an export-oriented manufacturer of plastic leisure products with over 30 years of experience in R&D, high-quality manufacturing and worldwide sales. Sincerity, Practicality and Innovation has always been our business philosophy.

All JILONG Manufacturing facilities are located within specially designated development zones which offer very favorable tax policies, utilities, new up to date infrastructure, and most importantly the major portion of our workforce originates in this zone, therefore lowering employee turnover, increasing a skilled retainable workforce.

100% of JILONG's capacity both manufacturing and component sourcing, is located within 300km of the Shanghai region. In house mass production for PVC sheets, flocking, lamination, printing, welding, filter pumps, metal frames and accessories provides production cost control.

- VERTICALLY INTEGRATED

JILONG completes a vertical chain from producing raw materials to end products. JILONG owns production lines of PVC film, silkscreen printing, high-frequency welding, sewing, and packing.

- WORLD WIDE VISION

JILONG products reach customers including global retailers in more than 50 countries in Europe, North America, Australia, and Asia, etc. With 6 subsidiaries worldwide, we are one of the major suppliers of plastic leisure products globally.

- CREATIVE IDEAS

JILONG's R&D team innovates hundreds of new products every year with superior design, Quality and environmentally-friendly compliance. Requir ments of the global market and safety regulations are closely monitored. Various technical parameters of each new product have been tested and verified by the internal professional lab.



SHANGHAI-Head Office



IANGSU-Facility (154,000m²)

PRODUCTS AND BRANDS













Safety & Quality











We maintain good cooperative relations with some well-known testing institutions, grasping/and grasp the latest changes in safety regulations to ensure that our products could comply with the laws and regulations of various countries where they are sold, so as to protect the life and property safety of consumers

- 94/62/EC On packaging and packaging waste
- 2014/30/EU Electromagnetic Compatibility Directive
- 2014/35/EU Low Voltage Directive
- 2012/19/EU Waste Electrical and Electronic E

- 2011/65/EU Restriction of Hazardous Substances
- EN 17125 Domestic spas/whirlpool spas/ hot tubs Safety requirements and test methods
- UL1563 Electric SPAs Equipment Assemblies, and Associated Equipment
- C22.2 NO.218.1-13 SPAs Hot tubs, and Associated Equipment

Quality Assurance

The entire production process adopts a traceable management mode, and records and image acquisition are carried out in the incoming inspection of raw materials, the testing of key controlled substances, product durability experiments, online quality supervision, finished product inflation inspection, shipping and loading containers, etc., to ensure ensure the delivered products could meet the safety requirements and the products are authentic and reliable

QUALITY ASSURANCE





State-of-the-art internal lab and close cooperation with external lab to ensure quality of R&D











4hr inflation test before king & random inspection



Container Loading Records & Photos

The entire production process adopts a traceable management mode, and records and image acquisition are carried out in the incoming inspection of raw materials, the testing of key controlled substances, product durability experiments, online quality supervision, finished product inflation inspection, shipping and loading containers, etc., to ensure ensure the delivered products could meet the safety requirements and the products are authentic and reliable.

SALES And MARKETING

We have over 30 years of experience in inflatables industry to support our global partners.

We are constantly upgrading our packaging, sales promotion material, product manuals and other sales tools to service customers around the world, including big retail-chains, internet sellers, distributors, independent shops, etc.







Advertisement

Exhibition

Social media

SUPPORT

Most of the products are equipped with instructions to guide consumers to use the product correctly.

Jilong has established an online information access platform. Consumers can quickly check and download e-manuals and review FAQs of related products by logging on to our website.

Step 1:

Login website: www.zraysports.com www.avenli.com www.sunclubglobal.com

Step 2:

Select corresponding information according to product categories

Step 3:

If Manual & FAQ is not helpful, please send email to info@jilong.com





ovenli

COMFORT

The core of Avenli SPAs is Comfort.

Dual massage tech helps you stay relaxed and seated even when enjoying powerful jets. Scientifically positioned massage melts your tension away.

And related supporting accessories enhance the comfort experience.

INNOVATION

Our SPAs are carefully crafted with the details to awaken the senses. From rich patterns, various series to complete accessories, every element is intended to calm and delight.

PERFORMANCE

To make the most of your spa, it needs to operate at a consistently high level. Each SPA is engineered and built with the strictest attention to quality and efficiency. Our commitment is your assurance of reliable, energy-efficient performance for years.



Contents

1 All in one (AIO)

- Boston Spa (P10)
- Chicago Spa (P12)

2 CLASSIC

- London Spa (P20)
- Vienna Spa (P22)
- Madrid Spa (P24)
- Nice Spa (P26)

3 PREMIUM

- Milan Spa (P32)
- Victory Spa (P34)
- Oslo Spa (P36)
- Bergen Spa (P38)

4 EcoPlus™


• Saipan Spa (P44)

5 Avenli Accessories

- Cleanplus (P48)
- Energy saving (P55)
- Comfort&feel (P56)

CONFIDENTIAL

avenli





Dual Heating System (DHS)

To provide advanced enjoyment, our spa applies a unique dual heating system. The water is filtered and double-heated by the pump with PTC (Positive Temperature Coefficient) and Hydroelectric Separation Structure (HES), and then pumped into the SPA. It ensures rapid heating, stable temperature control, and adequate safety protection.

Triple backflow-proof protection:

There are three mechanical valves designed to prevent water flow back into the working electric parts.






Effortless Water Treatment

Avenli is an effortless water treatment that combines purified water in addition to providing a unique massage experience via multiple jets. The combination of 3 high-strength filter materials, antibacterial options and energy-saving technologies offer a time saving maintenance solution.







Heavy Duty
I-Beam PVC Core
Higher tensile
strength and
anti-deformation

High Strength Polyester Mesh Layer Anti-puncture

Outer Layer Smooth and compact bonding of all layers

- Designed with the integrated heater unit built into the wall of the spa, this compact and streamlined inflatable hot tub can be controlled swiftly and easily via the accompanying controller.
- The integrated design reduces traditional pipeline connections, making the SPA look simpler and more elegant.
- \cdot $\;$ The unique patented structure makes your installation easier.
- Double-insulated PTC heating structure, plus leakage protection plug, make your SPA safer.
- The whole series comes standard with the Anti-Freeze function, so that you can avoid the worry of SPA being damaged at low temperature.
- OPTIONAL CONFIGURATION:
- WIFI, let you know your SPA situation at any time.
- Three-level massage, allowing you to have a variety of choices at different time periods.
- Ozone makes your SPA water more clear.

CONFIDENTIAL





BOSTON

14015EU V43

- # Wooden pattern
- # Insulated top cover and floor protector included
- # Max temperature 42°C/108°F
- # Convenient waterproof remote control
- ## Heating timer
- # Freeze Protect
- # Grounding Test
- # Waterproof PCB








CHICAGO

14016EU / 14014EU

- # Classical black color
- # Sturdy I-beam construction
- # Insulated top cover and floor protector included
- # Max temperature 42°C/108°F
- # Convenient waterproof remote control
- # Heating timer
- # Freeze Protect
- # Grounding Test
- # Waterproof PCB





Control System	EU:AC 220-240V 50HZ, 1545w	Certification	EU:CE		
Heater	1545W	Filter Pump	530GAL (2006L)		
Heating Rate	EU:1.5-2.5°C/hour	Bubble Jet Holes	108-138		



CLASSIC ovenli

Anti-UV Coating Layer
Longer service life of Spas

Inner Layer
Extra water tight seal
spas

Heavy Duty
I-Beam PVC Core
Higher tensile
strength and
anti-deformation

Outer Layer
S mooth and compact
bonding of all layers

High Strength Polyester
Mesh Layer
Anti-puncture

- · Classic appearance design, easy installation.
- The unique patented inflatable structure makes your installation easier.
- The special backwater design conforms the US IMPAO PS33 certification.
- Double-insulated PTC heating structure with leakage protection plug. All series conforms GS certification, making your SPA safer.

CONFIDENTIAL

CLASSIC- PAGE / 18



LONDON

17612EU / US

Special diamond beam constrcution make

the SPA more durable

classical black color

Insulated top cover and floor protector

included

Max temperature 42℃/108°F

Freeze Protect

Grounding Test

Waterproof PCB



CLASSIC - PAGE / 20





VIENNA

17283EU / US V13

- # Sturdy I-beam construction
- # blackish green color with contracted style pattern
- # Insulated top cover and floor protector included
- # Max temperature 42℃/108℉
- # Freeze Protect
- # Grounding Test
- # Waterproof PCB





MADRID

17654EU / US V32

- # Sturdy I-beam construction
- # Simple brick pattern with grey color
- # Insulated top cover and floor protector included
- # Max temperature 42℃/108℉
- # Freeze Protect
- # Grounding Test
- # Waterproof PCB





CLASSIC - PAGE / 24






NICE

17286EU / US V31

- # Sturdy I-beam construction
- # Simple rattan pattern with grey color
- # Insulated top cover and floor protector included
- # Max temperature 42°C/108°F
- # Freeze Protect
- # Grounding Test
- # Waterproof PCB

CONFIDENTIAL

CLASSIC- PAGE /26



Control System	EU:AC 220-240V 50HZ, 1540w US:AC 110-120V 60HZ, 1380w	Certification	EU:CE; US:cETLus
Heater	1540w;1380W	Filter Pump	530GAL (2006L)
Heating Rate	EU:1.5-2.5°C/hour; US:1-2°C/hour	Bubble Jet Holes	105-140


London	Vienna	Madrid	Nice
17612EU/US	17283EU/US V13	17654EU/US V32	17286EU/US V41
61.5cm x 45cm x 57.5cm	63cm x 56.5cm x 57.5cm	63cm x 56.5cm x 57.5cm	68.5 x 63 x 57.5cm
4-6	4-6	4-6	4-6
SECE CE CUIS	SEC CE CUIS	VERTAL CE CONTROL	WHENCE CE COLUMN
Φ165cm/Φ65"	Φ175cm/Φ68.9''	Φ1954cm/Φ76.8''	Φ204cm/Φ80.3'' Φ160cm/Φ63''
Φ125cm/Φ49.2"	Φ135cm/Φ53.1''	Φ154cm/Φ60.6''	
70CM	70CM		70CM
/27.6"	/27.6		/27.6"
	V31 V32 V33	V13 V31 V33	V13 F V32 F V33 A L

CLASSIC- PAGE / 28

PREMIUM ovenli PREMIUM - PAGE / 30

Anti-UV Coating Layer Longer service life of spas

Inner Layer Extra water tight seal



Outer Layer Smooth and compact bonding of all layers

Drop Stitch Core Higher compressive and tensile strength

- · Drop stitch material structure is strong and durable, suitable for use in various weather conditions.
- Extra thickness of drop stitch increases 30% thermal insulation performance of the product compared with the same type of SPA.
- · The unique patented structure and design of the SPA pump allow you to install your SPA in only 3 minutes, avoiding manual pumping.

OPTIONAL CONFIGURATION:

- · WIFI, let you know your SPA situation at any time.
- Three-level massage, allowing you to have a variety of choices at different time periods.

ovenli

MILAN


17660EU / US V01

- # Premium Drop Stitch Technology
- # Minimalist line pattern
- # Unique exterior uses ultra-rigid 5cm thickness
 Drop Stitch material for long-lasting strength and
 durability
- # Insulated top cover and floor protector included
- # Max temperature 42℃/108℉
- # Anti-bacterial filters keeps spa water cleaner by inhibiting bacterial growth
- # Freeze Protect
- # Grounding Test
- # Waterproof PCB





CONFIDENTIAL





ovenli®

VICTORY

17665EU / US V01

- # Premium Drop Stitch Technology
- # Minimalist line pattern
- # Unique exterior uses ultra-rigid 10cm thickness
 Drop Stitch material for long-lasting strength and
 durability
- # Insulated top cover and floor protector included
- # Max temperature 42°C/108°F
- # Anti-bacterial filters keeps spa water cleaner by inhibiting bacterial growth
- # Freeze Protect
- # Grounding Test
- # Waterproof PCB

CONFIDENTIAL

ovenli



OSLO

14030EU / US V33W

- # Premium Drop Stitch Technology
- # Black marble pattern pattern
- # Unique exterior uses ultra-rigid 15cm thickness
 Drop Stitch material for long-lasting strength and
 durability
- # Insulated top cover and floor protector included
- # Max temperature 42°C/108°F
- # Anti-bacterial filters keeps spa water cleaner by inhibiting bacterial growth
- # Freeze Protect
- # Grounding Test
- # Waterproof PCB





PREMIUM - PAGE / 36



ovenli®


NEW

BERGEN

14028EU / US V43W

- # Premium Drop Stitch Technology
- # Grey marble pattern pattern
- # Unique exterior uses ultra-rigid 20cm thickness
 Drop Stitch material for long-lasting strength and
 durability
- # Insulated top cover and floor protector included
- # Anti-bacterial filters keeps spa water cleaner by inhibiting bacterial growth
- # Max temperature 42℃/108°F
- # Freeze Protect
- # Grounding Test
- # Waterproof PCB
- # Wifi controller and 3 massages can be option

CONFIDENTIAL




Control System	EU:AC 220-240V 50HZ, 1540w/2040w US:AC 110-120V 60HZ, 1380w	Certification	EU:CE; US:cETLus
Heater	1540w/2040W; 1380W	Filter Pump	530GAL (2006L)
Heating Rate	EU:1.5-2.5°C/hour; US:1-2°C/hour	Bubble Jet Holes	70-100

Milan	Victory	Oslo	Bergen			
17660EU/US V01	17665EU/US V01	14030EU/US V 33W	14028EU/US V 43W			
60 x 54.5 x 64cm	70 x 45.5 x 64cm	68.5 x 63 x 57.5cm	70cm x 60cm x 57.5cm			
2-4	3-5	4-6	4-6			
C€	C€	C€	C€			
Φ145cm/Φ57'' Φ160cm/Φ63''	Φ172cm/Φ67.7'' Φ152cm/Φ67''	Φ160cm/Φ63'' Φ130cm/Φ51.2''	Φ210cm/Φ82.7'' Φ170cm/Φ66.9''			
70CM /27.6"	70CM /27.6"	70CM /27.6"	70C/27.			
		7				

V43W

EcoPlusTM ovenli



- The unique non-inflatable and patented portable SPA on the market. Constructed with PE foams for quick installation in just 10 minutes.
- The inner PE foam wall with excellent thermal insulation performance for 100% energy-saving compared with normal type of spa in the same conditions.
- · The artificial leather design of exterior makes the SPA more elegant.
- The SPA with increased power and the better thermal insulation performance make the heating performance 30% faster than normal types.

OPTIONAL CONFIGURATION:

- · WIFI, let you know your SPA situation at any time.
- Three-level massage, allowing you to have a variety of choices at different time periods.

ECO PLUS - PAGE / 42

SAIPAN

17691EU / US

Unique leather skin design ,Symbols luxury and enhanced the look of your spa to offer a premium decoration to your spaces

#Foam wall of high performance thermal insulation material

#3-ply Laminated PVC liner more durable

Insulated top cover included

Anti-bacterial filters keeps spa water cleaner by inhibiting bacterial growth

Freeze Protec


Grounding Tes

Waterproof PCB

Wifi controller and 3 massages can be option








CONFIDENTIAL

ECO PLUS - PAGE / 44



Control System	EU:AC 220-240V 50HZ, 2040w US:AC 110-120V 60HZ, 1380w	Certification	EU:CE; US:cETLus		
Heater	2040W;1380W	Filter Pump	530GAL (2006L)		
Heating Rate	EU:1.5-2.5°C/hour; US:1-2°C/hour	Bubble Jet Holes	100		

Stockholm

17691EU / US

A: 60cm x 51cm x 65cm

B: 110cm x 73cm x 76cm

4-6







ECO PLUS - PAGE / 46

ECO PLUS - PAGE / 47

ACCESSORIES — Clean Plus TM

Integrated Pump

Design for Safe and Easy Use

ADVANCED DHS TECHNOLOGY

*DHS-Dual Heating System

Efficient filtration is essential for a quality swim experience. Who wants to swim in a dirty pool

Pumps and cartridges guarantee a cleaner pool with

- Powerful pumps in several of our most popular pool sets
- Filter cartridges with thicker, neavier paper and more pleats
- Faster water circulation, improved filtration, and best of all

Item No	Voltage	Power Rated	Case Pack		
29P502EU	AC220-240V 50HZ	1545W	0.077cbm/ 1st/ctn		
29P501EU	AC220-240V 50HZ	2045W	0.077cbm/ 1st/ctn		



Seperated Pump

Design for Safe and Easy Use

ADVANCED DHS TECHNOLOGY

*DHS-Dual Heating Syster

Efficient filtration is essential for a quality swin experience. Who wants to swim in a dirty poo

Pumps and cartridges guarantee a cleaner pool with

- Powerful pumps in several of our most popular pool se
- Filter cartridges with thicker, neavier paper and more piea
- Water inlet jets for enhanced water flow back into the poor

Faster water circulation, improved filtration, and best of all – a superior swim experience!

Item No	Voltage	Power Rated	Case Pack	
290757US AC 110-120V 60HZ		1380W	0.077cbm/ 1st/ctn	
290757EU	AC 220-240V 50HZ	1540w	0.077cbm/ 1st/ctn	
290758EU	AC 220-240V 50HZ	2040W	0.077cbm/ 1st/ctn	



ACCESSORIES — Clean Plus TM

Spray Brush

290495


- Size: 19.5 x 22.5 x 9cr
- Easy to clean filter cartridge
- Two function:brush or washing can be locked in auto spraying was used with a water pipe
- Clamshe
- Case pack: 0.034cbm/24pcs/ctn














Filter Cartridge

290760

- Size: Φ10.5x8cm
- Professional SPA filter cartridge are characterized with 150 pleats
- High water flow
- Shrink wrap
- Case pack: 0.055cbm/48pcs/ctn



Anti-Bacterial Filter Cartridge

290802

- Size: Φ10.5 x 8cm
- Extends the life of your filter
- Improves the quality of your water
- Neutralizes bacteria, fungi and algae and prevents their proliferation
- Shrink wrap
- Case pack: 0.055cbm/48pcs/ctn



ACCESSORIES— [□]CleanPlus[™]



Cleaning Kit

290850

- The 6-in-1 Cleaning kit is the ideal SPA accessory with everything you need to keep your spa clean
- All the materials used in our cleaning kit are strictly tested and of excellent quality. all make the cleaning equipment super durable, and offer you a comfortable cleaning experience
- Color box
- Case pack: 0.028cbm/3set/ctn



ACCESSORIES— ^oCleanPlus[™]



Test Strips

290471

- 3 in 1 free chlorine,PH,total alkalinity
- The ideal solution for basic pool and spa water testing
- Easy color-match system
- Contains 50 test strips
- 1 year shelf life
- Blister card package
- Case pack: 0.020cbm/48pcs/ctn





Chemical Floater

290468

- Dia.5" floating chemical dispenser
- Dispenses 1" chemical tablets
- Adjustable dial to control the release of chemicals contractive construction
- No tablets included
- Shrink wrapped with insert card
- Case pack: 0.028cbm/24pcs/ctn





ACCESSORIES—Energy Saving







14023





14029



Inflatable Lid

- Heavy-duty PVC
- Help the temperature of spa water to become warm faster
- Save 20% electric energy
- Compact storage measurement is convenient to transport
- Easy to set up

14017



14018

14024



14019



14020



ACCESSORIES—Comfort&Feel

Headrest & Cup Holder Set For Inflatable Spa







Headrest with Cup Holder For Osaka/Saipan Spa

290671












NEW

Aromatherapy Port

395169

- Easy place in your spa pump
- Included the 1 beads
- Relax your mind and body
- Not effect the chemistry of the SPA water
- Color box
- Case pack: 0.099cbm/100pcs/ctn





Pool/Spa Floor Protector

290972

- Size: 55x55x0.4cm
- High temperature resistant PE
- material makes the bottom of the
- pool softer.
- Give extra protection to your pool
- Shrink wrap with insert card package.
- Various colors available
- Case pack: 0.156cbm/108pcs/ctn



ACCESSORIES—Comfort&Feel

Foot Basin

137205-1

- Size: 87 x 68 x 14cm (34" x 27" x 5.5"
- 10ga.(0.25mm) PVC
- Repair patch, Color box
- Case pack: 0.026cbm/12pcs/ctn

Seat Cushion

97265

- Size: 50 x 35 x 11 cm (19.7" x 13.8" x 4.3
- 10ga.(0.25mm) PVC
- Insert card with poly ba
- Case pack: 0.037cbm/24pcs/ctr





RANK		AIO			Classic				Premium			EcoPlus™	RANK
PICTURE	NEW	NEW	NEW		NEW	NEW				NEW	NEW		PICTURE
NAME	Boston	Chicago	Chicago	London	Vienna	Madrid	Nice	Milan	Victory	Oslo	Bergen	Saipan	NAME
ITEM NO	14015EU V43	14016EU	14014EU	17612EU/US	17283EU/US V13	17654EU/US V32	17286EU/US V 31	17660EU/US V 01	17665EU/US V01	14030EU/US V 33W	14028EU/US V 43W	17691EU/US	ITEM NO
PATTERN OPTIONAL	V31 / V32	/	V31 / V32	/	V31 / V32 / V33	V13 / V31 / V33	V13 / V32 / V33	/	/	V43W	V33W	/	PATTERN OPTIONAL
	Built in pump + I beam	Built in pump + I beam	Built in pump + I beam	l beam	I beam	I beam	I beam		Drop	Stitch		PE foam	
TECHNIQUE	(3-ply laminated PVC)	(3-ply laminated PVC)	(3-ply laminated PVC)	(3-ply laminated PVC)	(3-ply laminated PVC)	(3-ply laminated PVC)	(3-ply laminated PVC)	(5 cm thickness)	(10 cm thickness)	(15 cm thickness)	(20 cm thickness)	(rattan outer)	TECHNIQUE
SEATING CAPACITY	2-3 PLACES	2-3 PLACES	4-6 PLACES	2-3 PLACES	2-4 PLACES	3-5 PLACES	4-6 PLACES	2-4 PLACES	3-5 PLACES	2-4 PLACES	4-6 PLACES	4-6 PLACES	SEATING CAPACITY
WATER CAPACITY	580L (153gal)	650L(172gal)	1000L (264gal)	686L(181gal)	800L(211gal)	800L(211gal)	1000L (264gal)	800L (211gal)	940L(248gal)	760L(201GAL)	1300L(343gal)	1200L(317gal)	WATER CAPACITY
	EU:AC 220-240V 50HZ, 1545w EU:AC 220-240V 5			EU:AC 220-240V 50HZ, 1540w	EU:AC 220-240V 50HZ, 2040w	EU:AC 220-240V 50HZ, 2040w	EU:AC 220-240V 50HZ, 2040w						
POWER RATED		EU:AC 220-240V 50HZ, 1545w	EU:AC 220-240V 50HZ, 1545w	US:AC 110-120V 60HZ, 1380w	POWER RATED								
	EU:1.5-2.5°C/hour EU:1.5-2.5°C/hour		EU:1.5-2.5°C/hour	EU:1.5-2.5°C/hour	EU:1.5-2.5°C/hour	EU:1-2°C/hour	EU:1.5-2.5°C/hour	EU:1.5-2.5°C/hour	EU:1.5-2.5°C/hour	EU:1-2°C/hour	EU:1.5-2.5°C/hour		
HEATING RATE		EU:1.5-2.5°C/hour	EU:1.5-2.5°C/hour	EU:1-2°C/hour	US:1-2°C/hour	US:1-2°C/hour	US:1-2°C/hour	US:0.5-1.5°C/hour	US:1-2°C/hour	US:1-2°C/hour	US:1-2°C/hour	US:0.5-1.5°C/hour	US:1-2°C/hour
SYSTEM FLOW RATE	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	530GAL(2006L)/H	SYSTEM FLOW RATE
MESSAGE BUBBLE POWER	650W	650W	650W	650W	650W	650W	650W	650W	650W	650W	650W	650W	MESSAGE BUBBLE POWER
	EU: CE EU: CE		EU:CE/GS	EU:CE/GS	EU:CE/GS	EU:CE/GS	EU:CE	EU:CE	EU:CE/GS	EU:CE	EU:CE/GS		
CERTIFICATION		EU: CE	EU: CE	US:cETLus	CERTIFICATION								
	148cm x 148cm x 65cm	Ф165cm x 65cm	Ф204cm x 65cm	Ф165cm x 70cm	Ф175cm x 70cm	195cm x 195cm x 70cm	Ф204cm x 70cm	Ф145cm x 70cm	Ф172cm x 70cm	160cm x 160cm x 70cm	210cm x 210cm x 70cm	Ф184cm x 73cm	
OUTER DIAMETER	(58.3" x 58.3" x 25.6")	(65" x 25.6")	(80.3" x 25.6")	(65" x 27.6")	(68.9" x 27.6")	(76.8" x 76.8" x 27.6")	(80.3" x 27.6")	(57.1" x 27.6")	(67.7" x 27.6")	(63" x 63" x 27.6")	(82.7" x 82.7" x 27.6")	(72.4" x 28.7")	OUTER DIAMETER
	115cm x 115cm x 65cm	Ф135ст х 65ст	Ф170cm x 65cm	Ф125cm x 70cm	Ф135cm x 70cm	154cm x 154cm x 70cm	Ф160cm x 70cm	Ф135ст х 70ст	Ф152cm x 70cm	130cm x 130cm x 70cm	170cm x 170cm x 70cm	Ф160cm x 70cm	
INNER DIAMETER	(45.3" x 45.3" x 25.6")	(53.1" x 25.6")	(66.9" x 25.6")	(49.2" x 27.6")	(53.1" x 27.6")	(60.6" x 60.6" x 27.6")	(63" x 27.6")	(53.1" x 27.6")	(59.8" x 27.6")	(51.2" x 51.2" x 27.6")	(66.9" x 66.9" x 27.6")	(63" x 27.6")	INNER DIAMETER
BUBBLE JET HOLES	114	108	138	105	110	120	140	90	90	70	100	90	BUBBLE JET HOLES
BOX SIZE	68cm x 38cm x 57.5cm	68cm x 38cm x 57.5cm	68cm x 40cm x 57.5cm	61.5cm x 45cm x 57.5cm	63cm x 56.5cm x 57.5cm	63cm x 56.5cm x 57.5cm	68.5cm x 63cm x 57.5cm	60cm x 54.5cm x 64cm	70cm x 45.5cm x 64cm	70cm x 45.5cm x 64cm	70cm x 60cm x 57.5cm	A: 60cmX51cmX65cm B: 110cm x 73cm x 76cm	BOX SIZE
CASE PACK	0.170cbm/1set/1ctn	0.170cbm/1set/1ctn	0.201cbm/1set/1ctn	0.243cbm/1set/1ctn	0.201cbm/1set/1ctn	0.201cbm/1set/1ctn	0.243cbm/1set/1ctn	0.200cbm /1set /1c tn	0.211cbm /1set /1c tn	0.211cbm /1set /1c tn	0.513cbm/1set /1c tn	0.84cbm/1set /2c tn	CASE PACK
1x20 CTNS	155	155	130	110	130	130	110	135	125	125	50	30	1x20 CTNS
1x40 CTNS	335	335	280	230	280	280	230	285	270	270	110	CO65 FID	1x40 CTNS
1x40HQ CTNS	411	411	336	272	336	336	272	320	332	332	115	84	1x40HQ CTNS