



© 2021 Shanghai Jilong Sport And Leisure Products Co., Ltd. ALL rights reserved. Printed in China.



**SHANGHAI JILONG SPORT AND LEISURE PRODUCTS CO., LTD**

3F & 6F, Tower A1, No.2555 Xiupu Road, Kangqiao,  
Pudong Area, Shanghai, 201315, P.R.China

**Tel:** +86-21-58942200

**Fax:** +86-21-58940305/58940434

**E-mail:** info@jilong.com

**Web:** www.jleisure-global.com



**avenli pool**

**2021**



avenli *home*  
heavenly *home*

avenli®



Global leading provider and brands of leisure products.  
<http://www.JLeisure-Global.com>



Brand for courtyard and home products, Including Spa/Pool/Air Bed&Sofa.  
<http://www.avenlihome.com>



High-end brand for outdoor sports products, Including Sup/Kayak/Boat.  
<http://www.zraysports.com>



Brand for kids and fashion toys, Including water, garden, indoor toys/ kids pools/ kids air bed/ fashion floats





# POOL INNOVATIONS



**Trigonal Lock System**



**Fast and Simple**

Inspired by Crystallography, Trigonal Lock System(TLS) make the installtion of steel frame pool more stable, fast and simple.




**Anti-corrosion Tech**




**Anti-rust**

All steel pipes creates a water-tight seal to prevent frames from internal rust and external rust.



**LamTech Material**



**Durability**

Engineered for high strength and density materials to ensure weather resistance and long service life



# Effortless Water Treatment

Avenli is an effortless water treatment that combines purified water in addition to providing a water experience. The combination of trigonal lock system, anti-corrosion tech, lamtech material and anti-bacterial options offer a time saving maintenance solution.





# CONTENT

## ■ 01 Kids Pools

- Kids Pools (P9-16)

## □ 02 Prompt Set™

- Round (P19-24)

## □ 03 Frame™

- Round (P27-30)
- Rectangular (P31-38)
- Oval (P39-44)

## ■ 04 Frame Plus™

- Round (P47-50)
- Rectangular (P51-56)

## ■ 05 Pool Accessories

- Avenli CleanPlus™ (P58-72)
- Ladder (P73-74)
- Avenli CleanPlus™ Pool Protector (P75-76)



# KIDS POOL

01



12010

- Ø1.5m x 41cm (5' x 16.5")
- Water Capacity(80%) : 121Gal (457L)
- Lovely figure animal shape
- PVC inflatable top ring
- Heavy gauge 3-layer laminated PVC wall
- Easy installation and convenient storage
- Repair Patch, Color box
- 0.053cbm/6pcs/ctn



**Bee Spray Pool**

Conform to EN16927

Age  
3+

10  
Mins

*Honey*





## Sea Otter Spray Pool

Conform to EN16927

Age  
3+

10  
Mins

**NEW**



### 12011

- Ø1.5m x 41cm (5' x 16.5")
- Water Capacity(80%) : 121Gal (457L)
- Lovely figure animal shape
- PVC inflatable top ring
- Heavy gauge 3-layer laminated PVC wall
- Easy installation and convenient storage
- Repair Patch, Color box
- 0.053cbm/6pcs/ctn

## KIDS POOLS

Conform to EN16927

Age  
3+

10  
Mins

## Pineapple 3D Pool

### 17790

- 1.5m x 41cm (5' x 16.5")
- Water Capacity(80%) : 121GAL(457L)
- PVC inflatable top ring
- Heavy gauge 3-layer laminated PVC wall
- Easy installation and convenient storage
- Repair Patch, Color box
- 0.046cbm/6pcs/ctn



## Orange 3D Pool

### 17789

- 1.5m x 41cm (5' x 16.5")
- Water Capacity(80%) : 121GAL(457L)
- PVC Inflatable top ring
- Heavy gauge 3-layer laminated PVC wall
- Easy installation and convenient storage
- Repair Patch, Color box
- 0.046cbm/6pcs/ctn





## Dinosaur 3D Spray Pool

Conform to EN16927

Age  
3+

10  
Mins



**17786**

- 1.75m x 62cm (69" x 24.5")
- Water Capacity(80%) : 302GAL.1143L
- Lovely figure animal shape
- PVC inflatable top ring
- Heavy gauge 3-layer laminated PVC wall
- Easy installation and convenient storage
- Repair Patch, Color box
- 0.015cbm/1pcs/ctn

## Shark 3D Spray Pool

Conform to EN16927

Age  
3+

10  
Mins



**17822**

- 1.9m x 47cm (62' x 18.5")
- Water Capacity(75%) : 204Gal (770L)
- Lovely figure animal shape
- PVC inflatable top ring
- Heavy gauge 3-layer laminated PVC wall
- Easy installation and convenient storage
- Repair Patch, Color box
- 0.014cbm/1pcs/ctn



## Elephant 3D Spray Pool

Conform to EN16927

Age  
3+

10  
Mins



**17821**

- Ø2.05m x 47cm (6.75' x 18.5")
- Water Capacity(75%): 226Gal (855L)
- Lovely figure animal shape
- PVC inflatable top ring
- Heavy gauge 3-layer laminated PVC wall
- Easy installation and convenient storage
- Repair Patch, Color box
- 0.015cbm/1pcs/ctn



## 3D Sea World Pool 17788

- 2.05m x 47cm (6.75' x 18.5")
- Water Capacity(75%) : 226GAL.855L
- PVC inflatable top ring
- Heavy gauge 3-layer laminated PVC wall
- Easy installation and convenient storage
- Repair Patch, Color box
- 0.014cbm/1pcs/ctn

Age  
3+

10  
Mins



## KIDS POOLS

Conform to EN16927

## Kids Frame Pool

- Easy installation
- Polyester 3-layer side wall, heavy-duty PVC bottom
- Steel frame with plastic corner joint
- 2 color assorted (blue, green)
- Repair kit, Color box

**17256**

- 1.22m x 1.22m x 33cm (48"x 48" x 13" )
- Water Capacity(90%) : 105GAL.399L
- Case pack: 13.5x10x118.5cm
- 0.016cbm/1pcs/ctn
- Total weight: 3.05 kg (6.71 lb)

Age  
3+

10  
Mins





# Prompt Set™

Prompt Set™ is a "self-formed" swimming pool, which means you only need to inflate the top ring of the pool. It is easy to disassemble, compact and store during winter season. Wide choice of optional accessories allows you to assemble your perfect set easily in 10-30 minutes.





# Prompt Set™



Inflatable Ring



LamTech Material



10 Min Quick Installation



Repair Kit



No Tools Required



OPTIONAL ACCESSORIES on P58-76

## 1.68m x 51cm (5.5' x 20'')

WATER CAPACITY(80%): 265GAL(1000L)

ITEM NO.	ACCESSORY	CASE PACK	TOTAL WEIGHT
12014	N/A	0.045cbm/3pcs/ctn	8.5KG(18.7LB)

## 2.4m x 63cm (8' x 25'')

WATER CAPACITY(80%): 548GAL(2074L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17792	Global (US/CA/AU Excluded)	0.018CBM/1PC	5.23KG (11.5LB)
17806	US/CA/AU	0.018CBM/1PC	5.23KG (11.5LB)
17792EU	Europe	0.032CBM/1SET	6.95KG (15.32LB)
17792FR	France	0.032CBM/1SET	6.95KG (15.32LB)
17792DE	Germany	0.032CBM/1SET	8KG (17.6LB)
17792CH	Switzerland	0.032CBM/1SET	6.95KG (15.32LB)
17792GB	UK	0.032CBM/1SET	6.95KG (15.32LB)
17792IL	Israel	0.032CBM/1SET	6.95KG (15.32LB)
17792BR	Brazil	0.032CBM/1SET	6.95KG (15.32LB)
17806US	USA	0.032CBM/1SET	6.95KG (15.32LB)
17806CA	Canada	0.032CBM/1SET	6.95KG (15.32LB)
17806AU	Australia	0.032CBM/1SET	6.95KG (15.32LB)

## 3.0m x 76cm (10' x 30'')

WATER CAPACITY(80%): 956GAL(3618L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17793	Global (US/CA/AU Excluded)	0.025CBM/1PC	7.76KG (17.1LB)
17807	US/CA/AU	0.025CBM/1PC	7.76KG (17.1LB)
17793EU	Europe	0.045CBM/1SET	9.39KG (20.7LB)
17793FR	France	0.045CBM/1SET	9.39KG (20.7LB)
17793DE	Germany	0.045CBM/1SET	10.5KG (23.1LB)
17793CH	Switzerland	0.045CBM/1SET	9.39KG (20.7LB)
17793GB	UK	0.045CBM/1SET	9.39KG (20.7LB)
17793IL	Israel	0.045CBM/1SET	9.39KG (20.7LB)
17793BR	Brazil	0.045CBM/1SET	9.39KG (20.7LB)
17807US	USA	0.045CBM/1SET	9.39KG (20.7LB)
17807CA	Canada	0.045CBM/1SET	9.39KG (20.7LB)
17807AU	Australia	0.045CBM/1SET	9.39KG (20.7LB)

## 1.83m x 50cm (6' x 20'')

WATER CAPACITY(80%): 226GAL(855L)

ITEM NO.	ACCESSORY	CASE PACK	TOTAL WEIGHT
12025	N/A	0.0144cbm/1pcs/ctn	3.2KG(7.04LB)



FILTER PUMP



VOLTAGE



FILTER

-	-	-
-	-	-
29P414EU (300Gal/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414FR (300Gal/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414DE (300Gal/H 1136L/H)	12V	29P481 / \$ Included in the pump
29P414CH (300Gal/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414GB (300Gal/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414IL (300Gal/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414BR (300Gal/H 1136L/H)	227V	29P481 / \$ Included in the pump
29P414US (300Gal/H 1136L/H)	110V-120V	29P481 / \$ Included in the pump
29P414CA (300Gal/H 1136L/H)	110V-120V	29P481 / \$ Included in the pump
29P414AU (300Gal/H 1136L/H)	220-240V	29P481 / \$ Included in the pump



FILTER PUMP



VOLTAGE



FILTER

-	-	-
-	-	-
29P414EU (300Gal/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414FR (300Gal/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414DE (300Gal/H 1136L/H)	12V	29P481 / \$ Included in the pump
29P414CH (300Gal/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414GB (300Gal/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414IL (300Gal/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414BR (300Gal/H 1136L/H)	227V	29P481 / \$ Included in the pump
29P414US (300Gal/H 1136L/H)	110V-120V	29P481 / \$ Included in the pump
29P414CA (300Gal/H 1136L/H)	110V-120V	29P481 / \$ Included in the pump
29P414AU (300Gal/H 1136L/H)	220-240V	29P481 / \$ Included in the pump



3.60m x 76cm (12' x 30")

WATER CAPACITY(80%): 1421GAL(5377L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17794	Global (US/CA/AU Excluded)	0.040CBM/1PC	10.5KG [23.14LB]
17808	US/CA/AU	0.040CBM/1PC	10.5KG [23.14LB]
17794EU	Europe	0.06CBM/1SET	12.9KG [28.4LB]
17794FR	France	0.06CBM/1SET	12.9KG [28.4LB]
17794DE	Germany	0.06CBM/1SET	13.7KG [30.2LB]
17794CH	Switzerland	0.06CBM/1SET	12.9KG [28.4LB]
17794GB	UK	0.06CBM/1SET	12.9KG [28.4LB]
17794IL	Israel	0.06CBM/1SET	12.9KG [28.4LB]
17794BR	Brazil	0.06CBM/1SET	12.9KG [28.4LB]
17808US	USA	0.06CBM/1SET	12.9KG [28.4LB]
17808CA	Canada	0.06CBM/1SET	12.9KG [28.4LB]
17808AU	Australia	0.06CBM/1SET	12.9KG [28.4LB]



FILTER PUMP



VOLTAGE



FILTER

-	-	-
-	-	-
29P414EU (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump
29P414FR (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump
29P414DE (300Gal/H 1136L/H)	12V	29P481 / <b>S</b> Included in the pump
29P414CH (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump
29P414GB (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump
29P414IL (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump
29P414BR (300Gal/H 1136L/H)	227V	29P481 / <b>S</b> Included in the pump
29P414US (300Gal/H 1136L/H)	110V-120V	29P481 / <b>S</b> Included in the pump
29P414CA (300Gal/H 1136L/H)	110V-120V	29P481 / <b>S</b> Included in the pump
29P414AU (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump

3.60m x 90cm (12' x 36")

WATER CAPACITY(80%): 1758GAL(6654L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17795	Global (US/CA/AU Excluded)	0.048CBM/1PC	12.6KG [27.7LB]
17809	US/CA/AU	0.048CBM/1PC	12.6KG [27.7LB]
17795EU	Europe	0.151CBM/1SET	23.42KG [51.6LB]
17795FR	France	0.151CBM/1SET	23.42KG [51.6LB]
17795DE	Germany	0.151CBM/1SEET	24.5KG [53.9LB]
17795RU	Russia	0.130CBM/1SET	22.5KG [49.3LB]
17795CH	Switzerland	0.151CBM/1SET	23.42KG [51.6LB]
17795GB	UK	0.151CBM/1SET	23.42KG [51.6LB]
17795IL	Israel	0.151CBM/1SET	23.42KG [51.6LB]
17795BR	Brazil	0.151CBM/1SET	23.42KG [51.6LB]
17809US	USA	0.130CBM/1SET	22.5KG [49.3LB]
17809CA	Canada	0.130CBM/1SET	22.5KG [49.3LB]
17809AU	Australia	0.130CBM/1SET	22.5KG [49.3LB]



FILTER PUMP



VOLTAGE



FILTER



LADDER

-	-	-	-
-	-	-	-
29P414EU (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump	29R149-1
29P414FR (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump	29R149-1
29P414DE (300Gal/H 1136L/H)	12V	29P481 / <b>S</b> Included in the pump	29R149-1
29P414EU (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump	29R144
29P414CH (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump	29R149-1
29P414GB (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump	29R149-1
29P414IL (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump	29R144
29P414BR (300Gal/H 1136L/H)	227V	29P481 / <b>S</b> Included in the pump	29R144
29P414US (300Gal/H 1136L/H)	110V-120V	29P481 / <b>S</b> Included in the pump	29R144
29P414CA (300Gal/H 1136L/H)	110V-120V	29P481 / <b>S</b> Included in the pump	29R144
29P414AU (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump	29R144

4.20m x 84cm (14' x 33")

WATER CAPACITY(80%): 2065GAL(7820L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17796	Global (US/CA/AU Excluded)	0.06CBM/1PC	16.2KG [35.64LB]
17810	US/CA/AU	0.06CBM/1PC	16.2KG [35.64LB]
17796EU	Europe	0.095CBM/1SET	19.3KG [42.5LB]
17796FR	France	0.095CBM/1SET	19.3KG [42.5LB]
17796DE	Germany	0.095CBM/1SET	19.3KG [42.5LB]
17796CH	Switzerland	0.095CBM/1SET	19.3KG [42.5LB]
17796GB	UK	0.095CBM/1SET	19.3KG [42.5LB]
17796IL	Israel	0.095CBM/1SET	19.3KG [42.5LB]
17796BR	Brazil	0.095CBM/1SET	19.3KG [42.5LB]
17810US	USA	0.095CBM/1SET	19.3KG [42.5LB]
17810CA	Canada	0.095CBM/1SET	19.3KG [42.5LB]
17810AU	Australia	0.095CBM/1SET	19.3KG [42.5LB]



FILTER PUMP



VOLTAGE



FILTER

-	-	-
-	-	-
29P414EU (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump
29P414FR (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump
29P414DE (300Gal/H 1136L/H)	12V	29P481 / <b>S</b> Included in the pump
29P414CH (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump
29P414GB (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump
29P414IL (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump
29P414BR (300Gal/H 1136L/H)	227V	29P481 / <b>S</b> Included in the pump
29P414US (300Gal/H 1136L/H)	110V-120V	29P481 / <b>S</b> Included in the pump
29P414CA (300Gal/H 1136L/H)	110V-120V	29P481 / <b>S</b> Included in the pump
29P414AU (300Gal/H 1136L/H)	220-240V	29P481 / <b>S</b> Included in the pump

4.50m x 90cm (15' x 36")

WATER CAPACITY(80%): 2688GAL(10175L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17797	Global (US/CA/AU Excluded)	0.093CBM/1PC	21.5KG [47.4LB]
17811	US/CA/AU	0.093CBM/1PC	21.5KG [47.4LB]
17797EU	Europe	0.21CBM/1SET	35KG [77.2LB]
17797FR	France	0.21CBM/1SET	35KG [77.2LB]
17797DE	Germany	0.21CBM/1SET	33KG [72.7LB]
17797RU	Russia	0.181CBM/1SET	33KG [72.7LB]
17797CH	Switzerland	0.21CBM/1SET	35KG [77.2LB]
17797GB	UK	0.21CBM/1SET	35KG [77.2LB]
17797IL	Israel	0.21CBM/1SET	35KG [77.2LB]
17797BR	Brazil	0.21CBM/1SET	35KG [77.2LB]
17811US	USA	0.181CBM/1SET	33KG [72.7LB]
17811CA	Canada	0.181CBM/1SET	33KG [72.7LB]
17811AU	Australia	0.181CBM/1SET	33KG [72.7LB]



FILTER PUMP



VOLTAGE



FILTER



COVER



GROUND CLOTH



LADDER

-	-	-	-	-	-
-	-	-	-	-	-
29P415EU (530Gal/H 2006L/H)	220-240V	290588 / <b>M</b> Included in the pump	16124-5	16123-5	29R149-1
29P415FR (530Gal/H 2006L/H)	220-240V	290588 / <b>M</b> Included in the pump	16124-5	16123-5	29R149-1
29P415DE (530Gal/H 2006L/H)	12V	290588 / <b>M</b> Included in the pump	16124-5	16123-5	29R149-1
29P415EU (530Gal/H 2006L/H)	220-240V	290588 / <b>M</b> Included in the pump	16124-5	16123-5	29R144
29P415CH (530Gal/H 2006L/H)	220-240V	290588 / <b>M</b> Included in the pump	16124-5	16123-5	29R149-1
29P415GB (530Gal/H 2006L/H)	220-240V	290588 / <b>M</b> Included in the pump	16124-5	16123-5	29R149-1
29P415IL (530Gal/H 2006L/H)	220-240V	290588 / <b>M</b> Included in the pump	16124-5	16123-5	29R144
29P415BR (530Gal/H 2006L/H)	227V	290588 / <b>M</b> Included in the pump	16124-5	16123-5	29R144
29P415US (530Gal/H 2006L/H)	110V-120V	290589 / <b>L</b> Included in the pump	16124-5	16123-5	29R144
29P415CA (530Gal/H 2006L/H)	110V-120V	290589 / <b>L</b> Included in the pump	16124-5	16123-5	29R144
29P415AU (530Gal/H 2006L/H)	220-240V	290588 / <b>M</b> Included in the pump	16124-5	16123-5	29R144



Prompt Set™  
Rattan



Inflatable Ring



LamTech Material



30 Min Quick Installation



Repair Kit



No Tools Required



OPTIONAL ACCESSORIES on P58-76

3.96m x 84cm (13' x 33")

WATER CAPACITY(80%): 1923GAL(7280L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
12020	Global (US/CA/AU Excluded)	0.066CBM/1PC	16.56KG (36.5LB)
12043	US/CA/AU	0.066CBM/1PC	16.56KG (36.5LB)
12020EU	Europe	0.097CBM/1SET	18.88KG (41.63LB)
12020FR	France	0.097CBM/1SET	18.88KG (41.63LB)
12020DE	Germany	0.097CBM/1SET	18.88KG (41.63LB)
12020CH	Switzerland	0.097CBM/1SET	18.88KG (41.63LB)
12020GB	UK	0.097CBM/1SET	18.88KG (41.63LB)
12020IL	Israel	0.097CBM/1SET	18.88KG (41.63LB)
12020BR	Brazil	0.097CBM/1SET	18.88KG (41.63LB)
12043US	USA	0.097CBM/1SET	18.88KG (41.63LB)
12043CA	Canada	0.097CBM/1SET	18.88KG (41.63LB)
12043AU	Australia	0.097CBM/1SET	18.88KG (41.63LB)



FILTER PUMP



VOLTAGE



FILTER

-	-	-
-	-	-
29P414EU (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414FR (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414DE (300Gal/H 1136L/H)	12V	29P481 / S Included in the pump
29P414CH (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414GB (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414IL (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414BR (300Gal/H 1136L/H)	227V	29P481 / S Included in the pump
29P414US (300Gal/H 1136L/H)	110V-120V	29P481 / S Included in the pump
29P414CA (300Gal/H 1136L/H)	110V-120V	29P481 / S Included in the pump
29P414AU (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump

4.5m x 84cm (15' x 33")

WATER CAPACITY(80%): 2286GAL(8652L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
12021	Global (US/CA/AU Excluded)	0.080CBM/1PC	20.02KG(44.11LB)
12044	US/CA/AU	0.080CBM/1PC	20.02KG(44.11LB)
12021EU	Europe	0.111CBM/PC	22.33KG(49.22LB)
12021FR	France	0.111CBM/PC	22.33KG(49.22LB)
12021DE	Germany	0.111CBM/PC	22.33KG(49.22LB)
12021CH	Switzerland	0.111CBM/PC	22.33KG(49.22LB)
12021GB	UK	0.111CBM/PC	22.33KG(49.22LB)
12021IL	Israel	0.111CBM/PC	22.33KG(49.22LB)
12021BR	Brazil	0.111CBM/PC	22.33KG(49.22LB)
12044US	USA	0.111CBM/PC	22.33KG(49.22LB)
12044CA	Canada	0.111CBM/PC	22.33KG(49.22LB)
12044AU	Australia	0.111CBM/PC	22.33KG(49.22LB)



FILTER PUMP



VOLTAGE



FILTER

-	-	-
-	-	-
29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415FR (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415DE (530Gal/H 2006L/H)	12V	290588 / M Included in the pump
29P415CH (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415GB (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415IL (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415BR (530Gal/H 2006L/H)	227V	290588 / M Included in the pump
29P415US (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump
29P415CA (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump
29P415AU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump



# Frame™


- Easy and fast installation without tools
- Anti-corrosion Tech steel frames
- Heavy duty LamTech Material wall provides lasting durability
- Various sizes pool sets with accessories available
- Ideal for swimming learners and make efficient use of any outdoor space
- Easy storage and space saving, movable and convenient



Trigonal Lock System  
Fast and easy to install




T-connector  
High strength




Flat Steel  
Sturdy, Durable

# 03





Frame™  
Round



I Frame-supported Wall



LamTech Material



30 Min Quick Installation



Repair Kit



No Tools Required



Anti-corrosion Tech



Trigonal Lock System



OPTIONAL ACCESSORIES on P58-76

3.0m x 76cm (10' x 30")

WATER CAPACITY(90%): 1158GAL(4383L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17798	Global (US/CA/AU Excluded)	0.058CBM/1PC	17KG (37.4LB)
17812	US/CA/AU	0.058CBM/1PC	17KG (37.4LB)
17798EU	Europe	0.105CBM/1ST	19.76KG (43.56LB)
17798FR	France	0.105CBM/1ST	19.76KG (43.56LB)
17798DE	Germany	0.105CBM/1ST	20KG (44LB)
17798CH	Switzerland	0.105CBM/1ST	19.76KG (43.56LB)
17798GB	UK	0.105CBM/1ST	19.76KG (43.56LB)
17798IL	Israel	0.105CBM/1ST	19.76KG (43.56LB)
17798BR	Brazil	0.105CBM/1ST	19.76KG (43.56LB)
17812US	USA	0.105CBM/1ST	19.76KG (43.56LB)
17812CA	Canada	0.105CBM/1ST	19.76KG (43.56LB)
17812AU	Australia	0.105CBM/1ST	19.76KG (43.56LB)

3.60m x 76cm (12' x 30")

WATER CAPACITY(90%): 1617GAL(6125L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17799	Global (US/CA/AU Excluded)	0.077CBM/1PC	22.4KG (49.3LB)
17813	US/CA/AU	0.077CBM/1PC	22.4KG (49.3LB)
17799EU	Europe	0.130CBM/1SET	24.5KG (54LB)
17799FR	France	0.130CBM/1SET	24.5KG (54LB)
17799DE	Germany	0.130CBM/1SET	25.1KG (55.3LB)
17799CH	Switzerland	0.130CBM/1SET	24.5KG (54LB)
17799GB	UK	0.130CBM/1SET	24.5KG (54LB)
17799IL	Israel	0.130CBM/1SET	24.5KG (54LB)
17799BR	Brazil	0.130CBM/1SET	24.5KG (54LB)
17813US	USA	0.130CBM/1SET	24.5KG (54LB)
17813CA	Canada	0.130CBM/1SET	24.5KG (54LB)
17813AU	Australia	0.130CBM/1SET	24.5KG (54LB)



FILTER PUMP



VOLTAGE



FILTER

-	-	-
-	-	-
29P414EU (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414FR (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414DE (300Gal/H 1136L/H)	12V	29P481 / S Included in the pump
29P414CH (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414GB (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414IL (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414BR (300Gal/H 1136L/H)	227V	29P481 / S Included in the pump
29P414US (300Gal/H 1136L/H)	110V-120V	29P481 / S Included in the pump
29P414CA (300Gal/H 1136L/H)	110V-120V	29P481 / S Included in the pump
29P414AU (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump



FILTER PUMP



VOLTAGE






FILTER

-	-	-
-	-	-
29P414EU (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414FR (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414DE (300Gal/H 1136L/H)	12V	29P481 / S Included in the pump
29P414CH (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414GB (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414IL (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414BR (300Gal/H 1136L/H)	227V	29P481 / S Included in the pump
29P414US (300Gal/H 1136L/H)	110V-120V	29P481 / S Included in the pump
29P414CA (300Gal/H 1136L/H)	110V-120V	29P481 / S Included in the pump
29P414AU (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump









4.20m x 84cm (14’ x 33’')

WATER CAPACITY(90%): 2508GAL(9495L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT	 FILTER PUMP	 VOLTAGE	 FILTER
17800	Global (US/CA/AU Excluded)	0.12CBM/1PC	32KG (70.4LB)	-	-	-
17814	US/CA/AU	0.12CBM/1SPC	32KG (70.4LB)	-	-	-
17800EU	Europe	0.196CBM/1SET	36.7KG (80.7LB)	29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
17800FR	France	0.196CBM/1SET	36.7KG (80.7LB)	29P415FR (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
17800DE	Germany	0.196CBM/1SET	37.5KG (82.5LB)	29P415DE (530Gal/H 2006L/H)	12V	290588 / M Included in the pump
17800CH	Switzerland	0.196CBM/1SET	36.7KG (80.7LB)	29P415CH (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
17800GB	UK	0.196CBM/1SET	36.7KG (80.7LB)	29P415GB (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
17800IL	Israel	0.196CBM/1SET	36.7KG (80.7LB)	29P415IL (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
17800BR	Brazil	0.196CBM/1SET	36.7KG (80.7LB)	29P415BR (530Gal/H 2006L/H)	227V	290588 / M Included in the pump
17814US	USA	0.196CBM/1SET	37KG (81.4LB)	29P415US (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump
17814CA	Canada	0.196CBM/1SET	37KG (81.4LB)	29P415CA (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump
17814AU	Australia	0.196CBM/1SET	37KG (81.4LB)	29P415AU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump







4.50m x 90cm (15’ x 36’)

WATER CAPACITY(90%): 3212GAL(12157L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT	 FILTER PUMP	 VOLTAGE	 FILTER	 COVER	 GROUND CLOTH	 LADDER
17801EU	Europe	0.24CBM/1SET	52.5KG (115.7LB)	29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R149-1
17801FR	France	0.24CBM/1SET	52.5KG (115.7LB)	29P415FR (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R149-1
17801DE	Germany	0.24CBM/1SET	53.5KG (117.7LB)	29P415DE (530Gal/H 2006L/H)	12V	290588 / M Included in the pump	16125-2	16123-5	29R149-1
17801RU	Russia	0.24CBM/1SET	52.5KG (115.7LB)	29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R144
17801CH	Switzerland	0.24CBM/1SET	52.5KG (115.7LB)	29P415CH (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R149-1
17801GB	UK	0.24CBM/1SET	52.5KG (115.7LB)	29P415GB (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R149-1
17801IL	Israel	0.24CBM/1SET	52.5KG (115.7LB)	29P415IL (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R144
17801BR	Brazil	0.24CBM/1SET	52.5KG (115.7LB)	29P415BR (530Gal/H 2006L/H)	227V	290588 / M Included in the pump	16125-2	16123-5	29R144
17816US	USA	0.24CBM/1SET	53.5KG (117.7LB)	29P415US (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump	16125-2	16123-5	29R144
17816CA	Canada	0.24CBM/1SET	53.5KG (117.7LB)	29P415CA (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump	16125-2	16123-5	29R144
17816AU	Australia	0.24CBM/1SET	53.5KG (117.7LB)	29P415AU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R144

4.50m x 1.22m (15’ x 48’)

WATER CAPACITY(90%): 4030GAL(15233L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT	 FILTER PUMP	 VOLTAGE	 FILTER	 COVER	 GROUND CLOTH	 LADDER
17802EU	Europe	0.298CBM/1SET	78.6KG (173.3LB)	29P416EU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R150-1
17802FR	France	0.298CBM/1SET	78.6KG (173.3LB)	29P416FR (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R150-1
17802DE	Germany	0.298CBM/1SET	79KG (173.8LB)	29P416DE (800Gal/H 3028L/H)	12V	290588 / M Included in the pump	16125-2	16123-5	29R150-1
17802RU	Russia	0.298CBM/1SET	78.6KG (173.3LB)	29P416EU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R146
17802CH	Switzerland	0.298CBM/1SET	78.6KG (173.3LB)	29P416CH (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R150-1
17802GB	UK	0.298CBM/1SET	78.6KG (173.3LB)	29P416GB (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R150-1
17802IL	Israel	0.298CBM/1SET	78.6KG (173.3LB)	29P416IL (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R146
17802BR	Brazil	0.298CBM/1SET	78.6KG (173.3LB)	29P416BR (800Gal/H 3028L/H)	227V	290588 / M Included in the pump	16125-2	16123-5	29R146
17817US	USA	0.298CBM/1SET	78.6KG (173.3LB)	29P416US (800Gal/H 3028L/H)	110V-120V	290589 / L Included in the pump	16125-2	16123-5	29R146
17817CA	Canada	0.298CBM/1SET	78.6KG (173.3LB)	29P416CA (800Gal/H 3028L/H)	110V-120V	290589 / L Included in the pump	16125-2	16123-5	29R146
17817AU	Australia	0.298CBM/1SET	78.6KG (173.3LB)	29P416AU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16125-2	16123-5	29R146





Frame™

Rectangular



I Frame-supported Wall



LamTech Material



30 Min Quick Installation



Repair Kit



No Tools Required



Anti-corrosion Tech



OPTIONAL ACCESSORIES on P58-76

1.88m x 1.27m x 42cm (74" x 50"x 16.5")

WATER CAPACITY(90%): 298GAL(1125L)

ITEM NO.	TYPE	ACCESSORY	CASE PACK	TOTAL WEIGHT
12019	Global	N/A	0.015CBM/1ST	5.441KG (11.97LB)

2.58m x 1.79m x 66cm (8.5' x 6'x 26")

WATER CAPACITY(90%): 690GAL(2612L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17805	Global (US/CA/AU Excluded)	0.042CBM/1PC	15.7KG [34.6LB]
17818	US/CA/AU	0.042CBM/1PC	15.7KG [34.6LB]
17805EU	Europe	0.074CBM/1SET	17.3KG [38.1LB]
17805FR	France	0.074CBM/1SET	17.3KG [38.1LB]
17805DE	Germany	0.074CBM/1SET	19KG [41.8LB]
17805CH	Switzerland	0.074CBM/1SET	17.3KG [38.1LB]
17805GB	UK	0.074CBM/1SET	17.3KG [38.1LB]
17805IL	Israel	0.074CBM/1SET	17.3KG [38.1LB]
17805BR	Brazil	0.074CBM/1SET	17.3KG [38.1LB]
17818US	USA	0.074CBM/1SET	19KG [41.8LB]
17818CA	Canada	0.074CBM/1SET	19KG [41.8LB]
17818AU	Australia	0.074CBM/1SET	19KG [41.8LB]

2.28m x 1.59m x 42cm (90" x 62.6"x 16.5")

WATER CAPACITY(90%): 340GAL(1287L)

ITEM NO.	TYPE	ACCESSORY	CASE PACK	TOTAL WEIGHT
12027	Global	N/A	0.041CBM/1ST	10.5KG (23.1LB)



FILTER PUMP



VOLTAGE



FILTER

-	-	-
-	-	-
29P414EU (300GaL/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414FR (300GaL/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414DE (300GaL/H 1136L/H)	12V	29P481 / \$ Included in the pump
29P414CH (300GaL/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414GB (300GaL/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414IL (300GaL/H 1136L/H)	220-240V	29P481 / \$ Included in the pump
29P414BR (300GaL/H 1136L/H)	227V	29P481 / \$ Included in the pump
29P414US (300GaL/H 1136L/H)	110V-120V	29P481 / \$ Included in the pump
29P414CA (300GaL/H 1136L/H)	110V-120V	29P481 / \$ Included in the pump
29P414AU (300GaL/H 1136L/H)	220-240V	29P481 / \$ Included in the pump







3.0m x 2.07m x 65cm (10' x 6.8' x 25.6")

WATER CAPACITY(90%): 978GAL(3701L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17771	Global (US/CA/AU Excluded)	0.058CBM/1PC	28KG (61.7LB)
17773	US/CA/AU	0.058CBM/1PC	28KG (61.7LB)
17771EU	Europe	0.1CBM/1SET	30.8KG (67.8LB)
17771FR	France	0.1CBM/1SET	30.8KG (67.8LB)
17771DE	Germany	0.1CBM/1SET	35KG (77.2LB)
17771CH	Switzerland	0.1CBM/1SET	30.8KG (67.8LB)
17771GB	UK	0.1CBM/1SET	30.8KG (67.8LB)
17771IL	Israel	0.1CBM/1SET	30.8KG (67.8LB)
17771BR	Brazil	0.1CBM/1SET	30.8KG (67.8LB)
17773US	USA	0.1CBM/1SET	30.8KG (67.8LB)
17773CA	Canada	0.1CBM/1SET	30.8KG (67.8LB)
17773AU	Australia	0.1CBM/1SET	30.8KG (67.8LB)



FILTER PUMP



VOLTAGE



FILTER

-	-	-
-	-	-
29P414EU (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414FR (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414DE (300Gal/H 1136L/H)	12V	29P481 / S Included in the pump
29P414CH (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414GB (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414IL (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414BR (300Gal/H 1136L/H)	227V	29P481 / S Included in the pump
29P414US (300Gal/H 1136L/H)	110V-120V	29P481 / S Included in the pump
29P414CA (300Gal/H 1136L/H)	110V-120V	29P481 / S Included in the pump
29P414AU (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump



I Frame-supported Wall



LamTech Material



30 Min Quick Installation



Repair Kit



No Tools Required



Anti-corrosion Tech

Frame™ Rectangular



OPTIONAL ACCESSORIES on P58-76



Frame™

Rectangular



U Frame-supported Wall



LamTech Material



30 Min Quick Installation



Repair Kit



No Tools Required



Anti-corrosion Tech



OPTIONAL ACCESSORIES on P58-76

4.0m x 2.0m x 99cm (13' x 6.5' x 39")

WATER CAPACITY(90%): 1854GAL(7020L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17726	Global (US/CA/AU Excluded)	0.224CBM/1PC	46KG (101.2LB)
17777	US/CA/AU	0.224CBM/1PC	49KG (108LB)
17726EU	Europe	0.321CBM/1SET	58.7KG (129LB)
17726FR	France	0.321CBM/1SET	59KG (130LB)
17726DE	Germany	0.321CBM/1SET	59.3KG (130.5LB)
17726RU	Russia	0.321CBM/1SET	58.7KG (129LB)
17726CH	Switzerland	0.321CBM/1SET	58.7KG (129LB)
17726GB	UK	0.321CBM/1SET	58.7KG (129LB)
17726IL	Israel	0.321CBM/1SET	58.7KG (129LB)
17726BR	Brazil	0.321CBM/1SET	58.7KG (129LB)
17777US	USA	0.321CBM/1SET	59KG (130LB)
17777CA	Canada	0.321CBM/1SET	59KG (130LB)
17777AU	Australia	0.321CBM/1SET	59KG (130LB)



FILTER PUMP



VOLTAGE



FILTER



LADDER

-	-	-	-
-	-	-	-
29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R149
29P415FR (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R149
29P415DE (530Gal/H 2006L/H)	12V	290588 / M Included in the pump	29R149
29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R145-1
29P415CH (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R149
29P415GB (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R149
29P415IL (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R145-1
29P415BR (530Gal/H 2006L/H)	227V	290588 / M Included in the pump	29R145-1
29P415US (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump	29R145-1
29P415CA (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump	29R145-1
29P415AU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R145-1

4.0m x 2.0m x 99cm (13' x 6.5' x 39")

WATER CAPACITY(90%): 1854GAL(7020L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17726-1EU	Europe	0.398CBM/1SET	64.5KG (142LB)
17726-1FR	France	0.398CBM/1SET	64.5KG (142LB)
17726-1DE	Germany	0.398CBM/1SET	64.5KG (142LB)
17726-1RU	Russia	0.398CBM/1SET	64.5KG (142LB)
17726-1CH	Switzerland	0.398CBM/1SET	64.5KG (142LB)
17726-1GB	UK	0.398CBM/1SET	64.5KG (142LB)
17726-1IL	Israel	0.398CBM/1SET	64.5KG (142LB)
17777-1US	USA	0.398CBM/1SET	64.5KG (142LB)



SAND FILTER



VOLTAGE



FILTER



LADDER





290729EU (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	29R149
290729FR (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	29R149
290729DE (800Gal/H 3028L/H)	12V	Sand not included in the pump	29R149
290729EU (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	29R145-1
290729CH (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	29R149
290729GB (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	29R149
290729IL (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	29R145-1
290729US (800Gal/H 3028L/H)	110V-120V	Sand not included in the pump	29R145-1



4.0m x 2.07m x 1.22m (13' x 6.8' x 48")

WATER CAPACITY(90%): 2343GAL(8870L)





ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17727	Global (US/CA/AU Excluded)	0.255CBM/1PC	55KG (121.3LB)
17778	US/CA/AU	0.255CBM/1PC	55KG (121.3LB)
17727EU	Europe	0.338CBM/1SET	69.7KG (153.6LB)
17727FR	France	0.338CBM/1SET	69.7KG (153.6LB)
17727DE	Germany	0.338CBM/1SET	70.5KG (155LB)
17727RU	Russia	0.338CBM/1SET	69.7KG (153.6LB)
17727CH	Switzerland	0.338CBM/1SET	69.7KG (153.6LB)
17727GB	UK	0.338CBM/1SET	69.7KG (153.6LB)
17727IL	Israel	0.338CBM/1SET	69.7KG (153.6LB)
17727BR	Brazil	0.338CBM/1SET	69.7KG (153.6LB)
17778US	USA	0.338CBM/1SET	68KG (149.9LB)
17778CA	Canada	0.338CBM/1SET	68KG (149.9LB)
17778AU	Australia	0.338CBM/1SET	68KG (149.9LB)

 FILTER PUMP	 VOLTAGE	 FILTER	 LADDER
-	-	-	-
29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R150
29P415FR (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R150
29P415DE (530Gal/H 2006L/H)	12V	290588 / M Included in the pump	29R150
29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R146-1
29P415CH (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R150
29P415GB (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R150
29P415IL (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R146-1
29P415BR (530Gal/H 2006L/H)	227V	290588 / M Included in the pump	29R146-1
29P415US (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump	29R146-1
29P415CA (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump	29R146-1
29P415AU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R146-1

4.0m x 2.07m x 1.22m (13' x 6.8' x 48")

WATER CAPACITY(90%): 2343GAL(8870L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17727-1EU	Europe	0.41CBM/1SET	73.8KG (162.7LB)
17727-1FR	France	0.41CBM/1SET	73.8KG (162.7LB)
17727-1DE	Germany	0.41CBM/1SET	75.4KG (166.2LB)
17727-1RU	Russia	0.41CBM/1SET	75.4KG (166.2LB)
17727-1CH	Switzerland	0.41CBM/1SET	73.8KG (162.7LB)
17727-1GB	UK	0.41CBM/1SET	73.8KG (162.7LB)
17727-1IL	Israel	0.41CBM/1SET	73.8KG (162.7LB)
17778-1US	USA	0.41CBM/1SET	75.4KG (166.2LB)

 SAND FILTER	 VOLTAGE	 FILTER	 LADDER
290729EU (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	29R150
290729FR (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	29R150
290729DE (800Gal/H 3028L/H)	12V	Sand not included in the pump	29R150
290729EU (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	29R146-1
290729CH (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	29R150
290729GB (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	29R150
290729IL (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	29R146-1
290729US (800Gal/H 3028L/H)	110V-120V	Sand not included in the pump	29R146-1



U Frame-supported Wall



LamTech Material



30 Min Quick Installation



Repair Kit



No Tools Required



Anti-corrosion Tech

Frame™  
Rectangular



OPTIONAL ACCESSORIES on P58-76



Frame™  
Oval



Inflatable Ring With U Frame



LamTech Material



30 Min Quick Installation




Repair Kit



No Tools Required



Anti-corrosion Tech



Ground Cloth



Cover









OPTIONAL ACCESSORIES on P58-76









5.40m x 3.04m x 1.06m (18' x 10' x 42'')  
WATER CAPACITY(80%): 2876GAL(10886L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17449	Global (US/CA/AU Excluded)	0.178CBM/1PC	40.6KG (89.5LB)
17569	US/CA/AU	0.178CBM/1PC	40.6KG (89.5LB)
17449EU	Europe	0.251CBM/1SET	48.4KG (106.5LB)
17449FR	France	0.251CBM/1SET	48.4KG (106.5LB)
17449DE	Germany	0.251CBM/1SET	49KG (107.8LB)
17449RU	Russia	0.251CBM/1SET	48.4KG (106.5LB)
17449CH	Switzerland	0.251CBM/1SET	48.4KG (106.5LB)
17449GB	UK	0.251CBM/1SET	48.4KG (106.5LB)
17449IL	Israel	0.251CBM/1SET	48.4KG (106.5LB)
17449BR	Brazil	0.251CBM/1SET	48.4KG (106.5LB)
17569US	USA	0.251CBM/1SET	48.4KG (106.5LB)
17569CA	Canada	0.251CBM/1SET	48.4KG (106.5LB)
17569AU	Australia	0.251CBM/1SET	48.4KG (106.5LB)

 FILTER PUMP	 VOLTAGE	 FILTER	 COVER	 GROUND CLOTH	 LADDER
-	-	-	-	-	-
29P416EU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	17241V01	17242V01	29R149
29P416FR (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	17241V01	17242V01	29R149
29P416DE (800Gal/H 3028L/H)	12V	290588 / M Included in the pump	17241V01	17242V01	29R149
29P416EU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	17241V01	17242V01	29R145-1
29P416CH (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	17241V01	17242V01	29R149
29P416GB (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	17241V01	17242V01	29R149
29P416IL (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	17241V01	17242V01	29R145-1
29P416BR (800Gal/H 3028L/H)	227V	290588 / M Included in the pump	17241V01	17242V01	29R145-1
29P416US (800Gal/H 3028L/H)	110V-120V	290589 / L Included in the pump	17241V01	17242V01	29R145-1
29P416CA (800Gal/H 3028L/H)	110V-120V	290589 / L Included in the pump	17241V01	17242V01	29R145-1
29P416AU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	17241V01	17242V01	29R145-1







5.40m x 3.04m x 1.06m (18' x 10' x 42'')  
WATER CAPACITY(80%): 2876GAL(10886L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17449-1EU	Europe	0.315CBM/1SET	51.2KG (112.6LB)
17449-1FR	France	0.315CBM/1SET	51.2KG (112.6LB)
17449-1DE	Germany	0.315CBM/1SET	51.2KG (112.6LB)
17449-1RU	Russia	0.315CBM/1SET	51.2KG (112.6LB)
17449-1CH	Switzerland	0.315CBM/1SET	51.2KG (112.6LB)
17449-1GB	UK	0.315CBM/1SET	51.2KG (112.6LB)
17449-1IL	Israel	0.315CBM/1SET	51.2KG (112.6LB)
17569-1US	USA	0.315CBM/1SET	51.2KG (112.6LB)







 SAND FILTER	 VOLTAGE	 FILTER	 COVER	 GROUND CLOTH	 LADDER
290729EU (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	17241V01	17242V01	29R149
290729FR (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	17241V01	17242V01	29R149
290729DE (800Gal/H 3028L/H)	12V	Sand not included in the pump	17241V01	17242V01	29R149
290729EU (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	17241V01	17242V01	29R145-1
290729CH (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	17241V01	17242V01	29R149
290729GB (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	17241V01	17242V01	29R149
290729IL (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	17241V01	17242V01	29R145-1
290729US (800Gal/H 3028L/H)	110V-120V	Sand not included in the pump	17241V01	17242V01	29R145-1




6.10m x 3.60m x 1.22m (20' x 12' x 48")  
WATER CAPACITY(80%): 4372GAL(16548L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT	 FILTER PUMP	 VOLTAGE	 FILTER	 COVER	 GROUND CLOTH	 LADDER
17023EU	Europe	0.393CBM/1SET	73KG (101LB)	29P416EU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16115-1V01	16109-1V01	29R150
17023FR	France	0.393CBM/1SET	73KG (101LB)	29P416FR (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16115-1V01	16109-1V01	29R150
17023DE	Germany	0.393CBM/1SET	73KG (101LB)	29P416DE (800Gal/H 3028L/H)	12V	290588 / M Included in the pump	16115-1V01	16109-1V01	29R150
17023RU	Russia	0.393CBM/1SET	73KG (101LB)	29P416EU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16115-1V01	16109-1V01	29R146-1
17023CH	Switzerland	0.393CBM/1SET	73KG (101LB)	29P416CH (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16115-1V01	16109-1V01	29R150
17023GB	UK	0.393CBM/1SET	73KG (101LB)	29P416GB (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16115-1V01	16109-1V01	29R150
17023IL	Israel	0.393CBM/1SET	73KG (101LB)	29P416IL (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16115-1V01	16109-1V01	29R146-1
17023BR	Brazil	0.393CBM/1SET	73KG (101LB)	29P416BR (800Gal/H 3028L/H)	227V	290588 / M Included in the pump	16115-1V01	16109-1V01	29R146-1
17570US	USA	0.393CBM/1SET	73KG (101LB)	29P416US (800Gal/H 3028L/H)	110V-120V	290589 / L Included in the pump	16115-1V01	16109-1V01	29R146-1
17570CA	Canada	0.393CBM/1SET	73KG (101LB)	29P416CA (800Gal/H 3028L/H)	110V-120V	290589 / L Included in the pump	16115-1V01	16109-1V01	29R146-1
17570AU	Australia	0.393CBM/1SET	73KG (101LB)	29P416AU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	16115-1V01	16109-1V01	29R146-1

6.10m x 3.60m x 1.22m (20' x 12' x 48")  
WATER CAPACITY(80%): 4372GAL(16548L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT	 SAND FILTER	 VOLTAGE	 FILTER	 COVER	 GROUND CLOTH	 LADDER
17023-1EU	Europe	1SET,2CTNS:0.247CBM/0.232CBM	87.3KG (192.4LB)	290729EU (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	16115-1V01	16109-1V01	29R150
17023-1FR	France	1SET,2CTNS:0.247CBM/0.232CBM	87.3KG (192.4LB)	290729FR (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	16115-1V01	16109-1V01	29R150
17023-1DE	Germany	1SET,2CTNS:0.247CBM/0.232CBM	87.3KG (192.4LB)	290729DE (800Gal/H 3028L/H)	12V	Sand not included in the pump	16115-1V01	16109-1V01	29R150
17023-1RU	Russia	1SET,2CTNS:0.247CBM/0.232CBM	87.3KG (192.4LB)	290729EU (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	16115-1V01	16109-1V01	29R146-1
17023-1CH	Switzerland	1SET,2CTNS:0.247CBM/0.232CBM	87.3KG (192.4LB)	290729CH (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	16115-1V01	16109-1V01	29R150
17023-1GB	UK	1SET,2CTNS:0.247CBM/0.232CBM	87.3KG (192.4LB)	290729GB (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	16115-1V01	16109-1V01	29R150
17023-1IL	Israel	1SET,2CTNS:0.247CBM/0.232CBM	87.3KG (192.4LB)	290729IL (800Gal/H 3028L/H)	220-240V	Sand not included in the pump	16115-1V01	16109-1V01	29R146-1
17570-1US	USA	1SET,2CTNS:0.247CBM/0.232CBM	87.3KG (192.4LB)	290729US (800Gal/H 3028L/H)	110V-120V	Sand not included in the pump	16115-1V01	16109-1V01	29R146-1




Frame™  
Oval



OPTIONAL ACCESSORIES on P58-76



Frame™  
Oval



U Frame-supported Wall



LamTech Material



30 Min Quick Installation



Repair Kit



No Tools Required



Anti-corrosion Tech



OPTIONAL ACCESSORIES on P58-76

4.27m x 2.75m x 1.0m (14' x 9' x 39.5")

WATER CAPACITY(90%): 2133Gal(8073L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
12024	Global (US/CA/AU Excluded)	0.211CBM/1PC	44.22KG (97.46LB)
12046	US/CA/AU	0.211CBM/1PC	44.22KG (97.46LB)
12024EU	Europe	0.330CBM/1SET	56.96KG (125.54LB)
12024FR	France	0.330CBM/1SET	56.96KG (125.54LB)
12024DE	Germany	0.330CBM/1SET	57.5KG (126.5LB)
12024RU	Russia	0.330CBM/1SET	56.96KG (125.54LB)
12024CH	Switzerland	0.330CBM/1SET	56.96KG (125.54LB)
12024GB	UK	0.330CBM/1SET	56.96KG (125.54LB)
12024IL	Israel	0.330CBM/1SET	56.96KG (125.54LB)
12024BR	Brazil	0.330CBM/1SET	56.96KG (125.54LB)
12046US	USA	0.330CBM/1SET	56.96KG (125.54LB)
12046CA	Canada	0.330CBM/1SET	56.96KG (125.54LB)
12046AU	Australia	0.330CBM/1SET	56.96KG (125.54LB)



FILTER PUMP



VOLTAGE



FILTER



LADDER

-	-	-	-
-	-	-	-
29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R149
29P415FR (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R149
29P415DE (530Gal/H 2006L/H)	12V	290588 / M Included in the pump	29R149
29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R145-1
29P415CH (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R149
29P415GB (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R149
29P415IL (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R145-1
29P415BR (530Gal/H 2006L/H)	227V	290588 / M Included in the pump	29R145-1
29P415US (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump	29R145-1
29P415CA (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump	29R145-1
29P415AU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R145-1





# Frame Plus™


- Easy and fast installation without tools
- Anti-corrosion Tech steel frames
- Heavy duty LamTech Material wall provides lasting durability
- Various sizes pool sets with accessories available
- Ideal for swimming learners and make efficient use of any outdoor space
- Easy storage and space saving, movable and convenient
- The pool with printing can be a decoration, makes your garden more fashion and beautiful.



T-connector Pro  
Higher strength



Trigonal Lock System  
Faster and easier to  
install



Oval Steel  
Sturdy, Durable

# 04





Frame Plus™

Round



I Frame-supported Wall



LamTech Material



30 Min Quick Installation



Repair kit



No Tools Required



Anti-corrosion Tech



Trigonal Lock System



Oval Steel



3.05m x 76cm (10' x 30")

WATER CAPACITY(90%): 1235GAL(4672L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
12015	Global (US/CA/AU Excluded)	0.076CBM/1PC	20KG [44LB]
12039	US/CA/AU	0.076CBM/1PC	20KG [44LB]
12015EU	Europe	0.100CBM/1SET	21.5KG [47.3LB]
12015FR	France	0.100CBM/1SET	21.5KG [47.3LB]
12015DE	Germany	0.100CBM/1SET	22KG [48.4LB]
12015CH	Switzerland	0.100CBM/1SET	21.5KG [47.3LB]
12015GB	UK	0.100CBM/1SET	21.5KG [47.3LB]
12015IL	Israel	0.100CBM/1SET	21.5KG [47.3LB]
12015BR	Brazil	0.100CBM/1SET	21.5KG [47.3LB]
12039US	USA	0.100CBM/1SET	21.5KG [47.3LB]
12039CA	Canada	0.100CBM/1SET	21.5KG [47.3LB]
12039AU	Australia	0.100CBM/1SET	21.5KG [47.3LB]



FILTER PUMP



VOLTAGE



FILTER

-	-	-
-	-	-
29P414EU (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414FR (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414DE (300Gal/H 1136L/H)	12V	29P481 / S Included in the pump
29P414CH (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414GB (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414IL (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414BR (300Gal/H 1136L/H)	227V	29P481 / S Included in the pump
29P414US (300Gal/H 1136L/H)	110V-120V	29P481 / S Included in the pump
29P414CA (300Gal/H 1136L/H)	110V-120V	29P481 / S Included in the pump
29P414AU (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump

3.66m x 76cm (12' x 30")

WATER CAPACITY(90%): 1786GAL(6765L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
12016	Global (US/CA/AU Excluded)	0.085CBM/1PC	23.5KG [51.7LB]
12040	US/CA/AU	0.085CBM/1PC	23.5KG [51.7LB]
12016EU	Europe	0.139CBM/1SET	25.5KG [56.1LB]
12016FR	France	0.139CBM/1SET	25.5KG [56.1LB]
12016DE	Germany	0.139CBM/1SET	26KG [57.2LB]
12016CH	Switzerland	0.139CBM/1SET	25.5KG [56.1LB]
12016GB	UK	0.139CBM/1SET	25.5KG [56.1LB]
12016IL	Israel	0.139CBM/1SET	25.5KG [56.1LB]
12016BR	Brazil	0.139CBM/1SET	25.5KG [56.1LB]
12040US	USA	0.139CBM/1SET	25.5KG [56.1LB]
12040CA	Canada	0.139CBM/1SET	25.5KG [56.1LB]
12040AU	Australia	0.139CBM/1SET	25.5KG [56.1LB]



FILTER PUMP



VOLTAGE



FILTER

-	-	-
-	-	-
29P414EU (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414FR (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414DE (300Gal/H 1136L/H)	12V	29P481 / S Included in the pump
29P414CH (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414GB (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414IL (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump
29P414BR (300Gal/H 1136L/H)	227V	29P481 / S Included in the pump
29P414US (300Gal/H 1136L/H)	110V-120V	29P481 / S Included in the pump
29P414CA (300Gal/H 1136L/H)	110V-120V	29P481 / S Included in the pump
29P414AU (300Gal/H 1136L/H)	220-240V	29P481 / S Included in the pump



4.27m x 84cm (14' x 33")

WATER CAPACITY(90%): 2859GAL(10825L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
12022	Global (US/CA/AU Excluded)	0.141CBM/1PC	36.36KG (80.13LB)
12041	US/CA/AU	0.141CBM/1PC	36.36KG (80.13LB)
12022EU	Europe	0.167CBM/1SET	38.6KG (85.07LB)
12022FR	France	0.167CBM/1SET	38.6KG (85.07LB)
12022DE	Germany	0.167CBM/1SET	38.6KG (85.07LB)
12022CH	Switzerland	0.167CBM/1SET	38.6KG (85.07LB)
12022GB	UK	0.167CBM/1SET	38.6KG (85.07LB)
12022IL	Israel	0.167CBM/1SET	38.6KG (85.07LB)
12022BR	Brazil	0.167CBM/1SET	38.6KG (85.07LB)
12041US	USA	0.167CBM/1SET	38.6KG (85.07LB)
12041CA	Canada	0.167CBM/1SET	38.6KG (85.07LB)
12041AU	Australia	0.167CBM/1SET	38.6KG (85.07LB)



FILTER PUMP



VOLTAGE



FILTER

-	-	-
-	-	-
29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415FR (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415DE (530Gal/H 2006L/H)	12V	290588 / M Included in the pump
29P415CH (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415GB (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415IL (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415BR (530Gal/H 2006L/H)	227V	290588 / M Included in the pump
29P415US (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump
29P415CA (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump
29P415AU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump

4.57m x 84cm (15' x 33")

WATER CAPACITY(90%): 3275GAL(12400L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
12023	Global (US/CA/AU Excluded)	0.162CBM/1PC	38.45KG (84.75LB)
12042	US/CA/AU	0.162CBM/1PC	38.45KG (84.75LB)
12023EU	Europe	0.178CBM/1SET	40.6KG (89.48LB)
12023FR	France	0.178CBM/1SET	40.6KG (89.48LB)
12023DE	Germany	0.178CBM/1SET	40.6KG (89.48LB)
12023CH	Switzerland	0.178CBM/1SET	40.6KG (89.48LB)
12023GB	UK	0.178CBM/1SET	40.6KG (89.48LB)
12023IL	Israel	0.178CBM/1SET	40.6KG (89.48LB)
12023BR	Brazil	0.178CBM/1SET	40.6KG (89.48LB)
12042US	USA	0.178CBM/1SET	40.6KG (89.48LB)
12042CA	Canada	0.178CBM/1SET	40.6KG (89.48LB)
12042AU	Australia	0.178CBM/1SET	40.6KG (89.48LB)



FILTER PUMP



VOLTAGE



FILTER

-	-	-
-	-	-
29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415FR (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415DE (530Gal/H 2006L/H)	12V	290588 / M Included in the pump
29P415CH (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415GB (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415IL (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump
29P415BR (530Gal/H 2006L/H)	227V	290588 / M Included in the pump
29P415US (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump
29P415CA (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump
29P415AU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump



I Frame-supported Wall



LamTech Material



30 Min Quick Installation



Repair kit



No Tools Required



Anti-corrosion Tech



Trigonal Lock System



Oval Steel

Frame Plus™  
Round





Frame Plus™

Rectangular



U Frame-supported Wall



LamTech Material



30 Min Quick Installation



Repair Kit



No Tools Required



Anti-corrosion Tech



Oval Steel





OPTIONAL ACCESSORIES on P58-76

4.0m x 2.0m x 99cm (13'x6.5'x39")

WATER CAPACITY(90%): 1854Gal(7020L)


ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17823EU	Europe	1SET,2CTNS:0.260CBM/0.216CBM	85KG (187LB)
17823FR	France	1SET,2CTNS:0.260CBM/0.216CBM	85KG (187LB)
17823DE	Germany	1SET,2CTNS:0.260CBM/0.216CBM	85KG (187LB)
17823RU	Russia	1SET,2CTNS:0.260CBM/0.216CBM	85KG (187LB)
17823CH	Switzerland	1SET,2CTNS:0.260CBM/0.216CBM	85KG (187LB)
17823GB	UK	1SET,2CTNS:0.260CBM/0.216CBM	85KG (187LB)
17823IL	Israel	1SET,2CTNS:0.260CBM/0.216CBM	85KG (187LB)
17823BR	Brazil	1SET,2CTNS:0.260CBM/0.216CBM	85KG (187LB)
12047US	USA	1SET,2CTNS:0.260CBM/0.216CBM	85KG (187LB)
12047CA	Canada	1SET,2CTNS:0.260CBM/0.216CBM	85KG (187LB)
12047AU	Australia	1SET,2CTNS:0.260CBM/0.216CBM	85KG (187LB)

 FILTER PUMP	 VOLTAGE	 FILTER	 LADDER
29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R149
29P415FR (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R149
29P415DE (530Gal/H 2006L/H)	12V	290588 / M Included in the pump	29R149
29P415EU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R145-1
29P415CH (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R149
29P415GB (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R149
29P415IL (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R145-1
29P415BR (530Gal/H 2006L/H)	227V	290588 / M Included in the pump	29R145-1
29P415US (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump	29R145-1
29P415CA (530Gal/H 2006L/H)	110V-120V	290589 / L Included in the pump	29R145-1
29P415AU (530Gal/H 2006L/H)	220-240V	290588 / M Included in the pump	29R145-1

5.4m x 2.5m x 1m (18'x8.2'x 39.5")

WATER CAPACITY(90%): 2922Gal(11060L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17824EU	Europe	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
17824FR	France	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
17824DE	Germany	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
17824RU	Russia	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
17824CH	Switzerland	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
17824GB	UK	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
17824IL	Israel	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
17824BR	Brazil	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
17833US	USA	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
17833CA	Canada	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
17833AU	Australia	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)

 FILTER PUMP	 VOLTAGE	 FILTER	 LADDER
29P416EU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R149
29P416FR (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R149
29P416DE (800Gal/H 3028L/H)	12V	290588 / M Included in the pump	29R149
29P416EU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R145-1
29P416CH (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R149
29P416GB (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R149
29P416IL (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R145-1
29P416BR (800Gal/H 3028L/H)	227V	290588 / M Included in the pump	29R145-1
29P416US (800Gal/H 3028L/H)	110V-120V	290589 / L Included in the pump	29R145-1
29P416CA (800Gal/H 3028L/H)	110V-120V	290589 / L Included in the pump	29R145-1
29P416AU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R145-1



# Frame Plus™ Rectangular



U Frame-supported Wall



LamTech Material



30 Min Quick Installation




Repair Kit



No Tools Required



Anti-corrosion Tech



Oval Steel







OPTIONAL ACCESSORIES on P58-76



## 5.4m x 2.5m x 1m (18'x8.2'x 39.5")

WATER CAPACITY(90%): 2922Gal(11060L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
12018EU	Europe	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
12018FR	France	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
12018DE	Germany	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
12018RU	Russia	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
12018CH	Switzerland	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
12018GB	UK	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
12018IL	Israel	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
12018BR	Brazil	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
12045US	USA	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
12045CA	Canada	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)
12045AU	Australia	1SET,2CTNS:0.325CBM/0.250CBM	104KG (229LB)

 FILTER PUMP	 VOLTAGE	 FILTER	 LADDER
29P416EU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R149
29P416FR (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R149
29P416DE (800Gal/H 3028L/H)	12V	290588 / M Included in the pump	29R149
29P416EU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R145-1
29P416CH (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R149
29P416GB (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R149
29P416IL (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R145-1
29P416BR (800Gal/H 3028L/H)	227V	290588 / M Included in the pump	29R145-1
29P416US (800Gal/H 3028L/H)	110V-120V	290589 / L Included in the pump	29R145-1
29P416CA (800Gal/H 3028L/H)	110V-120V	290589 / L Included in the pump	29R145-1
29P416AU (800Gal/H 3028L/H)	220-240V	290588 / M Included in the pump	29R145-1



# Frame Plus™ Rectangular



U Frame-supported Wall



LamTech Material



30 Min Quick Installation



Repair Kit



No Tools Required



Anti-corrosion Tech



Oval Steel



OPTIONAL ACCESSORIES on P58-76



## 5.49m x 3.05m x 1.22m (18'x10'x 48")

WATER CAPACITY(90%): 4000Gal(15120L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17728EU	Europe	1SET,2CTNS:0.353CBM/0.159CBM	112KG (246.8LB)
17728FR	France	1SET,2CTNS:0.353CBM/0.159CBM	112KG (246.8LB)
17728DE	Germany	1SET,2CTNS:0.353CBM/0.159CBM	112KG (246.8LB)
17728RU	Russia	1SET,2CTNS:0.353CBM/0.159CBM	112KG (246.8LB)
17728CH	Switzerland	1SET,2CTNS:0.353CBM/0.159CBM	112KG (246.8LB)
17728GB	UK	1SET,2CTNS:0.353CBM/0.159CBM	112KG (246.8LB)
17728IL	Israel	1SET,2CTNS:0.353CBM/0.159CBM	112KG (246.8LB)
17728BR	Brazil	1SET,2CTNS:0.353CBM/0.159CBM	112KG (246.8LB)
17776US	USA	1SET,2CTNS:0.353CBM/0.159CBM	112KG (246.8LB)
17776CA	Canada	1SET,2CTNS:0.353CBM/0.159CBM	112KG (246.8LB)
17776AU	Australia	1SET,2CTNS:0.353CBM/0.159CBM	112KG (246.8LB)

## 5.49m x 3.05m x 1.22m (18'x10'x 48")

WATER CAPACITY(90%): 4000Gal(15120L)

ITEM NO.	TYPE	CASE PACK	TOTAL WEIGHT
17728-1EU	Europe	1SET,2CTNS:0.353CBM/0.232CBM	119KG (262.3LB)
17728-1FR	France	1SET,2CTNS:0.353CBM/0.232CBM	119KG (262.3LB)
17728-1DE	Germany	1SET,2CTNS:0.353CBM/0.232CBM	119KG (262.3LB)
17728-1RU	Russia	1SET,2CTNS:0.353CBM/0.232CBM	119KG (262.3LB)
17728-1CH	Switzerland	1SET,2CTNS:0.353CBM/0.232CBM	119KG (262.3LB)
17728-1GB	UK	1SET,2CTNS:0.353CBM/0.232CBM	119KG (262.3LB)
17728-1IL	Israel	1SET,2CTNS:0.353CBM/0.232CBM	119KG (262.3LB)
17776-1US	USA	1SET,2CTNS:0.353CBM/0.232CBM	119KG (262.3LB)



FILTER PUMP



VOLTAGE



FILTER



COVER



GROUND CLOTH



LADDER

29P417EU (1000Gal/H 3785L/H)	220-240V	290589 / L Included in the pump
29P417FR (1000Gal/H 3785L/H)	220-240V	290589 / L Included in the pump
29P417DE (1000Gal/H 3785L/H)	12V	290589 / L Included in the pump
29P417EU (1000Gal/H 3785L/H)	220-240V	290589 / L Included in the pump
29P417CH (1000Gal/H 3785L/H)	220-240V	290589 / L Included in the pump
29P417GB (1000Gal/H 3785L/H)	220-240V	290589 / L Included in the pump
29P417IL (1000Gal/H 3785L/H)	220-240V	290589 / L Included in the pump
29P417BR (1000Gal/H 3785L/H)	227V	290589 / L Included in the pump
29P417US (1000Gal/H 3785L/H)	110V-120V	290589 / L Included in the pump
29P417CA (1000Gal/H 3785L/H)	110V-120V	290589 / L Included in the pump
29P417AU (1000Gal/H 3785L/H)	220-240V	290589 / L Included in the pump

17510	17511	29R150
17510	17511	29R150
17510	17511	29R150
17510	17511	29R146-1
17510	17511	29R150
17510	17511	29R150
17510	17511	29R146-1
17510	17511	29R146-1
17510	17511	29R146-1
17510	17511	29R146-1
17510	17511	29R146-1



SAND FILTER



VOLTAGE



FILTER



COVER



GROUND CLOTH



LADDER

290730EU (1000Gal/H 3785L/H)	220-240V	Sand not included in the pump
290730FR (1000Gal/H 3785L/H)	220-240V	Sand not included in the pump
290730DE (1000Gal/H 3785L/H)	12V	Sand not included in the pump
290730EU (1000Gal/H 3785L/H)	220-240V	Sand not included in the pump
290730CH (1000Gal/H 3785L/H)	220-240V	Sand not included in the pump
290730GB (1000Gal/H 3785L/H)	220-240V	Sand not included in the pump
290730IL (1000Gal/H 3785L/H)	220-240V	Sand not included in the pump
290730US (1000Gal/H 3785L/H)	110V-120V	Sand not included in the pump

17510	17511	29R150
17510	17511	29R150
17510	17511	29R150
17510	17511	29R146-1
17510	17511	29R150
17510	17511	29R150
17510	17511	29R146-1
17510	17511	29R146-1




# Pool Accessories

05

## SAND PUMP


- Durable and corrosion-proof filter tank
- Easy operated by 6-position valve
- Flange clamp allows 360-degree rotation for easy installation
- Including pressure gauge, easy read and control
- No sand is included
- Sand specification required: silica sand, 0.7-1.25mm, approximately 20KGS
- Color box



6-position valve

Pool Water Outlet Valve

Pool Water Intake Valve



Control Valve

Filtration Tank


Pump Motor

**CleanPlus™**






SAND PUMP - 800gal (3028L)


ITEM NO.	WATER FLOW	 VOLTAGE	LEAKAGE PROTECTOR	APPROVED	PACKAGE	REMARK
290729US	800gal (1136L)	110-120V	GFCI	cETLus	0.059cbm/1pcs/ctn	USA
290729EU	800gal (1136L)	220-240V	/	CE	0.059cbm/1pcs/ctn	EU
290729FR	800gal (1136L)	220-240V	/	CE	0.059cbm/1pcs/ctn	France
290729DE	800gal (1136L)	12V	/	GS	0.059cbm/1pcs/ctn	Germany
290729CH	800gal (1136L)	220-240V	/	CE	0.059cbm/1pcs/ctn	Switzerland
290729GB	800gal (1136L)	220-240V	/	CE	0.059cbm/1pcs/ctn	UK
290729IL	800gal (1136L)	220-240V	/	CE	0.059cbm/1pcs/ctn	Israel

SAND PUMP - 1000gal (3785L)

ITEM NO.	WATER FLOW	 VOLTAGE	LEAKAGE PROTECTOR	APPROVED	PACKAGE	REMARK
290730US	1000gal(3785L)	110-120V	GFCI	cETLus	0.059cbm/1pcs/ctn	USA
290730EU	1000gal(3785L)	220-240V	/	CE	0.059cbm/1pcs/ctn	EU
290730FR	1000gal(3785L)	220-240V	/	CE	0.059cbm/1pcs/ctn	France
290730DE	1000gal(3785L)	12V	/	GS	0.059cbm/1pcs/ctn	Germany
290730CH	1000gal(3785L)	220-240V	/	CE	0.059cbm/1pcs/ctn	Switzerland
290730GB	1000gal(3785L)	220-240V	/	CE	0.059cbm/1pcs/ctn	UK
290730IL	1000gal(3785L)	220-240V	/	CE	0.059cbm/1pcs/ctn	Israel



SAND PUMP - 1800gal(6813L)

ITEM NO.	WATER FLOW	 VOLTAGE	LEAKAGE PROTECTOR	APPROVED	PACKAGE	REMARK
290732US	1800gal(6813L)	110-120V	GFCI	cETLus	0.096cbm/1pcs/ctn	USA
290732EU	1800gal(6813L)	220-240V	/	CE	0.096cbm/1pcs/ctn	EU
290732FR	1800gal(6813L)	220-240V	/	CE	0.096cbm/1pcs/ctn	France
290732GB	1800gal(6813L)	220-240V	/	CE	0.096cbm/1pcs/ctn	UK
290732IL	1800gal(6813L)	220-240V	/	CE	0.096cbm/1pcs/ctn	Israel

Fiber Ball Filter (Sand Substitution)

290854



- 100% recycle PET, non-toxic
- Suitable for all sand filter pumps
- Low weight for easy handling and carry
- Can reach the higher flow rate and better filtration efficiency
- Easy to wash and with a longer life
- 0.9lbs/400g Avenli fiber ball filter can replace 15Kg sand
- Contents: 0.9Lbs/400g
- Case pack: 0.094cbm/8pcs/ctn







- 32mm hoses included
- Colour box



FILTER PUMP - 300gal (1136L)

ITEM NO.	WATER FLOW	 VOLTAGE	LEAKAGE PROTECTOR	APPROVED	PACKAGE	REMARK	 FILTER
29P414US	300gal [1136L]/hour	110-120V	GFCI	cETLus	3PCS/1CTN	USA	29P481 / <b>S</b> Included in the pump
29P414EU	300gal [1136L]/hour	220-240V	/	CE	3PCS/1CTN	EU	29P481 / <b>S</b> Included in the pump
29P414FR	300gal [1136L]/hour	220-240V	/	CE	3PCS/1CTN	France	29P481 / <b>S</b> Included in the pump
29P414DE	300gal [1136L]/hour	12V	/	GS	3PCS/1CTN	Germany	29P481 / <b>S</b> Included in the pump
29P414CH	300gal [1136L]/hour	220-240V	/	CE	3PCS/1CTN	Switzerland	29P481 / <b>S</b> Included in the pump
29P414GB	300gal [1136L]/hour	220-240V	/	CE	3PCS/1CTN	UK	29P481 / <b>S</b> Included in the pump
29P414IL	300gal [1136L]/hour	220-240V	/	CE	3PCS/1CTN	Israel	29P481 / <b>S</b> Included in the pump
29P414BR	300gal [1136L]/hour	227V	/	CE	3PCS/1CTN	Brazil	29P481 / <b>S</b> Included in the pump
29P414CA	300gal [1136L]/hour	110-120V	GFCI	cETLus	3PCS/1CTN	Canada	29P481 / <b>S</b> Included in the pump
29P414AU	300gal [1136L]/hour	220-240V	/	SAA	3PCS/1CTN	Australia	29P481 / <b>S</b> Included in the pump



FILTER PUMP - 530gal (2006L)

ITEM NO.	WATER FLOW	 VOLTAGE	LEAKAGE PROTECTOR	APPROVED	PACKAGE	REMARK	 FILTER
29P415EU	530gal [2006L]/hour	220-240V	/	CE	3PCS/1CTN	EU	290588 / <b>M</b> Included in the pump
29P415FR	530gal [2006L]/hour	220-240V	/	CE	3PCS/1CTN	France	290588 / <b>M</b> Included in the pump
29P415DE	530gal [2006L]/hour	12V	/	GS	3PCS/1CTN	Germany	290588 / <b>M</b> Included in the pump
29P415CH	530gal [2006L]/hour	220-240V	/	CE	3PCS/1CTN	Switzerland	290588 / <b>M</b> Included in the pump
29P415GB	530gal [2006L]/hour	220-240V	/	CE	3PCS/1CTN	UK	290588 / <b>M</b> Included in the pump
29P415IL	530gal [2006L]/hour	220-240V	/	CE	3PCS/1CTN	Israel	290588 / <b>M</b> Included in the pump
29P415BR	530gal [2006L]/hour	227V	/	CE	3PCS/1CTN	Brazil	290588 / <b>M</b> Included in the pump
29P415AU	530gal [2006L]/hour	220-240V	/	SAA	3PCS/1CTN	Australia	290588 / <b>M</b> Included in the pump



FILTER PUMP - 530gal (2006L)

ITEM NO.	WATER FLOW	 VOLTAGE	LEAKAGE PROTECTOR	APPROVED	PACKAGE	REMARK	 FILTER
29P415US	530gal [2006L]/hour	110-120V	GFCI	cETLus	3PCS/1CTN	USA	290589 / <b>L</b> Included in the pump
29P415CA	530gal [2006L]/hour	110-120V	/	cETLus	3PCS/1CTN	Canada	290589 / <b>L</b> Included in the pump



FILTER PUMP - 800gal (3028L)

ITEM NO.	WATER FLOW	 VOLTAGE	LEAKAGE PROTECTOR	APPROVED	PACKAGE	REMARK	 FILTER
29P416EU	800gal [3028L]/hour	220-240V	/	CE	3PCS/1CTN	EU	290588 / <b>M</b> Included in the pump
29P416FR	800gal [3028L]/hour	220-240V	/	CE	3PCS/1CTN	France	290588 / <b>M</b> Included in the pump
29P416DE	800gal [3028L]/hour	12V	/	GS	3PCS/1CTN	Germany	290588 / <b>M</b> Included in the pump
29P416CH	800gal [3028L]/hour	220-240V	/	CE	3PCS/1CTN	Switzerland	290588 / <b>M</b> Included in the pump
29P416GB	800gal [3028L]/hour	220-240V	/	CE	3PCS/1CTN	UK	290588 / <b>M</b> Included in the pump
29P416IL	800gal [3028L]/hour	220-240V	/	CE	3PCS/1CTN	Israel	290588 / <b>M</b> Included in the pump
29P416BR	800gal [3028L]/hour	227V	/	CE	3PCS/1CTN	Brazil	290588 / <b>M</b> Included in the pump
29P416AU	800gal [3028L]/hour	220-240V	/	SAA	3PCS/1CTN	Australia	290588 / <b>M</b> Included in the pump

FILTER PUMP - 800gal (3028L)







ITEM NO.	WATER FLOW	 VOLTAGE	LEAKAGE PROTECTOR	APPROVED	PACKAGE	REMARK	 FILTER
29P416US	800gal [3028L]/hour	110-120V	GFCI	cETLus	3PCS/1CTN	USA	290589 / <b>L</b> Included in the pump
29P416CA	800gal [3028L]/hour	110-120V	/	cETLus	3PCS/1CTN	Canada	290589 / <b>L</b> Included in the pump

FILTER PUMP - 1000gal (3785L)

ITEM NO.	WATER FLOW	 VOLTAGE	LEAKAGE PROTECTOR	APPROVED	PACKAGE	REMARK	 FILTER
29P417US	1000gal [3785L]/hour	110-120V	GFCI	cETLus	3PCS/1CTN	USA	290589 / <b>L</b> Included in the pump
29P417EU	1000gal [3785L]/hour	220-240V	/	CE	3PCS/1CTN	EU	290589 / <b>L</b> Included in the pump
29P417FR	1000gal [3785L]/hour	220-240V	/	CE	3PCS/1CTN	France	290589 / <b>L</b> Included in the pump
29P417DE	1000gal [3785L]/hour	12V	/	GS	3PCS/1CTN	Germany	290589 / <b>L</b> Included in the pump
29P417CH	1000gal [3785L]/hour	220-240V	/	CE	3PCS/1CTN	Switzerland	290589 / <b>L</b> Included in the pump
29P417GB	1000gal [3785L]/hour	220-240V	/	CE	3PCS/1CTN	UK	290589 / <b>L</b> Included in the pump
29P417IL	1000gal [3785L]/hour	220-240V	/	CE	3PCS/1CTN	Israel	290589 / <b>L</b> Included in the pump
29P417BR	1000gal [3785L]/hour	227V	/	CE	3PCS/1CTN	Brazil	290589 / <b>L</b> Included in the pump
29P417CA	1000gal [3785L]/hour	110-120V	/	cETLus	3PCS/1CTN	Canada	290589 / <b>L</b> Included in the pump
29P417AU	1000gal [3785L]/hour	220-240V	/	SAA	3PCS/1CTN	Australia	290589 / <b>L</b> Included in the pump



FILTER

ITEM NO.	29P481	290588	290589	ANTI-BACTERIAL 29P483	ANTI-BACTERIAL 290725	ANTI-BACTERIAL 290726
PRODUCT						
SIZE	Φ80mm x H90mm	Φ106mm x H136mm	Φ106mm x H203mm	Φ80mm x H90mm	Φ106mm x H136mm	Φ106mm x H203mm
PUMP TYPE	300gal (1136L)	530gal (2006L) 800gal (3028L)	530gal (2006L) 800gal (3028L) 1000gal (3785L)	300gal (1136L)	530gal (2006L) 800gal (3028L)	530gal (2006L) 800gal (3028L) 1000gal (3785L)
REMARK	Golbal	530gal (2006L) - Not included US/CA Market 800gal (3028L) - Not included US/CA Market	530gal (2006L) - For US/CA Market 800gal (3028L) - For US/CA Market	Golbal	530gal (2006L) - Not included US/CA Market 800gal (3028L) - Not included US/CA Market	530gal (2006L) - For US/CA Market 800gal (3028L) - For US/CA Market
CASE PACK	0.034cbm/48PCS/ctn	0.089cbm/48pcs/ctn	0.089cbm/32pcs/ctn	0.034cbm/48PCS/ctn	0.089cbm/48pcs/ctn	0.089cbm/32pcs/ctn
PACKAGING	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card



SPRAY BRUSH

- 290495**
- Easy to clean filter cartridge
  - Two function:brush or washing
  - Can auto spray by locking in a pipe.
  - Clamshell
  - Case pack: 43x32x25cm/24pcs/ctn
  - Weight:5kg (11lb)



LEAF SKIMMER

- 290460**
- Remove debris from pool water
  - Compatible with 32mm telescoping aluminum shaft
  - Improved design for easier debris collection
  - Durable mesh skimmer net
  - Cardboard
  - Case pack: 48x32x36cm/24pcs/ctn
  - Weight: 5.5kg (12lb)



VACUUM HEAD

- 290483**
- Vacuum head with air relief valve
  - Compatible with 32mm telescoping aluminum shaft
  - Cardboard packaging.
  - Case pack: 45x33.5x24.5cm/6pcs/ctn
  - Weight: 4.5kg (9.9lb)



LEAF RAKE

- 290462**
- Scoop debris from pool floor
  - Compatible with 32mm telescoping aluminum shaft
  - Deep and durable mesh skimmer net
  - Cardboard
  - Case pack: 38x38x54cm/24pcs/ctn
  - Weight: 5.5kg (12lb)





# CleanPlus™

## WALL BRUSH

- Compatible with 32mm telescoping aluminum shaft easy to connect the pole with V-clip
- With arc angle to avoid scratches
- High wear-resistant PP bristles can effectively resist aging
- Idea for cleaning the debris in the pool

### ALUM POLE

#### 290485

- 3x37" Alum Pole (total Length:111"),ribbed pole with standard grip and lock Bulk
- Ideal for attaching accessories require 32mm shaft to clean pools
- Display carton
- Case pack: 17x14x123cm/12pcs/ctn
- Weight: 13kg (28.7lb)


#### 290484

- 3x32" Alum Pole (total Length:96"),ribbed pole with standard grip and lock Bulk
- Ideal for attaching accessories require 32mm shaft to clean pools
- Display carton
- Case pack: 15.5x12.7x99cm/12pcs/ctn
- Weight: 10kg (22lb)

290484



290485



#### 290463

- 10" brush handle
- Compatible with 32mm telescoping aluminum shaft easy to connect the pole with V-clip
- Arc corner to avoid scratches
- High wear-resistant PP bristles can effectively resist aging
- Card board
- Case pack: 30x24x50cm/24pcs/ctn
- Weight: 4kg (8.8lb)



#### 290465

- 16" brush handle
- Compatible with 32mm telescoping aluminum shaft easy to connect the pole with V-clip
- Arc corner to avoid scratches
- High wear-resistant PP bristles can effectively resist aging
- Display carton
- Case pack: 44x27x46cm/24pcs/ctn
- Weight: 7kg (15.4lb)



# CleanPlus™

## DELUXE VACUUM SYSTEM

### DELUXE VACUUM SYSTEM

#### 290461

- Deluxe vacuum system with additional small vacuum head, 3 adaptors and 1.5M shaft
- Diameter 32 mm X 5 M hose
- Removable and reusable debris and leaf bag
- Two angled conversion nozzles, one with a brush
- Attach to the filter pump for light cleaning your pool
- Color Box
- Case pack: 52x44x66cm/6pcs/ctn
- Weight: 9.8kg (21.6lb)



### POOL MAINTENANCE KIT

#### 290490

- Floating chemical dispenser for 1-1/2" tablets
- Economy leaf skimmer
- Deluxe floating thermometer
- 3 in 1 Free Chlorine,PH,Total Alkalinity
- Deluxe complete underwater vacuum cleaner with 5 sections pole of 48" and brushes
- Clamshell
- Case pack: 50x48x35cm/6pcs/ctn
- Weight: 6.5kg (14.3lb)







290721



290683



## CLEANER

### 290683

- Size:  $\Phi 7.5 \times 197 \text{ cm}$  ( $\Phi 2.9'' \times 77.6''$ )
- Easy to check through the transparent
- With strong inner stainless steel structure
- Powerful suction with easy operation
- Easy to hang with spare parts
- Color Box
- 80.5x35x31cm/6pcs/ctn
- Weight: 9.2kg (20.3lb)
- Adjustable length for different sized pools.

## ELECTRIC VACUUM CLEANER

### 290721

- Size:  $\Phi 6.5 \times 135 \text{ cm}$  ( $\Phi 2.5'' \times 53.1''$ )
- Clean small pools and spas (8 x AA batteries required)-Not included
- Strong and Convenient
- Simple easy to use
- 2.0 m telescopic aluminum poles
- Color Box
- 80.5x22.5x28.5 cm/6pcs/ctn
- White box
- Weight: 7.1kg (15.6lb)
- Adjustable length for different sized pools.



## POOL MAINTENANCE KIT

- Whole set includes lightweight aluminium pole with interchangeables vacuum and skimmer heads.
- Color box
- Case pack: 0.155CBM/6PCS

### 290698

- Size: 63" (161CM)
- For pool size: 10' (DIA)

### 290699

- Size: 81" (205CM)
- For pool size: 12' (DIA)

### 290700

- Size: 98" (249CM)
- For pool size: 15' - 18' (DIA)

## HOSES

- Suitable for filter pumps
- 5m length hose
- Bulk
- Weight: 5kg (11 lb)

### 290497

- 3.2cm diameter
- 0.12cbm/9pcs/ctn

### 290498

- 3.8cm diameter
- 0.097cbm/5pcs/ctn







## TEST STRIPS

**290471**

- 3-In-1 Test: Free Chlorine, PH, Total Alkalinity
- The ideal solution for basic pool and spa water testing
- Easy color-match system
- Contains 50 test strips
- 1 year shelf life
- Blister card package
- Case pack: 29x18x39cm/48pcs/ctn
- Weight: 2kg (4.4lb)



## WATER TESTER

**290493**

- Easy to read directly and no need to match manually.
- Electronically tests the pH and chlorine levels, providing instant, accurate results
- Auto-rectification makes it easy to use
- Safety measure range for Chlorine Level: 1.2 to 1.7 ppm
- Safety measure range for PH Level: 7.2 to 7.8
- Water Resistance : Water resistant, but not waterproof.
- Double Blister Packing
- Case pack: 64.6x23.5x50cm/36pcs/ctn
- Weight: 8.5kg (18.7lb)



## POOL SURFACE SKIMMER



- Durable and corrosion-proof plastic material (PP + ABS)
- Mount on the pool wall to suck floating leaves or other debris
- Attach to the filter pump for skimming automatically
- Easy to clean
- Fits the filter pump with 530gal/h (2006L/hr) flow rate and above

**290727**

- Skimmer hanger is rest over the top beam of a frame pool with adjustable float to parallel against pool water surface
- Wall mounter skimmer with adjustable hook can secure in pool frame ranged from 3cm to 5.6cm
- Case pack: 57x41x36cm/6pcs/ctn
- Weight: 7kg (15.4lb)



- Durable and corrosion-proof plastic material (PP + ABS)
- Mount on the pool wall to suck floating leaves or other debris
- Attach to the filter pump for skimming automatically
- Easy to clean
- Fits the filter pump with 530gal/h (2006L/hr) flow rate and above

**290728**

- Wall mounter skimmer with adjustable hook can secure in pool ranged from 14cm to 23cm
- Case pack: 57x41x36cm/6pcs/ctn
- Weight: 7.7kg (16.9lb)





CHEMICAL FLOATER

- 290618**

  - Dia.5" Floating dispenser for 1" chemical tablets
  - Adjustable dial to control the release of chemicals integrated with a thermometer
  - Displays in both Fahrenheit and Celsius
  - Easy to read temperature.
  - No tablets included
- 290467**

  - Dia.9" Floating Dispenser
  - Dispenses 3" &4" chemical tablets
  - Adjustable dial to control the release of chemicals
  - Integrated with a thermometer displays in both Fahrenheit and Celsius
  - Easy to read temperature.
  - No tablets included
- 290468**

  - 5" dispenser for 1" tablets with a sling prevent move around
  - Telescopic design for smaller packaging.
  - Adjustable dial to control the release of chemicals
- 290470**

  - 7" dispenser for 3" tablets with a sling prevent move around
  - Telescopic design for smaller packaging.
  - Adjustable dial to control the release of chemicals



ITEM NO.	290618	290467	290468	290470
PACKING STYLE	 COLOR BOX	 COLOR BOX	 SHRINK +COLOR CARD	 SHRINK +COLOR CARD
CASE PACK	41x27x53cm/24pcs/ctn	62x37x42cm/12pcs/ctn	37.5x25.5x29cm/24pcs/ctn	53.5x36x40cm/24pcs/ctn
WEIGHT	4.2kg (9.3lb)	6.5kg (14.3lb)	2.5kg (5.5lb)	4.8kg (10.6lb)



- Electric Vacuum Cleaner 24W**
- 290717**
- Cleans small pools and spas
  - Strong and Convenient
  - Efficient working 1 hour and only charging 2-3 hours
  - Can connect with 32mm telescopic poles
  - 4PCS/CTN 41cm\*41cm\*47cm/ctn
  - Color box



- Electric Vacuum Cleaner 10W**
- 290718**
- Cleans small pools and spas
  - Strong and Convenient
  - Efficient working 1 hour and only charging 2-3 hours
  - Can connect with 32mm telescopic poles
  - 4PCS/CTN 54cm\*40.5cm\*40.5cm/ctn
  - Color box



FLOATING THERMOMETER

- 290127**
- Floating design
  - Easy to be located & read temperature gradation
  - Display in Fahrenheit & Celsius
  - Display carton
  - Case pack: 32x22x42cm/48pcs/ctn
  - Weight: 3.2kg (7lb)



FLOATING ANIMAL THERMOMETER

- 290475**
- String attached to keep thermometer in place
  - Floating design
  - Easy to read temperature gradation
  - Displays in both Fahrenheit and Celsius
  - Display box
  - Case pack: 42.5x24.5x25cm/12pcs/ctn
  - Weight: 2kg (4.4lb)





# SAFETY LADDER



## 2 STEP POOL LADDER

- 29R143**
- For pool wall height sized: 84CM[33"]
  - Package: 0.114CBM/4PCS
  - Coated steel frame
  - Durable plastic step
  - Color box



## 3 STEP POOL LADDER

- 29R144**
- For pool wall height sized:90CM[37"]
  - Package: 0.10CBM/3PCS
  - Coated steel frame
  - Durable plastic step
  - Color box
- 29R145**
- For pool wall height sized under: 109CM[43"]
  - Package: 0.073CBM/2PCS
  - Coated steel frame
  - Durable plastic step
  - Color box



## 3 STEP POOL LADDER

- 29R146**
- For pool wall height sized: 122CM[48"]
  - Package:0.106CBM/2PCS
  - Coated steel frame
  - Durable plastic step
  - Color box



## 3 STEP POOL LADDER

- 29R149**
- For pool wall height sized under: 109CM[43"]
  - Package: 0.106CBM/2PCS
  - Coated steel frame
  - Durable plastic step
  - Color box



## 3 STEP POOL LADDER

- 29R150**
- For pool wall height sized under: 122CM[48"]
  - Package: 0.106CBM/2PCS
  - Coated steel frame
  - Durable plastic step
  - Color box





POOL  
PROTECTOR

FLOATING SOLAR  
POOL COVER

- Heats water in sunshine
- Prevents heat loss
- Polybag with insert card



FITS PROMPT SET POOL ONLY			
ITEM NO.	SIZE	FOR POOL	PACKAGE
17707	Ø195cm (6.4')	Ø240cm (8')	0.159cbm/12pcs
17708	Ø250cm (8.2')	Ø300cm (10')	0.266cbm/12pcs
17709	Ø305cm (10')	Ø360cm (12')	0.341cbm/12pcs
17710	Ø364cm (12')	Ø450cm (15')	0.198cbm/6pcs

FITS FRAME RECTANGULAR POOL ONLY			
ITEM NO.	SIZE	FOR POOL	PACKAGE
17716	374x171cm (12.3'x5.6')	400x207cm (13'x6.8')	0.266cbm/12pcs
17717	223x154cm (7.3'x5.1')	228x159cm (90"x62.6")	0.159cbm/12pcs
17718	390x206cm (12.8'x6.8')	394x207cm (13'x6.8')	0.292cbm/12pcs
17719	250x170cm (8.2'x5.6')	258x179cm (8.5'x6')	0.444cbm/12pcs
17720	292x200cm (9.6'x6.6')	300x207cm (10'x6.8')	0.672cbm/12pcs

FITS FRAME ROUND POOL ONLY			
ITEM NO.	SIZE	FOR POOL	PACKAGE
17713	Ø270cm (8.9')	Ø300cm(10')	0.266cbm/12pcs
17714	Ø330cm (10.8')	Ø360cm(12')	0.387cbm/12pcs
17715	Ø427cm (14')	Ø450cm(15')	0.355cbm/6pcs

FITS FRAME PLUS ROUND POOL ONLY			
ITEM NO.	SIZE	FOR POOL	PACKAGE
290886	Ø295cm(9.7')	Ø305cm(10')	0.281cbm/12pcs
290887	Ø354cm(11.6')	Ø366cm(12')	0.381cbm/12pcs
290888	Ø414cm(13.6')	Ø426cm(14')	0.320cbm/6pcs
290889	Ø442cm(14.5')	Ø457cm(15')	0.372cbm/6pcs

FITS FRAME OVAL POOL ONLY			
ITEM NO.	SIZE	FOR POOL	PACKAGE
17711	504x260cm (16.5'x8.5')	540x304cm (18'x10')	0.102cbm/3pcs
17712	522x300cm (17.1'x9.8')	610x360cm (20'x12')	0.122cbm/3pcs

## GROUND CLOTH

- Durable material
- Provide extra protection for pool base
- Individual Color box



## POOL COVER

- Durable material
- Rope ties
- Drain holes to prevent water accumulation
- Individual Color box

FITS PROMPT SET POOL & FRAME ROUND & FRAME PLUS ROUND POOL				
ITEM NO.	Color	SIZE	FOR POOL	PACKAGE
16123	Blue	2.7mx2.7m(9'x9')	Ø2.4m (8')	0.024cbm/8pcs/ctn
16123-1	Blue	3.3mx3.3m(11'x11')	Ø3.0m (10')	0.038cbm/8pcs/ctn
16123-2	Blue	3.9mx3.9m(12.5'x12.5')	Ø3.6m (12')	0.041cbm/6pcs/ctn
FITS PROMPT SET POOL ONLY				
16124	Blue	Ø2.6m (8.5')	Ø2.4m (8')	0.018cbm/6pcs
16124-1	Blue	Ø3.3m (10.8')	Ø3.0m (10')	0.028cbm/6pcs
16124-2	Blue	Ø3.8m (12.5')	Ø3.6m (12')	0.041cbm/6pcs
FITS FRAME OVAL POOL ONLY				
17241V01	Grey	5.58mx3.48m (19.5'x11.5')	5.40mx3.04mx1.06m (18'x10'x42")	0.04cbm/4pcs
FITS FRAME RECTANGULAR POOL ONLY				
16111	Blue	2.58mx1.79m (8.5'x5.9')	2.58mx1.79mx66cm (8.5'x6'x26")	0.028cbm/6pcs
16112V01	Grey	3.0mx2.07m (9.8'x6.8')	3.0mx2.07mx70cm (10'x6.8'x27.6")	0.028cbm/6pcs
16113V01	Grey	3.94mx2.07m (12.9'x6.8')	3.94mx2.07mx80cm (13'x6.8'x31.5")	0.028cbm/6pcs
17243V01	Grey	3.80mx1.78m (12.5'x5.8')	4.0mx2.0mx99cm (13'x6.5'x39")	0.028cbm/6pcs
17243-1V01	Grey	3.84mx1.81m (12.6'x5.9')	4.0mx2.07mx1.22m (13'x6.8'x48")	0.028cbm/6pcs
FITS FRAME ROUND POOL ONLY				
16125	Blue	Ø2.97m(9.7')	Ø3.0m(10')	0.028cbm/6pcs
16125-1	Blue	Ø3.6m(11.8')	Ø3.6m(12')	0.028cbm/6pcs
FITS FRAME PLUS ROUND POOL ONLY				
290882	Blue	Ø305cm(10')	Ø305cm(10')	0.028cbm/6pcs
290883	Blue	Ø366cm(12')	Ø366cm(12')	0.036cbm/6pcs
290884	Blue	Ø424cm(13.9')	Ø426cm(14')	0.037cbm/4pcs
290885	Blue	Ø452cm(14.9')	Ø457cm(15')	0.037cbm/4pcs